

# **COTTON PRICE STATISTICS 2020-2021**




## **ANNUAL REPORT**

**UNITED STATES DEPARTMENT OF AGRICULTURE  
Agricultural Marketing Service  
Cotton and Tobacco Program  
Memphis, TN**

## ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 27.0-28.9 grams per tex, uniformity of 81 units in the designated spot markets averaged 73.86 cents per pound for the 2020-2021 season, up from 57.58 cents for the 2019-2020 season. The season's lowest daily quotation for the base quality occurred on August 12, 2020 at 57.20 cents per pound and the season's highest quotation was 88.80 cents on February 24, 2021. The lowest monthly average for the marketing year was 58.60 cents per pound in August 2020 and the highest was 85.03 cents per pound in July 2021.



Source: USDA, AMS, Cotton and Tobacco Program

Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 27.0-28.9 grams per tex, uniformity of 81 units in the designated spot markets averaged 74.93 cents per pound for the 2020-2021 season, up from 58.70 cents for the 2019-2020 season.

The average price received by farmers for Upland cotton in July was 73.00 cents per pound in the 2020-2021 marketing year. The 2019-2020 marketing year average price was 58.38 cents, compared to the 2018-2019 marketing year of 70.30 cents, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 1,396,684 running bales in the 2020-2021 marketing year, down from 1,614,995 bales in the 2019-2020 marketing year, but up from 1,283,283 bales in 2018-2019.

August 31, 2021

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2015-2020 1/ 2/

Market Areas	2015	2016	2017	2018	2019	2020
Southeast	63.31	72.91	78.91	72.55	60.53	76.62
North Delta	62.43	71.81	77.60	71.52	59.40	75.62
South Delta	62.43	71.81	77.60	71.52	59.40	75.62
East Texas-Oklahoma	59.29	70.25	74.43	68.67	57.05	73.24
West Texas	59.15	70.06	73.85	68.59	56.90	73.14
Desert Southwest	59.72	68.50	73.35	68.04	54.66	71.13
San Joaquin Valley	60.87	69.61	74.13	68.54	55.16	71.63
<b>Average</b>	<b>61.03</b>	<b>70.71</b>	<b>75.70</b>	<b>69.92</b>	<b>57.58</b>	<b>73.86</b>

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2015 2/	29-Jul-16	72.51	2-Mar-16	54.56
2016 2/	15-May-17	81.76	31-Aug-16	63.91
2017 2/	31-Jul-18	86.49	5-Jul-18	79.44
2018 2/	2-Aug-18	85.65	18-Jul-19	55.28
2019 2/	13-Jan-20	67.07	1-Apr-20	43.23
2020 2/	24-Feb-21	88.80	12-Aug-20	57.20

1/ Year beginning August 1. 2/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 27.0-28.9.

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2020-2021 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1		59.37	60.27		67.69		76.10	86.68	73.34		80.07	82.38
2		58.89	60.18	64.02	67.10		76.76	86.10			79.59	83.40
3	59.24	58.27		65.67	66.68		77.06	83.56		83.68	80.03	
4	59.64	58.83		65.66	67.21	74.43	80.35	82.25		82.99	81.62	
5	59.72		60.39	65.57		75.81	78.81	82.87	73.27	83.15		
6	59.77		61.22	64.30		75.70			74.61	86.40		83.75
7	57.24		61.95		68.02	75.40			75.04	85.48	80.18	83.97
8		57.90	61.92		67.62	75.41	80.35	83.50	76.95		80.96	83.22
9		58.06	62.10	65.89	68.69		83.00	79.50	77.94		82.44	83.88
10	57.70	58.67		65.74	69.90		80.74	80.40		84.29	83.18	
11	58.39	58.77		65.17	69.72	76.07	82.48	83.53		83.57	82.82	
12	57.20		62.83	64.37		77.34	83.77	82.74	75.68	84.05		84.36
13	57.57		63.29	64.35		76.78			77.36	80.80		84.66
14	57.43	60.25	63.39		70.38	77.01			79.74	78.25	80.77	86.46
15		60.18	63.76		71.30	76.56		82.11	80.56		81.10	85.73
16		59.76	64.53	66.47	71.36		84.71	82.31	79.25		81.15	86.59
17	57.76	60.24		66.19	72.90		85.04	81.90		78.14	80.62	
18	57.53	60.05		66.79	72.87		85.41	80.84		79.83	82.00	
19	57.85		65.84	66.71		77.01	85.59	80.07	80.53	78.74		83.00
20	58.56		65.70	68.07		77.45			80.99	77.35		84.76
21	58.37	59.63	65.79		70.47	78.64			82.05	78.64	81.85	84.98
22		59.93	66.76		70.53	77.63	87.52	80.01	81.87		82.45	86.16
23		59.64	66.18	68.91	71.85		87.78	78.92	84.62		83.52	86.21
24	59.80	59.85		68.19	71.91		88.80	77.83		78.64	83.42	
25	59.62	60.34		67.57		78.40	84.80	73.83		78.53	83.93	
26	59.62		67.00			77.78	83.94	75.77	85.04	78.26		86.18
27	59.40		67.28	68.67		76.91			87.24	78.43		86.63
28	59.01	60.08	65.42		72.06	76.00			85.34	77.94	84.16	86.80
29		59.68	65.07		72.72	76.71		75.88	82.36		84.03	86.65
30		60.15	64.21	67.65	73.51			76.03	83.90		81.40	85.72
31	59.05				73.58			76.27				
Average	58.60	59.46	63.87	66.30	70.37	76.69	82.79	80.56	79.89	80.86	81.88	85.03
High	59.80	60.34	67.28	68.91	73.58	78.64	88.80	86.68	87.24	86.40	84.16	86.80
Low	57.20	57.90	60.18	64.02	66.68	74.43	76.10	73.83	73.27	77.35	79.59	82.38

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2020-2021 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	60.57	61.61	66.30	69.07	73.15	79.64	85.83	83.81	82.99	83.79	84.78	87.88	76.62
North Delta	59.57	60.62	65.54	68.09	71.95	78.61	84.83	82.81	81.99	82.79	83.78	86.88	75.62
South Delta	59.57	60.62	65.54	68.09	71.95	78.61	84.83	82.81	81.99	82.79	83.78	86.88	75.62
East Texas-Oklahoma	58.38	59.36	63.24	65.52	69.81	76.03	82.07	79.72	79.17	80.04	81.14	84.38	73.24
West Texas	58.38	58.67	62.76	65.52	69.81	76.03	82.07	79.72	79.17	80.04	81.14	84.38	73.14
Desert Southwest	56.59	57.40	61.60	63.65	67.71	73.69	79.70	77.28	76.71	78.04	79.03	82.13	71.13
San Joaquin Valley	57.09	57.90	62.10	64.15	68.21	74.19	80.20	77.78	77.21	78.54	79.53	82.63	71.63
Average	58.60	59.46	63.87	66.30	70.37	76.69	82.79	80.56	79.89	80.86	81.88	85.03	73.86

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2020-2021 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	61.32	62.36	67.05	69.82	73.90	80.39	86.58	84.56	83.74	84.54	85.53	88.63	77.37
North Delta	60.82	61.87	66.79	69.34	73.20	79.86	86.08	84.06	83.24	84.04	85.03	88.13	76.87
South Delta	60.82	61.87	66.79	69.34	73.20	79.86	86.08	84.06	83.24	84.04	85.03	88.13	76.87
East Texas-Oklahoma	58.88	59.86	63.74	66.02	70.31	76.53	82.57	80.22	79.67	80.54	81.64	84.88	73.74
West Texas	58.73	59.02	63.18	66.12	70.63	76.88	83.19	80.82	80.27	81.14	82.24	85.48	73.98
Desert Southwest	56.84	57.65	61.85	63.90	67.96	73.94	79.95	77.53	76.96	78.29	79.28	82.38	71.38
San Joaquin Valley	59.74	60.55	64.75	66.80	70.86	76.84	82.85	80.43	79.86	81.19	82.18	85.28	74.28
Average	59.60	60.46	64.88	67.33	71.44	77.76	83.90	81.67	81.00	81.97	82.99	86.14	74.93

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 11. United States spot cotton differences, season averages

August 2020 - July 2021

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-390	-259	-95	185	464	667	743	794
	3	-461	-287	-114	155	408	618	677	721
	4	-513	-315	-221	63	194	335	383	387
	5	-575	-450	-342	-129	14	87	129	129
	6	-713	-540	-479	-352	-259	-217	-192	-192
	7	-788	-635	-596	-459	-384	-339	-316	-316
31	1 & 2	-490	-284	-141	120	393	609	674	716
	3	-536	-297	-152	107	355	576	629	671
	4	-613	-350	-271	48	158	271	320	329
	5	-663	-500	-388	-174	-46	15	55	55
	6	-775	-585	-513	-380	-303	-265	-243	-243
	7	-863	-680	-629	-477	-416	-379	-357	-357
41	1 & 2	-619	-373	-290	58	171	271	281	306
	3	-644	-383	-298	41	116	217	229	254
	4	-694	-408	-369	73.86	64	160	181	192
	5	-788	-600	-525	-326	-204	-136	-119	-119
	6	-900	-690	-646	-520	-430	-378	-375	-375
	7	-1013	-800	-783	-652	-570	-540	-537	-537
51	1 & 2	-788	-615	-508	-339	-189	-155	-150	-150
	3	-788	-655	-513	-361	-207	-169	-164	-164
	4	-825	-675	-542	-411	-282	-247	-235	-235
	5	-850	-765	-713	-575	-454	-414	-400	-400
	6	-1013	-865	-833	-696	-632	-593	-586	-586
	7	-1113	-950	-958	-821	-760	-725	-721	-721
61	1-5	-938	-805	-735	-535	-475	-430	-430	-430
	6	-1088	-915	-875	-700	-655	-605	-605	-605
	7	-1188	-1045	-995	-810	-745	-700	-700	-700
71	1-6	-1138	-1105	-1045	-875	-830	-790	-790	-790
	7	-1225	-1145	-1095	-910	-885	-845	-845	-845
12 & 22	1 & 2	-697	-363	-240	59	227	378	444	473
	3	-726	-379	-252	41	181	330	384	409
	4	-769	-395	-341	-35	102	235	275	278
	5	-841	-617	-532	-297	-136	-64	-23	-23
	6	-963	-728	-675	-507	-396	-341	-302	-302
	7	-1082	-813	-791	-638	-557	-501	-466	-466
32	1 & 2	-813	-485	-358	-100	40	95	125	143
	3	-850	-500	-371	-121	11	66	93	107
	4	-900	-545	-429	-236	-86	-41	-22	-22
	5	-1013	-750	-625	-446	-329	-289	-275	-275
	6	-1125	-825	-783	-611	-511	-486	-471	-471
	7	-1250	-930	-892	-736	-657	-639	-625	-625
42	1-3	-913	-645	-546	-336	-182	-146	-132	-132
	4	-963	-685	-567	-379	-254	-214	-200	-200
	5	-1088	-820	-704	-521	-389	-357	-343	-343
	6	-1300	-910	-846	-671	-600	-579	-561	-561
	7	-1363	-990	-954	-811	-736	-714	-700	-700
52	1-4	-1138	-830	-742	-621	-550	-525	-511	-511
	5	-1213	-915	-850	-704	-636	-621	-604	-604
	6	-1425	-1045	-992	-846	-793	-775	-761	-761
	7	-1513	-1145	-1121	-986	-939	-911	-896	-896
62	1-5	-1263	-1035	-960	-780	-745	-720	-700	-700
	6	-1463	-1200	-1125	-925	-895	-865	-845	-845

Table 11. United States (Continued)

August 2020 - July 2021

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1125	-938	-863	-475	-388	-325	-250	-250
	3	-1163	-963	-888	-500	-413	-350	-275	-275
	4	-1200	-1038	-950	-550	-463	-400	-325	-325
	5	-1313	-1125	-1063	-675	-588	-513	-438	-438
	6	-1425	-1200	-1125	-763	-675	-600	-525	-525
	7	-1513	-1300	-1225	-850	-788	-713	-638	-638
33	1 & 2	-1225	-1000	-913	-510	-467	-425	-375	-375
	3	-1225	-1000	-913	-518	-475	-433	-375	-375
	4	-1300	-1075	-988	-593	-550	-500	-442	-442
	5	-1438	-1175	-1100	-752	-700	-642	-583	-583
	6	-1500	-1250	-1200	-902	-867	-808	-750	-750
	7	-1588	-1363	-1275	-1035	-992	-933	-875	-875
43	1-3	-1275	-975	-833	-651	-607	-571	-546	-546
	4	-1350	-1020	-883	-701	-643	-607	-582	-582
	5	-1463	-1070	-979	-841	-782	-754	-729	-729
	6	-1550	-1150	-1067	-940	-914	-889	-864	-864
	7	-1638	-1275	-1175	-1065	-1039	-1014	-989	-989
	53	1-4	-1425	-1120	-1021	-830	-792	-771	-742
5	-1513	-1195	-1117	-922	-892	-871	-842	-842	
6	-1625	-1310	-1204	-1018	-988	-967	-938	-938	
7	-1713	-1375	-1342	-1147	-1125	-1104	-1075	-1075	
63	1-5	-1638	-1295	-1220	-1006	-965	-940	-905	-905
	6	-1713	-1380	-1295	-1085	-1050	-1025	-990	-990
34	1 & 2	-1350	-1175	-1100	-700	-675	-613	-550	-550
	3	-1350	-1175	-1100	-700	-675	-613	-550	-550
	4	-1475	-1300	-1200	-800	-775	-713	-650	-650
	5	-1563	-1388	-1313	-925	-900	-838	-775	-775
	6	-1725	-1550	-1475	-1113	-1088	-1025	-963	-963
	44	1-3	-1463	-1288	-1213	-813	-788	-725	-663
4	-1538	-1388	-1263	-863	-838	-775	-713	-713	
5	-1613	-1450	-1350	-963	-938	-875	-813	-813	
6	-1775	-1600	-1525	-1163	-1138	-1075	-1013	-1013	
54	1-4	-1563	-1413	-1338	-913	-900	-838	-788	-788
	5	-1650	-1488	-1388	-1025	-1000	-938	-888	-888

Mike	
Range	Diff.
24 & Below	-1700
25-26	-1346
27-29	-1034
30-32	-684
33-34	-469
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-277
53 & Above	-407

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-629
22.0 - 22.9	-579
23.0 - 23.9	-525
24.0 - 24.9	-493
25.0 - 25.9	-436
26.0 - 26.9	-248
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	21
31.0 - 32.9	46
33.0 & above	75

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Prep	Diff.
Level 1	-157
Level 2	-714
Bark	Diff.
Level 1	-350
Level 2	-525
Other	Diff.
Level 1	-444
Level 2	-756
Plastic	Diff.
Level 1	-4000
Level 2	-4000

Table 7. Southeast spot cotton differences, season average.

August 2020 - July 2021

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	375	425	425	25-26	-1075
	3	-225	-50	150	225	350	400	400	27-29	-675
	4	-225	-125	75	175	275	300	300	30-32	-525
	5	-475	-325	-225	-75	-25	-25	-25	33-34	-400
	6	-600	-450	-400	-325	-300	-300	-300	Base 35-36	0
	7	-722	-572	-548	-448	-423	-423	-423	37-42	0
	31	1 & 2	-224	-99	75	224	349	374	374	Base 43-49
3		-224	-99	75	224	324	349	349	50-52	-198
4		-224	-124	75	175	249	274	274	53 & Above	-371
5		-475	-325	-225	-75	-50	-50	-50		
6		-600	-450	-400	-375	-350	-350	-350		
7		-725	-575	-550	-500	-475	-475	-475		
41		1 & 2	-275	-150	50	150	200	200	225	Strength
	3	-275	-150	50	125	175	175	200	(Grams per Tex)	
	4	-275	-200	76.62	100	175	175	200	Range	Diff.
	5	-550	-450	-300	-175	-125	-125	-125	21.0 - 21.9	-725
	6	-675	-550	-525	-450	-425	-425	-425	22.0 - 22.9	-675
	7	-772	-672	-647	-597	-573	-573	-573	23.0 - 23.9	-645
	51	1 & 2	-473	-348	-224	-174	-149	-149	-149	24.0 - 24.9
3		-547	-373	-298	-224	-174	-174	-174	25.0 - 25.9	-594
4		-572	-373	-323	-274	-249	-249	-249	26.0 - 26.9	-297
5		-775	-650	-550	-500	-475	-475	-475	Base 27.0 - 28.9	0
6		-850	-675	-625	-625	-600	-600	-600	29.0 - 29.9	0
7		-925	-800	-775	-775	-750	-750	-750	30.0 - 30.9	25
61		1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9
	6	-950	-875	-825	-800	-800	-800	-800	33.0 & above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
71	1-6	-1075	-1000	-950	-950	-950	-950	-950		
	7	-1100	-1025	-975	-975	-975	-975	-975		
12 & 22	1 & 2	-274	-99	50	150	249	249	274	Extraneous Matter	
	3	-274	-99	50	125	224	224	249	Prep	Diff.
	4	-274	-124	1	100	200	200	225	Level 1	-197
	5	-523	-423	-298	-99	-74	-74	-74	Level 2	-793
	6	-650	-525	-525	-450	-425	-425	-425	Other	Diff.
	7	-750	-650	-650	-600	-575	-575	-575	Level 1	-527
	32	1 & 2	-325	-175	-25	0	50	50	50	Level 2
3		-350	-200	-50	0	25	25	25	Plastic	Diff.
4		-450	-200	-150	-100	-50	-50	-50	Level 1	-4000
5		-625	-450	-400	-375	-350	-350	-350	Level 2	-4000
6		-700	-550	-550	-525	-500	-500	-500		
7		-800	-675	-675	-650	-625	-625	-625		
42		1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
52	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	0
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
62	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
43	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
	7	-1125	-1000	-950	-925	-925	-925	-925		
53	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
63	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		



Table 8. North Delta spot cotton differences, season average.

August 2020 - July 2021

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	159	284	375	425	425	25-26	-1000
	3	-225	-75	150	234	350	375	375	27-29	-650
	4	-275	-200	75	125	250	275	275	30-32	-525
	5	-450	-325	-116	-41	-16	9	9	33-34	-425
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
									Base 43-49	0
31	1 & 2	-225	-100	125	250	350	375	375	50-52	-225
	3	-225	-100	125	225	325	350	350	53 & Above	-375
	4	-275	-250	75	125	175	200	200		
	5	-450	-325	-182	-91	-66	-41	-41		
	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
41	1 & 2	-350	-250	67	117	234	234	259	Strength	
	3	-350	-250	42	67	192	209	234	(Grams per Tex)	
	4	-375	-275	75.62	17	142	167	167	Range	Diff.
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-400	-400	-400	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-558	-558	23.0 - 23.9	-750
									24.0 - 24.9	-700
51	1 & 2	-675	-475	-350	-250	-250	-250	-250	25.0 - 25.9	-650
	3	-725	-475	-375	-275	-275	-275	-275	26.0 - 26.9	-249
	4	-750	-500	-400	-350	-350	-350	-350	Base 27.0 - 28.9	0
	5	-825	-725	-650	-575	-550	-550	-550	29.0 - 29.9	0
	6	-950	-925	-775	-700	-700	-700	-700	30.0 - 30.9	25
	7	-1000	-975	-825	-767	-775	-775	-775	31.0 - 32.9	50
									33.0 & above	50
61	1-5	-850	-750	-650	-575	-575	-575	-575		
	6	-950	-950	-775	-750	-750	-750	-750		
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	234	259	259	Extraneous Matter	
	3	-275	-125	25	50	184	234	234	Prep	Diff.
	4	-300	-250	0	0	150	175	175	Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other	Diff.
	7	-775	-750	-625	-550	-525	-525	-525	Level 1	-375
									Level 2	-785
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic	Diff.
	3	-400	-250	-100	-25	25	25	25	Level 1	-4000
	4	-425	-275	-200	-100	-75	-75	-75	Level 2	-4000
	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity	
	4	-575	-450	-350	-275	-250	-250	-250	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-550	-525	-525	-525	78.0 - 78.9	-80
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
									84.0 - 84.9	40
62	1-5	-1025	-925	-850	-825	-825	-825	-825	85.0 - 85.9	50
	6	-1175	-1075	-950	-925	-925	-925	-925	86.0 & Above	60
43	1-3	-900	-675	-500	-475	-475	-475	-475		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Table 9. South Delta spot cotton differences, season average.

August 2020 - July 2021

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	300	375	425	425	25-26	-1100
	3	-225	-75	150	250	350	375	375	27-29	-750
	4	-275	-200	75	125	250	275	275	30-32	-525
	5	-450	-325	-175	-100	-75	-50	-50	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
	Base 43-49	0								
31	1 & 2	-225	-100	125	250	350	375	375	50-52	-225
	3	-225	-100	125	225	325	350	350	53 & Above	-375
	4	-275	-250	75	125	175	200	200		
	5	-550	-425	-225	-150	-125	-100	-100		
	6	-600	-575	-450	-400	-400	-400	-400		
	7	-700	-675	-550	-500	-500	-500	-500		
41	1 & 2	-350	-250	100	150	250	250	275	Strength	
	3	-350	-250	75	100	225	225	250	(Grams per Tex)	
	4	-375	-275	75.62	50	175	200	200	Range	Diff.
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-400	-425	-425	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-558	-558	23.0 - 23.9	-750
									24.0 - 24.9	-700
51	1 & 2	-675	-475	-300	-200	-200	-200	-200	25.0 - 25.9	-650
	3	-725	-475	-325	-225	-225	-225	-225	26.0 - 26.9	-249
	4	-750	-500	-350	-300	-300	-300	-300	Base 27.0 - 28.9	0
	5	-825	-725	-625	-575	-550	-550	-550	29.0 - 29.9	0
	6	-925	-825	-775	-700	-700	-700	-700	30.0 - 30.9	25
	7	-1100	-1075	-925	-800	-800	-800	-800	31.0 - 32.9	50
									33.0 & above	50
61	1-5	-850	-750	-650	-575	-575	-575	-575		
	6	-925	-850	-775	-750	-750	-750	-750		
	7	-1125	-1100	-975	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
	3	-275	-125	25	50	200	250	250	Prep	Diff.
	4	-300	-250	0	0	150	175	175	Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other	Diff.
	7	-775	-750	-625	-550	-525	-525	-525	Level 1	-375
									Level 2	-785
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic	
	3	-400	-250	-100	-25	25	25	25	Diff.	
	4	-425	-275	-200	-100	-75	-75	-75	Level 1	-4000
	5	-700	-525	-350	-325	-300	-300	-300	Level 2	-4000
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity	
	4	-575	-450	-350	-275	-225	-225	-225	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-875	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-925	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1025	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
									84.0 - 84.9	40
62	1-5	-1025	-925	-850	-825	-825	-825	-825	85.0 - 85.9	50
	6	-1175	-1075	-950	-925	-925	-925	-925	86.0 & Above	60
43	1-3	-900	-675	-475	-450	-450	-450	-450		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2020 - July 2021

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-425	-375	-175	150	434	649	735	756
	3	-475	-425	-200	100	384	576	660	681
	4	-550	-425	-225	50	89	389	475	475
	5	-600	-475	-400	-75	89	217	303	303
	6	-750	-600	-575	-300	-275	-145	-75	-75
	7	-825	-700	-675	-375	-350	-220	-150	-150
31	1 & 2	-475	-400	-200	50	309	567	635	656
	3	-500	-425	-225	50	259	542	585	606
	4	-600	-500	-275	25	89	339	400	400
	5	-650	-500	-425	-75	64	167	253	253
	6	-775	-625	-600	-300	-275	-148	-125	-125
	7	-850	-725	-700	-375	-350	-248	-225	-225
41	1 & 2	-575	-400	-200	50	200	447	472	472
	3	-600	-425	-225	50	150	322	347	347
	4	-650	-500	-375	73.24	75	272	297	297
	5	-775	-600	-525	-175	-100	125	175	175
	6	-925	-725	-675	-375	-350	-220	-220	-220
	7	-1025	-825	-775	-475	-425	-348	-348	-348
51	1 & 2	-775	-625	-500	-100	-50	97	122	122
	3	-775	-650	-500	-100	-50	97	122	122
	4	-825	-675	-525	-175	-125	22	47	47
	5	-875	-750	-675	-275	-200	-150	-100	-100
	6	-1050	-850	-825	-425	-400	-275	-275	-275
	7	-1150	-875	-850	-500	-475	-350	-350	-350
61	1-5	-950	-800	-725	-325	-300	-175	-175	-175
	6	-1125	-925	-875	-500	-450	-325	-325	-325
	7	-1225	-1025	-975	-600	-550	-425	-425	-425
71	1-6	-1150	-1050	-975	-575	-550	-425	-425	-425
	7	-1250	-1100	-1050	-650	-625	-500	-500	-500
12 & 22	1 & 2	-725	-500	-300	74	225	438	535	535
	3	-750	-550	-350	72	175	375	411	411
	4	-800	-575	-375	0	75	358	363	363
	5	-875	-750	-675	-275	-175	133	235	235
	6	-1050	-850	-825	-425	-375	-209	-112	-112
	7	-1175	-975	-925	-525	-475	-309	-235	-235
32	1 & 2	-800	-700	-500	-100	25	75	175	175
	3	-825	-700	-525	-125	-75	0	100	100
	4	-875	-725	-600	-200	-175	-100	-50	-50
	5	-975	-850	-800	-375	-300	-125	-50	-50
	6	-1150	-950	-925	-550	-500	-425	-375	-375
	7	-1300	-1075	-1050	-650	-600	-525	-475	-475
42	1-3	-875	-775	-675	-200	-125	-100	-50	-50
	4	-925	-800	-700	-225	-175	-175	-125	-125
	5	-1075	-925	-825	-425	-375	-325	-275	-275
	6	-1300	-1025	-950	-575	-525	-525	-450	-450
	7	-1425	-1150	-1075	-700	-625	-575	-525	-525
52	1-4	-1125	-925	-825	-500	-500	-425	-375	-375
	5	-1200	-1025	-900	-550	-550	-500	-425	-425
	6	-1425	-1225	-1125	-700	-675	-600	-550	-550
	7	-1525	-1350	-1250	-825	-800	-675	-625	-625
62	1-5	-1250	-1100	-1050	-625	-600	-525	-475	-475
	6	-1475	-1300	-1250	-825	-800	-700	-650	-650

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2020 - July 2021

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1200	-1050	-950	-500	-425	-325	-225	-225
	3	-1225	-1075	-975	-525	-450	-350	-250	-250
	4	-1275	-1150	-1025	-575	-500	-400	-300	-300
	5	-1400	-1250	-1150	-700	-625	-525	-425	-425
	6	-1525	-1325	-1200	-800	-725	-625	-525	-525
	7	-1625	-1425	-1325	-925	-850	-750	-650	-650
33	1 & 2	-1275	-1100	-1000	-530	-475	-375	-275	-275
	3	-1275	-1100	-1000	-555	-500	-400	-275	-275
	4	-1350	-1175	-1050	-605	-550	-450	-325	-325
	5	-1500	-1275	-1175	-730	-675	-575	-450	-450
	6	-1575	-1350	-1250	-855	-800	-700	-575	-575
	7	-1675	-1475	-1350	-980	-925	-825	-700	-700
43	1-3	-1325	-1175	-1050	-605	-550	-450	-325	-325
	4	-1400	-1250	-1100	-630	-575	-475	-350	-350
	5	-1525	-1350	-1200	-760	-700	-600	-475	-475
	6	-1625	-1425	-1300	-880	-850	-750	-625	-625
	7	-1725	-1525	-1400	-980	-950	-850	-725	-725
	53	1-4	-1450	-1350	-1225	-780	-775	-700	-575
5	-1550	-1425	-1325	-855	-850	-775	-650	-650	
6	-1650	-1525	-1425	-1005	-975	-900	-775	-775	
7	-1750	-1625	-1550	-1105	-1050	-975	-850	-850	
63	1-5	-1650	-1500	-1375	-955	-875	-800	-675	-675
	6	-1750	-1625	-1475	-1075	-1000	-925	-800	-800
34	1 & 2	-1400	-1275	-1200	-750	-725	-650	-575	-575
	3	-1400	-1275	-1200	-750	-725	-650	-575	-575
	4	-1525	-1400	-1300	-850	-825	-750	-675	-675
	5	-1625	-1500	-1425	-975	-950	-875	-800	-800
	6	-1800	-1675	-1600	-1150	-1125	-1050	-975	-975
	44	1-3	-1500	-1375	-1300	-850	-825	-750	-675
4	-1575	-1475	-1350	-900	-875	-800	-725	-725	
5	-1650	-1550	-1450	-1000	-975	-900	-825	-825	
6	-1825	-1700	-1625	-1175	-1150	-1075	-1000	-1000	
54	1-4	-1600	-1500	-1425	-925	-925	-850	-800	-800
	5	-1700	-1600	-1500	-1025	-1000	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1900
25-26	-1900
27-29	-1270
30-32	-781
33-34	-541
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-253
53 & Above	-409

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-375
22.0 - 22.9	-375
23.0 - 23.9	-350
24.0 - 24.9	-350
25.0 - 25.9	-275
26.0 - 26.9	-255
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	0
31.0 - 32.9	0
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-500
Bark	Diff.
Level 1	-350
Level 2	-525
Other	Diff.
Level 1	-550
Level 2	-600
Plastic	Diff.
Level 1	-4000
Level 2	-4000

Table 11. West Texas spot cotton differences, monthly average.

August 2020 - July 2021

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-355	-245	-70	160	407	627	691	710
	3	-447	-337	-162	109	316	537	601	618
	4	-475	-375	-250	63	245	420	458	463
	5	-550	-400	-275	13	177	302	316	316
	6	-675	-500	-425	-187	-162	-112	-112	-112
	7	-750	-550	-500	-262	-237	-187	-187	-187
31	1 & 2	-505	-345	-145	100	296	527	640	658
	3	-572	-387	-187	84	280	502	590	608
	4	-625	-475	-350	38	145	320	408	420
	5	-675	-525	-400	-87	27	152	166	166
	6	-775	-600	-475	-262	-262	-237	-237	-237
	7	-875	-650	-550	-312	-312	-287	-287	-287
41	1 & 2	-663	-488	-288	38	188	213	238	238
	3	-688	-513	-313	20	113	188	213	213
	4	-738	-513	-438	73.14	8	42	67	67
	5	-800	-600	-500	-204	-79	-20	-20	-20
	6	-875	-700	-625	-412	-387	-262	-262	-262
	7	-1000	-800	-725	-462	-437	-362	-362	-362
51	1 & 2	-800	-625	-525	-175	-75	-75	-75	-75
	3	-800	-625	-525	-175	-75	-75	-75	-75
	4	-825	-625	-600	-250	-150	-150	-150	-150
	5	-825	-650	-650	-350	-275	-200	-200	-200
	6	-975	-750	-750	-475	-425	-300	-300	-300
	7	-1075	-850	-850	-575	-525	-425	-425	-425
61	1-5	-925	-750	-750	-425	-325	-225	-225	-225
	6	-1050	-825	-825	-625	-525	-400	-400	-400
	7	-1150	-975	-950	-700	-600	-500	-500	-500
71	1-6	-1125	-950	-900	-700	-600	-525	-525	-525
	7	-1200	-975	-950	-725	-675	-600	-600	-600
12 & 22	1 & 2	-670	-488	-288	38	214	314	407	414
	3	-701	-520	-313	38	164	264	314	314
	4	-738	-526	-445	-145	25	150	225	225
	5	-808	-608	-514	-202	-76	-7	6	6
	6	-876	-688	-626	-376	-350	-250	-200	-200
	7	-988	-788	-720	-444	-425	-325	-275	-275
32	1 & 2	-825	-600	-375	-150	-25	0	50	75
	3	-875	-650	-400	-200	-25	0	25	25
	4	-925	-700	-575	-250	-50	-25	0	0
	5	-1050	-875	-750	-425	-250	-225	-200	-200
	6	-1100	-875	-825	-525	-450	-425	-375	-375
	7	-1200	-975	-875	-625	-525	-500	-450	-450
42	1-3	-950	-725	-625	-300	-200	-125	-75	-75
	4	-1000	-800	-650	-350	-250	-150	-100	-100
	5	-1100	-950	-800	-500	-325	-325	-275	-275
	6	-1300	-1000	-875	-600	-525	-450	-400	-400
	7	-1300	-1075	-975	-725	-600	-525	-475	-475
52	1-4	-1150	-900	-850	-600	-475	-425	-375	-375
	5	-1225	-1000	-925	-650	-525	-475	-425	-425
	6	-1425	-1175	-1100	-775	-675	-625	-575	-575
	7	-1500	-1275	-1200	-875	-775	-725	-675	-675
62	1-5	-1275	-1075	-1025	-750	-650	-600	-550	-550
	6	-1450	-1225	-1175	-900	-825	-775	-725	-725

Table 11. West Texas spot cotton differences, monthly average.

August 2020 - July 2021

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1050	-825	-775	-450	-350	-325	-275	-275
	3	-1100	-850	-800	-475	-375	-350	-300	-300
	4	-1125	-925	-875	-525	-425	-400	-350	-350
	5	-1225	-1000	-975	-650	-550	-500	-450	-450
	6	-1325	-1075	-1050	-725	-625	-575	-525	-525
	7	-1400	-1175	-1125	-775	-725	-675	-625	-625
33	1 & 2	-1175	-900	-825	-500	-425	-400	-350	-350
	3	-1175	-900	-825	-500	-425	-400	-350	-350
	4	-1250	-975	-925	-575	-500	-450	-400	-400
	5	-1375	-1075	-1025	-725	-625	-550	-500	-500
	6	-1425	-1150	-1150	-775	-725	-650	-600	-600
	7	-1500	-1250	-1200	-900	-825	-750	-700	-700
43	1-3	-1225	-1000	-950	-575	-500	-450	-400	-400
	4	-1300	-1075	-1000	-625	-525	-450	-400	-400
	5	-1400	-1150	-1075	-750	-650	-575	-525	-525
	6	-1475	-1225	-1175	-850	-800	-725	-675	-675
	7	-1550	-1325	-1250	-925	-875	-800	-750	-750
	53	1-4	-1400	-1250	-1150	-750	-700	-650	-600
5		-1475	-1275	-1200	-850	-800	-750	-700	-700
6		-1600	-1375	-1300	-950	-925	-875	-825	-825
7		-1675	-1450	-1400	-1075	-1050	-1000	-950	-950
63	1-5	-1625	-1400	-1300	-900	-825	-775	-725	-725
	6	-1675	-1475	-1350	-1050	-1000	-950	-900	-900
34	1 & 2	-1300	-1075	-1000	-650	-625	-575	-525	-525
	3	-1300	-1075	-1000	-650	-625	-575	-525	-525
	4	-1425	-1200	-1100	-750	-725	-675	-625	-625
	5	-1500	-1275	-1200	-875	-850	-800	-750	-750
	6	-1650	-1425	-1350	-1075	-1050	-1000	-950	-950
	44	1-3	-1425	-1200	-1125	-775	-750	-700	-650
4		-1500	-1300	-1175	-825	-800	-750	-700	-700
5		-1575	-1350	-1250	-925	-900	-850	-800	-800
6		-1725	-1500	-1425	-1150	-1125	-1075	-1025	-1025
54	1-4	-1525	-1325	-1250	-900	-875	-825	-775	-775
	5	-1600	-1375	-1275	-1025	-1000	-950	-900	-900

Mike	
Range	Diff.
24 & Below	-1850
25-26	-1850
27-29	-1245
30-32	-781
33-34	-541
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-253
53 & Above	-409

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-375
22.0 - 22.9	-375
23.0 - 23.9	-350
24.0 - 24.9	-350
25.0 - 25.9	-275
26.0 - 26.9	-255
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	0
31.0 - 32.9	0
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-500
Bark	Diff.
Level 1	-350
Level 2	-525
Other	Diff.
Level 1	-550
Level 2	-600
Plastic	Diff.
Level 1	-4000
Level 2	-4000

Table 12. Desert Southwest spot cotton differences, season average.

August 2020 - July 2021

Color	Leaf	Staple						Mike				
		33	34	35	36	37	38	Range	Diff.			
11 & 21	1 & 2	-125	88	532	876	958	1050	24 & Below	-1350			
	3	-125	63	457	826	866	933	25-26	-1150			
	4	-325	25	250	360	395	420	27-29	-1050			
	5	-400	-200	-25	75	160	160	30-32	-650			
	6	-475	-375	-150	-110	-55	-55	33-34	-450			
	7	-675	-400	-225	-165	-125	-125	Base 35-36	0			
	31	1 & 2	-200	50	482	826	903	985	37-42	25		
3		-200	25	382	776	811	893	Base 43-49	0			
4		-375	0	150	310	345	395	50-52	-286			
5		-425	-225	-100	-25	45	45	53 & Above	-500			
6		-500	-400	-185	-145	-65	-65					
7		-700	-425	-275	-220	-140	-140					
41		1 & 2	-600	0	38	123	133			233	<b>Strength</b>	
41	3	-600	0	10	85	95	195	(Grams per Tex)				
	4	-650	71.13	0	35	70	120	Range	Diff.			
	5	-675	-525	-425	-390	-330	-330	21.0 - 21.9	-600			
	6	-825	-700	-525	-490	-440	-440	22.0 - 22.9	-450			
	7	-975	-850	-700	-670	-635	-635	23.0 - 23.9	-300			
	51	1 & 2	-725	-550	-350	-331	-321	-321	24.0 - 24.9	-225		
		3	-725	-550	-350	-331	-321	-321	25.0 - 25.9	-200		
4		-750	-625	-475	-425	-365	-365	26.0 - 26.9	-125			
5		-850	-800	-675	-650	-600	-600	Base 27.0 - 28.9	0			
6		-1000	-900	-775	-775	-725	-725	29.0 - 29.9	0			
7		-1200	-1100	-975	-975	-950	-950	30.0 - 30.9	0			
12 & 22		1 & 2	-500	25	228	332	417	417	31.0 - 32.9	50		
	3	-500	25	203	282	367	367	33.0 & above	74			
	4	-600	-25	188	260	345	345	Extraneous Matter	Diff.			
	5	-625	-450	-150	-150	-75	-75					
	6	-775	-650	-350	-350	-275	-275					
	7	-950	-825	-600	-600	-525	-525					
	32	1 & 2	-600	-225	28	113	123			123	Prep	Diff.
32	3	-600	-225	28	113	123	123	Level 1	-50			
	4	-650	-450	-100	-15	-5	-5	Level 2	-800			
	5	-700	-700	-450	-450	-450	-450	Other	Diff.			
	6	-900	-825	-575	-575	-575	-575	Level 1	-381			
	7	-1050	-1000	-825	-825	-825	-825	Level 2	-800			
	42	1-3	-700	-525	-250	-200	-200	-200	Plastic	Diff.		
		4	-725	-600	-350	-300	-300	-300	Level 1	-4000		
5		-800	-775	-550	-550	-550	-550	Level 2	-4000			
6		-975	-900	-675	-675	-675	-675	Uniformity	Points			
7		-1175	-1075	-925	-925	-925	-925					
52		1-4	-925	-800	-600	-550	-550			-550	Unit	Points
		5	-975	-875	-700	-700	-700			-700	77.9 & Below	-100
	6	-1075	-975	-800	-800	-800	-800	78.0 - 78.9	-90			
	7	-1325	-1225	-1100	-1075	-1075	-1075	79.0 - 79.9	-80			
43	1-3	-800	-725	-650	-575	-575	-575	80.0 - 80.9	0			
	4	-900	-825	-700	-650	-650	-650	Base 81.0 - 81.9	0			
	5	-1000	-900	-725	-700	-700	-700	82.0 - 82.9	0			
	6	-1100	-1000	-975	-975	-975	-975	83.0 - 83.9	30			
	7	-1200	-1125	-1100	-1100	-1100	-1100	84.0 - 84.9	40			
	53	1-4	-1050	-950	-875	-875	-875	-875	85.0 - 85.9	50		
		5	-1100	-1000	-925	-925	-925	-925	86.0 & Above	60		
6		-1200	-1100	-1025	-1025	-1025	-1025					
7		-1450	-1350	-1350	-1350	-1350	-1350					





Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2020-2021

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	19,680	10,120	7,730	7,824	29,575	18,034	8,098	11,457	2,249	0	9,890	1,272	<b>125,929</b>
North Delta	3,408	660	228	3,389	8,640	7,128	2,408	16,307	156	821	678	1,588	<b>45,411</b>
South Delta	4,159	0	5,752	22	7	1,532	0	1,439	80	0	0	1	<b>12,992</b>
East Texas-Oklahoma	44,628	37,945	40,393	45,377	92,841	77,807	34,436	14,142	13,762	10,264	1,862	3,564	<b>417,021</b>
West Texas	36,104	21,640	63,155	130,069	264,398	99,672	57,648	20,744	20,457	1,998	3,334	2,330	<b>721,549</b>
Desert Southwest	3,298	109	2,909	5,742	23,679	23,835	3,771	0	162	1	1	0	<b>63,507</b>
San Joaquin Valley	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>
<b>Total</b>	<b>111,277</b>	<b>70,474</b>	<b>120,167</b>	<b>192,423</b>	<b>419,707</b>	<b>229,316</b>	<b>109,048</b>	<b>64,204</b>	<b>36,866</b>	<b>13,682</b>	<b>15,765</b>	<b>13,755</b>	<b>1,386,409</b>

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2015-2020. 1/

Market Area	2015	2016	2017	2018	2019	2020
Southeast	135,753	76,226	50,981	40,547	78,393	125,929
North Delta	17,428	24,791	51,924	15,399	130,086	45,411
South Delta	14,824	10,708	13,157	10,846	14,320	12,992
East Texas-Oklahoma	392,737	503,703	919,919	534,752	561,039	417,021
West Texas	936,359	931,576	978,219	626,998	774,583	721,549
Desert Southwest	23,207	19,567	39,214	50,418	54,510	63,507
San Joaquin Valley	14,385	4,075	7,012	4,323	2,064	10,275
<b>Total</b>	<b>1,534,693</b>	<b>1,570,646</b>	<b>2,060,426</b>	<b>1,283,283</b>	<b>1,614,995</b>	<b>1,396,684</b>

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

**AMERICAN PIMA SPOT QUOTATIONS, Season Average**

Color	Leaf	Staple			
		44	46	48	48
1	1	120.80	126.55	127.30	127.30
	2	120.55	126.30	127.05	127.05
	3	112.80	120.55	120.55	120.55
	4				
	5				
	6				
2	1	120.55	126.30	127.05	127.05
	2	120.30	126.05	126.80	126.80
	3	112.55	120.30	120.30	120.30
	4	102.55	110.80	110.80	110.80
	5				
	6				
3	1	110.05	117.80	117.80	117.80
	2	107.55	115.30	115.30	115.30
	3	106.30	114.05	114.05	114.05
	4	97.30	105.05	105.05	105.05
	5	81.30	88.55	88.55	88.55
	6				
4	1	91.11	98.86	99.61	99.61
	2	90.86	98.61	98.86	98.86
	3	90.61	98.36	98.36	98.36
	4	85.61	93.36	93.36	93.36
	5	74.36	82.11	82.11	82.11
	6				
5	1				
	2	69.80	79.80	79.80	79.80
	3	69.80	79.30	79.55	79.55
	4	69.80	73.80	73.80	73.80
	5	69.55	73.55	73.55	73.55
	6				
6	1				
	2	62.05	65.05	65.05	65.05
	3	62.05	65.05	65.05	65.05
	4	62.05	65.05	65.05	65.05
	5	61.80	64.80	64.80	64.80
	6	61.30	64.30	64.30	64.30

Mike	
Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength	
(Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	-125
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-4000
Plastic - Level 2	-4000

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices and average quotations in designated spot markets,  
in cents per pound, net weight, United States, marketing years 2007-2020

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	47.80
2009	49.50	53.20	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	75.60	74.80	77.30	81.50	81.20	82.10	92.90	84.40	86.70	83.20	83.30	82.50	81.50
2011	94.00	93.50	92.20	92.60	88.90	90.10	92.30	90.00	90.40	84.40	77.10	76.60	88.30
2012	71.40	70.90	69.80	69.20	71.80	72.90	76.90	77.50	78.40	78.30	79.30	80.90	72.50
2013	76.90	74.80	77.80	75.90	77.20	77.50	80.20	81.70	82.70	81.70	83.90	84.70	77.90
2014	69.50	68.90	64.50	62.70	60.80	59.10	57.80	61.30	62.60	65.90	66.80	69.30	61.30
2015	59.90	60.30	57.90	60.00	61.30	60.30	59.80	58.20	58.70	63.20	67.00	74.50	61.20
2016	67.30	67.00	66.00	67.20	67.90	67.00	68.80	69.20	69.30	69.90	70.40	73.00	68.00
2017	64.80	64.10	66.50	67.30	68.60	68.90	68.10	68.30	67.70	69.60	75.70	76.80	68.60
2018	69.90	70.80	72.10	72.90	72.60	65.40	67.60	68.90	70.50	69.60	68.20	74.70	70.30
2019	56.20	59.40	59.00	59.70	61.60	59.70	60.60	57.60	55.00	54.90	56.50	60.30	58.38
2020	57.30	59.30	60.10	63.40	65.60	69.50	72.10	68.50	69.80	69.70	71.40	73.00	

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	81.16	91.53	108.26	126.62	135.46	144.79	177.65	195.79	181.98	151.93	144.77	113.03	137.75
2011	102.89	102.06	97.63	93.59	85.99	89.83	85.17	83.14	83.37	72.51	67.35	66.14	85.81
2012	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24
2013	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.20	78.54	69.63	80.28
2014	64.99	64.83	63.51	59.64	59.38	58.19	61.74	60.65	63.08	63.06	62.86	62.36	62.02
2015	61.85	59.70	60.83	60.99	62.32	60.69	58.06	55.96	59.65	60.36	62.78	69.25	61.04
2016	68.57	67.65	68.04	69.42	69.69	71.81	73.02	74.33	74.13	75.75	69.85	66.24	70.71
2017	67.71	69.12	66.67	68.09	73.13	77.58	75.24	79.57	79.34	82.40	85.54	83.95	75.70
2018	80.75	76.72	73.90	73.72	72.66	68.72	67.17	69.78	72.27	64.05	61.19	58.08	69.92
2019	54.17	57.01	60.63	60.89	62.39	65.60	62.38	52.35	48.73	52.40	56.00	58.46	57.58
2020	58.60	59.46	63.87	66.30	70.37	76.69	82.79	80.56	79.89	80.86	81.88	85.03	73.86

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.30	93.67	110.40	128.76	137.55	146.84	179.72	197.86	184.05	154.00	146.84	115.10	140.01
2011	104.77	103.85	99.37	95.40	87.80	91.64	86.98	85.00	85.25	74.39	69.23	68.02	87.64
2012	71.85	71.26	69.91	69.22	72.49	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87
2013	84.77	82.66	78.78	75.86	80.16	82.81	84.59	88.08	86.86	84.58	79.92	71.03	81.68
2014	66.51	66.30	64.92	60.98	60.68	59.46	63.01	61.92	64.35	64.33	64.13	63.63	63.35
2015	63.12	60.97	62.10	62.29	63.66	62.06	59.44	57.32	60.99	61.70	64.03	70.45	62.34
2016	69.77	68.85	69.24	70.68	70.86	72.06	73.98	75.17	74.99	76.63	70.73	67.12	71.67
2017	68.59	70.00	67.55	68.97	74.08	78.53	76.19	80.52	80.28	83.33	86.62	85.09	76.65
2018	81.89	77.86	75.04	74.86	73.80	69.86	68.30	70.89	73.35	65.26	62.40	59.29	71.07
2019	55.38	58.22	61.84	62.08	63.50	66.71	63.49	53.46	49.77	53.44	57.04	59.47	58.70
2020	59.60	69.46	64.88	67.34	71.44	77.76	83.90	81.67	81.00	81.97	82.99	86.14	74.93

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA.

Table 18. United States spot cotton differences, WEIGHTED monthly average.  
 Weighted averages based on the 2020-crop year's production by spot market

August 2020 - July 2021

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-390	-260	-88	157	342	499	561	573
	3	-461	-289	-111	132	290	451	504	515
	4	-513	-311	-197	66	161	322	362	364
	5	-575	-452	-332	-122	13	88	117	117
	6	-713	-550	-478	-333	-280	-236	-221	-221
	7	-788	-646	-582	-436	-378	-334	-319	-319
31	1 & 2	-490	-285	-131	91	275	447	500	511
	3	-536	-298	-144	87	252	421	463	474
	4	-613	-347	-242	56	138	262	307	310
	5	-663	-493	-372	-160	-38	24	53	53
	6	-775	-586	-503	-349	-316	-278	-271	-271
	7	-862	-683	-608	-448	-409	-376	-369	-369
41	1 & 2	-619	-366	-228	55	160	263	273	290
	3	-644	-376	-238	44	112	214	227	244
	4	-694	-399	-315	74.79	55	159	177	185
	5	-787	-593	-495	-270	-162	-77	-65	-65
	6	-900	-690	-611	-471	-412	-347	-348	-348
	7	-1013	-797	-741	-584	-522	-484	-485	-485
51	1 & 2	-787	-595	-460	-233	-152	-115	-110	-110
	3	-787	-637	-467	-262	-173	-129	-124	-124
	4	-825	-657	-495	-308	-242	-205	-198	-198
	5	-850	-759	-682	-491	-422	-382	-371	-371
	6	-1013	-857	-791	-609	-568	-512	-511	-511
	7	-1113	-932	-891	-716	-675	-625	-624	-624
61	1-5	-938	-797	-730	-531	-475	-430	-430	-430
	6	-1088	-917	-877	-703	-658	-607	-607	-607
	7	-1188	-1040	-980	-801	-745	-699	-699	-699
71	1-6	-1138	-1089	-1027	-860	-820	-779	-779	-779
	7	-1225	-1127	-1075	-893	-873	-832	-832	-832
12 & 22	1 & 2	-697	-364	-194	52	168	303	351	361
	3	-726	-380	-209	44	126	258	292	300
	4	-769	-394	-286	-30	56	210	235	242
	5	-841	-609	-511	-279	-140	-51	-19	-19
	6	-963	-721	-647	-479	-405	-338	-307	-307
	7	-1082	-811	-755	-583	-527	-460	-433	-433
32	1 & 2	-812	-480	-312	-91	3	49	79	85
	3	-850	-497	-329	-113	-25	19	45	46
	4	-900	-549	-387	-202	-104	-60	-45	-45
	5	-1012	-744	-607	-394	-322	-268	-249	-249
	6	-1125	-817	-746	-560	-506	-472	-452	-452
	7	-1250	-922	-850	-670	-613	-587	-567	-567
42	1-3	-912	-653	-521	-273	-186	-150	-130	-130
	4	-962	-696	-539	-312	-251	-213	-194	-194
	5	-1087	-826	-696	-451	-369	-337	-318	-318
	6	-1300	-909	-827	-611	-564	-535	-510	-510
	7	-1363	-994	-913	-738	-673	-641	-622	-622
52	1-4	-1137	-838	-724	-558	-500	-474	-454	-454
	5	-1212	-914	-841	-645	-594	-574	-550	-550
	6	-1425	-1047	-981	-796	-752	-728	-708	-708
	7	-1513	-1152	-1090	-905	-863	-828	-808	-808
62	1-5	-1262	-1028	-956	-776	-744	-718	-698	-698
	6	-1463	-1196	-1124	-929	-901	-871	-850	-850

Table 18. United States spot cotton differences, WEIGHTED monthly average. (Continued)

August 2020 - July 2021

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1125	-938	-863	-475	-388	-325	-250	-250
	3	-1163	-963	-888	-500	-413	-350	-275	-275
	4	-1200	-1038	-950	-550	-463	-400	-325	-325
	5	-1313	-1125	-1063	-675	-588	-513	-437	-437
	6	-1425	-1200	-1125	-763	-675	-600	-525	-525
	7	-1513	-1300	-1225	-850	-788	-713	-638	-638
33	1 & 2	-1225	-1000	-913	-262	-235	-210	-179	-179
	3	-1225	-1000	-913	-267	-240	-215	-179	-179
	4	-1300	-1075	-988	-302	-276	-245	-210	-210
	5	-1438	-1175	-1100	-379	-348	-312	-276	-276
	6	-1500	-1250	-1200	-443	-422	-386	-351	-351
	7	-1588	-1363	-1275	-510	-483	-448	-412	-412
43	1-3	-1275	-976	-857	-625	-575	-537	-502	-502
	4	-1350	-1022	-901	-666	-604	-560	-526	-526
	5	-1463	-1072	-982	-792	-741	-706	-671	-671
	6	-1550	-1147	-1061	-874	-843	-808	-774	-774
	7	-1638	-1270	-1163	-977	-946	-912	-877	-877
	53	1-4	-1425	-1122	-1018	-811	-777	-752	-717
5	-1513	-1202	-1128	-912	-892	-867	-833	-833	
6	-1625	-1302	-1207	-1001	-981	-956	-921	-921	
7	-1713	-1375	-1323	-1110	-1086	-1062	-1027	-1027	
63	1-5	-1638	-1287	-1212	-993	-954	-929	-893	-893
	6	-1713	-1380	-1294	-1085	-1052	-1026	-991	-991
34	1 & 2	-1350	-1175	-1100	-700	-675	-613	-550	-550
	3	-1350	-1175	-1100	-700	-675	-613	-550	-550
	4	-1475	-1300	-1200	-800	-775	-713	-650	-650
	5	-1563	-1388	-1313	-925	-900	-838	-775	-775
	6	-1725	-1550	-1475	-1113	-1088	-1025	-963	-963
	44	1-3	-1463	-1288	-1213	-813	-788	-725	-663
4	-1538	-1388	-1263	-863	-838	-775	-713	-713	
5	-1613	-1450	-1350	-963	-938	-875	-813	-813	
6	-1775	-1600	-1525	-1163	-1138	-1075	-1012	-1012	
54	1-4	-1563	-1413	-1338	-913	-900	-838	-788	-788
	5	-1650	-1488	-1388	-1025	-1000	-937	-887	-887

Mike	
Range	Diff.
24 & Below	-1844
25-26	-1383
27-29	-924
30-32	-633
33-34	-465
Base 35-36	0
37-42	8
Base 43-49	0
50-52	-232
53 & Above	-387

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-619
22.0 - 22.9	-587
23.0 - 23.9	-550
24.0 - 24.9	-526
25.0 - 25.9	-473
26.0 - 26.9	-262
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	15
31.0 - 32.9	31
33.0 & above	42

Uniformity	
Unit	Points
77.9 & Below	-100
78.0 - 78.9	-87
79.0 - 79.9	-75
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	16
84.0 - 84.9	22
85.0 - 85.9	28
86.0 & Above	34

Extraneous Matter	
Level	Diff.
Prep	
Level 1	-194
Level 2	-680
Other (ET-OK and WT Bark not included)	
Level 1	-487
Level 2	-718
Bark	
Level 1	-350
Level 2	-525
Plastic	
Level 1	-4000
Level 2	-4000