



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
<i>UPLAND</i>								
AL	11	56.7	49.1	5,119	28	63.1	53.0	684,295
AR	5	96.0	86.5	9,810	29	95.0	86.5	1,240,270
AZ	8	87.7	72.4	18,583	10	82.9	61.5	257,174
CA*	-	-	-	-	13	95.0	84.4	128,266
FL	2	27.0	26.8	1,651	4	40.6	38.4	87,731
GA	50	53.9	43.0	86,656	59	52.3	44.4	2,037,491
KS	3	8.80	5.40	14,789	3	26.9	16.4	144,162
LA*	-	-	-	-	19	87.5	70.2	344,018
MO*	-	-	-	-	20	94.3	84.2	619,416
MS	3	71.7	57.8	604	37	86.8	63.7	1,124,653
NC	10	87.9	80.2	9,301	33	92.0	81.5	534,230
NM*	-	-	-	-	3	87.3	69.6	26,064
OK	11	63.5	48.3	26,982	12	75.6	61.0	420,372
SC	9	82.4	70.4	8,205	15	89.9	80.1	244,237
TN*	-	-	-	-	21	90.4	73.3	589,030
TX	32	30.2	20.2	28,130	176	72.6	58.0	4,607,405
VA	3	91.0	85.4	2,445	4	94.0	85.8	108,824
United States	153	58.2	47.3	222,229	486	75.6	62.5	13,197,638
<i>AMERICAN PIMA</i>								
AZ*	-	-	-	-	3	-	-	9,569
CA	6	-	-	21,996	14	-	-	368,187
NM*	-	-	-	-	2	-	-	16,757
TX	2	-	-	2,782	3	-	-	36,193
United States	12	-	-	25,296	22	-	-	430,706
United States all cotton	165	-	-	247,525	499	-	-	13,628,344

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	0.1	0.1	-	0.2	73.1	75.3	-	49.4	-	0.2	0.3	0.3
	3	*	0.2	-	0.3	4.8	4.3	-	9.0	-	0.2	0.3	0.4
	4	-	*	-	*	0.5	0.1	-	0.4	-	*	*	*
	5	-	*	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.4	-	0.5	78.4	79.7	-	58.8	-	0.4	0.6	0.8
31	1-2	6.7	2.6	*	1.6	9.4	7.8	-	22.2	0.3	1.3	2.5	2.6
	3	16.1	16.0	0.7	13.4	8.0	5.8	-	14.6	2.4	11.9	12.0	16.2
	4	2.6	8.0	0.8	6.6	2.1	1.4	-	1.7	3.2	5.2	4.4	5.9
	5	0.4	0.6	*	0.4	0.2	0.2	-	0.1	0.1	0.3	0.2	0.3
	6	*	*	-	*	-	*	-	*	-	*	*	*
	7	-	-	-	-	-	*	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	25.8	27.2	1.6	22.0	19.7	15.2	-	38.6	6.1	18.7	19.2	24.9
41	1-2	2.6	1.6	0.9	0.6	0.1	0.2	-	0.4	0.2	0.3	2.3	1.4
	3	23.5	22.0	35.9	21.8	1.2	0.3	-	0.8	15.4	15.8	25.6	24.5
	4	13.8	27.0	39.0	39.7	0.4	0.3	-	0.4	39.3	34.9	28.3	26.9
	5	3.1	6.5	5.2	10.1	0.1	0.2	-	0.1	18.5	10.4	7.0	5.5
	6	0.3	0.5	0.6	0.5	0.1	0.1	-	*	1.9	0.9	0.7	0.4
	7	-	*	0.1	*	*	*	-	-	0.1	*	0.1	*
	8	-	*	-	*	-	*	-	-	-	-	*	*
Total	----	43.3	57.5	81.7	72.8	2.0	1.1	-	1.6	75.5	62.3	64.0	58.6
51	1-2	0.1	*	-	*	-	*	-	-	-	*	0.1	*
	3	0.9	0.5	1.4	0.4	-	*	-	*	-	1.2	0.9	0.7
	4	3.3	1.9	10.7	2.0	-	-	-	-	3.7	5.1	2.5	2.3
	5	2.9	1.4	3.6	1.2	-	-	-	-	7.6	2.7	1.9	1.4
	6	1.4	0.3	0.2	0.1	-	*	-	-	3.9	0.5	0.6	0.3
	7	0.3	*	*	*	-	*	-	-	0.6	0.1	0.1	*
	8	0.2	*	*	*	-	*	-	-	-	-	*	*
Total	----	9.0	4.1	15.9	3.7	-	*	-	*	15.8	9.5	6.2	4.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	-	*	*	*
	4	0.3	*	-	-	-	-	-	-	-	*	*	*
	5	0.1	*	-	*	-	-	-	-	-	*	*	*
	6	*	*	-	*	-	-	-	-	-	*	*	*
	7	-	*	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	*	-	*	-	-	-	-	-	0.1	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	*	-	*	-	2.9	-	0.1	-	-	*	*
	3	-	*	*	*	-	0.6	-	0.1	-	-	*	*
	4	-	*	-	*	-	0.1	-	*	-	-	*	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	*	*	-	3.6	-	0.2	-	-	0.1	*
32	1-2	*	0.1	-	*	-	0.1	-	0.2	-	*	0.1	*
	3	0.3	0.6	0.1	0.1	-	0.1	-	0.3	0.1	0.1	0.4	0.4
	4	0.2	0.5	0.1	0.1	-	*	-	0.1	-	0.2	0.2	0.2
	5	0.1	0.1	-	*	-	*	-	*	0.1	*	*	*
	6	-	*	-	*	-	*	-	-	-	-	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.5	1.2	0.2	0.2	-	0.3	-	0.6	0.2	0.3	0.8	0.7
42	1-2	0.1	0.1	-	*	-	*	-	*	-	*	0.1	0.1
	3	3.3	1.7	0.1	0.1	-	*	-	0.1	0.2	1.0	1.5	2.1
	4	5.0	3.0	0.2	0.4	-	-	-	*	0.7	1.8	2.5	3.1
	5	1.8	1.1	0.1	0.2	-	*	-	*	0.8	0.5	0.9	0.8
	6	0.3	0.1	0.1	*	-	*	-	-	0.2	*	0.2	0.1
	7	*	*	-	*	-	*	-	-	-	*	*	*
	8	-	*	-	-	-	*	-	-	-	-	*	*
Total	----	10.5	6.0	0.4	0.7	-	*	-	0.1	1.9	3.4	5.2	6.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	0.2	0.3	-	*	-	*	-	*	-	0.8	0.2	0.3
	4	1.6	1.0	*	*	-	*	-	*	-	2.2	0.8	1.3
	5	2.4	0.7	*	*	-	*	-	*	0.1	0.9	0.7	0.9
	6	1.0	0.2	-	*	-	*	-	*	-	0.1	0.2	0.2
	7	0.2	*	-	*	-	*	-	*	-	*	*	*
	8	-	*	-	*	-	*	-	*	-	*	*	*
	Total	----	5.4	2.3	*	0.1	-	*	-	*	0.1	3.9	2.0
62	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	0.3	0.1	-	*	-	*	-	*	-	0.1	*	*
	5	0.6	0.1	-	*	-	*	-	*	-	0.1	*	*
	6	0.4	*	-	*	-	*	-	*	-	*	*	*
	7	0.3	*	-	*	-	*	-	*	-	*	*	*
	8	-	*	-	*	-	*	-	*	-	*	-	*
	Total	----	1.6	0.2	-	*	-	*	-	*	-	0.3	*
13 & 23	1-2	-	-	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	*	-	*	-	*	-	*	-	*	*
33	1-2	*	*	-	*	-	*	-	*	-	*	-	*
	3	0.1	*	-	*	-	*	-	*	-	*	0.1	*
	4	-	*	-	*	-	*	-	*	-	*	0.1	*
	5	-	*	-	*	-	*	-	*	-	*	*	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	0.1	-	*	-	*	-	*	-	*	0.2
43	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	0.2	0.1	*	*	-	*	-	*	-	0.2	0.3	0.2
	4	0.8	0.2	0.1	*	-	*	-	*	-	0.2	0.5	0.3
	5	0.2	0.1	*	*	-	*	-	*	0.1	*	0.3	0.1
	6	0.1	*	-	*	-	*	-	*	0.1	*	0.1	*
	7	-	*	*	*	-	*	-	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	1.3	0.4	0.1	0.1	-	*	-	*	0.2	0.5	1.2
53	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	0.1	0.1	-	*	-	*	-	*	-	0.2	*	0.1
	4	0.4	0.1	-	*	-	*	-	*	-	0.2	0.1	0.2
	5	0.4	0.1	-	*	-	*	-	*	0.1	0.1	0.2	0.2
	6	0.2	*	-	*	-	*	-	*	-	*	0.1	*
	7	-	*	-	*	-	*	-	*	-	*	*	*
	8	-	*	-	*	-	*	-	*	-	*	-	*
	Total	----	1.0	0.4	-	*	-	*	-	*	0.1	0.5	0.4
63	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	0.1	*	-	*	-	*	-	*	-	*	-	*
	7	0.1	*	-	*	-	*	-	*	-	*	-	*
	8	*	*	-	*	-	*	-	*	-	*	-	*
	Total	----	0.3	0.1	-	*	-	*	-	*	-	*	*
24 - 54	1-8	0.5	0.1	-	*	-	*	-	*	0.1	*	0.1	0.1
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	-	*
81 - 85	1-8	*	*	-	*	-	*	-	*	-	*	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	*	-	*	-	*	-	*	-	*	*	*
32		*	*	-	*	-	*	-	*	0.1	*	0.1	*
33		1.2	0.3	-	*	*	0.4	-	0.1	0.1	0.3	0.8	0.4
34		1.6	1.4	-	*	2.3	2.0	-	0.9	1.4	1.1	3.5	2.4
35		13.6	5.7	0.3	0.4	10.1	9.3	-	4.4	6.6	3.8	12.6	8.4
36		27.2	14.7	4.7	2.8	15.8	19.9	-	13.5	15.9	8.9	20.5	17.7
37		37.1	33.5	35.0	22.3	21.9	32.8	-	26.2	44.8	25.9	35.1	34.9
38		13.0	26.8	19.1	24.0	25.1	22.6	-	30.2	24.3	40.4	19.6	23.8
39		5.7	14.5	28.0	28.6	17.1	10.2	-	20.3	6.8	18.2	6.9	10.6
40 & Longer		0.6	3.2	12.9	21.8	7.7	2.9	-	4.5	-	1.4	0.7	1.7
Average Staple		36.62	37.34	38.10	38.46	37.41	37.06	-	37.59	37.04	37.60	36.75	37.07
Average Length		1.14	1.17	1.19	1.20	1.17	1.16	-	1.17	1.16	1.18	1.15	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	3.1	16.9	-	1.9	-	0.7	-	0.8	-	0.2	-	90.6
	3	5.6	12.7	-	3.7	-	0.4	-	1.0	0.1	0.2	-	2.3
	4	0.2	1.4	-	0.2	-	*	-	*	-	*	-	*
	5	*	*	-	*	-	-	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	8.9	31.1	-	5.8	-	1.0	-	1.8	0.1	0.4	-	92.9
31	1-2	3.6	3.0	-	1.6	-	5.2	0.2	2.6	0.4	2.7	-	4.4
	3	21.3	17.6	-	18.6	-	17.4	0.3	17.7	10.4	18.0	-	1.2
	4	7.7	13.4	-	10.9	-	4.3	-	9.7	5.4	6.3	-	*
	5	1.0	2.7	-	0.5	-	0.3	-	0.8	0.1	0.3	-	-
	6	0.1	0.2	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	33.7	37.0	-	31.7	-	27.2	0.5	30.7	16.3	27.2	-	5.6
41	1-2	0.1	*	-	0.4	-	1.9	13.7	1.1	1.2	1.9	-	0.2
	3	1.7	0.8	-	16.2	-	31.3	80.1	19.9	37.4	33.9	-	0.1
	4	5.7	3.5	-	29.4	-	29.3	5.6	31.8	31.6	25.5	-	0.1
	5	7.3	3.9	-	6.3	-	4.6	-	9.1	2.2	2.7	-	0.1
	6	2.5	1.9	-	0.3	-	0.2	-	0.5	*	0.1	-	*
	7	1.0	0.8	-	*	-	*	-	*	-	*	-	-
	8	0.6	0.2	-	-	-	-	-	-	-	-	-	-
Total	----	18.8	11.0	-	52.7	-	67.3	99.5	62.4	72.5	64.1	-	0.5
51	1-2	-	-	-	*	-	*	-	*	*	*	-	-
	3	-	*	-	0.2	-	0.8	-	0.2	1.7	0.9	-	*
	4	*	*	-	0.9	-	2.0	-	0.9	1.8	1.6	-	-
	5	0.2	*	-	0.3	-	1.0	-	0.7	0.2	0.3	-	-
	6	0.4	0.1	-	*	-	0.1	-	0.1	*	*	-	-
	7	0.3	0.1	-	*	-	*	-	*	-	*	-	-
	8	3.0	0.6	-	-	-	-	-	-	-	*	-	-
Total	----	3.9	0.8	-	1.4	-	3.8	-	1.9	3.8	2.9	-	*
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	-	-	-	*	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	0.1	0.5	-	*	-	*	-	*	-	*	-	0.5
	3	1.0	1.2	-	0.1	-	*	-	*	-	*	-	0.1
	4	0.2	0.2	-	*	-	*	-	*	-	*	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.4	1.9	-	0.1	-	*	-	*	-	*	-	0.6
32	1-2	0.3	0.5	-	0.1	-	*	-	*	*	0.1	-	0.1
	3	5.5	3.9	-	1.0	-	0.1	-	0.3	0.5	0.6	-	*
	4	5.8	3.0	-	0.7	-	0.1	-	0.3	0.7	0.4	-	*
	5	1.6	0.9	-	0.1	-	*	-	*	*	*	-	-
	6	0.3	0.2	-	*	-	*	-	*	-	*	-	-
	7	*	*	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	13.6	8.5	-	1.9	-	0.2	-	0.7	1.3	1.0	-	0.1
42	1-2	*	*	-	0.1	-	*	-	*	*	0.1	-	-
	3	0.3	0.1	-	1.2	-	0.1	-	0.4	1.2	1.3	-	*
	4	0.9	0.6	-	3.0	-	0.2	-	1.1	3.2	1.7	-	-
	5	0.8	0.5	-	0.9	-	*	-	0.6	0.7	0.3	-	-
	6	0.4	0.2	-	0.1	-	*	-	0.1	*	*	-	-
	7	0.3	0.1	-	*	-	*	-	*	-	*	-	-
	8	0.3	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	3.0	1.6	-	5.2	-	0.3	-	2.1	5.0	3.4	-	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	-	0.1	-	*	-	*	*	0.1	-	-
	4	-	-	-	0.3	-	*	-	0.1	0.1	0.2	-	-
	5	-	*	-	0.1	-	*	-	0.1	-	0.1	-	-
	6	*	*	-	*	-	*	-	*	-	*	-	-
	7	*	*	-	*	-	*	-	*	-	*	-	-
	8	1.8	0.2	-	-	-	-	-	*	-	*	-	-
	Total	----	1.9	0.2	-	0.5	-	*	-	0.2	0.1	0.4	-
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-
	8	0.1	*	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	*	-	*	-	-	-	*	-	*	-
13 & 23	1-2	-	0.1	-	-	-	-	-	-	-	*	-	0.1
	3	0.3	0.3	-	-	-	*	-	-	-	-	-	0.1
	4	0.2	0.1	-	-	-	*	-	-	-	-	-	-
	5	-	*	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.5	0.4	-	-	-	*	-	-	-	*	-
33	1-2	0.1	0.2	-	*	-	*	-	*	-	*	-	*
	3	1.8	1.5	-	0.1	-	*	-	*	0.1	0.1	-	0.1
	4	3.1	1.8	-	0.1	-	*	-	*	0.1	0.1	-	*
	5	1.6	0.5	-	*	-	*	-	*	-	*	-	-
	6	0.5	0.1	-	*	-	-	-	-	-	*	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	7.0	4.1	-	0.2	-	*	-	*	0.2	0.1	-
43	1-2	-	*	-	*	-	*	-	*	-	*	-	-
	3	0.2	0.1	-	0.1	-	*	-	*	0.1	0.1	-	*
	4	1.1	0.7	-	0.2	-	*	-	*	0.3	0.2	-	*
	5	0.9	0.7	-	0.1	-	*	-	*	0.1	*	-	-
	6	0.5	0.4	-	*	-	*	-	*	*	*	-	-
	7	0.1	0.1	-	*	-	-	-	*	-	-	-	-
	8	0.1	0.1	-	-	-	-	-	-	-	-	-	-
	Total	----	2.9	2.0	-	0.4	-	*	-	0.1	0.6	0.3	-
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	*	-	-
	4	-	*	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	*	*	-	*	-	*	-	*	*	*	-	-
	7	*	*	-	-	-	-	-	*	-	-	-	-
	8	2.5	0.3	-	-	-	-	-	*	-	-	-	-
	Total	----	2.5	0.3	-	0.1	-	*	-	*	*	*	-
63	1-2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	*	*	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	-	-	-	*	-	*	-	*	-
24 - 54	1-8	1.7	1.0	-	*	-	*	-	*	*	*	-	*
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1-8	0.1	*	-	-	-	*	-	*	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	-	-	-	-	-	-	-	*
30		-	*	-	-	-	*	-	-	-	-	-	*
31		*	*	-	-	-	*	-	-	*	-	-	*
32		0.9	0.6	-	-	-	-	-	*	-	*	-	-
33		4.8	3.2	-	*	-	*	0.3	*	-	*	-	0.1
34		23.1	17.1	-	0.1	-	*	4.0	0.3	-	0.5	-	2.0
35		28.3	35.5	-	0.8	-	0.1	28.0	1.9	0.9	4.1	-	13.7
36		29.0	31.2	-	3.2	-	1.9	59.9	6.3	6.2	15.4	-	25.4
37		13.5	11.1	-	15.9	-	25.5	7.6	19.9	35.5	37.1	-	30.6
38		0.2	1.2	-	25.3	-	27.6	0.2	25.8	29.0	23.1	-	14.2
39		*	0.2	-	32.5	-	28.0	-	29.3	23.3	14.4	-	9.5
40 & Longer		*	*	-	22.2	-	16.9	-	16.5	5.0	5.4	-	4.6
Average Staple		35.21	35.33	-	38.55	-	38.34	35.71	38.25	37.83	37.43	-	36.88
Average Length		1.10	1.10	-	1.21	-	1.20	1.11	1.20	1.18	1.17	-	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 31.1	Pct. 48.4	Pct. 0.2	Pct. 0.4	Pct. -	Pct. 2.9	Pct. 9.4	Pct. 41.2	Pct. -	Pct. *
	3	8.2	7.9	1.3	0.8	-	1.0	10.5	12.9	-	0.1
	4	0.1	0.2	0.1	0.1	-	*	1.3	1.3	-	*
	5	-	*	-	*	-	-	*	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	39.5	56.5	1.6	1.3	-	3.9	21.2	55.4	-
31	1-2	10.7	9.3	0.2	1.4	-	16.3	7.5	3.1	0.1	1.4
	3	15.7	13.4	5.4	15.0	-	34.3	11.7	11.7	0.4	6.8
	4	2.6	3.5	3.4	7.7	-	6.7	5.4	5.7	0.2	1.2
	5	0.1	0.4	0.2	0.5	-	0.2	4.6	1.2	-	*
	6	-	*	-	*	-	*	1.9	0.2	-	*
	7	-	*	-	-	-	-	0.4	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
	Total	----	29.0	26.7	9.2	24.6	-	57.6	31.5	21.8	0.7
41	1-2	0.4	0.2	0.1	0.5	-	2.2	0.2	0.5	1.8	4.9
	3	2.2	0.7	17.2	19.6	-	18.4	1.4	3.4	39.7	49.6
	4	1.8	0.8	38.5	33.8	-	14.0	1.8	2.7	28.1	24.3
	5	0.5	0.5	7.2	8.1	-	2.0	2.0	0.8	1.7	1.4
	6	0.2	0.2	0.3	0.5	-	0.1	2.7	0.4	-	*
	7	0.1	*	-	*	-	*	3.2	0.2	-	-
	8	*	*	-	*	-	-	1.7	0.1	-	-
	Total	----	5.2	2.5	63.4	62.5	-	36.7	13.0	8.1	71.3
51	1-2	-	*	*	*	-	*	*	*	0.1	0.1
	3	-	*	1.9	0.5	-	*	*	0.2	11.7	2.5
	4	*	*	8.5	2.9	-	*	*	0.1	11.6	3.2
	5	*	*	4.2	1.9	-	*	-	*	2.7	0.5
	6	*	*	0.4	0.3	-	*	*	*	0.2	*
	7	*	*	*	*	-	*	0.2	*	-	*
	8	0.2	*	-	*	-	-	0.2	*	-	-
	Total	----	0.3	*	15.0	5.7	-	0.1	0.4	0.4	26.3
61	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	*
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	-	-	-	*	-	-	-	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	*	-
12 & 22	1-2	1.5	2.5	-	*	-	*	1.5	3.4	-	*
	3	0.6	1.0	-	*	-	*	2.0	1.6	-	*
	4	0.1	0.1	-	*	-	*	0.2	0.2	-	*
	5	-	*	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	2.1	3.5	-	*	-	0.1	3.7	5.2	-
32	1-2	2.5	1.4	-	*	-	0.2	1.6	0.4	*	*
	3	4.2	2.3	0.4	0.3	-	0.8	5.2	1.2	*	0.4
	4	1.4	0.8	0.5	0.3	-	0.2	2.0	0.8	-	0.2
	5	0.2	0.2	0.1	*	-	*	0.8	0.2	-	*
	6	*	*	-	-	-	*	0.2	*	-	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	8.4	4.7	0.9	0.7	-	1.2	9.8	2.6	0.1
42	1-2	*	*	-	*	-	*	*	0.1	-	*
	3	0.5	0.2	0.7	0.8	-	0.2	0.7	0.7	0.4	1.1
	4	0.8	0.3	2.0	1.8	-	0.1	0.8	0.8	0.4	1.3
	5	0.6	0.2	1.1	0.8	-	*	0.5	0.3	0.3	0.2
	6	0.2	0.1	0.2	0.1	-	*	0.5	0.1	-	*
	7	*	*	-	*	-	*	0.3	*	-	-
	8	-	*	-	-	-	-	0.2	*	-	-
	Total	----	2.1	0.8	4.0	3.4	-	0.4	2.9	2.1	1.1

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	*	-	-	-	*	-	*	-	*
	3	*	*	0.4	0.1	-	*	-	0.3	-	0.1
	4	*	*	2.0	0.5	-	*	*	0.3	*	0.1
	5	*	*	1.0	0.5	-	*	*	0.2	*	*
	6	*	*	0.2	0.2	-	*	-	0.1	-	*
	7	*	*	*	*	-	-	*	*	-	-
	8	*	*	-	*	-	-	*	*	-	-
	Total	----	*	*	3.6	1.2	-	*	0.1	0.8	0.1
62	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	*	-	*	-	-	-	*	-	-
	6	*	*	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
	Total	----	*	*	-	*	-	-	*	*	-
13 & 23	1-2	1.0	0.7	-	-	-	*	1.1	0.9	-	-
	3	0.4	0.3	-	-	-	*	0.8	0.3	-	-
	4	0.1	*	-	-	-	-	0.1	*	-	-
	5	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	1.5	1.1	-	-	-	*	2.0	1.3	-
33	1-2	1.8	0.8	*	*	-	*	2.0	0.3	-	*
	3	3.5	1.3	*	*	-	0.1	4.4	0.4	*	*
	4	1.8	0.5	0.3	*	-	*	2.3	0.2	-	*
	5	0.4	0.1	*	*	-	*	1.0	0.1	-	*
	6	*	*	-	*	-	-	0.2	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	7.6	2.8	0.3	0.1	-	0.1	9.9	0.9	*
43	1-2	*	*	-	-	-	*	*	*	-	*
	3	0.8	0.1	0.2	*	-	*	0.3	0.1	0.3	0.1
	4	0.7	0.2	0.6	0.1	-	*	0.4	0.2	*	0.1
	5	0.4	0.1	0.5	0.1	-	*	0.5	0.1	0.1	*
	6	0.1	0.1	*	*	-	-	0.3	*	-	*
	7	*	*	-	*	-	-	0.1	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	2.0	0.5	1.2	0.2	-	*	1.5	0.4	0.4
53	1-2	-	*	-	-	-	*	-	*	-	-
	3	*	*	-	*	-	*	-	0.1	-	-
	4	*	*	0.1	*	-	*	*	0.1	-	*
	5	-	*	0.2	0.1	-	-	-	0.1	-	*
	6	-	*	*	*	-	-	-	0.1	-	-
	7	-	*	-	*	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	*	*	0.3	0.1	-	*	*	0.4	-
63	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	-	*	-	*	-	*	-	*	-
24 - 54	1-8	2.3	0.9	0.3	*	-	*	3.9	0.5	-	*
25 - 35	1-8	*	*	-	-	-	-	-	*	-	-
81 - 85	1-8	*	*	-	-	-	-	-	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	*	-	-
29		-	*	-	-	-	-	-	*	-	-
30		*	*	-	-	-	-	*	0.1	-	-
31		0.2	0.4	-	-	-	-	0.4	0.4	-	-
32		1.9	1.4	0.5	*	-	*	1.4	1.6	-	-
33		4.4	3.6	1.6	0.2	-	*	4.8	4.7	-	*
34		7.9	6.8	3.6	1.3	-	0.1	13.4	10.2	0.1	*
35		13.5	9.3	10.9	4.9	-	2.9	19.7	16.4	0.9	0.9
36		16.5	12.0	23.2	12.4	-	15.9	22.5	22.5	10.2	6.0
37		21.1	24.5	33.8	29.1	-	40.0	28.3	26.7	41.8	29.3
38		13.3	20.2	17.4	28.0	-	25.6	6.6	11.6	19.1	26.3
39		11.9	14.4	8.0	18.4	-	13.2	2.4	4.4	15.3	23.5
40 & Longer		9.3	7.4	1.0	5.7	-	2.3	0.4	1.4	12.6	14.0
Average Staple		36.72	36.97	36.72	37.55	-	37.37	35.82	36.09	37.80	38.10
Average Length		1.15	1.15	1.15	1.17	-	1.17	1.12	1.13	1.18	1.19

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	1.0	0.8	0.4	1.1	*	*	-	0.2	0.2	1.1	0.6	0.6
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	*	0.1	-	0.1	-	0.3	-	*	*	*
Grass - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	-	*	-	*	-	*	-	*	*	*
Prep - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	31.4	25.0	*	0.1	-	2.7	-	*	72.1	54.1	39.6	40.2
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	-	-	-	-	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	*	0.1	-	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	*	-	-	-	-	-	-	-	-	*	*
23	0.1	*	-	*	-	*	-	-	-	*	0.1	*
24	0.1	0.1	*	*	-	*	-	*	-	*	0.9	0.2
25	1.9	0.2	*	*	*	0.1	-	*	0.3	0.1	2.8	0.8
26	4.1	0.8	0.3	0.1	0.2	0.5	-	0.1	0.3	0.7	6.8	2.6
27	9.5	3.3	2.5	0.4	0.8	2.3	-	0.4	21.2	3.3	13.7	7.3
28	19.0	10.9	13.8	2.5	1.8	7.7	-	1.5	48.9	11.6	26.5	16.2
29	30.8	25.4	33.0	11.5	5.0	13.1	-	6.9	19.5	27.4	26.1	25.1
30	25.1	29.7	36.6	28.5	10.8	18.2	-	16.8	7.5	30.4	14.4	23.9
31	6.7	18.3	11.9	30.3	23.0	20.0	-	17.0	2.1	17.1	5.4	13.9
32	2.1	7.5	1.8	15.9	21.4	14.9	-	11.2	0.1	6.4	2.1	6.1
33	0.4	2.6	0.2	7.0	12.1	9.2	-	9.1	-	2.2	0.7	2.5
34	0.1	0.9	0.1	2.9	15.8	7.1	-	7.4	-	0.7	0.3	0.9
35	*	0.3	-	0.6	6.5	4.0	-	8.8	-	0.1	0.1	0.3
36	-	0.1	-	0.1	2.0	2.1	-	10.7	-	*	*	0.1
37	-	*	-	*	0.2	0.6	-	7.6	-	*	*	*
38	-	*	-	*	0.1	0.1	-	2.1	-	*	*	*
39	-	*	-	-	0.1	*	-	0.3	-	*	*	*
40 & Above	-	*	-	-	0.1	*	-	0.3	-	-	-	*
Average	29.34	30.29	29.92	31.25	32.47	31.50	-	33.13	28.63	30.21	28.91	29.90
Mike												
2.4 & Below	-	*	0.2	*	-	*	-	-	-	-	-	*
2.5	-	*	0.3	*	-	*	-	-	-	-	-	*
2.6	*	*	0.1	*	-	*	-	*	-	-	-	*
2.7	*	*	0.2	*	-	*	-	*	-	-	-	*
2.8	0.1	*	*	*	-	*	-	*	-	-	-	*
2.9	0.1	*	0.1	*	*	*	-	*	-	*	-	*
3.0	0.2	0.1	-	*	0.2	*	-	*	-	*	*	*
3.1	0.2	0.1	0.1	*	0.1	0.1	-	0.1	-	*	*	*
3.2	0.1	0.2	0.1	0.1	0.1	0.1	-	0.2	-	0.1	0.1	*
3.3	0.4	0.3	-	0.1	0.2	0.2	-	0.2	-	0.2	0.1	0.1
3.4	0.6	0.5	0.3	0.2	0.2	0.3	-	0.5	-	0.2	0.2	0.1
3.5	1.3	0.7	0.9	0.5	0.2	0.3	-	1.0	-	0.4	0.2	0.2
3.6	1.9	1.1	1.3	0.8	0.2	0.4	-	2.2	-	1.0	0.4	0.5
3.7	2.8	1.7	2.9	1.4	0.4	0.5	-	4.0	-	1.7	0.7	0.8
3.8	1.6	2.6	4.3	2.2	2.5	1.0	-	5.4	1.2	3.5	1.7	1.4
3.9	1.9	3.8	8.5	3.7	3.8	1.4	-	7.6	2.1	5.1	2.7	2.3
4.0	4.6	5.0	8.3	5.3	5.2	2.1	-	7.8	3.1	8.4	4.0	3.7
4.1	7.5	6.5	12.6	7.8	6.3	3.1	-	9.5	6.9	10.7	5.6	5.6
4.2	7.9	7.8	16.2	10.7	8.5	4.9	-	9.5	19.1	12.7	8.2	8.0
4.3	10.1	9.2	11.0	12.7	8.8	6.9	-	9.7	26.3	13.6	11.0	10.6
4.4	16.4	10.7	8.1	13.9	7.3	9.3	-	9.8	16.0	12.7	13.4	13.0
4.5	10.4	11.1	6.1	13.8	8.5	11.5	-	9.5	8.3	10.3	13.4	13.6
4.6	12.8	10.8	6.1	10.8	10.0	13.1	-	7.6	4.7	8.2	12.4	12.8
4.7	6.1	9.3	6.1	7.3	11.1	12.5	-	5.4	10.1	4.9	9.5	10.4
4.8	4.5	7.1	3.7	4.3	9.0	10.3	-	3.6	0.1	2.9	6.8	7.6
4.9	2.1	4.8	1.3	2.4	6.0	8.0	-	3.2	0.4	1.5	4.5	4.6
5.0	2.8	3.0	0.9	1.1	5.0	5.6	-	1.8	1.5	0.9	2.8	2.6
5.1	2.6	1.7	0.3	0.5	3.2	4.1	-	0.8	0.1	0.4	1.1	1.2
5.2	0.9	1.0	-	0.2	1.6	2.4	-	0.4	-	0.2	0.5	0.4
5.3	0.1	0.5	*	0.1	1.3	1.1	-	0.1	-	0.1	0.3	0.2
5.4	0.3	0.2	*	*	0.2	0.6	-	*	-	0.1	0.1	0.1
5.5 & Above	-	0.1	-	*	*	0.2	-	*	-	*	*	0.1
Average	4.38	4.42	4.22	4.36	4.49	4.59	-	4.27	4.34	4.29	4.45	4.46

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	58.9	30.1	-	0.6	-	0.4	20.7	0.5	1.0	0.5	-	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	-	*	-	*	-	0.1	*	*	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	*	-	0.1	*	*	-	0.4
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	-	*	0.1	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	-	-	-	-	-
23	*	0.1	-	-	-	-	-	-	-	*	-	*
24	0.9	0.3	-	-	-	*	-	*	-	*	-	*
25	3.0	1.3	-	*	-	*	-	*	0.2	0.3	-	0.1
26	9.1	3.6	-	*	-	*	1.0	0.2	2.0	1.9	-	1.1
27	15.4	9.3	-	0.1	-	0.2	7.0	1.4	6.6	7.1	-	5.6
28	25.7	20.8	-	1.1	-	1.5	33.3	5.0	10.9	16.0	-	15.6
29	19.2	24.2	-	8.1	-	9.6	34.3	15.7	18.7	22.5	-	22.8
30	19.3	19.5	-	28.5	-	32.0	17.4	30.4	26.1	21.8	-	26.8
31	5.4	11.7	-	29.0	-	33.5	5.8	26.4	17.8	15.9	-	18.8
32	1.9	6.6	-	14.4	-	15.8	1.2	12.0	8.1	8.6	-	7.4
33	0.1	2.1	-	9.7	-	5.4	0.2	5.7	7.8	3.9	-	1.5
34	*	0.5	-	6.1	-	1.6	-	2.5	1.6	1.5	-	0.1
35	-	0.1	-	2.3	-	0.4	-	0.7	0.2	0.5	-	*
36	-	*	-	0.5	-	0.1	-	0.1	-	0.1	-	*
37	-	*	-	0.1	-	*	-	*	-	*	-	*
38	-	*	-	*	-	*	-	*	-	*	-	-
39	-	-	-	-	-	*	-	*	-	-	-	*
40 & Above	-	-	-	-	-	-	-	-	-	-	-	*
Average	28.81	29.62	-	31.61	-	31.22	29.29	30.95	30.40	30.14	-	30.08
Mike												
2.4 & Below	0.6	0.6	-	-	-	-	-	*	-	*	-	*
2.5	6.3	4.1	-	-	-	*	-	*	-	*	-	*
2.6	9.5	3.9	-	-	-	*	-	*	-	*	-	*
2.7	11.3	4.8	-	-	-	*	-	*	-	*	-	*
2.8	9.8	6.3	-	*	-	*	-	*	-	*	-	0.1
2.9	5.9	6.2	-	*	-	*	-	*	*	0.1	-	0.1
3.0	6.3	6.3	-	*	-	*	-	*	0.1	0.1	-	0.5
3.1	7.4	6.0	-	*	-	0.1	-	*	0.2	0.2	-	1.2
3.2	7.0	6.6	-	*	-	0.2	-	*	0.8	0.3	-	1.3
3.3	5.7	7.0	-	*	-	0.3	-	*	1.4	0.6	-	1.3
3.4	7.1	7.8	-	0.1	-	0.6	-	*	2.2	0.9	-	2.1
3.5	4.9	7.6	-	0.1	-	1.0	1.7	0.1	3.3	1.3	-	2.7
3.6	4.2	6.8	-	0.2	-	1.6	1.7	0.1	2.7	2.2	-	3.2
3.7	2.4	6.0	-	0.2	-	2.3	1.8	0.1	4.4	3.1	-	3.7
3.8	1.5	4.9	-	0.4	-	3.7	4.3	0.3	5.7	4.7	-	4.5
3.9	2.1	3.9	-	1.1	-	5.5	2.3	0.5	6.0	6.2	-	5.1
4.0	3.4	3.5	-	1.9	-	7.3	1.2	0.9	8.5	8.0	-	4.9
4.1	2.1	2.8	-	3.1	-	9.2	4.1	1.9	8.8	9.3	-	7.6
4.2	0.7	2.1	-	5.3	-	10.6	5.5	3.3	8.5	10.7	-	7.8
4.3	1.0	1.6	-	8.0	-	11.3	2.6	5.5	10.3	11.4	-	7.4
4.4	0.6	0.6	-	11.0	-	11.5	7.3	8.7	11.7	10.9	-	8.2
4.5	0.1	0.2	-	13.6	-	10.2	14.6	12.8	12.7	10.1	-	7.9
4.6	*	0.2	-	16.4	-	8.1	18.7	15.9	9.6	7.8	-	7.3
4.7	-	0.1	-	15.3	-	6.1	13.2	16.6	2.7	5.7	-	7.2
4.8	-	0.1	-	11.1	-	4.2	8.3	14.0	0.2	3.6	-	5.9
4.9	-	*	-	7.1	-	2.8	5.0	9.6	0.1	1.9	-	4.7
5.0	-	*	-	3.4	-	1.6	4.3	5.3	0.1	0.7	-	3.1
5.1	-	-	-	1.2	-	0.9	2.8	2.7	-	0.2	-	0.9
5.2	-	-	-	0.3	-	0.5	0.3	1.1	-	0.1	-	0.7
5.3	-	-	-	0.1	-	0.1	0.3	0.4	-	*	-	0.4
5.4	-	-	-	*	-	0.1	-	0.1	-	*	-	0.1
5.5 & Above	-	-	-	*	-	*	-	*	-	*	-	*
Average	3.12	3.32	-	4.56	-	4.30	4.49	4.63	4.16	4.25	-	4.26

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	18.9	10.4	2.8	1.5	-	0.2	34.7	6.6	5.4	0.8
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	-	0.1	-	*	*	0.1	0.1	*
Grass - Level 2	-	*	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	*	*	2.9	0.6	-	*	-	0.1	-	*
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	*	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	*	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	*	*	-	-
Plastic - Level 1	*	*	*	*	-	*	*	*	-	*
Plastic - Level 2	-	*	-	-	-	-	-	*	-	-
STRENGTH 1/										
22 & Below	-	*	-	-	-	-	*	*	-	-
23	*	*	*	*	-	-	1.1	0.1	-	*
24	0.1	0.1	0.8	0.1	-	*	3.6	0.4	-	*
25	0.3	0.3	2.5	0.6	-	*	3.1	0.9	0.2	0.2
26	1.6	1.2	5.7	2.6	-	0.1	5.6	2.2	3.9	1.7
27	5.5	3.7	12.5	8.3	-	0.6	9.7	5.3	16.4	8.1
28	12.4	8.6	24.1	19.9	-	5.1	15.7	10.7	22.5	20.3
29	18.9	15.1	32.3	27.4	-	22.0	19.0	17.1	25.4	26.4
30	17.0	18.5	13.1	22.5	-	36.6	19.2	20.5	24.9	21.5
31	15.6	18.3	5.4	11.7	-	24.0	11.6	17.9	4.1	13.5
32	12.4	15.3	2.5	4.6	-	8.3	5.8	12.3	2.1	5.4
33	9.0	10.3	0.7	1.6	-	2.6	3.4	7.4	0.3	2.1
34	5.2	5.5	0.2	0.5	-	0.6	1.2	3.3	0.1	0.6
35	1.5	2.1	*	0.2	-	0.1	0.6	1.2	-	0.2
36	0.5	0.7	*	*	-	*	0.2	0.4	-	*
37	0.1	0.2	-	*	-	*	0.1	0.1	-	*
38	*	*	-	-	-	*	*	*	-	-
39	*	*	-	-	-	-	-	*	-	-
40 & Above	-	*	-	-	-	-	-	*	-	-
Average	30.74	31.13	29.00	29.68	-	30.62	29.40	30.60	29.20	29.80
Mike										
2.4 & Below	*	*	-	*	-	*	2.7	0.3	-	-
2.5	0.3	0.1	-	*	-	*	9.8	0.9	-	-
2.6	0.4	0.1	-	-	-	*	6.4	0.9	-	-
2.7	0.3	0.1	-	*	-	*	4.6	1.0	-	-
2.8	0.3	0.2	-	*	-	*	4.7	1.1	-	*
2.9	0.5	0.4	-	*	-	*	3.2	1.3	-	*
3.0	0.9	0.7	-	*	-	*	2.5	1.5	-	*
3.1	1.9	1.0	-	*	-	0.1	2.8	1.7	-	0.1
3.2	1.4	1.5	*	*	-	0.1	2.9	1.9	0.1	0.1
3.3	2.9	2.3	0.1	0.1	-	0.2	3.1	2.2	1.5	0.3
3.4	4.0	3.3	0.3	0.4	-	0.3	3.4	2.5	0.9	0.6
3.5	4.6	4.1	0.7	0.6	-	0.5	3.5	2.9	1.3	1.0
3.6	4.4	4.9	1.3	1.2	-	0.8	4.1	3.4	1.1	1.7
3.7	5.8	5.7	2.7	2.3	-	1.5	3.5	4.1	3.3	2.9
3.8	7.5	7.0	3.8	4.0	-	2.2	3.9	4.9	7.9	4.6
3.9	8.9	7.8	6.4	6.0	-	2.9	4.5	5.8	14.6	5.8
4.0	9.2	8.8	7.7	7.9	-	4.3	4.5	6.7	8.4	8.2
4.1	7.3	9.2	10.0	9.8	-	5.8	3.9	7.5	14.8	9.4
4.2	6.6	9.2	14.8	11.3	-	7.7	4.2	8.0	15.5	11.8
4.3	6.2	8.3	14.7	12.7	-	9.2	4.7	8.2	14.9	13.2
4.4	6.0	7.1	13.5	12.8	-	10.1	3.6	8.0	8.0	13.0
4.5	5.3	5.6	13.5	10.5	-	10.6	3.0	7.4	4.0	10.7
4.6	4.7	4.5	6.9	8.3	-	10.6	3.2	6.3	3.6	7.4
4.7	4.0	3.0	2.7	5.3	-	9.7	3.0	4.7	0.1	4.9
4.8	2.4	2.1	0.7	3.2	-	8.8	1.6	3.2	0.1	2.6
4.9	1.9	1.3	0.1	1.8	-	6.5	0.9	1.9	-	1.1
5.0	1.4	0.9	0.1	1.1	-	3.9	0.8	1.1	-	0.4
5.1	0.4	0.5	0.1	0.4	-	2.3	0.6	0.6	-	0.2
5.2	0.2	0.2	*	0.2	-	1.2	0.3	0.2	-	0.1
5.3	0.2	0.1	-	0.1	-	0.4	0.2	0.1	-	*
5.4	0.2	*	-	*	-	0.1	0.1	*	-	*
5.5 & Above	*	*	-	*	-	*	*	*	-	-
Average	4.02	4.05	4.24	4.29	-	4.46	3.54	4.05	4.10	4.25

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	*	0.2	*	-	*	-	-	-	-	-	*
2.5 - 2.6	*	*	0.4	*	-	*	-	*	-	-	-	*
2.7 - 2.9	0.2	0.1	0.3	*	*	0.1	-	*	-	*	-	*
3.0 - 3.2	0.4	0.3	0.2	0.1	0.4	0.2	-	0.3	-	0.2	0.1	0.1
3.3 - 3.4	0.9	0.7	0.3	0.4	0.4	0.5	-	0.7	-	0.4	0.3	0.2
3.5 - 3.6	3.3	1.8	2.2	1.3	0.4	0.7	-	3.2	-	1.3	0.7	0.7
3.7 - 4.2	26.3	27.4	52.7	31.2	26.8	12.9	-	43.7	32.5	42.2	23.1	21.8
4.3 - 4.9	62.4	63.1	42.3	65.1	60.7	71.7	-	48.9	66.0	54.1	71.1	72.6
5.0 - 5.2	6.2	5.7	1.3	1.8	9.8	12.0	-	3.0	1.5	1.6	4.4	4.2
5.3 & Above	0.4	0.8	*	0.1	1.4	2.0	-	0.1	-	0.2	0.3	0.4
Average	4.38	4.42	4.22	4.36	4.49	4.59	-	4.27	4.34	4.29	4.45	4.46
Leaf												
1 - 2	9.6	4.5	0.9	2.5	82.6	86.4	-	72.3	0.5	1.9	5.4	4.5
3	44.8	41.6	38.1	36.0	14.0	11.1	-	24.8	18.2	31.5	41.5	44.9
4	28.4	41.9	51.0	48.8	2.9	1.9	-	2.7	46.9	50.0	39.6	40.2
5	12.3	10.6	9.0	11.9	0.4	0.4	-	0.2	27.6	15.1	11.3	9.2
6	3.8	1.3	0.8	0.7	0.1	0.1	-	*	6.2	1.6	2.0	1.1
7	1.0	0.1	0.1	*	*	*	-	-	0.7	0.1	0.3	0.1
8	0.2	*	*	*	-	*	-	-	-	-	*	*
Average	3.60	3.63	3.71	3.72	1.86	1.79	-	2.11	4.23	3.83	3.64	3.58
HVI Trash 1/												
00	-	*	-	-	*	*	-	0.1	-	-	-	*
01	0.5	0.3	-	0.1	55.3	56.8	-	35.8	0.1	0.1	0.6	0.3
02	11.9	5.9	1.6	3.1	31.2	32.2	-	39.9	1.0	3.2	8.0	6.8
03	22.6	18.1	14.3	12.8	8.6	7.0	-	16.0	8.2	12.9	19.8	20.6
04	20.1	25.1	26.9	22.4	3.1	2.3	-	5.3	14.7	22.9	23.4	25.8
05	15.5	21.5	26.4	23.5	1.1	0.9	-	1.9	20.8	23.7	19.3	20.6
06	10.5	13.9	17.0	17.9	0.4	0.4	-	0.7	20.6	17.7	12.8	12.8
07	7.2	7.7	8.4	10.6	0.2	0.2	-	0.2	14.6	10.2	7.4	6.9
08	4.8	3.9	3.4	5.4	0.1	0.1	-	0.1	10.1	5.1	4.1	3.4
09	2.6	1.9	1.1	2.4	*	0.1	-	*	4.6	2.4	2.3	1.6
10	1.7	0.9	0.5	1.0	*	*	-	*	2.8	1.0	1.2	0.7
11	1.0	0.4	0.2	0.4	*	*	-	*	1.5	0.4	0.6	0.3
12	0.7	0.2	0.1	0.2	-	*	-	*	0.9	0.2	0.3	0.1
13	0.4	0.1	*	0.1	-	*	-	*	0.2	0.1	0.2	0.1
14	0.2	*	-	*	-	*	-	-	-	*	0.1	*
15	0.2	*	-	*	-	*	-	-	-	*	*	*
16	*	*	*	*	-	-	-	-	-	*	*	*
17	*	*	*	*	-	-	-	-	-	*	*	*
18 & Above	0.1	*	-	*	-	*	-	-	-	*	*	*
Average	0.47	0.48	0.49	0.52	0.17	0.16	-	0.20	0.60	0.51	0.47	0.46
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	-	*	-	*	-	-	-	-	-	*
76	0.1	*	-	*	0.1	0.1	-	*	0.1	*	*	*
77	1.8	0.3	*	*	0.6	0.4	-	0.1	0.2	0.2	0.1	0.2
78	1.5	1.4	0.4	0.4	3.8	2.7	-	0.8	0.7	1.1	1.5	1.5
79	7.1	7.3	1.7	2.1	13.1	11.8	-	8.8	13.6	5.6	8.4	7.4
80	28.4	26.9	10.5	12.1	18.4	27.6	-	30.5	56.3	30.6	24.4	23.9
81	41.5	39.7	35.6	35.7	36.2	36.5	-	29.1	26.8	43.0	35.2	36.7
82	16.4	20.0	30.2	35.3	24.9	17.7	-	8.3	2.1	15.0	22.2	22.7
83	3.2	4.0	18.5	12.7	2.6	3.1	-	14.3	0.1	3.9	6.9	6.5
84	0.1	0.4	3.0	1.7	0.3	0.3	-	7.7	0.1	0.6	1.2	1.0
85 & Above	*	*	0.2	0.1	*	*	-	0.3	-	*	0.1	0.1
Average	81.13	81.27	82.08	81.93	81.17	81.09	-	81.56	80.58	81.24	81.39	81.40
Tenderable 3/	56.7	63.1	96.0	95.0	87.7	82.9	-	95.0	27.0	40.6	53.9	52.3
SAMPLES CLASSED	5,119	684,295	9,810	1,240,270	18,583	257,174	-	128,266	1,651	87,731	86,656	2,037,491

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	0.6	0.6	-	-	-	-	-	*	-	*	-	*
2.5 - 2.6	15.8	8.0	-	-	-	*	-	*	-	*	-	*
2.7 - 2.9	27.0	17.3	-	*	-	*	-	*	*	0.1	-	0.3
3.0 - 3.2	20.8	19.0	-	*	-	0.4	-	0.1	1.1	0.6	-	3.0
3.3 - 3.4	12.8	14.7	-	0.1	-	1.0	-	0.1	3.6	1.5	-	3.4
3.5 - 3.6	9.1	14.4	-	0.2	-	2.6	3.3	0.1	6.1	3.5	-	5.8
3.7 - 4.2	12.2	23.3	-	12.0	-	38.7	19.2	7.1	41.8	42.1	-	33.7
4.3 - 4.9	1.7	2.7	-	82.6	-	54.1	69.7	83.0	47.3	51.3	-	48.6
5.0 - 5.2	-	*	-	4.9	-	3.0	7.5	9.1	0.1	1.0	-	4.7
5.3 & Above	-	-	-	0.2	-	0.2	0.3	0.5	-	*	-	0.5
Average	3.12	3.32	-	4.56	-	4.30	4.49	4.63	4.16	4.25	-	4.26
Leaf												
1 - 2	7.3	21.3	-	4.1	-	7.8	13.9	4.5	1.7	4.9	-	95.8
3	38.1	38.5	-	41.3	-	50.1	80.5	39.5	51.6	55.2	-	3.9
4	25.4	24.9	-	45.8	-	35.9	5.6	43.8	43.3	35.9	-	0.2
5	14.0	9.5	-	8.4	-	5.9	-	11.3	3.3	3.9	-	0.1
6	4.9	3.1	-	0.4	-	0.2	-	0.8	0.1	0.2	-	*
7	1.9	1.2	-	*	-	*	-	*	-	*	-	-
8	8.4	1.5	-	-	-	-	-	*	-	*	-	-
Average	4.10	3.41	-	3.60	-	3.40	2.92	3.64	3.49	3.39	-	1.57
HVI Trash 1/												
00	-	*	-	-	-	-	-	-	-	-	-	*
01	0.5	7.2	-	0.3	-	0.5	0.5	0.3	*	0.2	-	67.3
02	10.5	18.3	-	5.1	-	8.2	13.4	5.1	2.8	6.7	-	28.8
03	18.6	18.9	-	16.2	-	20.8	41.1	15.5	18.8	24.3	-	3.1
04	16.0	15.6	-	24.7	-	25.0	32.8	21.9	33.5	30.4	-	0.5
05	11.4	12.0	-	23.4	-	20.5	9.4	21.3	26.2	21.2	-	0.2
06	8.4	8.6	-	15.9	-	13.1	2.5	15.9	12.2	10.6	-	0.1
07	6.5	6.0	-	8.4	-	6.9	0.3	9.9	4.6	4.2	-	*
08	5.7	4.1	-	3.7	-	3.0	-	5.4	1.4	1.5	-	*
09	4.0	2.7	-	1.4	-	1.2	-	2.6	0.4	0.5	-	*
10	3.4	1.9	-	0.6	-	0.5	-	1.2	0.1	0.2	-	*
11	2.3	1.3	-	0.2	-	0.1	-	0.5	*	0.1	-	-
12	1.6	0.9	-	0.1	-	*	-	0.2	-	*	-	-
13	1.3	0.6	-	*	-	*	-	0.1	*	*	-	-
14	0.9	0.4	-	*	-	*	-	*	*	*	-	-
15	0.9	0.3	-	*	-	*	-	*	-	*	-	-
16	0.8	0.2	-	*	-	*	-	*	-	*	-	-
17	0.8	0.2	-	*	-	*	-	*	-	*	-	-
18 & Above	6.4	0.9	-	*	-	*	-	*	-	*	-	-
Average	0.66	0.46	-	0.48	-	0.45	0.35	0.51	0.45	0.43	-	0.14
UNIFORMITY 2/												
74 & Below	*	*	-	*	-	-	-	-	-	-	-	-
75	0.1	0.2	-	*	-	-	-	*	-	-	-	*
76	0.4	1.2	-	*	-	*	-	*	-	*	-	*
77	4.2	5.6	-	*	-	*	1.0	0.1	0.2	0.2	-	0.6
78	21.0	15.2	-	0.1	-	0.1	10.6	0.9	1.2	1.2	-	2.4
79	38.2	29.3	-	0.7	-	0.7	29.5	3.9	4.7	6.1	-	11.9
80	28.3	36.0	-	6.8	-	6.9	36.9	16.8	14.6	20.5	-	25.0
81	7.6	12.1	-	34.1	-	29.7	18.2	39.7	38.9	35.9	-	37.5
82	0.2	0.4	-	45.8	-	41.0	3.8	31.0	32.3	27.7	-	20.8
83	-	*	-	11.4	-	18.1	-	6.7	7.3	7.4	-	1.6
84	-	*	-	1.0	-	3.1	-	0.8	0.7	1.1	-	*
85 & Above	-	*	-	0.1	-	0.3	-	0.1	0.1	0.1	-	*
Average	79.59	79.76	-	82.08	-	82.24	80.17	81.64	81.65	81.54	-	81.11
Tenderable 3/	8.80	26.9	-	87.5	-	94.3	71.7	86.8	87.9	92.0	-	87.3
SAMPLES CLASSIFIED	14,789	144,162	-	344,018	-	619,416	604	1,124,653	9,301	534,230	-	26,064

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	*	*	-	*	-	*	2.7	0.3	-	-
2.5 - 2.6	0.7	0.2	-	*	-	*	16.2	1.8	-	-
2.7 - 2.9	1.1	0.8	-	*	-	*	12.4	3.4	-	*
3.0 - 3.2	4.2	3.3	*	0.1	-	0.3	8.1	5.1	0.1	0.2
3.3 - 3.4	6.9	5.6	0.4	0.5	-	0.5	6.5	4.7	2.4	1.0
3.5 - 3.6	9.0	8.9	2.0	1.8	-	1.3	7.6	6.3	2.5	2.7
3.7 - 4.2	45.2	47.6	45.4	41.2	-	24.4	24.5	36.8	64.5	42.7
4.3 - 4.9	30.5	31.9	52.0	54.6	-	65.5	20.0	39.7	30.6	52.8
5.0 - 5.2	2.0	1.5	0.2	1.7	-	7.4	1.7	1.8	-	0.6
5.3 & Above	0.4	0.1	-	0.1	-	0.5	0.2	0.1	-	*
Average	4.02	4.05	4.24	4.29	-	4.46	3.54	4.05	4.10	4.25
Leaf										
1 - 2	49.9	63.8	0.5	2.4	-	21.6	23.8	50.1	2.0	6.5
3	36.8	27.4	27.5	37.3	-	54.8	39.3	32.9	52.6	60.6
4	10.0	6.5	56.1	47.2	-	21.2	15.3	12.4	40.4	30.5
5	2.3	1.7	14.6	11.9	-	2.3	9.6	3.1	4.9	2.3
6	0.6	0.5	1.2	1.1	-	0.1	5.8	0.9	0.2	0.1
7	0.2	0.1	*	0.1	-	*	4.2	0.3	-	*
8	0.2	*	-	*	-	-	2.1	0.2	-	-
Average	2.55	2.25	3.89	3.72	-	3.03	3.50	2.56	3.49	3.29
HVI Trash 1/										
00	*	0.2	-	-	-	*	*	0.2	-	-
01	19.8	30.4	-	0.1	-	3.1	8.0	25.8	*	0.3
02	30.4	33.0	1.2	3.3	-	19.1	20.3	26.7	2.9	8.1
03	22.4	18.1	11.0	15.2	-	27.5	23.6	18.5	18.5	26.3
04	12.5	9.0	24.6	25.3	-	23.1	14.0	12.4	30.8	31.1
05	6.3	4.3	27.0	24.0	-	14.3	7.6	7.4	23.9	19.9
06	3.7	2.3	18.8	15.9	-	7.4	6.2	4.0	13.0	9.2
07	2.1	1.2	9.9	8.7	-	3.3	4.6	2.2	6.9	3.5
08	1.2	0.7	4.5	4.2	-	1.4	3.5	1.2	2.4	1.1
09	0.6	0.4	2.0	1.9	-	0.5	3.0	0.7	1.2	0.4
10	0.3	0.2	0.7	0.8	-	0.2	2.6	0.4	0.2	0.1
11	0.2	0.1	0.3	0.3	-	0.1	2.1	0.2	0.1	*
12	0.1	0.1	0.1	0.2	-	*	1.6	0.2	-	*
13	0.1	*	*	0.1	-	*	1.2	0.1	0.1	*
14	0.1	*	*	*	-	*	0.7	0.1	-	-
15	*	*	-	*	-	*	0.4	*	-	*
16	*	*	-	*	-	*	0.3	*	-	*
17	*	*	-	*	-	*	0.2	*	-	*
18 & Above	0.1	*	-	*	-	*	0.3	*	-	-
Average	0.29	0.25	0.52	0.50	-	0.37	0.45	0.29	0.46	0.41
UNIFORMITY 2/										
74 & Below	*	*	-	-	-	-	0.3	0.1	-	-
75	0.2	0.1	-	-	-	-	1.9	0.2	-	-
76	0.6	0.4	-	*	-	*	5.1	0.9	-	*
77	2.1	1.7	0.3	0.3	-	*	7.2	2.9	0.1	0.1
78	9.0	6.2	3.5	1.6	-	0.1	15.6	8.7	0.5	0.5
79	23.5	17.7	14.2	8.5	-	1.4	22.8	18.5	2.9	2.8
80	32.7	32.0	37.1	29.8	-	14.3	27.6	27.1	23.2	14.0
81	24.9	29.6	30.4	37.0	-	39.3	15.4	25.7	42.5	37.4
82	6.4	10.6	11.3	18.0	-	33.1	3.6	12.8	21.6	32.3
83	0.5	1.5	2.8	4.3	-	10.3	0.5	2.8	7.2	11.1
84	*	0.1	0.3	0.6	-	1.2	*	0.3	1.9	1.6
85 & Above	*	*	-	*	-	0.1	-	*	0.2	0.1
Average	80.33	80.63	80.85	81.21	-	81.85	79.63	80.57	81.54	81.84
Tenderable 3/	63.5	75.6	82.4	89.9	-	90.4	30.2	72.6	91.0	94.0
SAMPLES CLASSED	26,982	420,372	8,205	244,237	-	589,030	28,130	4,607,405	2,445	108,824

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	89.5	8.7	14.6	-	53.2	39.2	39.5
	2	-	4.4	10.6	7.7	-	23.7	12.2	13.0
	3	-	*	0.1	0.1	-	0.3	0.3	0.3
	4	-	-	-	-	-	*	*	*
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	93.9	19.4	22.3	-	77.2	51.8	52.7
02	1	-	5.2	13.6	27.1	-	9.8	18.6	21.5
	2	-	0.4	58.3	43.0	-	12.3	21.4	21.9
	3	-	0.1	4.2	2.1	-	0.5	0.3	1.4
	4	-	*	0.1	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	5.8	76.1	72.2	-	22.6	40.3	44.9
03	1	-	*	0.1	1.0	-	0.1	1.3	0.3
	2	-	-	3.4	3.5	-	0.1	5.6	1.5
	3	-	0.1	0.8	0.7	-	-	0.6	0.4
	4	-	0.2	0.1	0.1	-	-	-	*
	5	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	0.3	4.5	5.2	-	0.2	7.5	2.3
04	1	-	-	-	0.1	-	-	*	*
	2	-	-	*	0.1	-	*	0.3	*
	3	-	*	*	*	-	*	-	*
	4	-	*	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	*	*	0.2	-	*	0.4	0.1
05	1	-	-	-	*	-	-	-	*
	2	-	-	-	*	-	-	-	*
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	*
06	1	-	-	-	*	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter	-	*	1.0	1.0	-	2.5	1.2	3.4	
46	-	1.6	21.3	10.9	-	15.6	10.9	16.5	
48	-	60.1	11.2	17.1	-	59.9	48.7	52.4	
50	-	37.7	56.8	61.4	-	20.9	33.1	22.6	
52 & Longer	-	0.5	9.8	9.6	-	1.1	6.0	5.0	
Average Staple	-	48.74	49.06	49.35	-	48.05	48.64	48.18	
Average Length	-	1.42	1.42	1.43	-	1.40	1.41	1.40	
EXTRANEIOUS MATTER									
Bark	-	*	*	*	-	*	*	0.1	
Grass	-	*	0.4	0.3	-	2.5	0.2	0.3	
Spindle Twist	-	-	*	*	-	-	-	0.6	
Preparation	-	-	-	*	-	-	-	0.1	
All Other	-	-	*	*	-	0.1	-	0.1	

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Jan 21, 2021

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	*
2.5 - 2.6	-	-	-	*	-	*	-	*
2.7 - 2.9	-	*	-	*	-	*	1.0	0.7
3.0 - 3.2	-	*	0.1	0.1	-	1.8	4.8	3.8
3.3 - 3.4	-	0.1	0.7	0.4	-	3.8	3.7	4.9
3.5 - 3.6	-	0.2	2.9	2.1	-	10.6	3.6	6.7
3.7 - 4.2	-	82.3	35.9	33.5	-	67.8	71.5	56.9
4.3 - 4.9	-	17.3	60.4	63.8	-	15.9	15.4	27.0
5.0 - 5.2	-	-	*	*	-	-	-	*
5.3 & Above	-	-	*	*	-	-	-	-
Average	-	4.10	4.26	4.29	-	3.96	3.99	4.01
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	*
2.5	-	-	-	-	-	*	-	-
2.6	-	-	-	*	-	*	-	*
2.7	-	*	-	*	-	-	-	0.1
2.8	-	*	-	*	-	*	0.1	0.2
2.9	-	-	-	*	-	*	0.9	0.4
3.0	-	*	-	*	-	0.3	0.7	0.6
3.1	-	-	*	*	-	0.5	2.4	1.3
3.2	-	*	0.1	*	-	1.0	1.7	1.9
3.3	-	-	0.4	0.1	-	1.3	1.9	2.3
3.4	-	0.1	0.3	0.3	-	2.5	1.8	2.6
3.5	-	0.1	0.8	0.8	-	5.0	1.9	3.1
3.6	-	0.1	2.1	1.3	-	5.6	1.7	3.6
3.7	-	1.1	5.0	2.3	-	7.1	3.8	4.3
3.8	-	2.2	5.5	3.0	-	9.2	5.0	4.8
3.9	-	10.6	7.8	4.8	-	13.3	8.8	8.8
4.0	-	21.9	5.6	5.9	-	9.9	17.0	11.8
4.1	-	27.9	4.5	7.0	-	13.1	18.5	14.8
4.2	-	18.5	7.4	10.5	-	15.2	18.3	12.5
4.3	-	12.0	13.5	15.6	-	9.1	8.7	11.3
4.4	-	3.9	13.7	17.4	-	3.7	3.4	10.2
4.5	-	1.1	11.3	14.1	-	2.7	0.6	4.2
4.6	-	0.3	12.7	9.9	-	0.4	2.7	1.3
4.7	-	*	8.3	5.1	-	*	-	*
4.8	-	*	0.9	1.5	-	-	-	*
4.9	-	-	0.1	0.2	-	-	-	*
5.0	-	-	*	*	-	-	-	*
5.1	-	-	*	*	-	-	-	*
5.2	-	-	*	*	-	-	-	*
5.3 & Above	-	-	*	*	-	-	-	-
Average	-	4.10	4.26	4.29	-	3.96	3.99	4.01
STRENGTH 1/								
36 & Below	-	*	0.2	0.2	-	8.4	2.2	2.9
37	-	*	2.1	1.6	-	5.5	1.8	2.9
38	-	0.2	5.6	4.4	-	4.9	1.8	3.5
39	-	0.1	14.0	5.3	-	3.3	2.4	3.7
40	-	0.6	5.5	2.5	-	6.7	2.6	5.9
41	-	2.5	4.7	2.6	-	11.8	6.4	9.8
42	-	7.2	6.6	6.5	-	18.1	14.1	13.4
43	-	24.7	10.8	14.6	-	17.4	17.0	16.1
44	-	38.3	13.5	21.3	-	13.2	26.0	18.1
45	-	18.1	15.9	21.6	-	6.1	13.6	13.5
46	-	6.8	12.8	12.6	-	3.4	5.5	6.5
47	-	1.0	6.7	4.8	-	1.0	3.9	2.6
48 & Above	-	0.4	1.6	1.9	-	0.4	2.7	1.2
Average	-	44.30	43.33	44.03	-	41.91	43.67	43.05
UNIFORMITY								
83 & Below	-	0.1	1.4	0.3	-	0.5	1.5	1.4
84	-	0.3	10.4	5.9	-	7.8	9.0	4.9
85	-	7.3	22.7	12.4	-	21.2	15.9	15.0
86	-	50.1	31.3	36.5	-	53.8	55.4	50.6
87	-	41.9	31.1	41.4	-	16.5	17.0	27.3
88 & Above	-	0.3	3.1	3.6	-	0.2	1.2	0.8
Average	-	86.79	86.33	86.68	-	86.25	86.30	86.45
Samples Classed	-	9,569	21,996	368,187	-	16,757	2,782	36,193

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.