



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
<i>UPLAND</i>								
AL	2	62.8	54.0	857	29	62.8	52.8	694,745
AR	-	-	-	-	29	95.0	86.6	1,260,101
AZ	3	80.4	62.4	3,078	10	83.4	63.0	294,472
CA	-	-	-	-	14	92.7	82.2	135,996
FL	-	-	-	-	4	40.4	38.3	88,940
GA	8	55.9	45.4	3,352	59	52.2	44.2	2,138,126
KS	3	13.4	7.70	7,037	3	23.7	14.3	186,094
LA	-	-	-	-	19	87.6	70.3	345,654
MO	-	-	-	-	20	94.3	84.2	619,467
MS	-	-	-	-	37	86.8	63.7	1,124,655
NC	-	-	-	-	33	91.8	81.2	541,671
NM	-	-	-	-	3	87.3	69.6	26,245
OK	4	72.0	61.8	8,392	12	74.4	60.0	465,335
SC	-	-	-	-	15	89.5	79.6	252,604
TN	-	-	-	-	21	90.4	73.3	589,030
TX	7	27.4	12.3	13,436	176	72.0	57.5	4,670,597
VA*	-	-	-	-	4	93.7	85.4	118,169
United States	28	43.0	31.2	36,161	488	75.0	62.0	13,551,901
<i>AMERICAN PIMA</i>								
AZ*	-	-	-	-	3	-	-	12,719
CA*	-	-	-	-	15	-	-	427,726
NM*	-	-	-	-	2	-	-	16,862
TX*	-	-	-	-	3	-	-	39,517
United States	2	-	-	11,161	23	-	-	496,824
United States all cotton	30	-	-	47,322	501	-	-	14,048,725

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	0.1	-	0.2	76.7	75.2	-	48.1	-	0.2	-	0.3
	3	-	0.2	-	0.3	4.9	4.3	-	9.1	-	0.2	*	0.4
	4	-	*	-	*	0.2	0.1	-	0.4	-	*	-	*
	5	-	*	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.4	-	0.5	81.8	79.6	-	57.7	-	0.4	*	0.7
31	1-2	1.3	2.6	-	1.6	2.6	7.5	-	21.3	-	1.3	1.3	2.5
	3	6.0	15.8	-	13.4	4.3	5.9	-	14.6	-	11.7	5.0	15.8
	4	1.3	7.9	-	6.6	1.8	1.6	-	2.3	-	5.2	2.5	5.8
	5	-	0.6	-	0.4	0.4	0.2	-	0.1	-	0.3	*	0.3
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	8.5	26.9	-	22.0	9.0	15.2	-	38.3	-	18.6	8.8	24.4
41	1-2	6.2	1.6	-	0.6	0.2	0.2	-	0.4	-	0.3	3.7	1.4
	3	46.8	22.0	-	21.8	0.1	0.3	-	0.8	-	15.6	33.0	24.5
	4	33.5	26.9	-	39.7	0.9	0.4	-	0.6	-	35.0	17.0	26.9
	5	1.4	6.5	-	10.1	2.3	0.4	-	0.2	-	10.5	2.3	5.5
	6	0.1	0.5	-	0.5	1.3	0.2	-	*	-	0.9	0.2	0.4
	7	-	*	-	*	0.1	*	-	*	-	*	-	*
	8	-	*	-	*	-	*	-	-	-	-	-	*
Total	----	88.0	57.5	-	72.8	4.8	1.4	-	2.1	-	62.4	56.2	58.7
51	1-2	-	*	-	*	-	*	-	-	-	*	0.7	*
	3	-	0.5	-	0.3	-	*	-	*	-	1.2	10.0	0.8
	4	0.1	2.0	-	2.0	-	*	-	-	-	5.2	10.5	2.5
	5	-	1.4	-	1.2	-	-	-	-	-	2.7	3.3	1.5
	6	-	0.4	-	0.1	0.4	*	-	*	-	0.5	0.2	0.3
	7	-	*	-	*	0.2	*	-	-	-	*	-	*
	8	-	*	-	*	*	*	-	-	-	-	-	*
Total	----	0.1	4.4	-	3.7	0.7	*	-	*	-	9.6	24.6	5.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	-	*	-	*
	4	-	*	-	-	-	-	-	-	-	*	0.1	*
	5	-	*	-	*	-	-	-	-	-	*	0.1	*
	6	-	*	-	*	-	-	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
Total	----	-	*	-	*	-	-	-	-	-	0.1	0.2	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	-	-	-	-	-	-	*
12 & 22	1-2	-	*	-	*	0.1	2.6	-	0.1	-	-	-	*
	3	-	*	-	*	-	0.5	-	0.1	-	-	-	*
	4	-	*	-	*	-	0.1	-	*	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	0.1	3.1	-	0.2	-	-	-	*
32	1-2	-	0.1	-	*	0.1	0.1	-	0.3	-	*	-	*
	3	0.5	0.6	-	0.1	-	0.1	-	0.4	-	0.1	0.5	0.4
	4	0.1	0.5	-	0.1	0.3	0.1	-	0.3	-	0.2	0.4	0.2
	5	-	0.1	-	*	0.4	*	-	0.1	-	*	*	*
	6	-	*	-	*	*	*	-	*	-	-	-	*
	7	-	*	-	-	-	*	-	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.6	1.2	-	0.2	0.8	0.4	-	1.1	-	0.3	1.0	0.7
42	1-2	0.1	0.1	-	*	-	*	-	*	-	*	0.1	0.1
	3	1.8	1.7	-	0.1	-	*	-	0.1	-	1.0	0.9	2.1
	4	0.4	3.0	-	0.4	0.3	*	-	0.1	-	1.8	1.0	3.1
	5	-	1.1	-	0.2	1.5	*	-	0.2	-	0.5	0.4	0.8
	6	-	0.1	-	*	0.2	*	-	0.1	-	*	*	0.1
	7	-	*	-	*	-	*	-	*	-	*	-	*
	8	-	*	-	-	-	*	-	*	-	-	-	*
Total	----	2.2	6.0	-	0.7	2.0	0.1	-	0.6	-	3.4	2.4	6.0

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1-2	0.1	*	-	*	-	-	-	-	-	*	-	*
	3	0.2	0.3	-	*	-	-	-	*	-	0.8	0.5	0.3
	4	-	1.0	-	*	-	-	-	*	-	2.1	1.3	1.3
	5	-	0.8	-	*	*	*	-	*	-	0.9	1.1	0.9
	6	-	0.2	-	*	0.2	*	-	*	-	0.1	0.2	0.3
	7	-	*	-	*	0.3	*	-	-	-	*	*	*
	8	-	*	-	*	*	*	-	-	-	-	-	*
Total	----	0.4	2.4	-	0.1	0.5	*	-	*	-	3.9	3.2	2.8
62	1-2	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	-	*	0.1	*
	4	-	0.1	-	*	-	-	-	-	-	0.1	0.9	*
	5	-	0.1	-	-	-	-	-	-	-	0.1	0.4	*
	6	-	*	-	-	-	-	-	-	-	*	0.3	*
	7	-	*	-	-	0.1	*	-	-	-	*	-	*
	8	-	*	-	-	0.2	*	-	-	-	-	-	*
Total	----	-	0.2	-	*	0.2	*	-	-	-	0.3	1.7	0.1
13 & 23	1-2	-	-	-	*	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	-	-	*
	4	-	*	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	*	-	*	-	-	-	*
33	1-2	-	*	-	-	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	0.1
	4	-	*	-	*	-	*	-	*	-	*	0.2	*
	5	-	*	-	*	-	*	-	-	-	*	0.1	*
	6	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.1	-	*	-	*	-	*	-	*	0.3	0.1
43	1-2	-	*	-	-	-	-	-	-	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	0.2	0.1	0.2
	4	0.2	0.2	-	*	-	*	-	*	-	0.2	0.4	0.3
	5	-	0.1	-	*	-	*	-	*	-	*	0.1	0.1
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	0.2	0.5	-	0.1	-	*	-	*	-	0.5	0.7	0.7
53	1-2	-	*	-	*	-	-	-	-	-	*	-	*
	3	-	0.1	-	*	-	-	-	-	-	0.2	*	0.1
	4	-	0.1	-	*	-	-	-	-	-	0.2	0.2	0.2
	5	-	0.1	-	*	-	-	-	-	-	0.1	0.1	0.2
	6	-	*	-	-	-	-	-	-	-	*	*	0.1
	7	-	*	-	*	-	-	-	*	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	*
Total	----	-	0.4	-	*	-	-	-	*	-	0.5	0.4	0.5
63	1-2	-	*	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	-	-	-	-	-	*	-	*
	5	-	*	-	*	-	-	-	-	-	*	0.1	*
	6	-	*	-	-	-	-	-	-	-	-	0.1	*
	7	-	*	-	-	-	-	-	-	-	*	*	*
	8	-	*	-	-	-	*	-	-	-	-	-	*
Total	----	-	0.1	-	*	-	*	-	-	-	*	0.2	*
24 - 54	1-8	-	0.1	-	*	-	*	-	-	-	*	0.1	0.1
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	-	*
81 - 85	1-8	-	*	-	*	-	-	-	-	-	-	*	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	*	-	-	-	*	-	*	-	*	-	*
32		-	*	-	*	-	*	-	*	-	*	*	*
33		0.5	0.3	-	*	-	0.4	-	0.1	-	0.2	0.2	0.4
34		5.7	1.4	-	*	1.4	2.0	-	1.0	-	1.1	2.7	2.4
35		21.7	5.9	-	0.4	3.8	9.0	-	4.5	-	3.8	15.5	8.5
36		28.5	14.7	-	2.8	3.7	19.1	-	14.0	-	9.0	27.3	18.0
37		26.7	33.4	-	22.5	46.6	32.2	-	26.6	-	26.2	36.9	35.0
38		13.7	26.6	-	24.1	38.7	23.1	-	29.3	-	40.3	17.4	23.5
39		3.3	14.5	-	28.4	5.7	10.9	-	20.1	-	18.0	*	10.4
40 & Longer		-	3.1	-	21.7	0.1	3.2	-	4.3	-	1.4	-	1.7
Average Staple		36.29	37.33	-	38.45	37.35	37.10	-	37.56	-	37.59	36.50	37.05
Average Length		1.13	1.17	-	1.20	1.17	1.16	-	1.17	-	1.18	1.14	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	0.3	13.5	-	1.9	-	0.7	-	0.8	-	0.2	-	90.5
	3	0.5	10.2	-	3.7	-	0.4	-	1.0	-	0.2	-	2.3
	4	*	1.1	-	0.2	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	-	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.9	24.8	-	5.7	-	1.0	-	1.8	-	0.4	-	92.8
31	1-2	0.5	2.6	-	1.6	-	5.2	-	2.6	-	2.7	-	4.5
	3	3.7	15.8	-	18.6	-	17.4	-	17.7	-	17.8	-	1.2
	4	1.5	11.5	-	11.0	-	4.3	-	9.7	-	6.3	-	*
	5	0.2	2.3	-	0.5	-	0.3	-	0.8	-	0.3	-	-
	6	0.1	0.2	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	-	-	*	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	6.0	32.5	-	31.7	-	27.2	-	30.7	-	27.1	-	5.7
41	1-2	1.9	0.1	-	0.4	-	1.9	-	1.1	-	1.9	-	0.2
	3	6.4	1.4	-	16.2	-	31.3	-	19.9	-	33.9	-	0.1
	4	9.2	5.0	-	29.4	-	29.3	-	31.8	-	25.5	-	0.1
	5	3.7	4.8	-	6.3	-	4.6	-	9.1	-	2.8	-	0.1
	6	2.6	2.0	-	0.3	-	0.2	-	0.5	-	0.1	-	*
	7	1.8	0.8	-	*	-	*	-	*	-	*	-	-
	8	0.2	0.2	-	-	-	-	-	-	-	-	-	-
Total	----	25.8	14.2	-	52.6	-	67.3	-	62.4	-	64.1	-	0.5
51	1-2	-	-	-	*	-	*	-	*	-	*	-	-
	3	-	*	-	0.2	-	0.8	-	0.2	-	0.9	-	*
	4	*	*	-	0.9	-	2.0	-	0.9	-	1.7	-	-
	5	*	*	-	0.3	-	1.0	-	0.7	-	0.4	-	-
	6	0.2	0.1	-	*	-	0.1	-	0.1	-	*	-	-
	7	2.3	0.2	-	*	-	*	-	*	-	*	-	-
	8	2.7	0.6	-	-	-	-	-	-	-	*	-	-
Total	----	5.3	0.9	-	1.4	-	3.8	-	1.9	-	3.0	-	*
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	-	-	*	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	0.1	0.4	-	*	-	*	-	*	-	*	-	0.5
	3	0.6	1.0	-	0.1	-	*	-	*	-	*	-	0.1
	4	0.2	0.2	-	*	-	*	-	*	-	*	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.9	1.7	-	0.1	-	*	-	*	-	*	-	0.6
32	1-2	0.1	0.5	-	0.1	-	*	-	*	-	0.1	-	0.1
	3	2.8	3.8	-	1.0	-	0.1	-	0.3	-	0.5	-	*
	4	6.8	3.5	-	0.7	-	0.1	-	0.3	-	0.4	-	*
	5	4.0	1.2	-	0.1	-	*	-	*	-	*	-	-
	6	0.4	0.2	-	*	-	*	-	*	-	*	-	-
	7	*	*	-	*	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	14.0	9.2	-	1.9	-	0.2	-	0.7	-	1.0	-	0.1
42	1-2	*	*	-	0.1	-	*	-	*	-	0.1	-	-
	3	1.6	0.3	-	1.2	-	0.1	-	0.4	-	1.3	-	*
	4	6.6	1.3	-	2.9	-	0.2	-	1.1	-	1.7	-	-
	5	5.5	1.2	-	0.9	-	*	-	0.6	-	0.3	-	-
	6	1.8	0.4	-	0.1	-	*	-	0.1	-	*	-	-
	7	0.5	0.1	-	*	-	*	-	*	-	*	-	-
	8	0.1	0.1	-	-	-	-	-	-	-	*	-	-
Total	----	16.1	3.3	-	5.2	-	0.3	-	2.1	-	3.4	-	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1-2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	-	0.1	-	*	-	*	-	0.1	-	-
	4	*	*	-	0.3	-	*	-	0.1	-	0.2	-	-
	5	*	*	-	0.1	-	*	-	0.1	-	0.1	-	-
	6	*	*	-	*	-	*	-	*	-	*	-	-
	7	0.2	*	-	*	-	*	-	*	-	*	-	-
	8	0.6	0.4	-	-	-	-	-	*	-	*	-	-
Total	----	0.9	0.4	-	0.5	-	*	-	0.2	-	0.4	-	-
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	*	-	-	-	*	-	*	-	-
13 & 23	1-2	-	0.1	-	-	-	-	-	-	-	*	-	0.1
	3	-	0.2	-	-	-	*	-	-	-	-	-	0.1
	4	-	0.1	-	-	-	*	-	-	-	-	-	-
	5	-	*	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	0.4	-	-	-	*	-	-	-	*	-	0.1
33	1-2	*	0.2	-	*	-	*	-	*	-	*	-	*
	3	2.1	1.8	-	0.1	-	*	-	*	-	0.1	-	0.1
	4	5.6	2.6	-	0.1	-	*	-	*	-	0.1	-	*
	5	3.2	0.9	-	*	-	*	-	*	-	*	-	-
	6	0.2	0.1	-	*	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	11.1	5.6	-	0.2	-	*	-	*	-	0.1	-	0.1
43	1-2	-	*	-	*	-	*	-	*	-	*	-	-
	3	0.5	0.3	-	0.1	-	*	-	*	-	0.1	-	*
	4	3.0	1.4	-	0.2	-	*	-	*	-	0.2	-	*
	5	4.8	1.6	-	0.1	-	*	-	*	-	0.1	-	-
	6	2.7	0.7	-	*	-	*	-	*	-	*	-	-
	7	1.1	0.2	-	*	-	-	-	*	-	-	-	-
	8	0.2	0.1	-	-	-	-	-	-	-	-	-	-
Total	----	12.3	4.3	-	0.4	-	*	-	0.1	-	0.3	-	*
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	*	-	-
	4	*	*	-	*	-	*	-	*	-	*	-	-
	5	*	*	-	*	-	*	-	*	-	*	-	-
	6	0.1	*	-	*	-	*	-	*	-	*	-	-
	7	0.1	*	-	-	-	-	-	*	-	-	-	-
	8	0.1	0.4	-	-	-	-	-	*	-	-	-	-
Total	----	0.3	0.4	-	0.1	-	*	-	*	-	*	-	-
63	1-2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
Total	----	-	*	-	-	-	*	-	*	-	*	-	-
24 - 54	1-8	5.9	2.5	-	*	-	*	-	*	-	*	-	*
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1-8	0.5	0.1	-	-	-	*	-	*	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	*
30		-	*	-	-	-	*	-	-	-	-	-	*
31		-	*	-	-	-	*	-	-	-	*	-	*
32		*	0.5	-	-	-	-	-	*	-	*	-	-
33		1.3	2.8	-	*	-	*	-	*	-	*	-	0.1
34		15.5	16.3	-	0.1	-	*	-	0.3	-	0.5	-	2.0
35		48.4	35.9	-	0.8	-	0.1	-	1.9	-	4.0	-	13.8
36		25.8	31.0	-	3.2	-	1.9	-	6.3	-	15.5	-	25.5
37		9.0	12.0	-	15.9	-	25.5	-	19.9	-	37.1	-	30.5
38		*	1.4	-	25.2	-	27.6	-	25.8	-	23.2	-	14.1
39		-	0.1	-	32.4	-	28.0	-	29.3	-	14.3	-	9.4
40 & Longer		-	*	-	22.4	-	16.9	-	16.5	-	5.4	-	4.6
Average Staple		35.26	35.36	-	38.56	-	38.34	-	38.25	-	37.43	-	36.88
Average Length		1.10	1.10	-	1.21	-	1.20	-	1.20	-	1.17	-	1.15

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	48.3	47.5	-	0.4	-	2.9	4.6	40.7	-	*
	3	7.9	7.7	-	0.8	-	1.0	2.5	12.8	-	0.1
	4	0.4	0.2	-	*	-	*	0.2	1.2	-	*
	5	0.2	*	-	*	-	-	*	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	56.7	55.3	-	1.3	-	3.9	7.4	54.8	-	0.1
31	1-2	8.4	9.1	-	1.4	-	16.3	4.9	3.1	-	1.3
	3	8.6	13.3	-	14.7	-	34.3	13.0	11.7	-	6.3
	4	1.1	3.4	-	7.5	-	6.7	8.3	5.7	-	1.1
	5	0.9	0.5	-	0.5	-	0.2	0.8	1.2	-	*
	6	0.2	*	-	*	-	*	*	0.2	-	*
	7	-	*	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	19.2	26.3	-	24.1	-	57.6	27.0	21.9	-	8.8
41	1-2	*	0.2	-	0.5	-	2.2	*	0.5	-	5.0
	3	1.0	0.7	-	19.6	-	18.4	0.5	3.4	-	48.7
	4	1.0	0.9	-	33.7	-	14.0	2.7	2.7	-	24.3
	5	0.7	0.6	-	8.2	-	2.0	2.0	0.9	-	1.5
	6	0.7	0.3	-	0.5	-	0.1	0.6	0.4	-	*
	7	0.4	0.1	-	*	-	*	0.2	0.2	-	-
	8	0.1	*	-	*	-	-	0.1	0.1	-	-
Total	----	3.9	2.8	-	62.4	-	36.7	6.2	8.2	-	79.5
51	1-2	-	*	-	*	-	*	-	*	-	0.1
	3	-	*	-	0.6	-	*	-	0.2	-	3.0
	4	-	*	-	3.1	-	*	-	0.1	-	4.1
	5	-	*	-	2.1	-	*	-	*	-	0.7
	6	-	*	-	0.4	-	*	-	*	-	*
	7	-	*	-	*	-	*	*	*	-	*
	8	-	*	-	*	-	-	-	*	-	-
Total	----	-	0.1	-	6.3	-	0.1	*	0.4	-	8.0
61	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	*
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	-	-	-	*	-	-	-	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	*	-	-
12 & 22	1-2	1.8	2.5	-	*	-	*	1.3	3.4	-	*
	3	0.7	0.9	-	*	-	*	1.0	1.6	-	*
	4	0.2	0.1	-	*	-	*	0.3	0.2	-	*
	5	*	*	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
Total	----	2.7	3.5	-	*	-	0.1	2.6	5.2	-	*
32	1-2	0.3	1.4	-	*	-	0.2	0.8	0.4	-	*
	3	3.4	2.4	-	0.3	-	0.8	8.6	1.2	-	0.4
	4	1.4	0.8	-	0.3	-	0.2	7.6	0.8	-	0.2
	5	0.6	0.2	-	*	-	*	1.4	0.3	-	*
	6	0.2	*	-	-	-	*	0.1	*	-	*
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
Total	----	5.9	4.8	-	0.7	-	1.2	18.5	2.8	-	0.6
42	1-2	-	*	-	*	-	*	-	0.1	-	*
	3	0.1	0.2	-	0.8	-	0.2	0.2	0.7	-	1.0
	4	0.9	0.4	-	1.8	-	0.1	0.7	0.8	-	1.2
	5	0.8	0.3	-	0.8	-	*	0.3	0.3	-	0.2
	6	0.6	0.2	-	0.1	-	*	0.2	0.1	-	*
	7	0.5	0.1	-	*	-	*	0.1	*	-	-
	8	0.1	*	-	-	-	-	*	*	-	-
Total	----	3.1	1.1	-	3.5	-	0.4	1.5	2.1	-	2.5

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	*	-	-	-	*	-	*	-	*
	3	-	*	-	0.1	-	*	*	0.3	-	0.1
	4	-	*	-	0.5	-	*	*	0.3	-	0.1
	5	-	*	-	0.5	-	*	*	0.2	-	*
	6	-	*	-	0.2	-	*	-	0.1	-	*
	7	-	*	-	*	-	-	-	*	-	-
	8	-	*	-	*	-	-	-	*	-	-
	Total	----	-	*	-	1.2	-	*	*	0.8	-
62	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	*	-	*	-	-	-	*	-	-
	6	-	*	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	-	*	-	*	-	-	-	*	-
13 & 23	1-2	3.9	0.8	-	-	-	*	0.9	0.9	-	-
	3	0.2	0.3	-	-	-	*	2.2	0.4	-	-
	4	0.1	*	-	-	-	-	0.6	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	4.2	1.1	-	-	-	*	3.8	1.3	-
33	1-2	*	0.8	-	*	-	*	0.4	0.3	-	*
	3	1.3	1.5	-	*	-	0.1	6.7	0.4	-	*
	4	0.5	0.6	-	*	-	*	8.1	0.2	-	*
	5	0.2	0.1	-	*	-	*	2.6	0.1	-	*
	6	*	*	-	*	-	-	0.3	*	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	2.0	3.1	-	0.1	-	0.1	18.2	1.0	-
43	1-2	-	*	-	-	-	*	*	*	-	*
	3	0.3	0.1	-	*	-	*	0.4	0.1	-	0.1
	4	0.2	0.2	-	0.1	-	*	1.3	0.2	-	0.1
	5	0.5	0.2	-	0.1	-	*	1.3	0.1	-	*
	6	0.7	0.1	-	*	-	-	0.6	*	-	*
	7	0.2	*	-	*	-	-	0.2	*	-	-
	8	*	*	-	-	-	-	0.1	*	-	-
	Total	----	1.8	0.7	-	0.3	-	*	3.8	0.4	-
53	1-2	-	*	-	-	-	*	-	*	-	-
	3	-	*	-	*	-	*	*	0.1	-	-
	4	-	*	-	*	-	*	*	0.1	-	*
	5	-	*	-	0.1	-	-	-	0.1	-	*
	6	*	*	-	*	-	-	-	0.1	-	-
	7	*	*	-	*	-	-	-	*	-	-
	8	*	*	-	-	-	-	-	*	-	-
	Total	----	*	*	-	0.1	-	*	0.1	0.4	-
63	1-2	-	*	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	-	*	-	*	-	*	-	*	-
24 - 54	1-8	0.3	1.1	-	*	-	*	9.8	0.5	-	*
25 - 35	1-8	-	*	-	-	-	-	-	*	-	-
81 - 85	1-8	-	*	-	-	-	-	1.0	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	*	-	-
29		*	*	-	-	-	-	-	*	-	-
30		*	*	-	-	-	-	-	0.1	-	-
31		0.3	0.4	-	-	-	-	*	0.4	-	-
32		1.5	1.4	-	*	-	*	0.6	1.6	-	-
33		3.1	3.5	-	0.2	-	*	5.1	4.7	-	*
34		7.1	6.7	-	1.4	-	0.1	15.8	10.2	-	0.1
35		8.0	9.5	-	5.1	-	2.9	31.4	16.5	-	1.0
36		11.3	12.3	-	12.7	-	15.9	26.4	22.5	-	6.6
37		12.4	23.8	-	29.3	-	40.0	17.1	26.7	-	29.2
38		19.3	19.9	-	27.5	-	25.6	2.9	11.5	-	26.4
39		24.0	14.8	-	18.2	-	13.2	0.7	4.4	-	23.2
40 & Longer		12.8	7.7	-	5.6	-	2.3	0.1	1.4	-	13.5
Average Staple		37.37	36.99	-	37.53	-	37.37	35.45	36.09	-	38.07
Average Length		1.17	1.16	-	1.17	-	1.17	1.10	1.13	-	1.19

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	-	0.8	-	1.1	3.5	0.5	-	1.9	-	1.1	0.3	0.6
Bark - Level 1	-	*	-	-	-	-	-	-	-	-	-	-
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	-	0.1	3.1	0.2	-	0.4	-	*	0.2	*
Grass - Level 2	-	-	-	*	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*	0.1	*
Prep - Level 2	-	*	-	-	-	-	-	-	-	-	-	*
Seed Coat - Level 1	34.5	25.3	-	0.1	0.2	2.4	-	*	-	54.3	39.6	40.3
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	-	-	-	-	-	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	-	*	-	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	*	3.5	0.3	-	*	-	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	*	-	-	-	*	-	-	-	-	-	*
23	-	*	-	*	-	*	-	-	-	*	0.1	*
24	0.1	0.1	-	*	-	*	-	*	-	*	0.8	0.2
25	1.4	0.3	-	*	-	0.1	-	*	-	0.1	4.5	0.9
26	7.7	0.9	-	0.1	0.1	0.5	-	0.1	-	0.7	11.5	2.9
27	19.7	3.4	-	0.4	0.6	2.1	-	0.5	-	3.4	32.7	7.8
28	29.8	11.1	-	2.6	3.2	7.0	-	1.7	-	11.9	34.0	16.6
29	21.2	25.4	-	11.8	5.0	12.2	-	7.1	-	27.5	10.0	25.0
30	13.3	29.6	-	28.8	18.1	18.3	-	17.1	-	30.1	3.6	23.4
31	5.0	18.1	-	30.1	30.2	21.2	-	16.9	-	16.9	2.0	13.5
32	0.9	7.4	-	15.7	16.7	15.3	-	11.1	-	6.3	0.8	5.9
33	0.8	2.6	-	6.9	3.3	9.4	-	9.1	-	2.1	0.1	2.4
34	-	0.8	-	2.9	7.9	7.0	-	7.7	-	0.7	-	0.9
35	-	0.3	-	0.6	12.6	4.0	-	8.6	-	0.1	*	0.3
36	-	0.1	-	0.1	2.2	2.1	-	10.1	-	*	-	0.1
37	-	*	-	*	*	0.7	-	7.3	-	*	-	*
38	-	*	-	*	*	0.1	-	2.0	-	*	-	*
39	-	*	-	-	-	*	-	0.3	-	*	-	*
40 & Above	-	*	-	-	-	*	-	0.3	-	-	-	*
Average	28.76	30.27	-	31.24	32.11	31.56	-	33.06	-	30.19	28.00	29.84
Mike												
2.4 & Below	-	*	-	*	-	*	-	*	-	-	-	*
2.5	-	*	-	*	-	*	-	*	-	-	-	*
2.6	-	*	-	*	-	*	-	0.1	-	-	-	*
2.7	-	*	-	*	-	*	-	0.1	-	-	-	*
2.8	-	*	-	*	-	*	-	0.1	-	-	-	*
2.9	-	*	-	*	-	*	-	0.2	-	-	-	*
3.0	-	0.1	-	*	*	0.1	-	0.2	-	*	-	*
3.1	-	0.1	-	*	0.3	0.1	-	0.4	-	*	-	*
3.2	-	0.2	-	0.1	0.1	0.1	-	0.5	-	0.1	-	*
3.3	-	0.3	-	0.1	0.5	0.2	-	0.6	-	0.2	-	0.1
3.4	-	0.5	-	0.2	0.5	0.3	-	0.9	-	0.2	-	0.1
3.5	-	0.7	-	0.5	2.0	0.4	-	1.3	-	0.4	-	0.2
3.6	-	1.1	-	0.9	5.7	0.5	-	2.4	-	1.0	-	0.5
3.7	0.2	1.7	-	1.4	4.2	0.6	-	4.1	-	1.7	0.6	0.8
3.8	4.1	2.7	-	2.3	5.6	1.1	-	5.4	-	3.6	1.8	1.4
3.9	12.3	3.8	-	3.8	2.8	1.5	-	7.9	-	5.2	1.6	2.3
4.0	15.6	5.0	-	5.3	6.4	2.3	-	7.7	-	8.4	5.4	3.7
4.1	12.4	6.5	-	7.9	13.1	3.5	-	9.3	-	10.6	8.4	5.6
4.2	16.5	7.8	-	10.7	10.3	5.0	-	9.2	-	12.7	10.1	8.0
4.3	14.1	9.3	-	12.7	2.6	7.1	-	9.3	-	13.6	4.7	10.5
4.4	8.8	10.7	-	13.9	4.1	9.7	-	9.4	-	12.7	7.7	13.0
4.5	4.4	11.1	-	13.7	8.6	11.8	-	9.1	-	10.3	8.9	13.6
4.6	4.6	10.8	-	10.7	5.5	13.0	-	7.3	-	8.2	11.7	12.7
4.7	3.2	9.2	-	7.2	6.5	12.2	-	5.1	-	4.9	14.3	10.4
4.8	2.5	7.1	-	4.3	9.8	10.0	-	3.4	-	2.9	8.5	7.6
4.9	1.2	4.8	-	2.4	3.4	7.6	-	3.0	-	1.5	7.9	4.7
5.0	0.4	3.0	-	1.1	4.7	5.2	-	1.7	-	0.9	6.0	2.6
5.1	-	1.7	-	0.5	2.4	3.7	-	0.8	-	0.4	1.8	1.2
5.2	-	1.0	-	0.2	0.5	2.1	-	0.4	-	0.2	0.4	0.5
5.3	-	0.5	-	0.1	0.5	1.0	-	0.1	-	0.1	0.2	0.2
5.4	-	0.2	-	*	-	0.6	-	*	-	0.1	0.1	0.1
5.5 & Above	-	0.1	-	*	-	0.2	-	*	-	*	-	0.1
Average	4.21	4.42	-	4.36	4.31	4.57	-	4.23	-	4.29	4.51	4.46

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	68.8	37.6	-	0.6	-	0.4	-	0.5	-	0.5	-	0.3
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	-	*	-	*	-	0.1	-	*	-	0.1
Grass - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	*	-	-	-	-
Seed Coat - Level 1	-	*	-	*	-	*	-	0.1	-	*	-	0.4
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	-	*	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	*	-	*	-	*	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	-	*	-	*	-	*	-	*	-	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	*	-	-	-	*	-	-	-	-	-	-
23	-	0.1	-	-	-	-	-	-	-	*	-	*
24	0.1	0.3	-	-	-	*	-	*	-	*	-	*
25	0.3	1.2	-	*	-	*	-	*	-	0.3	-	0.1
26	0.8	3.5	-	*	-	*	-	0.2	-	2.0	-	1.1
27	7.2	9.6	-	0.1	-	0.2	-	1.4	-	7.2	-	5.6
28	28.1	22.1	-	1.1	-	1.5	-	5.0	-	16.0	-	15.8
29	24.9	23.7	-	8.1	-	9.6	-	15.7	-	22.4	-	22.8
30	19.6	19.5	-	28.5	-	32.0	-	30.4	-	21.7	-	26.6
31	13.2	11.8	-	29.1	-	33.5	-	26.4	-	15.7	-	18.8
32	4.9	6.0	-	14.4	-	15.8	-	12.0	-	8.6	-	7.4
33	0.8	1.7	-	9.6	-	5.4	-	5.7	-	3.9	-	1.5
34	*	0.4	-	6.1	-	1.6	-	2.5	-	1.5	-	0.1
35	*	0.1	-	2.3	-	0.4	-	0.7	-	0.5	-	*
36	*	*	-	0.5	-	0.1	-	0.1	-	0.1	-	*
37	-	*	-	0.1	-	*	-	*	-	*	-	*
38	-	*	-	*	-	*	-	*	-	*	-	-
39	-	-	-	-	-	*	-	*	-	-	-	*
40 & Above	-	-	-	-	-	-	-	-	-	-	-	*
Average	29.62	29.57	-	31.61	-	31.22	-	30.95	-	30.13	-	30.07
Mike												
2.4 & Below	1.2	0.9	-	-	-	-	-	*	-	*	-	*
2.5	1.1	4.2	-	-	-	*	-	*	-	*	-	*
2.6	0.7	4.1	-	-	-	*	-	*	-	*	-	*
2.7	2.4	5.1	-	-	-	*	-	*	-	*	-	*
2.8	6.3	6.5	-	*	-	*	-	*	-	*	-	0.1
2.9	5.8	6.4	-	*	-	*	-	*	-	0.1	-	0.1
3.0	7.3	6.3	-	*	-	*	-	*	-	0.1	-	0.5
3.1	8.1	6.3	-	*	-	0.1	-	*	-	0.2	-	1.2
3.2	7.4	6.7	-	*	-	0.2	-	*	-	0.3	-	1.3
3.3	8.9	7.1	-	*	-	0.3	-	*	-	0.6	-	1.3
3.4	5.1	7.3	-	0.1	-	0.6	-	*	-	1.0	-	2.0
3.5	10.0	7.7	-	0.1	-	1.0	-	0.1	-	1.4	-	2.7
3.6	7.2	6.3	-	0.2	-	1.6	-	0.1	-	2.2	-	3.2
3.7	5.4	5.4	-	0.3	-	2.3	-	0.1	-	3.2	-	3.7
3.8	1.8	4.7	-	0.4	-	3.7	-	0.3	-	4.8	-	4.5
3.9	1.5	4.0	-	1.1	-	5.5	-	0.5	-	6.3	-	5.1
4.0	2.7	3.5	-	1.9	-	7.3	-	0.9	-	8.0	-	4.9
4.1	4.5	2.8	-	3.1	-	9.2	-	1.9	-	9.3	-	7.5
4.2	5.1	2.0	-	5.4	-	10.6	-	3.3	-	10.6	-	7.7
4.3	5.3	1.5	-	8.0	-	11.3	-	5.5	-	11.3	-	7.4
4.4	1.3	0.7	-	11.0	-	11.5	-	8.7	-	10.9	-	8.3
4.5	0.2	0.2	-	13.6	-	10.2	-	12.8	-	10.0	-	7.9
4.6	0.3	0.2	-	16.4	-	8.1	-	15.9	-	7.7	-	7.4
4.7	0.2	0.1	-	15.2	-	6.1	-	16.6	-	5.6	-	7.2
4.8	-	*	-	11.0	-	4.2	-	14.0	-	3.6	-	5.9
4.9	-	*	-	7.1	-	2.8	-	9.6	-	1.9	-	4.7
5.0	-	*	-	3.4	-	1.6	-	5.3	-	0.7	-	3.1
5.1	-	-	-	1.2	-	0.9	-	2.7	-	0.2	-	0.9
5.2	-	-	-	0.3	-	0.5	-	1.1	-	0.1	-	0.7
5.3	-	-	-	0.1	-	0.1	-	0.4	-	*	-	0.4
5.4	-	-	-	*	-	0.1	-	0.1	-	*	-	0.1
5.5 & Above	-	-	-	*	-	*	-	*	-	*	-	*
Average	3.43	3.31	-	4.56	-	4.30	-	4.63	-	4.24	-	4.26

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	10.8	11.4	-	1.7	-	0.2	34.2	6.9	-	1.1
Bark - Level 2	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	-	0.1	-	*	*	0.1	-	*
Grass - Level 2	-	*	-	-	-	-	-	*	-	-
Prep - Level 1	-	*	-	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	-	*	-	0.7	-	*	0.1	0.1	-	*
Seed Coat - Level 2	-	*	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	*	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	*	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	*	-	*	-	-
Other - Level 2	-	-	-	-	-	-	-	*	-	-
Plastic - Level 1	-	*	-	*	-	*	0.1	*	-	*
Plastic - Level 2	-	*	-	-	-	-	-	*	-	-
STRENGTH 1/										
22 & Below	*	*	-	*	-	-	*	0.1	-	-
23	0.1	*	-	*	-	-	*	0.2	-	*
24	*	0.1	-	0.1	-	*	0.1	0.4	-	*
25	0.4	0.3	-	0.7	-	*	0.4	0.9	-	0.3
26	1.4	1.2	-	2.7	-	0.1	2.1	2.3	-	2.0
27	2.4	3.5	-	8.5	-	0.6	7.1	5.4	-	8.9
28	5.3	8.4	-	19.9	-	5.1	16.2	10.8	-	21.7
29	10.4	15.0	-	27.5	-	22.0	21.6	17.2	-	25.9
30	16.6	18.5	-	22.3	-	36.6	20.9	20.4	-	20.7
31	18.7	18.2	-	11.5	-	24.0	15.2	17.9	-	12.8
32	17.5	15.4	-	4.5	-	8.3	8.7	12.2	-	5.1
33	13.8	10.5	-	1.6	-	2.6	4.6	7.4	-	2.0
34	7.9	5.6	-	0.5	-	0.6	2.0	3.3	-	0.5
35	3.8	2.1	-	0.2	-	0.1	0.8	1.2	-	0.2
36	1.3	0.8	-	*	-	*	0.2	0.4	-	*
37	0.4	0.2	-	*	-	*	*	0.1	-	*
38	*	*	-	-	-	*	-	*	-	-
39	-	*	-	-	-	-	*	*	-	-
40 & Above	-	*	-	-	-	-	-	*	-	-
Average	31.64	31.16	-	29.66	-	30.62	30.18	30.60	-	29.72
Mike										
2.4 & Below	0.5	*	-	*	-	*	0.7	0.4	-	-
2.5	0.9	0.1	-	*	-	*	0.8	0.9	-	-
2.6	0.9	0.2	-	-	-	*	2.8	1.0	-	*
2.7	1.0	0.2	-	*	-	*	3.6	1.0	-	*
2.8	0.6	0.3	-	*	-	*	3.8	1.2	-	*
2.9	0.6	0.5	-	*	-	*	3.4	1.3	-	*
3.0	0.7	0.8	-	*	-	*	3.3	1.5	-	*
3.1	1.0	1.1	-	*	-	0.1	4.0	1.7	-	0.1
3.2	1.3	1.6	-	*	-	0.1	5.3	1.9	-	0.2
3.3	1.3	2.3	-	0.1	-	0.2	6.4	2.2	-	0.4
3.4	2.1	3.3	-	0.4	-	0.3	6.8	2.5	-	0.7
3.5	2.6	4.1	-	0.7	-	0.5	8.0	2.9	-	1.1
3.6	3.8	4.9	-	1.2	-	0.8	8.8	3.4	-	1.8
3.7	4.6	5.7	-	2.4	-	1.5	9.3	4.1	-	3.0
3.8	6.9	6.9	-	4.1	-	2.2	8.6	4.9	-	4.8
3.9	8.4	7.7	-	6.1	-	2.9	5.7	5.8	-	6.0
4.0	8.4	8.6	-	7.9	-	4.3	3.9	6.7	-	8.5
4.1	8.4	8.9	-	9.7	-	5.8	2.4	7.4	-	9.9
4.2	8.8	9.1	-	11.2	-	7.7	1.7	7.9	-	11.9
4.3	8.3	8.3	-	12.7	-	9.2	1.6	8.1	-	13.0
4.4	6.9	7.1	-	12.9	-	10.1	1.7	7.9	-	12.6
4.5	6.3	5.6	-	10.6	-	10.6	1.4	7.3	-	10.2
4.6	5.4	4.5	-	8.2	-	10.6	1.0	6.2	-	7.1
4.7	4.6	3.1	-	5.2	-	9.7	1.0	4.7	-	4.7
4.8	2.6	2.1	-	3.1	-	8.8	1.2	3.1	-	2.4
4.9	1.0	1.3	-	1.8	-	6.5	1.2	1.9	-	1.0
5.0	0.8	0.9	-	1.1	-	3.9	0.8	1.1	-	0.4
5.1	0.6	0.5	-	0.4	-	2.3	0.4	0.6	-	0.2
5.2	0.4	0.2	-	0.2	-	1.2	0.2	0.2	-	0.1
5.3	0.3	0.1	-	0.1	-	0.4	*	0.1	-	*
5.4	*	*	-	*	-	0.1	*	*	-	*
5.5 & Above	-	*	-	*	-	*	-	*	-	-
Average	4.06	4.04	-	4.29	-	4.46	3.56	4.04	-	4.24

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	*	-	*	-	*	-	*	-	-	-	*
2.5 - 2.6	-	*	-	*	-	*	-	0.1	-	-	-	*
2.7 - 2.9	-	0.1	-	*	-	0.1	-	0.4	-	*	-	*
3.0 - 3.2	-	0.4	-	0.1	0.4	0.3	-	1.1	-	0.2	-	0.1
3.3 - 3.4	-	0.7	-	0.4	1.0	0.5	-	1.5	-	0.4	-	0.2
3.5 - 3.6	-	1.8	-	1.3	7.7	0.8	-	3.7	-	1.3	-	0.7
3.7 - 4.2	61.0	27.5	-	31.5	42.3	13.9	-	43.6	-	42.3	27.9	21.7
4.3 - 4.9	38.6	63.0	-	64.8	40.6	71.5	-	46.7	-	54.0	63.7	72.5
5.0 - 5.2	0.4	5.7	-	1.7	7.6	11.0	-	2.9	-	1.5	8.1	4.3
5.3 & Above	-	0.8	-	0.1	0.5	1.9	-	0.1	-	0.2	0.3	0.4
Average	4.21	4.42	-	4.36	4.31	4.57	-	4.23	-	4.29	4.51	4.46
Leaf												
1 - 2	7.7	4.5	-	2.5	79.7	85.5	-	70.3	-	1.8	5.7	4.4
3	55.2	41.4	-	36.0	9.3	11.2	-	25.2	-	31.1	50.2	44.7
4	35.6	41.8	-	48.9	3.4	2.3	-	3.8	-	50.1	34.7	40.3
5	1.4	10.7	-	11.9	4.6	0.7	-	0.6	-	15.2	8.3	9.3
6	0.1	1.3	-	0.7	2.1	0.2	-	0.1	-	1.6	1.1	1.1
7	-	0.2	-	*	0.6	0.1	-	*	-	0.1	0.1	0.1
8	-	*	-	*	0.2	*	-	*	-	-	-	*
Average	3.31	3.63	-	3.72	2.07	1.83	-	2.16	-	3.84	3.49	3.58
HVI Trash 1/												
00	-	*	-	-	*	*	-	0.1	-	-	-	*
01	0.9	0.4	-	0.1	51.8	55.7	-	34.5	-	0.1	0.5	0.3
02	10.4	5.9	-	3.1	29.9	32.5	-	39.4	-	3.2	9.0	6.7
03	27.2	18.1	-	12.8	5.8	7.0	-	16.0	-	12.8	22.9	20.4
04	36.2	25.0	-	22.4	1.9	2.4	-	5.7	-	22.8	26.6	25.7
05	18.6	21.5	-	23.5	1.7	1.1	-	2.4	-	23.8	18.4	20.6
06	5.6	13.9	-	17.9	1.7	0.6	-	1.0	-	17.8	10.3	12.9
07	1.1	7.8	-	10.6	2.1	0.3	-	0.4	-	10.3	5.8	6.9
08	-	3.9	-	5.4	1.7	0.2	-	0.2	-	5.2	3.3	3.4
09	-	1.9	-	2.4	1.2	0.1	-	0.1	-	2.4	1.7	1.6
10	0.1	0.9	-	1.0	1.0	0.1	-	0.1	-	1.0	1.0	0.7
11	-	0.4	-	0.4	0.5	*	-	*	-	0.4	0.3	0.3
12	-	0.2	-	0.2	0.3	*	-	*	-	0.2	0.1	0.2
13	-	0.1	-	0.1	0.2	*	-	*	-	0.1	0.1	0.1
14	-	*	-	*	0.1	*	-	*	-	*	0.1	*
15	-	*	-	*	*	*	-	-	-	*	-	*
16	-	*	-	*	*	*	-	-	-	*	-	*
17	-	*	-	*	0.1	*	-	-	-	*	-	*
18 & Above	-	*	-	*	*	*	-	-	-	*	-	*
Average	0.38	0.48	-	0.52	0.22	0.17	-	0.21	-	0.52	0.45	0.46
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	*	-	*	-	-	-	-
75	-	*	-	*	*	*	-	*	-	-	-	*
76	0.1	*	-	*	0.1	0.1	-	0.1	-	*	*	*
77	2.3	0.3	-	*	1.5	0.4	-	0.5	-	0.2	0.1	0.2
78	13.1	1.4	-	0.4	1.7	2.6	-	1.9	-	1.1	2.2	1.5
79	30.7	7.3	-	2.1	7.2	11.5	-	9.5	-	5.6	8.4	7.4
80	36.2	26.9	-	12.0	35.1	27.3	-	30.7	-	30.9	19.8	23.7
81	14.9	39.6	-	35.7	34.3	37.2	-	28.2	-	43.0	46.0	36.6
82	2.7	20.0	-	35.3	19.1	17.7	-	8.0	-	14.8	20.1	22.7
83	-	4.0	-	12.6	1.0	2.8	-	13.5	-	3.9	2.9	6.5
84	-	0.4	-	1.6	*	0.3	-	7.3	-	0.6	0.3	1.0
85 & Above	-	*	-	0.1	-	*	-	0.3	-	*	-	0.1
Average	80.01	81.27	-	81.93	81.07	81.09	-	81.46	-	81.23	81.27	81.40
Tenderable 3/	62.8	62.8	-	95.0	80.4	83.4	-	92.7	-	40.4	55.9	52.2
SAMPLES CLASSED	857	694,745	-	1,260,101	3,078	294,472	-	135,996	-	88,940	3,352	2,138,126

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	1.2	0.9	-	-	-	-	-	*	-	*	-	*
2.5 - 2.6	1.8	8.4	-	-	-	*	-	*	-	*	-	*
2.7 - 2.9	14.5	17.9	-	*	-	*	-	*	-	0.1	-	0.3
3.0 - 3.2	22.8	19.4	-	*	-	0.4	-	0.1	-	0.6	-	2.9
3.3 - 3.4	14.0	14.4	-	0.1	-	1.0	-	0.1	-	1.6	-	3.4
3.5 - 3.6	17.2	14.0	-	0.2	-	2.6	-	0.1	-	3.6	-	5.8
3.7 - 4.2	21.1	22.4	-	12.3	-	38.7	-	7.1	-	42.2	-	33.5
4.3 - 4.9	7.4	2.6	-	82.4	-	54.1	-	83.0	-	50.9	-	48.8
5.0 - 5.2	-	*	-	4.9	-	3.0	-	9.1	-	0.9	-	4.7
5.3 & Above	-	-	-	0.2	-	0.2	-	0.5	-	*	-	0.5
Average	3.43	3.31	-	4.56	-	4.30	-	4.63	-	4.24	-	4.26
Leaf												
1 - 2	3.0	17.4	-	4.1	-	7.8	-	4.5	-	4.9	-	95.9
3	18.4	35.2	-	41.2	-	50.1	-	39.5	-	55.0	-	3.9
4	34.6	27.4	-	45.9	-	35.9	-	43.8	-	36.0	-	0.2
5	24.1	12.8	-	8.4	-	5.9	-	11.3	-	3.9	-	0.1
6	9.4	4.0	-	0.4	-	0.2	-	0.8	-	0.2	-	*
7	6.4	1.4	-	*	-	*	-	*	-	*	-	-
8	4.2	1.7	-	-	-	-	-	*	-	*	-	-
Average	4.55	3.60	-	3.60	-	3.40	-	3.64	-	3.40	-	1.57
HVI Trash 1/												
00	-	*	-	-	-	-	-	-	-	-	-	*
01	0.1	5.7	-	0.3	-	0.5	-	0.3	-	0.2	-	67.3
02	2.9	15.1	-	5.1	-	8.2	-	5.1	-	6.7	-	28.8
03	6.0	16.7	-	16.2	-	20.8	-	15.5	-	24.2	-	3.1
04	9.6	14.8	-	24.7	-	25.0	-	21.9	-	30.3	-	0.5
05	11.9	12.4	-	23.4	-	20.5	-	21.3	-	21.3	-	0.2
06	14.8	10.0	-	15.9	-	13.1	-	15.9	-	10.6	-	0.1
07	13.3	7.7	-	8.4	-	6.9	-	9.9	-	4.3	-	*
08	10.9	5.5	-	3.7	-	3.0	-	5.4	-	1.6	-	*
09	7.0	3.7	-	1.4	-	1.2	-	2.6	-	0.5	-	*
10	4.9	2.5	-	0.6	-	0.5	-	1.2	-	0.2	-	*
11	3.4	1.6	-	0.2	-	0.1	-	0.5	-	0.1	-	-
12	2.8	1.1	-	0.1	-	*	-	0.2	-	*	-	-
13	2.2	0.7	-	*	-	*	-	0.1	-	*	-	-
14	1.8	0.5	-	*	-	*	-	*	-	*	-	-
15	1.9	0.4	-	*	-	*	-	*	-	*	-	-
16	1.8	0.3	-	*	-	*	-	*	-	*	-	-
17	1.5	0.2	-	*	-	*	-	*	-	*	-	-
18 & Above	3.3	1.2	-	*	-	*	-	*	-	*	-	-
Average	0.78	0.51	-	0.48	-	0.45	-	0.51	-	0.43	-	0.14
UNIFORMITY 2/												
74 & Below	-	*	-	*	-	-	-	-	-	-	-	-
75	0.2	0.2	-	*	-	-	-	*	-	-	-	*
76	0.2	1.1	-	*	-	*	-	*	-	*	-	*
77	1.4	4.9	-	*	-	*	-	0.1	-	0.2	-	0.6
78	5.0	14.6	-	0.1	-	0.1	-	0.9	-	1.2	-	2.4
79	21.9	29.0	-	0.7	-	0.7	-	3.9	-	6.1	-	11.9
80	45.8	36.4	-	6.8	-	6.9	-	16.8	-	20.5	-	25.2
81	24.6	13.3	-	34.1	-	29.7	-	39.7	-	35.9	-	37.5
82	0.9	0.4	-	45.7	-	41.0	-	31.0	-	27.7	-	20.7
83	*	*	-	11.4	-	18.1	-	6.7	-	7.3	-	1.6
84	-	*	-	1.0	-	3.1	-	0.8	-	1.1	-	*
85 & Above	-	*	-	0.1	-	0.3	-	0.1	-	0.1	-	*
Average	80.33	79.81	-	82.08	-	82.24	-	81.64	-	81.54	-	81.11
Tenderable 3/	13.4	23.7	-	87.6	-	94.3	-	86.8	-	91.8	-	87.3
SAMPLES CLASSED	7,037	186,094	-	345,654	-	619,467	-	1,124,655	-	541,671	-	26,245

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	0.5	*	-	*	-	*	0.7	0.4	-	-
2.5 - 2.6	1.9	0.3	-	*	-	*	3.6	1.9	-	*
2.7 - 2.9	2.2	0.9	-	*	-	*	10.8	3.5	-	0.1
3.0 - 3.2	3.0	3.5	-	0.1	-	0.3	12.7	5.2	-	0.3
3.3 - 3.4	3.4	5.6	-	0.5	-	0.5	13.2	4.7	-	1.1
3.5 - 3.6	6.4	9.0	-	1.8	-	1.3	16.8	6.3	-	2.8
3.7 - 4.2	45.5	47.0	-	41.3	-	24.4	31.7	36.7	-	44.1
4.3 - 4.9	35.2	32.0	-	54.5	-	65.5	9.1	39.4	-	51.1
5.0 - 5.2	1.8	1.5	-	1.7	-	7.4	1.4	1.8	-	0.6
5.3 & Above	0.3	0.1	-	0.1	-	0.5	0.1	0.1	-	*
Average	4.06	4.04	-	4.29	-	4.46	3.56	4.04	-	4.24
Leaf										
1 - 2	62.9	62.7	-	2.4	-	21.6	13.1	49.7	-	6.5
3	23.6	27.6	-	37.1	-	54.8	36.7	32.9	-	59.7
4	5.8	6.9	-	47.2	-	21.2	34.6	12.7	-	31.2
5	3.8	1.9	-	12.2	-	2.3	11.9	3.3	-	2.5
6	2.4	0.6	-	1.2	-	0.1	2.7	1.0	-	0.1
7	1.1	0.2	-	0.1	-	*	0.7	0.3	-	*
8	0.3	0.1	-	*	-	-	0.2	0.2	-	-
Average	2.42	2.29	-	3.73	-	3.03	3.56	2.57	-	3.30
HVI Trash 1/										
00	0.1	0.2	-	-	-	*	-	0.1	-	-
01	30.3	29.6	-	0.1	-	3.1	3.6	25.5	-	0.3
02	33.9	32.8	-	3.3	-	19.1	12.0	26.5	-	8.1
03	14.2	18.0	-	15.1	-	27.5	19.1	18.5	-	25.9
04	6.5	9.0	-	25.2	-	23.1	21.1	12.5	-	30.9
05	3.5	4.4	-	23.9	-	14.3	16.0	7.5	-	20.1
06	2.3	2.4	-	15.9	-	7.4	10.8	4.1	-	9.4
07	1.9	1.4	-	8.8	-	3.3	6.7	2.2	-	3.6
08	1.7	0.8	-	4.3	-	1.4	4.4	1.2	-	1.2
09	1.5	0.5	-	2.0	-	0.5	2.5	0.7	-	0.4
10	1.0	0.3	-	0.9	-	0.2	1.4	0.4	-	0.1
11	0.8	0.2	-	0.4	-	0.1	1.0	0.3	-	*
12	0.6	0.1	-	0.2	-	*	0.6	0.2	-	*
13	0.7	0.1	-	0.1	-	*	0.4	0.1	-	*
14	0.4	0.1	-	*	-	*	0.3	0.1	-	-
15	0.2	*	-	*	-	*	0.1	*	-	*
16	0.1	*	-	*	-	*	0.1	*	-	*
17	0.1	*	-	*	-	*	*	*	-	*
18 & Above	0.2	0.1	-	*	-	*	0.1	*	-	-
Average	0.29	0.25	-	0.50	-	0.37	0.46	0.29	-	0.41
UNIFORMITY 2/										
74 & Below	-	*	-	-	-	-	*	0.1	-	-
75	*	0.1	-	-	-	-	0.3	0.2	-	-
76	0.3	0.4	-	*	-	*	0.8	0.9	-	*
77	1.7	1.6	-	0.3	-	*	2.7	2.9	-	0.1
78	5.3	6.1	-	1.6	-	0.1	9.3	8.7	-	0.5
79	17.1	17.6	-	8.6	-	1.4	23.8	18.6	-	3.0
80	31.2	32.3	-	29.9	-	14.3	33.8	27.1	-	14.9
81	30.4	29.7	-	36.8	-	39.3	21.9	25.6	-	37.6
82	11.8	10.6	-	17.9	-	33.1	6.5	12.7	-	31.4
83	2.0	1.5	-	4.2	-	10.3	0.7	2.8	-	10.8
84	0.2	0.1	-	0.6	-	1.2	*	0.3	-	1.5
85 & Above	*	*	-	*	-	0.1	-	*	-	0.1
Average	80.72	80.64	-	81.20	-	81.85	80.27	80.56	-	81.80
Tenderable 3/	72.0	74.4	-	89.5	-	90.4	27.4	72.0	-	93.7
SAMPLES CLASSED	8,392	465,335	-	252,604	-	589,030	13,436	4,670,597	-	118,169

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	91.0	-	13.3	-	53.3	-	38.8
	2	-	4.2	-	7.8	-	23.6	-	12.9
	3	-	*	-	0.1	-	0.3	-	0.2
	4	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	95.2	-	21.1	-	77.2	-	52.0
02	1	-	4.1	-	26.2	-	9.9	-	21.6
	2	-	0.3	-	45.4	-	12.3	-	22.0
	3	-	0.1	-	2.1	-	0.5	-	1.3
	4	-	*	-	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	4.6	-	73.7	-	22.6	-	44.9
03	1	-	*	-	0.9	-	0.1	-	0.3
	2	-	-	-	3.4	-	0.1	-	1.9
	3	-	0.1	-	0.6	-	-	-	0.4
	4	-	0.1	-	*	-	-	-	*
	5	-	*	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-
Total -----		-	0.2	-	5.0	-	0.2	-	2.7
04	1	-	-	-	0.1	-	-	-	*
	2	-	-	-	0.1	-	*	-	0.1
	3	-	*	-	*	-	*	-	0.1
	4	-	*	-	*	-	-	-	*
	5	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	*
Total -----		-	*	-	0.2	-	*	-	0.3
05	1	-	-	-	*	-	-	-	*
	2	-	-	-	*	-	-	-	*
	3	-	-	-	*	-	-	-	*
	4	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*
Total -----		-	-	-	*	-	-	-	0.1
06	1	-	-	-	*	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE									
44 & Shorter		-	*	-	0.9	-	2.5	-	3.6
46		-	1.4	-	9.5	-	15.7	-	16.4
48		-	56.0	-	16.5	-	59.9	-	52.5
50		-	42.0	-	62.8	-	20.7	-	22.7
52 & Longer		-	0.6	-	10.2	-	1.1	-	4.8
Average Staple		-	48.83	-	49.44	-	48.04	-	48.17
Average Length		-	1.42	-	1.43	-	1.40	-	1.40
EXTRANEIOUS MATTER									
Bark		-	*	-	*	-	*	-	0.2
Grass		-	*	-	0.2	-	2.5	-	0.3
Spindle Twist		-	-	-	*	-	-	-	0.6
Preparation		-	-	-	*	-	-	-	0.1
All Other		-	-	-	*	-	0.1	-	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Feb 25, 2021

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	*
2.5 - 2.6	-	-	-	*	-	*	-	*
2.7 - 2.9	-	*	-	*	-	*	-	0.8
3.0 - 3.2	-	*	-	0.1	-	1.8	-	3.8
3.3 - 3.4	-	0.1	-	0.4	-	3.8	-	5.1
3.5 - 3.6	-	0.2	-	1.8	-	10.5	-	6.9
3.7 - 4.2	-	85.0	-	30.6	-	67.7	-	57.4
4.3 - 4.9	-	14.7	-	67.0	-	16.1	-	26.0
5.0 - 5.2	-	*	-	0.1	-	-	-	*
5.3 & Above	-	-	-	*	-	-	-	-
Average	-	4.09	-	4.31	-	3.96	-	4.00
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	*
2.5	-	-	-	-	-	*	-	-
2.6	-	-	-	*	-	*	-	*
2.7	-	*	-	*	-	-	-	0.1
2.8	-	*	-	*	-	*	-	0.2
2.9	-	-	-	*	-	*	-	0.4
3.0	-	*	-	*	-	0.3	-	0.6
3.1	-	-	-	*	-	0.5	-	1.3
3.2	-	*	-	0.1	-	1.0	-	1.9
3.3	-	-	-	0.1	-	1.3	-	2.4
3.4	-	0.1	-	0.3	-	2.5	-	2.7
3.5	-	0.1	-	0.7	-	5.0	-	3.2
3.6	-	0.1	-	1.1	-	5.5	-	3.7
3.7	-	1.0	-	2.0	-	7.1	-	4.6
3.8	-	2.9	-	2.6	-	9.2	-	5.2
3.9	-	11.6	-	4.3	-	13.3	-	9.4
4.0	-	23.7	-	5.3	-	9.9	-	12.1
4.1	-	28.1	-	6.4	-	13.1	-	14.4
4.2	-	17.5	-	10.0	-	15.2	-	11.8
4.3	-	10.0	-	15.5	-	9.3	-	10.8
4.4	-	3.5	-	18.3	-	3.7	-	9.9
4.5	-	0.9	-	15.4	-	2.7	-	4.0
4.6	-	0.2	-	10.5	-	0.4	-	1.3
4.7	-	*	-	5.3	-	*	-	*
4.8	-	*	-	1.7	-	-	-	*
4.9	-	-	-	0.3	-	-	-	*
5.0	-	-	-	*	-	-	-	*
5.1	-	*	-	*	-	-	-	-
5.2	-	-	-	*	-	-	-	-
5.3 & Above	-	-	-	*	-	-	-	-
Average	-	4.09	-	4.31	-	3.96	-	4.00
STRENGTH 1/								
36 & Below	-	*	-	0.2	-	8.3	-	2.8
37	-	*	-	1.4	-	5.5	-	3.0
38	-	0.1	-	3.9	-	4.9	-	3.9
39	-	0.1	-	4.7	-	3.3	-	4.0
40	-	0.5	-	2.4	-	6.6	-	6.1
41	-	2.0	-	2.8	-	12.0	-	10.1
42	-	6.2	-	6.9	-	18.1	-	13.7
43	-	22.9	-	14.9	-	17.3	-	15.8
44	-	39.2	-	21.4	-	13.2	-	17.7
45	-	20.2	-	21.6	-	6.1	-	13.1
46	-	7.0	-	12.7	-	3.3	-	6.3
47	-	1.3	-	5.0	-	1.0	-	2.4
48 & Above	-	0.5	-	2.1	-	0.4	-	1.1
Average	-	44.40	-	44.11	-	41.92	-	42.97
UNIFORMITY								
83 & Below	-	0.1	-	0.2	-	0.5	-	1.6
84	-	0.3	-	5.2	-	7.8	-	5.0
85	-	6.1	-	12.0	-	21.3	-	15.2
86	-	56.5	-	36.6	-	53.8	-	50.3
87	-	36.7	-	41.5	-	16.4	-	27.0
88 & Above	-	0.4	-	4.4	-	0.2	-	0.8
Average	-	86.77	-	86.71	-	86.25	-	86.44
Samples Classed	-	12,719	-	427,726	-	16,862	-	39,517

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.