



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
<i>UPLAND</i>								
AL	24	73.0	59.5	34,313	24	74.5	61.9	44,790
AR	27	97.0	88.5	117,050	27	96.3	88.4	228,642
AZ	5	93.2	61.8	8,136	5	91.0	47.5	26,091
CA	5	96.3	86.8	6,321	5	96.4	85.3	8,369
FL*	-	-	-	-	-	-	-	-
GA	36	65.7	56.7	55,794	36	63.1	53.5	79,971
KS	-	-	-	-	-	-	-	-
LA	17	86.5	71.2	46,814	17	89.7	74.5	115,991
MO	15	92.5	79.8	31,050	15	90.7	75.7	43,191
MS	34	87.3	62.9	98,903	35	87.0	62.7	221,546
NC*	-	-	-	-	4	96.9	82.2	937
NM	-	-	-	-	-	-	-	-
OK	10	89.0	78.8	18,815	10	84.3	69.3	25,259
SC	5	91.9	79.1	2,222	6	92.6	81.5	4,052
TN	19	87.5	63.1	51,499	19	85.1	58.6	83,376
TX	130	81.3	63.8	280,279	141	85.8	72.3	1,477,980
VA	-	-	-	-	-	-	-	-
<b>United States</b>	<b>331</b>	<b>84.7</b>	<b>68.5</b>	<b>751,959</b>	<b>345</b>	<b>86.3</b>	<b>71.6</b>	<b>2,360,798</b>
<i>AMERICAN PIMA</i>								
AZ	-	-	-	-	-	-	-	-
CA	3	-	-	2,256	3	-	-	4,943
NM	-	-	-	-	-	-	-	-
TX	-	-	-	-	-	-	-	-
United States	3	-	-	2,256	3	-	-	4,943
<b>United States all cotton</b>	<b>333</b>	-	-	<b>754,215</b>	<b>347</b>	-	-	<b>2,365,741</b>

\* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	0.4	0.3	0.3	0.5	89.9	68.6	60.0	64.2	-	-	0.2	0.3
	3	0.8	0.6	0.2	0.7	2.3	2.2	9.7	9.4	-	-	0.3	0.4
	4	0.1	0.1	*	*	*	*	0.7	0.7	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>1.3</b>	<b>1.1</b>	<b>0.5</b>	<b>1.3</b>	<b>92.2</b>	<b>70.8</b>	<b>70.4</b>	<b>74.3</b>	-	-	<b>0.5</b>	<b>0.6</b>
31	1-2	2.7	2.4	3.4	3.7	0.4	0.2	20.0	16.0	-	-	2.0	1.8
	3	20.2	20.2	26.0	26.4	0.3	0.2	7.3	7.5	-	-	14.3	12.1
	4	11.9	13.5	13.1	12.2	*	0.2	1.9	1.8	-	-	5.8	4.8
	5	1.0	1.1	0.6	0.6	-	*	*	*	-	-	0.2	0.1
	6	*	*	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>35.8</b>	<b>37.2</b>	<b>43.2</b>	<b>43.0</b>	<b>0.7</b>	<b>0.7</b>	<b>29.3</b>	<b>25.4</b>	-	-	<b>22.2</b>	<b>18.8</b>
41	1-2	0.4	0.3	0.4	0.4	-	-	*	*	-	-	0.4	0.3
	3	9.6	9.1	14.8	14.2	-	-	-	-	-	-	15.7	14.4
	4	21.2	21.8	30.6	29.7	-	-	*	*	-	-	25.6	25.5
	5	8.2	7.7	8.8	9.8	-	-	-	-	-	-	5.6	6.2
	6	0.5	0.5	0.4	0.7	-	-	-	-	-	-	0.4	0.4
	7	*	*	-	*	-	-	-	-	-	-	*	*
	8	*	*	-	-	-	-	-	-	-	-	*	*
<b>Total</b>	----	<b>39.8</b>	<b>39.5</b>	<b>55.1</b>	<b>54.7</b>	-	-	<b>*</b>	<b>*</b>	-	-	<b>47.7</b>	<b>46.8</b>
51	1-2	-	-	*	*	-	-	-	-	-	-	-	-
	3	0.3	0.4	*	*	-	-	-	-	-	-	0.2	0.2
	4	1.9	1.8	0.1	0.1	-	-	-	-	-	-	0.8	1.1
	5	1.6	1.4	0.2	0.2	-	-	-	-	-	-	1.0	1.4
	6	0.2	0.2	0.1	0.1	-	-	-	-	-	-	0.2	0.3
	7	*	*	*	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>4.0</b>	<b>3.8</b>	<b>0.5</b>	<b>0.4</b>	-	-	-	-	-	-	<b>2.2</b>	<b>3.0</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	*	*	-	*	5.5	23.3	0.1	0.1	-	-	*	*
	3	*	*	-	*	1.4	4.4	-	-	-	-	*	0.1
	4	*	*	-	-	*	0.1	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>*</b>	<b>*</b>	-	<b>*</b>	<b>6.9</b>	<b>27.8</b>	<b>0.1</b>	<b>0.1</b>	-	-	<b>*</b>	<b>0.2</b>
32	1-2	0.5	0.4	*	*	*	0.1	*	*	-	-	0.1	0.2
	3	2.3	1.8	0.2	0.1	0.1	0.1	*	*	-	-	1.3	2.1
	4	0.7	0.6	0.1	0.1	*	*	0.1	*	-	-	0.6	0.8
	5	0.1	0.1	*	*	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>3.5</b>	<b>2.8</b>	<b>0.3</b>	<b>0.2</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	-	-	<b>2.1</b>	<b>3.2</b>
42	1-2	0.1	0.1	*	*	-	*	-	-	-	-	0.4	0.3
	3	2.2	2.1	0.1	0.1	-	-	*	*	-	-	6.7	7.1
	4	3.3	3.6	0.2	0.2	-	-	*	*	-	-	9.2	10.3
	5	1.8	1.9	0.1	0.1	-	-	-	-	-	-	2.1	2.5
	6	0.2	0.2	*	*	-	-	-	-	-	-	0.2	0.2
	7	*	*	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>7.6</b>	<b>7.8</b>	<b>0.4</b>	<b>0.4</b>	-	<b>*</b>	<b>*</b>	<b>*</b>	-	-	<b>18.6</b>	<b>20.4</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	0.1	0.1	-	*	-	-	-	-	-	-	*	*
	4	1.4	1.2	*	*	-	-	-	-	-	-	0.3	0.3
	5	2.4	2.3	*	*	-	-	-	-	-	-	1.2	1.3
	6	1.1	1.1	*	*	-	-	-	-	-	-	1.2	1.3
	7	0.2	0.2	*	*	-	-	-	-	-	-	0.3	0.3
	8	*	*	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*
<b>Total</b>	----	<b>5.3</b>	<b>5.0</b>	<b>*</b>	<b>*</b>	-	-	-	-	-	-	<b>3.0</b>	<b>3.2</b>
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	-	-	-	-	-	*	*
	4	0.1	0.4	-	*	-	-	-	-	-	-	*	*
	5	0.2	0.3	-	-	-	-	-	-	-	-	*	*
	6	*	*	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>0.3</b>	<b>0.7</b>	-	<b>*</b>	-	-	-	-	-	-	<b>0.1</b>	<b>0.1</b>
13 & 23	1-2	-	-	-	-	0.1	0.4	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	-	-	-	-	*	*
	4	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	-	-	<b>0.1</b>	<b>0.4</b>	-	-	-	-	<b>*</b>	<b>*</b>
33	1-2	-	-	-	-	-	*	-	-	-	-	-	*
	3	*	*	*	*	-	*	-	-	-	-	*	0.2
	4	*	*	*	*	-	*	-	-	-	-	*	0.1
	5	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	-	<b>*</b>	-	-	-	-	<b>*</b>	<b>0.3</b>
43	1-2	*	*	-	-	-	-	-	-	-	-	*	*
	3	0.1	0.1	*	*	-	-	-	-	-	-	0.4	0.5
	4	0.1	0.1	*	*	-	-	-	-	-	-	0.9	1.0
	5	0.1	0.1	*	*	-	-	-	-	-	-	0.3	0.3
	6	*	*	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>0.3</b>	<b>0.3</b>	<b>*</b>	<b>*</b>	-	-	-	-	-	-	<b>1.7</b>	<b>1.9</b>
53	1-2	*	*	-	*	-	-	-	-	-	-	-	-
	3	0.6	0.5	*	*	-	-	-	-	-	-	0.1	0.1
	4	0.6	0.6	*	*	-	-	-	-	-	-	0.7	0.6
	5	0.3	0.3	-	-	-	-	-	-	-	-	0.6	0.5
	6	0.1	0.1	-	-	-	-	-	-	-	-	0.1	0.1
	7	*	*	-	-	-	-	-	-	-	-	*	*
	8	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>1.7</b>	<b>1.6</b>	<b>*</b>	<b>*</b>	-	-	-	-	-	-	<b>1.5</b>	<b>1.2</b>
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	*	*
	4	0.1	0.1	-	-	-	-	-	-	-	-	0.2	0.2
	5	*	0.1	-	*	-	-	-	-	-	-	0.1	0.1
	6	*	*	-	-	-	-	-	-	-	-	0.1	*
	7	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>0.1</b>	<b>0.2</b>	-	<b>*</b>	-	-	-	-	-	-	<b>0.4</b>	<b>0.3</b>
24 - 54	1-8	0.1	0.1	-	*	-	-	-	-	-	-	*	*
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1-8	*	*	-	-	-	-	-	-	-	-	*	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-	-	-	*	*
32		*	*	-	-	-	-	-	-	-	-	*	0.1
33		0.4	0.3	-	-	0.2	0.1	*	*	-	-	0.7	0.9
34		4.5	4.1	*	*	3.1	1.3	1.2	1.8	-	-	3.9	3.9
35		9.7	10.3	0.4	0.3	9.1	6.0	4.8	5.5	-	-	9.6	10.1
36		18.7	17.9	3.0	3.3	21.3	26.9	19.5	16.8	-	-	18.7	19.7
37		35.0	34.0	25.5	26.1	38.2	36.8	21.1	17.5	-	-	34.5	34.5
38		22.2	23.6	24.4	25.4	21.3	21.1	26.2	25.1	-	-	23.1	21.3
39		8.2	8.6	27.1	27.5	6.8	7.6	24.5	30.7	-	-	8.4	8.4
40 & Longer		1.3	1.3	19.6	17.4	*	0.2	2.6	2.7	-	-	1.1	1.2
<b>Average Staple</b>		<b>36.89</b>	<b>36.93</b>	<b>38.37</b>	<b>38.31</b>	<b>36.85</b>	<b>36.94</b>	<b>37.50</b>	<b>37.62</b>	-	-	<b>36.91</b>	<b>36.86</b>
<b>Average Length</b>		<b>1.15</b>	<b>1.15</b>	<b>1.20</b>	<b>1.20</b>	<b>1.15</b>	<b>1.15</b>	<b>1.17</b>	<b>1.17</b>	-	-	<b>1.15</b>	<b>1.15</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	1.5	3.7	4.1	4.9	1.2	1.4	-	2.1	-	-
	3	-	-	3.3	7.7	1.4	1.3	1.8	2.6	-	3.2	-	-
	4	-	-	0.2	0.5	-	*	0.1	0.1	-	0.1	-	-
	5	-	-	*	*	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>5.0</b>	<b>11.9</b>	<b>5.5</b>	<b>6.2</b>	<b>3.0</b>	<b>4.2</b>	-	<b>5.4</b>	-	-
31	1-2	-	-	1.4	2.1	19.2	22.0	4.7	3.8	-	13.7	-	-
	3	-	-	17.3	23.5	35.9	36.9	29.2	30.1	-	63.1	-	-
	4	-	-	14.9	15.8	7.3	7.2	18.3	19.1	-	9.2	-	-
	5	-	-	1.0	0.8	0.5	0.5	1.3	1.7	-	1.5	-	-
	6	-	-	*	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>34.6</b>	<b>42.2</b>	<b>63.0</b>	<b>66.6</b>	<b>53.5</b>	<b>54.7</b>	-	<b>87.4</b>	-	-
41	1-2	-	-	0.4	0.3	1.2	1.1	0.3	0.2	-	0.1	-	-
	3	-	-	13.8	10.7	12.1	10.9	9.3	7.8	-	1.8	-	-
	4	-	-	28.8	22.8	14.4	12.0	21.5	20.7	-	0.9	-	-
	5	-	-	6.7	5.0	3.7	3.0	8.4	8.3	-	0.4	-	-
	6	-	-	0.2	0.2	0.1	*	0.7	0.7	-	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>49.8</b>	<b>39.0</b>	<b>31.5</b>	<b>27.1</b>	<b>40.2</b>	<b>37.8</b>	-	<b>3.3</b>	-	-
51	1-2	-	-	-	-	-	*	-	-	-	-	-	-
	3	-	-	0.1	0.1	*	*	0.1	*	-	-	-	-
	4	-	-	0.4	0.6	*	*	0.2	0.1	-	-	-	-
	5	-	-	0.2	0.3	-	-	0.1	0.1	-	-	-	-
	6	-	-	*	*	-	-	0.1	0.1	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>0.7</b>	<b>1.0</b>	<b>*</b>	<b>*</b>	<b>0.5</b>	<b>0.3</b>	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	0.1	*	-	-	-	*	-	-	-	-
	3	-	-	0.1	0.1	-	-	*	*	-	0.3	-	-
	4	-	-	*	*	-	-	-	*	-	0.1	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>0.2</b>	<b>0.1</b>	-	-	<b>*</b>	<b>*</b>	-	<b>0.4</b>	-	-
32	1-2	-	-	0.2	0.1	-	-	*	*	-	-	-	-
	3	-	-	1.6	1.0	*	*	0.3	0.5	-	2.2	-	-
	4	-	-	1.4	0.6	*	*	0.2	0.5	-	0.6	-	-
	5	-	-	0.2	0.1	-	-	*	0.1	-	-	-	-
	6	-	-	*	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>3.3</b>	<b>1.8</b>	<b>*</b>	<b>*</b>	<b>0.5</b>	<b>1.1</b>	-	<b>2.9</b>	-	-
42	1-2	-	-	*	*	-	-	*	*	-	-	-	-
	3	-	-	1.0	0.6	*	*	0.3	0.3	-	0.2	-	-
	4	-	-	3.4	2.1	*	*	1.0	0.9	-	0.1	-	-
	5	-	-	1.3	0.8	-	-	0.7	0.5	-	-	-	-
	6	-	-	0.2	0.1	-	-	0.1	0.1	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>5.9</b>	<b>3.6</b>	<b>*</b>	<b>*</b>	<b>2.1</b>	<b>1.7</b>	-	<b>0.3</b>	-	-

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE  
For The Week Ending Oct 22, 2020**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
52	1 - 2	-	-	*	*	-	-	-	*	-	-	-	-
	3	-	-	*	*	-	*	*	*	-	-	-	-
	4	-	-	0.1	0.1	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	0.1	*	-	0.1	-	-
	6	-	-	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>0.2</b>	<b>0.2</b>	-	*	<b>0.1</b>	<b>0.1</b>	-	<b>0.1</b>	-	-
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	*	*	-	-	*	*	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	0.1	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	-	-	-	-	-	-	-	<b>0.1</b>	-	-
33	1 - 2	-	-	*	*	-	-	-	-	-	-	-	-
	3	-	-	0.1	*	-	-	-	*	-	-	-	-
	4	-	-	0.1	*	-	-	-	*	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>0.2</b>	<b>0.1</b>	-	-	-	*	-	-	-	-
43	1 - 2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-	-	-
	4	-	-	0.1	*	-	-	-	-	-	-	-	-
	5	-	-	0.1	*	-	-	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>0.2</b>	<b>0.1</b>	-	-	-	-	-	-	-	-
53	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	*	*	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	*	*	-	-	-	*	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	-	-	-	-	-	*	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	*	*	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-	-	-	-	-
32		-	-	-	-	-	-	-	-	-	-	-	-
33		-	-	*	*	-	-	*	*	-	-	-	-
34		-	-	0.1	0.1	*	*	0.1	0.2	-	0.1	-	-
35		-	-	0.3	0.7	0.2	0.3	1.2	1.6	-	0.9	-	-
36		-	-	2.3	3.3	2.2	3.1	6.1	6.2	-	15.4	-	-
37		-	-	14.9	17.1	29.9	32.6	18.0	18.9	-	49.7	-	-
38		-	-	26.0	25.4	30.2	26.7	29.4	29.8	-	22.6	-	-
39		-	-	35.2	31.7	24.0	23.6	32.0	31.0	-	5.5	-	-
40 & Longer		-	-	21.2	21.6	13.5	13.7	13.2	12.3	-	5.8	-	-
<b>Average Staple</b>		-	-	<b>38.62</b>	<b>38.52</b>	<b>38.17</b>	<b>38.13</b>	<b>38.25</b>	<b>38.20</b>	-	<b>37.34</b>	-	-
<b>Average Length</b>		-	-	<b>1.21</b>	<b>1.20</b>	<b>1.19</b>	<b>1.19</b>	<b>1.20</b>	<b>1.19</b>	-	<b>1.16</b>	-	-

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE  
For The Week Ending Oct 22, 2020**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	85.2	76.8	-	*	10.5	12.8	47.0	23.2	-	-
	3	2.9	4.4	-	0.1	2.6	2.7	8.9	10.7	-	-
	4	0.1	0.1	-	*	*	*	0.7	0.8	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>88.2</b>	<b>81.2</b>	-	<b>0.2</b>	<b>13.1</b>	<b>15.5</b>	<b>56.7</b>	<b>34.7</b>	-	-
31	1-2	3.8	6.0	1.0	0.9	21.1	22.4	2.4	4.5	-	-
	3	2.2	4.8	33.1	26.9	44.2	40.8	10.6	21.8	-	-
	4	0.8	1.4	15.8	16.3	8.5	8.6	5.1	8.5	-	-
	5	0.2	0.2	0.3	0.9	0.2	0.2	0.6	0.7	-	-
	6	-	*	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>6.9</b>	<b>12.4</b>	<b>50.2</b>	<b>45.1</b>	<b>74.1</b>	<b>72.1</b>	<b>18.6</b>	<b>35.5</b>	-	-
41	1-2	*	*	0.2	0.1	0.2	0.2	0.9	0.9	-	-
	3	0.1	0.1	8.2	9.7	3.3	3.1	3.6	7.0	-	-
	4	0.1	0.1	30.0	32.1	4.6	4.5	2.5	5.7	-	-
	5	0.1	0.1	8.3	9.2	0.9	0.9	0.6	1.2	-	-
	6	*	*	0.4	0.6	*	*	0.1	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
<b>Total</b>	----	<b>0.3</b>	<b>0.3</b>	<b>47.0</b>	<b>51.7</b>	<b>8.9</b>	<b>8.6</b>	<b>7.8</b>	<b>14.9</b>	-	-
51	1-2	-	-	-	-	-	*	*	*	-	-
	3	-	-	-	-	*	*	0.2	0.3	-	-
	4	-	-	0.1	0.3	*	*	0.1	0.3	-	-
	5	-	-	-	0.4	-	-	0.1	0.1	-	-
	6	-	-	-	0.1	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	<b>0.1</b>	<b>0.8</b>	<b>*</b>	<b>*</b>	<b>0.4</b>	<b>0.7</b>	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	-	-	-	-	-	<b>*</b>	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	-	-	-	-	-	-	-	<b>*</b>	-	-
12 & 22	1-2	1.9	2.2	-	-	0.2	0.1	4.7	2.7	-	-
	3	0.6	0.9	-	0.1	*	*	1.8	1.4	-	-
	4	*	0.1	-	-	*	*	0.2	0.2	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>2.5</b>	<b>3.2</b>	-	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	<b>6.7</b>	<b>4.2</b>	-	-
32	1-2	*	*	-	-	0.7	0.7	0.3	0.3	-	-
	3	0.1	0.1	*	0.2	2.1	2.0	1.6	1.5	-	-
	4	0.1	0.2	0.1	0.2	0.3	0.3	1.1	1.0	-	-
	5	0.1	0.1	*	*	*	*	0.2	0.3	-	-
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>0.4</b>	<b>0.4</b>	<b>0.2</b>	<b>0.4</b>	<b>3.2</b>	<b>3.0</b>	<b>3.3</b>	<b>3.1</b>	-	-
42	1-2	-	-	-	-	*	*	0.2	0.2	-	-
	3	-	*	0.8	0.5	0.2	0.3	1.0	1.2	-	-
	4	*	*	1.6	1.0	0.2	0.2	1.1	1.4	-	-
	5	0.2	0.2	0.2	0.2	*	*	0.4	0.6	-	-
	6	*	0.1	-	-	-	-	0.2	0.2	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
<b>Total</b>	----	<b>0.3</b>	<b>0.4</b>	<b>2.5</b>	<b>1.6</b>	<b>0.4</b>	<b>0.5</b>	<b>3.0</b>	<b>3.5</b>	-	-

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	-	-	-	-	*	0.1	0.1	0.1	-
	3	-	-	-	-	*	0.1	0.5	0.4	-	
	4	-	-	-	0.1	-	-	0.4	0.5	-	
	5	-	-	-	-	-	-	0.3	0.3	-	
	6	-	-	-	-	*	*	0.1	0.1	-	
	7	-	-	-	-	-	-	*	*	-	
	8	-	-	-	-	-	-	*	*	-	
	<b>Total</b>	----	-	-	-	<b>0.1</b>	<b>*</b>	<b>0.1</b>	<b>1.3</b>	<b>1.4</b>	-
62	1-2	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	-	
	4	-	-	-	-	-	-	-	*	-	
	5	-	-	-	-	-	-	-	*	-	
	6	-	-	-	-	-	-	-	*	-	
	7	-	-	-	-	-	-	-	*	-	
	8	-	-	-	-	-	-	-	*	-	
	<b>Total</b>	----	-	-	-	-	-	-	-	<b>*</b>	-
13 & 23	1-2	0.4	0.5	-	-	-	-	0.3	0.2	-	
	3	0.1	0.4	-	-	-	-	0.2	0.1	-	
	4	*	*	-	-	-	-	*	*	-	
	5	*	*	-	-	-	-	*	*	-	
	6	-	-	-	-	-	-	-	*	-	
	7	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>0.6</b>	<b>1.0</b>	-	-	-	-	<b>0.5</b>	<b>0.3</b>	-
33	1-2	*	0.1	-	-	*	*	*	*	-	
	3	0.1	0.2	-	-	0.1	*	0.1	0.1	-	
	4	*	0.1	-	-	*	*	*	0.1	-	
	5	-	-	-	-	*	*	*	*	-	
	6	-	-	-	-	-	-	*	*	-	
	7	-	-	-	-	-	-	*	*	-	
	8	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>0.1</b>	<b>0.4</b>	-	-	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	-
43	1-2	-	-	-	-	*	*	*	*	-	
	3	-	*	-	-	*	*	0.2	0.1	-	
	4	-	-	-	-	*	*	0.3	0.3	-	
	5	*	*	-	-	-	-	0.1	0.2	-	
	6	0.1	0.1	-	-	-	-	*	*	-	
	7	*	*	-	-	-	-	*	*	-	
	8	-	*	-	-	-	-	*	*	-	
	<b>Total</b>	----	<b>0.1</b>	<b>0.1</b>	-	-	<b>*</b>	<b>*</b>	<b>0.6</b>	<b>0.6</b>	-
53	1-2	*	*	-	-	-	*	*	*	-	
	3	-	-	-	-	-	*	0.2	0.1	-	
	4	-	-	-	-	-	*	0.3	0.2	-	
	5	*	*	-	-	-	-	0.2	0.2	-	
	6	*	*	-	-	-	-	0.1	0.1	-	
	7	*	*	-	-	-	-	*	*	-	
	8	*	*	-	-	-	-	*	*	-	
	<b>Total</b>	----	<b>*</b>	<b>0.1</b>	-	-	-	<b>*</b>	<b>0.8</b>	<b>0.7</b>	-
63	1-2	-	-	-	-	-	-	-	*	-	
	3	-	-	-	-	-	-	*	*	-	
	4	-	-	-	-	-	-	*	*	-	
	5	-	-	-	-	-	-	*	*	-	
	6	-	-	-	-	-	-	*	*	-	
	7	-	-	-	-	-	-	-	*	-	
	8	-	*	-	-	-	-	-	*	-	
	<b>Total</b>	----	-	<b>*</b>	-	-	-	-	<b>*</b>	<b>*</b>	-
24 - 54	1-8	0.1	0.3	-	-	-	-	0.1	0.1	-	
25 - 35	1-8	0.1	0.1	-	-	-	-	*	*	-	
81 - 85	1-8	0.2	0.2	-	-	-	-	*	*	-	
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	-	-	
29		-	0.1	-	-	-	-	*	*	-	
30		0.1	0.1	-	-	-	-	0.1	*	-	
31		1.3	1.5	-	-	-	-	0.5	0.2	-	
32		2.9	3.3	-	-	-	-	1.7	0.8	-	
33		3.2	5.4	-	-	*	*	4.4	2.2	-	
34		5.3	7.9	*	*	*	*	9.9	5.5	-	
35		5.0	5.9	7.9	5.8	2.8	4.0	16.6	12.9	-	
36		10.3	12.7	16.1	9.5	18.7	19.7	23.2	26.0	-	
37		31.7	30.2	15.3	12.1	35.7	37.0	26.2	32.6	-	
38		23.7	20.5	39.9	43.9	27.1	25.1	11.7	13.9	-	
39		12.2	9.2	19.3	24.5	14.2	13.0	4.1	4.7	-	
40 & Longer		4.3	3.2	1.4	4.2	1.5	1.2	1.5	1.1	-	
<b>Average Staple</b>		<b>36.89</b>	<b>36.52</b>	<b>37.51</b>	<b>37.84</b>	<b>37.36</b>	<b>37.27</b>	<b>36.08</b>	<b>36.44</b>	-	
<b>Average Length</b>		<b>1.15</b>	<b>1.14</b>	<b>1.17</b>	<b>1.18</b>	<b>1.17</b>	<b>1.16</b>	<b>1.13</b>	<b>1.14</b>	-	

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	1.0	0.9	0.8	0.7	-	-	*	*	-	-	0.9	0.9
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	*	0.1	0.1	-	-	*	*	-	-	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	-	-	-	-	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	6.4	5.7	0.1	*	0.1	*	-	-	-	-	9.5	9.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	*	*	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	-	*	-	-	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
<b>STRENGTH 1/</b>												
22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	*	-	-	*	*	-	-	-	-	*	*
24	1.0	0.8	*	*	*	*	-	-	-	-	0.1	0.1
25	0.5	0.5	*	*	0.7	0.2	-	-	-	-	0.3	0.4
26	0.7	0.9	0.2	0.1	1.8	0.7	0.2	0.1	-	-	1.4	1.9
27	2.3	2.5	0.6	0.5	6.7	6.5	1.5	1.1	-	-	5.7	7.2
28	7.5	8.7	2.6	2.5	24.9	27.8	3.3	2.7	-	-	14.8	16.6
29	28.5	29.4	10.3	9.6	33.4	28.6	14.4	14.5	-	-	24.4	24.9
30	32.5	31.6	25.4	23.8	19.3	15.3	20.4	24.8	-	-	27.4	25.0
31	17.2	16.2	28.8	28.6	9.9	14.0	14.3	14.6	-	-	15.1	13.4
32	6.8	6.5	17.7	19.6	2.8	6.3	8.5	9.6	-	-	6.7	6.2
33	2.3	2.2	8.7	9.2	0.3	0.6	0.9	1.1	-	-	2.8	2.7
34	0.6	0.7	4.6	4.8	*	*	5.1	4.6	-	-	1.0	1.1
35	0.1	0.1	1.2	1.2	*	*	17.2	14.5	-	-	0.3	0.4
36	*	*	*	*	-	-	13.5	11.4	-	-	0.1	0.1
37	-	-	-	-	-	-	0.2	0.4	-	-	*	*
38	-	-	-	-	-	-	0.1	0.2	-	-	-	-
39	-	-	-	-	-	-	0.1	0.1	-	-	-	-
40 & Above	-	-	-	-	-	-	0.1	0.1	-	-	-	-
<b>Average</b>	<b>30.25</b>	<b>30.20</b>	<b>31.43</b>	<b>31.49</b>	<b>29.47</b>	<b>29.66</b>	<b>32.45</b>	<b>32.24</b>	-	-	<b>30.09</b>	<b>29.96</b>
<b>Mike</b>												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	*	*
2.9	-	-	-	-	-	-	-	-	-	-	*	*
3.0	*	*	*	*	-	-	-	-	-	-	*	*
3.1	*	*	*	*	-	-	-	-	-	-	*	*
3.2	*	*	*	*	-	-	-	-	-	-	-	-
3.3	*	*	*	*	-	-	-	-	-	-	*	*
3.4	*	*	0.1	0.1	-	-	-	0.5	-	-	*	*
3.5	0.1	0.1	0.8	0.5	-	-	0.3	1.2	-	-	*	*
3.6	0.1	0.2	1.2	1.0	-	-	0.7	0.9	-	-	*	*
3.7	0.4	0.5	1.8	1.4	-	-	0.8	0.7	-	-	0.1	0.1
3.8	1.1	1.0	2.4	2.2	*	*	0.5	0.7	-	-	0.2	0.3
3.9	1.8	1.7	4.1	3.8	0.1	0.1	1.9	2.5	-	-	0.9	0.9
4.0	2.4	2.4	5.6	5.2	0.4	0.3	7.2	6.2	-	-	1.8	2.0
4.1	3.5	3.2	7.8	7.5	1.1	1.2	7.4	9.4	-	-	4.1	4.1
4.2	5.5	5.3	11.3	10.7	1.9	3.7	12.7	13.2	-	-	7.5	7.2
4.3	7.6	7.8	11.8	12.1	7.3	6.4	14.4	13.4	-	-	11.3	11.0
4.4	11.6	12.8	14.1	14.2	13.8	11.5	14.3	14.6	-	-	14.6	15.1
4.5	14.7	15.2	13.8	14.0	15.8	15.9	9.7	9.2	-	-	14.9	15.1
4.6	14.0	15.1	11.1	11.4	14.1	15.6	8.2	6.4	-	-	14.7	14.6
4.7	13.5	12.9	6.7	7.6	14.9	14.9	10.1	9.1	-	-	11.1	10.9
4.8	9.2	8.4	4.4	4.4	14.7	13.0	4.0	3.5	-	-	7.8	7.5
4.9	5.9	5.8	2.1	2.3	9.3	9.1	4.3	5.3	-	-	5.5	5.2
5.0	4.3	3.9	0.7	1.0	4.5	4.7	1.5	1.5	-	-	3.2	3.4
5.1	2.8	2.4	0.2	0.4	1.5	2.6	0.3	0.2	-	-	1.3	1.5
5.2	1.1	1.0	0.1	0.2	0.5	1.0	0.7	0.5	-	-	0.6	0.7
5.3	0.4	0.3	*	*	-	*	0.7	0.5	-	-	0.2	0.2
5.4	0.1	*	*	*	-	-	0.2	0.1	-	-	0.1	0.2
5.5 & Above	*	*	*	*	-	-	0.2	0.1	-	-	*	0.1
<b>Average</b>	<b>4.55</b>	<b>4.54</b>	<b>4.34</b>	<b>4.37</b>	<b>4.62</b>	<b>4.62</b>	<b>4.40</b>	<b>4.37</b>	-	-	<b>4.52</b>	<b>4.52</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.



**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	-	-	1.0	0.5	*	*	0.4	0.3	-	-	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	-	*	*	*	*	*	-	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	*	*	-	-	-	-	-	0.2	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	-	-	-	-	*	0.1	-	-	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	-	-	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/ 22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	*	*	-	-	-	-
25	-	-	*	*	*	*	*	*	-	-	-	-
26	-	-	*	*	-	*	0.1	0.2	-	0.1	-	-
27	-	-	0.3	0.1	0.3	0.2	0.9	0.9	-	0.2	-	-
28	-	-	1.5	0.9	2.3	1.7	3.6	3.7	-	1.4	-	-
29	-	-	7.2	5.2	6.1	4.8	15.3	14.5	-	2.3	-	-
30	-	-	29.7	23.1	23.2	20.0	30.5	28.2	-	9.2	-	-
31	-	-	29.7	30.1	36.5	37.1	26.4	26.2	-	36.9	-	-
32	-	-	14.2	16.6	19.8	23.8	14.1	14.7	-	28.3	-	-
33	-	-	7.5	9.8	7.4	8.6	5.7	7.4	-	11.7	-	-
34	-	-	6.3	8.8	3.7	3.0	2.8	3.3	-	7.9	-	-
35	-	-	2.6	4.2	0.6	0.7	0.6	0.9	-	1.7	-	-
36	-	-	0.9	1.1	0.1	*	0.1	0.1	-	0.2	-	-
37	-	-	*	0.1	-	-	*	*	-	-	-	-
38	-	-	*	*	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	-	-	<b>31.58</b>	<b>31.94</b>	<b>31.50</b>	<b>31.62</b>	<b>31.06</b>	<b>31.16</b>	-	<b>32.10</b>	-	-
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	*	*	-	-	-	-
3.2	-	-	-	*	-	-	-	-	-	-	-	-
3.3	-	-	-	*	*	*	-	-	-	-	-	-
3.4	-	-	*	0.1	0.1	0.1	*	*	-	-	-	-
3.5	-	-	*	0.1	0.3	0.2	*	*	-	-	-	-
3.6	-	-	0.2	0.2	0.3	0.2	*	*	-	-	-	-
3.7	-	-	0.2	0.3	1.2	0.9	*	0.1	-	-	-	-
3.8	-	-	0.4	0.5	2.5	2.0	0.2	0.2	-	0.6	-	-
3.9	-	-	1.2	1.2	2.7	2.2	0.4	0.4	-	3.7	-	-
4.0	-	-	2.4	2.1	2.7	2.5	0.8	0.9	-	3.7	-	-
4.1	-	-	2.9	3.1	3.7	4.0	1.7	1.9	-	5.0	-	-
4.2	-	-	3.7	4.9	7.0	6.1	3.3	3.4	-	4.9	-	-
4.3	-	-	7.7	8.2	9.4	8.5	5.2	5.6	-	8.4	-	-
4.4	-	-	12.5	12.4	14.3	12.6	8.3	8.6	-	19.9	-	-
4.5	-	-	14.9	13.8	14.8	13.9	12.0	11.7	-	17.3	-	-
4.6	-	-	18.7	16.6	12.9	12.7	15.5	14.8	-	14.4	-	-
4.7	-	-	13.1	15.5	8.7	10.3	17.6	16.7	-	7.9	-	-
4.8	-	-	8.6	9.5	7.2	8.5	14.2	14.4	-	6.4	-	-
4.9	-	-	7.9	5.9	5.0	6.1	11.1	10.9	-	6.3	-	-
5.0	-	-	4.2	3.6	3.6	4.1	5.4	5.6	-	1.3	-	-
5.1	-	-	1.2	1.6	2.1	3.0	2.8	3.0	-	0.1	-	-
5.2	-	-	*	0.2	1.3	1.6	1.0	1.3	-	-	-	-
5.3	-	-	*	*	0.2	0.3	0.3	0.3	-	-	-	-
5.4	-	-	-	*	*	0.1	0.1	0.1	-	-	-	-
5.5 & Above	-	-	-	*	*	*	*	*	-	-	-	-
<b>Average</b>	-	-	<b>4.55</b>	<b>4.55</b>	<b>4.48</b>	<b>4.52</b>	<b>4.65</b>	<b>4.65</b>	-	<b>4.46</b>	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).  
\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	1.8	2.0	0.7	1.1	-	-	2.9	1.7	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.2	0.3	-	-	0.1	0.2	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	-	-	-	*	-	-	*	*	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	*	*	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	*	*	-	-
Plastic - Level 1	*	*	-	-	*	*	*	0.1	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
<b>STRENGTH 1/</b>										
22 & Below	0.1	0.1	-	-	-	-	0.1	*	-	-
23	*	0.1	-	-	-	-	0.3	0.1	-	-
24	0.2	0.5	-	-	-	-	0.6	0.3	-	-
25	0.8	1.4	-	-	-	-	1.1	0.7	-	-
26	1.8	3.4	-	-	*	*	2.4	1.6	-	-
27	5.1	7.3	0.2	0.3	0.4	0.3	5.5	3.8	-	-
28	11.0	10.8	1.2	3.5	3.8	3.0	10.4	8.6	-	-
29	16.5	15.3	7.3	14.5	18.9	15.8	16.3	16.9	-	-
30	20.3	17.0	32.1	32.8	34.3	32.5	19.0	21.8	-	-
31	21.0	19.0	34.4	28.1	26.6	29.3	16.7	19.0	-	-
32	12.8	13.7	13.5	12.0	10.3	13.1	12.5	13.0	-	-
33	6.2	7.8	7.4	6.0	3.5	4.2	8.8	8.6	-	-
34	3.1	2.8	3.3	2.4	2.0	1.5	4.0	3.8	-	-
35	0.9	0.7	0.5	0.4	0.4	0.3	1.6	1.4	-	-
36	0.2	0.2	*	*	*	*	0.4	0.4	-	-
37	0.1	0.1	-	-	-	-	0.1	0.1	-	-
38	*	*	-	-	-	-	*	*	-	-
39	*	*	-	-	-	-	-	*	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>30.62</b>	<b>30.48</b>	<b>31.35</b>	<b>31.04</b>	<b>30.85</b>	<b>30.98</b>	<b>30.64</b>	<b>30.82</b>	-	-
<b>Mike</b>										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5	-	-	-	-	-	-	*	*	-	-
2.6	-	-	-	-	-	-	0.1	*	-	-
2.7	-	-	-	-	-	-	0.1	*	-	-
2.8	*	*	-	-	-	-	0.2	0.1	-	-
2.9	0.5	0.3	-	-	-	-	0.3	0.1	-	-
3.0	0.9	0.7	-	-	-	-	0.4	0.2	-	-
3.1	0.6	0.6	-	-	-	-	0.6	0.3	-	-
3.2	0.5	1.4	-	-	-	-	0.7	0.3	-	-
3.3	0.4	1.7	-	-	-	-	1.1	0.5	-	-
3.4	1.1	2.9	-	-	*	*	1.5	0.8	-	-
3.5	3.5	5.2	-	*	*	*	1.8	1.2	-	-
3.6	4.3	6.3	-	0.1	0.1	0.1	2.2	1.8	-	-
3.7	3.5	4.5	-	0.1	0.1	0.2	2.8	2.5	-	-
3.8	4.7	5.0	*	0.6	0.3	0.4	3.4	3.8	-	-
3.9	6.2	5.9	0.2	2.0	0.6	0.6	4.8	5.3	-	-
4.0	9.4	8.3	5.0	5.5	1.4	1.0	6.4	7.2	-	-
4.1	11.8	11.2	12.7	11.9	2.7	2.2	7.4	8.7	-	-
4.2	13.7	12.5	8.6	10.7	5.5	4.6	9.1	10.2	-	-
4.3	12.3	10.9	6.6	6.7	7.6	6.8	9.8	10.9	-	-
4.4	9.8	8.0	12.1	11.1	9.8	8.8	9.7	10.8	-	-
4.5	8.0	6.7	11.0	10.8	10.6	9.8	9.5	10.2	-	-
4.6	4.5	4.0	11.6	13.1	12.9	12.5	9.2	8.7	-	-
4.7	2.1	1.9	13.8	11.8	13.5	13.8	7.0	6.5	-	-
4.8	1.2	1.0	9.0	7.5	14.0	14.8	4.9	4.4	-	-
4.9	0.7	0.6	4.7	4.5	8.8	10.3	3.6	2.8	-	-
5.0	0.4	0.3	2.4	2.2	5.6	6.6	1.7	1.5	-	-
5.1	0.1	0.1	1.4	0.9	3.8	4.3	0.9	0.8	-	-
5.2	*	*	0.7	0.4	2.1	2.4	0.6	0.3	-	-
5.3	*	*	0.2	0.1	0.3	0.7	0.2	0.1	-	-
5.4	-	-	-	-	0.1	0.1	*	*	-	-
5.5 & Above	-	-	-	-	*	*	*	*	-	-
<b>Average</b>	<b>4.12</b>	<b>4.05</b>	<b>4.48</b>	<b>4.45</b>	<b>4.62</b>	<b>4.65</b>	<b>4.28</b>	<b>4.29</b>	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).  
\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE  
For The Week Ending Oct 22, 2020**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	*	*
3.0 - 3.2	*	*	*	*	-	-	-	-	-	-	*	*
3.3 - 3.4	*	*	0.1	0.1	-	-	-	0.5	-	-	*	*
3.5 - 3.6	0.3	0.3	2.0	1.5	-	-	1.0	2.2	-	-	*	*
3.7 - 4.2	14.6	14.1	33.0	30.8	3.5	5.4	30.4	32.8	-	-	14.6	14.5
4.3 - 4.9	76.4	77.9	63.9	66.0	90.0	86.3	65.0	61.5	-	-	79.9	79.5
5.0 - 5.2	8.2	7.3	1.0	1.5	6.6	8.3	2.5	2.2	-	-	5.2	5.5
5.3 & Above	0.5	0.4	*	*	-	*	1.1	0.8	-	-	0.3	0.5
<b>Average</b>	<b>4.55</b>	<b>4.54</b>	<b>4.34</b>	<b>4.37</b>	<b>4.62</b>	<b>4.62</b>	<b>4.40</b>	<b>4.37</b>	-	-	<b>4.52</b>	<b>4.52</b>
Leaf												
1 - 2	4.2	3.6	4.1	4.7	95.9	92.6	80.2	80.4	-	-	3.3	3.0
3	37.7	36.2	41.3	41.5	4.0	6.9	17.0	17.0	-	-	39.3	37.4
4	42.5	44.8	44.2	42.3	0.1	0.5	2.7	2.5	-	-	45.1	45.6
5	14.3	14.1	9.8	10.7	-	*	*	*	-	-	11.0	12.4
6	1.2	1.2	0.5	0.7	-	-	-	-	-	-	1.3	1.5
7	0.1	0.1	*	*	-	-	-	-	-	-	0.1	0.1
8	*	*	-	-	-	-	-	-	-	-	*	*
<b>Average</b>	<b>3.71</b>	<b>3.73</b>	<b>3.61</b>	<b>3.61</b>	<b>1.43</b>	<b>1.57</b>	<b>1.96</b>	<b>1.88</b>	-	-	<b>3.68</b>	<b>3.72</b>
HVI Trash 1/												
00	-	-	-	-	0.2	0.1	*	0.1	-	-	-	-
01	0.2	0.1	0.3	0.3	78.2	69.6	42.8	47.8	-	-	0.2	0.2
02	5.3	4.7	4.8	5.2	19.0	25.6	35.7	31.0	-	-	4.8	4.6
03	17.4	16.2	15.8	16.0	2.0	3.8	11.5	11.3	-	-	17.5	16.6
04	23.2	23.4	23.7	23.1	0.5	0.7	5.3	5.4	-	-	25.7	24.9
05	20.7	21.8	22.3	21.3	0.1	0.2	2.8	2.7	-	-	22.4	22.3
06	14.9	15.6	16.2	15.7	*	*	1.3	1.2	-	-	14.3	14.7
07	9.3	9.3	9.2	9.4	-	*	0.4	0.4	-	-	7.9	8.5
08	4.9	4.8	4.4	4.8	*	*	0.1	0.1	-	-	3.9	4.4
09	2.2	2.2	2.0	2.4	-	-	*	*	-	-	1.8	2.1
10	1.0	1.0	0.9	1.0	-	-	-	*	-	-	0.8	1.0
11	0.5	0.5	0.3	0.4	-	-	-	-	-	-	0.3	0.4
12	0.2	0.2	0.1	0.2	-	-	-	-	-	-	0.1	0.2
13	0.1	0.1	*	0.1	-	-	-	-	-	-	0.1	0.1
14	0.1	*	*	*	-	-	-	-	-	-	*	*
15	*	*	*	*	-	-	-	-	-	-	*	*
16	*	*	*	*	-	-	-	-	-	-	-	*
17	*	*	-	-	-	-	-	-	-	-	*	*
18 & Above	*	*	-	*	-	-	-	-	-	-	*	*
<b>Average</b>	<b>0.49</b>	<b>0.50</b>	<b>0.49</b>	<b>0.50</b>	<b>0.12</b>	<b>0.14</b>	<b>0.20</b>	<b>0.19</b>	-	-	<b>0.48</b>	<b>0.49</b>
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	*	*
76	*	*	-	-	-	-	-	-	-	-	*	*
77	0.6	0.5	*	0.1	*	*	*	*	-	-	0.2	0.3
78	2.8	2.6	0.3	0.4	0.7	0.3	0.2	0.2	-	-	2.2	2.5
79	9.4	9.9	2.0	2.3	10.5	6.5	1.9	1.6	-	-	11.3	11.7
80	34.8	36.7	13.2	13.5	32.5	33.4	25.4	20.9	-	-	30.1	30.5
81	37.0	35.4	37.2	37.0	48.6	45.8	32.5	39.6	-	-	35.2	34.6
82	13.5	12.8	35.1	34.4	7.6	14.0	3.9	6.4	-	-	16.4	15.8
83	1.7	1.8	10.5	10.7	0.1	*	22.8	18.9	-	-	4.0	4.0
84	0.2	0.2	1.5	1.5	-	*	12.8	12.0	-	-	0.5	0.5
85 & Above	*	*	0.1	0.1	-	-	0.5	0.5	-	-	*	*
<b>Average</b>	<b>80.98</b>	<b>80.95</b>	<b>81.87</b>	<b>81.86</b>	<b>80.99</b>	<b>81.12</b>	<b>82.04</b>	<b>82.01</b>	-	-	<b>81.11</b>	<b>81.07</b>
Tenderable 3/	<b>73.0</b>	<b>74.5</b>	<b>97.0</b>	<b>96.3</b>	<b>93.2</b>	<b>91.0</b>	<b>96.3</b>	<b>96.4</b>	-	-	<b>65.7</b>	<b>63.1</b>
<b>SAMPLES CLASSED</b>	<b>34,313</b>	<b>44,790</b>	<b>117,050</b>	<b>228,642</b>	<b>8,136</b>	<b>26,091</b>	<b>6,321</b>	<b>8,369</b>	-	-	<b>55,794</b>	<b>79,971</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	*	-	-	*	*	-	-	-	-
3.3 - 3.4	-	-	*	0.1	0.1	0.1	*	*	-	-	-	-
3.5 - 3.6	-	-	0.2	0.3	0.6	0.4	*	*	-	-	-	-
3.7 - 4.2	-	-	10.9	12.1	19.8	17.7	6.5	6.9	-	18.0	-	-
4.3 - 4.9	-	-	83.5	82.0	72.3	72.7	83.9	82.8	-	80.6	-	-
5.0 - 5.2	-	-	5.4	5.4	7.0	8.7	9.2	9.9	-	1.4	-	-
5.3 & Above	-	-	*	*	0.3	0.4	0.4	0.4	-	-	-	-
<b>Average</b>	-	-	<b>4.55</b>	<b>4.55</b>	<b>4.48</b>	<b>4.52</b>	<b>4.65</b>	<b>4.65</b>	-	<b>4.46</b>	-	-
Leaf												
1 - 2	-	-	3.5	6.4	24.5	28.0	6.2	5.4	-	16.0	-	-
3	-	-	37.2	43.6	49.5	49.2	40.9	41.4	-	70.9	-	-
4	-	-	49.4	42.6	21.7	19.3	41.3	41.6	-	11.0	-	-
5	-	-	9.5	7.1	4.3	3.5	10.6	10.7	-	2.0	-	-
6	-	-	0.4	0.3	0.1	0.1	0.9	0.8	-	0.1	-	-
7	-	-	-	-	-	-	*	*	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	-	-	<b>3.66</b>	<b>3.51</b>	<b>3.05</b>	<b>2.97</b>	<b>3.59</b>	<b>3.60</b>	-	<b>2.99</b>	-	-
HVI Trash 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	0.1	0.6	3.0	3.5	0.6	0.5	-	0.3	-	-
02	-	-	4.2	7.3	22.4	24.9	6.6	5.8	-	15.6	-	-
03	-	-	14.4	18.2	27.3	28.0	16.7	16.5	-	34.9	-	-
04	-	-	23.6	24.5	19.6	19.1	22.2	22.5	-	29.5	-	-
05	-	-	24.0	22.2	13.1	12.0	20.2	20.7	-	10.5	-	-
06	-	-	17.0	14.4	8.0	6.9	14.9	15.0	-	5.1	-	-
07	-	-	9.6	7.5	4.1	3.5	9.2	9.2	-	2.1	-	-
08	-	-	4.3	3.3	1.8	1.5	5.0	5.1	-	1.5	-	-
09	-	-	1.8	1.3	0.6	0.5	2.5	2.6	-	0.3	-	-
10	-	-	0.7	0.5	0.2	0.1	1.1	1.2	-	0.2	-	-
11	-	-	0.3	0.2	*	*	0.6	0.6	-	-	-	-
12	-	-	0.1	*	*	*	0.2	0.3	-	-	-	-
13	-	-	*	*	*	*	0.1	0.1	-	-	-	-
14	-	-	*	*	-	-	0.1	*	-	-	-	-
15	-	-	-	-	-	-	*	*	-	-	-	-
16	-	-	-	-	-	-	*	*	-	-	-	-
17	-	-	-	-	-	-	*	*	-	-	-	-
18 & Above	-	-	-	-	-	-	*	*	-	-	-	-
<b>Average</b>	-	-	<b>0.50</b>	<b>0.46</b>	<b>0.37</b>	<b>0.36</b>	<b>0.49</b>	<b>0.50</b>	-	<b>0.37</b>	-	-
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	*	*	-	-	-	-	-	-
77	-	-	-	-	*	*	0.1	0.1	-	-	-	-
78	-	-	0.1	0.1	*	0.1	0.5	0.6	-	0.5	-	-
79	-	-	0.8	0.7	0.6	0.5	2.7	2.8	-	2.6	-	-
80	-	-	7.1	5.9	7.4	7.5	14.4	13.9	-	17.8	-	-
81	-	-	32.9	29.5	35.9	33.6	45.1	41.9	-	47.8	-	-
82	-	-	45.0	47.8	41.7	39.0	31.1	33.7	-	21.5	-	-
83	-	-	12.9	14.5	13.1	17.2	5.4	6.6	-	8.6	-	-
84	-	-	1.1	1.4	1.0	2.0	0.7	0.6	-	1.2	-	-
85 & Above	-	-	0.1	0.1	0.1	0.1	0.1	*	-	-	-	-
<b>Average</b>	-	-	<b>82.10</b>	<b>82.19</b>	<b>82.09</b>	<b>82.18</b>	<b>81.67</b>	<b>81.72</b>	-	<b>81.62</b>	-	-
Tenderable 3/	-	-	<b>86.5</b>	<b>89.7</b>	<b>92.5</b>	<b>90.7</b>	<b>87.3</b>	<b>87.0</b>	-	<b>96.9</b>	-	-
<b>SAMPLES CLASSIFIED</b>	-	-	<b>46,814</b>	<b>115,991</b>	<b>31,050</b>	<b>43,191</b>	<b>98,903</b>	<b>221,546</b>	-	<b>937</b>	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5 - 2.6	-	-	-	-	-	-	0.1	*	-	-
2.7 - 2.9	0.5	0.4	-	-	-	-	0.7	0.2	-	-
3.0 - 3.2	2.0	2.7	-	-	-	-	1.7	0.8	-	-
3.3 - 3.4	1.5	4.6	-	-	*	*	2.6	1.3	-	-
3.5 - 3.6	7.8	11.6	-	0.1	0.1	0.1	4.0	3.0	-	-
3.7 - 4.2	49.2	47.4	26.6	30.9	10.6	9.0	33.8	37.8	-	-
4.3 - 4.9	38.6	33.1	68.8	65.4	77.4	76.8	53.7	54.2	-	-
5.0 - 5.2	0.5	0.4	4.5	3.5	11.4	13.3	3.3	2.6	-	-
5.3 & Above	*	*	0.2	0.1	0.4	0.8	0.2	0.1	-	-
<b>Average</b>	<b>4.12</b>	<b>4.05</b>	<b>4.48</b>	<b>4.45</b>	<b>4.62</b>	<b>4.65</b>	<b>4.28</b>	<b>4.29</b>	-	-
Leaf										
1 - 2	91.5	85.6	1.2	1.0	32.8	36.3	56.0	32.1	-	-
3	6.4	11.3	42.1	37.4	52.5	48.9	29.0	44.7	-	-
4	1.2	2.0	47.5	50.1	13.6	13.7	11.8	18.8	-	-
5	0.7	0.7	8.9	10.7	1.1	1.1	2.5	3.6	-	-
6	0.2	0.2	0.4	0.7	*	*	0.7	0.7	-	-
7	*	*	-	-	-	-	0.1	0.1	-	-
8	*	0.1	-	-	-	-	*	*	-	-
<b>Average</b>	<b>1.54</b>	<b>1.69</b>	<b>3.65</b>	<b>3.73</b>	<b>2.80</b>	<b>2.76</b>	<b>2.34</b>	<b>2.86</b>	-	-
HVI Trash 1/										
00	0.9	0.8	-	-	*	*	0.5	0.1	-	-
01	68.6	59.4	-	-	7.1	9.0	34.3	13.4	-	-
02	22.2	25.5	3.0	2.3	25.5	26.9	21.6	19.2	-	-
03	4.6	7.7	17.1	13.4	29.0	26.7	16.2	23.0	-	-
04	1.7	3.2	28.5	25.8	19.9	18.8	11.8	19.3	-	-
05	0.6	1.3	24.1	24.9	10.7	10.7	7.3	12.1	-	-
06	0.5	0.7	14.9	16.7	4.8	4.9	4.0	6.3	-	-
07	0.3	0.4	7.2	8.8	2.0	2.0	2.0	3.2	-	-
08	0.3	0.3	3.0	4.4	0.7	0.7	1.0	1.6	-	-
09	0.2	0.2	1.3	2.0	0.2	0.2	0.6	0.8	-	-
10	0.1	0.1	0.6	0.9	0.1	0.1	0.3	0.4	-	-
11	0.1	0.1	0.2	0.4	*	*	0.2	0.2	-	-
12	*	*	-	0.1	*	*	0.1	0.1	-	-
13	*	*	*	*	*	*	*	0.1	-	-
14	*	*	*	*	-	-	*	*	-	-
15	*	*	-	-	-	-	*	*	-	-
16	-	*	-	-	-	-	*	*	-	-
17	-	*	-	-	-	-	*	*	-	-
18 & Above	*	0.1	-	-	-	-	*	*	-	-
<b>Average</b>	<b>0.15</b>	<b>0.17</b>	<b>0.48</b>	<b>0.51</b>	<b>0.33</b>	<b>0.32</b>	<b>0.27</b>	<b>0.35</b>	-	-
UNIFORMITY 2/										
74 & Below	0.1	0.2	-	-	-	-	0.1	*	-	-
75	0.2	0.5	-	-	-	-	0.4	0.1	-	-
76	1.0	1.7	-	-	*	*	0.9	0.5	-	-
77	2.7	4.4	-	-	*	*	2.8	1.5	-	-
78	8.8	12.0	-	-	0.2	0.1	7.7	4.4	-	-
79	19.6	20.5	0.5	1.2	1.4	1.6	17.0	10.7	-	-
80	30.2	29.7	17.8	17.6	16.9	17.2	25.0	22.1	-	-
81	27.8	23.3	57.4	48.3	42.6	41.8	25.6	34.3	-	-
82	8.7	7.0	18.0	24.3	29.2	28.8	16.4	21.3	-	-
83	0.9	0.7	6.0	7.8	8.6	9.4	3.7	4.5	-	-
84	0.1	*	0.3	0.9	1.1	1.1	0.2	0.5	-	-
85 & Above	-	-	-	-	0.2	0.2	*	*	-	-
<b>Average</b>	<b>80.42</b>	<b>80.17</b>	<b>81.59</b>	<b>81.68</b>	<b>81.76</b>	<b>81.76</b>	<b>80.69</b>	<b>81.10</b>	-	-
Tenderable 3/	<b>89.0</b>	<b>84.3</b>	<b>91.9</b>	<b>92.6</b>	<b>87.5</b>	<b>85.1</b>	<b>81.3</b>	<b>85.8</b>	-	-
<b>SAMPLES CLASSED</b>	<b>18,815</b>	<b>25,259</b>	<b>2,222</b>	<b>4,052</b>	<b>51,499</b>	<b>83,376</b>	<b>280,279</b>	<b>1,477,980</b>	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. \* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE  
For The Week Ending Oct 22, 2020

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	8.7	22.3	-	-	-	-
	2	-	-	7.7	10.3	-	-	-	-
	3	-	-	0.1	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	-	<b>16.5</b>	<b>32.7</b>	-	-	-	-
02	1	-	-	52.3	41.1	-	-	-	-
	2	-	-	26.5	23.5	-	-	-	-
	3	-	-	2.6	1.5	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	-	<b>81.5</b>	<b>66.2</b>	-	-	-	-
03	1	-	-	1.2	0.5	-	-	-	-
	2	-	-	0.3	0.4	-	-	-	-
	3	-	-	0.4	0.2	-	-	-	-
	4	-	-	0.2	0.1	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	-	<b>2.0</b>	<b>1.2</b>	-	-	-	-
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	-	-	-	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	-	-	-	-	-	-	-
<b>STAPLE</b>									
44 & Shorter		-	-	0.1	1.8	-	-	-	-
46		-	-	34.6	66.6	-	-	-	-
48		-	-	25.6	13.5	-	-	-	-
50		-	-	39.6	18.1	-	-	-	-
52 & Longer		-	-	0.1	*	-	-	-	-
<b>Average Staple</b>		-	-	<b>48.10</b>	<b>46.96</b>	-	-	-	-
<b>Average Length</b>		-	-	<b>1.40</b>	<b>1.37</b>	-	-	-	-
<b>EXTRANEIOUS MATTER</b>									
Bark		-	-	*	*	-	-	-	-
Grass		-	-	-	-	-	-	-	-
Spindle Twist		-	-	0.2	0.1	-	-	-	-
Preparation		-	-	*	*	-	-	-	-
All Other		-	-	*	*	-	-	-	-

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE**  
**For The Week Ending Oct 22, 2020**

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	-	-	-	-	-	-
3.3 - 3.4	-	-	-	4.6	-	-	-	-
3.5 - 3.6	-	-	3.5	28.7	-	-	-	-
3.7 - 4.2	-	-	38.8	40.4	-	-	-	-
4.3 - 4.9	-	-	57.7	26.3	-	-	-	-
5.0 - 5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
<b>Average</b>	-	-	<b>4.15</b>	<b>3.86</b>	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	-	-	-	-	-	-
3.3	-	-	-	1.1	-	-	-	-
3.4	-	-	-	3.5	-	-	-	-
3.5	-	-	-	14.8	-	-	-	-
3.6	-	-	3.5	13.9	-	-	-	-
3.7	-	-	5.6	16.3	-	-	-	-
3.8	-	-	7.0	10.2	-	-	-	-
3.9	-	-	17.4	9.9	-	-	-	-
4.0	-	-	6.2	2.8	-	-	-	-
4.1	-	-	*	*	-	-	-	-
4.2	-	-	2.5	1.2	-	-	-	-
4.3	-	-	30.0	13.7	-	-	-	-
4.4	-	-	26.3	12.0	-	-	-	-
4.5	-	-	0.8	0.3	-	-	-	-
4.6	-	-	0.7	0.3	-	-	-	-
4.7	-	-	-	-	-	-	-	-
4.8	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	-	-	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
<b>Average</b>	-	-	<b>4.15</b>	<b>3.86</b>	-	-	-	-
STRENGTH 1/								
36 & Below	-	-	0.1	1.0	-	-	-	-
37	-	-	6.2	22.3	-	-	-	-
38	-	-	19.2	39.9	-	-	-	-
39	-	-	12.5	8.4	-	-	-	-
40	-	-	1.2	0.6	-	-	-	-
41	-	-	0.1	0.1	-	-	-	-
42	-	-	0.7	0.3	-	-	-	-
43	-	-	12.8	5.8	-	-	-	-
44	-	-	35.7	16.3	-	-	-	-
45	-	-	9.2	4.2	-	-	-	-
46	-	-	2.1	1.0	-	-	-	-
47	-	-	*	*	-	-	-	-
48 & Above	-	-	0.1	*	-	-	-	-
<b>Average</b>	-	-	<b>42.17</b>	<b>39.98</b>	-	-	-	-
UNIFORMITY								
83 & Below	-	-	-	0.4	-	-	-	-
84	-	-	11.1	42.5	-	-	-	-
85	-	-	32.6	31.3	-	-	-	-
86	-	-	45.1	20.6	-	-	-	-
87	-	-	11.1	5.1	-	-	-	-
88 & Above	-	-	0.1	*	-	-	-	-
<b>Average</b>	-	-	<b>85.99</b>	<b>85.34</b>	-	-	-	-
<b>Samples Classed</b>	-	-	<b>2,256</b>	<b>4,943</b>	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.