

Quality of Cotton Classed by State

mp_cn811

Volume 20, No. 22

28-Dec-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE** ,
For The Week Ending DECEMBER 27, 2018

State	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Alabama	25	33,738	29	652,208
Arizona	14	24,807	14	183,773
Arkansas	10	22,806	28	1,141,954
California	6	6,727	15	127,984
Florida	3	2,259	4	61,000
Georgia	59	71,287	59	1,454,553
Kansas	3	4,390	3	44,442
Louisiana	9	2,871	19	396,918
Mississippi	30	31,238	38	1,257,282
Missouri	12	22,834	21	734,844
New Mexico	2	2,893	2	21,015
North Carolina	21	16,435	33	666,870
Oklahoma	12	26,156	12	252,088
South Carolina	13	7,476	16	284,628
Tennessee	13	10,983	22	755,502
Texas	144	315,590	188	4,784,821
Virginia	4	3,295	4	167,206
United States	380	605,785	507	12,987,088
Percent Tenderable		65.0		67.2
AMERICAN PIMA				
Arizona	2	768	4	15,574
California	15	28,155	17	423,745
New Mexico *	1	-	1	-
Texas *	1	-	1	-
United States	19	28,923	23	439,319
United States all cotton	397	634,708	521	13,426,407

*Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN106

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	*	0.3	-	0.2	8.1	12.0	42.0	57.7	-	-	0.1	1.1
	4	0.1	0.5	-	0.2	2.8	4.5	12.4	11.9	-	*	0.1	2.2
	5	*	*	-	*	0.1	0.3	0.3	0.1	-	-	*	0.2
	6	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.1 0.8	-	0.4	10.9	16.9	54.6	69.7	-	*	0.1	3.5
31	1-2	0.9	1.6	*	0.5	14.3	11.3	14.1	10.2	2.0	0.3	0.7	3.6
	3	6.1	13.3	1.0	4.4	17.3	13.3	23.4	13.2	16.2	5.7	4.5	23.7
	4	4.0	6.8	1.3	3.1	4.6	2.5	5.2	2.0	2.9	3.3	2.0	11.6
	5	0.4	0.5	0.1	0.4	0.5	0.2	0.6	0.2	*	0.1	0.1	0.7
	6	*	*	-	*	*	*	0.1	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	*
	Total	-----	11.5 22.1	2.5	8.4	36.8	27.3	43.4	25.7	21.2	9.4	7.3	39.7
41	1-2	0.9	1.0	0.3	0.6	5.2	6.5	0.2	0.1	0.6	0.5	2.7	1.2
	3	14.5	15.6	12.6	15.6	21.2	21.1	0.3	0.3	13.9	16.8	24.4	16.3
	4	28.9	23.3	37.5	30.5	11.8	9.9	0.1	0.1	16.9	34.2	25.5	20.1
	5	10.8	7.8	13.0	11.1	2.4	1.7	0.1	*	1.7	6.4	5.3	4.0
	6	1.2	1.0	0.4	1.0	0.5	0.2	*	*	-	0.2	0.3	0.2
	7	0.1	*	*	*	0.1	*	-	*	-	*	*	*
	Total	-----	56.4 48.7	63.7	58.8	41.1	39.4	0.8	0.6	33.1	58.0	58.2	41.8
51	1-2	0.3	*	*	0.1	0.1	0.2	-	-	-	*	0.2	*
	3	1.5	0.6	1.2	1.7	1.6	2.0	-	*	3.2	1.6	2.7	0.7
	4	3.8	1.5	10.2	6.3	1.6	2.2	-	-	11.2	5.9	4.9	1.6
	5	3.2	1.5	11.7	5.3	0.5	0.7	-	-	2.8	3.5	2.6	0.8
	6	0.7	0.6	1.6	0.8	0.2	0.1	-	-	-	0.3	0.5	0.1
	7	0.1	0.1	0.1	*	*	*	-	-	-	*	*	*
	Total	-----	9.5 4.3	24.9	14.1	4.0	5.2	-	*	17.2	11.4	10.9	3.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	-	*	-	-	-	*	-	*
	4	-	*	-	*	-	-	-	-	-	*	-	*
	5	-	*	-	*	-	-	-	-	-	*	-	*
	6	-	*	-	*	-	-	-	-	-	-	-	*
	7	-	*	-	*	-	-	-	-	-	*	-	*
	Total	-----	-	*	-	*	-	*	-	-	0.1	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	*	*	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	*	*	-	-	-	-	-	-	-	-	*
12 & 22	1-2	*	*	-	*	*	1.8	0.1	0.6	-	*	*	0.1
	3	-	*	-	*	*	0.9	0.3	0.5	-	-	0.1	0.1
	4	*	*	-	*	-	0.3	*	*	-	-	*	*
	5	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	*	*	-	*	3.0	0.4	1.2	-	*	0.1	0.1
32	1-2	0.1	0.1	-	*	0.1	0.2	0.1	0.5	-	*	0.1	0.3
	3	1.6	1.6	*	0.3	0.5	1.0	0.4	1.8	0.8	0.2	1.0	2.1
	4	1.1	1.3	*	0.2	0.3	0.4	0.1	0.3	0.3	0.2	0.6	1.1
	5	0.2	0.2	*	*	*	0.2	-	*	-	*	*	0.1
	6	*	*	-	*	-	*	-	-	-	*	*	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
	Total	-----	2.9 3.3	0.1	0.6	0.9	1.8	0.6	2.6	1.1	0.4	1.7	3.5
42	1-2	0.1	0.2	*	0.1	0.1	0.2	-	*	*	0.1	0.3	0.1
	3	3.0	4.5	0.8	3.9	1.6	1.6	*	0.1	2.6	2.6	4.9	1.9
	4	5.8	8.1	2.7	7.4	1.8	1.8	0.1	*	5.2	4.7	6.8	3.0
	5	2.5	2.9	1.5	2.2	0.7	0.5	0.1	*	0.8	1.3	1.6	0.8
	6	0.6	0.4	0.1	0.2	0.2	0.1	-	*	-	0.1	0.1	*
	7	*	*	*	*	0.1	*	-	-	-	-	*	*
	Total	-----	12.1 16.1	5.1	13.7	4.4	4.2	0.2	0.1	8.6	8.7	13.6	5.7
52	1-2	*	*	*	*	*	*	-	*	-	*	*	*
	3	0.7	0.3	0.1	0.3	0.1	0.2	-	-	1.5	1.2	0.5	0.1
	4	1.2	0.9	0.7	1.3	0.2	0.7	-	-	10.5	5.2	1.5	0.4
	5	1.1	0.7	1.0	1.1	0.4	0.3	-	-	4.6	3.0	0.9	0.2
	6	0.4	0.2	0.4	0.2	0.2	0.1	-	-	0.2	0.4	0.4	0.1
	7	*	*	0.2	*	0.1	*	-	-	-	*	*	*
	Total	-----	3.4 2.1	2.3	2.9	1.1	1.3	-	*	16.8	9.9	3.3	0.8

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	-	-	-	-	-	-
	3	*	*	-	*	-	*	-	-	-	*	-	*
	4	*	*	-	*	*	*	-	-	0.1	0.1	*	*
	5	*	*	-	*	-	*	-	-	0.3	0.1	*	*
	6	*	*	-	*	-	*	-	-	-	*	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
Total	-----	*	*	-	*	*	*	-	-	0.4	0.2	*	*
13 & 23	1-2	-	*	-	*	*	0.1	-	*	-	-	-	*
	3	*	*	-	*	*	0.1	-	*	-	-	*	*
	4	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	*	*	-	*	*	0.2	-	*	-	-	*	*
33	1-2	*	*	-	*	-	*	-	*	-	*	*	0.1
	3	0.2	0.1	-	*	-	*	-	*	-	*	0.2	0.3
	4	0.3	0.1	*	*	*	0.1	-	*	-	*	0.1	0.1
	5	*	*	-	*	*	0.1	*	*	-	-	*	*
	6	*	*	-	-	-	*	-	-	-	-	-	*
	7	-	*	-	-	-	*	-	-	-	-	-	-
Total	-----	0.5	0.2	*	*	*	0.2	*	*	-	*	0.3	0.5
43	1-2	*	*	-	*	-	*	-	*	-	*	*	*
	3	0.4	0.3	0.1	0.2	-	*	-	*	0.1	0.3	1.0	0.3
	4	0.9	0.8	0.5	0.5	0.1	0.1	-	*	0.6	0.5	1.5	0.4
	5	0.6	0.4	0.2	0.2	0.2	0.1	-	-	0.3	0.1	0.6	0.1
	6	0.2	0.1	*	*	0.2	0.1	-	-	-	*	*	*
	7	*	*	-	*	0.1	*	-	-	-	-	*	*
Total	-----	2.1	1.6	0.8	0.8	0.6	0.3	-	*	0.9	0.9	3.2	0.9
53	1-2	*	*	-	*	-	*	-	*	-	*	-	*
	3	0.1	0.1	*	*	-	*	-	*	0.1	0.1	0.1	*
	4	0.3	0.2	0.1	0.1	-	*	-	-	0.1	0.4	0.3	0.1
	5	0.2	0.1	0.1	0.1	*	*	-	-	0.2	0.4	0.3	*
	6	0.1	*	*	*	*	*	-	-	*	0.1	0.1	*
	7	*	*	*	*	-	*	-	-	-	*	*	*
Total	-----	0.8	0.4	0.3	0.3	*	*	-	*	0.5	0.9	0.7	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	*	*	-	-	-	-	-	*	*	*
	4	*	*	-	*	-	-	-	-	-	*	*	*
	5	*	*	-	*	-	-	-	-	-	*	*	*
	6	*	*	*	*	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	*
Total	-----	*	*	*	*	-	-	-	-	-	*	*	*
24 - 54	1-7	0.4	0.1	*	*	*	0.1	-	*	0.1	*	0.5	0.1
25 - 35	1-7	-	*	-	*	-	-	-	-	-	-	-	*
81 - 85 1/	1-7	0.1	*	*	*	*	*	*	*	*	*	0.9	0.1
All Colors	8 2/	*	*	0.2	*	*	0.1	*	*	*	*	*	*
EXTRANEIOUS MATTER													
Bark - Level 1		17.3	11.2	4.8	1.5	2.5	1.1	0.4	0.1	26.3	22.2	19.2	11.6
Bark - Level 2		-	*	-	-	-	-	-	-	-	*	-	*
Grass - Level 1		*	0.1	0.2	0.2	*	*	0.2	0.1	-	*	*	0.1
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		0.1	0.1	0.9	0.1	*	*	-	*	-	*	0.1	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	-	-	-	-	-	-	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-	*	*
31		-	*	-	-	-	-	-	*	-	-	*	*
32		*	*	-	*	*	*	-	*	-	*	0.1	0.1
33		0.6	0.5	0.1	*	0.3	0.2	-	0.1	-	0.1	1.9	1.1
34		3.2	3.1	*	0.4	3.1	2.4	-	0.1	3.5	0.9	8.6	5.7
35		12.5	10.8	0.8	2.9	8.0	8.2	0.8	2.1	1.5	3.3	15.7	14.0
36		26.6	21.7	6.7	11.7	15.2	19.2	7.0	7.5	12.8	12.2	18.2	18.7
37		40.2	37.3	35.6	36.8	28.0	30.1	27.0	25.5	33.3	35.4	28.2	28.7
38 & longer		16.8	26.5	56.8	48.1	45.4	40.0	65.2	64.7	49.0	48.2	27.4	31.8
Average staple		36.6	36.8	37.8	37.6	37.4	37.3	38.2	38.2	37.3	37.4	36.5	36.7

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	3.0	2.7	-	0.7	-	0.7	*	0.5	0.5	0.1	16.1	14.0
	4	0.8	3.3	-	1.2	-	0.7	0.1	0.9	0.5	0.2	8.7	6.2
	5	0.1	0.2	-	0.1	-	*	*	0.1	*	*	0.3	0.1
	6	-	*	-	*	-	*	-	*	-	*	0.1	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	4.0 6.2	-	1.9	-	1.5	0.1 1.4	1.0 0.3	1.0 0.3	25.3 20.3		
31	1-2	3.2	6.8	0.5	2.9	0.5	0.8	0.6	1.9	1.9	1.7	9.1	18.1
	3	11.6	21.1	4.7	16.6	6.5	6.6	9.1	14.3	8.3	13.8	16.9	23.5
	4	6.0	7.3	1.0	6.7	0.6	3.1	4.5	7.2	5.0	7.4	7.8	3.5
	5	0.5	1.0	-	0.4	0.1	0.3	0.2	0.5	0.9	0.8	3.0	0.5
	6	-	*	-	*	-	*	-	*	*	*	0.8	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*
	Total	-----	21.4 36.2	6.2 26.6	7.7 10.9	14.4 23.8	16.1 23.7	37.6 45.7					
41	1-2	-	0.6	1.8	1.8	1.2	0.8	1.7	1.2	1.7	1.6	2.6	2.4
	3	2.0	6.4	22.5	18.4	34.6	21.4	21.3	16.9	24.7	23.9	16.8	17.4
	4	12.0	12.5	24.9	19.6	31.5	33.9	30.0	30.9	29.6	24.2	10.3	9.7
	5	17.2	7.6	1.6	4.4	3.9	8.8	7.1	10.1	8.0	5.3	2.1	2.5
	6	2.9	1.4	-	0.3	0.1	0.4	0.3	0.7	1.0	0.4	2.9	0.6
	7	0.1	0.1	-	*	-	*	-	*	0.1	*	1.4	0.2
	Total	-----	34.2 28.5	50.9 44.5	71.3 65.3	60.3 59.8	65.0 55.4	36.1 32.8					
51	1-2	-	-	*	0.2	*	*	*	*	0.2	0.1	-	-
	3	0.1	*	2.3	1.5	1.7	0.7	1.4	0.4	2.6	1.4	*	*
	4	3.4	1.2	5.7	1.7	5.1	3.8	3.3	1.6	3.0	2.0	0.1	0.3
	5	7.3	1.9	1.3	0.6	1.6	2.9	2.0	1.6	1.0	1.0	0.1	0.2
	6	7.2	1.1	*	0.1	0.1	0.3	0.4	0.3	0.1	0.2	0.1	*
	7	3.8	0.4	-	*	-	*	*	*	*	*	0.1	*
	Total	-----	21.8 4.7	9.4 4.1	8.5 7.8	7.1 3.9	7.0 4.6	0.4 0.5					
61	1-2	-	-	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	*	-	-
	5	-	-	-	*	*	*	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-	-	-
	7	*	*	-	-	-	*	-	*	-	*	-	-
	Total	-----	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	0.2	-	*	-	*	-	*	-	*	-	*
	3	0.1	0.8	-	*	-	*	*	*	*	*	-	*
	4	0.1	0.4	-	*	-	*	*	*	*	*	-	*
	5	-	*	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.2 1.4	-	0.1	-	*	*	*	*	*	-	*
32	1-2	*	0.2	0.1	0.2	*	*	*	0.1	0.1	0.1	-	-
	3	0.2	1.5	1.1	1.2	0.7	0.4	0.7	0.5	0.7	0.8	-	*
	4	0.4	2.3	0.5	0.6	0.1	0.2	1.1	0.5	0.3	0.5	-	0.1
	5	*	0.8	-	*	*	*	0.2	0.1	0.1	*	0.1	*
	6	*	*	-	*	-	-	-	*	*	*	0.1	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.6 4.9	1.7 2.1	0.8 0.7	2.0 1.0	1.2 1.5	0.2 0.1					
42	1-2	-	-	0.6	0.4	*	0.1	0.1	0.1	0.4	0.4	-	*
	3	0.1	*	6.5	4.5	2.6	3.6	1.9	1.4	2.6	4.9	-	0.2
	4	2.1	1.1	2.7	5.6	5.4	6.3	4.9	3.6	2.8	4.4	-	0.1
	5	5.3	1.6	0.3	1.3	0.7	1.6	2.6	2.0	0.8	0.8	0.2	*
	6	1.5	0.4	-	*	*	0.1	0.3	0.2	0.1	0.1	0.1	*
	7	0.1	*	-	*	-	-	*	*	*	*	-	-
	Total	-----	9.0 3.1	10.1 11.8	8.8 11.8	9.8 7.3	6.6 10.5	0.3 0.4					
52	1-2	-	-	0.3	0.2	-	*	-	*	-	0.1	-	-
	3	-	-	3.7	1.6	0.1	0.1	0.4	0.1	0.2	0.9	-	*
	4	0.6	0.5	7.8	2.4	0.5	0.7	1.2	0.5	0.4	1.2	-	-
	5	3.7	1.5	3.2	0.9	0.2	0.6	1.0	0.8	0.3	0.4	-	-
	6	2.1	0.5	0.1	0.1	*	0.1	0.2	0.2	*	0.1	-	-
	7	0.3	*	-	*	-	*	*	*	-	*	0.1	*
	Total	-----	6.7 2.5	15.2 5.2	0.8 1.5	2.9 1.6	0.9 2.8	0.1 *					

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	0.1	*	-	*	-	*	-	*	-	-
	4	-	-	0.1	*	-	*	-	*	-	*	-	-
	5	-	-	-	*	*	*	*	*	-	*	-	-
	6	*	*	-	*	-	*	*	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
Total	-----	*	*	0.2	0.1	*	*	*	*	-	0.1	-	-
13 & 23	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.7	-	-	-	-	-	-	-	*	-	*
	4	-	0.8	-	-	-	-	-	-	-	*	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	-	1.5	-	*	-	*	-	-	-	*	-	0.1
33	1-2	-	0.1	-	*	-	*	*	*	-	*	-	*
	3	*	0.7	0.1	0.1	0.1	*	0.1	*	0.1	*	-	*
	4	0.2	1.8	0.1	*	0.1	*	0.2	*	0.1	*	-	-
	5	0.1	0.8	-	*	-	*	0.1	*	*	*	-	-
	6	-	0.1	-	-	-	-	*	*	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	*	-	-
Total	-----	0.3	3.5	0.1	0.1	0.1	*	0.3	0.1	0.1	0.1	-	0.1
43	1-2	-	-	0.1	0.1	-	*	*	*	0.1	*	-	-
	3	-	*	1.0	0.5	0.2	0.1	0.4	0.1	0.6	0.2	-	*
	4	*	0.1	1.3	0.8	1.0	0.3	0.7	0.3	0.7	0.3	-	*
	5	*	0.2	0.3	0.3	0.3	0.1	0.4	0.2	0.2	0.1	-	-
	6	*	0.1	-	*	*	*	0.1	*	*	*	-	-
	7	-	*	-	-	-	*	*	*	*	*	-	-
Total	-----	0.1	0.5	2.8	1.6	1.5	0.5	1.7	0.7	1.6	0.6	-	*
53	1-2	-	-	0.2	*	-	*	*	*	-	*	-	-
	3	-	-	1.4	0.3	*	*	0.1	*	*	0.1	-	-
	4	-	*	1.1	0.6	0.2	*	0.4	0.1	0.1	0.1	-	-
	5	-	*	0.3	0.4	0.1	*	0.3	0.1	*	*	-	*
	6	-	*	0.1	*	*	*	0.1	*	*	*	-	-
	7	-	*	-	*	-	*	*	*	*	*	-	-
Total	-----	-	*	3.1	1.4	0.3	0.1	0.9	0.3	0.2	0.2	-	*
63	1-2	-	-	-	*	-	-	-	*	-	*	-	-
	3	-	-	0.1	0.1	-	-	-	*	-	*	-	-
	4	-	-	0.1	0.1	-	*	*	*	-	*	-	-
	5	-	-	-	0.1	-	-	-	*	-	*	-	-
	6	-	*	-	*	-	-	*	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-	-	-
Total	-----	-	*	0.2	0.3	-	*	*	*	-	*	-	-
24 - 54	1-7	0.2	5.2	0.2	0.2	0.2	*	0.3	0.1	0.1	*	-	*
25 - 35	1-7	-	0.7	-	*	-	-	-	*	-	-	-	-
81 - 85 1/	1-7	*	0.8	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	1.5	0.2	*	*	*	*	*	*	*	*	*	*
EXTRANEIOUS MATTER													
Bark - Level 1		47.7	27.2	6.9	2.5	0.4	0.7	2.4	1.0	3.8	2.1	2.7	1.0
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	0.2	0.1	*	0.1	0.1	0.2	0.3	0.1	-	-
Grass - Level 2		-	-	-	-	-	-	-	*	-	-	-	-
Prep - Level 1		-	-	-	*	-	*	0.8	0.5	*	*	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	*	-	-
30		-	-	-	*	-	-	-	-	-	*	-	-
31		-	*	-	*	-	*	*	*	-	*	-	-
32		0.1	*	-	*	-	*	*	*	*	*	-	-
33		1.6	0.5	0.1	0.3	-	*	0.3	0.3	2.0	0.9	-	0.4
34		1.8	2.5	1.3	2.7	0.5	0.3	2.8	2.4	9.9	5.5	0.9	0.9
35		17.5	20.0	7.1	9.9	7.4	2.9	9.3	7.9	19.0	18.1	7.8	4.6
36		45.6	38.6	36.9	17.9	15.7	11.3	19.9	15.3	21.5	26.2	11.2	10.3
37		32.8	33.6	28.9	27.0	47.4	41.6	32.5	29.3	36.0	28.2	31.2	29.3
38 & longer		0.6	4.8	25.7	42.1	29.0	43.9	35.2	44.8	11.6	21.2	48.9	54.5
Average staple		36.1	36.2	36.8	37.2	37.2	37.5	37.0	37.3	36.2	36.4	37.6	37.8

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 2.2	Pct. 1.2	Pct. 0.1	Pct. 0.1	Pct. -	Pct. 0.8	Pct. 6.8	Pct. 8.7	Pct. -	Pct. 0.1
	3	1.2	1.7	*	0.4	-	0.7	6.8	6.6	-	0.2
	4	0.2	0.2	-	*	-	*	0.9	0.6	-	*
	5	*	*	-	*	-	*	*	*	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	3.7 3.1	0.1 0.6	0.1 0.6	- 1.6	1.6	14.4 15.9	14.4 15.9	- 0.3	0.3
31	1-2	12.6	7.4	0.9	1.3	1.9	1.7	13.1	8.1	1.8	3.9
	3	28.3	26.2	3.3	11.0	0.6	5.5	27.2	20.5	13.3	23.4
	4	6.4	7.0	1.0	8.2	0.1	1.5	9.7	8.4	4.2	4.8
	5	0.6	0.4	0.2	0.7	*	0.1	1.7	1.2	0.4	0.1
	6	0.1	*	-	*	-	*	0.1	0.1	-	*
	7	-	*	-	-	-	-	*	*	-	-
	Total	-----	48.0 41.1	5.4 21.2	2.6 8.9	2.6 8.9	8.9	51.9 38.3	51.9 38.3	19.7 32.2	32.2
41	1-2	2.6	2.5	1.6	1.8	8.6	4.0	1.4	1.6	1.1	2.9
	3	24.1	22.4	14.4	18.2	31.3	21.8	6.2	8.8	31.7	34.8
	4	13.1	16.9	29.7	27.6	20.4	15.4	5.8	9.0	29.7	14.0
	5	3.2	3.9	13.3	7.9	3.4	2.4	3.2	3.8	4.1	0.6
	6	0.5	0.5	1.3	0.4	0.1	0.1	0.9	0.9	0.1	*
	7	*	0.1	*	*	-	-	0.2	0.2	-	-
	Total	-----	43.5 46.1	60.3 56.0	63.7 43.7	63.7 43.7	43.7	17.7 24.2	17.7 24.2	66.7 52.4	52.4
51	1-2	*	*	0.3	0.3	0.2	0.1	0.2	0.2	-	*
	3	0.1	0.2	3.6	1.9	5.8	2.3	0.5	0.8	0.4	0.5
	4	0.5	0.4	6.3	2.9	8.1	3.9	0.3	0.6	1.2	0.4
	5	0.5	0.6	5.0	2.0	2.7	1.5	0.1	0.3	0.2	*
	6	0.1	0.2	1.2	0.3	0.3	0.1	*	0.1	0.1	*
	7	-	*	0.1	*	*	*	*	0.1	*	*
	Total	-----	1.2 1.5	16.5 7.4	17.1 8.0	17.1 8.0	8.0	1.1 2.1	1.1 2.1	1.9 1.0	1.0
61	1-2	-	-	-	*	-	-	*	*	-	-
	3	-	-	*	*	-	-	*	*	-	-
	4	-	-	-	*	0.1	*	*	*	-	*
	5	-	-	*	*	0.1	*	*	*	-	-
	6	-	-	0.1	*	-	-	-	*	-	-
	7	-	-	*	*	-	-	-	*	-	-
	Total	-----	- -	0.1 *	0.3 *	0.3 *	*	0.1 0.1	0.1 0.1	- *	*
71	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	- -	- -	- -	- -	- -	- -	*	- -	- -
12 & 22	1-2	-	0.1	*	*	-	0.1	0.4	1.7	-	*
	3	0.1	0.2	*	0.1	-	0.1	0.8	1.8	-	*
	4	0.1	*	*	*	-	*	0.2	0.4	-	*
	5	*	*	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	Total	-----	0.2 0.3	0.1 0.1	0.1 0.1	- 0.1	0.1	1.5 3.9	1.5 3.9	- *	*
32	1-2	*	0.1	0.2	0.2	0.9	0.6	0.9	0.7	0.2	0.2
	3	0.1	1.0	1.2	1.3	0.6	1.7	3.0	2.5	1.3	1.4
	4	0.4	0.7	0.4	0.7	0.2	0.6	1.7	1.7	0.4	0.4
	5	0.3	0.2	0.1	0.1	-	*	0.6	0.4	0.1	*
	6	0.1	*	-	*	-	*	0.1	*	-	*
	7	*	*	-	-	-	-	*	*	-	-
	Total	-----	1.1 2.0	1.8 2.3	1.7 3.0	1.7 3.0	3.0	6.3 5.2	6.3 5.2	2.0 2.1	2.1
42	1-2	*	0.2	0.1	0.6	1.4	1.8	0.2	0.3	0.4	0.5
	3	0.4	1.3	1.5	3.3	5.0	14.0	0.8	1.6	3.4	6.4
	4	0.5	1.3	3.6	3.3	2.8	10.4	0.8	1.7	3.4	3.4
	5	0.2	0.5	1.7	1.0	0.6	1.6	0.4	0.6	0.7	0.2
	6	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	-	*
	7	*	*	-	*	-	-	*	*	-	-
	Total	-----	1.2 3.5	7.1 8.2	9.8 27.8	9.8 27.8	27.8	2.3 4.4	2.3 4.4	7.9 10.5	10.5
52	1-2	*	*	0.2	0.1	-	*	0.1	0.1	-	*
	3	0.1	0.1	1.6	0.9	0.2	0.8	0.5	0.7	-	0.7
	4	0.1	0.2	1.7	1.0	0.3	2.1	0.5	0.9	0.2	0.3
	5	0.1	0.2	1.4	0.5	0.3	1.0	0.2	0.4	0.2	*
	6	*	0.1	0.9	0.1	0.1	0.1	*	0.1	0.1	*
	7	-	*	0.3	*	-	*	*	*	-	-
	Total	-----	0.4 0.5	6.0 2.6	1.0 4.0	1.0 4.0	4.0	1.3 2.1	1.3 2.1	0.5 1.0	1.0

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	-
	3	-	*	0.1	*	-	*	0.1	0.1	-	-
	4	-	*	*	*	*	*	0.3	0.2	-	-
	5	-	-	*	*	-	*	0.1	0.1	-	-
	6	-	*	0.1	*	-	*	*	*	-	-
	7	-	*	*	*	-	*	-	*	-	-
Total	-----	-	*	0.2	0.1	*	*	0.6	0.5	-	-
13 & 23	1-2	-	*	-	*	-	*	*	0.1	-	*
	3	-	*	-	*	-	*	0.1	0.2	-	*
	4	*	*	-	*	-	-	0.1	0.1	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	*	*	-	*	-	*	0.2	0.5	-	*
33	1-2	-	*	*	*	0.1	*	*	*	-	*
	3	-	0.2	0.1	0.1	0.2	0.1	0.3	0.3	*	*
	4	*	0.2	0.1	0.1	*	*	0.5	0.3	0.1	*
	5	0.1	*	*	*	-	*	0.2	0.1	-	*
	6	*	*	-	*	-	*	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
Total	-----	0.1	0.5	0.2	0.2	0.3	0.1	1.2	0.7	0.1	0.1
43	1-2	-	*	-	*	0.2	0.1	*	*	-	*
	3	0.1	0.1	0.1	0.3	1.6	1.0	0.1	0.2	0.2	0.2
	4	0.1	0.2	0.4	0.5	0.6	0.8	0.2	0.3	0.7	0.2
	5	*	0.2	0.3	0.2	0.2	0.1	0.2	0.1	0.2	*
	6	*	0.1	0.1	*	*	*	0.1	*	-	*
	7	*	*	*	*	*	*	*	*	-	-
Total	-----	0.2	0.6	0.9	1.1	2.6	2.1	0.5	0.7	1.0	0.4
53	1-2	*	*	-	*	-	*	*	*	-	*
	3	0.1	0.1	0.2	0.1	0.1	0.1	*	0.1	-	*
	4	*	0.1	0.3	0.1	0.1	0.2	0.1	0.3	-	*
	5	*	*	0.3	0.1	0.1	0.1	0.1	0.2	-	*
	6	-	*	0.2	*	0.1	*	*	0.1	-	*
	7	-	*	0.1	*	*	*	*	*	-	-
Total	-----	0.1	0.2	1.0	0.3	0.4	0.5	0.4	0.7	-	*
63	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	*	-	-	-	*	*	0.1	-	-
	4	-	*	-	*	-	*	0.1	0.2	-	-
	5	-	*	-	*	-	*	0.1	0.2	-	-
	6	-	-	-	-	-	*	*	0.1	-	-
	7	-	-	-	-	-	-	*	*	-	-
Total	-----	-	*	-	*	-	*	0.3	0.5	-	-
24 - 54	1-7	0.4	0.4	0.1	*	0.4	0.1	0.1	0.2	0.2	*
25 - 35	1-7	-	*	-	-	-	-	-	*	-	-
81 - 85 1/	1-7	*	0.1	*	*	0.1	*	0.1	0.1	*	*
All Colors	8 2/	*	*	*	*	*	*	*	0.1	*	*
EXTRANEEOUS MATTER											
Bark - Level 1		5.7	4.5	5.1	4.1	2.0	0.4	8.8	6.4	0.5	0.3
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	0.2	0.1	-	*	*	0.2	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	*	*	*	*	*	*	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	*	-	-	*	*	-	-
Other - Level 2		-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	*	*	-	-
29		-	-	-	-	-	-	*	*	-	-
30		-	*	-	-	-	-	*	0.1	-	-
31		*	*	-	*	-	*	0.1	0.3	-	-
32		0.2	0.6	0.3	0.1	-	*	0.6	1.1	-	*
33		2.7	2.4	3.5	1.7	*	0.1	2.7	3.4	1.8	0.7
34		6.9	6.5	10.2	5.8	1.3	1.4	10.5	9.8	11.8	9.4
35		14.9	12.2	16.4	11.5	14.4	12.6	24.3	19.7	32.6	26.3
36		24.4	22.4	20.7	16.9	48.3	35.5	24.9	25.2	18.6	29.6
37		28.2	30.2	32.1	30.6	30.0	38.6	25.0	25.0	26.1	22.4
38 & longer		22.7	25.6	16.8	33.4	6.0	11.7	11.9	15.4	9.1	11.6
Average staple		36.4	36.6	36.2	36.8	36.3	36.5	36.0	36.1	35.9	36.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	*
21	-	-	-	-	-	-	-	-	-	-	-	*
22	-	-	-	-	-	-	-	-	-	-	*	*
23	-	*	-	*	-	-	-	-	-	*	*	*
24	*	0.1	0.1	*	-	-	-	-	-	0.1	0.1	0.1
25	0.5	0.4	0.2	*	*	*	-	-	-	0.6	1.1	0.8
26	1.6	1.9	0.3	0.5	0.1	0.1	-	-	0.4	3.2	5.0	4.2
27	9.3	8.1	1.2	2.7	0.7	0.6	*	*	6.5	11.5	11.8	11.5
28	20.5	22.2	9.6	9.6	3.4	3.4	*	0.1	23.5	30.8	18.6	20.3
29	29.9	32.4	25.1	26.2	9.5	11.0	0.3	1.0	25.5	32.4	23.5	25.9
30	21.8	21.7	31.4	29.0	17.5	18.7	4.1	2.6	34.6	14.8	20.5	20.5
31	10.7	9.1	19.7	18.4	17.0	23.1	8.2	5.2	9.0	5.7	11.7	10.6
32	3.6	3.1	10.0	9.1	17.0	19.8	12.6	10.1	0.6	0.8	4.9	4.1
33	1.3	0.8	2.0	3.4	16.1	13.3	9.6	16.6	0.1	0.1	1.9	1.4
34	0.6	0.2	0.4	0.8	11.0	6.2	14.2	14.1	-	*	0.6	0.4
35	0.2	*	0.1	0.2	6.3	2.7	16.1	11.2	-	*	0.3	0.1
36 & above	*	*	*	*	1.5	1.1	35.0	39.3	-	-	0.1	*
Average	29.1	29.0	29.9	29.9	31.6	31.2	34.5	34.6	29.1	28.6	29.0	29.0
MIKE												
24 & below	-	-	-	-	*	*	-	-	-	-	-	-
25	-	*	-	*	0.1	*	-	*	-	-	-	*
26	-	*	-	-	0.1	*	0.3	*	-	-	-	*
27	-	*	-	*	0.1	*	0.5	0.1	-	-	-	*
28	-	*	-	*	*	*	*	0.1	-	-	*	*
29	*	*	-	*	*	*	0.2	0.1	-	-	*	*
30	*	*	-	*	*	0.1	0.2	0.1	-	*	*	*
31	*	*	-	*	0.1	0.1	0.2	0.3	-	-	0.2	0.1
32	*	0.1	-	*	0.1	0.1	1.0	0.6	-	-	0.2	0.2
33	0.2	0.2	-	*	0.2	0.2	3.2	0.9	-	*	0.4	0.5
34	0.3	0.4	0.1	*	0.3	0.3	3.4	1.2	-	*	0.6	0.8
35	0.9	0.7	0.1	0.1	0.5	0.4	1.9	1.3	-	0.1	0.9	1.3
36	1.8	1.2	0.2	0.1	0.6	0.5	1.3	1.8	-	0.2	1.4	1.7
37	2.4	2.2	0.4	0.2	0.9	0.8	1.3	2.5	-	0.5	2.4	2.5
38	2.9	3.2	0.4	0.4	1.3	1.2	1.6	2.6	0.1	1.0	3.1	3.8
39	3.8	4.1	1.1	0.8	1.6	1.7	2.9	3.6	1.1	1.6	4.5	6.1
40	4.2	5.9	1.4	1.6	2.2	2.3	4.2	4.4	1.6	3.8	6.1	8.8
41	5.9	7.2	3.2	2.9	2.9	3.6	7.6	6.3	4.2	5.7	9.2	11.7
42	9.6	9.0	5.4	4.8	4.3	4.5	9.6	8.1	6.0	8.3	12.6	14.2
43	10.4	10.6	8.4	6.9	4.1	5.6	6.9	9.7	9.6	11.8	13.6	14.1
44	10.5	10.9	11.1	10.0	6.4	7.0	12.9	11.5	11.4	12.6	12.6	12.2
45	11.7	10.9	13.7	12.5	9.2	8.7	14.2	11.2	17.9	15.5	11.1	9.1
46	10.2	9.7	15.4	13.9	10.0	10.6	13.9	11.2	14.8	14.2	8.4	5.9
47	9.7	8.1	16.0	13.3	12.4	12.5	8.6	8.1	16.8	10.7	5.6	3.5
48	6.8	6.0	9.8	11.5	13.3	11.8	2.5	6.0	7.8	7.1	3.6	1.9
49	4.6	4.1	6.7	8.2	11.2	9.8	1.3	3.1	4.4	4.7	2.1	0.9
50	2.0	2.7	3.0	5.5	7.5	7.8	0.2	1.8	3.5	1.6	0.9	0.3
51	1.0	1.5	1.8	3.4	5.0	5.6	-	1.2	0.7	0.4	0.3	0.1
52	0.8	0.8	0.7	2.0	2.5	2.9	-	1.2	-	0.1	*	*
53	0.2	0.3	0.6	1.0	0.7	1.2	-	0.6	-	*	*	*
54	0.1	0.1	0.3	0.5	0.1	0.4	-	0.2	-	-	*	*
55	*	*	0.1	0.2	0.1	0.1	-	0.1	-	-	*	*
56	-	*	*	0.1	1.0	0.2	-	*	-	-	-	*
57	*	*	*	*	1.0	0.1	-	*	-	-	-	-
58	*	*	-	-	-	-	-	*	-	-	-	-
59	*	*	-	-	-	-	-	-	-	-	-	-
60 & above	*	*	-	-	-	-	-	-	-	-	-	-
Average	44	44	46	46	46	46	43	44	45	45	43	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	*	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	*	*	-	*	-	-	-	*	-	-	-	-
23	0.1	*	-	*	-	*	*	*	0.1	*	-	-
24	0.1	0.1	-	*	*	*	0.2	*	0.6	0.1	-	-
25	0.4	0.6	-	*	0.1	*	0.4	0.1	1.4	0.4	-	-
26	0.3	1.3	*	0.3	0.8	0.5	1.1	0.9	3.8	1.8	0.1	*
27	0.6	4.0	0.2	1.6	5.8	2.7	4.8	3.0	8.6	4.7	1.3	0.6
28	19.2	16.7	4.8	5.7	18.5	11.5	12.5	8.6	15.3	10.9	2.9	4.1
29	39.1	31.0	14.9	17.3	40.4	24.3	21.9	21.6	21.1	19.8	26.7	18.9
30	29.4	22.9	42.5	30.7	19.1	28.3	27.9	31.1	22.4	24.0	39.1	31.9
31	3.3	14.4	24.4	23.0	7.2	17.5	19.9	21.4	14.4	18.3	22.6	26.6
32	4.4	7.8	11.6	12.9	4.0	8.8	7.9	8.8	7.3	11.0	3.9	13.9
33	3.0	1.0	1.2	5.6	2.8	4.5	2.7	3.3	3.5	5.9	2.6	3.3
34	0.1	0.1	0.2	2.1	1.1	1.6	0.6	1.0	0.9	2.4	0.8	0.6
35	*	*	-	0.6	0.1	0.3	0.1	0.2	0.4	0.7	-	*
36 & above	-	*	*	0.2	*	*	*	*	0.1	0.1	-	*
Average	29.3	29.4	30.2	30.4	29.3	29.9	29.7	30.0	29.4	30.0	30.0	30.3
MIKE												
24 & below	*	*	-	-	-	-	-	-	-	*	0.1	*
25	*	0.2	-	*	-	-	-	-	-	-	*	*
26	0.2	0.4	-	-	-	-	-	-	-	-	1.0	0.1
27	0.1	0.6	-	-	-	*	-	-	-	*	1.0	0.1
28	0.2	0.9	-	-	-	-	-	-	-	*	1.8	0.4
29	0.1	0.7	-	-	-	-	-	*	-	*	1.8	0.4
30	-	1.1	-	*	-	*	-	*	-	*	4.3	0.9
31	*	2.0	-	*	-	*	*	*	-	*	2.1	0.5
32	0.2	2.7	-	*	-	*	-	*	*	*	1.1	0.5
33	0.4	4.4	-	*	-	*	*	*	*	0.1	2.1	0.9
34	1.1	5.8	-	*	*	*	*	*	0.1	0.1	2.4	2.1
35	3.8	6.0	-	*	*	*	0.1	*	0.3	0.2	4.8	2.9
36	6.0	7.6	-	*	*	0.1	0.3	0.1	0.5	0.3	4.1	4.8
37	16.9	10.0	-	*	0.1	0.2	0.2	0.2	0.9	0.5	5.8	3.8
38	14.6	9.3	-	0.1	*	0.4	0.5	0.4	1.9	0.8	7.3	6.9
39	13.7	9.0	-	0.3	0.4	0.7	0.9	0.7	2.7	1.4	3.9	7.7
40	12.8	7.8	-	0.5	1.6	1.1	2.1	1.1	3.5	2.1	6.6	8.3
41	5.9	7.4	-	1.1	2.9	2.2	2.3	1.9	4.6	3.2	7.6	6.6
42	4.9	6.9	-	1.9	4.2	4.0	4.0	3.0	5.2	4.8	4.7	8.4
43	4.1	6.3	-	2.7	8.9	6.1	5.6	4.4	6.8	6.9	5.5	8.9
44	2.2	4.5	4.0	3.6	6.9	8.2	5.9	6.4	10.0	9.7	10.3	8.7
45	4.2	3.2	4.1	6.3	7.6	10.5	8.8	9.1	12.8	13.0	6.0	7.1
46	8.1	2.1	4.0	9.6	10.0	11.7	11.1	13.2	15.5	15.1	2.7	6.0
47	0.6	0.6	14.0	13.7	10.3	12.3	12.4	16.1	14.1	14.3	3.6	5.8
48	*	0.3	17.7	16.4	12.5	11.3	13.5	16.2	9.0	11.1	0.9	3.6
49	*	0.1	16.9	15.7	11.6	10.0	12.4	13.1	5.3	7.3	2.2	1.8
50	-	0.1	20.1	12.9	7.8	7.6	10.7	7.5	3.8	4.5	1.6	1.2
51	-	*	12.6	8.2	6.1	5.7	5.9	3.6	2.0	2.5	0.9	0.9
52	-	-	4.4	4.6	4.1	4.1	2.3	1.6	0.9	1.3	1.3	0.4
53	-	-	1.7	1.9	2.9	2.5	0.7	0.8	0.2	0.5	0.9	0.1
54	-	-	0.4	0.5	1.8	1.0	0.1	0.3	0.1	0.2	1.5	0.2
55	-	-	0.1	0.1	0.4	0.3	*	*	*	*	-	-
56	-	-	0.1	*	*	*	-	*	-	*	*	*
57	-	-	*	*	-	*	-	*	*	*	-	-
58	-	-	-	-	-	*	-	-	-	*	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	40	38	49	48	47	47	47	47	45	46	40	42

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
18	-	-	-	-	-	-	-	*	-	-	
19	-	*	-	-	-	-	-	*	-	-	
20	-	-	-	-	-	-	-	*	-	-	
21	-	*	-	-	-	-	*	*	-	-	
22	-	*	-	-	-	-	*	0.1	-	-	
23	-	*	0.5	*	-	*	0.1	0.2	*	*	
24	*	*	1.5	0.3	*	*	0.2	0.4	0.8	0.1	
25	0.1	0.1	5.3	1.4	0.1	0.1	0.6	0.8	3.8	0.8	
26	0.4	0.4	12.4	4.8	2.3	1.0	1.7	1.8	10.7	4.1	
27	2.2	1.9	16.8	9.7	9.9	6.0	3.6	3.8	9.3	7.7	
28	8.4	6.6	22.9	16.6	21.4	18.5	9.0	8.5	17.4	18.2	
29	15.9	14.4	19.8	24.6	27.8	29.1	16.0	15.7	26.2	27.0	
30	26.3	24.0	10.0	23.3	10.5	22.4	20.1	19.8	15.9	21.2	
31	21.3	22.0	4.7	12.1	11.9	12.9	21.1	20.0	8.0	11.9	
32	14.6	14.5	4.1	4.6	10.4	6.6	15.8	15.2	6.2	5.8	
33	8.3	10.6	1.8	1.8	4.4	2.5	8.1	8.5	1.1	2.1	
34	2.1	4.0	0.2	0.7	1.0	0.7	2.9	3.6	0.3	0.8	
35	0.3	1.0	0.1	0.1	0.1	0.2	0.7	1.2	0.1	0.2	
36 & above	0.1	0.3	*	*	0.1	*	0.2	0.4	*	*	
Average	30.4	30.6	28.1	29.1	29.4	29.4	30.3	30.3	28.6	29.2	
MIKE 24 & below	*	*	-	-	-	-	0.2	0.1	-	-	
25	*	*	-	-	-	-	0.6	0.1	-	-	
26	-	*	-	*	-	-	0.7	0.2	-	-	
27	-	*	-	-	-	-	0.7	0.2	-	-	
28	*	*	-	-	-	-	0.8	0.2	-	-	
29	0.1	0.1	-	*	-	-	0.9	0.3	-	-	
30	0.2	0.1	-	*	-	*	1.4	0.5	-	-	
31	0.3	0.1	-	*	-	*	1.7	0.7	-	-	
32	0.4	0.2	-	*	-	*	2.0	0.9	-	-	
33	0.9	0.3	-	*	-	*	2.5	1.3	-	*	
34	0.9	0.5	-	0.1	-	*	3.0	1.6	-	-	
35	1.2	0.7	-	0.2	*	0.1	3.6	2.1	0.1	*	
36	1.4	1.0	*	0.4	0.1	0.1	4.2	2.6	0.3	*	
37	2.4	1.7	0.1	0.8	0.1	0.2	5.1	3.1	*	0.1	
38	3.6	2.9	0.5	1.5	0.1	0.3	5.6	3.7	0.4	0.1	
39	4.4	4.0	1.2	2.9	*	0.5	6.1	4.4	0.5	0.2	
40	5.7	5.8	5.1	5.5	0.1	1.0	6.4	5.1	1.9	0.3	
41	7.7	7.7	7.3	9.2	0.2	1.7	6.7	5.7	2.2	0.6	
42	7.1	8.5	8.7	12.5	0.2	2.4	7.0	6.4	5.5	1.7	
43	7.9	9.4	14.5	14.7	0.7	3.6	6.9	7.0	8.5	3.6	
44	7.6	10.4	13.3	15.2	5.6	5.5	6.3	7.4	8.0	7.2	
45	11.3	11.4	15.3	12.6	7.1	7.8	5.7	7.9	10.0	14.0	
46	11.5	10.2	11.8	9.6	9.4	9.9	5.5	7.9	12.4	20.2	
47	9.7	8.3	9.4	6.7	12.9	11.5	5.0	7.5	17.1	20.4	
48	5.4	6.5	6.8	4.2	14.7	12.9	3.8	6.5	16.6	15.6	
49	4.0	4.4	3.2	2.0	14.7	12.3	2.7	5.3	7.1	8.9	
50	2.9	2.7	1.8	1.1	14.8	11.0	1.8	3.9	4.3	4.2	
51	1.4	1.6	0.9	0.5	11.0	8.5	1.3	2.9	3.0	1.9	
52	1.1	0.9	0.1	0.2	6.1	5.5	0.8	1.9	1.7	0.7	
53	0.6	0.4	*	*	1.8	3.2	0.4	1.3	0.4	0.2	
54	0.3	0.2	-	*	0.3	1.5	0.2	0.8	0.1	*	
55	*	0.1	-	*	0.1	0.3	0.1	0.4	-	*	
56	*	*	-	*	-	*	*	0.1	-	*	
57	-	-	-	*	-	*	*	*	-	*	
58	-	-	-	*	-	*	*	*	-	*	
59	-	-	-	*	-	-	-	*	-	-	
60 & above	-	-	-	-	-	-	-	*	-	-	
Average	44	44	44	44	48	48	41	43	46	47	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	*	*	-	-	-	-	-	-
25 - 26	-	*	-	*	0.2	*	0.3	0.1	-	-	-	*
27 - 29	*	*	-	*	0.1	0.1	0.8	0.3	-	-	*	*
30 - 32	*	0.1	-	0.1	0.2	0.3	1.4	1.0	-	*	0.4	0.4
33 - 34	0.5	0.7	0.1	0.1	0.4	0.5	6.6	2.1	-	*	1.0	1.3
35 - 36	2.7	1.9	0.3	0.2	1.2	0.9	3.2	3.0	-	0.4	2.4	3.1
37 - 42	28.8	31.6	11.8	10.8	13.1	14.0	27.1	27.5	13.0	20.9	37.9	47.0
43 - 49	63.8	60.3	81.2	76.2	66.7	66.1	60.4	60.8	82.7	76.6	57.1	47.7
50 - 52	3.9	5.0	5.6	10.9	15.1	16.3	0.2	4.2	4.2	2.1	1.2	0.5
53 & above	0.3	0.4	0.9	1.8	2.9	1.9	-	0.9	-	*	*	*
Average	44	44	46	46	46	46	43	44	45	45	43	42
HVI TRASH 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	0.1	0.2	*	0.1	6.5	9.3	18.9	30.5	0.1	*	0.2	0.5
02	3.9	5.0	0.6	2.3	26.0	28.1	42.1	43.1	4.6	1.6	5.4	8.4
03	13.0	17.4	5.3	10.7	26.0	26.5	23.7	19.0	16.5	11.3	17.1	21.8
04	21.2	24.2	14.9	20.0	19.1	17.1	9.6	5.3	24.0	25.3	23.4	25.7
05	21.2	20.8	22.8	22.4	10.7	9.5	3.6	1.5	24.7	26.8	21.5	20.2
06	16.1	14.1	22.2	18.6	5.5	4.7	1.1	0.5	16.6	18.3	14.9	12.3
07	11.0	8.6	16.2	12.5	2.7	2.3	0.5	0.1	8.5	9.5	8.6	6.3
08	6.5	4.8	9.5	7.1	1.4	1.1	0.4	0.1	2.7	4.3	4.4	2.8
09	3.5	2.5	4.9	3.6	0.9	0.6	0.1	*	1.5	1.9	2.2	1.2
10	1.7	1.3	1.9	1.6	0.5	0.3	*	*	0.5	0.7	1.1	0.5
11	0.9	0.6	0.8	0.7	0.3	0.2	*	*	0.1	0.2	0.6	0.2
12	0.4	0.3	0.4	0.3	0.1	0.1	-	-	*	0.1	0.4	0.1
13	0.2	0.1	0.2	0.1	0.1	0.1	-	*	-	*	0.1	*
14	0.1	0.1	0.1	*	*	*	-	-	-	*	0.1	*
15	*	*	*	*	0.1	*	-	-	-	-	*	*
16	*	*	*	*	*	*	-	-	-	-	*	*
17	*	*	*	*	*	*	-	-	-	-	*	*
18 & above	*	*	*	*	-	*	-	-	-	*	*	*
Average	0.53	0.49	0.60	0.55	0.35	0.33	0.24	0.21	0.48	0.51	0.49	0.45
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	-	*	-	*	-	-	-	-
75.5-76.4	*	*	*	*	*	*	*	*	-	-	*	*
76.5-77.4	0.1	0.1	*	*	0.2	*	*	*	0.1	0.1	0.1	0.1
77.5-78.4	0.8	0.8	0.2	0.2	0.6	0.3	*	0.3	0.1	0.3	0.8	0.7
78.5-79.4	6.0	4.5	1.6	1.2	2.9	2.6	0.4	1.2	2.2	3.0	4.5	4.3
79.5-80.4	21.3	20.1	9.6	7.4	11.0	12.1	2.0	3.0	20.8	34.0	17.8	19.3
80.5-81.4	40.9	41.8	28.8	26.4	26.2	31.3	20.1	13.6	56.3	52.3	36.4	39.6
81.5-82.4	23.9	25.9	39.6	37.7	36.8	37.0	36.6	30.0	19.7	9.5	28.9	27.0
82.5-83.4	5.7	5.8	17.4	22.8	17.7	14.0	20.9	19.2	0.8	0.8	9.6	7.7
83.5-84.4	1.1	0.8	2.6	4.2	4.1	2.4	13.0	19.7	0.1	0.1	1.7	1.2
84.5-85.4	0.1	0.1	0.2	0.2	0.5	0.3	5.3	12.3	-	*	0.2	0.1
85.5-86.4	-	*	*	*	0.1	*	1.4	0.6	-	-	*	*
86.5-87.4	-	*	-	*	*	*	0.2	0.1	-	-	-	*
87.5-88.4	-	*	-	*	-	-	-	-	-	-	-	-
88.5-89.4	-	*	-	*	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	81.0	81.0	81.7	81.8	81.6	81.5	82.4	82.7	80.9	80.6	81.2	81.1
Tenderable 3/	62.7	63.9	79.3	71.4	72.0	73.6	90.0	90.7	56.5	61.7	61.3	78.7
SAMPLES CLASSED												
WEEK	33,738		22,806		24,807		6,727		2,259		71,287	
SEASON		652,208		1,141,954		183,773		127,984		61,000		1,454,553

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	-	-	-	-	-	-	*	0.1	*
25 - 26	0.2	0.6	-	*	-	-	-	-	-	-	1.0	0.1
27 - 29	0.3	2.1	-	-	-	*	-	*	-	*	4.7	0.9
30 - 32	0.2	5.7	-	*	-	*	*	*	*	*	7.4	1.9
33 - 34	1.5	10.2	-	*	*	*	0.1	*	0.1	0.2	4.5	3.0
35 - 36	9.8	13.7	-	*	*	0.1	0.4	0.1	0.8	0.5	8.9	7.7
37 - 42	68.7	50.4	-	3.9	9.2	8.5	10.0	7.4	18.8	12.9	35.9	41.7
43 - 49	19.2	17.2	60.6	67.9	67.7	70.1	69.7	78.6	73.3	77.5	31.2	41.8
50 - 52	-	0.1	37.1	25.6	18.0	17.4	18.9	12.7	6.6	8.3	3.8	2.5
53 & above	-	-	2.3	2.5	5.1	3.9	0.9	1.1	0.3	0.7	2.4	0.3
Average	40	38	49	48	47	47	47	47	45	46	40	42
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	1.3	1.6	0.2	0.6	*	0.1	0.1	0.2	0.3	0.2	3.9	5.9
02	6.7	11.4	4.6	9.1	3.1	3.1	4.3	5.5	6.1	5.8	25.5	29.8
03	6.5	17.8	16.5	22.1	19.1	12.5	15.8	16.5	17.7	20.1	25.8	29.6
04	7.7	16.6	27.4	24.9	29.9	21.1	23.4	22.6	24.0	26.4	16.6	16.9
05	9.1	13.8	23.8	19.6	24.0	23.0	22.8	21.4	20.9	21.1	9.9	8.6
06	10.8	11.9	14.4	12.1	13.5	18.5	15.8	15.7	13.9	13.2	6.3	4.7
07	12.8	9.2	7.8	6.4	6.5	11.6	9.4	9.4	8.4	7.0	3.6	2.2
08	12.6	6.8	3.7	3.0	2.5	5.8	4.7	4.9	4.2	3.4	2.4	1.1
09	10.1	4.5	1.2	1.3	0.9	2.6	2.2	2.2	2.3	1.6	2.0	0.6
10	6.9	2.7	0.4	0.5	0.2	1.0	0.9	0.9	1.1	0.7	1.1	0.3
11	4.5	1.6	*	0.2	0.1	0.4	0.4	0.4	0.5	0.3	1.5	0.3
12	3.6	1.0	0.1	0.1	*	0.1	0.2	0.1	0.3	0.1	0.6	0.1
13	2.3	0.5	-	*	*	*	0.1	0.1	0.1	*	0.5	0.1
14	1.5	0.3	-	*	*	*	*	*	0.1	*	0.1	*
15	1.2	0.2	-	*	*	*	*	*	*	*	0.1	*
16	0.6	0.1	-	-	-	*	-	*	-	*	*	*
17	1.0	0.1	-	-	-	*	-	*	-	*	-	-
18 & above	0.9	0.1	-	-	-	*	-	*	*	*	-	-
Average	0.73	0.52	0.47	0.45	0.46	0.52	0.50	0.49	0.49	0.47	0.39	0.33
UNIFORMITY 2/												
72.4 & below	-	*	*	*	-	-	-	*	-	-	-	-
72.5-73.4	-	-	-	*	-	-	-	*	-	-	-	-
73.5-74.4	-	*	0.1	*	-	-	*	*	*	*	-	-
74.5-75.4	-	*	*	*	-	-	*	*	*	*	-	-
75.5-76.4	*	0.1	-	0.1	-	*	*	*	0.1	*	-	-
76.5-77.4	0.2	0.3	0.2	0.3	*	*	0.2	0.1	0.4	0.3	-	*
77.5-78.4	2.4	1.9	0.6	1.4	0.1	*	1.2	0.9	2.9	1.6	0.1	*
78.5-79.4	2.6	6.3	6.2	6.9	0.4	0.3	6.7	4.3	11.3	7.9	0.2	0.7
79.5-80.4	28.5	34.6	23.8	20.5	6.6	2.5	22.9	18.3	30.6	25.3	1.5	3.2
80.5-81.4	48.6	42.6	42.6	36.8	30.2	14.6	35.5	38.4	32.7	35.9	19.5	14.0
81.5-82.4	16.2	12.5	22.8	25.0	40.8	37.0	26.5	29.2	18.7	23.0	44.2	34.3
82.5-83.4	0.6	1.6	3.5	7.4	18.6	35.6	6.1	7.8	3.0	5.3	27.5	42.5
83.5-84.4	0.2	*	0.2	1.5	3.1	9.4	0.8	0.9	0.4	0.7	7.1	5.1
84.5-85.4	0.2	*	-	0.2	0.2	0.6	0.1	0.1	*	0.1	-	0.1
85.5-86.4	0.2	*	-	*	-	*	-	*	-	*	*	*
86.5-87.4	0.1	*	-	*	-	*	-	-	-	*	-	-
87.5-88.4	0.1	*	-	*	-	*	-	-	-	-	-	-
88.5-89.4	0.1	*	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-	-	-
Average	80.8	80.6	80.9	81.0	81.8	82.3	81.0	81.1	80.6	80.8	82.1	82.2
Tenderable 3/	40.6	52.7	32.5	56.9	69.9	68.6	66.0	76.2	78.8	76.2	75.6	90.0
SAMPLES CLASSED												
WEEK	4,390		2,871		22,834		31,238		16,435		2,893	
SEASON		44,442		396,918		734,844		1,257,282		666,870		21,015

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending DECEMBER 27, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
24 & below	*	*	-	-	-	-	0.2	0.1	-	-	
25 - 26	*	*	-	*	-	-	1.2	0.3	-	-	
27 - 29	0.1	0.1	-	*	-	-	2.4	0.8	-	-	
30 - 32	0.9	0.4	-	*	-	*	5.1	2.1	-	-	
33 - 34	1.7	0.8	-	0.1	-	*	5.5	2.9	-	*	
35 - 36	2.6	1.7	*	0.5	0.1	0.2	7.8	4.7	0.3	*	
37 - 42	31.0	30.5	22.8	32.5	0.7	6.2	37.0	28.4	10.5	2.9	
43 - 49	57.4	60.5	74.3	65.1	65.0	63.6	36.0	49.5	79.7	90.0	
50 - 52	5.5	5.2	2.8	1.7	31.9	25.0	4.0	8.7	9.0	6.8	
53 & above	0.8	0.6	*	0.1	2.2	5.0	0.7	2.6	0.5	0.3	
Average	44	44	44	44	48	48	41	43	46	47	
HVI TRASH 1/											
00	-	-	-	-	-	-	-	*	-	-	
01	1.8	1.0	0.2	0.3	1.8	0.8	4.2	4.4	0.1	0.3	
02	19.3	12.9	4.0	5.6	11.9	10.1	23.8	19.9	4.6	10.4	
03	30.8	26.0	11.2	16.1	20.8	22.0	26.8	24.0	21.6	32.3	
04	21.8	24.4	18.1	23.4	23.2	24.5	18.3	19.3	27.5	31.7	
05	12.4	16.4	21.0	22.4	18.3	19.2	11.0	13.1	21.9	16.5	
06	6.5	9.2	17.7	15.6	11.4	11.9	6.5	8.1	14.0	6.0	
07	3.6	4.9	13.0	8.9	6.3	6.4	3.9	4.8	6.7	1.9	
08	1.9	2.5	7.0	4.4	3.3	3.0	2.3	2.8	2.5	0.6	
09	1.0	1.3	4.2	1.9	1.8	1.3	1.3	1.6	0.6	0.2	
10	0.5	0.7	2.0	0.8	0.6	0.5	0.8	0.9	0.3	*	
11	0.2	0.3	0.9	0.3	0.2	0.2	0.5	0.5	0.1	*	
12	0.1	0.2	0.4	0.1	0.2	0.1	0.3	0.3	*	*	
13	0.1	0.1	0.2	0.1	0.1	*	0.1	0.2	-	*	
14	*	0.1	0.1	*	0.1	*	0.1	0.1	-	*	
15	*	*	*	*	-	*	*	0.1	-	*	
16	-	*	-	*	-	*	*	*	-	*	
17	*	*	*	*	*	*	*	*	*	*	
18 & above	*	*	-	*	0.1	*	*	*	-	-	
Average	0.38	0.42	0.55	0.49	0.44	0.44	0.38	0.40	0.46	0.38	
UNIFORMITY 2/											
72.4 & below	-	-	-	-	-	-	*	*	-	-	
72.5-73.4	-	*	-	-	-	-	*	*	-	-	
73.5-74.4	*	*	-	*	-	-	*	*	-	*	
74.5-75.4	*	*	*	*	-	-	0.1	0.1	-	*	
75.5-76.4	*	*	0.1	0.1	-	*	0.3	0.3	-	*	
76.5-77.4	0.3	0.3	0.7	0.4	*	*	1.0	1.0	*	0.2	
77.5-78.4	2.4	1.5	5.4	2.5	0.1	0.2	3.4	2.8	0.9	1.2	
78.5-79.4	12.5	6.9	20.6	12.0	3.9	2.0	11.0	8.2	10.0	8.7	
79.5-80.4	28.6	23.1	38.4	33.8	16.1	12.0	24.9	20.4	30.2	32.2	
80.5-81.4	39.5	37.8	25.1	34.9	34.4	29.6	32.5	30.6	37.2	38.0	
81.5-82.4	14.9	23.7	7.9	13.4	31.1	35.5	20.5	24.5	18.6	16.3	
82.5-83.4	1.5	5.7	1.7	2.6	12.4	17.8	5.6	10.1	2.9	3.2	
83.5-84.4	0.1	0.9	0.1	0.3	1.9	2.7	0.7	1.8	0.1	0.3	
84.5-85.4	*	0.1	-	*	0.2	0.2	*	0.2	-	*	
85.5-86.4	*	*	-	*	-	*	*	*	-	-	
86.5-87.4	*	*	-	-	-	-	*	*	-	-	
87.5-88.4	*	*	-	-	-	-	-	*	-	-	
88.5-89.4	*	*	-	-	-	-	-	*	-	-	
89.5 & above	-	*	-	-	-	-	-	*	-	-	
Average	80.5	80.9	80.1	80.5	81.3	81.6	80.7	80.9	80.7	80.6	
Tenderable 3/	83.9	83.5	72.4	80.5	54.8	46.5	68.5	67.1	81.6	81.6	
SAMPLES CLASSED											
WEEK	26,156		7,476		10,983		315,590		3,295		
SEASON	252,088		284,628		755,502		4,784,821		167,206		

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending DECEMBER 27, 2018

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	0.7	3.4	15.6	21.1	-	-	-	-
	2	0.4	15.2	29.7	23.5	-	-	-	-
	3	-	1.6	0.7	0.4	-	-	-	-
	4	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		1.0	20.2	45.9	44.9	-	-	-	-
02	1	15.6	11.4	3.4	5.8	-	-	-	-
	2	35.5	22.0	42.3	38.5	-	-	-	-
	3	0.7	1.7	5.8	7.6	-	-	-	-
	4	-	*	0.1	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		51.8	35.1	51.5	52.0	-	-	-	-
03	1	1.4	1.9	*	*	-	-	-	-
	2	28.3	23.5	1.2	1.3	-	-	-	-
	3	8.6	7.7	1.0	1.4	-	-	-	-
	4	0.3	0.3	0.2	0.2	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		38.5	33.4	2.4	2.9	-	-	-	-
04	1	-	*	*	*	-	-	-	-
	2	5.1	4.8	*	*	-	-	-	-
	3	3.4	4.9	0.1	0.1	-	-	-	-
	4	-	0.3	*	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		8.5	10.0	0.1	0.1	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	0.1	0.3	-	*	-	-	-	-
	3	-	0.9	*	*	-	-	-	-
	4	-	0.1	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		0.1	1.3	*	*	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	*	-	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE		-	-	-	-	-	-	-	-
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	-	-	-	-	-	-
44		-	0.1	0.1	0.2	-	-	-	-
46		0.3	20.2	3.7	4.2	-	-	-	-
48 & longer		99.7	79.7	96.2	95.6	-	-	-	-
Average		49.3	48.6	49.6	49.3	-	-	-	-
UNIFORMITY		-	-	-	-	-	-	-	-
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	-	*	-	-	-	-
81		-	-	*	*	-	-	-	-
82		-	*	0.2	*	-	-	-	-
83		-	*	1.4	0.3	-	-	-	-
84		-	0.1	2.4	1.9	-	-	-	-
85		5.2	12.8	11.7	11.8	-	-	-	-
86		40.5	45.3	40.2	40.1	-	-	-	-
87		41.7	38.6	39.3	40.5	-	-	-	-
88		12.5	3.2	4.6	5.1	-	-	-	-
89		0.1	*	0.3	0.3	-	-	-	-
90 & above		-	-	*	*	-	-	-	-
Average		86.6	86.3	86.2	86.3	-	-	-	-
SAMPLES CLASSED		-	-	-	-	-	-	-	-
WEEK		768	-	28,155	-	-	-	-	-
SEASON		-	15,574	-	423,745	-	-	-	-

* Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending DECEMBER 27, 2018

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	*	*	-	-	-	-
25 - 26	-	-	0.6	0.1	-	-	-	-
27 - 29	-	-	1.0	0.2	-	-	-	-
30 - 32	-	*	0.7	0.5	-	-	-	-
33 - 34	-	0.3	1.2	1.1	-	-	-	-
35 - 36	6.1	1.8	3.2	3.8	-	-	-	-
37 - 42	78.4	78.7	48.6	51.9	-	-	-	-
43 - 49	15.5	19.1	44.8	42.4	-	-	-	-
50 - 52	-	-	*	*	-	-	-	-
53 & above	-	-	*	*	-	-	-	-
Average	40	41	41	42	-	-	-	-
ALL RANGE MIKE								
24 & below	-	-	*	*	-	-	-	-
25	-	-	0.3	*	-	-	-	-
26	-	-	0.3	*	-	-	-	-
27	-	-	0.4	*	-	-	-	-
28	-	-	0.3	0.1	-	-	-	-
29	-	-	0.3	0.1	-	-	-	-
30	-	-	0.3	0.1	-	-	-	-
31	-	-	0.2	0.1	-	-	-	-
32	-	*	0.2	0.3	-	-	-	-
33	-	0.1	0.4	0.4	-	-	-	-
34	-	0.3	0.8	0.7	-	-	-	-
35	0.3	0.2	0.9	1.4	-	-	-	-
36	5.9	1.7	2.3	2.3	-	-	-	-
37	10.3	4.4	4.0	3.4	-	-	-	-
38	2.7	8.6	4.7	5.3	-	-	-	-
39	7.6	17.3	6.2	7.7	-	-	-	-
40	7.9	19.0	7.4	9.9	-	-	-	-
41	33.7	16.3	10.5	11.5	-	-	-	-
42	16.1	13.1	15.8	14.1	-	-	-	-
43	11.6	11.0	17.7	15.7	-	-	-	-
44	2.6	5.0	14.0	13.6	-	-	-	-
45	1.3	2.4	7.9	8.2	-	-	-	-
46	-	0.6	3.7	3.6	-	-	-	-
47	-	0.1	1.2	1.1	-	-	-	-
48	-	*	0.2	0.3	-	-	-	-
49	-	*	*	*	-	-	-	-
50	-	-	*	*	-	-	-	-
51	-	-	*	*	-	-	-	-
52	-	-	-	*	-	-	-	-
53	-	-	-	*	-	-	-	-
54	-	-	*	*	-	-	-	-
55	-	-	-	*	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
Average	40	41	41	42	-	-	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	*	*	-	-	-	-
32	-	-	*	*	-	-	-	-
33	-	-	0.1	*	-	-	-	-
34	-	-	0.5	*	-	-	-	-
35	-	-	0.4	*	-	-	-	-
36	0.1	*	0.1	0.1	-	-	-	-
37	-	*	0.2	0.4	-	-	-	-
38	0.1	0.5	0.8	1.3	-	-	-	-
39	0.5	3.5	2.5	2.8	-	-	-	-
40	2.9	8.4	2.0	3.7	-	-	-	-
41	4.0	7.4	2.6	3.6	-	-	-	-
42	7.0	7.2	7.0	6.2	-	-	-	-
43	15.0	20.1	13.4	12.9	-	-	-	-
44	27.2	27.7	22.4	21.7	-	-	-	-
45 & above	43.1	25.2	48.0	47.3	-	-	-	-
Average	44	43.2	44.1	44.0	-	-	-	-
EXTRANEEOUS MATTER								
Bark	-	-	*	*	-	-	-	-
Grass	-	0.2	*	0.2	-	-	-	-
Spindle Twist	-	-	0.1	*	-	-	-	-
Preparation	-	*	*	*	-	-	-	-

* Less than 0.05 percent.

Extraneous Matter By State

28-Dec-18

Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Week ending Thursday, December 27, 2018

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	17.3%	-	*	-	0.2%	-	-	-	-	-	-	-	17.6%	-	33,738
Arizona	*	-	2.5%	-	*	-	1.9%	-	-	-	-	-	-	-	4.4%	-	24,807
Arkansas	0.9%	-	4.8%	-	0.2%	-	0.2%	-	*	-	-	-	-	-	6.1%	-	22,806
California	-	-	0.4%	-	0.2%	-	-	-	-	-	*	-	-	-	0.6%	-	6,727
Florida	-	-	26.3%	-	-	-	0.1%	-	-	-	-	-	-	-	26.4%	-	2,259
Georgia	0.1%	-	19.2%	-	*	-	1.1%	-	-	-	-	-	-	-	20.4%	-	71,287
Kansas	-	-	47.7%	-	-	-	-	-	-	-	-	-	-	-	47.7%	-	4,390
Louisiana	-	-	6.9%	-	0.2%	-	2.0%	-	-	-	-	-	-	-	9.2%	-	2,871
Mississippi	0.8%	-	2.4%	-	0.1%	-	0.6%	-	-	-	-	-	-	-	4.0%	-	31,238
Missouri	-	-	0.4%	-	*	-	-	-	-	-	-	-	-	-	0.4%	-	22,834
New Mexico	-	-	2.7%	-	-	-	-	-	-	-	-	-	-	-	2.7%	-	2,893
North Carolina	*	-	3.8%	-	0.3%	-	-	-	-	-	-	-	-	-	4.2%	-	16,435
Oklahoma	-	-	5.7%	-	-	-	-	-	-	-	-	-	-	-	5.7%	-	26,156
South Carolina	*	-	5.1%	-	0.2%	-	-	-	-	-	-	-	-	-	5.3%	-	7,476
Tennessee	*	-	2.0%	-	-	-	0.1%	-	-	-	-	-	-	-	2.1%	-	10,983
Texas	*	-	8.8%	-	*	-	0.6%	-	*	-	-	-	*	-	9.4%	-	315,590
Virginia	-	-	0.5%	-	-	-	-	-	-	-	-	-	-	-	0.5%	-	3,295
United States	0.1%	-	9.2%	-	*	-	0.6%	-	*	-	*	-	*	-	9.9%	*	605,785

* Less than 0.05 percent.

Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Season ending Thursday, December 27, 2018

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	-	11.2%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	11.5%	*	652,208
Arizona	*	-	1.1%	-	*	-	1.7%	-	-	-	-	-	-	-	2.8%	-	183,773
Arkansas	0.1%	-	1.5%	-	0.2%	-	*	-	*	-	*	-	*	-	1.7%	-	1,141,954
California	*	-	0.1%	-	0.1%	-	-	-	-	-	*	-	-	-	0.2%	-	127,984
Florida	*	-	22.2%	*	*	-	0.3%	-	-	-	-	-	-	-	22.6%	*	61,000
Georgia	*	-	11.6%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	11.9%	*	1,454,553
Kansas	-	-	27.2%	-	*	-	0.1%	-	-	-	-	-	*	-	27.3%	-	44,442
Louisiana	*	-	2.5%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	2.7%	-	396,918
Mississippi	0.5%	-	1.0%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	1.9%	*	1,257,282
Missouri	*	-	0.7%	-	0.1%	-	*	-	*	-	-	-	*	-	0.8%	-	734,844
New Mexico	-	-	1.0%	-	-	-	-	-	-	-	-	-	-	-	1.0%	-	21,015
North Carolina	*	-	2.1%	-	0.1%	-	-	-	*	-	-	-	-	-	2.2%	-	666,870
Oklahoma	*	-	4.5%	-	*	-	*	-	*	-	-	-	-	-	4.5%	-	252,088
South Carolina	*	-	4.1%	-	0.1%	-	*	-	-	-	-	-	*	-	4.2%	-	284,628
Tennessee	*	-	0.4%	-	*	-	*	-	*	-	-	-	-	-	0.4%	-	755,502
Texas	*	-	6.4%	-	0.2%	-	1.2%	-	*	-	-	-	*	*	7.9%	*	4,784,821
Virginia	*	-	0.3%	-	*	-	-	-	-	-	-	-	-	-	0.3%	-	167,206
United States	0.1%	-	5.1%	*	0.1%	*	0.5%	-	*	-	*	-	*	*	5.8%	*	12,987,088

* Less than 0.05 percent.