



State	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
<i>UPLAND</i>								
AL	26	73.9	60.5	58,343	26	74.2	61.1	103,124
AR	27	96.0	88.8	100,072	27	96.2	88.5	328,696
AZ	7	76.4	45.3	16,023	7	85.5	46.7	42,114
CA	6	93.9	83.4	9,655	6	95.0	84.3	18,023
FL	2	69.4	67.8	3,050	2	69.1	67.2	3,653
GA	48	66.5	58.0	100,772	48	65.0	56.0	180,740
KS	2	14.1	2.10	1,509	2	14.1	2.10	1,509
LA	17	86.7	68.3	40,145	17	88.9	72.9	156,136
MO	16	94.9	85.5	35,414	16	92.6	80.1	78,605
MS	36	87.1	63.9	113,825	36	87.0	63.1	335,371
NC	10	92.2	82.2	3,897	10	93.1	82.2	4,834
NM	2	96.0	74.4	546	2	96.0	74.4	546
OK	10	92.3	82.7	18,524	11	87.8	75.0	43,723
SC	9	93.6	82.6	7,386	10	93.2	82.2	11,438
TN	20	86.2	64.2	49,586	20	85.5	60.7	132,962
TX	139	79.4	64.4	289,701	151	84.7	71.0	1,767,589
VA	-	-	-	-	-	-	-	-
United States	377	82.3	67.6	848,448	391	85.2	70.5	3,209,063
<i>AMERICAN PIMA</i>								
AZ	-	-	-	-	-	-	-	-
CA	5	-	-	17,506	5	-	-	22,449
NM*	-	-	-	-	-	-	-	-
TX*	-	-	-	-	-	-	-	-
United States	7	-	-	18,183	7	-	-	23,126
United States all cotton	382	-	-	866,631	396	-	-	3,232,189

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	0.2	0.2	0.3	0.5	85.1	74.8	49.3	56.2	*	0.1	0.1	0.1
	3	0.4	0.5	0.4	0.6	2.4	2.3	10.9	10.2	0.1	0.1	0.1	0.2
	4	*	*	*	*	*	*	2.7	1.8	-	-	*	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.6	0.8	0.7	1.1	87.5	77.2	63.0	68.2	0.1	0.1	0.2
31	1-2	1.9	2.1	1.8	3.2	2.8	1.2	22.9	19.7	0.9	2.9	1.3	1.5
	3	22.4	21.4	20.9	24.7	2.9	1.2	8.1	7.9	16.1	20.9	15.4	13.9
	4	14.3	13.9	11.2	11.9	0.2	0.2	4.9	3.4	5.6	4.9	8.5	6.8
	5	1.1	1.1	0.6	0.6	-	*	0.4	0.2	0.2	0.2	0.4	0.3
	6	*	*	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	39.7	38.6	34.5	40.4	5.8	2.6	36.4	31.3	22.9	28.8	25.5
41	1-2	0.2	0.3	0.4	0.4	-	-	0.2	0.1	0.3	0.3	0.3	0.3
	3	10.9	10.2	14.8	14.4	*	*	0.2	0.1	20.1	17.5	13.9	14.1
	4	22.9	22.4	34.7	31.2	*	*	-	*	25.5	21.5	28.4	27.1
	5	6.9	7.3	11.9	10.5	-	-	-	-	5.1	4.3	7.8	7.1
	6	0.6	0.5	0.9	0.7	-	-	-	-	0.1	0.1	0.6	0.5
	7	*	*	-	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*
	Total	----	41.5	40.6	62.8	57.2	*	*	0.5	0.3	51.1	43.7	51.0
51	1-2	-	-	-	*	-	-	-	-	*	*	-	-
	3	0.1	0.2	0.1	*	-	-	-	-	1.4	1.1	0.1	0.2
	4	1.0	1.4	0.4	0.2	-	-	-	-	3.6	3.0	1.2	1.1
	5	0.6	0.9	0.4	0.3	-	-	-	-	0.7	0.5	1.4	1.4
	6	0.1	0.2	0.2	0.1	-	-	-	-	-	-	0.3	0.3
	7	*	*	-	*	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	1.8	2.6	1.1	0.6	-	-	-	-	5.6	4.7	3.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	*	*	-	*	4.5	16.2	*	0.1	-	-	*	*
	3	*	*	-	*	1.7	3.4	*	*	-	-	*	0.1
	4	-	*	-	-	0.2	0.1	-	-	-	-	-	*
	5	-	-	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	-	*	6.4	19.7	0.1	0.1	-	-	*
32	1-2	0.1	0.2	*	*	*	0.1	0.1	*	-	0.2	0.1	0.1
	3	1.6	1.7	0.1	0.1	0.1	0.1	0.1	0.1	-	0.3	0.9	1.4
	4	1.0	0.8	*	0.1	0.1	*	-	*	-	*	0.4	0.6
	5	0.1	0.1	*	*	-	-	-	-	-	-	*	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	3.0	2.9	0.1	0.2	0.2	0.2	0.1	0.1	-	0.5	1.5
42	1-2	0.1	0.1	*	*	-	*	*	*	0.1	0.1	0.1	0.2
	3	3.3	2.8	0.1	0.1	-	-	-	*	1.3	3.1	3.4	5.0
	4	4.7	4.2	0.3	0.2	-	-	-	*	2.6	2.4	6.4	8.1
	5	1.6	1.7	0.3	0.1	-	-	-	-	0.7	0.5	1.9	2.2
	6	0.1	0.2	0.1	*	-	-	-	-	*	*	0.2	0.2
	7	*	*	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	9.9	9.0	0.8	0.5	-	*	*	*	4.7	6.2	11.9

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	*	-	*	-	-	-	-	0.1	0.1	*	*
	3	0.2	0.7	*	*	-	-	-	-	2.6	2.4	0.4	0.4
	4	1.0	1.6	*	*	-	-	-	-	7.1	6.2	2.2	1.8
	5	0.9	1.0	*	*	-	-	-	-	3.2	2.7	1.9	1.6
	6	0.3	0.3	*	*	-	-	-	-	0.4	0.4	0.4	0.4
	7	*	*	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	2.4	3.5	*	*	-	-	-	-	13.4	11.7	5.0
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	-	*
	4	0.1	0.2	-	*	-	-	-	-	-	-	*	*
	5	*	0.1	-	-	-	-	-	-	*	*	*	*
	6	*	*	-	-	-	-	-	-	-	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	0.4	-	*	-	-	-	-	*	*	0.1
13 & 23	1-2	-	-	-	-	-	0.2	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	0.3	-	-	-	-	-
33	1-2	-	-	-	-	-	*	-	-	-	-	-	*
	3	*	*	-	*	*	*	-	-	-	-	*	0.1
	4	*	*	*	*	*	*	-	-	-	-	*	*
	5	*	*	*	*	-	-	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	*	*	*	*	-	-	-	-	*
43	1-2	*	*	-	-	-	-	-	-	*	*	*	*
	3	0.1	0.1	-	*	-	-	-	-	0.3	0.3	0.2	0.3
	4	0.2	0.2	*	*	-	-	-	-	0.1	0.1	0.4	0.7
	5	*	*	*	*	-	-	-	-	-	-	0.1	0.2
	6	-	*	*	*	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.3	0.3	*	*	-	-	-	-	0.4	0.4	0.7
53	1-2	-	*	-	*	-	-	-	-	-	*	*	*
	3	0.1	0.3	-	*	-	-	-	-	0.6	1.7	0.2	0.1
	4	0.2	0.4	-	*	-	-	-	-	0.8	1.8	0.4	0.5
	5	0.1	0.2	-	-	-	-	-	-	0.4	0.4	0.2	0.3
	6	*	*	-	-	-	-	-	-	-	-	0.1	0.1
	7	*	*	-	-	-	-	-	-	-	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
	Total	----	0.5	1.0	-	*	-	-	-	-	1.7	3.8	0.8
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	*	*
	4	0.1	0.1	-	-	-	-	-	-	-	-	*	0.1
	5	*	0.1	-	*	-	-	-	-	-	-	0.1	0.1
	6	*	*	-	-	-	-	-	-	-	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*
	Total	----	0.1	0.1	-	*	-	-	-	-	-	-	0.2
24 - 54	1-8	*	*	-	*	-	-	-	-	-	-	*	*
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1-8	-	*	-	-	-	-	-	-	-	-	-	*
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	*	*	-	-	-	-	*	*
32		*	*	-	-	0.2	0.1	-	-	-	-	0.1	0.1
33		0.4	0.3	*	*	1.2	0.5	*	*	*	2.4	0.4	0.6
34		1.7	2.8	0.1	*	4.7	2.6	0.5	1.1	1.0	7.0	1.5	2.6
35		5.9	7.8	0.3	0.3	13.3	8.8	3.1	4.2	2.4	6.3	6.7	8.2
36		14.6	16.0	2.5	3.0	28.3	27.4	12.3	14.4	8.4	7.8	17.7	18.6
37		31.3	32.5	18.7	23.8	34.4	35.9	49.4	34.6	31.0	28.7	33.9	34.2
38		25.7	24.8	20.9	24.0	14.4	18.6	25.4	25.3	36.0	30.1	25.9	23.9
39		16.2	12.9	28.3	27.7	3.3	6.0	7.9	18.5	19.8	16.6	12.2	10.5
40 & Longer		4.3	3.0	29.2	21.0	0.2	0.2	1.2	1.9	1.4	1.2	1.6	1.5
Average Staple		37.38	37.18	38.67	38.42	36.47	36.76	37.25	37.42	37.64	37.16	37.18	37.04
Average Length		1.17	1.16	1.21	1.20	1.14	1.15	1.16	1.17	1.18	1.16	1.16	1.16

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	17.6	17.6	0.7	3.0	1.3	3.2	0.9	1.3	0.3	0.6	85.2	85.2
	3	42.1	42.1	2.1	6.2	0.8	1.1	1.0	2.1	0.4	1.0	2.0	2.0
	4	3.9	3.9	0.2	0.4	*	*	0.1	0.1	*	*	-	-
	5	0.1	0.1	-	*	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	63.8	63.8	3.1	9.6	2.1	4.3	2.0	3.5	0.7	1.7	87.2	87.2
31	1-2	0.4	0.4	0.4	1.7	13.4	18.1	1.7	3.1	12.2	12.5	12.5	12.5
	3	14.6	14.6	13.6	21.0	37.6	37.2	16.8	25.6	35.6	40.9	0.4	0.4
	4	14.5	14.5	10.1	14.3	7.6	7.4	13.5	17.2	16.4	15.0	-	-
	5	2.0	2.0	0.5	0.7	0.4	0.4	1.0	1.4	0.8	0.9	-	-
	6	-	-	-	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	31.5	31.5	24.6	37.7	59.0	63.2	33.0	47.4	65.0	69.4	12.8	12.8
41	1-2	0.1	0.1	0.3	0.3	0.6	0.9	0.1	0.2	1.6	1.3	-	-
	3	-	-	15.2	11.9	14.3	12.5	10.7	8.8	8.1	6.9	-	-
	4	0.6	0.6	35.4	26.0	19.8	15.5	35.0	25.5	14.4	11.8	-	-
	5	0.9	0.9	8.7	6.0	3.7	3.3	13.4	10.0	5.2	4.3	-	-
	6	-	-	0.3	0.2	0.1	0.1	0.9	0.8	0.2	0.2	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	1.6	1.6	59.9	44.4	38.5	32.3	60.2	45.4	29.6	24.5	-	-
51	1-2	-	-	-	-	-	*	-	-	-	-	-	-
	3	-	-	0.2	0.1	*	*	0.1	0.1	*	*	-	-
	4	-	-	0.6	0.6	0.1	*	0.8	0.4	0.1	0.1	-	-
	5	-	-	0.2	0.3	*	*	0.7	0.3	0.1	0.1	-	-
	6	-	-	0.1	*	-	-	0.2	0.1	-	-	-	-
	7	-	-	*	*	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	1.2	1.0	0.1	0.1	1.8	0.8	0.3	0.2	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	0.3	0.3	*	*	-	-	-	*	-	-	-	-
	3	0.2	0.2	*	0.1	-	-	*	*	-	0.1	-	-
	4	0.5	0.5	*	*	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.9	0.9	0.1	0.1	-	-	*	*	-	0.1	-	-
32	1-2	-	-	*	0.1	-	-	*	*	0.7	0.6	-	-
	3	-	-	0.7	0.9	*	*	0.3	0.4	0.6	0.9	-	-
	4	-	-	0.7	0.6	*	*	0.4	0.5	0.6	0.6	-	-
	5	0.1	0.1	0.1	0.1	*	*	0.1	0.1	0.1	0.1	-	-
	6	-	-	-	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	0.1	0.1	1.4	1.7	0.1	*	0.7	1.0	2.0	2.2	-	-
42	1-2	-	-	*	*	-	-	*	*	*	*	-	-
	3	-	-	1.0	0.7	0.1	*	0.3	0.3	0.5	0.4	-	-
	4	-	-	5.3	2.9	0.1	*	1.0	1.0	1.4	1.1	-	-
	5	-	-	2.0	1.1	-	-	0.7	0.6	0.5	0.4	-	-
	6	-	-	0.1	0.1	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	8.3	4.8	0.2	0.1	2.0	1.8	2.3	1.9	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	-	-	*	-	-	-	*	-	-	-	-
	3	-	-	*	*	-	*	*	*	-	-	-	-
	4	-	-	0.3	0.2	*	*	0.1	*	-	-	-	-
	5	-	-	0.2	0.1	-	-	0.1	0.1	-	*	-	-
	6	-	-	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	0.6	0.3	*	*	0.2	0.1	-	*	-
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	*	-	-	*	*	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	-	-	-	*	-
33	1-2	-	-	*	*	-	-	-	-	-	-	-	-
	3	-	-	0.1	*	-	-	*	*	-	-	-	-
	4	-	-	0.2	0.1	-	-	*	*	-	-	-	-
	5	-	-	*	*	-	-	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	0.2	0.1	-	-	*	*	-	-	-
43	1-2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	0.1	*	-	-	*	*	-	-	-	-
	4	-	-	0.3	0.1	-	-	*	*	-	-	-	-
	5	-	-	0.1	0.1	-	-	*	*	-	-	-	-
	6	-	-	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	0.6	0.2	-	-	0.1	*	-	-	-
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	*	*	-	-	-	*	-	-	-	-
	4	-	-	*	*	-	-	-	*	-	-	-	-
	5	-	-	*	*	-	-	-	*	-	-	-	-
	6	0.1	0.1	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	0.1	*	*	-	-	-	*	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	-	-	-	-	*	*	-	-	-
24 - 54	1-8	1.6	1.6	*	*	-	-	-	*	-	-	-	-
25 - 35	1-8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1-8	0.5	0.5	-	-	-	-	*	*	-	-	-	-
STAPLE													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		-	-	-	-	-	-	-	-	-	-	-	-
32		5.0	5.0	-	-	-	-	*	*	-	-	-	-
33		0.3	0.3	*	*	-	-	*	*	-	-	-	-
34		0.1	0.1	*	0.1	-	*	0.1	0.2	0.1	0.1	0.2	0.2
35		58.1	58.1	0.5	0.7	*	0.2	1.5	1.5	2.7	2.3	1.6	1.6
36		34.2	34.2	1.4	2.8	1.5	2.3	3.4	5.3	8.8	10.1	27.8	27.8
37		2.3	2.3	16.1	16.9	19.4	26.6	14.4	17.4	28.1	32.3	47.8	47.8
38		-	-	27.1	25.8	31.4	28.8	23.2	27.6	34.2	32.0	11.2	11.2
39		-	-	33.0	32.0	30.4	26.7	33.3	31.8	18.0	15.6	7.3	7.3
40 & Longer		-	-	21.9	21.7	17.4	15.4	24.1	16.3	8.1	7.6	4.0	4.0
Average Staple		35.23	35.23	38.61	38.54	38.45	38.27	38.59	38.33	37.80	37.71	37.07	37.07
Average Length		1.10	1.10	1.21	1.21	1.20	1.20	1.21	1.20	1.18	1.18	1.16	1.16

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct. 78.3	Pct. 77.5	Pct. *	Pct. *	Pct. 2.1	Pct. 8.8	Pct. 48.9	Pct. 27.4	Pct. -	Pct. -	
	3	4.9	4.6	0.1	0.1	1.2	2.1	12.1	10.9	-	-	
	4	*	*	-	*	*	*	0.8	0.8	-	-	
	5	-	-	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	83.3	82.2	0.1	0.1	3.4	11.0	61.9	39.2	-	-
	31	1-2	7.0	6.4	0.7	0.8	18.5	21.0	1.9	4.1	-	-
3		4.7	4.7	17.2	20.6	47.8	43.4	9.5	19.8	-	-	
4		1.0	1.2	8.6	11.3	10.1	9.2	3.9	7.7	-	-	
5		*	0.1	0.3	0.5	0.3	0.2	0.5	0.7	-	-	
6		-	*	-	*	-	-	*	*	-	-	
7		-	-	-	-	-	-	*	*	-	-	
8		-	-	-	-	-	-	-	-	-	-	
Total		----	12.7	12.5	26.8	33.2	76.7	73.8	15.9	32.3	-	-
41		1-2	*	*	0.1	0.1	0.7	0.4	0.3	0.8	-	-
	3	*	0.1	16.8	14.3	7.2	4.6	2.9	6.3	-	-	
	4	0.1	0.1	40.5	37.5	7.8	5.7	2.9	5.2	-	-	
	5	0.1	0.1	12.3	11.2	1.2	1.0	0.7	1.1	-	-	
	6	0.1	0.1	0.6	0.6	*	*	0.2	0.2	-	-	
	7	*	*	-	-	-	-	*	*	-	-	
	8	-	-	-	-	-	-	*	*	-	-	
	Total	----	0.4	0.3	70.3	63.7	17.0	11.7	7.0	13.6	-	-
	51	1-2	-	-	-	-	*	*	*	*	-	-
3		-	-	*	*	*	*	0.3	0.3	-	-	
4		-	-	0.1	0.2	*	*	0.3	0.3	-	-	
5		-	-	0.1	0.2	*	*	0.1	0.1	-	-	
6		-	-	*	*	-	-	0.1	*	-	-	
7		-	-	-	-	-	-	*	*	-	-	
8		-	-	-	-	-	-	*	*	-	-	
Total		----	-	-	0.3	0.5	*	*	0.8	0.7	-	-
61		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	*	-	-	
	4	-	-	0.1	*	-	-	-	*	-	-	
	5	-	-	-	-	-	-	-	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	-	0.1	*	-	-	*	*	-	-
	71	1-2	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
8		-	-	-	-	-	-	-	-	-	-	
Total		----	-	-	-	-	-	-	-	*	-	-
12 & 22		1-2	1.4	1.9	-	-	*	0.1	2.9	2.7	-	-
	3	0.9	0.9	-	*	*	*	1.6	1.4	-	-	
	4	*	*	-	-	*	*	0.2	0.2	-	-	
	5	-	-	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	2.3	2.8	-	*	*	0.1	4.7	4.3	-	-
	32	1-2	0.2	0.1	-	-	0.3	0.5	0.1	0.3	-	-
3		0.4	0.2	0.1	0.1	1.7	1.8	1.1	1.4	-	-	
4		0.1	0.2	0.3	0.3	0.3	0.3	0.8	1.0	-	-	
5		*	0.1	*	*	*	*	0.1	0.3	-	-	
6		-	*	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	*	*	-	-	
8		-	-	-	-	-	-	-	-	-	-	
Total		----	0.8	0.6	0.5	0.5	2.3	2.7	2.2	2.9	-	-
42		1-2	*	*	-	-	*	*	0.2	0.2	-	-
	3	*	*	0.3	0.4	0.3	0.3	0.9	1.1	-	-	
	4	*	*	1.2	1.1	0.2	0.2	1.3	1.4	-	-	
	5	*	0.1	0.5	0.4	*	*	0.5	0.6	-	-	
	6	*	*	*	*	-	-	0.2	0.2	-	-	
	7	-	*	-	-	-	-	*	*	-	-	
	8	-	*	-	-	-	-	*	*	-	-	
	Total	----	0.1	0.3	2.0	1.9	0.6	0.5	3.2	3.5	-	-

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	-	-	-	*	*	0.1	0.1	-	-
	3	-	-	-	-	*	*	0.5	0.4	-	-
	4	-	-	0.1	0.1	*	*	0.8	0.5	-	-
	5	-	-	*	*	-	-	0.5	0.3	-	-
	6	-	-	-	-	-	*	0.2	0.1	-	-
	7	-	-	-	-	-	-	0.1	*	-	-
	8	-	-	-	-	-	-	*	*	-	-
	Total	----	-	-	0.1	0.1	*	0.1	2.3	1.5	-
62	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	*	-	-
	Total	----	-	-	-	-	-	-	*	*	-
13 & 23	1-2	0.1	0.3	-	-	*	*	0.1	0.2	-	-
	3	0.1	0.3	-	-	-	-	0.2	0.1	-	-
	4	*	*	-	-	-	-	*	*	-	-
	5	-	*	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	0.6	-	-	*	*	0.3	0.3	-
33	1-2	*	*	-	-	*	*	*	*	-	-
	3	0.1	0.2	-	-	*	*	0.1	0.1	-	-
	4	0.1	0.1	-	-	*	*	0.1	0.1	-	-
	5	*	*	-	-	-	*	*	*	-	-
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.3	0.3	-	-	0.1	0.1	0.2	0.2	-
43	1-2	-	-	-	-	*	*	*	*	-	-
	3	-	*	-	-	*	*	0.1	0.1	-	-
	4	*	*	-	-	*	*	0.3	0.3	-	-
	5	-	*	-	-	-	-	0.1	0.2	-	-
	6	-	0.1	-	-	-	-	*	*	-	-
	7	*	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
	Total	----	*	0.1	-	-	*	*	0.6	0.6	-
53	1-2	-	*	-	-	-	*	*	*	-	-
	3	-	-	-	-	-	*	0.1	0.1	-	-
	4	-	-	-	-	-	*	0.3	0.2	-	-
	5	-	*	-	-	-	-	0.3	0.2	-	-
	6	-	*	-	-	-	-	0.1	0.1	-	-
	7	-	*	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	*	*	-	-
	Total	----	-	*	-	-	-	*	0.9	0.7	-
63	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	8	-	*	-	-	-	-	-	*	-	-
	Total	----	-	*	-	-	-	-	*	*	-
24 - 54	1-8	*	0.2	-	-	-	-	0.1	0.1	-	-
25 - 35	1-8	-	*	-	-	-	-	-	*	-	-
81 - 85	1-8	-	0.1	-	-	-	-	*	*	-	-
STAPLE											
28 & Shorter		-	*	-	-	-	-	*	*	-	-
29		-	*	-	-	-	-	*	*	-	-
30		*	0.1	-	-	-	-	0.1	*	-	-
31		0.1	0.9	-	-	-	-	0.4	0.2	-	-
32		1.8	2.6	-	-	-	-	1.6	0.9	-	-
33		3.6	4.6	-	-	*	*	4.2	2.5	-	-
34		5.7	7.0	*	*	0.3	0.1	9.7	6.2	-	-
35		6.6	6.2	3.8	4.5	3.1	3.6	16.8	13.6	-	-
36		9.6	11.4	8.0	8.5	17.8	19.0	21.4	25.2	-	-
37		21.6	26.6	19.0	16.6	39.5	37.9	25.7	31.5	-	-
38		28.4	23.9	28.4	33.9	25.4	25.2	12.9	13.8	-	-
39		17.4	12.7	30.5	28.4	11.4	12.4	5.3	4.8	-	-
40 & Longer		5.2	4.1	10.3	8.1	2.5	1.7	2.0	1.2	-	-
Average Staple		37.15	36.79	38.05	37.98	37.31	37.29	36.18	36.40	-	-
Average Length		1.16	1.15	1.19	1.19	1.17	1.16	1.13	1.14	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	0.6	0.7	0.5	0.7	-	-	-	*	1.1	0.9	0.8	0.8
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	*	-	-	0.6	0.3	0.1	0.1	0.1	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	*	*	-	-	-	-	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	7.4	6.6	-	*	5.9	2.2	-	-	17.6	14.8	18.1	14.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	*	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	-	-	-	-	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.3	0.1	*	*	-	-	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	-	-	-	*	*
23	*	*	-	-	-	*	-	-	-	-	-	*
24	0.1	0.4	-	*	*	*	*	*	-	-	*	*
25	0.1	0.3	*	*	0.3	0.3	0.2	0.1	0.1	0.1	0.2	0.3
26	0.3	0.5	*	0.1	2.0	1.2	1.1	0.6	0.4	3.8	0.8	1.3
27	0.8	1.5	0.3	0.5	6.3	6.4	2.8	2.0	3.2	3.9	3.6	5.2
28	4.0	6.0	1.3	2.2	16.6	23.5	3.9	3.3	8.7	10.9	10.4	13.1
29	17.4	22.6	7.4	9.0	21.6	25.9	12.3	13.4	27.9	28.1	22.4	23.5
30	31.4	31.5	22.8	23.5	24.5	18.8	15.5	19.8	38.9	33.3	28.9	27.2
31	27.0	22.3	34.0	30.2	16.3	14.9	11.4	12.9	15.4	14.5	19.4	16.7
32	12.3	9.8	20.3	19.8	8.1	7.0	10.0	9.8	3.0	3.3	9.5	8.0
33	5.0	3.8	8.5	9.0	2.2	1.2	11.9	6.9	1.6	1.3	3.4	3.1
34	1.3	1.0	4.1	4.6	2.0	0.8	4.0	4.3	0.7	0.5	1.1	1.1
35	0.3	0.2	1.0	1.1	0.1	0.1	13.8	14.1	0.2	0.2	0.3	0.3
36	0.1	0.1	0.2	0.1	*	*	10.7	11.0	-	-	0.1	0.1
37	*	*	*	*	-	-	2.1	1.3	-	-	*	*
38	-	-	*	*	-	-	0.2	0.2	-	-	-	-
39	-	-	-	-	-	-	*	0.1	-	-	-	-
40 & Above	-	-	-	-	-	-	*	0.1	-	-	-	-
Average	30.88	30.59	31.57	31.51	30.10	29.83	32.44	32.35	30.19	29.96	30.42	30.22
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-	-	-	-	*
2.9	-	-	-	-	-	-	0.2	0.1	-	-	-	*
3.0	-	*	*	*	-	-	-	-	-	-	*	*
3.1	-	*	*	*	-	-	-	-	-	-	*	*
3.2	*	*	-	*	-	-	-	-	-	-	-	-
3.3	*	*	*	*	-	-	-	-	-	-	*	*
3.4	0.1	0.1	0.2	0.1	-	-	0.7	0.6	-	-	*	*
3.5	0.2	0.2	0.2	0.4	*	*	0.5	0.8	-	-	0.1	*
3.6	0.6	0.4	0.5	0.8	*	*	*	0.4	-	-	0.2	0.1
3.7	1.0	0.8	0.9	1.3	*	*	1.2	0.9	-	-	0.5	0.3
3.8	1.5	1.3	1.7	2.0	0.1	*	5.7	3.4	0.5	0.4	0.9	0.6
3.9	2.8	2.3	2.1	3.3	0.2	0.2	8.1	5.5	1.9	1.6	1.7	1.4
4.0	4.5	3.6	3.4	4.6	0.6	0.4	11.2	8.9	2.9	2.4	3.2	2.7
4.1	5.5	4.5	6.3	7.1	1.2	1.2	7.2	8.2	3.5	2.9	5.1	4.7
4.2	6.7	6.1	9.5	10.4	3.6	3.7	6.4	9.6	7.9	6.6	8.7	8.0
4.3	8.4	8.1	13.3	12.5	4.6	5.7	8.9	11.0	11.4	10.0	10.3	10.6
4.4	10.8	11.6	16.1	14.8	7.1	9.8	12.0	13.2	17.8	20.2	13.3	14.1
4.5	10.7	12.7	17.0	14.9	8.4	13.0	9.9	9.6	22.2	21.0	14.8	14.9
4.6	11.4	13.0	12.5	11.7	11.5	14.0	6.5	6.5	13.0	13.6	14.0	14.3
4.7	11.0	11.8	7.8	7.6	13.5	14.4	7.0	7.9	10.9	9.5	10.4	10.6
4.8	8.9	8.7	4.9	4.6	14.9	13.7	6.0	4.8	3.9	3.3	7.2	7.3
4.9	6.2	6.0	2.1	2.2	13.4	10.7	3.9	4.5	1.5	2.6	4.5	4.8
5.0	4.1	4.0	1.0	1.0	9.2	6.4	2.5	2.0	1.3	4.2	2.8	3.1
5.1	2.7	2.6	0.4	0.4	6.5	4.0	1.4	0.8	0.8	1.5	1.4	1.5
5.2	1.4	1.2	0.1	0.1	3.1	1.8	0.5	0.5	0.4	0.4	0.5	0.6
5.3	1.0	0.7	*	*	1.2	0.5	0.1	0.3	*	*	0.1	0.2
5.4	0.5	0.3	*	*	0.4	0.2	-	0.1	-	-	*	0.1
5.5 & Above	*	*	-	*	0.2	0.1	-	0.1	-	-	*	0.1
Average	4.51	4.52	4.40	4.38	4.72	4.66	4.33	4.35	4.46	4.49	4.48	4.50

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter												
Bark - Level 1	15.0	15.0	0.1	0.4	*	*	0.6	0.4	0.2	0.1	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	*	*	0.1	0.1	0.1	*	-	*	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	-	*	-	-	-	-	-	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	-	-	-	-	-	-	*	-	-	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	-	*	*	*	*	*	*	-	-	-	-
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/												
22 & Below	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	*	*	-	-	-	-
25	1.9	1.9	-	*	*	*	*	*	-	-	-	-
26	3.8	3.8	*	*	*	*	0.1	0.2	0.1	0.1	0.2	0.2
27	1.7	1.7	0.1	0.1	0.1	0.2	0.7	0.8	0.4	0.4	1.5	1.5
28	1.5	1.5	0.4	0.8	0.6	1.2	2.5	3.3	1.6	1.5	24.7	24.7
29	34.5	34.5	5.6	5.3	4.5	4.7	11.8	13.6	4.4	4.0	46.0	46.0
30	43.7	43.7	25.3	23.6	22.2	21.0	29.0	28.5	13.6	12.7	16.3	16.3
31	12.8	12.8	31.0	30.4	37.4	37.3	32.0	28.1	31.1	32.3	-	-
32	0.1	0.1	15.6	16.4	24.5	24.1	14.3	14.5	15.6	18.0	7.7	7.7
33	-	-	15.4	11.2	6.7	7.7	6.3	7.0	8.8	9.4	3.7	3.7
34	-	-	5.7	8.0	2.5	2.7	2.4	3.0	18.3	16.3	-	-
35	-	-	0.7	3.3	1.1	0.9	0.8	0.9	5.8	5.0	-	-
36	-	-	0.1	0.8	0.4	0.2	0.1	0.1	0.4	0.4	-	-
37	-	-	*	0.1	*	*	*	*	-	-	-	-
38	-	-	-	*	*	*	*	*	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	29.92	29.92	31.74	31.89	31.64	31.63	31.19	31.17	32.27	32.24	29.64	29.64
Mike												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-	-	-	-	-
2.8	0.6	0.6	-	-	-	-	-	-	-	-	-	-
2.9	2.2	2.2	-	-	-	-	-	-	-	-	-	-
3.0	20.8	20.8	-	-	-	-	-	-	-	-	-	-
3.1	10.8	10.8	-	-	-	-	-	*	-	-	-	-
3.2	9.5	9.5	*	*	-	-	*	*	-	-	-	-
3.3	23.2	23.2	0.1	*	*	*	*	*	0.7	0.6	-	-
3.4	17.8	17.8	0.1	0.1	0.2	0.1	*	*	1.3	1.0	-	-
3.5	11.8	11.8	0.1	0.1	0.1	0.2	*	*	0.8	0.7	-	-
3.6	0.9	0.9	0.2	0.2	0.3	0.2	*	*	1.2	1.0	-	-
3.7	0.7	0.7	0.4	0.3	0.7	0.8	0.1	0.1	1.8	1.5	-	-
3.8	0.9	0.9	0.7	0.6	1.3	1.7	0.2	0.2	4.0	3.4	-	-
3.9	0.7	0.7	1.1	1.1	3.7	2.9	0.3	0.4	6.4	5.9	-	-
4.0	-	-	1.4	1.9	6.5	4.3	0.7	0.9	5.6	5.2	3.8	3.8
4.1	-	-	3.1	3.1	8.7	6.1	1.6	1.8	10.0	9.0	0.2	0.2
4.2	-	-	6.0	5.2	10.0	7.8	3.3	3.3	11.6	10.3	1.6	1.6
4.3	-	-	8.3	8.3	10.2	9.2	5.0	5.4	10.6	10.2	4.0	4.0
4.4	-	-	11.1	12.1	11.5	12.1	8.8	8.7	12.0	13.5	11.0	11.0
4.5	0.1	0.1	14.3	13.9	12.9	13.5	14.0	12.5	8.6	10.3	11.9	11.9
4.6	-	-	13.5	15.8	11.1	12.0	15.3	15.0	8.7	9.8	26.6	26.6
4.7	-	-	16.7	15.8	9.4	9.9	17.2	16.9	6.7	7.0	15.4	15.4
4.8	-	-	12.9	10.4	5.7	7.2	14.2	14.3	4.4	4.8	4.9	4.9
4.9	-	-	7.0	6.2	3.2	4.8	10.3	10.7	3.2	3.8	16.5	16.5
5.0	-	-	2.2	3.2	2.3	3.3	5.3	5.5	2.4	2.2	4.0	4.0
5.1	-	-	0.2	1.3	1.5	2.3	2.3	2.7	0.1	0.1	-	-
5.2	-	-	0.2	0.2	0.5	1.1	1.1	1.2	-	-	-	-
5.3	-	-	0.2	0.1	0.2	0.3	0.3	0.3	-	-	-	-
5.4	-	-	*	*	0.1	0.1	*	0.1	-	-	-	-
5.5 & Above	-	-	-	*	0.1	*	*	*	-	-	-	-
Average	3.25	3.25	4.55	4.55	4.42	4.47	4.64	4.65	4.30	4.33	4.61	4.61

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter										
Bark - Level 1	2.8	2.3	0.6	0.8	*	*	4.8	2.2	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	-	0.1	0.2	*	*	0.1	0.1	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	0.1	*	-	-	*	*	-	-
Prep - Level 2	-	-	-	-	-	-	-	*	-	-
Seed Coat - Level 1	*	*	-	*	-	-	*	*	-	-
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	-	-	-	-	*	*	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	-	-	*	*	-	-
Other - Level 2	-	-	-	-	-	-	*	*	-	-
Plastic - Level 1	*	*	-	-	*	*	*	0.1	-	-
Plastic - Level 2	*	*	-	-	-	-	*	*	-	-
STRENGTH 1/										
22 & Below	*	*	-	-	-	-	0.1	*	-	-
23	0.1	0.1	-	-	-	-	0.1	0.1	-	-
24	0.2	0.3	-	-	-	-	0.4	0.3	-	-
25	0.7	1.1	-	-	*	*	1.0	0.7	-	-
26	1.2	2.4	0.1	*	*	*	2.2	1.7	-	-
27	4.6	6.1	0.5	0.4	0.2	0.3	4.3	3.9	-	-
28	8.3	9.8	3.0	3.1	3.3	3.1	9.1	8.7	-	-
29	13.6	14.6	12.7	13.3	17.4	16.4	15.3	16.7	-	-
30	15.1	16.2	34.7	34.0	32.6	32.5	19.2	21.4	-	-
31	17.4	18.4	28.4	28.3	26.6	28.3	17.6	18.8	-	-
32	18.7	15.8	13.4	12.9	14.8	13.8	14.8	13.3	-	-
33	13.0	10.0	5.0	5.3	4.0	4.1	10.4	8.9	-	-
34	5.8	4.1	1.9	2.1	1.0	1.3	3.8	3.8	-	-
35	1.0	0.9	0.4	0.4	0.1	0.2	1.2	1.4	-	-
36	0.2	0.2	0.1	0.1	*	*	0.4	0.4	-	-
37	-	*	-	-	-	-	0.1	0.1	-	-
38	-	*	-	-	-	-	*	*	-	-
39	-	*	-	-	-	-	*	*	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	31.14	30.77	31.05	31.05	30.92	30.96	30.84	30.83	-	-
Mike										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5	-	-	-	-	-	-	*	*	-	-
2.6	-	-	-	-	-	-	*	*	-	-
2.7	-	-	-	-	-	-	0.1	*	-	-
2.8	-	*	-	-	-	-	0.1	0.1	-	-
2.9	-	0.2	-	-	-	-	0.3	0.1	-	-
3.0	*	0.4	-	-	-	-	0.4	0.2	-	-
3.1	0.2	0.4	-	-	-	-	0.6	0.3	-	-
3.2	1.0	1.2	-	-	-	-	0.8	0.4	-	-
3.3	1.3	1.5	*	*	*	*	1.1	0.6	-	-
3.4	1.1	2.1	0.1	*	*	*	1.5	0.9	-	-
3.5	1.7	3.8	0.3	0.2	*	*	1.7	1.3	-	-
3.6	4.3	5.5	0.5	0.3	0.2	0.1	2.4	1.9	-	-
3.7	4.1	4.3	0.2	0.2	0.5	0.3	3.5	2.7	-	-
3.8	5.1	5.1	1.4	1.1	0.9	0.6	4.9	4.0	-	-
3.9	8.0	6.8	2.6	2.4	1.0	0.7	5.6	5.3	-	-
4.0	11.3	9.6	4.3	4.7	2.1	1.4	6.5	7.0	-	-
4.1	13.1	12.0	5.1	7.5	3.7	2.8	7.9	8.6	-	-
4.2	12.7	12.6	10.2	10.4	5.5	5.0	8.0	9.8	-	-
4.3	10.2	10.6	14.0	11.4	7.3	7.0	9.0	10.6	-	-
4.4	9.1	8.5	14.9	13.5	9.4	9.0	9.1	10.5	-	-
4.5	8.8	7.6	13.6	12.6	11.8	10.6	9.1	10.0	-	-
4.6	5.6	4.6	10.0	11.1	11.7	12.2	8.9	8.7	-	-
4.7	1.7	1.8	8.9	10.0	12.1	13.2	6.8	6.5	-	-
4.8	0.5	0.8	6.8	7.0	12.3	13.9	4.9	4.5	-	-
4.9	0.2	0.4	4.1	4.2	8.5	9.6	3.0	2.9	-	-
5.0	-	0.2	1.7	1.9	6.6	6.6	2.1	1.6	-	-
5.1	-	*	0.6	0.7	4.1	4.2	1.2	0.8	-	-
5.2	-	*	0.5	0.4	1.5	2.1	0.4	0.3	-	-
5.3	-	*	0.2	0.2	0.3	0.6	0.1	0.1	-	-
5.4	-	-	0.1	0.1	0.2	0.1	*	*	-	-
5.5 & Above	-	-	*	*	0.1	*	*	*	-	-
Average	4.12	4.08	4.43	4.44	4.60	4.63	4.26	4.28	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	0.2	0.1	-	-	-	*
3.0 - 3.2	*	*	*	*	-	-	-	-	-	-	*	*
3.3 - 3.4	0.1	0.1	0.2	0.1	-	-	0.7	0.6	-	-	*	*
3.5 - 3.6	0.8	0.6	0.8	1.3	0.1	*	0.5	1.3	-	-	0.3	0.2
3.7 - 4.2	22.0	18.5	23.9	28.7	5.7	5.5	39.9	36.6	16.6	13.9	20.2	17.7
4.3 - 4.9	67.4	72.0	73.7	68.3	73.5	81.5	54.2	57.6	80.8	80.1	74.6	76.7
5.0 - 5.2	8.2	7.8	1.4	1.5	18.8	12.3	4.4	3.4	2.6	6.0	4.7	5.1
5.3 & Above	1.5	1.0	*	*	1.9	0.7	0.1	0.4	*	*	0.2	0.3
Average	4.51	4.52	4.40	4.38	4.72	4.66	4.33	4.35	4.46	4.49	4.48	4.50
Leaf												
1 - 2	2.5	3.0	2.6	4.0	92.4	92.6	72.6	76.2	1.5	3.6	1.8	2.3
3	39.2	37.9	36.4	40.0	7.1	7.0	19.4	18.3	42.4	47.3	34.7	35.9
4	45.5	45.2	46.6	43.6	0.4	0.4	7.6	5.2	45.3	39.9	48.0	46.9
5	11.5	12.6	13.2	11.5	*	*	0.4	0.2	10.3	8.7	13.9	13.2
6	1.2	1.2	1.2	0.9	-	-	-	-	0.5	0.4	1.6	1.5
7	0.1	0.1	-	*	-	-	-	-	*	*	0.1	0.1
8	-	*	-	-	-	-	-	-	-	-	*	*
Average	3.70	3.71	3.74	3.65	1.54	1.56	2.06	1.98	3.66	3.55	3.79	3.76
HVI Trash 1/												
00	-	-	-	-	*	0.1	0.3	0.2	-	-	-	-
01	0.1	0.1	0.1	0.2	70.1	69.8	44.7	46.2	0.1	0.2	0.1	0.1
02	3.3	3.9	2.9	4.5	23.3	24.7	30.7	30.8	2.4	5.6	2.9	3.6
03	15.6	15.8	12.6	15.0	4.8	4.1	10.4	10.8	16.7	20.9	13.9	15.1
04	25.4	24.5	21.2	22.5	1.4	1.0	6.1	5.8	28.1	27.5	24.2	24.5
05	23.1	22.6	22.4	21.7	0.3	0.2	4.4	3.6	24.8	22.0	23.5	22.9
06	15.4	15.5	17.7	16.3	0.1	0.1	2.2	1.7	15.2	13.3	16.7	15.8
07	8.8	9.0	11.1	9.9	*	*	0.8	0.6	8.0	6.8	9.5	9.1
08	4.4	4.6	6.3	5.3	*	*	0.2	0.2	3.1	2.6	5.0	4.7
09	2.2	2.2	3.2	2.6	-	-	0.1	*	1.0	0.8	2.4	2.2
10	1.0	1.0	1.4	1.2	-	-	*	*	0.3	0.2	1.1	1.1
11	0.5	0.5	0.6	0.5	-	-	-	-	0.1	0.1	0.5	0.4
12	0.2	0.2	0.3	0.2	-	-	*	*	0.1	0.1	0.2	0.2
13	0.1	0.1	0.1	0.1	-	-	-	-	-	-	0.1	0.1
14	*	*	*	*	-	-	-	-	-	-	*	*
15	*	*	*	*	-	-	-	-	-	-	*	*
16	*	*	*	*	-	-	-	-	-	-	*	*
17	*	*	*	*	-	-	-	-	-	-	*	*
18 & Above	-	*	*	*	-	-	-	-	-	-	*	*
Average	0.50	0.50	0.53	0.51	0.14	0.14	0.21	0.20	0.48	0.45	0.51	0.50
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	*	*
76	*	*	-	-	0.1	*	*	*	-	-	*	*
77	0.3	0.4	*	*	0.6	0.2	0.1	0.1	*	0.1	0.3	0.3
78	1.0	1.7	0.1	0.3	4.5	1.9	0.8	0.5	1.8	2.0	1.6	2.0
79	5.8	7.6	1.0	1.9	12.0	8.6	5.0	3.4	9.3	14.5	7.7	9.5
80	20.4	27.5	7.0	11.5	31.6	32.7	22.6	21.8	44.8	44.2	22.2	25.9
81	40.3	38.2	30.2	34.9	36.0	42.0	52.3	46.4	34.5	31.2	38.3	36.6
82	26.5	20.5	39.6	36.0	13.3	13.7	12.7	9.7	7.8	6.5	23.2	19.9
83	5.1	3.7	19.2	13.3	1.7	0.7	2.9	10.4	1.7	1.4	5.7	5.0
84	0.5	0.4	2.7	1.9	0.2	0.1	3.5	7.4	0.1	0.1	0.9	0.7
85 & Above	0.1	0.1	0.1	0.1	*	*	*	0.2	-	-	0.1	0.1
Average	81.47	81.25	82.22	81.97	80.91	81.04	81.41	81.69	80.85	80.73	81.39	81.25
Tenderable 3/	73.9	74.2	96.0	96.2	76.4	85.5	93.9	95.0	69.4	69.1	66.5	65.0
SAMPLES CLASSED	58,343	103,124	100,072	328,696	16,023	42,114	9,655	18,023	3,050	3,653	100,772	180,740

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE												
2.4 & Below	-	-	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-	-	-	-	-
2.7 - 2.9	2.8	2.8	-	-	-	-	-	-	-	-	-	-
3.0 - 3.2	41.2	41.2	*	*	-	-	*	*	-	-	-	-
3.3 - 3.4	41.0	41.0	0.1	0.1	0.2	0.1	*	*	2.0	1.6	-	-
3.5 - 3.6	12.7	12.7	0.3	0.3	0.4	0.4	*	*	2.0	1.6	-	-
3.7 - 4.2	2.3	2.3	12.7	12.2	30.8	23.6	6.1	6.6	39.4	35.2	5.7	5.7
4.3 - 4.9	0.1	0.1	83.9	82.5	63.9	68.7	84.8	83.5	54.2	59.3	90.3	90.3
5.0 - 5.2	-	-	2.7	4.7	4.3	6.7	8.7	9.5	2.5	2.3	4.0	4.0
5.3 & Above	-	-	0.3	0.1	0.3	0.4	0.3	0.4	-	-	-	-
Average	3.25	3.25	4.55	4.55	4.42	4.47	4.64	4.65	4.30	4.33	4.61	4.61
Leaf												
1 - 2	18.4	18.4	1.5	5.1	15.3	22.3	2.8	4.5	14.9	15.1	97.6	97.6
3	57.0	57.0	33.0	40.9	52.8	50.8	29.3	37.3	45.2	50.2	2.4	2.4
4	19.5	19.5	53.2	45.3	27.7	23.1	50.9	44.7	33.0	28.7	-	-
5	3.2	3.2	11.8	8.3	4.1	3.8	16.0	12.5	6.7	5.8	-	-
6	0.8	0.8	0.5	0.3	0.1	0.1	1.1	0.9	0.2	0.2	-	-
7	0.9	0.9	*	*	-	-	*	*	-	-	-	-
8	0.3	0.3	-	-	-	-	-	-	-	-	-	-
Average	3.11	3.11	3.77	3.58	3.21	3.08	3.83	3.68	3.32	3.25	1.58	1.58
HVI Trash 1/												
00	0.1	0.1	-	-	-	-	-	-	-	-	-	-
01	4.9	4.9	0.1	0.4	0.8	2.3	0.1	0.4	1.4	1.2	66.7	66.7
02	15.6	15.6	1.9	5.9	15.1	20.5	3.0	4.9	14.6	14.8	29.7	29.7
03	30.6	30.6	10.4	16.2	26.3	27.2	9.9	14.2	21.2	23.9	3.5	3.5
04	23.1	23.1	22.0	23.8	21.6	20.2	17.6	20.8	21.1	22.7	0.2	0.2
05	11.1	11.1	25.3	23.0	16.7	14.1	21.6	21.0	17.0	15.7	-	-
06	6.5	6.5	20.4	15.9	10.6	8.6	19.2	16.4	12.5	11.1	-	-
07	3.2	3.2	11.6	8.6	5.3	4.3	13.4	10.6	6.8	5.9	-	-
08	1.7	1.7	5.2	3.8	2.4	1.9	7.8	6.0	3.7	3.3	-	-
09	1.1	1.1	2.0	1.5	0.9	0.6	4.0	3.0	1.1	0.9	-	-
10	0.6	0.6	0.8	0.6	0.3	0.2	1.9	1.5	0.4	0.4	-	-
11	0.4	0.4	0.3	0.2	0.1	*	0.9	0.7	0.1	0.1	-	-
12	0.2	0.2	0.1	0.1	*	*	0.4	0.3	*	*	-	-
13	0.5	0.5	*	*	*	*	0.2	0.1	-	-	-	-
14	0.3	0.3	*	*	-	-	*	*	0.1	*	-	-
15	0.3	0.3	*	*	-	-	*	*	-	-	-	-
16	0.1	0.1	-	-	-	-	*	*	-	-	-	-
17	-	-	-	-	-	-	*	*	-	-	-	-
18 & Above	0.1	0.1	-	-	-	-	*	*	-	-	-	-
Average	0.39	0.39	0.53	0.48	0.41	0.38	0.56	0.52	0.43	0.42	0.14	0.14
UNIFORMITY 2/												
74 & Below	-	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-
76	0.1	0.1	-	-	-	*	-	-	-	-	-	-
77	2.5	2.5	-	-	*	*	*	0.1	-	-	-	-
78	6.9	6.9	0.1	0.1	0.1	0.1	0.3	0.5	0.3	0.3	-	-
79	55.3	55.3	0.5	0.6	0.4	0.4	1.6	2.3	1.8	1.9	0.2	0.2
80	30.6	30.6	3.8	5.4	3.9	5.8	9.3	12.3	16.4	16.7	1.6	1.6
81	4.7	4.7	31.2	29.9	24.8	29.7	38.1	40.6	22.9	27.7	45.4	45.4
82	-	-	50.4	48.5	42.5	40.6	41.2	36.2	36.1	33.2	52.7	52.7
83	-	-	13.1	14.1	23.6	20.1	8.7	7.3	20.6	18.3	-	-
84	-	-	1.0	1.3	4.2	3.0	0.8	0.6	1.8	1.7	-	-
85 & Above	-	-	*	0.1	0.5	0.3	0.1	*	0.2	0.1	-	-
Average	79.74	79.74	82.19	82.19	82.45	82.30	81.92	81.79	82.10	82.01	81.97	81.97
Tenderable 3/	14.1	14.1	86.7	88.9	94.9	92.6	87.1	87.0	92.2	93.1	96.0	96.0
SAMPLES CLASSED	1,509	1,509	40,145	156,136	35,414	78,605	113,825	335,371	3,897	4,834	546	546

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE										
2.4 & Below	-	-	-	-	-	-	*	*	-	-
2.5 - 2.6	-	-	-	-	-	-	0.1	*	-	-
2.7 - 2.9	-	0.2	-	-	-	-	0.5	0.3	-	-
3.0 - 3.2	1.1	2.0	-	-	-	-	1.8	0.9	-	-
3.3 - 3.4	2.5	3.6	0.1	*	*	*	2.6	1.5	-	-
3.5 - 3.6	6.0	9.2	0.7	0.5	0.2	0.1	4.1	3.2	-	-
3.7 - 4.2	54.3	50.4	23.8	26.3	13.8	10.8	36.3	37.5	-	-
4.3 - 4.9	36.1	34.4	72.2	69.8	73.1	75.4	50.8	53.6	-	-
5.0 - 5.2	-	0.2	2.9	3.1	12.2	12.9	3.7	2.8	-	-
5.3 & Above	-	*	0.3	0.3	0.7	0.7	0.1	0.1	-	-
Average	4.12	4.08	4.43	4.44	4.60	4.63	4.26	4.28	-	-
Leaf										
1 - 2	87.1	86.3	0.8	0.9	21.7	30.8	54.7	35.8	-	-
3	11.2	11.2	34.6	35.6	58.2	52.4	29.5	42.2	-	-
4	1.4	1.8	50.8	50.6	18.6	15.5	11.8	17.7	-	-
5	0.3	0.5	13.2	12.3	1.5	1.3	3.0	3.5	-	-
6	0.1	0.2	0.6	0.7	*	*	0.8	0.7	-	-
7	*	*	-	-	-	-	0.2	0.1	-	-
8	-	*	-	-	-	-	0.1	*	-	-
Average	1.68	1.69	3.78	3.76	2.99	2.84	2.42	2.79	-	-
HVI Trash 1/										
00	1.2	1.0	-	-	-	*	0.2	0.2	-	-
01	57.2	58.5	*	*	2.6	6.6	30.9	16.3	-	-
02	28.7	26.9	1.5	1.8	19.0	23.9	24.2	20.0	-	-
03	8.2	7.9	12.7	12.9	28.3	27.3	17.0	22.0	-	-
04	2.6	2.9	22.7	23.8	24.4	20.9	11.6	18.0	-	-
05	1.0	1.1	24.4	24.6	14.5	12.1	6.9	11.3	-	-
06	0.5	0.6	18.8	18.0	6.8	5.6	3.9	5.9	-	-
07	0.2	0.3	11.3	10.4	2.9	2.4	2.1	3.0	-	-
08	0.1	0.2	5.0	4.8	1.0	0.8	1.2	1.5	-	-
09	0.1	0.1	2.2	2.1	0.3	0.2	0.7	0.8	-	-
10	0.1	0.1	1.0	1.0	0.1	0.1	0.5	0.4	-	-
11	0.1	0.1	0.3	0.3	*	*	0.3	0.2	-	-
12	*	*	0.1	0.1	-	*	0.2	0.1	-	-
13	*	*	*	*	-	*	0.1	0.1	-	-
14	*	*	*	*	-	-	0.1	*	-	-
15	*	*	-	-	-	-	*	*	-	-
16	-	*	-	-	-	-	*	*	-	-
17	-	*	-	-	-	-	*	*	-	-
18 & Above	-	*	-	-	-	-	*	*	-	-
Average	0.16	0.17	0.52	0.51	0.37	0.34	0.28	0.34	-	-
UNIFORMITY 2/										
74 & Below	0.1	0.1	-	-	-	-	0.1	*	-	-
75	0.2	0.4	-	-	-	-	0.2	0.1	-	-
76	0.5	1.2	-	-	-	*	0.6	0.5	-	-
77	2.6	3.6	*	*	*	*	2.1	1.6	-	-
78	7.3	9.9	0.2	0.1	0.1	0.1	7.4	4.9	-	-
79	13.7	17.6	1.9	1.6	1.2	1.4	16.6	11.7	-	-
80	29.2	29.5	13.6	15.0	13.6	15.8	26.7	22.9	-	-
81	33.0	27.5	37.8	41.5	40.1	41.1	27.1	33.1	-	-
82	12.0	9.1	34.2	30.7	31.6	29.8	14.7	20.2	-	-
83	1.3	0.9	10.7	9.7	11.4	10.1	3.9	4.4	-	-
84	0.1	0.1	1.5	1.3	1.8	1.4	0.6	0.5	-	-
85 & Above	*	*	0.1	0.1	0.1	0.1	*	*	-	-
Average	80.67	80.38	81.88	81.81	81.89	81.81	80.74	81.04	-	-
Tenderable 3/	92.3	87.8	93.6	93.2	86.2	85.5	79.4	84.7	-	-
SAMPLES CLASSIFIED	18,524	43,723	7,386	11,438	49,586	132,962	289,701	1,767,589	-	-

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on ICE No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Color Grade	Leaf	Arizona		California		New Mexico		Texas	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	18.9	19.7	-	-	-	-
	2	-	-	5.4	6.5	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	24.3	26.2	-	-	-	-
02	1	-	-	43.3	42.8	-	-	-	-
	2	-	-	27.7	26.8	-	-	-	-
	3	-	-	0.5	0.7	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	71.5	70.3	-	-	-	-
03	1	-	-	1.7	1.4	-	-	-	-
	2	-	-	2.4	2.0	-	-	-	-
	3	-	-	0.1	0.1	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	4.2	3.5	-	-	-	-
04	1	-	-	*	*	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.1	0.1	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
44 & Shorter		-	-	1.8	1.8	-	-	-	-
46		-	-	20.1	30.3	-	-	-	-
48		-	-	26.2	23.4	-	-	-	-
50		-	-	48.3	41.6	-	-	-	-
52 & Longer		-	-	3.6	2.8	-	-	-	-
Average Staple		-	-	48.64	48.27	-	-	-	-
Average Length		-	-	1.41	1.40	-	-	-	-
EXTRANEEOUS MATTER									
Bark		-	-	*	*	-	-	-	-
Grass		-	-	1.4	1.1	-	-	-	-
Spindle Twist		-	-	*	*	-	-	-	-
Preparation		-	-	*	*	-	-	-	-
All Other		-	-	*	*	-	-	-	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE
For The Week Ending Oct 29, 2020

Quality Designation	Arizona		California		New Mexico		Texas	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	-	-	-	-	-	-
2.7 - 2.9	-	-	-	-	-	-	-	-
3.0 - 3.2	-	-	*	*	-	-	-	-
3.3 - 3.4	-	-	0.1	1.1	-	-	-	-
3.5 - 3.6	-	-	2.6	8.3	-	-	-	-
3.7 - 4.2	-	-	50.1	48.0	-	-	-	-
4.3 - 4.9	-	-	47.2	42.6	-	-	-	-
5.0 - 5.2	-	-	*	*	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	4.20	4.13	-	-	-	-
ALL RANGE MIKE								
2.4 & Below	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	-	-
2.6	-	-	-	-	-	-	-	-
2.7	-	-	-	-	-	-	-	-
2.8	-	-	-	-	-	-	-	-
2.9	-	-	-	-	-	-	-	-
3.0	-	-	-	-	-	-	-	-
3.1	-	-	-	-	-	-	-	-
3.2	-	-	*	*	-	-	-	-
3.3	-	-	*	0.2	-	-	-	-
3.4	-	-	0.1	0.9	-	-	-	-
3.5	-	-	1.0	4.0	-	-	-	-
3.6	-	-	1.6	4.3	-	-	-	-
3.7	-	-	2.5	5.5	-	-	-	-
3.8	-	-	3.9	5.3	-	-	-	-
3.9	-	-	8.9	9.1	-	-	-	-
4.0	-	-	10.6	8.9	-	-	-	-
4.1	-	-	12.0	9.4	-	-	-	-
4.2	-	-	12.2	9.8	-	-	-	-
4.3	-	-	12.9	13.1	-	-	-	-
4.4	-	-	16.5	15.5	-	-	-	-
4.5	-	-	9.7	7.7	-	-	-	-
4.6	-	-	5.6	4.4	-	-	-	-
4.7	-	-	2.1	1.6	-	-	-	-
4.8	-	-	0.4	0.3	-	-	-	-
4.9	-	-	-	-	-	-	-	-
5.0	-	-	*	*	-	-	-	-
5.1	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-
5.3 & Above	-	-	-	-	-	-	-	-
Average	-	-	4.20	4.13	-	-	-	-
STRENGTH 1/								
36 & Below	-	-	0.7	0.8	-	-	-	-
37	-	-	3.8	7.9	-	-	-	-
38	-	-	11.6	17.8	-	-	-	-
39	-	-	6.0	6.5	-	-	-	-
40	-	-	1.2	1.1	-	-	-	-
41	-	-	2.4	1.9	-	-	-	-
42	-	-	8.5	6.7	-	-	-	-
43	-	-	21.2	17.8	-	-	-	-
44	-	-	21.3	20.2	-	-	-	-
45	-	-	13.3	11.3	-	-	-	-
46	-	-	6.2	5.1	-	-	-	-
47	-	-	2.4	1.9	-	-	-	-
48 & Above	-	-	1.3	1.0	-	-	-	-
Average	-	-	43.00	42.34	-	-	-	-
UNIFORMITY								
83 & Below	-	-	0.1	0.2	-	-	-	-
84	-	-	11.3	18.2	-	-	-	-
85	-	-	16.4	19.7	-	-	-	-
86	-	-	39.1	35.0	-	-	-	-
87	-	-	29.3	24.0	-	-	-	-
88 & Above	-	-	3.8	2.9	-	-	-	-
Average	-	-	86.42	86.18	-	-	-	-
Samples Classed	-	-	17,506	22,449	-	-	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.