



United States
Department of
Agriculture

National
Agricultural
Statistics
Service



Cotton Ginnings 1998 Summary

May 1999

Ct Gn 1 (99)

USDA



Cotton Ginnings: Running Bales Ginned (Excluding Linters)
by Type, State, and United States, Crop Years 1995-98

Type and State	1995	1996	1997	1998
All Cotton				
AL	460,650	755,850	529,100	538,500
AZ	831,750	812,850	844,350	600,750
AR	1,452,900	1,593,150	1,627,600	1,172,600
CA	2,462,350	2,687,550	2,558,400	1,466,400
FL 1/				
GA	1,908,900	2,041,500	1,884,400	1,516,450
KS 1/				
LA	1,378,550	1,299,450	1,001,950	652,750
MS	1,806,850	1,819,250	1,766,450	1,400,900
MO	477,400	557,250	547,250	337,750
NM	69,700	89,600	79,900	69,600
NC	787,950	985,100	911,350	1,006,700
OK	117,250	126,100	178,100	138,450
SC	351,900	434,000	389,900	334,200
TN	713,150	664,100	646,850	530,600
TX	4,413,500	4,294,450	5,080,350	3,558,550
VA	128,250	153,000	131,400	133,850
US	17,468,500	18,438,550	18,301,050	13,533,950
Amer-Pima				
AZ	70,750	72,450	41,200	25,400
CA	215,050	360,200	422,450	340,550
NM	13,900	14,450	10,400	6,750
TX	54,950	62,900	57,150	54,050
US	354,650	510,000	531,200	426,750

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound
Bales Ginned, by Type, State, and United States, Crop Years 1997-98

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	1997	1998	1997	1998
All Cotton				
AL	533,100	535,950	545,900	555,000
AZ	865,400	616,800	866,900	618,150
AR	1,654,650	1,189,550	1,654,750	1,191,650
CA	2,537,450	1,450,400	2,649,550	1,515,200
FL 1/	114,550	78,100		
GA	1,861,900	1,494,350	1,942,100	1,564,150
KS 1/	8,450	13,950		
LA	966,000	627,800	1,022,000	665,650
MS	1,778,300	1,409,400	1,808,400	1,435,050
MO	555,900	344,250	555,350	343,150
NM	107,850	89,150	79,750	70,500
NC	900,300	993,800	941,150	1,039,000
OK	179,650	136,150	180,550	142,300
SC	403,950	341,600	395,750	342,200
TN	647,750	532,450	660,600	543,400
TX	5,050,450	3,536,850	5,223,250	3,672,700
VA	135,400	143,400	133,050	135,400
US	18,301,050	13,533,950	18,787,600	13,912,250
Amer-Pima				
AZ	40,600	25,350	42,350	26,750
CA	423,000	340,600	436,600	352,750
NM	14,550	9,750	10,500	6,900
TX	53,050	51,050	58,500	55,750
US	531,200	426,750	547,950	442,150

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 1998

Type and State	October 1	October 15	November 1
All Cotton			
AL	83,950	188,600	350,200
AZ	19,700	47,650	114,750
AR	237,400	605,850	1,018,950
CA 1/			160,900
FL	3,550	11,250	32,450
GA	111,400	221,400	525,300
LA	178,450	396,700	580,400
MS	409,700	863,900	1,262,150
MO	46,150	133,150	281,800
NM 1/			14,000
NC	77,450	274,900	544,000
OK	12,700	45,750	75,050
SC	67,650	128,050	213,350
TN	128,800	282,000	451,650
TX	665,900	1,003,200	1,640,700
VA	10,200	48,600	93,200
US	2,056,400	4,264,750	7,358,850
Amer-Pima			
AZ 1/			2,900
CA	0	0	35,150
NM 1/	0	0	
TX 1/	0		
US 1/		1,800	40,250

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 1998 (continued)

Type and State	November 15	December 1	December 15
All Cotton			
AL	445,800	497,600	524,600
AZ	204,900	308,850	410,550
AR	1,153,400	1,170,850	1,172,250
CA	555,700	984,150	1,281,900
FL	54,450	59,750	64,450
GA	833,350	1,101,650	1,350,850
LA	643,500	650,350	652,350
MS	1,370,150	1,391,400	1,393,000
MO	332,750	336,600	337,500
NM	23,750	41,700	55,200
NC	771,300	944,250	1,001,000
OK	99,050	116,050	122,900
SC	271,850	307,050	326,600
TN	512,500	527,050	529,500
TX	1,967,900	2,740,650	3,202,200
VA	125,450	131,600	133,550
US	9,365,800	11,309,550	12,558,400
Amer-Pima			
AZ	5,050	10,450	14,500
CA	95,150	168,000	236,700
NM	650	2,000	4,250
TX	8,250	21,100	32,150
US	109,100	201,550	287,600

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 1998 (continued)

Type and State	January 1	January 15	February 1
All Cotton			
AL	531,600	536,700	538,200
AZ	501,350	563,250	593,150
AR	1,172,300	1,172,300	1,172,300
CA	1,416,000	1,448,950	1,459,100
FL 1/			
GA	1,445,400	1,481,000	1,500,700
KS 1/			
LA	652,400	652,400	652,600
MS	1,400,150	1,400,150	1,400,900
MO	337,750	337,750	337,750
NM	64,400	68,050	69,000
NC	1,004,250	1,006,150	1,006,150
OK	131,700	133,650	136,750
SC	330,050	333,350	333,750
TN	529,800	529,950	529,950
TX	3,441,450	3,510,400	3,521,400
VA	133,550	133,550	133,550
US	13,159,700	13,376,350	13,457,500
Amer-Pima			
AZ	16,600	20,300	24,450
CA	300,000	326,250	335,450
NM	6,150	6,600	6,650
TX	41,100	49,150	53,350
US	363,850	402,300	419,900

1/ Not published to avoid disclosing individual gins, but included in U.S. totals.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
All Cotton	:					
Autauga	1/:					9,050
Baldwin	1/:					8,850
Barbour	:	0		0		8,300
Blount	1/:					1,750
Bullock	:	0		0		850
Butler	:	0		0		1,200
Chambers	:	0		0		600
Cherokee	1/:					25,950
Chilton	1/:					1,450
Choctaw	:	0		0		650
Clarke	:	0		0		300
Coffee	1/:					13,100
Colbert	1/:					29,600
Conecuh	:	0		0		2,350
Covington	1/:					14,550
Crenshaw	1/:					2,300
Cullman	:	0		0		1,750
Dale	:	0		0		3,700
Dallas	1/:					13,550
Dekalb	:	0		0		700
Elmore	:	21,450		22,100		15,200
Escambia	1/:					28,050
Etowah	:	0		0		1,700
Fayette	1/:					2,800
Geneva	1/:					10,100
Greene	1/:					900
Hale	:	0		0		500
Henry	1/:					14,350
Houston	1/:					14,300
Jackson	:	0		0		800
Lamar	:	0		0		650
Lauderdale	1/:					28,100
Lawrence	:	65,600		68,200		51,050
Lee	:	0		0		2,850
Limestone	:	88,850		91,900		78,950
Lowndes	1/:					5,350
Macon	1/:					6,150
Madison	:	32,250		32,250		44,200
Marengo	1/:					4,900

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Marshall	1/:	0		0		
Mobile	1/:					4,850
Monroe	1/:					34,250
Montgomery	:	0		0		1,400
Morgan	:	0		0		550
Perry	:	0		0		2,950
Pickens	:	0		0		450
Pike	:	0		0		8,850
Russell	1/:					6,150
Shelby	:	0		0		6,400
Talladega	:	0		0		4,400
Tallapoosa	1/:					2,750
Tuscaloosa	1/:					5,800
Washington	:	0		0		1,000
Wilcox	:	0		0		2,500
Winston	1/:	0		0		
Other	2/:					2,150
	:					
Alabama	:	538,500		555,000		535,950
	:					
	:					
Cochise	1/:					7,200
Graham	1/:					47,550
Greenlee	:	0		0		1,700
La Paz	1/:					37,800
Maricopa	:	239,750		244,900		201,600
Mohave	1/:					10,200
Pima	1/:					25,200
Pinal	:	207,000		213,450		241,200
Yavapai	:	0		0		1,250
Yuma	:	44,400		46,200		43,050
	:					
Arizona	:	600,750		618,150		616,800
	:					
	:					
Arkansas	:	0		0		800
Ashley	:	78,600		78,950		79,050
Chicot	1/:					52,250
Clay	:	19,150		19,400		40,400
Craighead	:	134,150		135,750		127,300
Crittenden	:	67,000		67,800		43,850
Cross	1/:					1,650
Desha	:	155,450		157,200		132,250

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Drew	1/:		:		:	29,750
Greene	:	20,700	:	20,850	:	19,500
Jackson	:	0	:	0	:	1,150
Jefferson	:	63,100	:	64,600	:	62,700
Lafayette	1/:		:		:	3,100
Lee	1/:		:		:	34,750
Lincoln	1/:		:		:	48,350
Lonoke	:	41,450	:	42,200	:	35,950
Miller	1/:		:		:	1,600
Mississippi	:	239,600	:	244,300	:	247,500
Monroe	1/:		:		:	16,100
Phillips	:	113,950	:	115,500	:	92,500
Poinsett	:	94,100	:	95,200	:	88,200
Prairie	1/:		:		:	1,750
Pulaski	:	0	:	0	:	1,400
Saint Francis	:	30,400	:	31,300	:	21,250
Woodruff	1/:		:		:	6,400
Yell	1/:	0	:	0	:	
	:		:		:	
Arkansas	:	1,172,600	:	1,191,650	:	1,189,550
	:		:		:	
	:		:		:	
Butte	1/:	0	:	0	:	
Colusa	1/:		:		:	11,550
Fresno	:	566,700	:	586,400	:	550,250
Glenn	1/:	0	:	0	:	
Imperial	1/:		:		:	18,650
Kern	:	262,650	:	271,550	:	296,500
Kings	:	276,150	:	284,850	:	265,950
Madera	1/:		:		:	50,350
Merced	:	99,050	:	101,750	:	132,000
Riverside	1/:		:		:	19,550
San Bernardino	:	0	:	0	:	1,300
Sutter	1/:		:		:	1,300
Tulare	:	127,150	:	131,000	:	97,550
Yolo	:	0	:	0	:	4,850
	:		:		:	
California	:	1,466,400	:	1,515,200	:	1,450,400
	:		:		:	
	:		:		:	
Alachua	:	0	:	0	:	850
Calhoun	:	0	:	0	:	5,600
Columbia	1/:	0	:	0	:	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced

	:					
Escambia	1/:					11,100
Gadsen	:	0		0		550
Hamilton	:	0		0		2,200
Holmes	:	0		0		750
Jackson	1/:					21,900
Jefferson	:	0		0		1,400
Madison	:	0		0		1,250
Okaloosa	:	0		0		4,250
Santa Rosa	1/:					26,150
Suwannee	:	0		0		1,000
Walton	1/:	0		0		
Washington	:	0		0		450
	:					
Florida	1/:					78,100
	:					
	:					
Appling	1/:					37,050
Atkinson	:	0		0		17,050
Bacon	:	0		0		9,350
Baker	:	0		0		26,200
Bartow	1/:					3,300
Ben Hill	:	0		0		10,650
Berrien	1/:					22,950
Bibb	:	0		0		300
Bleckley	1/:					18,100
Blinch	1/:	0		0		
Brooks	1/:					37,350
Bryan	:	0		0		1,450
Bulloch	1/:					40,350
Burke	:	63,150		65,750		28,900
Calhoun	1/:					21,900
Candler	1/:					9,600
Clay	:	0		0		5,850
Coffee	1/:					52,300
Colquitt	:	191,250		197,350		84,550
Cook	1/:					25,950
Crawford	1/:	0		0		
Crisp	1/:					47,300
Decatur	1/:					48,450
Dodge	1/:					21,100
Dooly	:	132,600		136,450		90,950
Dougherty	:	0		0		11,650

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Early	1/:					30,100
Echols	:	0		0		300
Effingham	:	0		0		3,450
Elbert	:	0		0		2,500
Emanuel	:	0		0		16,300
Evans	:	0		0		2,750
Floyd	:	0		0		3,600
Glascocock	:	0		0		1,000
Grady	:	0		0		34,350
Hart	:	0		0		950
Henry	:	0		0		700
Houston	:	0		0		11,900
Irwin	1/:					33,800
Jeff Davis	1/:					28,550
Jefferson	1/:					12,800
Jenkins	:	0		0		10,950
Johnson	1/:					5,550
Lamar	:	0		0		1,700
Lanier	:	0		0		7,700
Laurens	1/:					13,200
Lee	1/:					20,450
Long	1/:	0		0		
Lowndes	1/:					8,950
Macon	:	0		0		13,750
Madison	1/:	0		0		
Marion	:	0		0		850
McDuffie	:	0		0		550
Miller	1/:					28,650
Mitchell	1/:					61,500
Montgomery	:	0		0		3,200
Morgan	1/:					1,700
Peach	:	0		0		4,400
Pierce	:	0		0		18,900
Pike	:	0		0		350
Polk	:	0		0		3,300
Pulaski	1/:					30,050
Quitman	:	0		0		2,000
Randolph	1/:					11,200
Richmond	:	0		0		1,000
Schley	:	0		0		1,000
Screven	1/:					22,800

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Seminole	1/:					22,200
Stewart	:	0		0		3,500
Sumter	1/:					28,550
Tattnall	:	0		0		6,550
Taylor	1/:					3,350
Telfair	:	0		0		7,950
Terrell	1/:					17,400
Thomas	1/:					32,650
Tift	1/:					38,500
Toombs	:	0		0		9,700
Treutlen	:	0		0		4,300
Turner	1/:					42,200
Twiggs	:	0		0		5,300
Walton	:	0		0		350
Ware	:	0		0		4,100
Warren	1/:	0		0		
Washington	:	0		0		7,250
Wayne	:	0		0		16,300
Webster	:	0		0		4,100
Wheeler	:	0		0		3,050
Wilcox	1/:					25,700
Wilkes	1/:	0		0		
Wilkinson	:	0		0		500
Worth	1/:					81,050
	:					
Georgia	:	1,516,450		1,564,150		1,494,350
	:					
	:					
Kansas	1/:					13,950
	:					
	:					
Avoyelles	1/:					6,750
Caddo	:	7,250		7,500		6,600
Caldwell	:	0		0		7,350
Catahoula	:	42,650		43,000		56,600
Concordia	:	55,100		56,350		47,400
East Baton Rouge	1/:	0		0		
East Carroll	:	68,750		69,200		43,450
East Feliciana	:	0		0		600
Evangeline	:	0		0		1,000
Franklin	:	87,900		90,200		68,000
Grant	:	0		0		650

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Lasalle	0	0	300
Madison 1/:			67,150
Morehouse	59,700	61,050	57,100
Natchitoches	0	0	500
Ouachita 1/:			14,700
Pointe Coupe 1/:			4,500
Rapides	15,600	15,800	11,200
Red River 1/:			1,000
Richland	89,800	90,450	45,850
Saint Landry	0	0	3,000
Tensas	125,250	129,050	145,500
Union 1/:	0	0	
Webster 1/:	0	0	
West Carroll	50,150	51,950	38,200
West Felicia 1/:	0	0	
Louisiana	652,750	665,650	627,800
Adams	0	0	5,550
Alcorn	0	0	1,650
Attala	0	0	6,650
Benton 1/:			600
Bolivar	93,850	96,300	89,950
Calhoun	33,050	33,350	26,200
Carroll 1/:			20,800
Chickasaw 1/:			8,200
Choctaw	0	0	750
Claiborne	0	0	3,350
Clay	0	0	4,500
Coahoma	125,600	127,350	115,800
Copiah	0	0	4,450
Covington	0	0	500
Desoto 1/:			14,000
Forrest	0	0	2,100
George	0	0	1,450
Greene	0	0	550
Grenada 1/:			10,450
Hinds 1/:			17,800
Holmes	82,400	83,850	76,150
Humphreys	95,250	97,950	100,450
Issaquena 1/:			22,450

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Itawamba	:	0		0		1,250
Jackson	1/:	0		0		
Jefferson	1/:					5,750
Jones	1/:	0		0		
Lafayette	1/:					4,450
Lamar	:	0		0		1,000
Leake	:	0		0		2,400
Lee	1/:					8,900
Leflore	:	130,300		134,750		118,400
Lowndes	:	0		0		7,500
Madison	1/:					31,700
Marshall	:	0		0		300
Monroe	1/:					13,650
Montgomery	1/:					12,200
Newton	:	0		0		650
Noxubee	:	0		0		9,800
Oktibbeha	:	0		0		1,150
Panola	:	29,100		30,200		24,600
Pontotoc	1/:					6,600
Prentiss	:	0		0		2,650
Quitman	:	39,400		40,100		48,550
Rankin	1/:					7,900
Scott	:	0		0		3,750
Sharkey	1/:					61,950
Smith	1/:	0		0		
Sunflower	:	89,100		91,150		71,750
Tallahatchie	:	78,450		80,800		82,700
Tate	1/:					8,100
Tippah	1/:					600
Tishomingo	:	0		0		1,500
Tunica	:	46,450		47,300		57,550
Union	:	0		0		2,100
Warren	1/:					13,500
Washington	:	115,800		119,100		127,950
Webster	1/:					17,300
Wilkinson	:	0		0		1,050
Yalobusha	1/:					15,050
Yazoo	:	119,350		122,200		100,750
	:					
Mississippi	:	1,400,900		1,435,050		1,409,400
	:					

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Butler	1/:	0	:	0	:	
Dunklin	:	138,650	:	141,000	:	142,500
Mississippi	1/:	0	:	0	:	
New Madrid	:	96,000	:	97,400	:	93,950
Pemiscot	:	72,750	:	73,700	:	63,950
Scott	1/:		:		:	8,400
Stoddard	1/:		:		:	29,900
Other	2/:		:		:	5,300
	:		:		:	
Missouri	:	337,750	:	343,150	:	344,250
	:		:		:	
	:		:		:	
Chaves	1/:		:		:	7,400
Curry	:	0	:	0	:	950
Dona Ana	:	31,100	:	31,800	:	32,500
Eddy	1/:		:		:	20,350
Hidalgo	1/:		:		:	
Lea	:	0	:	0	:	3,750
Luna	1/:		:		:	11,900
Quay	1/:		:		:	4,050
Roosevelt	:	0	:	0	:	7,450
Sierra	1/:	0	:	0	:	
Other	2/:		:		:	300
	:		:		:	
New Mexico	:	69,600	:	70,500	:	89,150
	:		:		:	
	:		:		:	
Anson	1/:		:		:	3,250
Beaufort	1/:		:		:	14,600
Bertie	1/:		:		:	54,350
Bladen	1/:		:		:	10,150
Brunswick	:	0	:	0	:	300
Cabarrus	:	0	:	0	:	3,050
Camden	:	0	:	0	:	1,450
Carteret	:	0	:	0	:	3,700
Chowan	:	0	:	0	:	30,400
Cleveland	1/:		:		:	3,200
Columbus	:	0	:	0	:	3,500
Craven	1/:		:		:	20,200
Cumberland	:	0	:	0	:	6,100
Currituck	:	0	:	0	:	650
Davidson	:	0	:	0	:	300
Duplin	1/:		:		:	9,500

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Edgecombe	1/:					66,100
Franklin	:	0		0		350
Gates	1/:					25,800
Greene	1/:					29,200
Halifax	:	83,600		86,050		94,600
Harnett	1/:					9,900
Hertford	1/:					33,850
Hoke	1/:					23,550
Hyde	:	0		0		17,900
Iredell	:	0		0		950
Johnston	:	0		0		8,400
Jones	1/:					39,650
Lee	:	0		0		3,500
Lenoir	1/:					34,150
Martin	1/:					43,800
Montgomery	:	0		0		6,150
Nash	1/:					18,800
Northampton	:	89,350		92,950		76,850
Onslow	:	0		0		2,900
Pamlico	:	0		0		3,200
Pasquotank	:	0		0		4,750
Perquimans	1/:					26,150
Pitt	1/:					42,700
Richmond	1/:	0		0		
Robeson	:	43,750		46,450		31,050
Rowan	:	0		0		800
Rutherford	1/:					
Sampson	:	58,500		59,700		63,350
Scotland	1/:					19,250
Stanly	1/:					8,900
Tyrrell	:	0		0		3,850
Union	:	0		0		12,250
Wake	:	0		0		300
Warren	:	0		0		1,050
Washington	:	0		0		10,550
Wayne	1/:					31,100
Wilson	1/:					32,050
Other	2/:					900
	:					
North Carolina	:	1,006,700		1,039,000		993,800
	:					

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Beckham	1/:					2,600
Bryan	1/:					0
Caddo	1/:					550
Canadian	1/:	0		0		
Comanche	1/:	0		0		
Cotton	:	0		0		450
Custer	1/:					800
Grady	1/:					500
Grant	:	0		0		2,100
Greer	1/:					3,050
Harmon	:	19,450		20,150		23,250
Jackson	:	86,700		88,550		81,400
Kay	:	0		0		4,000
Kiowa	:	2,750		2,750		2,650
Mcclain	1/:					
Roger Mills	:	0		0		1,350
Tillman	1/:					7,800
Wagoner	:	0		0		400
Washita	:	6,300		6,800		4,400
Other	2/:					550
	:					
Oklahoma	:	138,450		142,300		136,150
	:					
	:					
Abbeville	1/:	0		0		
Aiken	1/:					7,150
Allendale	1/:					8,050
Anderson	:	0		0		400
Bamberg	:	0		0		15,450
Barnwell	1/:					4,150
Berkeley	:	0		0		350
Calhoun	:	56,900		58,000		39,950
Chester	:	0		0		1,400
Chesterfield	:	0		0		400
Clarendon	1/:					9,350
Colleton	:	0		0		500
Darlington	:	29,200		29,450		37,500
Dillon	1/:					18,950
Dorchester	:	0		0		5,100
Edgefield	:	0		0		1,100
Fairfield	1/:	0		0		
Florence	:	0		0		13,550

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Georgetown	:	0	:	0	:	750
Hampton	1/:		:		:	18,700
Horry	:	0	:	0	:	550
Kershaw	:	0	:	0	:	550
Lancaster	1/:	0	:	0	:	
Laurens	1/:	0	:	0	:	
Lee	1/:		:		:	26,750
Lexington	:	0	:	0	:	750
Marion	:	0	:	0	:	3,650
Marlboro	:	34,050	:	35,300	:	34,400
Newberry	:	0	:	0	:	750
Orangeburg	:	57,850	:	58,700	:	47,150
Saluda	1/:		:		:	1,600
Sumter	:	26,450	:	28,000	:	11,700
Williamsburg	1/:		:		:	27,100
York	1/:		:		:	3,550
	:		:		:	
South Carolina	:	334,200	:	342,200	:	341,600
	:		:		:	
	:		:		:	
Carroll	1/:		:		:	12,350
Chester	:	0	:	0	:	1,750
Coffee	1/:	0	:	0	:	
Crockett	:	98,200	:	99,550	:	83,150
Dyer	1/:		:		:	26,800
Fayette	:	47,250	:	48,800	:	45,350
Franklin	:	0	:	0	:	6,700
Gibson	:	44,900	:	45,650	:	40,650
Giles	:	0	:	0	:	2,050
Hardeman	1/:		:		:	12,350
Hardin	:	0	:	0	:	1,400
Haywood	:	149,600	:	153,600	:	129,450
Henderson	:	0	:	0	:	1,350
Henry	:	0	:	0	:	300
Lake	1/:		:		:	9,300
Lauderdale	:	47,800	:	48,450	:	33,500
Lawrence	1/:	0	:	0	:	
Lincoln	1/:		:		:	5,200
Madison	1/:		:		:	39,800
Mcnairy	:	0	:	0	:	1,250
Obion	:	0	:	0	:	3,900
Rutherford	:	0	:	0	:	1,200

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
:			
Shelby	0	0	14,800
Tipton	67,250	70,050	58,700
Weakley	0	0	600
:			
Tennessee	530,600	543,400	532,450
:			
Anderson	0	0	650
Andrews	0	0	10,150
Archer 1/:	0	0	
Austin	0	0	1,050
Bailey	90,400	93,500	59,250
Bastrop 1/:	0	0	
Baylor 1/:			1,000
Bee	0	0	1,650
Bell	0	0	1,200
Borden 1/:			4,800
Brazoria	5,550	5,900	1,000
Brazos 1/:			5,350
Briscoe	30,600	31,950	28,400
Brown 1/:	0	0	
Burleson 1/:			15,700
Caldwell 1/:			1,000
Calhoun 1/:			10,700
Callahan 1/:	0	0	
Cameron	62,800	64,200	57,850
Castro	81,000	82,450	108,450
Childress 1/:			16,350
Clay 1/:			550
Cochran 1/:			74,100
Coke 1/:	0	0	
Coleman 1/:			1,200
Collin 1/:			1,200
Collingswort 1/:			15,400
Colorado	0	0	1,200
Concho 1/:			8,000
Coryell 1/:	0	0	
Cottle 1/:			2,450
Crosby	145,500	150,950	152,600
Culberson 1/:			350
Dawson	55,600	57,100	71,650
De Witt 1/:	0	0	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Deaf Smith	1/:					18,850
Delta	:	0		0		1,550
Denton	:	0		0		400
Dickens	1/:					5,650
Donley	1/:					6,650
El Paso	:	97,100		99,750		71,300
Ellis	:	6,250		6,500		6,300
Falls	1/:					2,600
Fisher	1/:					3,700
Floyd	:	150,100		157,350		165,100
Foard	1/:	0		0		
Fort Bend	:	17,350		17,850		16,750
Frio	:	0		0		1,250
Gaines	:	228,250		236,500		211,900
Garza	1/:					21,100
Glasscock	1/:					33,000
Grayson	1/:	0		0		
Grimes	1/:	0		0		
Guadalupe	1/:	0		0		
Hale	:	360,450		373,500		332,950
Hall	:	24,350		25,400		24,650
Hardeman	1/:					2,900
Haskell	:	12,150		12,650		16,000
Hays	1/:	0		0		
Henderson	1/:	0		0		
Hidalgo	:	69,900		71,950		65,150
Hill	:	14,950		15,400		8,700
Hockley	:	209,200		216,350		147,800
Houston	1/:					300
Howard	1/:					7,350
Hudspeth	:	0		0		22,250
Hunt	1/:					9,450
Jackson	1/:					16,250
Jim Wells	:	0		0		4,850
Johnson	1/:	0		0		
Jones	:	9,350		9,650		6,650
Karnes	1/:	0		0		
Kent	1/:					750
King	1/:	0		0		
Kinney	:	0		0		900
Kleberg	1/:					3,850

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Knox	1/:					19,200
Lamar	1/:					
Lamb	:	257,100		267,650		224,700
Limestone	:	0		0		2,400
Live Oak	:	0		0		750
Lubbock	:	216,500		223,600		183,150
Lynn	:	151,300		155,850		117,700
Madison	1/:	0		0		
Martin	:	22,200		23,150		15,150
Mason	1/:	0		0		
Matagorda	1/:					20,600
Mcculloch	1/:					1,850
Mclennan	1/:					3,950
Medina	1/:					5,550
Midland	1/:					11,500
Milam	1/:					5,350
Mitchell	1/:					3,400
Motley	1/:					3,800
Navarro	1/:					7,050
Nolan	1/:					3,300
Nueces	:	69,700		71,800		75,100
Parmer	:	103,600		107,850		128,500
Pecos	1/:					14,800
Randall	:	0		0		1,250
Reagan	:	0		0		9,700
Red River	:	0		0		1,350
Reeves	1/:					15,300
Refugio	1/:					16,350
Roberts	:	0		0		1,850
Robertson	:	15,000		15,450		8,050
Runnels	:	38,800		40,450		23,300
San Patricio	:	121,600		124,350		65,900
Schleicher	:	0		0		1,100
Scurry	1/:					4,750
Shackelford	1/:	0		0		
Starr	1/:					
Stephens	1/:	0		0		
Stonewall	:	0		0		500
Swisher	:	70,450		72,700		85,050
Taylor	1/:					2,450
Terry	:	132,550		136,650		143,900

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1998 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
:			
Throckmorton 1/:			450
Tom Green :	28,150	29,100	35,850
Travis :	0	0	500
Upton 1/:			6,050
Uvalde :	0	0	8,450
Victoria :	0	0	4,150
Walker 1/:			550
Washington 1/:	0	0	
Wharton :	62,400	63,150	32,900
Wheeler :	0	0	2,550
Wichita 1/:			850
Wilbarger :	3,650	3,650	2,600
Willacy :	64,100	63,650	36,350
Williamson :	19,600	19,900	18,950
Wilson :	0	0	650
Yoakum :	98,850	99,750	59,150
Young 1/:			600
Zavala 1/:			4,500
Other 2/:			200,550
:			
Texas :	3,558,550	3,672,700	3,536,850
:			
:			
Accomack 1/:			1,500
Amelia 1/:	0	0	
Brunswick 1/:	0	0	
Charles City :	0	0	1,500
Dinwiddie :	0	0	2,500
Greensville 1/:			11,300
Henrico 1/:	0	0	
Isle of Wigh 1/:			13,700
King William 1/:	0	0	
King and Que 1/:	0	0	
New Kent 1/:	0	0	
Northampton :	0	0	4,300
Prince Georg 1/:	0	0	
Southampton :	0	0	65,250
Suffolk City 1/:			25,000
Surry :	0	0	6,900
Sussex 1/:			8,250
:			
Virginia :	133,850	135,400	143,400

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
 Equivalent 480-Pound Bales Ginned, and Running Bales Produced
 by County, State, and United States, Crop Year 1998 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
:			
:			
US TOTAL	13,533,950	13,912,250	13,533,950

1/ Withheld to avoid disclosing individual gins, but included in State and U. S. totals.

2/ County of origin was not determined.

Note: Counties may not add to State total due to rounding.

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Autauga	2	508.7	250
Baldwin	1	490.3	254
Barbour	0	0.0	260
Blount	1	509.5	398
Bullock	0	0.0	468
Butler	0	0.0	435
Chambers	0	0.0	493
Cherokee	4	490.0	142
Chilton	1	498.0	415
Choctaw	0	0.0	487
Clarke	0	0.0	533
Coffee	1	491.4	215
Colbert	2	487.8	126
Conecuh	0	0.0	387
Covington	1	503.7	204
Crenshaw	1	486.8	388
Cullman	0	0.0	399
Dale	0	0.0	342
Dallas	2	479.9	211
Dekalb	0	0.0	484
Elmore	3	495.1	197
Escambia	1	500.7	134
Etowah	0	0.0	402
Fayette	1	501.8	371
Geneva	1	489.4	239
Greene	1	495.0	466
Hale	0	0.0	509
Henry	2	488.2	205
Houston	1	494.8	206
Jackson	0	0.0	473
Lamar	0	0.0	486
Lauderdale	2	499.6	133
Lawrence	4	499.2	72
Lee	0	0.0	370
Limestone	7	496.5	43
Lowndes	1	504.8	305
Macon	1	512.8	292
Madison	3	480.3	83
Marengo	1	485.6	311
Marshall	0	0.0	585
Mobile	1	504.0	312

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Monroe	1	496.1	108
Montgomery	0	0.0	419
Morgan	0	0.0	499
Perry	0	0.0	367
Pickens	0	0.0	517
Pike	0	0.0	255
Russell	2	485.9	293
Shelby	0	0.0	289
Talladega	0	0.0	323
Tallapoosa	1	495.5	372
Tuscaloosa	1	498.7	298
Washington	0	0.0	449
Wilcox	0	0.0	380
Winston	0	0.0	584
Alabama	51	494.7	
Cochise	1	483.5	277
Graham	5	501.5	77
Greenlee	0	0.0	403
La Paz	2	496.4	98
Maricopa	15	490.3	9
Mohave	1	498.6	236
Pima	2	494.8	146
Pinal	19	494.9	6
Yavapai	0	0.0	429
Yuma	4	499.2	87
Arizona	49	493.9	
Arkansas	0	0.0	474
Ashley	6	482.0	42
Chicot	2	487.3	71
Clay	3	486.2	91
Craighead	8	485.8	22
Crittenden	4	485.7	84
Cross	1	522.0	406
Desha	6	485.4	17
Drew	1	482.3	125
Greene	3	483.6	169
Jackson	0	0.0	441

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Jefferson	9	491.5	59
Lafayette	2	501.4	362
Lee	1	508.5	105
Lincoln	1	494.6	76
Lonoke	6	488.7	103
Miller	1	500.0	409
Mississippi	15	489.4	5
Monroe	3	488.4	191
Phillips	6	486.6	32
Poinsett	7	485.6	35
Prairie	1	475.0	400
Pulaski	0	0.0	420
Saint Francis	4	494.5	160
Woodruff	1	505.4	290
Yell	0	0.0	567
Arkansas	91	487.8	
Butte	0	0.0	586
Colusa	1	497.9	225
Fresno	32	496.7	1
Glenn	0	0.0	500
Imperial	1	498.9	178
Kern	19	496.3	3
Kings	14	495.1	4
Madera	4	499.7	73
Merced	5	493.0	18
Riverside	2	494.0	168
San Bernardi	0	0.0	428
Sutter	1	500.4	427
Tulare	7	494.5	29
Yolo	0	0.0	313
California	86	496.0	
Alachua	0	0.0	469
Calhoun	0	0.0	301
Columbia	0	0.0	544
Escambia	1	490.6	230
Gadsen	0	0.0	501
Hamilton	0	0.0	389

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Holmes	0	0.0	477
Jackson	1	501.0	158
Jefferson	0	0.0	421
Madison	0	0.0	430
Okaloosa	0	0.0	328
Santa Rosa	2	503.5	140
Suwannee	0	0.0	450
Walton	0	0.0	518
Washington	0	0.0	519
Florida	4	501.0	
Appling	2	495.8	101
Atkinson	0	0.0	184
Bacon	0	0.0	247
Baker	0	0.0	138
Bartow	1	482.0	355
Ben Hill	0	0.0	233
Berrien	2	487.2	153
Bibb	0	0.0	534
Bleckley	1	493.0	179
Blinch	0	0.0	570
Brooks	2	505.0	100
Bryan	0	0.0	416
Bulloch	3	489.8	92
Burke	5	499.9	128
Calhoun	2	494.0	159
Candler	2	499.9	244
Clay	0	0.0	297
Coffee	2	494.3	70
Colquitt	7	495.3	37
Cook	1	496.0	143
Crawford	0	0.0	587
Crisp	2	481.6	79
Decatur	2	500.0	75
Dodge	1	489.0	161
Dooly	8	494.0	33
Dougherty	0	0.0	224
Early	1	492.7	122
Echols	0	0.0	535

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Effingham	0	0.0	351
Elbert	0	0.0	381
Emanuel	0	0.0	188
Evans	0	0.0	373
Floyd	0	0.0	346
Glascocock	0	0.0	452
Grady	0	0.0	107
Hart	0	0.0	463
Henry	0	0.0	485
Houston	0	0.0	221
Irwin	2	495.0	111
Jeff Davis	1	501.0	131
Jefferson	2	508.8	216
Jenkins	0	0.0	231
Johnson	1	499.0	302
Lamar	0	0.0	404
Lanier	0	0.0	270
Laurens	2	500.5	214
Lee	1	487.5	165
Long	0	0.0	588
Lowndes	1	496.8	251
Macon	0	0.0	208
Madison	0	0.0	568
Marion	0	0.0	470
McDuffie	0	0.0	502
Miller	1	495.1	129
Mitchell	1	493.0	61
Montgomery	0	0.0	359
Morgan	1	500.0	405
Peach	0	0.0	324
Pierce	0	0.0	174
Pike	0	0.0	528
Polk	0	0.0	356
Pulaski	3	490.9	123
Quitman	0	0.0	394
Randolph	1	498.0	228
Richmond	0	0.0	453
Schley	0	0.0	451
Screven	3	518.6	154
Seminole	1	507.0	157
Stewart	0	0.0	348

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Sumter	2	479.6	130
Tattnall	0	0.0	288
Taylor	1	490.0	353
Telfair	0	0.0	267
Terrell	1	472.0	182
Thomas	2	490.0	115
Tift	2	485.8	96
Toombs	0	0.0	242
Treutlen	0	0.0	326
Turner	2	502.0	89
Twiggs	0	0.0	308
Walton	0	0.0	527
Ware	0	0.0	332
Warren	0	0.0	551
Washington	0	0.0	276
Wayne	0	0.0	189
Webster	0	0.0	331
Wheeler	0	0.0	363
Wilcox	1	490.0	145
Wilkes	0	0.0	569
Wilkinson	0	0.0	510
Worth	1	500.0	41
Georgia	77	495.1	
Kansas 1/	1	477.6	
Avoyelles	1	489.9	281
Caddo	5	495.0	286
Caldwell	0	0.0	274
Catahoula	4	484.0	68
Concordia	3	491.1	78
East Baton r	0	0.0	552
East Carroll	5	483.2	86
East Felicia	0	0.0	494

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Evangeline	0	0.0	457
Franklin	9	492.6	51
Grant	0	0.0	488
Lasalle	0	0.0	536
Madison	2	482.2	52
Morehouse	4	490.9	67
Natchitoches	0	0.0	511
Ouachita	1	488.7	202
Pointe Coupe	1	488.3	318
Rapides	4	485.9	229
Red River	1	491.1	456
Richland	10	483.4	81
Saint Landry	0	0.0	366
Tensas	7	494.5	14
Union	0	0.0	559
Webster	0	0.0	571
West Carroll	4	497.2	97
West Felicia	0	0.0	589
Louisiana	61	489.5	
Adams	0	0.0	303
Alcorn	0	0.0	407
Attala	0	0.0	283
Benton	1	450.0	495
Bolivar	8	492.6	34
Calhoun	3	484.6	139
Carroll	2	493.8	163
Chickasaw	1	489.0	262
Choctaw	0	0.0	478
Claiborne	0	0.0	354
Clay	0	0.0	319
Coahoma	8	486.7	25
Copiah	0	0.0	322
Covington	0	0.0	512
Desoto	2	491.6	207
Forrest	0	0.0	391
George	0	0.0	417
Greene	0	0.0	503
Grenada	1	492.6	235
Hinds	2	495.7	181

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Holmes	4	488.5	45
Humphreys	4	493.6	28
Issaquena	1	490.0	155
Itawamba	0	0.0	431
Jackson	0	0.0	590
Jefferson	1	490.0	299
Jones	0	0.0	591
Lafayette	1	496.5	321
Lamar	0	0.0	458
Leake	0	0.0	385
Lee	1	500.0	252
Leflore	10	496.4	23
Lowndes	0	0.0	271
Madison	2	488.4	118
Marshall	0	0.0	537
Monroe	2	492.6	210
Montgomery	1	498.9	220
Newton	0	0.0	489
Noxubee	0	0.0	241
Oktibbeha	0	0.0	442
Panola	3	498.5	149
Pontotoc	2	487.0	287
Prentiss	0	0.0	374
Quitman	5	488.5	74
Rankin	2	492.1	268
Scott	0	0.0	340
Sharkey	5	490.0	60
Smith	0	0.0	560
Sunflower	8	491.1	48
Tallahatchie	7	494.4	39
Tate	1	486.0	263
Tippah	1	509.2	496
Tishomingo	0	0.0	412
Tunica	5	488.6	66
Union	0	0.0	390
Warren	1	491.6	213
Washington	12	493.6	21
Webster	1	479.1	183
Wilkinson	0	0.0	446
Yalobusha	1	496.1	199
Yazoo	7	491.5	27

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Mississippi	116	491.7	
Butler	0	0.0	545
Dunklin	12	488.1	16
Mississippi	0	0.0	572
New Madrid	9	487.0	31
Pemiscot	9	486.2	57
Scott	3	493.4	258
Stoddard	2	490.9	124
Missouri	35	487.7	
Chaves	2	491.3	273
Curry	0	0.0	464
Dona Ana	8	490.6	116
Eddy	3	480.9	166
Hidalgo	1	477.0	546
Lea	0	0.0	341
Luna	1	479.0	222
Quay	1	460.0	333
Roosevelt	0	0.0	272
Sierra	0	0.0	553
New Mexico	16	486.2	
Anson	1	489.0	358
Beaufort	1	488.8	203
Bertie	2	486.8	69
Bladen	1	496.4	237
Brunswick	0	0.0	540
Cabarrus	0	0.0	364
Camden	0	0.0	418
Carteret	0	0.0	343
Chowan	0	0.0	121
Cleveland	4	490.6	360
Columbus	0	0.0	350
Craven	1	496.5	167
Cumberland	0	0.0	295
Currituck	0	0.0	490

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Davidson	0	0.0	538
Duplin	3	492.8	245
Edgecombe	2	499.1	53
Franklin	0	0.0	529
Gates	1	480.0	144
Greene	1	486.0	127
Halifax	5	494.2	30
Harnett	1	494.5	240
Hertford	1	491.3	110
Hoke	1	505.1	150
Hyde	0	0.0	180
Iredell	0	0.0	465
Johnston	0	0.0	259
Jones	1	504.0	95
Lee	0	0.0	349
Lenoir	2	489.8	109
Martin	1	495.0	85
Montgomery	0	0.0	294
Nash	1	514.8	176
Northampton	6	499.4	44
Onslow	0	0.0	368
Pamlico	0	0.0	361
Pasquotank	0	0.0	316
Perquimans	1	501.8	141
Pitt	2	504.3	88
Richmond	0	0.0	548
Robeson	3	509.7	120
Rowan	0	0.0	475
Rutherford	1	438.0	547
Sampson	5	489.8	58
Scotland	2	501.1	170
Stanly	1	501.9	253
Tyrrell	0	0.0	337
Union	0	0.0	219
Wake	0	0.0	539
Warren	0	0.0	447
Washington	0	0.0	234
Wayne	1	0.0	119
Wilson	1	493.1	117
North Carolina	53	495.4	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Beckham	3	506.2	376
Bryan	1	491.0	
Caddo	3	486.1	504
Canadian	0	0.0	573
Comanche	0	0.0	592
Cotton	0	0.0	520
Custer	2	504.7	476
Grady	1	500.0	513
Grant	0	0.0	392
Greer	2	504.6	365
Harmon	3	496.9	152
Jackson	9	490.2	40
Kay	0	0.0	334
Kiowa	5	481.6	375
Mcclain	2	480.0	554
Roger Mills	0	0.0	424
Tillman	3	484.1	269
Wagoner	0	0.0	523
Washita	4	517.0	325
Oklahoma	38	493.4	
Abbeville	0	0.0	575
Aiken	1	480.0	278
Allendale	1	485.2	264
Anderson	0	0.0	524
Bamberg	0	0.0	194
Barnwell	1	501.3	329
Berkeley	0	0.0	530
Calhoun	3	489.3	93
Chester	0	0.0	422
Chesterfield	0	0.0	525
Clarendon	2	484.8	248
Colleton	0	0.0	514
Darlington	3	484.2	99
Dillon	2	491.2	172
Dorchester	0	0.0	310

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Edgefield	0	0.0	443
Fairfield	0	0.0	594
Florence	0	0.0	212
Georgetown	0	0.0	479
Hampton	1	495.7	177
Horry	0	0.0	506
Kershaw	0	0.0	505
Lancaster	0	0.0	574
Laurens	0	0.0	593
Lee	3	485.7	137
Lexington	0	0.0	481
Marion	0	0.0	345
Marlboro	4	497.9	106
Newberry	0	0.0	480
Orangeburg	4	487.2	80
Saluda	1	511.9	410
Sumter	6	507.9	223
Williamsburg	1	501.2	135
York	1	485.3	347
South Carolina	34	491.5	
Carroll	1	490.1	217
Chester	0	0.0	401
Coffee	0	0.0	542
Crockett	8	486.5	38
Dyer	1	480.0	136
Fayette	3	495.6	82
Franklin	0	0.0	282
Gibson	5	488.2	90
Giles	0	0.0	393
Hardeman	2	498.3	218
Hardin	0	0.0	423
Haywood	9	492.8	19
Henderson	0	0.0	425
Henry	0	0.0	541
Lake	1	495.0	249
Lauderdale	4	486.5	112
Lawrence	0	0.0	549
Lincoln	1	490.0	309

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Madison	2	487.5	94
McNairy	0	0.0	432
Obion	0	0.0	336
Rutherford	0	0.0	436
Shelby	0	0.0	200
Tipton	4	500.0	64
Weakley	0	0.0	497
Tennessee	41	491.6	
Anderson	0	0.0	491
Andrews	0	0.0	238
Archer	0	0.0	550
Austin	0	0.0	448
Bailey	8	496.5	62
Bastrop	0	0.0	580
Baylor	1	460.0	459
Bee	0	0.0	408
Bell	0	0.0	438
Borden	1	480.0	315
Brazoria	3	509.7	461
Brazos	2	483.7	307
Briscoe	3	501.4	132
Brown	0	0.0	561
Burleson	1	490.8	193
Caldwell	1	492.1	460
Calhoun	1	497.9	232
Callahan	0	0.0	576
Cameron	8	490.6	65
Castro	6	488.7	26
Childress	1	496.0	186
Clay	1	475.5	507
Cochran	3	489.1	47
Coke	0	0.0	565
Coleman	1	495.0	437
Collin	2	474.8	439
Collingsworth	2	507.0	195
Colorado	0	0.0	440
Concho	1	480.0	266
Coryell	0	0.0	563
Cottle	1	485.9	383

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Crosby	7	498.0	12
Culberson	1	485.0	531
Dawson	11	493.0	49
De Witt	0	0.0	581
Deaf Smith	1	490.0	175
Delta	0	0.0	411
Denton	0	0.0	526
Dickens	2	485.3	300
Donley	1	497.0	284
El Paso	6	493.2	50
Ellis	3	497.7	291
Falls	2	492.3	378
Fisher	2	501.3	344
Floyd	10	503.2	11
Foard	0	0.0	555
Fort Bend	16	493.6	185
Frio	0	0.0	434
Gaines	12	497.4	8
Garza	2	495.5	162
Glasscock	2	503.9	113
Grayson	0	0.0	578
Grimes	0	0.0	596
Guadalupe	0	0.0	582
Hale	16	497.4	2
Hall	3	500.3	148
Hardeman	2	492.2	369
Haskell	6	499.9	192
Hays	0	0.0	598
Henderson	0	0.0	579
Hidalgo	7	494.1	56
Hill	3	494.5	256
Hockley	11	496.4	13
Houston	1	490.0	543
Howard	4	491.3	275
Hudspeth	0	0.0	156
Hunt	2	479.7	246
Jackson	1	485.3	190
Jim Wells	0	0.0	314
Johnson	0	0.0	564

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Jones	7	494.3	285
Karnes	0	0.0	583
Kent	1	493.3	482
King	0	0.0	556
Kinney	0	0.0	467
Kleberg	1	502.8	338
Knox	3	503.1	171
Lamar	2	495.3	595
Lamb	17	499.7	7
Limestone	0	0.0	386
Live Oak	0	0.0	483
Lubbock	16	495.7	10
Lynn	11	494.5	24
Madison	0	0.0	557
Martin	7	500.9	198
Mason	0	0.0	597
Matagorda	1	485.0	164
Mcculloch	1	500.0	397
Mclennan	1	489.5	335
Medina	1	490.0	304
Midland	1	492.9	226
Milam	3	474.6	306
Mitchell	2	490.2	352
Motley	2	500.0	339
Navarro	2	496.7	279
Nolan	2	497.0	357
Nueces	7	494.5	46
Parmer	7	499.8	20
Pecos	1	485.0	201
Randall	0	0.0	433
Reagan	0	0.0	243
Red River	0	0.0	426
Reeves	2	485.0	196
Refugio	1	500.0	187
Roberts	0	0.0	396
Robertson	4	494.9	265
Runnels	5	500.7	151
San Patricio	10	490.8	54
Schleicher	0	0.0	444

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Scurry	2	494.7	317
Shackelford	0	0.0	562
Starr	1	499.5	0
Stephens	0	0.0	577
Stonewall	0	0.0	515
Swisher	5	495.3	36
Taylor	1	490.0	384
Terry	10	494.8	15
Throckmorton	1	446.2	521
Tom Green	5	496.2	104
Travis	0	0.0	516
Upton	1	500.7	296
Uvalde	0	0.0	257
Victoria	0	0.0	330
Walker	1	501.2	508
Washington	0	0.0	566
Wharton	6	485.7	114
Wheeler	0	0.0	379
Wichita	1	502.5	472
Wilbarger	3	482.0	377
Willacy	4	476.7	102
Williamson	6	486.9	173
Wilson	0	0.0	492
Yoakum	5	484.4	63
Young	1	485.0	498
Zavala	2	488.6	320
Texas	354	495.4	
Accomack	1	483.3	413
Amelia	0	0.0	599
Brunswick	0	0.0	532
Charles City	0	0.0	414
Dinwiddie	0	0.0	382
Greensville	1	488.7	227
Henrico	0	0.0	558
Isle of Wigh	2	484.2	209
King William	0	0.0	462
King and Que	0	0.0	445
New Kent	0	0.0	600
Northampton	0	0.0	327

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1998 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Prince Georg	0	0.0	522
Southampton	0	0.0	55
Suffolk City	1	486.7	147
Surry	0	0.0	280
Sussex	1	486.8	261
Virginia	6	485.5	
US TOTAL	1,113	493.4	

1/ Withheld to avoid disclosing individual data.

Note: County of origin was not determined for approximately
209,750 bales in the U.S., and ranking may be affected.

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 1998

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
All cotton	:		:		:	
US 1/	:	1,113	:	CA	:	86
1 - 2,999	:	187	:	1 - 2,999	:	2
3,000 - 4,999	:	125	:	3,000 - 4,999	:	8
5,000 - 6,999	:	76	:	5,000 - 6,999	:	1
7,000 - 9,999	:	147	:	7,000 - 9,999	:	9
10,000 - 14,999	:	183	:	10,000 - 14,999	:	13
15,000 - 19,999	:	133	:	15,000 - 19,999	:	21
20,000 - 39,999	:	202	:	20,000 - 39,999	:	27
40,000 - and over	:	49	:	40,000 - and over	:	5
AL	:	51	:	GA	:	77
1 - 2,999	:	4	:	1 - 2,999	:	3
3,000 - 4,999	:	8	:	3,000 - 4,999	:	1
5,000 - 6,999	:	7	:	5,000 - 6,999	:	3
7,000 - 9,999	:	10	:	7,000 - 9,999	:	9
10,000 - 14,999	:	12	:	10,000 - 14,999	:	13
15,000 - 19,999	:	5	:	15,000 - 19,999	:	11
20,000 - 39,999	:	3	:	20,000 - 39,999	:	27
40,000 - and over	:	2	:	40,000 - and over	:	10
AZ	:	49	:	LA	:	61
1 - 2,999	:	4	:	1 - 2,999	:	12
3,000 - 4,999	:	3	:	3,000 - 4,999	:	6
5,000 - 6,999	:	3	:	5,000 - 6,999	:	10
7,000 - 9,999	:	3	:	7,000 - 9,999	:	7
10,000 - 14,999	:	6	:	10,000 - 14,999	:	7
15,000 - 19,999	:	11	:	15,000 - 19,999	:	8
20,000 - 39,999	:	15	:	20,000 - 39,999	:	11
40,000 - and over	:	4	:	40,000 - and over	:	0
AR	:	91	:	MS	:	116
1 - 2,999	:	8	:	1 - 2,999	:	10
3,000 - 4,999	:	16	:	3,000 - 4,999	:	13
5,000 - 6,999	:	4	:	5,000 - 6,999	:	7
7,000 - 9,999	:	13	:	7,000 - 9,999	:	24
10,000 - 14,999	:	18	:	10,000 - 14,999	:	28
15,000 - 19,999	:	13	:	15,000 - 19,999	:	17
20,000 - 39,999	:	16	:	20,000 - 39,999	:	16
40,000 - and over	:	3	:	40,000 - and over	:	1


-- continued

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 1998 (continued)

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
MO	:	35	:	SC	:	34
1 - 2,999	:	3	:	1 - 2,999	:	6
3,000 - 4,999	:	5	:	3,000 - 4,999	:	4
5,000 - 6,999	:	6	:	5,000 - 6,999	:	4
7,000 - 9,999	:	7	:	7,000 - 9,999	:	6
10,000 - 14,999	:	9	:	10,000 - 14,999	:	7
15,000 - 19,999	:	3	:	15,000 - 19,999	:	4
20,000 - 39,999	:	2	:	20,000 - 39,999	:	3
40,000 - and over	:	0	:	40,000 - and over	:	0
NM	:	16	:	TN	:	41
1 - 2,999	:	7	:	1 - 2,999	:	2
3,000 - 4,999	:	1	:	3,000 - 4,999	:	1
5,000 - 6,999	:	2	:	5,000 - 6,999	:	6
7,000 - 9,999	:	3	:	7,000 - 9,999	:	10
10,000 - 14,999	:	3	:	10,000 - 14,999	:	10
15,000 - 19,999	:	0	:	15,000 - 19,999	:	4
20,000 - 39,999	:	0	:	20,000 - 39,999	:	8
40,000 - and over	:	0	:	40,000 - and over	:	0
NC	:	53	:	TX	:	354
1 - 2,999	:	3	:	1 - 2,999	:	101
3,000 - 4,999	:	2	:	3,000 - 4,999	:	53
5,000 - 6,999	:	0	:	5,000 - 6,999	:	20
7,000 - 9,999	:	4	:	7,000 - 9,999	:	39
10,000 - 14,999	:	11	:	10,000 - 14,999	:	46
15,000 - 19,999	:	5	:	15,000 - 19,999	:	30
20,000 - 39,999	:	26	:	20,000 - 39,999	:	48
40,000 - and over	:	2	:	40,000 - and over	:	17
OK	:	38	:		:	
1 - 2,999	:	22	:		:	
3,000 - 4,999	:	4	:		:	
5,000 - 6,999	:	3	:		:	
7,000 - 9,999	:	3	:		:	
10,000 - 14,999	:	0	:		:	
15,000 - 19,999	:	1	:		:	
20,000 - 39,999	:	0	:		:	
40,000 - and over	:	5	:		:	

1/ Total number of gins operating. Data excludes 4 gins in Florida, 1 gin in Kansas, and 6 gins in Virginia.

1998 All Cotton Ginnings Percent of U.S. Crop Ginned, by State



USDA - NASS
5-12-99

Cotton Ginnings 1998: A total of 13.5 million running bales were ginned during the 1998 season, 26 percent less than 1997's ginnings of 18.3 million bales. The 1998 cotton crop experienced delays in planting because of excessive rainfall in the Delta, the Southeast, and in California. Hot, dry conditions persisted during early summer in all States except California. These conditions pushed maturity well ahead of the normal development pace. As a result of this early maturity, harvest progress also exceeded the 5-year averages. The Delta and Southeastern States' crop potential was decreased from the effects of the weather, but brief and timely rains later in the growing season salvaged the yields in most of these States. California experienced unseasonably wet, cool weather during the entire season, resulting in below average yields. Yields in the Texas irrigated fields improved as the season progressed. However, large amounts of non-irrigated acreage had to be abandoned.

There were 1,113 active cotton gins during the 1998 season, down from the 1,153 that operated in 1997. There were 251 ginning firms processing more than 20,000 bales in 1998, compared to 370 the previous season, and 49 of these processed at least 40,000 bales in 1998.

Cotton, 1998 Final: All cotton production in the United States totaled 13.9 million bales in 1998, 26 percent less than 1997's production. The 1998 output was the smallest crop since 1989. Upland cotton production, at 13.5 million bales, was 26 percent less than the previous year, while American-Pima production totaled 442,300 bales, down 19 percent from 1997.

The area planted to all cotton totaled 13.4 million acres, down 4 percent from 1997. Harvested area was 10.7 million acres, down 20 percent from the previous year. This large decrease was mainly due to the large abandonment in Texas. Abandonment totaled 20 percent in 1998, compared to only 4 percent the previous year. Yields for the U.S. averaged 625 pounds per harvested acre.

Texas' harvest exceeded the 5-year average during the season, and in late November, harvest was 8 points ahead of the average pace of 87 percent. Texas' irrigated fields showed good progress during the 1998 season, but drought and high temperatures resulted in 2.35 million acres of Upland cotton being abandoned. At the end of August, approximately one-half of the acreage was rated in poor or very poor condition, 17 percent was rated good, and 3 percent was rated excellent. In late August, boll set was complete. Torrential rains in the south during October replenished topsoil moisture, but harvest was interrupted and regrowth became a problem in some fields. Objective yield survey data indicated the third lowest boll weights since 1988. A large amount of American-Pima cotton was seeded in non-traditional producing areas and was subject to substantial abandonment. Acreage planted to all cotton in Texas was 5.76 million, up 4 percent from 1997, but harvested acreage was down 36 percent from last year, at 3.33 million acres. Texas and Oklahoma both had record setting Upland cotton yields due to the large amount of non-irrigated acreage that was abandoned. The abandonment of these acres resulted in the irrigated acreage accounting for a larger proportion of the total, and thus increasing the States' overall yield.

The Delta States' (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee) planted and harvested 8 percent less acreage than in 1997. Plantings totaled 3.23 million acres and harvested area totaled 3.17 million acres. Planting was behind the 5-year average due to wet soils until mid-May, when a dry period allowed most States to exceed the average. During the first week of May, producers in Arkansas, Louisiana, and Mississippi planted about 30 percent of their acreage. The percent of the Arkansas crop rated in good to excellent condition on July 19, dropped 13 points from late-June to 55 percent.

Louisiana's rating dropped 12 points during this same time period to 38 percent, while Mississippi showed a only a 5 point drop to 70 percent in good to excellent condition. Hot and dry weather pushed the crop's development ahead of 5-year averages. Missouri's acreage received heavy rains during early August and then dry conditions began with mild temperatures, which lowered yield potential. During September, Louisiana and Mississippi were affected by two tropical storms and Hurricane Georges. The first storm, Frances, had high amounts of rainfall and also moved into southern Arkansas. Tropical storm Hermine made landfall in Louisiana, but had much less rain than the previous storm. In early November, harvest was 8 points behind the 5-year average pace in Missouri, at 70 percent, but the other States were ahead of the average pace. At this same time, Louisiana had 97 percent of the crop harvested, 5 points ahead of the 5-year average. Mississippi and Arkansas producers were 14 points above average with 98 percent and 91 percent of the acreage harvested, respectively, in early November. Tennessee's progress was 17 points ahead of the 5-year average at 92 percent, and excellent harvest conditions allowed growers to proceed with second pickings. Cotton objective yield data indicated Arkansas, Louisiana, and Mississippi had the lowest boll weights compared to the past 10 years.

Arizona planted 23 percent fewer acres of all cotton than during 1997. Harvested acreage decreased by 24 percent. California producers decreased planted and harvested acreage of all cotton by 20 percent and 24 percent, respectively. Eighty-three percent of Arizona's crop was harvested in late November, 7 points behind the normal pace. California's seeding pace was well behind average most of the season as wet, cool weather prevailed which resulted in cotton development remaining behind average. Only one percent of the California crop was harvested on October 4, 8 points behind average, and one month later producers were 47 points behind the average pace, with only 15 percent harvested. Boll opening was three-fourths complete compared to the 5-year average of 99 percent, on this same date, and the crop's condition was rated as 45 percent good and 45 percent in fair condition. During December, harvest made little progress in the central valley, due to the poor drying conditions, and some unharvested cotton fields were plowed under because of deteriorating lint quality and unopened bolls. A few fields were second picked, and plowdown for pink bollworm control was ongoing on sandier soils. The plowdown deadline for the southern San Joaquin Valley was extended fifteen days, due to the extremely late harvest season. California's final boll weights were the third lowest since 1988.

In the Southeastern States (Alabama, Georgia, North Carolina, and South Carolina), cotton planted acreage was 3 percent less than in 1997, at 2.87 million acres, and harvested acreage was also down 3 percent, at 2.75 million acres. Plantings were behind average for most of the season except in Alabama, where producers exceeded the average planting pace. The weather remained hot and dry after plantings were completed. Hurricane Bonnie entered into North Carolina on August 26, with extreme winds and torrential rainfall, and covered approximately one-half of the cotton acreage in the State. The two largest producing counties were on the western edge of the storm and weren't heavily affected. Hurricane Georges crossed southern Alabama and into Georgia during September, with the heaviest rainfall in Alabama. Additionally, Tropical Storm Earl also affected these States cotton crop in early September with heavy rain. However, open weather during the fall resulted in larger production than earlier anticipated.

Cottonseed: Cottonseed production in 1998 totaled 5.50 million tons, down 21 percent from 1997.

Released May 12, 1999, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "Cotton Ginnings Summary" call (202) 720-5944, office hours 7:30 a.m. to 4:00 p.m. ET.

The next "Cotton Ginnings Summary" report will be released in May 2000.

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC, 20250-9410, or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

ACCESS TO REPORTS!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: <http://www.usda.gov/nass/>. Select "Today's Reports" or Publications and then Reports by Calendar or Publications and then Search, by Title or Subject.

E-MAIL SUBSCRIPTION

All NASS reports are available by subscription free of charge direct to your e-mail address. Send an e-mail message to: usda-reports@usda.mannlib.cornell.edu. In the body of the message type the word: **list**.

AUTOFAX ACCESS

NASSFax service is available for some reports from your fax machine. Please call 202-720-2000, using the handset attached to your fax. Respond to the voice prompts. Document 0411 is a list of available reports.

PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)
Other areas, please call 703-834-0125 FAX: 703-834-0110
(Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@nass.usda.gov.
