



United States  
Department of  
Agriculture

National  
Agricultural  
Statistics  
Service



Ct Gn 1 (05)

# Cotton Ginnings 2004 Summary

## May 2005

# USDA





Cotton Ginnings: Running Bales Ginned (Excluding Linters)  
by Type, State, and United States, Crop Years 2001-04

Type and State	2001	2002	2003	2004
All Cotton				
AL	907,300	566,200	799,950	797,350
AZ	656,850	596,200	514,000	678,350
AR	1,788,400	1,615,150	1,735,600	2,016,500
CA	2,358,250	2,008,300	1,822,950	2,414,850
FL 1/		67,300	122,200	92,900
GA	2,159,050	1,549,550	2,041,400	1,749,800
KS 1/		68,300	89,200	65,350
LA	1,044,600	749,050	1,028,300	888,250
MS	2,339,250	1,880,500	2,063,250	2,274,250
MO	673,800	579,200	675,800	808,700
NM	70,800	58,700	56,800	67,750
NC	1,640,550	782,300	1,007,450	1,324,150
OK	194,850	203,500	205,350	289,050
SC	404,200	127,000	311,450	369,100
TN	950,150	788,950	853,900	958,550
TX	4,232,800	4,981,500	4,274,850	7,618,050
VA	177,900	88,750	106,450	142,600
US	19,771,200	16,710,450	17,708,900	22,555,550
Amer-Pima				
AZ	14,100	16,800	4,400	5,300
CA	617,900	581,500	356,450	656,200
NM	12,900	18,000	12,550	17,650
TX	32,800	38,700	43,450	37,750
US	677,700	655,000	416,850	716,900

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound  
Bales Ginned, by Type, State, and United States, Crop Years 2003-04

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	2003	2004	2003	2004
All Cotton				
AL	789,300	783,700	828,450	826,750
AZ	535,950	707,450	530,000	698,300
AR	1,755,150	2,035,200	1,784,050	2,069,450
CA	1,801,050	2,385,200	1,886,500	2,502,550
FL	113,200	105,850	125,900	95,800
GA	2,045,700	1,743,100	2,106,050	1,803,000
KS	86,800	67,850	91,950	68,050
LA	1,000,100	861,200	1,055,500	912,300
MS	2,067,350	2,285,000	2,115,700	2,334,400
MO	682,950	812,500	693,400	826,200
NM	82,000	129,350	57,450	68,800
NC	996,900	1,305,450	1,047,950	1,379,600
OK	212,600	295,150	209,850	295,750
SC	314,750	376,400	322,350	381,800
TN	863,050	956,350	878,800	985,300
TX	4,246,000	7,549,450	4,397,450	7,844,900
VA	116,050	156,350	109,450	146,950
US	17,708,900	22,555,550	18,240,800	23,239,900
Amer-Pima				
AZ	4,400	5,350	4,600	5,500
CA	356,450	656,250	370,500	682,700
NM	13,100	18,450	12,650	17,850
TX	42,900	36,900	44,400	38,750
US	416,850	716,950	432,150	744,800

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2004

Type and State	October 1	October 15	November 1
All Cotton			
AL	38,300	170,250	355,850
AZ	51,600	102,800	185,500
AR	113,500	503,150	1,019,100
CA	19,450	267,750	694,150
FL 1/		11,000	36,250
GA	82,400	293,850	723,150
LA	131,200	321,650	605,550
MS	367,300	832,650	1,420,750
MO	28,250	186,000	383,150
NM 1/		400	7,600
NC	46,700	244,200	560,000
OK	1,850	21,550	65,300
SC	16,350	71,800	160,750
TN	61,450	229,550	451,200
TX	1,265,750	1,512,350	2,041,350
VA 1/		19,450	48,300
US	2,226,500	4,788,400	8,757,950
Amer-Pima			
AZ 1/			
CA 1/		55,900	165,600
NM 1/	0	0	
TX 1/			5,800
US 2/		56,300	173,350

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2004 (continued)

Type and State	November 15	December 1	December 15
All Cotton			
AL	517,150	654,150	723,300
AZ	281,800	354,900	440,050
AR	1,408,650	1,766,150	1,946,600
CA	1,071,600	1,457,400	1,798,750
FL	58,650	77,750	86,900
GA	1,084,000	1,397,600	1,603,950
KS 3/		5,100	9,800
LA	773,100	862,500	881,600
MS	1,846,750	2,124,650	2,227,400
MO	539,600	692,800	782,950
NM	19,400	30,950	44,100
NC	833,950	1,104,400	1,262,850
OK	103,200	130,850	175,600
SC	235,400	295,850	336,300
TN	622,750	811,300	912,400
TX	2,539,350	2,874,200	3,701,700
VA	83,350	113,900	138,100
US	12,018,700	14,754,450	17,072,350
Amer-Pima			
AZ 1/			
CA	264,350	352,500	432,900
NM 1/			
TX	12,400	19,300	27,450
US	281,300	380,750	475,200

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2004 (continued)

Type and State	January 1	January 15	February 1
All Cotton			
AL	769,300	792,850	797,100
AZ	534,600	588,050	642,450
AR	2,006,500	2,015,050	2,016,400
CA	2,059,750	2,197,300	2,298,950
FL	91,700	92,800	92,800
GA	1,711,700	1,743,900	1,749,150
KS	18,300	24,550	40,950
LA	888,200	888,200	888,200
MS	2,263,700	2,271,800	2,273,700
MO	806,800	809,200	809,300
NM	55,050	64,650	67,650
NC	1,304,050	1,319,550	1,323,150
OK	219,950	242,550	265,400
SC	356,000	367,950	368,500
TN	947,150	957,650	958,350
TX	4,751,600	5,636,050	6,514,750
VA	140,400	142,600	142,600
US	18,924,750	20,154,700	21,249,400
Amer-Pima			
AZ	4,850	4,900	5,300
CA	496,600	542,600	595,500
NM	14,600	16,550	17,650
TX	33,950	37,150	37,850
US	550,000	601,200	656,300

- 1/ Not published to avoid disclosing individual gins, but included in U.S. totals.
- 2/ Not published to avoid disclosing individual gins, but included in the all cotton U.S. total.
- 3/ Kansas first estimate is December 1.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
All Cotton	:					
Autauga	1/:					10,750
Baldwin	1/:					16,450
Barbour	:	0		0		8,100
Bibb	:	0		0		450
Blount	1/:					4,350
Bullock	:	0		0		1,400
Butler	:	0		0		1,050
Calhoun	:	0		0		6,400
Chambers	:	0		0		600
Cherokee	1/:					27,900
Chilton	1/:					1,450
Choctaw	:	0		0		650
Clarke	1/:	0		0		
Coffee	1/:					18,850
Colbert	1/:					45,650
Conecuh	:	0		0		5,250
Covington	1/:					19,050
Crenshaw	1/:					1,850
Cullman	:	0		0		3,100
Dale	:	0		0		10,250
Dallas	:	0		0		18,300
Dekalb	1/:	0		0		
Elmore	1/:					19,200
Escambia	1/:					19,850
Etowah	:	0		0		5,450
Franklin	:	0		0		3,750
Geneva	1/:					23,900
Greene	1/:					1,400
Hale	:	0		0		1,450
Henry	1/:					24,500
Houston	1/:					33,000
Jackson	:	0		0		10,200
Lamar	:	0		0		4,000
Lauderdale	:	47,650		49,850		46,500
Lawrence	1/:					65,100
Lee	:	0		0		3,250
Limestone	:	120,650		125,700		110,200
Lowndes	1/:					2,550
Macon	1/:					8,850

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Madison	:	73,200	:	75,950	:	104,800
Marengo	1/:		:		:	5,400
Marion	:	0	:	0	:	2,200
Marshall	:	0	:	0	:	1,250
Mobile	1/:		:		:	12,800
Monroe	1/:		:		:	19,850
Montgomery	:	0	:	0	:	2,100
Morgan	:	0	:	0	:	4,150
Perry	:	0	:	0	:	3,550
Pike	:	0	:	0	:	6,550
Russell	1/:		:		:	8,100
Shelby	:	0	:	0	:	7,150
Talladega	:	0	:	0	:	8,600
Tallapoosa	1/:		:		:	1,550
Tuscaloosa	1/:		:		:	6,800
Washington	:	0	:	0	:	1,350
Wilcox	:	0	:	0	:	1,800
Other	2/:		:		:	100
	:		:		:	
Alabama	:	797,350	:	826,750	:	783,700
	:		:		:	
Cochise	1/:		:		:	4,350
Graham	1/:		:		:	49,400
Greenlee	:	0	:	0	:	1,100
La Paz	1/:		:		:	70,550
Maricopa	:	216,500	:	223,450	:	137,750
Mohave	1/:		:		:	11,800
Pima	1/:		:		:	29,900
Pinal	:	272,700	:	278,600	:	321,200
Yuma	:	82,900	:	85,650	:	81,400
	:		:		:	
Arizona	:	678,350	:	698,300	:	707,450
	:		:		:	
Arkansas	1/:	0	:	0	:	
Ashley	:	123,900	:	126,650	:	122,800
Chicot	1/:		:		:	83,900
Clay	1/:		:		:	59,950
Craighead	:	198,000	:	203,400	:	204,600
Crittenden	:	93,550	:	95,550	:	79,050
Cross	:	0	:	0	:	8,250
Desha	:	274,600	:	280,900	:	197,900

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Drew	1/:		:		:	55,950
Greene	:	41,350	:	41,550	:	37,550
Jackson	:	0	:	0	:	2,600
Jefferson	:	88,700	:	91,400	:	80,500
Lafayette	1/:		:		:	6,800
Lee	1/:		:		:	129,100
Lincoln	1/:		:		:	89,950
Little River	1/:	0	:	0	:	
Lonoke	:	62,450	:	63,700	:	54,250
Miller	:	0	:	0	:	1,250
Mississippi	:	442,650	:	454,550	:	461,650
Monroe	1/:		:		:	29,900
Phillips	:	185,050	:	190,650	:	139,050
Poinsett	:	157,500	:	162,150	:	119,050
Prairie	:	0	:	0	:	2,350
Pulaski	:	0	:	0	:	750
St. Francis	:	87,750	:	90,400	:	47,850
Woodruff	:	0	:	0	:	19,850
Other	2/:		:		:	150
Arkansas	:	2,016,500	:	2,069,450	:	2,035,200
Butte	1/:	0	:	0	:	
Colusa	1/:		:		:	12,950
Fresno	:	891,900	:	927,400	:	781,050
Glenn	:	0	:	0	:	6,750
Imperial	1/:		:		:	28,650
Kern	:	441,250	:	456,250	:	424,300
Kings	:	435,250	:	453,850	:	554,700
Madera	1/:		:		:	49,350
Merced	1/:		:		:	227,350
Riverside	1/:		:		:	82,900
San Bernardino	:	0	:	0	:	1,900
San Joaquin	1/:	0	:	0	:	
Sutter	1/:		:		:	2,550
Tulare	:	248,650	:	256,250	:	211,800
California	:	2,414,850	:	2,502,550	:	2,385,200
Calhoun	:	0	:	0	:	7,550

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
-----						
Escambia	1/:					11,850
Gadsden	:	0		0		750
Hamilton	1/:	0		0		
Holmes	:	0		0		2,050
Jackson	1/:					40,150
Jefferson	:	0		0		1,150
Madison	:	0		0		850
Okaloosa	:	0		0		5,150
Santa Rosa	1/:					27,550
Suwannee	1/:	0		0		
Walton	:	0		0		5,850
Washington	:	0		0		2,450
-----						
Florida	:	92,900		95,800		105,850
-----						
Appling	1/:					33,950
Atkinson	:	0		0		12,650
Bacon	:	0		0		10,900
Baker	:	0		0		43,950
Bartow	1/:					2,550
Ben Hill	:	0		0		7,500
Berrien	:	61,750		63,400		27,650
Bleckley	1/:					18,550
Brooks	1/:					45,000
Bryan	:	0		0		2,200
Bulloch	1/:					37,800
Burke	:	67,050		69,450		45,350
Calhoun	1/:					29,000
Candler	1/:					11,050
Carroll	1/:	0		0		
Clay	:	0		0		14,600
Coffee	1/:					38,050
Colquitt	:	227,050		233,850		120,200
Cook	:	0		0		38,450
Crawford	:	0		0		1,250
Crisp	1/:					41,300
Decatur	1/:					59,500
Dodge	1/:					15,500
Dooly	:	158,500		163,250		96,650
Dougherty	:	0		0		10,750
Early	1/:					72,600

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Effingham	0	0	4,200
Elbert	0	0	3,250
Emanuel	0	0	18,200
Evans	0	0	8,250
Floyd	0	0	3,850
Glascocock	0	0	1,600
Grady	0	0	33,350
Hart	0	0	
Henry	0	0	
Houston	0	0	18,350
Irwin	0	0	25,050
Jeff Davis	0	0	27,550
Jefferson	0	0	17,000
Jenkins	0	0	19,000
Johnson	0	0	3,000
Lamar	0	0	650
Lanier	0	0	7,200
Laurens	0	0	7,500
Lee	0	0	30,400
Lowndes	0	0	9,250
Macon	0	0	20,900
Marion	0	0	2,100
McDuffie	0	0	
Miller	0	0	66,750
Mitchell	0	0	81,400
Monroe	0	0	350
Montgomery	0	0	2,200
Morgan	0	0	1,250
Oconee	0	0	400
Peach	0	0	10,650
Pierce	0	0	10,300
Pike	0	0	
Polk	0	0	2,650
Pulaski	0	0	32,150
Quitman	0	0	800
Randolph	0	0	19,600
Schley	0	0	1,850
Screven	0	0	26,850
Seminole	0	0	53,950
Stewart	0	0	5,050
Sumter	0	0	34,400

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Tattnall	:	0	:	0	:	9,750
Taylor	1/:		:		:	5,150
Telfair	:	0	:	0	:	7,950
Terrell	1/:		:		:	31,950
Thomas	1/:		:		:	34,400
Tift	1/:		:		:	29,300
Toombs	:	0	:	0	:	4,000
Treutlen	:	0	:	0	:	2,600
Turner	1/:		:		:	26,950
Twiggs	:	0	:	0	:	4,300
Walker	:	0	:	0	:	450
Walton	:	0	:	0	:	400
Ware	:	0	:	0	:	4,950
Warren	:	0	:	0	:	350
Washington	:	0	:	0	:	3,550
Wayne	:	0	:	0	:	12,800
Webster	:	0	:	0	:	11,350
Wheeler	:	0	:	0	:	2,200
Wilcox	1/:		:		:	28,550
Wilkes	1/:	0	:	0	:	
Wilkinson	:	0	:	0	:	400
Worth	1/:		:		:	72,650
	:		:		:	
Georgia	:	1,749,800	:	1,803,000	:	1,743,100
	:		:		:	
Kansas	:	65,350	:	68,050	:	67,850
	:		:		:	
Avoyelles	1/:		:		:	22,250
Bienville	:	0	:	0	:	1,350
Bossier	:	0	:	0	:	2,500
Caddo	:	41,350	:	43,100	:	34,350
Caldwell	:	0	:	0	:	12,200
Catahoula	:	65,950	:	67,350	:	74,300
Concordia	:	61,350	:	62,100	:	60,000
Desoto	:	0	:	0	:	1,700
East Carroll	:	95,450	:	98,000	:	58,000
Evangeline	:	0	:	0	:	750
Franklin	:	131,000	:	136,150	:	73,050
Grant	:	0	:	0	:	900
Lasalle	:	0	:	0	:	500

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Madison	1/:		105,200
Morehouse	:	121,250	102,100
Natchitoches	:	0	7,850
Ouachita	1/:		24,300
Pointe Coupe	1/:		10,800
Rapides	:	38,200	26,650
Red River	1/:		8,500
Richland	:	78,350	56,600
Saint Landry	:	0	3,250
Tensas	:	120,000	152,650
West Carroll	1/:		21,450
Louisiana	:	888,250	861,200
Adams	:	0	11,300
Alcorn	:	0	550
Attala	:	0	12,050
Benton	1/:		3,400
Bolivar	:	197,200	175,400
Calhoun	:	52,750	51,850
Carroll	1/:		28,900
Chickasaw	:	0	6,550
Choctaw	:	0	1,400
Claiborne	:	0	8,150
Clay	:	0	1,000
Coahoma	:	246,000	240,100
Copiah	:	0	1,300
Covington	:	0	1,400
Desoto	1/:		19,200
Forrest	:	0	1,750
George	:	0	5,100
Greene	:	0	1,300
Grenada	:	0	13,950
Hinds	1/:		21,250
Holmes	:	130,250	124,500
Humphreys	:	92,250	144,600
Issaquena	:	0	43,900
Itawamba	:	0	550
Jackson	:	0	1,000
Jefferson	1/:		5,350
Jones	1/:		0

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Lafayette	1/:		8,900
Lawrence	:	0	750
Leake	:	0	950
Lee	1/:		39,150
Leflore	:	209,250	180,650
Lowndes	:	0	3,300
Madison	1/:		24,500
Marshall	:	0	650
Monroe	1/:		14,400
Montgomery	1/:		15,850
Newton	:	0	650
Noxubee	:	0	14,500
Oktibbeha	1/:		0
Panola	:	65,500	69,350
Perry	:	0	2,200
Pontotoc	1/:		12,000
Prentiss	:	0	400
Quitman	:	94,700	60,000
Rankin	1/:		8,600
Scott	:	0	1,150
Sharkey	:	97,150	92,200
Sunflower	:	183,600	132,150
Tallahatchie	:	67,900	120,050
Tate	:	0	19,700
Tippah	:	0	3,850
Tishomingo	:	0	1,800
Tunica	:	90,150	125,900
Union	:	0	500
Warren	1/:		19,250
Washington	:	172,800	196,800
Webster	1/:		16,400
Yalobusha	1/:		17,750
Yazoo	:	230,150	154,550
Mississippi	:	2,274,250	2,285,000
Douglas	1/:	0	0
Dunklin	:	334,200	305,950
Mississippi	1/:	0	0
New Madrid	:	211,000	202,150
Pemiscot	:	148,050	170,850

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Scott	1/:					31,350
Stoddard	1/:					101,950
Missouri	:	808,700		826,200		812,500
Chaves	1/:					5,400
Curry	:	0		0		2,850
Dona Ana	1/:					38,550
Eddy	1/:					13,750
Hidalgo	1/:	0		0		
Lea	:	0		0		40,500
Luna	:	0		0		10,800
Quay	1/:	0		0		
Roosevelt	:	0		0		16,850
New Mexico	:	67,750		68,800		129,350
Anson	1/:					7,800
Beaufort	1/:					48,450
Bertie	1/:					64,850
Bladen	:	0		0		11,700
Cabarrus	1/:	0		0		
Camden	:	0		0		1,200
Carteret	:	0		0		500
Chowan	1/:					30,200
Cleveland	1/:					4,000
Columbus	1/:					8,750
Craven	1/:					24,700
Cumberland	:	0		0		9,800
Davidson	:	0		0		1,650
Duplin	1/:					26,600
Edgecombe	1/:					78,750
Franklin	1/:	0		0		
Gates	1/:					26,250
Greene	1/:					36,000
Halifax	:	94,600		98,700		92,900
Harnett	1/:					23,350
Hertford	1/:					25,250
Hoke	:	0		0		30,900
Hyde	1/:					31,900

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Iredell	0	0	1,250
Johnston	0	0	20,250
Jones 1/:			35,950
Lee	0	0	650
Lenoir 1/:			49,700
Martin 1/:			62,900
Montgomery	0	0	2,650
Nash 1/:			33,050
New Hanover 1/:	0	0	
Northampton	116,650	122,650	109,800
Onslow	0	0	9,550
Pamlico	0	0	6,150
Pasquotank	0	0	4,850
Pender	0	0	11,750
Perquimans 1/:			32,800
Pitt	79,300	82,750	60,200
Richmond	0	0	3,200
Robeson 1/:			45,700
Rowan	0	0	1,600
Rutherford 1/:			500
Sampson 1/:			55,650
Scotland 1/:			23,500
Stanly 1/:			16,850
Tyrrell	0	0	8,450
Union	0	0	9,150
Wake 1/:			0
Warren	0	0	1,200
Washington	0	0	28,100
Wayne 1/:			38,900
Wilson 1/:			45,200
North Carolina	1,324,150	1,379,600	1,305,450
Alfalfa	0	0	450
Atoka 1/:			0
Beckham 1/:			4,000
Caddo 1/:			10,400
Canadian	0	0	3,200
Cleveland 1/:			0
Comanche	0	0	6,250
Cotton	0	0	1,900

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
-----						
Custer	1/:					1,800
Garvin	1/:	0		0		
Grady	1/:					850
Grant	:	0		0		1,550
Greer	:	0		0		9,100
Harmon	:	30,850		31,600		39,750
Jackson	:	150,400		153,450		114,650
Kay	1/:					4,500
Kiowa	1/:					6,950
Mcclain	:	0		0		450
Mccurtain	:	0		0		1,100
Noble	1/:	0		0		
Oklahoma	:	0		0		300
Roger Mills	:	0		0		550
Texas	:	0		0		1,950
Tillman	:	61,800		62,600		75,700
Washita	1/:					9,050
Woods	1/:	0		0		
Oklahoma	:	289,050		295,750		295,150
Abbeville	1/:	0		0		
Aiken	:	0		0		9,450
Allendale	1/:					2,100
Anderson	:	0		0		1,050
Bamberg	:	0		0		10,050
Barnwell	:	0		0		5,550
Berkeley	1/:	0		0		
Calhoun	:	60,650		62,250		37,550
Cherokee	1/:	0		0		
Chester	:	0		0		2,100
Chesterfield	:	0		0		1,700
Clarendon	1/:					2,650
Colleton	:	0		0		1,750
Darlington	1/:					57,900
Dillon	1/:					26,400
Dorchester	:	0		0		10,750
Edgefield	:	0		0		750
Florence	:	0		0		10,850
Georgetown	:	0		0		1,100
Hampton	1/:					11,100

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Horry	0	0	4,050
Kershaw	0	0	550
Laurens 1/:	0	0	
Lee 1/:			29,550
Lexington	0	0	4,900
Marion	0	0	4,500
Marlboro	51,900	54,200	47,750
Newberry	0	0	1,050
Orangeburg	70,650	72,600	48,200
Richland	0	0	2,000
Saluda 1/:			1,700
Sumter	29,750	31,100	7,600
Williamsburg 1/:			25,800
York	0	0	5,500
South Carolina	369,100	381,800	376,400
Carroll 1/:			35,050
Chester	0	0	2,850
Coffee 1/:	0	0	
Crockett	180,700	184,000	127,800
Dyer	0	0	55,450
Fayette 1/:			71,100
Franklin	0	0	7,600
Gibson	48,400	49,850	60,750
Giles	0	0	3,550
Grundy 1/:	0	0	
Hardeman 1/:			30,400
Hardin	0	0	1,050
Haywood	236,650	243,450	199,450
Henderson	0	0	4,550
Lake 1/:			29,900
Lauderdale	88,800	91,000	84,100
Lawrence	0	0	650
Lincoln 1/:			24,100
Madison 1/:			64,900
McNairy	0	0	5,450
Obion	0	0	5,250
Rutherford	0	0	4,600
Shelby	0	0	26,300
Tipton	151,350	157,200	109,950

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Weakley	0	0	1,250
Tennessee	958,550	985,300	956,350
Anderson	0	0	2,050
Andrews	0	0	18,700
Aransas	0	0	1,350
Archer	0	0	300
Atascosa	0	0	2,100
Austin	0	0	8,750
Bailey	110,550	113,800	89,550
Baylor	0	0	5,300
Bee	0	0	13,500
Bell	0	0	1,500
Bexar	0	0	3,850
Borden	1/:		40,950
Brazoria	20,850	22,150	13,600
Brazos	1/:		15,950
Briscoe	1/:		22,050
Brooks	0	0	550
Brown	0	0	350
Burleson	1/:		27,750
Caldwell	1/:		5,250
Calhoun	1/:		32,800
Cameron	76,850	78,350	84,100
Carson	1/:		15,550
Castro	77,300	79,100	106,750
Childress	1/:		47,400
Clay	1/:		0
Cochran	1/:		148,050
Coke	1/:		700
Coleman	0	0	5,200
Collin	1/:		2,550
Collingsworth	1/:		64,250
Colorado	0	0	6,050
Concho	1/:		27,300
Coryell	1/:		0
Cottle	1/:		17,600
Crosby	299,200	308,450	302,600
Culberson	1/:		600
Dawson	237,950	246,350	271,400

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
De Witt	:	0	:	0	:	600
Deaf Smith	1/:		:		:	21,950
Delta	:	0	:	0	:	850
Denton	1/:	0	:	0	:	
Dickens	1/:		:		:	16,950
Donley	1/:		:		:	8,550
Duval	:	0	:	0	:	900
El Paso	1/:		:		:	42,200
Ellis	:	26,500	:	27,750	:	30,900
Falls	1/:		:		:	9,500
Fannin	1/:	0	:	0	:	
Fisher	1/:		:		:	63,100
Floyd	:	240,100	:	266,150	:	256,100
Foard	:	0	:	0	:	7,850
Fort Bend	:	69,050	:	71,400	:	74,500
Frio	:	0	:	0	:	5,300
Gaines	:	411,600	:	418,650	:	326,400
Garza	1/:		:		:	44,650
Glasscock	1/:		:		:	67,900
Goliad	:	0	:	0	:	3,250
Gonzales	:	0	:	0	:	1,000
Gray	:	0	:	0	:	2,350
Grimes	:	0	:	0	:	1,500
Guadalupe	:	0	:	0	:	500
Hale	:	457,150	:	469,350	:	385,800
Hall	:	76,000	:	79,450	:	95,050
Hardeman	1/:		:		:	8,550
Haskell	:	76,300	:	79,200	:	79,950
Hays	:	0	:	0	:	2,100
Hidalgo	:	68,000	:	69,950	:	87,650
Hill	:	33,400	:	34,600	:	25,750
Hockley	:	469,700	:	482,800	:	276,400
Houston	1/:		:		:	2,450
Howard	:	82,200	:	83,950	:	75,550
Hudspeth	:	0	:	0	:	15,200
Hunt	1/:		:		:	2,050
Irion	:	0	:	0	:	800
Jackson	1/:		:		:	69,050
Jim Wells	:	0	:	0	:	31,550
Johnson	:	0	:	0	:	300
Jones	:	91,500	:	94,150	:	72,500

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
:			
Karnes	0	0	33,850
Kent 1/:			3,350
King	0	0	1,400
Kinney	0	0	1,050
Kleberg 1/:			11,550
Knox 1/:			48,700
La Salle	0	0	1,050
Lamar 1/:			1,800
Lamb	371,500	382,500	331,950
Leon 1/:	0	0	
Limestone	0	0	2,700
Live Oak	0	0	2,150
Lubbock	579,800	592,100	357,650
Lynn	303,700	309,750	323,800
Madison	0	0	300
Martin	140,650	144,450	96,900
Matagorda 1/:			31,600
Mcculloch	0	0	6,900
Mclennan 1/:			8,550
Medina	0	0	26,850
Midland 1/:			21,300
Milam 1/:			8,550
Mitchell	49,350	51,150	44,500
Moore	0	0	2,450
Motley 1/:			25,350
Navarro 1/:			12,100
Nolan 1/:			55,750
Nueces	166,600	169,700	151,500
Parmer	104,200	107,150	120,200
Pecos 1/:			16,850
Potter 1/:	0	0	
Rains 1/:	0	0	
Randall	0	0	3,350
Reagan	0	0	41,300
Red River	0	0	4,150
Reeves 1/:			4,800
Refugio 1/:			58,700
Robertson 1/:			35,950
Rockwall	0	0	550
Runnels	86,150	87,800	71,250
San Patricio	388,300	399,550	286,450

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Schleicher	0	0	9,500
Scurry	60,350	61,400	49,400
Shackelford	0	0	3,050
Starr	0	0	4,900
Stonewall	0	0	3,800
Swisher	73,400	75,600	86,850
Taylor 1/:			11,850
Terry	285,300	293,900	321,350
Throckmorton 1/:			400
Tom Green	116,400	120,250	110,450
Travis	0	0	2,200
Upton 1/:			22,300
Uvalde	0	0	37,500
Victoria	0	0	13,200
Walker 1/:			1,550
Waller 1/:	0	0	
Washington 1/:	0	0	
Wharton	166,550	169,600	95,700
Wheeler	0	0	11,200
Wichita	0	0	8,300
Wilbarger	46,150	47,550	32,400
Willacy	183,950	188,350	152,200
Williamson	51,250	52,650	39,350
Wilson	0	0	3,750
Yoakum	139,100	143,050	133,800
Young	0	0	950
Zavala 1/:			14,850
Other 2/:			496,550
Texas	7,618,050	7,844,900	7,549,450
Accomack 1/:			1,000
Brunswick	0	0	750
Charles City	0	0	1,250
Dinwiddie	0	0	600
Greensville 1/:			12,700
Henrico 1/:	0	0	
Isle of Wight 1/:			14,000
King William	0	0	1,650
New Kent	0	0	650
Northampton	0	0	950

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2004 (continued)

County and State	: Running Bales : Ginned	: Equivalent 480-Pound : Bales Ginned	: Running Bales : Produced
Prince George 1/	0	0	
Southampton	0	0	74,900
Suffolk City 1/			33,050
Surry	0	0	4,700
Sussex	0	0	9,650
Virginia	142,600	146,950	156,350
US TOTAL	22,555,550	23,239,900	22,555,550

1/ Withheld to avoid disclosing individual gins, but included in State and U. S. totals.

2/ County of origin was not determined.

**Note:** Counties may not add to State total due to rounding.

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Autauga	2	509.2	291
Baldwin	1	508.2	250
Barbour	0	0.0	327
Bibb	0	0.0	547
Blount	1	495.7	379
Bullock	0	0.0	472
Butler	0	0.0	496
Calhoun	0	0.0	347
Chambers	0	0.0	531
Cherokee	2	494.6	191
Chilton	1	502.0	470
Choctaw	0	0.0	524
Clarke	0	0.0	565
Coffee	1	491.4	237
Colbert	2	494.8	129
Conecuh	0	0.0	361
Covington	1	498.0	235
Crenshaw	1	500.6	450
Cullman	0	0.0	409
Dale	0	0.0	297
Dallas	0	0.0	241
Dekalb	0	0.0	556
Elmore	1	503.5	233
Escambia	1	501.9	227
Etowah	0	0.0	354
Franklin	0	0.0	394
Geneva	2	498.7	215
Greene	1	490.0	473
Hale	0	0.0	471
Henry	2	486.1	211
Houston	1	485.5	166
Jackson	0	0.0	298
Lamar	0	0.0	386
Lauderdale	3	502.4	127
Lawrence	3	499.8	94
Lee	0	0.0	403
Limestone	5	500.1	50
Lowndes	1	500.6	420
Macon	2	501.3	312
Madison	3	498.0	55

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Marengo	1	501.9	356
Marion	0	0.0	430
Marshall	0	0.0	482
Mobile	1	508.5	268
Monroe	1	497.4	228
Montgomery	0	0.0	437
Morgan	0	0.0	383
Perry	0	0.0	396
Pike	0	0.0	345
Russell	2	492.8	328
Shelby	0	0.0	339
Talladega	0	0.0	315
Tallapoosa	1	498.1	465
Tuscaloosa	1	488.3	342
Washington	0	0.0	477
Wilcox	0	0.0	452
Alabama	44	497.7	
Cochise	1	492.1	380
Graham	3	499.5	118
Greenlee	0	0.0	493
La Paz	2	500.0	89
Maricopa	10	495.4	36
Mohave	1	493.2	278
Pima	1	510.4	181
Pinal	11	490.4	11
Yuma	4	495.9	72
Arizona	33	494.1	
Arkansas	0	0.0	578
Ashley	4	490.7	43
Chicot	2	492.7	70
Clay	1	493.0	104
Craighead	6	493.1	21
Crittenden	4	490.3	76
Cross	0	0.0	324
Desha	6	491.0	24
Drew	1	477.7	110
Greene	3	482.1	151

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Jackson	0	0.0	418
Jefferson	6	494.7	74
Lafayette	1	492.0	343
Lee	1	496.3	39
Lincoln	1	499.4	64
Little River	0	0.0	589
Lonoke	4	489.7	114
Miller	0	0.0	483
Mississippi	11	492.9	3
Monroe	1	490.0	182
Phillips	6	494.5	35
Poinsett	4	494.1	47
Prairie	0	0.0	428
Pulaski	0	0.0	517
St. Francis	3	494.4	124
Woodruff	0	0.0	229
Arkansas	65	492.6	
Butte	0	0.0	601
Colusa	1	471.3	267
Fresno	24	499.0	1
Glenn	0	0.0	344
Imperial	1	489.7	188
Kern	17	496.3	4
Kings	12	500.5	2
Madera	2	502.2	120
Merced	3	494.2	19
Riverside	2	489.4	71
San Bernardino	0	0.0	448
San Joaquin	0	0.0	506
Sutter	1	501.8	421
Tulare	8	494.7	20
California	71	497.4	
Calhoun	0	0.0	335
Escambia	1	485.2	276
Gadsen	0	0.0	518
Hamilton	0	0.0	566
Holmes	0	0.0	443

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Jackson	1	497.2	142
Jefferson	0	0.0	491
Madison	0	0.0	512
Okaloosa	0	0.0	365
Santa Rosa	2	496.6	194
Suwannee	0	0.0	567
Walton	0	0.0	351
Washington	0	0.0	425
Florida	4	495.0	
Appling	2	496.2	161
Atkinson	0	0.0	271
Bacon	0	0.0	287
Baker	0	0.0	135
Bartow	1	480.0	422
Ben Hill	0	0.0	337
Berrien	5	492.7	193
Bleckley	1	495.7	239
Brooks	2	501.4	132
Bryan	0	0.0	433
Bulloch	2	489.4	150
Burke	4	497.1	130
Calhoun	2	492.7	186
Candler	2	489.1	286
Carroll	0	0.0	602
Clay	0	0.0	258
Coffee	2	494.0	149
Colquitt	7	494.4	44
Cook	0	0.0	148
Crawford	0	0.0	484
Crisp	2	490.0	138
Decatur	2	492.4	105
Dodge	1	490.0	255
Dooly	7	494.4	59
Dougherty	0	0.0	292
Early	2	503.8	85
Effingham	0	0.0	382
Elbert	0	0.0	404
Emanuel	0	0.0	242
Evans	0	0.0	325

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Floyd	0	0.0	390
Glascocock	0	0.0	463
Grady	0	0.0	163
Hart	0	0.0	568
Henry	0	0.0	591
Houston	0	0.0	240
Irwin	1	497.0	209
Jeff Davis	1	497.5	195
Jefferson	2	500.4	245
Jenkins	0	0.0	236
Johnson	0	0.0	411
Lamar	0	0.0	525
Lanier	0	0.0	338
Laurens	2	491.1	336
Lee	1	492.1	178
Lowndes	1	493.7	307
Macon	0	0.0	225
Marion	0	0.0	438
McDuffie	0	0.0	569
Miller	1	491.0	93
Mitchell	2	493.2	73
Monroe	0	0.0	557
Montgomery	0	0.0	431
Morgan	2	497.2	485
Oconee	0	0.0	551
Peach	0	0.0	294
Pierce	0	0.0	296
Pike	0	0.0	579
Polk	0	0.0	415
Pulaski	2	495.9	170
Quitman	0	0.0	515
Randolph	1	493.0	231
Schley	0	0.0	451
Screven	1	495.7	198
Seminole	1	496.6	115
Stewart	0	0.0	368
Sumter	1	501.2	158
Tattnall	0	0.0	301
Taylor	1	486.9	366
Telfair	0	0.0	329
Terrell	1	497.0	171

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Thomas	2	492.3	159
Tift	2	492.7	185
Toombs	0	0.0	387
Treutlen	0	0.0	419
Turner	2	502.8	197
Twiggs	0	0.0	381
Walker	0	0.0	548
Walton	0	0.0	552
Ware	0	0.0	369
Warren	0	0.0	558
Washington	0	0.0	397
Wayne	0	0.0	269
Webster	0	0.0	282
Wheeler	0	0.0	432
Wilcox	1	497.0	189
Wilkes	0	0.0	590
Wilkinson	0	0.0	553
Worth	1	494.0	84
Georgia	73	494.6	
Kansas 1/	4	499.9	
Avoyelles	1	490.9	219
Bienville	0	0.0	478
Bossier	0	0.0	424
Caddo	4	500.3	160
Caldwell	0	0.0	272
Catahoula	4	490.1	82
Concordia	3	485.9	102
Desoto	0	0.0	458
East Carroll	4	492.9	107
Evangeline	0	0.0	519
Franklin	7	498.9	83
Grant	0	0.0	510
Lasalle	0	0.0	541
Madison	1	488.8	54

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Morehouse	5	490.8	56
Natchitoches	0	0.0	330
Ouachita	1	491.5	213
Pointe Coupe	1	495.3	289
Rapides	4	485.5	200
Red River	1	491.3	321
Richland	4	498.0	109
Saint Landry	0	0.0	405
Tensas	5	490.0	30
West Carroll	2	497.1	222
Louisiana	47	493.0	
Adams	0	0.0	283
Alcorn	0	0.0	535
Attala	0	0.0	274
Benton	1	497.0	399
Bolivar	8	491.7	27
Calhoun	3	494.3	116
Carroll	2	494.6	187
Chickasaw	0	0.0	346
Choctaw	0	0.0	474
Claiborne	0	0.0	326
Clay	0	0.0	502
Coahoma	6	490.8	18
Copiah	0	0.0	480
Covington	0	0.0	475
Desoto	2	494.6	234
Forrest	0	0.0	456
George	0	0.0	367
Greene	0	0.0	481
Grenada	0	0.0	262
Hinds	1	483.2	224
Holmes	3	500.3	42
Humphreys	3	489.8	34
Issaquena	0	0.0	136
Itawamba	0	0.0	536
Jackson	0	0.0	503
Jefferson	1	503.0	358
Jones	0	0.0	575
Lafayette	1	496.0	311

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Lawrence	0	0.0	520
Leake	0	0.0	507
Lee	1	500.0	145
Leflore	9	496.1	26
Lowndes	0	0.0	402
Madison	1	490.0	212
Marshall	0	0.0	526
Monroe	2	497.1	260
Montgomery	1	498.0	253
Newton	0	0.0	527
Noxubee	0	0.0	259
Oktibbeha	0	0.0	580
Panola	3	497.6	90
Perry	0	0.0	434
Pontotoc	1	485.0	275
Prentiss	0	0.0	554
Quitman	4	489.1	103
Rankin	1	493.0	316
Scott	0	0.0	492
Sharkey	5	491.6	63
Sunflower	7	490.1	38
Tallahatchie	4	494.1	46
Tate	0	0.0	230
Tippah	0	0.0	391
Tishomingo	0	0.0	453
Tunica	5	489.6	41
Union	0	0.0	542
Warren	1	487.0	232
Washington	9	487.6	25
Webster	1	486.0	251
Yalobusha	1	488.0	243
Yazoo	7	494.9	29
Mississippi	94	492.7	
Douglas	0	0.0	592
Dunklin	12	489.4	12
Mississippi	0	0.0	581
New Madrid	8	493.1	22
Pemiscot	7	491.2	28

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Scott	3	493.4	175
Stoddard	2	483.4	57
Missouri	32	490.4	
Chaves	1	501.6	357
Curry	0	0.0	412
Dona Ana	6	486.4	147
Eddy	2	479.2	263
Hidalgo	0	0.0	543
Lea	0	0.0	141
Luna	1	493.8	290
Quay	0	0.0	582
Roosevelt	0	0.0	247
New Mexico	10	487.5	
Anson	1	498.9	332
Beaufort	1	489.7	122
Bertie	2	496.1	96
Bladen	0	0.0	280
Cabarrus	0	0.0	585
Camden	0	0.0	490
Carteret	0	0.0	545
Chowan	1	499.4	180
Cleveland	2	503.1	388
Columbus	1	503.8	313
Craven	1	499.3	210
Cumberland	0	0.0	300
Davidson	0	0.0	461
Duplin	1	492.4	201
Edgecombe	2	496.8	77
Franklin	0	0.0	583
Gates	1	497.5	204
Greene	1	490.0	154
Halifax	4	500.7	62
Harnett	1	510.4	217
Hertford	1	483.9	208
Hoke	0	0.0	176
Hyde	1	488.1	172

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Iredell	0	0.0	486
Johnston	0	0.0	226
Jones	1	500.9	155
Lee	0	0.0	528
Lenoir	2	500.9	117
Martin	1	499.6	99
Montgomery	0	0.0	416
Nash	1	497.1	164
New Hanover	0	0.0	593
Northampton	6	504.7	52
Onslow	0	0.0	303
Pamlico	0	0.0	349
Pasquotank	0	0.0	372
Pender	0	0.0	279
Perquimans	1	501.3	167
Pitt	3	500.9	101
Richmond	0	0.0	407
Robeson	3	510.6	128
Rowan	0	0.0	464
Rutherford	1	478.0	544
Sampson	2	494.0	112
Scotland	1	500.0	216
Stanly	1	500.0	248
Tyrrell	0	0.0	322
Union	0	0.0	308
Wake	0	0.0	584
Warren	0	0.0	489
Washington	0	0.0	190
Wayne	2	505.6	146
Wilson	1	505.2	131
North Carolina	47	500.1	
Alfalpa	0	0.0	549
Atoka	0	0.0	570
Beckham	2	500.3	389
Caddo	2	492.3	295
Canadian	0	0.0	408
Cleveland	0	0.0	604
Comanche	0	0.0	348

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Cotton	0	0.0	449
Custer	2	503.3	454
Garvin	0	0.0	571
Grady	1	506.4	513
Grant	0	0.0	466
Greer	0	0.0	309
Harmon	3	491.9	143
Jackson	4	489.8	48
Kay	2	499.0	377
Kiowa	3	522.7	340
Mcclain	0	0.0	550
Mccurtain	0	0.0	494
Noble	0	0.0	594
Oklahoma	0	0.0	561
Roger Mills	0	0.0	537
Texas	0	0.0	447
Tillman	3	486.3	78
Washita	2	513.6	310
Woods	0	0.0	603
Oklahoma	24	491.1	
Abbeville	0	0.0	572
Aiken	0	0.0	306
Allendale	1	495.5	440
Anderson	0	0.0	497
Bamberg	0	0.0	299
Barnwell	0	0.0	352
Berkeley	0	0.0	596
Calhoun	3	492.5	152
Cherokee	0	0.0	595
Chester	0	0.0	439
Chesterfield	0	0.0	459
Clarendon	2	485.0	417
Colleton	0	0.0	457
Darlington	2	494.6	108
Dillon	2	490.6	202
Dorchester	0	0.0	293
Edgefield	0	0.0	521
Florence	0	0.0	288
Georgetown	0	0.0	495

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Hampton	1	498.5	285
Horry	0	0.0	385
Kershaw	0	0.0	538
Laurens	0	0.0	586
Lee	3	503.7	184
Lexington	0	0.0	370
Marion	0	0.0	378
Marlboro	5	501.2	125
Newberry	0	0.0	498
Orangeburg	5	493.2	123
Richland	0	0.0	446
Saluda	1	514.4	460
Sumter	3	501.8	333
Williamsburg	1	510.1	205
York	0	0.0	353
South Carolina	29	496.5	
Carroll	1	485.9	157
Chester	0	0.0	413
Coffee	0	0.0	576
Crockett	5	488.7	40
Dyer	0	0.0	113
Fayette	2	499.2	88
Franklin	0	0.0	334
Gibson	3	494.3	100
Giles	0	0.0	398
Grundy	0	0.0	597
Hardeman	2	491.3	179
Hardin	0	0.0	499
Haywood	8	493.8	23
Henderson	0	0.0	376
Lake	1	495.9	183
Lauderdale	3	491.9	68
Lawrence	0	0.0	529
Lincoln	1	490.7	214
Madison	2	493.7	95
McNairy	0	0.0	355
Obion	0	0.0	362
Rutherford	0	0.0	375
Shelby	0	0.0	203

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Tipton	4	498.6	51
Weakley	0	0.0	487
Tennessee	32	493.4	
Anderson	0	0.0	445
Andrews	0	0.0	238
Aransas	0	0.0	479
Archer	0	0.0	562
Atascosa	0	0.0	442
Austin	0	0.0	314
Bailey	5	494.2	65
Baylor	0	0.0	359
Bee	0	0.0	265
Bell	0	0.0	468
Bexar	0	0.0	392
Borden	1	509.0	140
Brazoria	3	510.3	264
Brazos	2	487.4	252
Briscoe	2	501.4	220
Brooks	0	0.0	540
Brown	0	0.0	559
Burleson	1	485.9	192
Caldwell	1	490.0	363
Calhoun	1	492.0	168
Cameron	6	489.3	69
Carson	1	480.0	254
Castro	4	491.2	53
Childress	1	491.0	126
Clay	0	0.0	587
Cochran	2	488.2	33
Coke	1	500.0	523
Coleman	0	0.0	364
Collin	1	480.0	423
Collingsworth	2	508.0	97
Colorado	0	0.0	350
Concho	1	490.0	196
Coryell	0	0.0	605
Cottle	1	496.2	244
Crosby	6	494.8	13
Culberson	1	495.0	532

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Dawson	10	496.9	16
De Witt	0	0.0	533
Deaf Smith	2	494.7	221
Delta	0	0.0	514
Denton	0	0.0	599
Dickens	1	480.0	246
Donley	1	502.0	317
Duval	0	0.0	511
El Paso	4	493.3	137
Ellis	3	502.2	177
Falls	2	498.8	304
Fannin	0	0.0	606
Fisher	3	491.6	98
Floyd	9	532.1	17
Foard	0	0.0	331
Fort Bend	5	496.3	81
Frio	0	0.0	360
Gaines	9	488.2	8
Garza	1	485.0	133
Glasscock	1	504.0	92
Goliad	0	0.0	406
Gonzales	0	0.0	504
Gray	0	0.0	429
Grimes	0	0.0	469
Guadalupe	0	0.0	546
Hale	15	492.8	5
Hall	4	501.7	61
Hardeman	1	500.5	318
Haskell	6	498.3	75
Hays	0	0.0	441
Hidalgo	5	493.7	66
Hill	4	496.9	206
Hockley	8	493.4	15
Houston	1	490.0	427
Howard	4	490.1	79
Hudspeth	0	0.0	256
Hunt	1	471.9	444
Irion	0	0.0	516
Jackson	1	500.0	91
Jim Wells	0	0.0	174
Johnson	0	0.0	563

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Jones	7	493.9	86
Karnes	0	0.0	162
Kent	1	495.2	401
King	0	0.0	476
Kinney	0	0.0	500
Kleberg	2	493.9	281
Knox	1	508.0	121
La Salle	0	0.0	501
Lamar	1	486.0	455
Lamb	9	494.2	7
Leon	0	0.0	573
Limestone	0	0.0	414
Live Oak	0	0.0	436
Lubbock	11	490.2	6
Lynn	8	489.6	9
Madison	0	0.0	564
Martin	6	493.0	58
Matagorda	1	485.0	173
Mcculloch	0	0.0	341
Mclennan	1	505.0	319
Medina	0	0.0	199
Midland	1	485.0	223
Milam	1	491.2	320
Mitchell	3	497.5	134
Moore	0	0.0	426
Motley	2	495.3	207
Navarro	2	490.0	273
Nolan	1	506.0	111
Nueces	6	488.9	32
Parmer	8	493.5	45
Pecos	1	482.8	249
Potter	0	0.0	598
Rains	0	0.0	600
Randall	0	0.0	400
Reagan	0	0.0	139
Red River	0	0.0	384
Reeves	2	474.3	373
Refugio	1	494.0	106
Robertson	2	491.6	156
Rockwall	0	0.0	539
Runnels	4	489.3	87

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
San Patricio	8	493.9	14
Schleicher	0	0.0	305
Scurry	3	488.3	119
Shackelford	0	0.0	410
Starr	0	0.0	371
Stonewall	0	0.0	393
Swisher	4	494.5	67
Taylor	1	475.0	277
Terry	7	494.5	10
Throckmorton	1	500.0	555
Tom Green	5	495.9	49
Travis	0	0.0	435
Upton	1	493.8	218
Uvalde	0	0.0	153
Victoria	0	0.0	266
Walker	2	515.3	467
Waller	0	0.0	577
Washington	0	0.0	574
Wharton	5	488.8	60
Wheeler	0	0.0	284
Wichita	0	0.0	323
Wilbarger	3	494.7	169
Willacy	5	491.5	31
Williamson	5	493.0	144
Wilson	0	0.0	395
Yoakum	4	493.6	37
Young	0	0.0	508
Zavala	2	490.1	257
Texas	282	494.3	
Accomack	1	492.5	505
Brunswick	0	0.0	522
Charles City	0	0.0	488
Dinwiddie	0	0.0	534
Greensville	1	490.2	270
Henrico	0	0.0	588
Isle of Wight	2	499.6	261
King William	0	0.0	462
New Kent	0	0.0	530
Northampton	0	0.0	509

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2004 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Prince George	0	0.0	560
Southampton	0	0.0	80
Suffolk City	1	489.4	165
Surry	0	0.0	374
Sussex	0	0.0	302
Virginia	5	494.7	
US TOTAL	896	494.6	

1/ Withheld to avoid disclosing individual data.

**Note:** County of origin was not determined for approximately 496,800 bales in the U.S., and ranking may be affected.

Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2004

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
All cotton	:		:		:	
US 1/	:	896	:	CA	:	71
1 - 2,999	:	48	:	1 - 2,999	:	6
3,000 - 4,999	:	35	:	3,000 - 4,999	:	0
5,000 - 6,999	:	40	:	5,000 - 6,999	:	1
7,000 - 9,999	:	67	:	7,000 - 9,999	:	2
10,000 - 14,999	:	126	:	10,000 - 14,999	:	5
15,000 - 19,999	:	94	:	15,000 - 19,999	:	3
20,000 - 39,999	:	279	:	20,000 - 39,999	:	19
40,000 - and over	:	194	:	40,000 - and over	:	35
AL	:	44	:	FL	:	4
1 - 2,999	:	1	:	1 - 2,999	:	0
3,000 - 4,999	:	6	:	3,000 - 4,999	:	0
5,000 - 6,999	:	1	:	5,000 - 6,999	:	0
7,000 - 9,999	:	6	:	7,000 - 9,999	:	0
10,000 - 14,999	:	7	:	10,000 - 14,999	:	1
15,000 - 19,999	:	10	:	15,000 - 19,999	:	0
20,000 - 39,999	:	11	:	20,000 - 39,999	:	2
40,000 - and over	:	2	:	40,000 - and over	:	1
AZ	:	33	:	GA	:	73
1 - 2,999	:	5	:	1 - 2,999	:	3
3,000 - 4,999	:	1	:	3,000 - 4,999	:	2
5,000 - 6,999	:	0	:	5,000 - 6,999	:	1
7,000 - 9,999	:	0	:	7,000 - 9,999	:	5
10,000 - 14,999	:	3	:	10,000 - 14,999	:	12
15,000 - 19,999	:	4	:	15,000 - 19,999	:	14
20,000 - 39,999	:	11	:	20,000 - 39,999	:	18
40,000 - and over	:	9	:	40,000 - and over	:	18
AR	:	65	:	KS	:	4
1 - 2,999	:	1	:	1 - 2,999	:	0
3,000 - 4,999	:	0	:	3,000 - 4,999	:	0
5,000 - 6,999	:	1	:	5,000 - 6,999	:	0
7,000 - 9,999	:	8	:	7,000 - 9,999	:	1
10,000 - 14,999	:	5	:	10,000 - 14,999	:	2
15,000 - 19,999	:	8	:	15,000 - 19,999	:	0
20,000 - 39,999	:	25	:	20,000 - 39,999	:	4
40,000 - and over	:	17	:	40,000 - and over	:	0

-- continued

Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2004 (continued)


Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
LA	:	47	:	NC	:	47
1 - 2,999	:	1	:	1 - 2,999	:	2
3,000 - 4,999	:	1	:	3,000 - 4,999	:	1
5,000 - 6,999	:	4	:	5,000 - 6,999	:	0
7,000 - 9,999	:	3	:	7,000 - 9,999	:	2
10,000 - 14,999	:	16	:	10,000 - 14,999	:	4
15,000 - 19,999	:	8	:	15,000 - 19,999	:	3
20,000 - 39,999	:	11	:	20,000 - 39,999	:	24
40,000 - and over	:	3	:	40,000 - and over	:	11
MS	:	94	:	OK	:	24
1 - 2,999	:	3	:	1 - 2,999	:	7
3,000 - 4,999	:	4	:	3,000 - 4,999	:	3
5,000 - 6,999	:	4	:	5,000 - 6,999	:	1
7,000 - 9,999	:	2	:	7,000 - 9,999	:	3
10,000 - 14,999	:	14	:	10,000 - 14,999	:	4
15,000 - 19,999	:	17	:	15,000 - 19,999	:	1
20,000 - 39,999	:	37	:	20,000 - 39,999	:	4
40,000 - and over	:	13	:	40,000 - and over	:	1
MO	:	32	:	SC	:	29
1 - 2,999	:	1	:	1 - 2,999	:	3
3,000 - 4,999	:	1	:	3,000 - 4,999	:	2
5,000 - 6,999	:	0	:	5,000 - 6,999	:	2
7,000 - 9,999	:	1	:	7,000 - 9,999	:	5
10,000 - 14,999	:	5	:	10,000 - 14,999	:	6
15,000 - 19,999	:	4	:	15,000 - 19,999	:	2
20,000 - 39,999	:	14	:	20,000 - 39,999	:	9
40,000 - and over	:	6	:	40,000 - and over	:	0
NM	:	10	:	TN	:	32
1 - 2,999	:	3	:	1 - 2,999	:	0
3,000 - 4,999	:	0	:	3,000 - 4,999	:	0
5,000 - 6,999	:	4	:	5,000 - 6,999	:	2
7,000 - 9,999	:	1	:	7,000 - 9,999	:	2
10,000 - 14,999	:	0	:	10,000 - 14,999	:	2
15,000 - 19,999	:	0	:	15,000 - 19,999	:	4
20,000 - 39,999	:	2	:	20,000 - 39,999	:	13
40,000 - and over	:	0	:	40,000 - and over	:	9

-- continued

Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2004 (continued)

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
TX	:	282	:		:	
1 - 2,999	:	12	:		:	
3,000 - 4,999	:	14	:		:	
5,000 - 6,999	:	19	:		:	
7,000 - 9,999	:	27	:		:	
10,000 - 14,999	:	43	:		:	
15,000 - 19,999	:	16	:		:	
20,000 - 39,999	:	81	:		:	
40,000 - and over	:	70	:		:	
VA	:	5	:		:	
1 - 2,999	:	1	:		:	
3,000 - 4,999	:	0	:		:	
5,000 - 6,999	:	0	:		:	
7,000 - 9,999	:	0	:		:	
10,000 - 14,999	:	3	:		:	
15,000 - 19,999	:	0	:		:	
20,000 - 39,999	:	1	:		:	
40,000 - and over	:	0	:		:	

## 2004 All Cotton Ginnings Percent of U.S. Crop Ginned, by State



**Cotton Ginnings 2004:** A total of 22.6 million running bales were ginned during the 2004 season, 27 percent above 2003's ginnings of 17.7 million running bales. A 9 percent increase in acres harvested and a 125-pound yield per acre increase from last season contributed to the higher ginnings.

There were 896 active cotton gins during the 2004 season, up from the 890 that operated in 2003. Fifty-three percent of the gins processed more than 20,000 bales in 2004, compared with 41 percent the previous season.

**Cotton, 2004 Final: Cotton:** All cotton production is estimated at 23.3 million 480-pound bales, 27 percent above the 2003 production level. The U.S. all cotton yield averaged 855 pounds per harvested acre, up 125 pounds per acre from a year ago. The 2004 yield and production are both record highs. Upland cotton production is estimated at 22.5 million 480-pound bales, 26 percent more than last year's production. This is the largest production in history, surpassing the 2001 record of 19.6 million 480-pound bales. The U.S. yield for upland cotton is a record high 843 pounds per acre, up 120 pounds more than 2003. American-Pima production totaled 745,600 bales, up 72 percent from 2003 due to a 40 percent increase in harvested area and a 273 pound higher yield per acre. American-Pima yield and production are both record highs.

The area planted to all cotton totaled 13.7 million acres, up 1 percent from 2003. Harvested area increased 9 percent from the previous year to 13.1 million acres. Data from the 7 Objective Yield States showed above average boll counts, higher weights than any of the previous six seasons, and above average harvest loss.

Alabama and Georgia experienced drought conditions early in the 2004 growing season. However, by mid-June, all of the Southeastern States were ahead of their normal planting pace. Consequently, crop development was ahead of normal pace through July. During the months of August and September, six Hurricanes (Alex, Charley, Frances, Gaston, Ivan, and Jeanne) crossed over different regions of the Southeast. No major damage was reported in the northeastern areas, while the other regions encountered plants that were blown over and twisted and cotton that was knocked out of the bolls. The damage to the crop was not as severe as originally forecast. Late September and early October temperatures were above normal allowing the crop to mature and growers to make significant harvest progress. Objective yield data

for Georgia showed the highest average boll counts in the 7-year data series and above average boll weights. North Carolina boll counts remained above average, while the average boll weights were higher than the previous 6 years.

Producers in the majority of the Delta States planted their crop on time despite scattered showers disrupting fieldwork activities. Louisiana overcame persistent rainfall during the peak planting season. Below normal temperatures delayed development during the growing season. Harvest was behind the normal pace due to a late growing season compounded by showers saturating fields. Objective yield boll counts and average boll weights in Mississippi were above average. Louisiana's boll counts and weight per boll were slightly above average. Boll counts in Arkansas were slightly above the 15-year average but boll weights were higher than any of the previous 15 years.

Texas growers began the planting season at an above average pace. Rains during the end of June benefitted dryland cotton in the Panhandle and the moisture allowed producers to proceed with planting. Late-planted acres received beneficial rainfall during the month of August. Showers and below normal temperatures switched from being beneficial early in the growing season to delaying progress and maturation later in the season. Growers were concerned that the delayed cotton crop would be unable to finish boll setting, while muddy conditions hindered equipment from entering fields. During the month of December, fields dried allowing growers to make significant progress harvesting their crop. Harvest was near completion by the end of January. Objective yield measurements showed the Texas boll counts and average boll weights as the highest in the 15-year data series.

Some Arizona and California upland cotton growers began planting during early-spring, due to above normal temperatures. Despite the favorable weather, some growers delayed planting and waited for more traditional planting dates due to erratic spring weather in the prior years. This resulted in variable cotton growth and development. The continued warm weather conditions in June and July promoted crop development ahead of the 5-year average. In the San Joaquin Valley, harvest started the last week of September. However, rain arrived in mid-October and delayed harvest for many growers. By the end of December, harvest was virtually complete except in Arizona where it was delayed by frequent scattered showers. Data from objective yield measurements showed California boll counts were the second highest in the last 15 years, surpassed only by 2002. Boll weights were below the 15-year average, but the highest since 1998.

California began planting American-Pima cotton earlier than normal due to unusually warm weather during the first two weeks of March. Weather conditions remained favorable throughout most of the growing season, promoting rapid growth and development. However, rain delayed harvest in mid-October. By the end of December, harvest was virtually complete.

**Cottonseed:** Cottonseed production in 2004 totaled a record high 8.24 million tons, up 24 percent from 2003. Sales to oil mills accounted for 55 percent of the disposition. The remaining 45 percent will be used for seed, feed, exports, and various other uses.

Released May 12, 2005, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on *Cotton Ginnings 2004 Summary* call Troy Joshua at (202) 720-5944, office hours 7:00 a.m. to 3:30 p.m. ET.

## ACCESS TO REPORTS!!

---

For your convenience, there are several ways to obtain NASS reports, data products, and services:

### INTERNET ACCESS

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: [www.usda.gov/nass/](http://www.usda.gov/nass/). Select "Today's Reports" or Publications and then Reports Calendar or Publications and then Search, by Title or Subject.

### E-MAIL SUBSCRIPTION

All NASS reports are available by subscription free of charge direct to your e-mail address. Starting with the NASS Home Page at [www.usda.gov/nass/](http://www.usda.gov/nass/), click on **Publications**, then click on the **Subscribe by E-mail** button which takes you to the page describing e-mail delivery of reports. Finally, click on **Go to the Subscription Page** and follow the instructions.

-----

### PRINTED REPORTS OR DATA PRODUCTS

**CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)**  
**Other areas, please call 703-605-6220      FAX: 703-605-6900**  
**(Visa, MasterCard, check, or money order acceptable for payment.)**

-----

### ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: [nass@nass.usda.gov](mailto:nass@nass.usda.gov).

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, D.C., 20250-9410, or call 202-720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.