aysust

UNITED STATES DEPARTMENT OF AGRICULTURE STATISTICAL BULLETIN No. 60

Washington, D. C.



July 1937

GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE UNITED STATES 1928–29 to 1935–36

(Crops of 1928-35 and carry-overs of 1928-36)

Prepared in the Bureau of Agricultural Economics



UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.
In cooperation with State Agricultural Experiment Stations and the
California State Department of Agriculture

STATEMENT OF COOPERATION

In assembling the information on which this report is based, the following agencies cooperated during each of the years in the period covered by the data:

Arizona Agricultural Experiment Station. California State Department of Agriculture.

Georgia Experiment Station.

North Carolina Agricultural Experiment Station.

Oklahoma Agricultural Experiment Station. South Carolina Agricultural Experiment Station.

Tennessee Agricultural Experiment Station.

In addition, the following agencies cooperated during some part of the period:

Alabama Agricultural Experiment Station. Arkansas Agricultural Experiment Station.

Florida Agricultural Experiment Station. Louisiana Agricultural Experiment Station.

Mississippi Agricultural Experiment Station.

Missouri Agricultural Experiment Station.

New Mexico Agricultural Experiment Station. Texas Agricultural Experiment Station.

Credit is due cotton ginners, warehousemen, dealers, manufacturers, and owners of cotton whose cooperation has made this report possible.

UNITED STATES DEPARTMENT OF AGRICULTURE STATISTICAL BULLETIN No. 60

Washington, D. C.

JULY 1937

GRADE, STAPLE LENGTH, AND TENDERABILITY OF COTTON IN THE UNITED STATES, 1928-29 TO 1935-36

(Crops of 1928-35 and carry-overs of 1928-36)

Prepared in the Bureau of Agricultural Economics

United States Department of Agriculture, Bureau of Agricultural Economics, in Cooperation with State Agricultural Experiment Stations and the California State Department of Agriculture

CONTENTS

·	Page
Introduction	1
Grade and staple length of American upland cotton ginned, by States, crop of 1935	3
Grade and staple length of American-Egyptian cotton ginned, crops of 1931-35	16
Staple length of American upland cotton ginned in the United States, crops of 1928-35, and by States,	
crops of 1931-35.	17
Average staple length of American upland cotton ginned, by States and districts thereof, crop of 1935.	20
Average staple length of American upland cotton ginned, by States, crops of 1928-35.	21
Grade of American upland cotton ginned, by States and specified periods, crop of 1935	21
Grade of American-Egyptian cotton ginned, by specified periods, crop of 1935	34
Staple length of American upland cotton ginned, by States and specified periods, crop of 1935	34
Staple length of American-Egyptian cotton ginned, by specified periods, crop of 1935	38
Staple length of American upland cotton ginned, by districts (10 States), crop of 1935	38
Tenderability of American upland cotton ginned in the United States, crops of 1928-35, and by States, crops of 1931-35.	52
Tenderability of American upland cotton on hand, August 1, 1928-36.	53
Grade and staple length of American upland cotton on hand, August 1, 1936.	54
Grade and staple length of American Egyptian cotton on hand, August 1, 1932-36.	55
Staple length of American upland cotton on hand, by places of storage, August 1, 1928-36.	56
Average staple length of American upland cotton on hand, by places of storage, August 1, 1928-36.	57 57
Stonle length of Emerican upand channel 1 1000 20	51
Staple length of Egyptian cotton on hand, August 1, 1928-36	57
Staple length of foreign cotton other than Egyptian on hand, August 1, 1928-36.	58
An act authorizing the Secretary of Agriculture to collect and publish statistics of the grade and staple	
length of cotton.	59

INTRODUCTION

All of the information in this report relating to grade, staple length, and tenderability of cotton is based on classification according to the official cotton standards of the United States in effect prior to August

20, 1936.

The 1935-36 season is the eighth consecutive season for which the United States Department of Agriculture has gathered and released information on grade, staple length, and tenderability of cotton in this country. Preliminary work of reporting on the grade, staple length, and tenderability of cotton ginned in the United States was undertaken in the 1927-28 season under the general authority conveyed by the Agricultural Appropriation Act of January 18, 1927, and with funds made available for the fiscal year ended June 30, 1928. The work of the 1927-28 season was of restricted scope, covering only the 1927 crop of the State of Georgia and of a Texas-Oklahoma area of 27

counties. The results were published in Statistical Bulletin No. 40.

Beginning with the 1928–29 season the grade and staple reporting activities were inaugurated for the United States as a whole, under the authority of legislation enacted in 1927 (act of Mar. 3, 44 Stat. 1372–1374) providing for the assembling and dissemination of information on the grade, staple length, and tenderability of the annual cotton crop and carry-over. The first of the annual carry-over reports was issued on September 21, 1928. It had reference to stocks of cotton on hand in the United States at the beginning of the season on August 1.

The present publication carries forward the information that was

published in Statistical Bulletins Nos. 40, 47, 52, and 56.

All of the figures on the grade, staple length, and tenderability of the crop are based on the classification of samples of cotton mailed by cooperating ginners to the local offices of the Bureau of Agricultural Economics. The cooperating ginners furnish a press-box sample of not less than 4 ounces from each bale ginned at their establishments.

By agreement, cooperating ginners forward their samples daily to official classing offices located at Atlanta, Ga., Memphis, Tenn., and Dallas, Austin, and El Paso, Tex. There the samples are classed, according to official standards, and the results are published weekly. Additional information regarding the assembling of basic data on the crop and regarding the preparation of reports is contained in Statistical Bulletin No. 40, which contains also similar information concerning the carry-over.

Figures on the grade, staple length, and tenderability of stocks of cotton in the United States on August 1 are based on the classification of samples representing stocks in public warehouses and compresses,

consuming establishments, and other places of storage.

Throughout this report the names of the grades have been abbreviated as follows: 1-M. F., Middling Fair; 2-S. G. M., Strict Good Middling; 3-G. M., Good Middling; 4-S. M., Strict Middling; 5-M., Middling; 6-S. L. M., Strict Low Middling; 7-L. M., Low Middling; 8-S. G. O., Strict Good Ordinary; 9-G. O., Good Ordinary.

Table 1 lists the standards for grade for American upland cotton.

Extra White	White	Spotted	Yellow Tinged	Light Yellow Stained	Yellow Stained	Gray	Blue Stained
G. M. 8. M.	M. F. S. G. M. G. M. S. M.	G. M. 8. M.	S. G. M. G. M. S. M.	G. M. S. M.	G. M. 8. M.	G. M. S. M.	G. M. S. M. M.
M. S. L. M. L. M.	M. S. L. M. L. M. S. G. O. G. O.	S. L. M. L. M.	M. S. L. M. L. M.	м.	M.	М.	

TABLE 1.—Official color groups and grades for American upland cotton 1

¹ The grades shown above the heavy black line are deliverable on futures contracts made in accordance with sec. 5 of the Cotton Futures Act. Those below the line are untenderable on such contracts. These standards were superseded by revised official standards for grades effective Aug. 20, 1936. These new standards are described in Service and Regulatory Announcements 150, Bureau of Agricultural Economics, and in Statistical Bulletin 56.

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935

[Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included]

UNITED STATES

		01	111517	JIMID						
Grade	All sta lengtl		Shorter than 7/8 inch 1	7/8 and ²⁹ / ₄₂ inch	15/16 and 31/22 inch	1 and 1½2 inches	1½6 and 1¾2 inches	11/6 and 15/32 inches	13/16 and 17/32 inches	1¼ inches and longer
All grades	1,000 bales 2 10,402.7	Per- cent 100. 0	1,000 bales 1, 320. 1	1,000 bales 3, 235. 1	1,000 bates 2,628.1	1,000 bales 1,682.2	1,000 bales 866. 5	1,900 bales 554. 0	1,000 bales 102. 6	1,000 bales 14.1
Extra White	2, 151. 8	20.7	158. 5	341.0	369. 7	395. 9	478.7	345. 2	55. 2	7.6
Above 3-G. M 3-G. M 4-S. M 5-M 6-S. L. M 7-L. M Below 7-L. M. White.	. 2 341. 5 1, 064. 6 568. 4 150. 7 26. 0 . 4	(3) 3.3 10.2 5.5 1.4 .3 (3)	28. 8 93. 8 31. 9 3. 4 . 6	34.8 177.5 103.6 20.1 4.9 .1	33. 1 174. 7 125. 9 29. 3 6. 6	43. 4 176. 9 128. 4 40. 3 6. 7 . 2	112. 4 228. 2 96. 0 36. 6 5. 4 . 1	76. 0 179. 6 69. 0 18. 9 1. 7	. 1 11. 3 29. 8 12. 0 1. 9 . 1	1. 7 4. 1 1. 6 . 2
1-M. F. 2-8. G. M. 3-G. M. 4-8. M. 5-M. 6-8. L. M. 7-L. M. 8-S. G. O	. 7 40. 2 1, 424. 2 2, 484. 7 1, 232. 4 494. 6 186. 0 69. 1	(3) . 4 13. 7 23. 9 11. 8 4. 7 1. 8 . 7	. 2 11. 5 243. 2 269. 6 109. 1 56. 9 30. 8 13. 7	.1 9.4 450.9 784.4 412.5 236.8 97.6 32.2	7. 2 7. 2 345. 9 749. 3 373. 8 126. 8 43. 5 17. 6	1 4. 7 229. 6 459. 9 212. 3 47. 7 11. 5 4. 8	.1 3.0 73.8 129.4 76.5 17.9 2.2 .6	3. 3 61. 1 73. 6 39. 5 7. 5 . 4 . 2	.9 17.3 16.1 7.8 .9	. 2 2. 4 2. 4 . 9
Spotted	2, 068. 4	19. 9	318. 1	778. 6	568. 4	300. 2	79. 6	19. 7	3.4	. 4
3-G. M. 4-S. M. 5-M. 6-S. L. M.!	57. 7 825. 3 672. 1 319. 1 194. 2	. 5 7. 9 6. 5 3. 1 1. 9	16. 9 125. 9 75. 9 52. 0 47. 4	17. 7 275. 2 239. 6 140. 6 99. 5	10. 4 235. 4 207. 9 82. 1 32. 6	8. 1 137. 7 114. 4 27. 8 12. 2	3. 7 39. 8 25. 4 8. 4 2. 3	. 7 9. 5 7. 5 1. 8	1.5 1.3 .4	.3
Yellow Tinged	189. 0	1.8	82. 4	72. 6	18. 4	12.0	3. 1	. 4	.1	
2-S. G. M	1. 7 16. 1 47. 0 70. 1 54. 1	(³) . 2 . 4 . 7 . 5	. 2 3. 9 22. 3 33. 0 23. 0	. 2 4. 1 14. 1 29. 0 25. 2	2 3. 6 5. 7 4. 5 4. 4	3.5 3.6 3.0 1.4	.6 .8 1.1 .5	.2	.1	
Light Yellow Stained	7. 5	.1	3. 6	2.8	. 7	. 4				
3-G. M 4-S. M. ¹ 5-M. ¹	7.1	(3)	3. 5	2.6	. 7	. 1				
Yellow Stained	.8	(3)	. 4	. 3	.1					
3-G. M. 4-S. M. ¹ 5-M. ¹	.8	(3)	. 4	. 3	. 1					
Gray	6.8	. 1	. 2	.3	.8	. 5	1.1	2.9	.9	.1
3-G. M 4-S. M 5-M.1	1. 0 3. 8 2. 0	(3) (3) (3)	.1	. 1	.1	.3	.2 .7 .2	1.8 .6	.2 .6 .1	.1
Blue Stained	. 1	(3)						.1		
3-G. M. ¹ 4-S. M. ¹ 5-M. ¹	.1	(3)						.1		
No grade 1 4	46. 4	. 4	21.9	15. 6	5.7	2. 6	. 5	. 1		

4 STATISTICAL BULLETIN 60, U. S. DEPT. OF AGRICULTURE

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

ALABAMA

	,				r					
Grade	All sta lengt		Shorter than 7/8 inch 1	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1½2 inches	1½6 and 1¾2 inches	11/8 and 15/32 inches	13/10 and 17/32 inches	11/4 inches and longer
All grades	1,000 bales 1,033.5	Per- cent 100.0	1,000 hales 358.8	1,000 bales 534.7	1,000 bales 92.6	1,000 bales 40.6	1,000 bales 5.2	1,000 bales 1.5	1,000 bales 0.1	1,000 bales
Extra White	165. 3	16.0	59. 6	78.8	17.8	7.4	1. 2	.5		
Above 3-G. M. 3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-L. M. Below 7-L. M.	94. 1 38. 3 5. 3	2.6 9.1 3.7 .5	11. 4 35. 2 11. 6 1. 2 . 2	11. 2 44. 0 20. 2 3. 0 . 4	2.8 9.8 4.4 .7 .1	1.0 4.2 1.9 .3	.2 .7 .2 .1	.3		
White	662. 2	64. 1	237. 6	340. 9	53. 6	26. 0	3. 2	.9		
1-M. F 2-S. G. M	8. 1 245. 7 324. 7 72. 3 10. 1 . 9	(3) .8 23.8 31.4 7.0 1.0 .1	4. 5 93. 9 109. 0 25. 4 4. 3 . 4	2. 6 120. 3 174. 0 38. 7 4. 7 . 4	. 6 20. 5 26. 5 5. 2 . 7	9. 4 13. 2 2. 8 . 4	1 1 2 1 6 . 2	.1 .4 .4		
Spotted	204. 4	19.7	60.8	114.4	21.0	7. 2	. 8	. 1	. 1	
3-G. M 4-8. M 5-M 6-8. L. M. ¹	8. 8 113. 6 74. 9 6. 5 . 6	.8 11.0 7.2 .6 .1	2. 1 34. 3 21. 6 2. 4 . 4	5. 2 62. 6 43. 4 3. 0	1. 1 12. 3 6. 8 . 8	.3 3.8 2.9 .2	.1 .5 .2	.1	.1	
Yellow Tinged	1.0	.1	.3	. 5	. 2					
2-S. G. M	.6	(³)	.2	.3	.1					

ARIZONA

All grades	2 113.9	100.0	0.3	1.3	7.3	50.4	51.8	2.8	
Extra White	75.4	66. 2			1.3	26. 5	44.9	2.7	
Above 3-G. M							-::-:-		
3-G. M4-S. M	22. 3 43. 8	19. 6 38. 4			.1	4. 5 15. 8	15. 9 26. 7	1.8	
5-M. 6-S. L. M.	6.9 1.8	6. 1 1. 6			.4	4. 4 1. 4	2. 0 . 2	.1	
7-L. M Below 7-L. M. ¹	.6	. 5			, 1	.4	.1		
White	16. 5	14. 5		.6	2.7	9.7	3.4	.1	
1-M. F									
2-8. G. M 3-G. M	.1	.1					1		
4-8. M 5-M	6.3 6.0	5. 5 5. 3		:1	.4	4. 1 3. 7	1.6 1.3	.1	
6–8. L. M 7–L. M	2.9	2.5		i i	.9	1.6	.3		
8–8. G. O. ¹	.3	.3		.1	.2				
FG. O		. 2		. 2					

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

ARIZONA-Continued

		ARI	ZONA-	-Continu	ied					
Grade	All sta lengtl	ple ns	Shorter than 3/4 inch 1	3/k and ²⁹ / ₃₂ inch	15/16 and 31/32 inch	1 and 1½2 inches	11/16 and 13/22 inches	11/8 and 15/32 inches	13/16 and 17/32 inches	1¼ inches and longer
Spotted	1,000 bales 21.1	Per- cent 18.5	1,000 bales 0.1	1,000 bales 0.6	1,000 bales 3.1	1,000 bales 14.0	1,000 bales 3.3	1,000 bales	1,000 bales	1,000 bales
3-G. M 4-S. M 5-M 6-S. L. M.!	. 5 11. 5 5. 8 2. 4	.4 10.1 5.1 2.1	. 1		.8 .8 1.0	8. 1 4. 2 1. 2	2.6			
7-L. M. ¹ Yellow Tinged	. 9	. 8	. 1	. 2	. 5	. 1	.1			
2-S. G. M	.2 .1 .1 .1	.1 .1 .1 .1		.1	. 1	.1	-1			
Gray	.1	.1					.1			
3-G. M	.1	. 1					.1			
No grade 1 4	.3	. 3	. 2		.1					
		ΑF	KANSA	s						_
All grades	2 841. 5	100. 0	34.9	153.6	270.5	208. 6	102. 7	61.3	9. 2	0.7
Extra White	309. 7	36. 8	8.8	35. 1	79. 6	82. 6	56.6	40. 7	5. 8	. 5
Above 3-G. M 3-G. M 4-S. M 5-M 6-S. L. M 7-L. M Below 7-L, M.	29. 5 156. 3 101. 4 21. 0 1. 4	3. 5 18. 6 12. 0 2. 5 2 (3)	1, 4 6, 0 1, 3	2. 4 20. 8 10. 9 . 8 . 2	6. 1 43. 0 26. 2 3. 9 . 4	8.3 39.7 27.3 6.8 .4	6. 2 24. 0 20. 3 5. 8 . 3	4. 2 19. 8 13. 4 3. 2 . 1	.9 2.8 1.8 .3	.2 .2 .1
White	460. 1	54. 7	20. 8	100, 7	168. 6	112.1	38. 0	16.8	2. 9	. 2
1-M, F 2-S, G, M 3-G, M 4-S, M 5-M 6-S, L, M 7-L, M 8-S, G, O, 1 9-G, O, 1	1 1.5 94.8 149.4 120.7 48.8 30.1 14.7	(3) .2 11.3 17.8 14.3 5.8 3.6 1.7	. 2 7. 3 5. 4 2. 8 1. 8 2. 4 . 9	3 23.3 28.1 18.5 10.9 13.0 6.6	31. 8 55. 3 46. 7 18. 7 10. 0 5. 6	1 220.2 40.6 36.8 10.0 3.1 1.1	.1 6.6 13.5 10.8 5.3 1.3 .4	.1 4.5 5.6 4.4 1.9 .2 .1	.1 1.0 .8 .7 .2 .1	.1 .1
3-G. M. 4-S. M. 5-M. 6-S. I., M.! 7-L. M.!	. 7 14. 9 21. 1 15. 0 10. 4	.1 1.8 2.5 1.8 1.2	1.6 .9 .8 1.1.	3. 4 4. 1 3. 3 4. 0	5.3 6.9 4.5 2.7	. 1 2. 8 4. 7 3. 1 1. 4	.2 1.0 2.5 2.3 1.0		.1 .3 .1	
Yellow Tinged	2. 9	. 3	. 1	. 8	.7	.6	.6	.1		
2-S. G. M. 3-G. M. 4-8. M. 5-M. ¹ 6-S. L. M. ¹ 7-L. M. ¹	.1 .4 .8 .8	(3) (3) .1 .1	.1	.1 .2 .4	.1 .1 .1 .2 .2	.2 .1 .2 .1	.4	.1		
Light Yellow Stained	.1	(9)				.1				
3-G. M 4-S. M.1										

See footnotes at end of table.

.1 (3)

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

ARKANSAS-Continued

Grade	All sta lengt	iple hs	Shorter than 78 inch	7/8 and 29/32 inch	15/16 and 31/32 inch	1 and 1½2 inches	1½s and 13/32 inches	11/8 and 15/32 inches	13/16 and 17/32 inches	1¼ inches and longer
Gray	1,000 bales 1.6	Per- cent 0.2	1,000 bales	1,000 bales 0.1	1,000 bales 0.7	1,000 bales 0.3	1,000 bales 0.3	1,000 bales 0.2	1,000 bales	1,000 bales
3-G. M.										
3–G. M 4–S. M 5–M.¹	. 5	.1			. 1	.1	.2	.1		
6-M.1	1.1	. 1		. 1	.6	. 2	.1	.1		
No grade 1 4	5.0	.6	.7	2.0	1.3	.8	. 2			
	<u>· </u>	·	CALIFO	RNIA		<u> </u>	·	<u> </u>		1
All grades	2 232.7	100.0		0. 2	4.3	37.8	133. 0	57.4		
Extra White	164.7	70.8			. 2	5. 8	105. 4	53. 3		
Above 3-G. M										-
3-G. M 4-S. M 5-M 6-S. L. M	68. 3	29.3			· 1	1.7	45. 6	20.9		
4-8. M	93. 9	40.4			.1	3.9	58. 2	31. 7		
6-N1	2. 5	1.1				.2	1.6	.7		
7-17. IVI										
Below 7-L. M. 1										
TWh tto	16.6	7.1			1.0					
White	10.0	7.1			1.0	4.8	9. 2	1.6		
1-M. F. 2-S. G. M.										
2-8. G. M							. 3	. ī		
3-G. M 4-S. M	9. 2	. 2 4. 0				8	6.9	1.5		
5-M	1.5	. 6			.1	.8	1.1			
5-M 6-S. L. M 7-L. M	. 5	. 2				. 1	.4			
7-L. M. 8-S. G. O. ¹	.8	.31				. 4	.4			
9-G. O.1	1. 9 2. 3	1.0			.1	1.7 1.5	.1			
Spotted	42, 5	18. 3			1.3	21, 1	17. 6	2. 5		
· ·										
3-G. M 4-8. M	2. 0 16. 3	. 9 7. 0				.1	1.7	. 2		
5-M	9.5	4.1			.1	2. 9 6. 4	11. 1 2. 8	2.2	~	
5-M 6-8. L. M.	6.7	2.9			.8	4. 7	12			
7-L. M.1	8.0	3.4			. 2	7.0	.8			
Yellow Tinged	8. 0	3. 4		. 2	1.7	5.3	.8			
2-8. G. M										
3-G. M	. 5	. 2			. 1	.1	3			
4-8. M	14	.6			.2	1.0	.3			
5-M.1	2. 0 2. 4 1. 7	.9			. 6	1.2	.2			
6–S. L. M. ¹ 7–L. M. ¹	2.4	1.0		. 2	.4	1.9 1.1	. 1			
No grade 14	.9	. 4			. 1	.8				
			FLOR	IDA						
All grades	2 26. 7	100. 0	5. 7	20. 2	0. 6	0. 1	0. 1			
Extra White	1.5	5. 6		1. 5						
Above 3-G. M										
3-G. M 4-S. M	, 1	. 4		.1						
4-S. M	.7	2.6		.7						
5-M 6-S. L. M	. 7	2.6		.7						
7–L. M										
Below 7-L. M.1										
1										====

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

FLORIDA-Continued

Grade	All sta lengt		Shorter than 7% inch !	7/8 and ²⁹ /32 inch	15/16 and 31/32 inch	1 and 1½2 inches	1½0 and 1¾2 inches	11/8 and 19/32 inches	13/16 and 13/32 inches	1¼ inches and longer
White	1,000 bales 12.9	Per- cent 48.3	1,000 bales 2, 2	1,000 bales 10. 2	1,000 bales 0.3	1,000 bales 0.1	1,000 bales 0.1	1,000 bales	1,000 bales	1,000 bales
1-M. F 2-S. G. M	12. 9	40. 0	Z. Z	10. 2	0.3	0.1				
3-G. M 4-S. M	2. 1	7. 9	.3	1.7						
5-M 6-S. L. M 7-L. M	6. 0 2. 3 1. 6	22. 5 8. 6 6. 0	.7	5. 1 1. 8 1. 2	.1 .1 .1					-
8-8. G. O.1 9-G. O.1	.6	2. 2	.3	.3						
Spotted	12.3	46. 1	3. 5	8. 5	.3					
3-G. M 4-S. M 5-M	. 1 4. 0 5. 9	15. 0 22. 1	1. 4 1. 2	2. 6 4. 5	. 2					
5-M 6-S. L. M. ¹ 7-L. M. ¹	1.6	6.0	.3	1.2	î					
	<u> </u>	1	GEOR	GIA		1	I			<u>'</u>
All grades	² 1, 052. 7	100.0	104. 5	438.8	245.7	224.7	35. 7	2.8	0.4	0.1
Extra White	265. 9	25. 3	23. 3	107.0	67. 5	54. 2	12.6	1.1	. 2	
Above 3-G. M	. 1 37. 5	(3)			. 1					
4-S. M		1 3.6	4.4	13.1		7.9	1.5			
5M	125. 1	3.6 11.9	9.7	13. 1 51. 5	10. 6 32. 4	7. 9 24. 9	1.5	4	.1	
6-S. L. M	125. 1 80. 6 18. 6	11.9 7.6 1.8	9.7 8.1 1.0	51. 5 33. 5 7. 4	10. 6 32. 4 19. 4 3. 9	24.9 15.4 5.0	6. 1 3. 7 1. 1	.4	.1	
6-S. L. M	125. 1 80. 6	11.9 7.6 1.8	9.7 8.1	51. 5 33. 5	10.6 32.4 19.4	24. 9 15. 4	6. 1 3. 7	.4	.1	
5-M 6-S. L. M 7-L. M Below 7-L. M. ¹	125. 1 80. 6 18. 6 3. 9	11.9 7.6 1.8	9.7 8.1 1.0	51. 5 33. 5 7. 4	10. 6 32. 4 19. 4 3. 9	24.9 15.4 5.0	6. 1 3. 7 1. 1	.4	.1	.1
5-M	125. 1 80. 6 18. 6 3. 9 . 1 580. 0	11. 9 7. 6 1. 8 . 4 (3) 55. 1	9. 7 8. 1 1. 0 . 1	51. 5 33. 5 7. 4 1. 5	10. 6 32. 4 19. 4 3. 9 1. 1	24. 9 15. 4 5. 0 . 9 . 1	6. 1 3. 7 1. 1 . 2	.1	.1	.1
5-M 6-S. L. M 7-L. M Below 7-L. M. ¹ White 1-M. F 2-S. G. M 3-G. M 4-S. M	125. 1 80. 6 18. 6 3. 9 . 1 580. 0	11. 9 7. 6 1. 8 . 4 (3) 55. 1 (3) . 4 14. 6	9. 7 8. 1 1. 0 . 1 	51. 5 33. 5 7. 4 1. 5 252. 6 1. 6 58. 7	10. 6 32. 4 19. 4 3. 9 1. 1 	24. 9 15. 4 5. 0 . 9 . 1 120. 8	17.8 -2 	1.5	.1	.1
5-M	125. 1 80. 6 18. 6 3. 9 . 1 580. 0	11. 9 7. 6 1. 8 . 4 (3) 55. 1 (3) . 4 14. 6 22. 5 10. 3	9. 7 8. 1 1. 0 . 1 59. 8 5 14. 4 15. 7 12. 2	51. 5 33. 5 7. 4 1. 5 252. 6 1. 6 58. 7 94. 9	10. 6 32. 4 19. 4 3. 9 1. 1 127. 2 11 1. 1 36. 4 56. 0 22. 8	24. 9 15. 4 5. 0 . 9 . 1 120. 8 	17.8 	1.5	.2	
5-M	125. 1 80. 6 18. 6 3. 9 . 1 580. 0	11. 9 7. 6 1. 8 . 4 (3) 55. 1 (3) . 4 14. 6 22. 5 10. 3 5. 1	9. 7 8. 1 1. 0 . 1 1 	51. 5 33. 5 7. 4 1. 5 252. 6 1. 6 58. 7 94. 9 54. 9 29. 8	10. 6 32. 4 19. 4 3. 9 1. 1 	24. 9 15. 4 5. 0 . 9 . 1 120. 8 	17.8 	1.5	.1	
5-M	125. 1 80. 6 18. 6 3. 9 . 1 580. 0	11. 9 7. 6 1. 8 . 4 (3) 55. 1 (3) . 4 14. 6 22. 5 10. 3	9. 7 8. 1 1. 0 . 1 59. 8 5 14. 4 15. 7 12. 2	51. 5 33. 5 7. 4 1. 5 252. 6 1. 6 58. 7 94. 9	10. 6 32. 4 19. 4 3. 9 1. 1 127. 2 11 1. 1 36. 4 56. 0 22. 8	24. 9 15. 4 5. 0 . 9 . 1 120. 8 	17.8 	1.5	.1	
5-M	125. 1 80. 6 18. 6 3. 9 . 1 580. 0 . 1 4. 4 154. 1 236. 3 108. 1 53. 7 17. 3	11. 9 7. 6 1. 8 .4 (3) 55. 1 .4 14. 6 22. 5 10. 3 5. 1 1. 6	59.8 	252. 6 252. 6 58. 7 94. 9 54. 9 29. 8 9. 9	10. 6 32. 4 19. 4 3. 9 1. 1 127. 2 1 1. 1 36. 4 56. 0 22. 8 8. 0 2. 2	24. 9 15. 4 5. 0 . 9 . 1 120. 8 1. 0 36. 9 61. 1 15. 8 4. 6 1. 2	17.8 1.1 .2 17.8 	1.5	.1	
5-M	125. 1 80. 6 18. 6 3. 9 .1 580. 0 .1 4. 4 154. 1 236. 3 108. 1 53. 7 17. 3 6. 0	11. 9 7. 6 1. 8 .4 (3) 55. 1 (3) .4 14. 6 22. 5 10. 3 5. 1 1. 6 .6 19. 1	9.7 8.1 1.0 .0 .1 59.8 	51. 5 33. 5 7. 4 1. 5 252. 6 1. 6 58. 7 94. 9 54. 9 29. 8 9. 9 2. 8 78. 0	10. 6 32. 4 19. 4 3. 9 1. 1 127. 2 127. 2 1 1. 1 36. 4 56. 0 22. 8 8. 0 2. 2 . 6	24.9 15.4 5.0 9 .1 120.8 	17.8 17.8	1.5	.1	
5-M	125. 1 80. 6 18. 6 3. 9 .1 580. 0 14. 4 154. 1 236. 3 108. 1 53. 7 17. 3 6. 0 201. 2 98. 6 68. 6	11. 9 7. 6 1. 8 .4 (3) 55. 1 (3) 4 14. 6 22. 5 10. 3 5. 1 1. 6 19. 1 9 9. 4 6. 5	59.8 59.8 	51. 5 33. 5 7. 4 1. 5 252. 6 1. 6 58. 7 94. 9 29. 8 9. 9 2. 8 78. 0 2. 7 34. 1 27. 8	10. 6 32. 4 3. 9 1. 1 127. 2 127. 2 1. 1 36. 4 56. 0 22. 8 8. 0 2. 2 2. 6 50. 4 2. 3 26. 1 18. 2	24. 9 15. 4 5. 0 . 9 . 1 120. 8 	17.8 17.8	1.5	.1	
5-M	125. 1 80. 6 18. 6 3. 9 .1 580. 0 14. 4 154. 1 1236. 3 108. 1 53. 7 17. 3 6. 0 201. 2	11. 9 7. 6 1. 8 .4 (3) 55. 1 .4 14. 6 22. 5 10. 3 5. 1 1. 6 .6 19. 1	9.7 8.1 1.0 .1 59.8 	51. 5 33. 5 7. 4 1. 5 252. 6 1. 6 58. 7 94. 9 29. 8 9. 9 2. 8 78. 0 2. 7	10. 6 32. 4 19. 4 3. 9 1. 1 127. 2 1 1. 1 36. 4 56. 0 22. 2 . 6 50. 4 2. 3 26. 1	24.9 15.4 5.0 .9 .1 120.8 	17.8 17.8	1.5	.1	

. 1

. 1

. 1

.2

. 1

. 1

(3)

. 9

. 4

. 2

. 1

.1 (3) (3)

(3)

.1 (3)

.1 (3)

.1

. 2

.3 .1

. 1

.1

See footnotes at end of table.

Light Yellow Stained ...

3-G. M....

Gray....

3-G. M....

4-8. M.

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

LOUISIANA

Care All staple Inch 1				,		,	·	,			
All grades. 2561.4 100.1 10.6 80.0 144.1 110.0 80.2 641.5 60	Grade	All sta lengt	ple hs	than	and 20/32	and 31/32	11/32	and 13/22	and	and	inches
Above 3-G, M. 2-G, M. 2-S, 5 1 1 1 1 1 2 1 1 1 1 1 2 1	All grades	bales	cent	bales	bales	bales	bales	bales	bales	bales	1,000 bales
3-G, M.	Extra White	120.8	22. 3	2. 2	9.8	21.6	87. 7	30.6	18.3	.6	
1-M. F 2-8. G. M	3-G. M	28. 3 53. 5 32. 2	5. 2 9. 9 5. 9	. 8	4. 6 4. 5	10.0 4.2	9.4 17.5 8.9	11.6 12.4	8.8 5.9	.3	
2-B. G. M.	White	369. 1	68. 2	11.5	58. 5	102. 2	118.8	52.4	25. 0	.7	
3-G. M.	2-8. G. M	62. 1 209. 0 88. 7 8. 2	38.6 16.4 1.5	3.0 7.2	13.6 36.7 7.8	17. 2 57. 4 24. 4 2. 7	22. 3 65. 6 27. 2 3. 3 . 1	27.3 19.5 1.5	14. 4 8. 5 . 4	.4	
## S. M.	Spotted	51.4	9.5	2.8	11.7	20. 3	12. 4	3. 2	1.0		
All grades	4-S. M. 5-M. 6-S. L. M. ¹ 7-L. M. ¹	30. 6 18. 3 1. 8 . 1	5.7 3.4 .3 (3)	2.2	8.0 3.2	11. 2 7. 8 . 9	7.3 4.6 .3	1.5	. 4		
MISSISSIPPI MISSISSIPPI All grades 2 1, 226, 3 100.0 82.0 130.7 225.0 152.6 236.1 318.1 73.9 7.9 7.9 Extra White 555.2 45.3 20.0 25.4 64.0 70.2 137.0 191.7 42.1 4.8 Above 3-G. M 92.1 7.5 3.2 3.0 8.6 12.8 10.7 34.1 0.4 1.3 4-S. M 308.0 25.1 14.3 16.8 38.5 38.9 67.5 106.4 23.1 2.5 5-M 127.9 10.5 2.4 5.1 14.8 15.0 38.9 41.7 8.2 9 6-S. L. M 25.6 2.1 .1 .5 .2 .2 2.4 10.4 8.8 1.3 .1 7-L. M 1.5 .1 .1 .1 .2 .5 .6 .1 Below 7-L. M.! 1.1 (2) .1 .2 .5 .6 .1 White 560.3 45.7 44.1 82.5 128.9 67.9 87.0 115.6 29.3 3.0 1-M. F 2-8 G. M 10.1 .8 .7 .7 1.5 1.6 1.9 2.8 .7 .2 4-S. M 264.0 20.7 28.5 37.0 50.7 30.4 30.1 48.3 12.0 1.1 5-M 211.5 17.3 14.7 33.2 52.8 23.8 33.8 41.7 10.4 1.5 6-S. L. M 73.6 6.0 2.1 10.2 13.3 6.3 17.6 19.6 4.9 4. 8-S. G. O.! 8 1 1.3 1.3 1.5 6.3 3.3 3.0 4.9 4.9 4. 4-S. M 10.5 8.6 15.8 22.7 32.0 14.4 11.3 7.8 1.6	*	.1	(3)				.1				
All grades 21, 226.3 100.0 82.0 130.7 225.0 152.6 236.1 318.1 73.9 7.9 Extra White 555.2 45.3 20.0 25.4 64.0 70.2 137.0 191.7 42.1 4.8 Above 3-G. M 92.1 7.5 3.2 3.0 8.6 12.8 19.7 34.1 9.4 1.3 4-S. M 308.0 25.1 14.3 16.8 38.6 38.9 67.5 106.4 23.1 2.5 5-M 127.9 10.5 2.4 5.1 14.8 15.9 38.9 47.7 82.2 9 6-S. L. M 25.6 2.1 1 5 5 2.0 2.4 10.4 8.8 1.3 1 T-L. M 15 1	3-G, M 4-S. M 5-M. ¹	.1	(3)				.1				
Extra White. 555.2 45.3 20.0 25.4 64.0 70.2 137.0 191.7 42.1 4.8 Above 3-G. M. 92.1 7.5 3.2 3.0 8.6 12.8 19.7 34.1 9.4 1.3 4-S. M. 308.0 25.1 14.3 16.8 38.5 38.9 67.5 106.4 23.1 2.5 5-M. 127.9 10.5 2.4 5.1 14.8 15.9 38.9 41.7 8.2 9 6-S. L. M. 25.6 2.1 1 5 5 2.0 2.4 10.4 8.8 1.3 1. 7-L. M. 1.5 1 2.6 6 1.1 Below 7-L. M.! 1.6 1.1 2-S. G. M. 10.1 8.2 5 128.9 67.9 87.0 116.6 29.3 3.0 White. 560.3 45.7 46.1 82.5 128.9 67.9 87.0 116.6 29.3 3.0 1-M. F 2-S. G. M. 10.1 8. 7 7 1.5 1.6 1.9 2.8 7 2.4 4-S. M. 226.0 2.7 28.5 37.0 59.7 36.4 30.1 48.3 12.0 1.1 5-M. 211.5 17.3 14.7 33.2 52.8 23.8 33.8 41.7 10.4 1.5 6-S. L. M. 73.6 6.0 2.1 10.2 13.3 5.3 17.6 19.6 4.9 4.7 8-S. G. O. 1 10.2 8 1 1.3 1.5 1.3 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	*		M	ISSISSI	PPI						
APOVE 3-G. M 3-G. M 3-G. M 308.0 25.1 17.5 3.2 3.0 8.6 12.8 19.7 34.1 9.4 1.3 4-S. M 127.9 10.5 2.4 5.1 14.3 16.8 38.5 38.9 67.5 106.4 23.1 2.5 6-S. L. M 25.6 2.1 1.1 .5 2.0 2.4 10.4 8.8 1.3 .1 .1 .1 .2 .6 .0 .1 .1 .2 .6 .0 .1 .1 .2 .6 .0 .1 .1 .2 .6 .0 .1 .1 .2 .6 .0 .1 .1 .2 .6 .0 .1 .1 .2 .6 .0 .1 .1 .2 .6 .0 .1 .1 .2 .6 .0 .1 .1 .1 .2 .6 .0 .1 .1 .1 .2 .6 .6 .1 .1 .1 .1 .1 .1 .1 .1	All grades	2 1, 226. 3	100. 0	82. 0	130. 7	225. 0	152. 6	236. 1	318. 1	73. 9	7.9
3-G. M. 308.0 25.1 14.3 16.8 38.5 38.9 67.5 100.4 23.1 2.5 5-M. 127.9 10.5 2.4 5.1 14.8 15.0 38.9 41.7 8.2 9.6 68. L. M. 25.6 2.1 .1 .5 2.0 2.4 10.4 8.8 1.3 .1 5.0 88.9 14.7 10.4 11.3 1.3 1.5 6.8 1.3 1.1 1.1 1.1 3.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 3.8 1.5 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1	Extra White	555. 2	45.3	20.0	25. 4	64.0	70. 2	137. 0	191.7	42. 1	4.8
1-M. F	3-G. M	308. 0 127. 9 25. 6 1. 5	25. 1 10. 5 2. 1	14.3 2.4	16.8 5.1	38. 5 14. 8 2. 0	38.9 15.9 2.4	67. 5 38. 9 10. 4 . 5	106. 4 41. 7 8. 8	23. 1 8. 2 1. 3	2.5 .9 .1
b-M 211. 5 17. 3 14. 7 33. 2 52. 8 23. 8 33. 8 41. 7 10. 4 4. 9 6. 7 7. 1 7. 2 10. 2 13. 3 1. 2 13. 3 1. 5 6. 6 3. 3 3. 0 4. 9 6. 3. 3 3. 0 4. 9 6. 9 6. 9 6. 9 3. 3 3. 0 4. 9 6. 9 6. 9 7. 1. 0 7. 1. 0 7. 2	White	560. 3	45.7	46. 1	82. 5	128. 9	67. 9	87. 0	115. 6	29.3	3.0
Spotted 105.6 8.6 15.8 22.7 32.0 14.4 11.3 7.8 1.6 3-G. M. 5.3 .4 1.0 .8 1.7 1.0 .4 .3 .1 4-8. M. 03.5 5.2 11.4 14.4 19.4 8.3 5.4 4.0 .6 5-M. 29.5 2.4 2.7 6.0 9.0 4.0 4.0 3.1 .7 6-S. L. M.' 6.9 6 .7 1.5 1.7 1.0 1.4 .4 .2	1-M, F 2-S, G, M 3-G, M 4-S, M 5-M 6-S, L, M 7-L, M 8-S, G, O, 1	10. 1 254. 0 211. 5 73. 6 10. 2	20.7 17.3 6.0	28. 5 14. 7 2. 1	10.2	59. 7 52. 8 13. 3 1. 5	1. 6 36. 4 23. 8 5. 3	1.9 30.1 33.8 17.6 3.3	2.8 48.3 41.7 19.6 3.0	12.9 10.4 4.9 .4	1.1
3-G. M. 5.3 .4 1.0 .8 1.7 1.0 .4 .3 .1 4-S. M. 63.5 5.2 11.4 14.4 19.4 8.3 5.4 4.0 .6 5-M 29.5 2.4 2.7 6.0 9.0 4.0 4.0 3.1 .7 6-S. L. M. 6.9 . 7 1.6 1.7 1.0 1.4 .4 .2		105. 6	8.6	15. 8	22. 7	32.0	14. 4	11. 3	===	====	
	3-G. M	5. 3 63. 5 29. 5 6. 9	. 4 5. 2 2. 4	1. 0 11. 4 2. 7	. 8 14. 4 6. 0	1.7 19.4 9.0 1.7	1. 0 8. 3 4. 0 1. 0	. 4 5. 4 4. 0 1. 4	.3 4.0 3.1	.1 .6 .7 .2	

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

MISSISSIPPI-Continued

MISSISSIPPI—Continued											
Grade	All sta lengti	ple is	Shorter than 1/8 inch 1	3/8 and 29/a2 inch	and and alga inch	1 and 1½2 inches	11/16 and 13/32 inches	11/8 and 15/32 inches	13/10 and 13/32 inches	1¼ inches and longer	
Yellow Tinged	1,000 bales 0. 6	Per- cent (²)	1,000 bales 0.1	1,000 bates 0.1	1,000 bales 0.1	1,000 bales 0.1	1,000 bales 0.1	1,000 bales 0.1	1,000 bales	1,000 bales	
2-8. G. M											
3-G. M	.3	(3)	.1				.1	.1			
5-M.1	.3	(3)				.1					
6-8. L. WL-1											
7-L. M.1	.1	(3)			.1						
Gray	4. 5	. 4					.7	2.8	0.9	0. 1	
3-G. M	1.0	.1					2	. 5	.2	1	
4-8. M	2.9	. 2					1.4	1.9	. 6		
6-M.1	. 6	(3)					.1	.4	.1		
Blue Stained	.1	(3)						.1			
											
3-G. M.1							-	l			
4-S. M. ¹	1.	(3)						.1			
0-1V1											
			MISSO	URI							
All grades	² 182. 8	100. 0	12. 3	44. 4	63. 9	44.7	16. 3	0.9		0.3	
Extra White	49.8	27, 2	.7	7.4	18. 2	16. 0	6.9	. 4		.2	
152 C M											
Above 3-G. M	.6	3	.1	2	. 2	.1					
3-G. M 4-S. M	14.0	. 3 7. 7	. 6	4.8	5. 9	2.1 9.2	. 5			1	
5-M 6-S. L. M	25. 2	13.8		2. 1	10.6	9. 2 4. 0	3.0	.2 .1		.1	
6-S. L. M	9. 0 1. 0	4.9		.3	1.4	4.0	3. 2	1 :1			
7-L. M Below 7-L. M. ¹											
1175-14	104. 2			90.4	27.0		7. 2	.4		-	
White	104.2	57. 0	5.8	28.4	37.9	24.4	7.2	.4		.1	
1-M. F 2-8. G. M											
2-8. G. M											
3-G. M 4-S. M	6.0	3. 3	. 4	1.7	2.3	1.4	. 2				
5-M 6-S. L. M	19.8	10.8	.1	2. 5 3. 6	2. 3 8. 2	6.5	2. 4 3. 2	.1			
6-S. L. M	29. 2	16.0	.4	3. 6 3. 5	10.9	10.9	3. 2 1. 3	.1		.1	
8-8. G. O.1	14.8 16.5	8. 1 9. 0	1.0	8.3	5. 1 5. 6	3.8	1.3	.1	[-	
9-G, O.1	17.9	9.8	1.8 2.1	8.8	5.8	1.0	. 1	. 1			
Spotted	18. 1	9.9	2.6	4. 4	5. 6	3.6	1.8	.1			
	10. 1										
3-G, M 4-8. M			- -		- -				}		
5-M	.9 4.8	2.6	.1	.7	. 6 1, 9	1.4	.1				
5-M 6-S. L. M. ¹	5.4	3, 0	3	1.0	1.4	1.6	1.0	.1			
7-L. M.1	7.0	3.8	2, 2	2.7	1.7	.4					
Yellow Tinged	2, 2	1. 2	.3	.8	. 5	.4	. 2				
2-S. G. M.											
3-G. M											
4-8. M											
6-8. L. M.	.5	.3	.1	.1	.1	.2	.1				
7-L. M.1	9.9	.5] .2	.4	.3						
Light Yellow Stained	.4	.2	.1	. 2	.1						
3-G. M											
4-S. M. I											
5-M.1	.4	.2	. 1	. 2	. 1						
			·——		·-==						

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

MISSOURI-Continued

Grade	All sta lengt		Shorter than 7/8 inch 1	7/8 and ²⁹ /á2 inch	15/16 and 81/32 inch	1 and 1½2 inches	1½0 and 1¾2 inches	11/8 and 15/32 inches	13/16 and 17/32 inches	1½ inches and longer
Yellow Stained	1,000 bales 0.2	Per- cent 0.1	1,000 bales 0.1	1,000 bales 0.1	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales
3-G. M. 4-S. M. ¹ 5-M. ¹	. 2	.1	.1	.1						
Gray	.1	.1			0.1					
3-G. M. 4-S. M. 5-M. ¹										
No grade ! 4	7.8	4.3	2.7	3. 1	1.5	0. 3	0. 2			
		l N	IEW M	EXICO		!	1	<u> </u>		
All grades	2 70. 2	100. 0	1.0	2. 2	2. 9	7. 4	46. 9	9.8		
Extra White	51. 6	73. 6				2. 2	39.9	9. 5		
Above 3-G. M 3-G. M 4-S. M	17. 3 30. 4	24. 7 43. 3				. 3 1. 3	12. 9 23. 9	4. 1 5. 2		
3-G. M. 4-S. M. 6-M. 6-S. L. M. 7-L. M	30. 4 3. 7 . 2	5.3				.5	3.0	. 2		
Below 7-L. M.1				<u></u>						
White	4.3	6. 1			.4	1.0	2.7	. 2		
1-M. F. 2-S. G. M. 3-G. M. 4-S. M.	. 1 2. 5	3.6				4	1.9	2		
5-M 6-S. L. M 7-L. M 8-S. G. O. ¹ 9-G. O. ¹	.8 .3 .2 .4	1. 1 . 4 . 3 . 6			.1	.3	.5.2			
Spotted	12. 3	17. 5	.1	1. 4	2. 3	4. 1	4. 3	.1		
3-G. M 4-S. M 5-M	4. 9 2. 2	7. 0 3. 1			.2	. 1 1. 6 1. 3	3. 2 . 7	.1		
5-M 6-S. L. M. ¹ 7-L. M. ¹	1. 7 3. 1	2. 4 4. 4	. 1	1, 2 1, 2	1.3	.6	. i			
Yellow Tinged 2-S. G. M	1.7	2. 4	. 7	.8	1	.1				
3-G. M 4-S. M	.1 .7 .7	. 1	.1	.3						
5-M.¹ 6-S. L. M.¹ 7-L. M.¹	.7	1.0	. 2	.3 .3 .2	. 1	. 1				
No grade 14	. 3	. 4	. 2		.1					
		NOI	RTH CA	ROLIN	A			1		
All grades	2 579. 3	100. 0	26. 1	155. 4	166. 5	193. 4	24. 5	6.3	4.4	2.7
Extra White	70. 6	12. 2	2.7	11.3	17. 9	29. 1	4. 9	1.6	1.8	1,3
Above 3-G. M 3-G. M 4-S. M 5-M 6-S. L. M 7-L. M	10. 7 33. 9 21. 3 4. 0	1. 8 5. 9 3. 7 . 7	.6 1.7 .3 .1	2. 0 5. 1 3. 0 1. 1	2. 4 8. 2 5. 8 1. 2	4. 0 14. 0 9. 4 1. 4	. 7 2. 4 1. 7	.4 .8 .3 .1	. 4	.2 .8 .3

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935-Continued

	NO	RTH	CAROL	INA-C	ontinued	I				
Grade	All sta lengt		Shorter than 1/4 inch	% and ²⁹ 52 inch	15/16 and 31/32 inch	1 and 1½2 inches	1½6 and 1¾2 inches	11/8 and 15/32 inches	13/16 and 17/32 inches	11/4 inche and longe
White	1,000 bales 363. 4	Per- cent 62.7	1,000 bales 18.3	1,000 hales 104. 2	1,000 bales 105. 1	1,000 bales 114.8	1,000 bales 14.3	1,000 bales 3.3	1,000 bales 2.2	1,000 bales 1.
1-M. F										
1-M. F. 2-S. G. M. 3-G. M.	2. 5	. 4		. 5	. 8	. 8	.1	. 1		
4-S. M	93. 4 175. 8 77. 5 12. 7 1. 3	16. 1 30. 4 13. 4 2. 2	. 2 5. 6 8. 7 3. 2 . 5	24. 9 48. 1 25. 9 4. 2	24. 2 49. 5 25. 1 5. 1	31. 9 59. 0 20. 0 2. 7	3. 8 7. 8 2. 4 . 2	1. 2 1. 4 . 6	1. 2 . 8 . 2	:
8-S. G. O. ¹ 9-G. O. ¹	. 2	(3)		.1		.1				
Spotted	141. 6	24. 5	4.9	39. 0	42. 4	48. 3	5. 0	1.4	.4	
3-G. M. 4-S. M. 5-M. 6-S. L. M. ¹	5. 7 71. 7 58. 3 5. 6	1. 0 12. 4 10. 0 1. 0	2. 9 1. 3 . 2		1. 4 20. 7 18. 7 1. 5	1. 5 25. 1 20. 0 1. 6	. 3 2. 5 2. 1 . 1	.1 .7 .5	.3	
Yellow Tinged	3. 6	. 6	. 2		1.1	1.1	. 3			
2-S. G. M			<u> </u>							
3-G M	. 3 2. 5	.1	2	. 6	.1	. 2 . 7	. 2			
4-S. M 5-M.¹ 6-S. L. M.¹ 7-L. M.¹	. 7	j .1		. 3	.1	. 2	.1			
7-L. M. ¹	. 1	(3)		 	. 1					
No grade 14	. 1	(3)				. 1				
· · · · · · · · · · · · · · · · · · ·	!	1	OKLAR	IOMA	1	1		1		
All grades	² 562. 7	100. 0	107. 9	280. 3	137. 4	31, 5	5. 3	0.3		
Extra White	6.8	1. 2	. 6	1.8	2. 5	1.7	. 2			
Above 3-G. M										
3-G. M 4-S. M	. 7 4. 1	.1	3	1.0	1.4	1, 2	2			
5-M 6-S. L. M	1. 2	. 2	. 1	. 2	.5	.4				
7-L. M Below 7-L. M. ¹	. 5	, 1	. 1	. 2	. 2					
White	314.8	55. 9	48. 4	148. 8	91.8	21.8	3.8	. 2		
1-M. F 2-S. G. M 3-G. M 4-S. M	. 1	(3)	i . i							
3-G. M	3.5	1 .6	1.3	1, 2	. 8	. 2				
4-8. M 5-M	48, 1 70, 5	8. 5 12. 5	10.0 9.5	19. 1 26. 2	14. 3 25. 2	4. 0 8. 1	1.4	1		
5-M 6-S. L. M	70. 9	12.6	9.6	33, 9	21.8	4.5	1.0	.1		
7-L. M	83. 1 34. 3	14.8	10.5	46.3 19.9 2.2	22.5 6.6	3. 3 1. 5	.5			
Potted	162.8	28.9	32. 1	84. 7	37.5	7. 2	1. 2	.1		==
3-G M	5. 6	1.0	2, 5	2, 2	. 7					
4-8. M	41, 4	7.4	11.7	16.4	10.0	2.7	. 5	. 1		
5-M 6-S. L. M.1	30.3 45.9	5. 4 8. 1	5.5	13, 6 27, 1	8.8 10.4	2.0	.4			
7-L. M.	39. 6	7. 0	5. 6	25, 4	7.6	.9	.1			
Yellow Tinged	58.2	10.4	15.8	37.0	4.7	6			-	

1.6 5.5

8.6

. 5 7. 1 23. 2 27. 4

10.4

. 1 1. 3 4. 1

4.9

4. 4 16. 0

16.5

4.7

. 2

. 9

1.5

2.1

. 6

-----. 2

.1

2-S. G. M. 3-G. M. 4-S. M. 5-M.!. 6-S. L. M.!. 7-L. M.! See footnotes at end of table.

Yellow Tinged.....

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

OKLAHOMA-Continued

OKLAHOMA—Continued											
Grade	All sta lengti	ple is	Shorter than 7/8 inch 1	3/8 and 29/32 inch	15/16 and 31/32 inch	i and 1½2 inches	1½6 and 1¾2 inches	11/8 and 15/32 inches	1%s and 1%2 inches	1¼ inches and longer	
Light Yellow Stained	1,000 bales 4.9	Per- cent 0.9	1,000 bales 2.7	1,000 bales 2.1	1,000 bales 0.1	1,000 bales	1,000 bales	1,000 bales	1,000 bales	1,000 bales	
3-G. M			[
4-8. M. ¹	. 2	(3)	2.6	2.0							
5-M.1	4.7	9.	2, 6	2, 0	. 1						
Yellow Stained	.4	.1	. 2	. 2							
3-G. M					- <i></i>						
3-G. M. 4-S. M. ¹ 5-M. ¹	. 4	. 1	2	. 2							
No grade 1 4	14.8	2.6	8.1	5. 7	. 8	0. 2					
		80	UTH C.	AROLII	NA.						
All grades	2 738. 7	100.0	10. 9	131.8	222. 1	257. 1	72. 4	29. 1	13.0	2. 3	
Extra White	81.4	11.0	.6	8. 1	17. 6	29. 1	12. 2	8.4	4. 6	.8	
Above 3-G. M		(3)							.1		
3–G. M	. 1 3. 9	.5 4.6		. 2	. 6	1.4	.3	. 6	1.6	.2	
4-8. M	34. 2 31. 4	4. 6 4. 3	.2	3. 5 3. 3	6. 7 7. 5	11. 4 11. 6	4. 4 5. 0	4.9 2,4	2.6 1.2	.5	
5-M 6-S. L. M	9.5	1.3	1 1	.9	2. 3	3.7	2.0	.4	1.1		
7_T. M	9. 5 2. 2	(1)3		. 2	. 5	. 9	. 5	1.1			
Below 7-L. M.	. 1	(3)				.1					
White	471. 1	63. 8	6. 4	81.7	140. 8	165. 7	49. 1	18. 5	7. 6	1.3	
1-M. F 2-S. G. M											
2-S. G. M		.1				. 2		2	1		
3-G. M 4-8. M	84. 2	11.4	2. 1	15.7	24.9	29. 9	6.7	2.5	1.9	. 5	
5_M	222.5	30.1	2.2	36.6	67, 0	80.5	23.4	1 8.7	3.5	.6	
6-S. L. M 7-L. M 8-S. G. O. ¹	123.6	16.7	1.3	20.0	36.2	44.1	14.8	5.2	1.8	. 2	
7-L. M	35.0 4.5	4.8	.5	7.9	10. 6 1. 8	10.0	3.8	1.9	.3		
9-G. O.1	.4	l :i	ı	1.1	1.0	.1					
Spotted	184. 3	24. 9	3. 6	41.6	63. 1	61. 7	11, 1	2, 2	.8	, 2	
2.0.34	2.4			7	10	1 2		1	. 1		
4_8 M	3, 4 83, 9	11.3	2, 1	18.7	1.0 28.1	1, 2 28, 7	4.7	.1	I 5	2	
5-M	82.0	11.1	.9	18.0	29.1	27. 6	4. 7 5. 3	1, 0	1 .1		
3-G. M 4-8. M 5-M 6-8. L. M.	14.0	1.9	. 3	3.7	4.6	4. 1	1.0	. 2	.1		
7-L. M. ¹	1.0	.1	1.	. 5	. 3	.1					
Yellow Tinged	1. 2	. 2		. 3	. 5	. 4					
2-8. G. M											
3-G. M	.7	<u>-</u> 1		.2	.3	.2					
4-8. M	.7	1 1		1 .1	.3	.2					
6-S. L. M.1											
5-M. ¹ 6-S. L. M. ¹ 7-L. M. ¹											
No grade 1 4	.7	. 1	. 3	. 1	.1	. 2					
	<u> </u>	<u> </u>	TENN	ESSEE	1	<u> </u>		<u> </u>			
			1 51414	LOODE			-	-			
All grades	2 315.6	100.0	76. 2	83. 1	93.0	47.3	13. 2	2.4	0.3	: :::::::::::::::::::::::::::::::::::::	
Extra White	101. 7	32. 2	27. 5	23. 1	26. 7	16.7	6.3	1.2	. 1	.1	
Above 3-G. M											
3-G. M	10. 0 52. 5	3. 2 16. 6	5. 9 18. 9	1.8	1.1	6.3	2.4	.4			
4–8. M. 5–M	33.6	10.6	2.6	13. 3 7. 2	12.4	7.9	2. 8	1 .6	.1	;i	
6–S. L. M	5.3	1.7	7.1	.8	1.9	1.6	.7	.1			
7-L. M	3	1.1			. 1	. 1		- -1			
Below 7-L. M.1											

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

TENNESSEE-Continued

Grade	All sta lengti	ple is	Shorter than 78 inch 1	% and 29%2 inch	15/16 and 31/32 inch	1 and ½2 inches	1½s and 1¾s2 inches	1½ and 1½2 inches	1¾6 and 17⁄32 inches	1¼ inches and longer
White	1,000 bales 105.8	Per- cent 33. 5	1,000 bales 25. 5	1,000 bales 28.8	1,000 bales 34.0	1,000 bales 15.9	1,000 bales 3.0	1,000 bales 0.5	1,000 bales 0.1	1,000 rales
1-M. F 2-8. G. M 3-G. M 4-8. M	.8 37.0	. 3 11. 7	. 6 17. 3	. 1 8. 9	. 1 7. 2	2.8	.7	.1	.1	
4-8. M. 5-M. 6-8. L. M. 7-L. M. 8-8. G. O.!. 9-G. O.!.	32. 1 20. 9 5. 5 5. 2 4. 3	10. 2 6. 6 1. 7 1. 6 1. 4	5.8 1.0 .3 .3	8. 2 3. 7 1. 4 2. 4 2. 1	10.6 9.6 2.7 2.2 1.6	5.8 5.6 1.0 .3	1. 4 . 8 . 1	.2	.1	
Spotted	77.3	24. 5	14. 9	22.8	24. 4	11.5	3. 2	. 5		
3-G. M 4-8. M 5-M 6-8. L. M. ¹ 7-L. M. ¹	.8 19.1 29.5 16.8 11.1	.3 6.1 9.3 5.3 3.5	. 4 5. 5 4. 1 2. 9 2. 0	. 2 4. 6 6. 9 5. 8 5. 3	4.8 11.0 5.3 3.1	3. 2 5. 7 2. 1 . 5	.8 1.5 .7 .2	.2 .3		
Yellow Tinged	22. 6	7. 2	5. 2	7. 5	6.0	2. 9	.7	. 2	.1	
2-S. G. M 3-G. M 4-S. M 5-M.¹ 6-S. L. M.¹ 7-L. M.¹	. 3 4. 3 7. 3 4. 5 6. 2	. 1 1. 4 2. 3 1. 4 2. 0	9 1.1 .7 2.5	1 1.0 1.6 2.1 2.7	.1 1.3 2.7 1.0	. 9 1. 5 . 4 . 1	. 1 . 1 . 3 . 2	:1		
Light Yellow Stained	1. 2	. 4	. 2	. 3	. 5	. 2				
3-(3, M, 4-8, M, 1, 5-M, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	. Î 1, 1	(³) . 4	2	. 3	.1	. 2				
Yellow Stained	.1	(3)		. 1						
3-(3. M. 4-S. M. ¹ . 5-M. ¹ .	.i	(3)		.1						
No grade 1 4	6. 9	2. 2	2. 9	2. 5	1.4	.1				
		·	TEX	AS						
All grades	2 2, 849. 7	100. 0	482. 3	1, 167. 2	936. 1	211.0	36. 1	17. 0		
Extra White	128. 0	4.5	12. 4	31.4	33. 2	15. 7	19.6	15.7		
Above 3-G. M. 3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-L. M. Below 7-L. M.	21. 1 44. 0 38. 6 17. 4 6. 9	1. 6 1. 4 . 6 . 2	1. 6 5. 6 4. 3 . 7 . 2	. 6 11. 4 12. 7 4. 5 2. 2	3 9.6 13.2 7.0 3.1	3. 4 6. 2 4. 6 1. 3	8. 9 8. 1 2. 0 . 5 . 1	9. 5 5. 9 . 2 . 1		
White	1,870.0	65. 6	252. 4	781.0	659. 9	163. 5	12. 2	1.0		
1-M, F 2-S, G, M 3-G, M 4-S, M 5-M 6-S, L, M 7-L, M 8-S, G, O,1	. 1 7. 1 322. 2 807. 9 435. 5 208. 4 71. 2	(3) 22 11.3 28.4 15.3 7.3 2.5	3.6 60.2 90.5 49.5 27.0 15.1 6.5	2.1 125.1 125.1 287.4 191.3 125.0 41.1 8.9	1. 2 105. 7 334. 2 154. 5 48. 6 13. 7 2. 0	.1 28.7 89.6 36.5 7.1 1.3	.1 2.4 5.8 3.3 .6	.1 .4 .4 .1		

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935.—Continued

TEXAS-Continued

		^ -			•					
Grade	All sta lengtl	ple ns	Shorter than 78 inch 1	3/8 and ^{29/32} inch	15/16 and 31/32 inch	1 and 1½2 inches	1½6 and 13/32 inches	11/8 and 15/32 inches	13/16 and 17/42 inches	1¼ mches and longer
Spotted	1,000 bales 761.5	Per- cent 26. 7	1,600 bales 154.0	1,000 bales 330.4	1,000 bales 240.8	1,000 bales 31.7	1,000 bales 4.3	1,000 bales 0.3	1,000 bales	1,000 bales
3-G. M. 4-S. M. 5-M. 6-S. L. M.!	14. 4 247. 2 227. 2 168. 7 104. 0	. 5 8. 7 8. 0 5. 9 3. 6	8. 7 45. 6 32. 8 33. 8 33. 1	3. 8 90. 0 94. 2 86. 1 56. 3	1.6 94.1 86.7 44.7 13.7	.3 14.5 12.0 4.0 .9	2. 9 1. 3 . 1	.1		
Yellow Tinged	84. 3	3.0	59. 4	22.8	2.0	.1				
2-8. G. M	2 4. 3 26. 3 37. 1 16. 4	(3) . 2 . 9 1. 3 . 6	. 1 2. 6 18. 9 26. 4 11. 4	1. 5 6. 8 9. 8 4. 7	.2 .6 .9	.1				
Light Yellow Stained	.7	(3)	.6	. 1						
3-G. M	.7	(3)	, 6	.1						
Yellow Stained	. 1	(3)	.1							
3-G. M 4-S. M. ¹	. 1	(3)	. 1							
Gray	. 3	(3)	. 1	.1	. 1					
3-G. M	, .2	(3)	····.i	. 1	.1					
No grade 1 4	4.8	. 2	3. 3	1.4	.1					
		·	VIRGI	NIA						
A 11 mm dag	2 27. 6	100.0	0.2	9, 9	13. 3	4.0	0, 2	Ι		<u> </u>
All grades	1. 2	4.3	0. 2	.2	.7	.3	0. 2			
Above 3-G. M	.5	1.8		,1	.3	.1				
7-L. M Below 7-L. M.										
White	18. 6	67. 4	, 1	6. 7	8.9	2.8	.1			
1-M. F 2-S. G. M. 3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-L. M. 8-S. G. O.!. 9-G. O.!.	2.3 10.6 5.0 .6	8. 3 38. 4 18. 1 2. 2 . 4	.1	. 8 3. 3 2. 2 . 4	1. 1 5. 3 2. 2 . 2	1.8	. 1			
Spotted	7.8	28. 3	.1	3.0	3.7	. 9	, 1			
3-G. M 4-S. M 5-M 6-S. L. M.!	3. 3 3. 9 . 6	12. 0 14. 1 2. 2	,1	1. 0 1. 6 . 4	1.7 1.8 .2	.5	.1			
	I .	1	1.	1	1	1	1	I		

Table 2.—Grade and staple length of American upland cotton ginned in the United States, by States, crop of 1935—Continued

ALL OTHER STATES

Grade	All staple lengths		Shorter than 1/8 inch	% and ²⁹ %2 inch	and and 31/32 inch	1 and 1½2 inches	1½6 and 1¾2 inches	11/8 and 15/32 inches	13/16 and 17/22 inches	1¼ inches and longer
All grades	1,000 bales 27.4	Per- cent 100.0	1,000 bales 0.5	1,000 bales 1.3	1,000 bales 2.8	1,000 bales 2.0	1,000 bales 0.8	1,000 bales	1,000 bales	1,000 bales
Extra White	2. 2	29.7		. 2	.8	.8	. 4			
Ahove 3-G. M	. 3	10. 8 14. 8 4. 1		:1	.5	. 2 . 4 . 2	.3			
7-L. M Below 7-L. M. ¹										
White	2. 0	27. 1		.4	. 9	. 5	. 2			
1-M. F	.2 .3 .4	2.7 4.1 5.4			.2	.1	. 1			
7-1. M 8-S. G. O.! 9-G. O.!	2.1	2. 7 4. 1 8. 1 28. 4	. 2	.1	.1 .2 .3 .7	.6	. 2			
3-G. M. 4-S. M. 5-M. 6-S. L. M. ¹ . 7-L. M. ¹	.4 .5 1, 2	5. 4 6. 8 16. 2	.1	.4	.1	.2 .2 .2	:1			
Yellow Tinged	. 6	8. I	. 1	. 2	. 2	. 1				
2-S. G. M	.2	2. 7 5. 4	.1	.2	.1	.1				12.7/4
Light Yellow Stained	.1	1. 3			.1					
3-G. M 4-S. M.! 5-M.! No grade ! 4	.1	1. 3	. 2	.1	.1					
Brade ,	. 4	0.4	. 2		• • •					

¹ Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

2 As reported by the Bureau of the Census.

3 Less than 0.05 percent.

4 Includes bales not otherwise classified above.

5 Includes Illinois, Kansas, and Kentucky.

Table 3.—Grade and staple length of American-Egyptian cotton ginned in the United States, crops of 1931-35

[Quantities are given in running bales]

•							
Crop and grade	All stapl	e lengths	Shorter than 1½ inches	1½ and 11½ inches	1% and 11%2 inches	15% to 123%2 inches	134 inches and longer
All grades	1,000 bales 1 13. 7	Percent 100. 0	1,000 bales	1,000 bales 2.4	1,000 bales 8.4	1,000 bales 2.9	1,000 bales
1 and 1½	1. 2 5. 9 4. 5 1. 9 . 2	8. 7 43. 1 32. 8 13. 9 1. 5		.3 1.1 .7 .3	. 6 3. 5 3. 0 1. 2	.3 1.3 .8 .4 .1	
1932 All grades	1 8. 3	100. 0	1.7	2. 9	2. 6	1, 1	
1 and 1½	2. 0 3. 7 2. 2 . 4	24. 1 44. 6 26. 5 4. 8	.5	.3 1.6 .9 .1	1. 0 1. 3 . 3	.7	
All grades	1 9. 7	100. 0	.1	3. 2	5. 4	1.0	
1 and 1½ 2 and 2½. 3 and 3½ 4 and 4½ 5 Below 5.	4.9 4.3 .5	50. 5 44. 3 5. 2	.1	1. 2 1. 7 . 3	3. 0 2. 2 . 2	.7	
1934 All grades	1 14. 0	100.0		4.6	7.3	2. 1	
1 and 1½	6. 1 5. 6 1. 5 . 8	43. 6 40. 0 10. 7 5. 7		1.3 1.8 .9 .6	3. 4 3. 1 . 6 . 2	1.4	
All grades	1 17. 6	100. 0		4.9	12. 0	.7	
1 and 1½	.3	19. 3 68. 2 10. 8 1. 7		3. 5 2. 7 . 2	2. 8 8. 0 1. 1	.1	
Below 5							

¹ As reported by the Bureau of the Census.

Table 4.—Staple length of American upland cotton ginned in the United States, crops of 1928-35, and by States, crops of 1931-35

[Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included]

			1110	adea)					
State	Crop year	All s	taple ths ¹	Shorter inc	than 3/8 h 2	⅓ and ²	952 inch	15/18 an	d 31/52
United States	1928 1929 1930 1931 1932 1933 1934 1935	1,000 bates 14, 268. 2 14, 519. 0 13, 732. 2 15, 615. 2 12, 701. 3 12, 654. 3 9, 458. 0 10, 402. 7	Percent 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0	1,000 bales 2,072.1 2,021.5 1,829.2 1,019.5 837.7 539.1 783.0 1,320.1	Percent 14.5 20.1 13.3 6.1 6.6 4.3 8.3 12.7	1,000 bales 5,914.8 5,533.7 5,327.7 6,593.3 4,786.5 4,504.4 3,490.9 3,235.1	Percent 41.5 38.1 38.8 39.7 37.7 35.6 36.9 31.1	1,000 bales 3, 225, 7 2, 748, 2 3, 421, 6 4, 511, 9 3, 671, 0 3, 992, 2 2, 065, 4 2, 628, 1	Percent 22. 6 18. 9 24. 9 27. 2 28. 9 31. 6 21. 8 25. 3
Alabama	$\left\{\begin{array}{c} 1931\\ 1932\\ 1933\\ 1934\\ 1935 \end{array}\right.$	1, 385. 0 933. 7 951. 1 936. 1 1, 033. 5	100. 0 100. 0 100. 0 100. 0 100. 0	136, 5 137, 3 82, 5 196, 2 358, 8	9. 9 14. 7 8. 7 21. 0 34. 7	1, 044. 7 657. 5 694. 2 574. 0 534. 7	75. 4 70. 4 73. 0 61. 3 51. 7	168. 7 108. 7 132. 1 111. 7 92. 6	12. 2 11. 7 13. 9 11. 9
Arizona	1931 1932 1933 1934 1935	97. 3 58. 8 83. 2 99. 1 113. 9	100. 0 100. 0 100. 0 100. 0 100. 0	3. 3 . 1 . 1 . 3	3. 4 . 2 . 1 . 3 1. 1	. 6 1. 4 1. 5 1. 1 1. 3 307. 4	. 6 2. 4 1. 8 1. 1	14. 9 6. 9 7. 1 6. 9 7. 3	9. 0 15. 3 11. 7 8. 5 7. 0 6. 4
Arkansas	1931 1932 1933 1934 1935	1,836.1 1,283.4 1,014.6 849.0 841.5	100. 0 100. 0 100. 0 100. 0 100. 0	20. 9 25. 8 7. 8 42. 2 34. 9	1. 1 2. 0 . 8 5. 0 4. 1	307. 4 185. 9 93. 8 144. 6 153. 6	16. 7 14. 5 9. 2 17. 0 18. 3	549. 6 375. 0 243. 1 211. 2 270. 5	29. 9 29. 2 24. 0 24. 9
California	1931 1932 1933 1934 1935	171. 2 124. 4 210. 7 251. 5 232. 7	100. 0 100. 0 100. 0 100. 0 100. 0	8.9	(3)	1 2.2 .2 1.8	1.8 .1 .7	2.4 3.9 2.9 1.5 4.3	32. 1 1. 4 3. 1 1. 4 . 6 1. 8
Florida	1931 1932 1933 1934 1935 1931	43. 4 15. 6 24. 1 24. 3 26. 7 1, 393. 7	100. 0 100. 0 100. 0 100. 0	2. 9 2. 3 1. 4 1. 6 5. 7	6.7 14.8 5.8 6.6 21.3	33. 9 12. 5 19. 8 19. 5 20. 2	78. 1 80. 1 82. 2 80. 2 75. 7	6. 1 . 7 2. 5 2. 7	14. 1 4. 5 10. 4 11. 1 2. 2 17. 4
Georgia	1932 1933 1934 1935	1, 393. 7 861. 8 1, 093. 4 974. 9 1, 052. 7 876. 6	100. 0 100. 0 100. 0 100. 0 100. 0	69. 4 43. 1 59. 8 37. 4 104. 5	5. 0 5. 0 5. 5 3. 8 9. 9	1, 015. 6 592. 8 733. 9 527. 8 438. 8	72, 9 68, 8 67, 1 54, 1 41, 7	242. 1 163. 1 202. 9 208. 1 245. 7	18. 9 18. 6
Louisiana	1931 1932 1933 1934 1935	599. 5 469. 3 473. 3 541. 4	100. 0 100. 0 100. 0 100. 0 100. 0	58. 6 62. 1 12. 2 50. 1 16. 5	6. 7 10. 4 2. 6 10. 6 3. 1	157. 3 131. 0 89. 2 99. 0 80. 0	17. 9 21. 8 19. 0 20. 9 14. 8	203. 6 152. 6 125. 1 129. 7 144. 1	23. 3 23. 2 25. 4 26. 7 27. 4 26. 6
Mississippi	1031 1932 1933 1934 1935	1,719.4 1,161.2 1,132.2 1,121.3 1,226.3	100.0 100.0 100.0 100.0 100.0	65. 4 32. 2 12. 6 27. 3 82. 0	3.8 2.8 1.1 2.4 6.7	285. 4 148. 6 125. 2 97. 4 130. 7	16. 6 12. 8 11. 1 8. 7 10. 7	238. 0 162. 3 156. 6 145. 3 225. 0	13. 8 14. 0 13. 8 13. 0 18. 4
Missouri	1931 1932 1933 1934 1935	280. 4 300. 7 237. 9 230. 4 182. 8	100. 0 100. 0 106. 0 100. 0 100. 0	2. 6 2. 0 3. 1 8. 2 12. 3	. 9 . 7 1. 3 3. 6 6. 7	85. 9 52. 1 38. 8 54. 7 44. 4	30. 6 17. 3 16. 3 23. 7 24. 3	128. 0 114. 9 94. 1 82. 1 63. 9	45. 7 38. 2 39. 6 35. 6 35. 0
New Mexico	1931 1932 1933 1934 1935	93. 8 67. 5 86. 1 83. 7 70. 2	100. 0 100. 0 100. 0 100. 0 100. 0	5. 1 2. 1 . 3 1. 0	5. 4 3. 1 . 4 1. 4	1. 4 2. 6 1. 1 . 1 2. 2	1. 5 3. 8 1. 3 . 1 3. 1	13. 7 3. 4 8. 8 . 8 2. 9	14.6 5.0 10.2
North Carolina	1931 1932 1933 1934 1935	771. 2 680. 3 690. 5 640. 9 579. 3	100. 0 100. 0 100. 0 100. 0 100. 0	7.8 7.8 21.8 7.8 26.1	1.0 1.2 3.2 1.2	34.0.1 227.8 277.5 170.3	44. 1 33. 4 40. 2 26. 6	264. 6 223. 6 226. 7 189. 5	4. 1 34. 3 32. 9 32. 8 29. 6
Oklahoma	1931 1932 1933 1934 1935	1, 235. 9 1, 072. 0 1, 235. 8 329. 9 562. 7	100. 0 100. 0 100. 0 100. 0 100. 0	137. 9 91. 9 73. 5 62. 4 107. 9	4. 5 11. 2 8. 6 5. 9 18. 9 19. 2	155. 4 557. 4 535. 8 391. 4 212. 4 280. 3	26. 8 45. 1 50. 0 31. 7 64. 4 49. 8	166. 5 414. 5 386. 1 590. 2 50. 7	29. 6 28. 7 33. 5 36. 0 47. 7 15. 4 24. 4
South Carolina	1031	1,010.2 722.2 728.0 684.6 738.7	100. 0 100. 0 100. 0 100. 0	12.0 2.8 9.4 2.1	1. 2 . 4 1. 3	280. 3 395. 6 181. 2 263. 4 141. 2 131. 8	39. 1 25. 1 36. 2 20. 6 17. 8	137. 4 315. 2 225. 6 207. 9 190. 4 222. 1	31. 2 31. 2 28. 6 27. 8
See footpoton at and at				0.0	. 1.0		1 11.0	242.1	30. 1

18

Table 4.—Staple length of American upland cotton ginned in the United States, crops of 1928-35, and by States, crops of 1931-35—Continued

State	Croj		staple igths ¹	Sh	orter t	han 1/8	% and	l 2%2 in	ich 1	51o and incl	1 31,52
Tennessee	{ 1934 1935 1931 1932 1933 1934 1935 1931 1932 { 1933 1934	428.4 306. 315. 5,068.4 4,307. 4,220. 2,314.4 2,849. 42. 31. 34.	5 10 9 10 7 10 6 10 8 10 10 3 10 7 10 5 10 3 10 4 10 0 10	cent be be be be be be be b	39. 9 12. 4 12. 9 51. 7 76. 2 14. 3 140. 4 195. 0 82. 3 1. 7 1. 5	Percent 6.9 2.7 3.0 13.0 24.1 8.8 9.6 5.7 12.7 12.9 4.0 4.8 1.5	1,000 bates 218. 115. 133. 125. 83. 2,123. 1,918. 1,615. 1,298. 1,167. 22. 19. 25.	6 Perc. 37 9 24 31 20 41 44 44 6 38 7 56 2 41 9 53 4 6 2 72 2 72 0 60	ent 6 7.8 1.8 1.0 1.5 1.9 1.5 1.5 1.3 1.9, 1,	,000 ales ales 211, 3 175, 3 167, 1 129, 2 93, 0 719, 3 554, 8 811, 0 593, 0 936, 1 16, 2 8, 7 6, 6 7, 4	Percent 36, 6 37, 5 39, 0 32, 6 29, 5 33, 9 36, 1 42, 9 25, 6 32, 8 38, 1 27, 8 19, 2 22, 4
All other 4	{ 1935 1931 1932 1933 1934 1935	11. 14. 13. 14.	27. 6 100. 0 11. 7 100. 0 14. 0 100. 0 13. 8 100. 0 14. 4 100. 0 7. 4 100. 0		.5	0.8		0 25 2 8 7 5 3 2	5. 6 3. 6 5. 1 2. 1 7. 5	13. 3 3. 7 5. 4 6. 6 5. 2 2. 8	48, 2 31, 6 38, 5 47, 8 36, 1 37, 8
State	Crop year	1 and 1	1/42 es	1½s an incl	d 13/32 nes	1½ an inc	d 15%2 hes	1316 ar inc	nd 13/42 hes	1¼ and	inches longer
United States	(1928 1929 1930 1931 1932 1933 1934 1935	1,000 bates 1,575.8 1,693.6 1,725.9 2,557.1 1,822.0 2,004.3 1,415.6 1,632.2	Per- cent 11. 0 11. 7 12. 6 15. 4 14. 3 15. 8 15. 0 16. 2	1,000 bates 794. 2 938. 6 970. 9 1,087. 8 871. 8 824. 1 880. 1 896. 5	Per- cent 5. 6 6. 5 7. 1 6. 5 6. 9 6. 5 9. 3 8. 3	1,000 bates 489, 2 556, 1 393, 3 590, 0 622, 1 640, 3 680, 6 554, 0	Per- cent 3. 4 3. 8 2. 9 3. 5 4. 9 5. 1 7. 2 5. 3	1,000 bales 167. 9 119. 4 60. 8 224. 6 84. 5 143. 8 123. 1 102. 6	Per- cent 1. 2 .8 .4 1. 4 .7 1. 1 1. 3 1. 0	1,000 bates 28. 5 7. 9 2. 8 31. 0 5. 7 6. 1 19. 3	cent (0, 2 .1 (3) .2 (3) (3) (3)
Alabama	1931 1932 1933 1934 1935 1931	28. 0 26. 5 35. 9 47. 7 40. 6 43. 4	2. 0 2. 8 3. 8 5. 1 3. 9 44. 6	5. 8 3. 1 4. 9 5. 1 5. 2 30. 8	.4 .3 .5 .5	1.3 .5 1.5 .9 1.5 4.3	.1 .1 .1 .2 4.4	.1	(³)		
Arizona	1932 1933 1934 1935	23. 5 36. 4 32. 9 50. 4	40. 0 43. 8 33. 2 44. 2	20, 3 34, 7 52, 4 51, 8	34. 5 41. 7 52. 9 45. 5	6. 3 3. 5 5. 7 2. 8	10. 7 4. 2 5. 7 3. 5	. 3	. 5		
Arkansas	1931 1932 1933 1934 1935 1931	614. 2 360. 4 398. 6 221. 0 208. 6 25. 6	33. 5 28. 1 39. 3 26. 0 24. 8 15. 0	247. 0 196. 8 174. 1 126. 5 102. 7 98. 0	13. 5 15. 3 17. 1 14. 0 12. 2 57. 2	81. 4 120. 4 86. 9 91. 5 61. 3 33. 9	4. 4 9. 4 8. 6 10. 8 7. 3 19. 8	14. 9 17. 3 10. 1 11. 7 9. 2 2. 3	1. 4 1. 0 1. 4 1. 1 1. 3		(2)
Oalifornia	1932 1933 1934 1935	13. 4 48. 3 12. 2 37. 8	10. 8 22. 9 4. 9 16. 2	57. 9 123. 2 139. 6 133. 0	46. 5 58. 5 55. 5 57. 2	46. 8 36. 1 96. 3 57. 4	37. 6 17. 1 38. 3 24. 7	. 2	. 2		
Florida	1931 1932 1933 1934	.4 .1 .3 .4	. 9 . 6 1. 2 1. 7	.1	.4						
Georgia	1935 1931 1932 1933 1934 1935 1931	54. 8 53. 9 80. 6 164. 2 224. 7 283. 0	3. 9 6. 3 7. 4 16. 8 21. 4	. 1 10. 4 6. 7 14. 5 36. 2 35. 7 133. 1	1. 3 3. 7 3. 4 15. 2	1. 3 1. 9 1. 4 1. 1 2. 8 35. 4	.1 .2 .1 .1 .3 4.0	.3 .3 .1 .4 5.3	(3) (3) (3) (3) (3) (3)		(3)
Louisiana	$ \left\{ \begin{array}{c} 1032 \\ 1933 \\ 1934 \\ 1935 \end{array} \right. $	156. 4 130. 6 102. 0 169. 0 234. 8	26. 1 27. 8 21. 5 31. 2	68. 7 71. 8 68. 2 86. 2	11. 5 15. 3 14. 4 15. 9	26. 2 38. 4 22. 7 44. 3	4. 4 8. 2 4. 8 8. 2	2. 4 2. 0 1. 5 1. 3	.4		(3)
Mississippi	$ \left\{ \begin{array}{l} 1931 \\ 1932 \\ 1933 \\ 1934 \\ 1935 \end{array} \right. $	234. 8 170. 9 153. 1 169. 8 152. 6	13. 7 14. 7 13. 5	311, 0 271, 5 158, 3	18, 1 23, 4 14, 0 16, 8 19, 3	368. 1 328. 2 404. 7 387. 1 318. 1	21. 4 28. 2 35. 7 34. 5 25. 9	188. 7 45. 3 116. 4 89. 6 73. 9	11. 0 3. 9 10. 3 8. 0 6. 0	28. 0 2. 2 5. 3 16. 1 7. 9	. 2 . 5 1. 4

Table 4.—Staple length of American upland cotton ginned in the United States, crops of 1928-35, and by States, crops of 1931-35—Continued

State	Crop	1 and		11/16 and	1 13/32	11/8 an		13/19 and 17/32		1½ ir	
blaid	year	inch	es	inch	es	inc	nes	inc	hes	and I	onger
	1931 1932	1,000 bales 53.0 107.7	Per- cent 19, 2 35, 8	1,000 bates 9,5 23,0	Per- cent 3.4 7.7	1,000 bules 0.5 1.0	Per- cent 0. 2	1,000 bales	Per- cent	1,000 bales	Per cent
Missouri	1933 1934 1935 1931 1932	90. 3 60. 3 44. 7 36. 7 23. 6	38. 0 26. 2 24. 4 39. 1 35. 0	11. 5 22. 3 16. 3 31. 4 25. 1	4.8 9.7 8.9 33.5 37.2	1. 0 . 1 2. 4 . 9 5. 5	.3 (3) 1.0 .5 5.9 15.9	0. 3	0. 1	0.1	(³) 0. 2
New Mexico	1933 1934 1935 1931 1932	36. 0 16. 2 7. 4 126. 0 160. 4	41. 8 19. 3 10. 6 16. 3 23. 6	36. 7 47. 3 46. 9 28. 5 47. 5	42. 6 56. 5 66. 8 3. 7 7. 0	3. 5 19. 0 9. 8 3. 8 11. 0	4. 1 22. 7 14. 0 . 5 1. 6	.4	.1		(2)
North Carolina	1933 1934 1935 1931 1932	138, 4 206, 6 193, 4 110, 8 52, 4	20. 1 32. 2 33. 4 9. 0 4. 9	23. 8 50. 2 24. 5 14. 0 5, 2	3. 4 9. 2 4. 2 1. 1	2. 0 5. 0 6. 3 1. 3	.3 .8 1.1 .1 (3)	2. 2 4. 4	(3) .3 .8 	2. 7	(3)
Oklahoma	1933 1934 1935 1931 1932	147. 0 4. 3 31. 5 169. 8 169. 5	11. 9 1. 3 5. 6 16. 8 23. 5	25. 8 . 1 5. 3 67. 8 81. 8	2, 1 (°) .9 6, 7 11, 3	7. 2 .3 36. 0 44. 0	.6 .1 3.6 6.1	12. 0 15. 8	1.2	1.8	.2
South Carolina	1933 1934 1935 1931 1932	134. 8 218. 3 257. 1 03. 5 134. 7	18. 5 31. 9 34. 8 16. 2 28. 8	58. 9 84. 0 72. 4 11. 7 24. 6	8. 1 12. 3 9. 8 2. 0 5. 3	39, 6 29, 3 29, 1 2, 5 4, 3	5. 4 4. 3 3. 9 . 4	13. 5 17. 0 13. 0 . 5 . 3	1.8 2.5 1.8 .1	2. 3 2. 3	.1 .3 .3
Tennessee	1933 1934 1935 1931 1932	99. 0 77. 1 47. 3 678. 3 362. 3	23. 1 19. 4 15. 0 13. 4 8. 4	11. 0 12. 3 13. 2 86. 9 37. 5	2.6 3.1 4.2 1.7	5. 1 1. 1 2. 4 13. 9 19. 7	1.2 .3 .8 .3	.5 .2 .3 .4	(3) (3) (3)	.1 .1 .1	(3) (3) (3) (3)
Texas	1933 1934 1935 1931 1932	468. 8 72. 7 211. 0 1. 7 1. 5	11. 1 3. 2 7. 4 4. 0 4. 8	73. 8 37. 0 36. 1	1.8 1.6 1.3	10, 1 18, 5 17, 0	.2 .8 .6				
Virginia	1933 1934 1935 1931 1932	1. 9 4. 0 2. 2 4. 8	2. 6 5. 8 14. 5 18. 8 34. 3	.2 .2 .1.8 1.9	.6 .7 15.4 13.6	.8	6.8	.1	.9		
All other 4	1933 1934 1935	5. 3 8. 0 2. 0	38. 4 55. 5 27. 1	1.0 .9 .8	7. 2 6. 3 10. 8		1.5				

As reported by the Bureau of the Census.

Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the legulations of the Secretary of Agriculture thereunder.

Less than 0.05 percent.

Includes Illinois, Kansas, and Kentucky.

Table 5.—Average staple length 1 of American upland cotton ginned in the United States, by States and districts thereof, crop of 1935

State and district 2	Sixteenth inches	State and district 2	Sixteenth inches
United States	15. 47	New Mexico	17. 30
Alabama	14. 34	North Carolina	15. 65
District 1 District 2 District 3	14. 36 14. 13 14. 48	District 1 District 2 District 3	15, 58 16, 10 15, 63
District 4. District 5. District 6.	14. 37 14. 40 14. 49	District 4	15. 49
Arkansas	16. 91 15. 99	District 1 District 2 District 3	15, 09 15, 30
District 1 District 2	14. 42 15. 31	District 4 District 5	15, 60 14, 66
District 3 District 4 District 5	15. 24 16. 30 15. 71	South Carolina	16. 04 15. 83
California	17. 54	District 2	16, 52 16, 22 15, 57
Florida	14. 33	Tennessee	15. 02
Georgia	15. 18	District 1	15, 17
District 1 District 2 District 3 District 4	15. 43 15. 52 14. 90 14. 87	District 2 District 3	13. 76 14. 58
Louisiana	16. 18	District 1	17. 76 14. 31
District 1 District 2 District 3 District 4	15. 00 16. 00 16. 71 15. 04	District 3. District 4. District 5. District 6.	14. 49 15. 16 14. 39 14. 81
Mississippi	16.82	District 7	15, 04 14, 44 15, 60
District 1 District 2 District 3	18. 23 16. 26 15. 11	District 10 District 11	15, 66 15, 66
Missouri	15. 57	Virginia	15, 88

¹ Average calculated by multiplying the number of bales in each length group by the midpoint of the group expressed in sixteenths of an inch (that is, \frac{1}{16}\) and \frac{3}{22}=15.5\) etc.), summating, and dividing by the total number of bales. The midpoint of the \frac{1}{16}\) and \frac{3}{22}=16.5\) etc.), for example, was taken as 15.5\) sixteenths (\frac{3}{16}\) inch because according to regulations \frac{1}{16}\) of is the lower limit of the group which includes all cotton classed as being as long as \frac{1}{16}\) and shorter than 1\) inch. In making the calculations, the midpoints of the groups "shorter than \frac{1}{16}\) inches and longer" were considered to be 13.5\) and 20.5\, respectively. Averages can be converted to inches by dividing by 16.

2 For location of districts into which States are divided, see maps accompanying tables for individual States, by districts, pp. 39-51.

2 Includes Illinois, Kansas, and Kentucky.

Table 6.—Average staple length 1 of American upland cotton ginned in the United States, by States, crops of 1928-32, 1933, 1934, and 1935

State	5-year period 1928-32	1933	1934	1935	State	5-year period 1928–32	1933	1934	1935
United States Alabama Arizona Arkansas California Florida Georgia Louisiana Mississippi	Sixteenth inches 15. 28 14. 33 16. 51 15. 84 17. 12 14. 45 14. 60 15. 65 16. 61	Six- teenth inches 15. 55 14. 65 16. 88 16. 43 17. 41 14. 58 14. 82 16. 10 17. 29	Six- teenth inches 15.58 14.53 17.05 16.17 17.80 14.59 15.13 15.74 17.28	Six- teenth inches 15. 47 14. 34 16. 91 15. 99 17. 54 14. 33 15. 18 16. 18	Missouri New Mexico North Carolina Oklahoma South Carolina Tennessee Toxas Virginia All other 2	Sixteenth inches 15. 59 16. 76 15. 06 14. 89 15. 14 15. 16 15. 01 14. 72 16. 45	Six- teenth inches 15. 79 16. 88 15. 31 15. 24 15. 70 15. 45 15. 16 14. 69 16. 02	Six- teenth inches 15. 69 17. 50 14. 49 16. 10 15. 19 14. 77 14. 84 16. 16	Six- teenth inches 15. 57 17. 30 15. 65 14. 69 16. 04 15. 02 14. 87 15. 29 15. 68

¹ Average calculated by multiplying the number of bales in each length group by the midpoint of the group expressed in sixteenths of an inch (that is, ½%0 and ½½2=15.5, etc.), summating, and dividing by the total number of bales. The midpoint of the ½%0- and ½½2-inch group, for example, was taken as 15.5 sixteenths (½½2) inch because according to regulations ½%0- its lower limit of the group which includes all cotton classed as being as long as ½%0 and shorter than 1 inch. In making the calculations, the midpoints of the groups "shorter than ½4 inches and longer" were considered to be 13.5 and 20.5, respectively. Averages can be converted to inches by dividing by 16. Averages for each individual year of the period 1928-32 are published in table 5 of Statistical Bulletin 52.

2 Includes Illinois, Kansas, and Kentucky.

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935

[Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included]

UNITED STATES

		Ginnings during specified period									
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1– Jan. 15	After Jan. 15					
All grades 2	1,000 bales 10, 402. 7	1,000 bales 4, 229. 9	1,000 bales 3, 506. 4	1,000 bales 1,608.6	1,000 bales 887. 0	1,000 bales 170.8					
Extra White	2, 151. 8	1, 140. 2	825. 0	166. 0	18.6	2. 0					
Above 3-G. M. 3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-J. M. Below 7-J., M.3	. 2 341. 5 1,064. 6 568. 4 150. 7 26. 0	. 2 175. 2 603. 6 290. 4 59. 6 11. 0	123. 2 357. 1 252. 0 81. 3 11. 2	42. 7 92. 4 18. 8 8. 8 3. 3	.3 10.6 6.5 .8 .4	.1 .9 .7 .2 .1					
White	5, 931. 9	2, 617. 4	1, 950. 7	971. 7	331. 8	60. 3					
1-M, F	7 40. 2 1, 424. 2 2, 484. 7 1, 232. 4 494. 6 186. 0 69. 1	.3 21. 5 784. 7 1, 258. 5 438. 5 88. 5 19. 6 5. 8	. 4 16. 6 497. 9 877. 0 419. 1 117. 2 18. 9 3. 6	1. 9 114. 9 277. 4 292. 7 194. 8 73. 4 16. 6	2 21. 9 53. 0 70. 5 83. 3 65. 6 37. 3	4. 8 18. 8 11. 6 10. 8 8. 5					
Spotted	2, 068. 4	465. 9	719. 1	435. 8	389. 5	58. 1					
3-G. M. 4-S. M. 5-M. 6-S. L. M.3. 7-L. M.3	57. 7 825. 3 672. 1 319. 1 194. 2	21. 3 254. 4 160. 6 25. 2 4. 4	30. 1 374. 5 245. 2 59. 0 10. 3	4. 6 136. 8 170. 4 89. 2 34. 8	1. 6 52. 3 83. 3 127. 2 125. 1	. 1 7. 3 12. 6 18. 5 19. 6					

See footnotes at end of table.

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

	UNIT	ED STATE	8—Continue	eđ		
			Ginnings	during speci	fled period	
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
Yellow Tinged	1,000 bales 189. 0	1,000 bales 1.2	1,000 bales 6. 1	1,000 bales 25.8	1,000 bales 116, 1	1,000 bales 39.8
2-S. G. M 3-G. M 4-S. M 5-M,3 6-S. L. M,3 7-L, M,3	1. 7 16. 1 47. 0 -70. 1 54. 1	.6	. 6 2. 4 2. 2 . 8	. 2 7. 2 8. 9 5. 2 4. 3	. 8 5, 3 25. 1 46. 6 38. 3	10.3 17.4
Light Yellow Stained	7. 5	.1	.1	1.6	4.0	11.4
3-G. M. 4-S. M. ³	.4 7.1	.1		. 1 1. 5	. 1 3. 9	1.7
Yellow Stained				.2	. 5	.1
4-S. M. ³	. 8			. 2	. 5	. 1
Gray 3-G. M4-S. M	6.8 1.0 3.8	.3	4.3 1.0 2.9	1.0	.1	.3
5-M.³ Blue Stained	2.0	, 1	.1	. 5	. 7	
3-G. M. ³ 4-S. M. ³ 5-M. ³	. 1		.1			
No grade 3 4	46. 4	4.7	1.1	6. 5	25. 7	8.4
		ALABAI	MA		· · · · · · · · · · · · · · · · · · ·	
All grades 2	1, 033. 5	690. 9	278. 5	52. 8	6. 1	5. 2
Extra White	165. 3	127. 0	35. 2	2. 3	. 3	. 5
Above 3-G. M	26. 9 94. 1 38. 3 5. 3	22. 6 74. 9 26. 3 2. 9	4.3 17.9 10.9 1.9	1. I . 9 . 3	.1	. 2 . 1 . 1

All grades 2	1, 033. 5	690. 9	278. 5	52. 8	6. 1	5. 2
Extra White	165. 3	127. 0	35. 2	2. 3	. 3	. 5
Above 3-G. M	26. 9		4.3			
3-G. M4-S. M	94.1	22. 6 74. 9	17.9	1. 1		. 2
5-M	38. 3	26. 3	10.9	. 9	.1	.1
6-S. L. M	5. 3	2.9	1.9	. 3	.1	.1
7-L. M. Below 7-L. M. ³	.7	.3	.2			
White	662. 2	446. 2	181. 6	28, 2	3.0	3. 2
1-M, F						
2-S. G. M	8.1	6.7	1. 4			
4-S. M	245.7	166. 9	68.9	9. 0	.6	.3
5-M	324.7	212.6	92. 4	16. 1	1.6	2.0
6-S. L. M	72. 3	51.4 7.7	16.6	2.7	.7	. 9
8-S. G. O.3	10.1	1.6	2, 1	1 .1		
9-G. O.3	. 3	. 2		ì.î		
Spotted	204. 4	116. 7	61. 5	21. 9	2, 8	1. 5
3-G. M	8, 8	7.3	1.5			
4-8. M	113.6	61.5	38. 2	12.0	1. 2	.7
5-M 6-S. L. M. ³	74.9 6.5	43.3 4.3	20. 1 1. 4	9.4	1.3	
7-L. M.3	8.8	.3	.3	 		
TT 11						
Yellow Tinged	1.0	.4	. 2	4		
2-S. G. M 3-G. M						
4-S. M	. 6	. 2	.1	.3		
5-M 3	.4	. 2	[.1		
6-S. L. M. ³ 7-L. M. ³						
(~L), 191.*	======					
No grade 3 4	. 6	. 6				

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

ARIZONA

	Ginnings during specified period							
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15		
All grades 2	1,000 bales 113. 9	1,000 bales 14.6	1,000 bales 28. 4	1,000 bales 32. 3	1,000 bales 33. 4	1,000 bales 5. 7		
Extra White	75. 4	12.8	25. 6	27. 2	8.9	. 9		
Above 3-G. M	22, 3							
4-S. M	43.8	4. 4 5. 4	10.8 12.7	7. 0 19. 4	•1 5. 7	.6		
5-M 6-S. L. M 7-L. M	6. 9 1. 8	1.9	1. 1 . 6	.7	2. 9 . 2	.3		
7-L. M Below 7-L. M. ³	.6	.2	.4					
Below 7-L. M.3								
White	16. 5	1.8	2.4	3. 4	7. 5	1.4		
1-M. F								
2-S. G. M								
3-G. M 4-S. M	. 1 6. 3	. 5	. 6	2.0	2. 8 2. 3	.4		
5-M 6-S. L. M	6.0	1.1	1.0	1.0	2.3	. 6		
7-L. M	2.9	. 2	.5	.4	1.6 .4	. 2		
8-S. G. O.3	.3				.1	. 2		
9-G. O.3	. 2				. 2			
Spotted	21.1		. 4	1.6	16. 5	2.6		
3-G. M	. 5			. 2	.3			
4-S. M	11.5		.1	1.0	9.7	. 7		
5-M	5, 8 2, 4		.2	.3	4.4 1.6	.9		
7-L. M.3	.9				.5	.4		
Yellow Tinged	.5				3	. 2		
2-S. G. M					-			
3-G. M	. 2				. 2			
4_S M	.1				.1			
5-M.3 6-S. I., M.3	.1					.1		
7-L. M.3								
Gray	.1			.1				
3-G. M			l		l			
4-S. M	.1			.1				
5-M.3								
No grade 3 4	.3				. 2	.1		
		ARKAI	NSAS	<u> </u>				
All grades 2	841. 5	246. 5	298. 4	188. 5	97. 0	11.1		
Extra White	309. 7	145.8	154. 4	8.9	.6			
Above 3-G M	<u> </u>				ļ <u>-</u>			
3-G. M	29. 5	20. 1	9.0	,3	.1			
1-0, 1VI	156. 3	91. 5 32. 3	62.0	.3 2.6	.2			
5-M 6-S. L. M	101. 4 21. 0	32.3	65. 3 17. 0	3. 6 2. 0	.2			
7-L. M	1.4		1.0	.4				
Below 7-L. M.3	. 1		.1					
White	460. 1	93. 2	131.3	154, 4	73. 2	8.0		
1-M. F.								
1-M. F 2-S. G. M	, 1 1, 5	<u>-</u> -	. 1					
4-S. M	1. 5 94. 8	.7 48.2	. 7 35. 4	8. 9	2, 1	. 2		
	149. 4	39.8	62.1	1 35.9	10.6	1.0		
6-S. L. M 7-L. M	120. 7	4.4	29.6	68. 2 27. 7	17. 2	1.3		
8-S. G. O.3	48. 8 30. 1	.1	3.2	10.3	15. 5 16. 9	1.0 1.3 2.3 2.7		
9-G, O,3	14.7		J	3.3	10. 9	.5		
				I		I		

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

ARKANSAS-Continued

			Ginnings	during specif	led period	
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
Spotted	1,000 bales 62. 1	1,000 bales 7.5	1,000 bales 12.0	1,000 bales 22.2	1,000 bales 18. 1	1,000 bales 2.3
3-G. M	. 7	. 3	. 4			
4-8. M	14.9	5. 6	4.5	3.0	1.6	. 2
5-M 6-S. L. M. ³ 7-L. M. ³	21. 1 15. 0	1.6	5.6	9. 4 7. 4	1.0	. 5
7-X. M.3	16. 0 10. 4		1.4	2.4	5. 5 7. 0	
7-13. IVI.*	10.4			2. 4	7.0	. (
Yellow Tinged	2. 9		. 3	1.4	1.0	
2-S. G. M 3-G. M 4-S. M						
3-G. M	. 1		. 1 . 1 . 1			
4-S. M	. 4		.1	. 2	.1	
5-M.3 6-S. L. M.3	. 8		.1	. 6	.1	
6-S. L. M.3	. 8			.4	.4	
7-L. M.3	.8			. 2	. 4	.:
Light Yellow Stained	. 1			.1		
3-O. M						
4-8. M.3						
4-8. M. ³	. 1			.1		
Gray	1.6		.4	.3	.6	.3
3-G. M						
4-S. M.	. 5		. 3	. 1.	. 1	
3-G. M 4-S. M 5-M. ³	1. 1		.1	.2	. 5	.:
No grade 3 4	5.0			1. 2	3. 5	
•		CALIFOR	NIA			
All grades 2	232.7	9. 1	94.6	71. 3	38.6	19. 1
Extra White	164.7	9. 1	93. 9	58. 7	2.8	.:
43						
Above 3-G. M						
3-G. M	68.3	7.3 1.7	39.8 53.2	21. 2 36. 9	2. 1	
3-G. M. 4-S. M. 5-M.	93. 9 2. 5	1:1	.9	.6	2:1	
6-8. L. M	2.0	٠, ا	. 8	.0	٠٠,	
7-L. M						
Below 7-L. M.3						
Delow 1-12. W1			***********			
White	16.6		.7	7. 8	3. 5	4. (
1-M. F 2-S. G. M 3-G. M						
2-8. G. M						
3-G. M	.4			.4		
4-8. M	9.2		.7	7.1	1.4	
5-M	1.5		.7	7.1	1.2	
4–8. M 5–M 6–8. L. M	1.5		.7	7.1	1.2	
5-M 6-S. L. M 7-L. M	1.5 .5 .8		.7	7.1	1.2 .4 .1	1.
5-M 6-S. L. M 7-L. M 8-S. G. O. ³	1. 5 . 5 . 8 1. 9		.7	7.1	1.2	1.
6-M 6-S. L. M 7-L. M 8-S. G. O. ³	1. 5 . 5 . 8 1. 9 2. 3		.7	7.1	1. 2 . 4 . 1 . 4	1.1
5-M 6-S. L. M	1. 5 . 5 . 8 1. 9 2. 3		.7	7. 1 . 2 . 1	27. 9	1. 2.
5-M 6-S. L. M. 7-L. M. 8-S. G. O. ³ 9-G. O. ³	1.5 .5 .8 1.9 2.3 42.5		.7	7.1 .2 .1 	1. 2 .4 .1 .4 .27. 9	1. 2. 10.0
5-M 6-S. L. M	1.5 .5 .8 1.9 2.3 42.5 2.0 16.3		.7	7.1 .2 .1 .1 	27.9 1.0 12.7	1. 2. 10.0
5-M 6-S. L. M	1.5 .5 .8 1.9 2.3 42.5 2.0 16.3 9.5		.7	7.1 .2 .1 .1 	27. 9 1. 0 12. 7 8. 6	1. 2.
5-M 6-S. L. M 7-L. M 8-B. G. O. ³ 9-G. O. ³ spotted	1.5 .8 1.9 2.3 42.5 2.0 16.3 9.5 6.7		.7	7.1 .2 .1 .1 	27. 9 1. 0 12. 7 8. 6 4. 0	10.0
5-M 6-S. L. M. 7-L. M. 8-S. G. O. ³ 9-G. O. ³	1.5 .5 .8 1.9 2.3 42.5 2.0 16.3 9.5		.7	7.1 .2 .1 .1 	27. 9 1. 0 12. 7 8. 6	10.0
5-M 6-S. L. M 7-L. M 8-S. G. O.3 9-G. O.3 Spotted 3-G. M 4-S. M 5-M 6-S. L. M.3 7-L. M.3	1.5 .8 1.9 2.3 42.5 2.0 16.3 9.5 6.7		.7	7.1 .2 .1 .1 	27. 9 1. 0 12. 7 8. 6 4. 0	10.0
5-M 6-S. L. M	1.5 .8 1.9 2.3 42.5 2.0 16.3 9.5 6.7 8.0		.7	4.6 1.0 3.3 .2 .1	27.9 1.0 12.7 8.6 4.0 1.6	10.0
5-M 6-S. L. M 7-L. M 8-S. G. O. ³ 9-G. O. ³ spotted	1. 5 . 5 . 8 1. 9 2. 3 42. 5 2. 0 16. 3 9. 5 6. 7 8. 0		.7	7.1 .2 .1 4.6 1.0 3.3 .2 .1	27.9 27.9 12.7 8.6 4.0 1.6	1. 2. 10. 4
5-M 6-S. L. M. 7-L. M. 8-S. G. O. ³ 9-G. O. ³ spotted 3-G. M. 4-S. M. 5-M. 6-S. L. M. ³ 7-L. M. ³	1. 5 . 5 . 8 1. 9 2. 3 42. 5 2. 0 16. 3 9. 5 6. 7 8. 0		.7	7.1 .2 .1 4.6 1.0 3.3 .2 .1	1. 2 . 4 . 1 . 4 27. 9 1. 0 12. 7 8. 6 4. 0 1. 6	1. 2 10. (
5-M 6-S. L. M. 7-L. M. 8-S. G. O.3 9-G. O.3 spotted 3-G. M. 4-S. M. 5-M. 6-S. L. M.3 7-L. M.3 7-L. M.3	1. 5 . 5 . 8 1. 9 2. 3 42. 5 2. 0 16. 3 9. 5 6. 7 8. 0 8. 0		.7	7.1 .2 .1 .1 .0 3.3 .2 .1	1. 2 . 4 . 1 . 4 27. 9 1. 0 12. 7 8. 6 4. 0 1. 6	1. 2. 10.4
5-M 6-S. L. M. 7-L. M. 8-S. G. O.3. 9-G. O.3. Spotted 3-G. M. 4-S. M. 5-M. 6-S. L. M.3. 7-L. M.3. Yellow Tinged	1. 5 . 5 . 8 1. 9 2. 3 42. 5 2. 0 16. 3 9. 5 6. 7 8. 0 8. 0		.7	7.1 .2 .1 .1 .0 3.3 .2 .1	1. 2 .4 .1 .1 .4 27.9 1. 0 12.7 8. 6 4. 0 1. 6 4. 4	10.0 10.0 2. 6.
5-M 6-S. L. M 7-L. M 8-S. G. O.3 9-G. O.3 Spotted 3-G. M 4-S. M 5-M 6-S. L. M.3 7-L. M.3 7-L. M.3 4-S. M 3-G. M 4-S. M	1. 5 . 5 . 8 1. 9 2. 3 42. 5 2. 0 16. 3 9. 5 6. 7 8. 0 8. 0 8. 0 2. 4 2. 0 2. 4		.7	7.1 .2 .1 4.6 1.0 3.3 .2 .1	1. 2 . 4 . 1 . 27. 9 1. 0 12. 7 8. 6 4. 0 1. 8 4. 4 4. 4	1.
5-M 6-S. L. M. 7-L. M. 8-S. Q. Q. ³ . 9-Q. Q. ³ . Spotted. 3-Q. M. 4-S. M. 5-M. 6-S. L. M. ³ . 7-L. M. ³ .	1. 5 . 5 . 8 1. 9 2. 3 42. 5 2. 0 16. 3 9. 5 6. 7 8. 0 8. 0		.7	7.1 .2 .1 .1 .0 3.3 .2 .1	1. 2 .4 .1 .1 .4 27.9 1. 0 12.7 8. 6 4. 0 1. 6 4. 4	2. do. do. do. do. do. do. do. do. do. do

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

FLORIDA

			Ginnings during specified period						
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15			
All grades 2	1,000 bales 26.7	1,000 bales 22. 5	1,000 bales 3.3	1,000 bales 0.6	1,000 bales 0.1	1,000 bales 0.2			
Extra White	1. 5	1.5							
A hove 3-G. M 3-G. M 4-S. M 5-M 6-S. L. M	.1 .7 .7	.1 .7 .7							
7-L. M Below 7-L. M. ³									
White	12. 9	11.7	1.0	. 2					
1-M. F. 2-S. G. M. 3-G. M									
4-S. M	2. 1 6. 0 2. 3	2. 1 5. 8 2. 1	.2	.1					
7-L. M 8-S. G. O.3 9-G. O.3	1.6 .6 .3	1.0 .4 .3	.6	.1					
Spotted	12. 3	9.3	2. 3	.4	.1				
3-G, M. 4-S, M. 5-M. 6-S. L. M. ² . 7-L. M. ³ .	.1 4.0 5.9 1.6	. 1 3. 5 4. 3 . 8 . 5	.3 1.1 .7 .2	.1	.1				

GEORGIA

All grades 2	1, 052. 7	675. 5	285. 4	68. 0	12.3	11.5
Extra White	265. 9	215. 1	47. 2	3. 5	. 1	
Above 3-G. M. 3-G. M. 4-S. M. 6-S. L. M. 7-L. M. Below 7-L. M. ³	. 1 37. 5 125. 1 80. 6 18. 6 3. 9 . 1	. 1 27. 3 100. 7 69. 0 14. 6 3. 3 . 1	9. 1 23. 1 10. 8 3. 7 . 5	1. 1 1. 3 . 7 . 3 . 1	.1	
White	580. 0	359. 7	166. 8	39. 0	7. 0	7. 5
1-M. F. 2-8. G. M 3-U. M 4-8. M 5-M 6-8. I. M 7-I. M 8-8. G. O.3 9-G. O.3	. 1 4. 4 154. 1 236. 3 108. 1 53. 7 17. 3 6. 0	2. 5 92. 5 148. 2 70. 4 30. 7 11. 1 4. 3	. 1 1.8 46.3 63.5 29.5 18.9 5.1 1.6	.1 11.7 16.5 6.1 3.7 .8 .1	1. 2 4. 1 1. 2 .3 .2	2. 4 4. 0 . 9 . 1 . 1
3-G. M. 4-S. M. 5-M. 6-S. L. M.3. 7-L. M.3	9. 4 98. 5 68. 5 19. 0 5. 8	5. 8 46. 4 33. 8 8. 9 2. 1	3. 0 33. 7 21. 6 9. 0 3. 3	. 6 13. 6 8. 8 1. 0 . 4	1. 6 3. 5 . 1	3. 2
Yellow Tinged	1.6	.3	. 2	1.1		
2-S. G. M. 3-G. M. 4-S. M. 5-M. ³ 6-S. L. M. ³	.1 .9 .4 .2	.1	.1	.7		
. ~. ATL						

See footnotes at end of table.

144279-37-4

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

GEORGIA-Continued

			Ginnings	during speci	ned period	
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
Light Yellow Stained	1,000 bales 0.1	1,000 bales 0.1	1,000 bales	1,000 bales	1,000 bales	1,000 bales
3-G. M	. 1	.1				
Gray	.1	.1				
3-G. M	. 1	.1				
No grade ? '	3.8	3. 2	0.6			
		LOUISIA	NA	<u> </u>	' - · · · · · · · · · · · · · · · · · ·	·
All grades 2	541. 4	365. 5	150. 1	22. 4	2.6	0.:
Extra White	120. 8	83. 4	35. 8	1.3	. 2	
Above 3-G. M	28. 3 53. 5 32. 2 6. 3	. 5 24. 2 41. 1 16. 1 1. 5	4. 0 12. I 15. 3 4. 4	.1 .3 .6 .3	.1	
White	360. 1	256. 1	96.3	14. 5	1. 7	
1-M. F 2-S. G. M 3-G. M 4-S. M 5-M 6-S. L. M 7-L. M 8-S. G. O. ³ 9-G. O. ³	.1 .7 62.1 200.0 88.7 8.2 .3	. 1 . 6 52. 3 153. 4 47. 4 2. 0 . 3	. 1 8. 4 47. 9 35. 1 4. 8	1. 3 6. 8 5. 2 1. 2	.1 .7 .8 .1	
Spotted	51.4	25. 9	18. 0	6. 6	.7	
3-G. M	. 6 30. 6 18. 3 1. 8	17. 0 7. 9 . 6	9.9 7.2 .6	3. 5 2. 7 . 4	.2 .4 .1	
Gray	.1	.1				
3-G. M 4-S. M δ-M. ³	.1	.1				
		MISSISS	PPI	l	<u> </u>	<u> </u>
All grades 2	1, 226. 3	742.7	383. 1	85.0	11.5	4.0
Extra White	555. 2	361.9	187. 7	5. 1	. 3	
Above 3-G. M. 3-G. M. 4-S. M. 6-M. 6-S. L. M. 7-I. M. Below 7-I. M. ³	92. 1 308. 0 127. 9 25. 6 1. 5	79. 5 224. 4 53. 4 4. 4 . 2	12.3 81.3 72.8 20.2 1.0	.3 2.1 1.6 .9	,1	

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

MISSISSIPPI-Continued

	MIS	SISSIPPI—	Continued			
			Ginnings	during specif	led period	
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1– Jan. 15	After Jan. 15
White	1,000 bales 560. 3	1,000 bales 327. 6	1,000 bales 160. 6	1,000 bales 60. 5	1,000 bales 8. 5	1,000 bales 3. 1
1-M. F. 2-S. G. M. 3-G. M.	.1 10.1	.1 7.8	1.9	.4 11.4		
4-S. M	254. 0 211. 5 73. 6 10. 2 . 8	183. I 114. 5 20. 0 2. 0 . 1	57. 8 67. 4 30. 8 2. 4 . 3	24. 5 19. 0 4. 8	1. 2 3. 6 2. 9 . 8	. 5 1. 5 . 9 . 2
9-G. O.3	105. 6	52. 9	30.9	18. 6	2.5	. 7
3-G. M	5. 3 63. 5	2. 9 36. 5	1. 8 20. 2	6.3	.4	. 1
5-M 6-S. L. M. ³ 7-L. M. ³	29. 5 6. 9 . 4	12.8	7. 8 1. 1	7. 7 3. 7 . 3	1.0 1.0 .1	. 2
Yellow Tinged	. 6	.1		.4	.1	
2-S. G. M 3-G. M 4-S. M 5-M. ³	.3	.1		.2		
6~S. L. M.³ 7~L. M.³	. 1				.1	
Gray	4.5	.2	3. 8	. 4	. 1	
3-G. M 4-S. M 5-M. ³	1. 0 2. 9 . 6	. 2	1. 0 2. 5 . 3	.2	.1	
Blue Stained	. 1		. 1			
3-G. M.3 4-S. M.3 5-M.3	.1		.1			
		MISSOU	'. 'RI	<u> </u>	<u> </u>	<u>'</u>
All grades 2	182. 8	26. 8	61. 3	54. 4	37. 4	2. 9
Extra WhiteAbove 3-G. M	49.8	15. 5	32, 9	1.4		
3-G. M. 4-S. M. 5-M 6-S. L. M. 7-L. M	. 6 14. 0 25. 2 9. 0 1. 0	. 4 7. 9 6. 8 . 4	.2 6.1 17.9 7.9 .8	.5		
Below 7-L. M.3 White	104. 2	11.0	24. 0	41. 7	26. 4	1 1
1-M. F. 2-S. G. M	104. 2	11.0	24.0	21.7	20. 4	1. 1
3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-L. M.	6. 0 19. 8 29. 2 14. 8 16. 5	3. 7 6. 6 . 7	2, 2 8, 6 10, 8 2, 4	.1 4.0 15.7 9.8 7.1	. 6 2. 0 2. 5 9. 0	. 1
9-G. O.8 Spotted	17. 9	.3	4.0	5. 0 8. 7	12. 3	.7
3-G. M_ 4-S. M. 5-M 6-S. L. M.3 7-L. M.3	.9 4.8 5.4 7.0	.1	.3 1.9 1.6	2 2.6 3.3 2.6	.3 .1 .5	
	l———					

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

MISSOURI-Continued

Grade	m-4-1		Ginnings during specified period						
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15			
Yellow Tinged	1,000 bales 2. 2	1,000 bales	1,000 bales 0.4	1,000 bales 0.9	1,000 bales 0.7	1,000 bale			
2-8. G. M 3-G. M.									
3-G. M 4-S. M									
5-M.3	.5		. 2						
6-S. L. M. ³ 7-L. M. ³	.8		.2	.3	.2				
7-L. M.8	. 9			. 2	.2 .5				
Light Yellow Stained	.4			.3	.1				
3-G. M									
3-G. M 4-S. M. ³									
5-M,3	.4			. 3	. 1				
Yellow Stained	. 2			. 1	.1				
3-G. M									
3-G. M. 4-S. M. ³									
5-M.3	. 2			.1	. 1				
Gray	. 1								
	1			.1					
3-G. M									
4–S. M	.1								
0-IVI.°	.1			.1					
No grade 3 4	7.8			1. 2	5. 7				
		NEW ME	KICO						
All grades 2	70. 2	1.5	27.7	21. 7	16. 2	3			
Extra White	51. 6	1. 5	27. 4	1,9.8	2.8				
Above 3-G. M									
3-G. M	17. 3	. 6	11.5	5. 1					
4-S. M	30. 4 3. 7	.6 .7 .2	14. 5	14. 2	1. 0 1. 7				
3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-L. M. Below 7-L. M.	3.7	. 2	14. 5 1. 3 . 1	. 5	1.7				
7-L. M					. 1				
Below 7-L. M.3									
White	4.3		. 2	1.5	2. 2				
1-M. F. 2-8. G. M.									
3-G. M	2. 5		1	.1					
4–S. M	2. 6		:1	1.4	1.0				
6-S. L. M	1 3				1 .3				
5-M 6-S. L. M 7-L. M 8-S. G. O. ³	. 2				. 2				
8 G G G 3									
0 0. 0. 0.	.4				, 1				
9-G. O.3	.4				, 1				
Spotted	12.3		.1	.4	9.9				
Spotted	12.3			. 2	9.9				
Spotted	12.3		.1		9.9				
Spotted	12.3			. 2	9.9				
Spotted	12. 3 			. 2	9. 9 . 1 4. 5 2. 1 1. 0				
9-G. U.* 3-G. M	12.3			. 2	9.9				
9-G. O.* Spotted	12. 3 . 4 4. 9 2. 2 1. 7 3. 1			. 2	9.9 .1 4.5 2.1 1.0 2.2				
3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-L. M. Yellow Tinged.	12.3 .4 4.9 2.2 1.7 3.1			. 2	9.9 .1 4.5 2.1 1.0 2.2				
9-G. O.* Spotted	12.3 .4 4.9 2.2 1.7 3.1			. 2	0.9 1 1 4.5 2.1 1.0 2.2 2				
9-G, U.* Spotted	12.3 .4 4.9 2.2 1.7 3.1			. 2	0.9 1 4.5 2.1 1.0 2.2 1.1				
3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-L. M. Yellow Tinged.	12. 3 . 4 4. 9 2. 2 1. 7 3. 1			. 2	0.9 1 1 4.5 2.1 1.0 2.2 2				

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

NORTH CAROLINA

			Ginnings	during specif	ed period	
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
All grades 2	1,000 bales 579. 3	1,000 bales 101. 7	1,000 bales 291. 6	1,000 bales 140. 3	1,000 bales 35. 0	1,000 bales 10.7
Extra White	70. 6	14. 5	49. 7	6. 1	. 3	
Above 3-G. M 3-G. M 4-S. M	10. 7	3. 5	6. 6	. 6		
4-S. M	33. 9	8. 1	23.7	2. 0 2. 8	. 1	
5-M	33. 9 21. 3	2. 4	15.9	2.8	. 2	
5-M 6-S. L. M 7-L. M	4.0	.4	3.0	.6		
7-L. M Below 7-L. M. ³	.7	.1	. 5	.1		
Delow 7-15. IVI.						
White	363. 4	77. 4	172. 1	84. 5	21. 6	7.8
1-M. F. 2-S. G. M.						
3-G M	2. 5 93. 4	1. 0 19. 1	1.3 51.0	. 2 18. 7 36. 2		
4-S. M	93. 4	19. 1	51.0	18.7	4. 2	.4
4-S. M 5-M 6-S. L. M	175. 8	37. 1 18. 1	92. 7 23. 8	36. 2 24. 2	7. 0	2. 8 3. 0 1. 4
7-L. M	77. 5 12. 7	1.8	23. 6	4.7	4. 2 7. 0 8. 4 1. 9	3. 0
8-8. G. O.3	1.3	. 2	.3	.5	. 1	
9-G. O.3	. 2	. 1	.i			
Spotted	141.6	9.8	69. 2	47. 2	12. 5	2. 9
0.0.34		1.0	2.5			
3-G. M 4-S. M	5. 7 71. 7	1.3 4.6	3. 5 35. 5	. 8 24. 7	. 1 6. 2	
5-M	58. 3	3. 6	27. 0	20. 3	5. 7	1. 2
5-M 6-S. L. M. ³	5. 6	. 3	2. 9	1.4	. 5	. 7 1. 7 . 5
7-L. M.3	.3		.3			
Yellow Tinged	3.6		. 5	2. 5	. 6	
2-S. G. M						
2–S. G. M 3–G. M 4–S. M	. 3		. 2	.1		
4-S. M	2. 5		.3	2.0	. 2	
5-M. ³ 6-S. L. M. ³	.7			.4	.3	
6-S. L. M.*	į i				.1	
7-L. M.³						
No grade 3 4	.1		.1			
		OKLAHO	MA			
All grades 2	562. 7	23. 1	180. 2	165. 8	172. 5	21. 1
Extra White	6.8	1.0	5. 5	. 2	.1	
Above 3-G. M	.7		.7			
4-8. M	4.1	.8	3. 2		, 1	
5-M 6-S. L. M	1. 2	.1	1.1			
6-S. L. M			.3	.2		
7-L. M Below 7-L. M.3	. 5	.1	.2	.2		
White	314. 8	18. 2	125. 5	125. 9	43. 7	1.
1-M. F. 2-S. G. M 3-G. M 4-S. M 5-M						
2-8. Q. M	. 1		3. 2 37. 6			
3-G. M	3.5	. 2 6. 4	3. 2	3. 2 19. 1		
4~8. M	. 48. 1	6.4	37.6	3.2	. 9 3. 5	
6-N1 6-S T. M	70. 5 70. 9	6. 0 3. 7	41. 7 27. 4	30.8	8.5	:
7-L. M	83. 1	1.5	13. 1	49.6	18. 2	
5-M 6-S. L. M 7-L. M 8-S. G. O.3	34.3	1.4	2, 3	20.8	10.8	1
9-G. O.3	4.3		.	2. 3	1.8	

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

OKLAHOMA-Continued

	OKI	AHOMA—	Сопыниес			
			Ginnings	during specif	ied period	
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
Spotted	1,000 bales 162. 8	1,000 bales 3.9	1,000 bales 49. 1	1,000 bales 36. 1	1,000 bales 69. 2	1,000 bales 4.
3-G. M. 4-S. M. 5-M. 6-S. L. M. ³ . 7-L. M. ³ .	5. 6 41. 4 30. 3 45. 9 39. 6	2.3 .8 .3	5. 0 30. 4 10. 5 2. 9 . 3	6.8 9.6 12.2 7.3	1, 8 8, 8 28, 3 30, 3	2. 1.
Yellow Tinged	58. 2			2. 5	46.0	9.
2-S. G. M. 3-G. M. 4-S. M. 5-M. ³ . 6-S. L. M. ³ .	7. 1 23. 2 27. 4			.2 .8 .8	. 2 5. 0 18. 9 21. 9	1. 3. 4.
Light Yellow Stained	4.9				3. 4	1.
3-G. M 4-S. M.3 5-M.3	. 2 4. 7				3.3	1.
Yellow Stained	. 4				.3	
3-G. M. 4-S. M.³ 5-M.³	. 4				.3	
No grade 3 4	14. 8		.1	1.1	9.8	3
	<u>. </u>	OUTH CA	ROLINA	<u> </u>		_
All grades 2	738. 7	320. 5	294. 5	95. 1	16. 7	11
Extra White	81.4	60.8	17.8	2.8		
Above 3-G. M	3.9 34.2 31.4 9.5 2.2	2.3 25.4 24.3 7.0 1.6	1. 4 8. 3 5. 9 1. 8 . 4	. 2 . 5 1. 2 . 7 . 2		
White	471, 1	200. 6	187. 5	54. 9	10. 2	8
1-M. F 2-S. G. M. 3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-L. M. 8-S. G. O.3.	, 9 84. 2 222. 5 123. 6 35. 0 4. 5	. 5 36.8 101.1 56.6 13.0 1.4	.3 36.9 88.5 47.1 13.5 1.0	1 0.0 23.1 14.9 6.8 1.0	1. 4 4. 4 3. 0 1. 0	5
Spotted	184. 3	49. 2		37. 0	6.3	
3-G. M	3. 4 83. 9 82. 0 14. 0 1. 0	1.3 22.9 21.5 3.1	1. 9 42. 3 36. 7 7. 3 . 6	15. 6 18. 5 2. 7	2. 4 3. 1 . 8	
Yellow Tinged	1. 2	.3	.3	.4	. 2	
2-S. G. M 3-G. M 4-S. M 5-M.3 6-S. L. M.3	.7	:1	.3	.2	.1	
7-L. M. ³						
No grade 3 4	.7	.6	.1			

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

TENNESSEE

			Ginnings	during specif	fied period	
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
All grades 2	1,000 bales 315.6	1,000 bales 59.2	1,000 bales 138.6	1,000 bales 85.3	1,000 bales 29.1	1,000 bales 3.4
Extra White	101. 7	36. 5	62. 6	2. 4	.2	
Above 3-G. M	10. 0 52. 5	4. 8 23. 0	5. 0 28. 5	.2	.1	
5-M 6-S. L. M 7-L. M Below 7-L. M.3	33. 6 5. 3 . 3	8. 2	24. 4 4. 4 . 3	.9 .4	.1	
White	105, 8	21.3	45. 7	27. 0	10.8	1. (
1-M. F. 2-S. G. M. 3-G. M.	ρ	.1		. 1		
4-S. M	. 8 37. 0 32. 1 20. 9 5. 5	15. 8 5. 1 . 3	. 6 18. 5 19. 4 6. 6	2, 6 6, 4 11, 3	. 1 1. 1 2. 4 1. 7	. !
7~L. M 8-S. G. O.3 9~G. O.3	5. 2 4. 3			3. 0 2. 3 1. 3	2.7	
Spotted	77. 3	1. 4	26. 3	38. 7	9.8	1.
3-G. M. 4-S. M. 5-M. 6-S. L. M. ³ 7-L. M. ³	. 8 19. 1 29. 5 16. 8 11. 1	1.2 1.2	.5 11.2 11.7 2.6 .3	. 2 6. 2 16. 0 10. 5 5. 8	.4 1.7 3.3 4.4	
Yellow Tinged	22. 6		4.0	13. 6	4.6	
2-S. G. M 3-G. M 4-S. M 5-M. ³ 6-S. L. M. ³ 7-L. M. ³	, 3 4, 3 7, 3 4, 5 6, 2		2 1.5 1.7 .5	. 1 2. 6 5. 1 2. 9 2. 9	. 2 . 5 1. 1 2. 8	
Light Yellow Stained	1. 2			1. 1	. 1	
3-G. M	.1 1.1			.1 1.0	.1	
Yellow Stained	.1			.1		
3-G. M. 4-S. M. ³ 5-M. ³	.1			.1		
No grade 3 4	6. 9			2. 4	3. 6	.1
		TEXA	\S			
All grades 2	2, 849. 7	928.0	975. 1	513. 9	373. 6	59.
Extra White	128, 0	53, 1	47. 1	25. 8	2. 0	
Above 3-G. M. 3-G. M. 4-S. M. 5-M. 6-S. L. M. 7-L. M. Below 7-L. M.3	21, 1 44, 0 38, 6 17, 4 6, 9	1, 8 13, 7 23, 4 10, 5 3, 7	12. 5 18. 0 10. 3 4. 8 1. 5	6.7 11.1 4.4 2.0 1.6	.1 1.2 .5 .1	

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

TEXAS-Continued

	I		Ginnings	during speci	fled period	
Grade	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
White	1,000 bales 1,870.0	1,000 bales 782. 6	1,000 bales 645. 3	1,000 bales 321. 6	1,000 bales 109. 7	1,000 bates 10.8
1-M. F. 2-8. G. M	.1					
3-G, M 4-S, M	.1 7.1 322.2 807.9 435.5 208.4 71.2	1. 4 157. 0 426. 5 163. 2 28. 7 5. 1	. 1 5. 3 132, 1 285. 0 159. 5 52. 3 9. 4	. 3 28. 0 84. 6 91. 7 82. 7 29. 9	.1 4.8 11.0 19.9 40.4 24.7	.3 .8 1.2 4.3 2.1 2.1
9-G. O.3	761. 5	91.9	282. 3	163. 7	202. 0	2. 1
3-G. M	14, 4	1.4	12.3	. 6		21.0
4-S. M 4-S. M 5-M 6-S. L. M. ³ 7-L. M. ³	247. 2 227. 2 168. 7 104. 0	52. 6 30. 7 6. 2 1. 0	146. 2 92. 1 27. 1 4. 6	39. 1 63. 1 45. 6 15. 3	9. 0 37. 7 80. 1 75. 1	.3 3.6 9.7 8.0
Yellow Tinged	84. 3	. 1	.1	2. 2	56.8	25. 1
2–S. G. M 3–G. M 4–S. M 5–M. ³ 6–S. L. M. ³ 7–L. M. ³	2 4.3 26.3 37.1 16.4	.1	.1	.7 .9 .5	. 1 3. 2 17. 0 24. 5 12. 0	. 1 . 3 8. 3 12. 1 4. 3
Light Yellow Stained	.7				.4	.3
3-G. M	.7				.4	
Yellow Stained	.1				.1	
3-G, M 4-S, M. ³ 5-M. ³	.1				.1	
Gray	.3		.1	.1	.1	
3-G. M 4-S. M 5-M.3	.2		.1	.1	.1	
No grade 3 4	4.8	.3	.2	. 5	2.5	1.3
		VIRGIN	IA			_
All grades 2	27. 6	0.8	13. 2	9. 1	3. 2	1, 3
Extra White	1. 2		. 8	. 4		
Above 3-G. M						
4-S. M	.5 .5 .2		.3 .4 .1	.2		
Below 7-L. M.3						
White	18. 6		9.3	6. 0	2. 1	. 5
1-M. F 2-S. G. M 3-G. M 4-S. M 6-M 6-S. L. M 7-L. M 8-S. G. O ³	2. 3 10. 6 5. 0 . 6	.1	1. 4 6. 3 1. 5	3. 0 2. 1	. 1 . 7 1. 2 . 1	2
9-G. O. ³	. 1					

Table 7.—Grade of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

VIRGINIA-Continued

Grade		Ginnings during specified period					
	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15	
Spotted	1,000 bales 7.8	1,000 bales	1,000 bales 3.1	1,000 bales 2.7	1,000 bales 1.1	1,000 bales . 8	
3-G. M. 4-S. M. 5-M. 6-S. L. M. ³ .	3. 3 3. 9 . 6	.1	1. 6 1. 4 . 1	1. 2 1. 4 . 1	.3	.1 .3 .4	
	ALI	OTHER	STATES 5		,		
All grades 2	7.4	1. 0	2. 4	2. 1	1.7	0. 2	
Extra White	2. 2	.7	1. 4	.1			
Λbove 3-G, M 3-G, M 4-S, M	.8	.5	.3				
5-M 6-S. L. M 7-L. M Below 7-L. M. ³	1.1	. 2	.9	. 1			
White	2, 0	.3	.4	. 6	.7		
1-M. F	.2 .3 .4 .2 .3 .6	.2 .1	.2 .2 .2	.2 .2 .1 .1	.2		
Spotted	2. 1		. 5	1.0	. 5	.1	
3-G. M. 4-S. M. 5-M. 6-S. L. M. ³ 7-L. M. ³	.4 .5 1.2		.3	.1 .2 .7	.1	. 1	
Yellow Tinged	. 6		. 1	. 2	.3		
2-S. G. M	.2		.1		.1		
7-L. M. ³ Light Yellow Stained	.4			. 2	. 2		
3-G. M 4-S. M. ³ 5-M. ³				. 1			
No grade 3 4	. 4			. 1	. 2		

Periods are those used by the Bureau of the Census.
 As reported by the Bureau of the Census.
 Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
 Includes bales not otherwise classified above.
 Includes Illinois, Kansas, and Kentucky.

Table 8.—Grade of American-Egyptian cotton ginned in the United States during specified periods, crop of 1935

[Quantities are given in running bales]

Grade	. :	Cinnings during specified period					
	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan.	
All grades 2	1,000 bales 17. 6	1,000 bales 2.1	1,000 bales 5. 2	1,000 bales 4.7	1,000 bales 4.3	1,000 bales	
1 and 1½	3. 4 12. 0 1. 9 . 3	1.0 1.0 .1	1. 3 3. 7 . 2	1. 0 3. 4 . 3	.1 3.0 1.0 .2	::	
Below 5							

¹ Periods are those used by the Bureau of the Census.
² As reported by the Bureau of the Census.

Table 9.—Staple length of American upland cotton ginned in the United States during specified periods, by States, crop of 1935

[Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included]

UNITED STATES

Staple length (inches)	Total crop	Ginnings during specified period					
		Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan.	
All lengths 2	1,000 bales 10, 402. 7	1,000 bales 4, 229. 9	1,000 bales 3, 506. 4	1,000 bales 1,608.6	1,000 bales 887. 0	1,000 bales 170.8	
Shorter than 76 3 76 and 2942 1946 and 1942 1 1 and 1942 1 1 4 and 1 9 a	1, 320. 1 3, 235. 1 2, 628. 1 1, 682. 2 866. 5 554. 0 102. 6 14. 1	476. 3 1, 173. 1 1, 125. 9 759. 9 331. 1 298. 5 60. 0 5. 1	458. 0 1, 043. 1 861. 1 583. 0 333. 9 189. 9 30. 5 6. 9	143. 8 551. 5 457. 8 230. 8 153. 4 58. 4 10. 9 2. 0	189. 3 405. 4 159. 4 80. 8 44. 5 6. 5 1. 0	52. 7 62. 0 23. 9 27. 7 3. 6 . 7	
		ΛLABA	МА				
All lengths 2	1,033.5	690, 9	278. 5	52. 8	6. 1	5. 2	
Shorter than 76 ³ 76 and 2942 130 and 31/82 1 and 11/42 11/10 and 11/82 11/6 and 11/82 13/10 and 17/82 13/10 and 17/82 13/10 and 10/82	358. 8 534. 7 92. 6 40. 6 5. 2 1. 5	235. 8 371. 1 55. 5 23. 1 4. 2 1. 2	103. 9 130. 1 28. 3 15. 1 . 8 . 2	17. 5 25. 3 7. 5 2. 3 . 1 . 1	.8 4.3 .0 .1	.8 3.9 .4	
		ARIZON	VА				
All lengths 2	113. 9	14. 6	28. 4	32. 3	33. 4	5. 2	
Shorter than 76 3 76 and 2952 1976 and 3922 1 and 1952 1176 and 1952 1176 and 1952 1176 and 1752 1176 and 1752 1176 and 1762	1.3 7.3 7.3 50.4 51.8 2.8	. 8 6. 1 7. 5 . 2	1.0 5.7 19.4 2.1	1.6 11.8 18.4 .4	. 3 . 7 3. 1 23. 2 6. 0 . 1	.3 .8 3.6 .5	

Table 9.—Staple length of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

ARKANSAS

			Ginnings d	uring specific	d period	
Staple length (inches)	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15
All lengths 2	1,000 bales 841. 5	1,000 bales 246. 5	1,000 bales 298. 4	1,000 bales 188. 5	1,000 bales 97.0	1,000 bales 11.1
Shorter than 7% 3 % and 29%2 % and 3½2 and 1½2 16 and 1932 16 and 1942 3% and 1½2 14 and longer	34. 9 153. 6 270. 5 208. 6 102. 7 61. 3 9. 2	12. 4 37. 1 65. 7 59. 2 37. 1 30. 4 4. 5	8. 9 40. 3 92. 1 85. 3 44. 1 23. 6 3. 6	6. 1 37. 8 70. 4 48. 6 17. 5 6. 9 1. 1	6. 4 34. 5 37. 8 14. 2 3. 7 . 4	1. 1 3. 9 4. 5 1. 3 . 3
		CALIFOR	NIA	l		
All lengths 2	232. 7	9.1	94. 6	71.3	38.6	19. 1
Shorter than % 3	2 4.3 37.8 133.0 57.4	. 1 2. 2 6. 3 . 5	. 8 55. 1 38. 7	2 2.9 51.8 16.4	. 2 2. 5 16. 4 17. 7 1. 8	1. 5 15. 5 2. 1
		FLORI	DA.	1		
All lengths 2	26. 7	22. 5	3.3	0.6	0.1	0.5
Shorter than 36 3	1 .1	5. 1 16. 9 . 4	.3 2.7 .2 .1	.2	.1	
77 414 101801		GEORG	IA.			
All lengths 2	1, 052. 7	675. 5	285. 4	68.0	12.3	11,
Shorter than 76 3 76 and 2962 196 and 3162 1 and 1362 116 and 1362 116 and 1362 118 and 1362 1196 and 1762 1196 and 1762	104. 5 438. 8 245. 7 224. 7 35. 7	60. 5 300. 7 152. 4 129. 5 29. 5 2. 4 . 4	34.8 101.0 67.9 75.9 5.5 .3	8.8 22.5 20.7 15.3 .7	, 4 6, 5 2, 1 3, 3	8. 2.
		Louisi	ANA			
All lengths 2	541. 4	365. 5	150. 1	22. 4	2. 6	0.
Shorter than 1/6 3 1/6 and 21/62 1/6 and 3 1/62 1 and 11/62 1/6 and 13/62 1/6 and 15/62 1/6 and 1/62	80. 0 144. 1 169. 0	57.7	8. 2 33. 8 44. 4 33. 0 24. 4 6. 2	6. 9 5. 8 3. 4 3. 5 1. 3	. 2 . 9 . 3 . 4 . 5 . 3	

See footnotes at end of table.

Table 9.—Staple length of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

MISSISSIPPI

			Ginnings of	luring specifi	ed period	
Staple length (inches)	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan.
All lengths 2	1,000 bales 1, 226. 3	1,000 bales 742. 7	1,000 bales 383. 1	1,000 bales 85. 0	1,000 bales 11. 5	1,000 bales 4.0
Shorter than 76 3 76 and 2962 1496 and 3192 1196 and 3192 1 and 11962 1196 and 11962 1196 and 11962 1196 and 11962 1196 and 11962 1197 and 11962 1197 and 11	82. 0 - 130. 7 - 225. 0 - 152. 6 - 236. 1 - 318. 1 - 73. 9 - 7. 9	42. 9 77. 1 146. 0 90. 6 126. 6 209. 0 46. 4 4. 1	30. 0 39. 9 63. 1 49. 6 92. 4 86. 2 19. 2 2. 7	7. 1 9. 8 13. 4 11. 2 15. 1 20. 1 7. 3 1. 0	1. 1 2. 5 1. 9 . 9 1. 7 2. 4 . 9	. { 1. 4 . 6 . 3 . 4 . 1
		MISSOU	RI			
All lengths 2	182. 8	26. 8	61. 3	54. 4	37. 4	2. 9
Shorter than 76 ³ ½ and ²⁹ ½2	12.3 44.4 63.9 44.7 16.3	1, 2 6, 3 12, 3 5, 4 1, 6	. 1 4. 5 18. 0 25. 6 12. 3 . 6	2. 1 13. 8 23. 4 12. 4 2. 3 . 3	6. 4 19. 4 10. 2 1. 3	2, 5
1¼ and longer	.3		. 2	.1		
		NEW MEX	ico			
All lengths 2	70. 2	1. 5	21. 7	21.7	16. 2	3. 1
Shorter than 76 3	1.0 2.2 2.9 7.4 46.9 9.8	.1 1.2 .2	1, 1 19, 7 6, 9	. 9 18. 7 2. 1	.5 1.9 1.4 4.7 7.2 .5	.5 .3 1.5 .6 .1 .1
	N	ORTH CAR	OLINA			
All lengths 2	579. 3	101. 7	291. 6	140. 3	35. 0	10. 7
Shorter than 76 3 76 and 2952 196 and 2122 1 and 1152 116 and 1852 116 and 1852 136 and 1752 137 and 1752	26. 1 155. 4 166. 5 193. 4 24. 5 6. 3 4. 4 2. 7	8. 8 29. 0 29. 5 29. 0 4. 1 1. 0 . 3	12. 3 67. 5 78. 4 111. 6 14. 3 2. 7 2. 7 2. 1	4. 7 39. 3 41. 6 45. 0 5. 7 2. 1 1. 3 . 6	.3 14.4 13.0 6.4 .4 .1	5. 2 4. 0 1. 4
, , , , , , , , , , , , , , , , , , , ,		OKLAHO	MA			
All lengths 2	562. 7	23. 1	180. 2	165. 8	172. 5	21. 1
Shorter than 78 3-74 and 29½2	107. 9 280. 3 137. 4 31. 5 5. 3 . 3	6. 7 10. 7 3. 8 1. 5 . 4	38. 4 70. 3 51. 3 17. 2 2. 9 . 1	15. 9 81. 9 55. 7 10. 5 1. 6 . 2	40. 4 103. 7 25. 7 2. 3 . 4	6. 5

See footnotes at end of table.

Table 9.—Staple length of American upland cotton ginned in the United States during specified periods, by States, crop of 1935—Continued

SOUTH CAROLINA

			Ginnings	during specif	led period	
Staple length (inches)	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan 15	After Jan. 15
All lengths 2	1,000 bales 738. 7	1,000 bales 320. 5	1,000 bales 294. 5	1,000 bales 95. 1	1,000 bales 16.7	1,000 bales 11.9
Shorter than 1/8 3	10.9	3.4	6.3 58.0	1. 2		
% and 2%2	10. 9 131. 8	43. 2	58.0	1. 2 20. 3	6. 1	4.
%6 and 31/32	222, 1 257, 1	91.3 115.3	87. 5 103. 6	30. 8 33. 1	8. 0 2. 0	4. 3.
and 1/82 //6 and 1/82 //6 and 1/82 //6 and 1//22	72.4	43.8	21.6	6.6	2.0	J.
1/8 and 15/32	29. 1	15. 5	11.7	1.7	.4	
3/16 and 17/32	13. 0	7.2	4, 5	1.2		
¼ and longer	2. 3	.8	1, 3	.2		
		TENNES	SEE			
All lengths 2	315. 6	59. 2	138. 6	85.3	29. 1	3. 4
Shorter than 3/8 3	76. 2	25. 3	30.0	13.8	5. 3	1.8
15 and 2 1/32	83. 1	15.3	29.7	23. 3	13.6	1.
9/16 and 3/32	93. 0 47. 3	13. 1 4. 4	38. 6 27. 6	32. 5 13. 7	8. 5 1. 5	:
and 1½2	13. 2	1.0	10.1	1.9	1.3	
36 and 1362	2. 4	.1	2. 2	7.1		
310 and 1732	.3		.3			
¼ and longer	.1		.1			
		TEXA	.s			
All lengths 2	2, 849. 7	928. 0	975. 1	513.9	373. 6	59. 3
Shorter than 76 3	482. 3	67.7	184. 7	64.8	126.8	38.
Shorter than 76 3 76 and 29/32 15/16 and 31/42 1 and 11/42	1, 167. 2	227. 0	461.3	266.8	194.3	17.
%6 and 31/32	936. 1	460. 5	282.9	148.8	42.0	1.
140 and 1/32	211. 0 36. 1	161.3	27. 3 10. 5	17. 5 9. 3	3.9	1.
1 1/16 and 13/62 1 1/18 and 15/32	17.0	10.0	8.4	6.7	6.2	
13/16 and 17/32	11.0	1.0	0. 1	0.,		
1/4 and longer						-
		VIRGIN	IIA	·		,
All lengths 2	27.6	0.8	13. 2	9. 1	3. 2	1.
Shorter than 76 3	. 2		.1	-		
Shorter than 76 ³ 56 and ² 9/ ₂	9.9	.5	3.8	3.0	1.6	1.
516 and 3132	13. 3	.3	6. 9	4.5	1.4	
and 1/32	4.0		2.3	1.5	.2	
18 and 1932	. 2		.1	1.1		
% and 17/32						
14 and longer						
	AL	L OTHER	STATES •			<u> </u>
All lengths 2	7.4	1.0	2.4	2. 1	1. 7	0.
Shorter than 76 3 36 and 2962	. 5			.1	.3	
8 and 2942	1.3	.2		.3	.8	
718 and 5/32	2.8 2.0	1 .7	. 5 1. 2	.9	.6	
1/16 and 13/42	2.0	.1	1.2	.7		
and 1/32 1/16 and 13/62 1/18 and 15/42						
1316 and 1732						
1 and longer						

¹ Periods are those used by the Bureau of the Census.
² As reported by the Bureau of the Census.
³ Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
⁴ Includes Illinois, Kansas, and Kentucky.

Table 10.—Staple length of American-Egyptian cotton ginned in the United States during specified periods, crop of 1935

[Quantities are given in running bales]

		Ginnings during specified period										
Staple length (inches)	Total crop	Prior to Oct. 1	October	November	Dec. 1- Jan. 15	After Jan. 15						
All lengths 2	1,000 bales 17. 6	1,000 bales 2. 1	1,000 bales 5. 2	1,000 bales 4. 7	1,000 bales 4.3	1,000 bales 1.3						
Shorter than 1½ 1½ and 1¹½2 1¾ and 1¹½2 1¾ to 1²¾2 1¾ and longer	4. 9 12. 0 . 7	. 5 1. 4 . 2	. 6 4. 1 . 5	1. 3 3. 4	1. 6 2. 7	. 9						

¹ Periods are those used by the Bureau of the Census.

Table 11.—Staple length of American upland cotton ginned in designated districts of Alabama, crop of 1935 (fig. 1)

[Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included]

Staple length (inches)	Tota	ıl	Dist	rict I	Dist	rict 2	Dist	rict 3	Dist	rict 4	Dist	rict 5	Dist	rict 6
All lengths	1,000 bales 11,033.5	cent	1,000 bales 167. 1	cent	bales	cent	bales	cent	bales	cent	bales	cent	bales	cent
Shorter than ½ 2 2 3 4 and 2 3 4 2 2 2 3 4 and 1 4 3 2 2 2 3 4 and 1 3 4 3 4 and	358. 8 534. 7 92. 6 40. 6 5. 2 1. 5	51.7 9.0 3.9	68. 8 21. 5 8. 9	41.2 12.9 5.3	71. 7 12. 4	39. 9 6. 9	49. 4 12. 7	57.4	18.7	57.3 7.1 3.8	30. 5 4. 6 1. 7	60. 7 9. 2	29.8 6.3 3.2	

¹ As reported by the Bureau of the Census.

Table 12.—Staple length of American upland cotton ginned in designated districts of Arkansas, crop of 1935 (fig. 2)

Staple length (inches)	Tot	al	Dist	rict 1	Dist	rict 2	Distr	riet 3	Distr	rict 4	Dist	rict 5
All lengths	1,000 bales 1 841. 5 34. 9 153. 6 270. 5 208. 6 102. 7 61. 3 9. 2	Per- cent 100. 0 4. 1 18. 3 32. 1 24. 8 12. 2 7. 3 1. 1	3. 6 7. 7 2. 1 . 2	Per- cent 100.0 26.5 56.6 15.4 1.5	5. 8 26. 4 38, 5	20.6 43.2 18.4 1.9	6. 6 33. 4 42. 5	Per- cent 100.0 6.6 33.4 42.5 15.4 1.4 .2	13. 9 78. 8 160. 4 153. 6 96. 0 60. 3	2. 4 13. 8 28. 0 26. 8 16. 8 10. 5	5. 0 7. 3 27. 0 23. 0 3. 6	7.6 11.0 40.8

¹ As reported by the Bureau of the Census.
² Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

As reported by the Bureau of the Census.

² Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

Less than 0.05 percent.




FIGURE 1.




Table 13.—Staple length of American upland cotton ginned in designated districts of Georgia, crop of 1935 (fig. 3)

Staple length (inches)	То	tal	Dist	rict 1	Dist	riet 2	Dist	rict 3	Dist	rict 4
All lengths	1,000 bales 1,052.7	Per- cent 100.0	1,000 bales 71.4	Per- cent 100.0	1,000 bales 432.3	Per- cent 100. 0	1,000 bates 92.6	Per- cent 100. 0	1,000 bales 456. 4	Per- cent 100.0
8horter than 1/8 2 3/8 and 2/8/2 1/9/6 and 3/8/2 1 and 1/8/2 1/8 and 1/8/2 1/8 and 1/9/2 1/8 and 1/9/2 1/9/6 and 1/9/2	104. 5 438. 8 245. 7 224. 7 35. 7 2. 8 . 4 . 1	9. 9 41. 7 23. 3 21. 4 3. 4 .3 (3) (3)	4. 5 22. 5 20. 1 22. 1 2. 2	6. 3 31. 5 28. 1 31. 0 3. 1	36. 0 115. 1 111. 6 146. 5 22. 0 1. 0	8. 3 26. 6 25. 8 33. 9 5. 1 .3 (3)	7. 6 55. 6 17. 7 8. 7 2. 5 . 4	8. 2 60. 1 19. 1 9. 4 2. 7 . 4 . 1	56. 4 245. 6 96. 3 47. 4 9. 0 1. 4 . 2	12. 4 53. 8 21. 1 10. 4 2. 0 . 3 (3)

Table 14.—Staple length of American upland cotton ginned in designated districts of Louisiana, crop of 1935 (fig. 4)

Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included

Staple length (inches)	To	tal	Dist	riet 1	Dist	rict 2	Dist	rict 3	Dist	rict 4
All lengths	1,000 bales 1 541. 4	Per- cent 100.0	1,000 bales 115.8	Per- cent 100.0	1,000 bales 62.7	Per- cent 100. 0	1,000 bales 335.7	Per- cent 100. 0	1,000 bales 27. 2	Per- cent 100.0
Shorter than 1/6 2 1/4 and 2/52 1/4 and 3/52 1/6 and 1/52 1/6 and 1/52 1/6 and 1/52 1/6 and 1/52 1/4 and 1/52	16. 5 80. 0 144. 1 169. 0 86. 2 44. 3 1. 3	3. 1 14. 8 26. 6 31. 2 15. 9 8. 2	13. 0 52. 8 30. 3 18. 3 1. 4	11. 2 45. 6 26. 2 15. 8 1. 2	1. 5 30. 9 27. 8 2. 3 . 2	2. 4 49. 3 44. 3 3. 7	1. 2 13. 8 73. 6 119. 4 82. 3 44. 1 1. 3	.4 4.1 21.9 35.6 24.5 13.1	2.3 11.9 9.3 3.5 .2	8. 5 43. 7 34. 2 12. 9 . 7

As reported by the Bureau of the Census.

Table 15.—Staple length of American upland cotton ginned in designated districts of Mississippi, crop of 1935 (fig. 5)

Staple length (inches)	Tot	tal	Dist	rict 1	Dist	rict 2	District 3	
All lengths	1,000 bales 1 1,226.3	Percent 100.0	1,000 bales 595. 7	Percent 100.0	1,000 bales 208.8	Percent 100.0	1,000 bales 421.8	Percent 100.0
Shorter than 76 2 74 and 29/52 19/6 and 31/52 1 and 13/52 1 14 and 13/52 1 14 and 13/52 1 19/6 and 17/52 1 19/6 and 19/52 1 19/6 2 1 19/6 2 1 19/6 2 1 19/6 2 1 19/6 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	82. 0 130. 7 225. 0 152. 6 236. 1 318. 1 73. 9 7. 9	6. 7 10. 7 18. 4 12. 4 19. 3 25. 9 6. 0	.3 .8 4.7 25.7 181.5 302.5 72.3 7.9	.1 .8 4.3 30.5 50.8 12.1 1.3	9. 3 17. 6 59. 6 66. 0 41. 2 13. 7 1. 4	4. 5 8. 4 28. 5 31. 6 19. 7 6. 6 . 7	72. 4 112. 3 160. 7 60. 9 13. 4 1. 9	17. 2 26. 6 38. 1 14. 4 3. 2

¹ As reported by the Bureau of the Census. ² Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

³ Less than 0.05 percent.

² Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

¹ As reported by the Bureau of the Census. ² Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

Less than 0.05 percent.




FIGURE 3.




FIGURE 4.




FIGURE 5.

Table 16.—Staple length of American upland cotton ginned in designated districts of North Carolina, crop of 1935 (fig. 6)

Staple length (inches)	Total		Dist	rict 1	Dist	rict 2	Dist	rict 3	District 4		
All lengths	1,000 bales 1 579. 3	Per- cent 100. 0	1,000 bales 211. 9	Per- cent 100. 0	1,000 bales 57. 1	Per- cent 100. 0	1,000 bales 269. 4	Per- cent 100. 0	1,000 bales 40.9	Per- cent 100.0	
Shorter than 1/6 2 5/8 and 2/5/2 1/5/1 and 3/5/2 1 and 11/5/2 11/0 and 13/5/2 11/6 and 19/5/2 11/6 and 1/5/2 11/6 and 1/5/2	26. 1 155. 4 166. 5 193. 4 24. 5 6. 3 4. 4 2. 7	4. 5 26. 8 28. 7 33. 4 4. 2 1. 1 . 8 . 5	12. 8 65. 4 55. 3 62. 3 9. 2 2. 8 2. 6 1. 5	6. 0 30. 9 26. 1 29. 4 4. 4 1. 3 1. 2	. 2 10. 9 16. 0 22. 2 3. 4 1. 8 1. 6 1. 0	.3 19.1 28.0 38.9 6.0 3.2 2.8 1.7	12.0 66.3 81.5 96.4 11.3 1.6	4. 5 24. 6 30. 2 35. 8 4. 2 . 6 . 1	1. 1 12. 8 13. 7 12. 5 . 6 . 1	2. 7 31. 3 33. 5 30. 6 1. 5	

As reported by the Bureau of the Census.

Less than 0.05 percent.

Table 17.—Staple length of American upland cotton ginned in designated districts of Oklahoma, crop of 1935 (fig. 7)

[Quantities are given in running bales, except that round bales are counted as half bales. Linters are not included]

Staple length (inches)	Tot	al	Dist	rict 1	Dist	rict 2	Dist	rict 3	Dist	rict 4	Dist	rict 5
All lengths	1,000 bales 1 562. 7 107. 9 280. 3 137. 4 31. 5 5. 3 . 3	Per- cent 100. 0 19. 2 49. 8 24. 4 5. 6 . 9	1,000 bales 410. 4 99. 6 214. 9 77. 0 15. 4 3. 3 . 2	24. 3 52. 4 18. 8 3. 7 . 8	1,000 bates 119. 4 5. 8 51. 7 48. 8 12. 0 1. 1	Per- cent 100.0 4.9 43.3 40.9 10.0 .9	1,000 bales 15.0 .4 5.5 6.5 2.0 .5 .1	Per- cent 100.0 2.7 36.7 43.3 13.3 3.3 .7	1,000 bales 5. 4 .1 1.3 1.9 1.7 .4	Per- cent 100. 0 1. 8 24. 1 35. 2 31. 5 7. 4	1,000 bales 12.5 2.0 6.9 3.2 .4	Per- cent 100. 0 16. 0 55. 2 25. 6 3. 2

As reported by the Bureau of the Census.

3 Less than 0.05 percent.

Table 18.—Staple length of American upland cotton ginned in designated districts of South Carolina, crop of 1935 (fig. 8)

Staple length (inches)	Tot	al	Dist	rict 1	Dist	rict 2	Dist	rict 3	District 4		
All lengths.	1,000 bales 1 738. 7	Per- cent 100. 0	1,000 bales 342. 2	Per- cent 100.0	1,000 bales 76. 0	Per- cent 100. 0	1,000 bales 287. 0	Per- cent 100. 0	1,000 bales 33.5	Per- cent 100. 0	
Shorter than 76 2 % and 2952 56 and 3552 1 and 1542 16 and 1352 156 and 1552 156 and 1762 174 and 10nger	10. 9 131. 8 222. 1 257. 1 72. 4 29. 1 13. 0 2. 3	1. 5 17. 8 30. 1 34. 8 9. 8 3. 9 1. 8	7. 8 68. 6 107. 9 127. 9 23. 3 4. 1 1. 8	2. 3 20. I 31. 5 37. 4 6. 8 1, 2	.3 8.8 21.2 24.1 9.0 6.6 5.3	.4 11.6 27.9 31.7 11.8 8.7 7.0	1. 9 44. 8 81. 6 95. 6 38. 1 18. 3 5. 9	. 7 15. 6 28. 4 33. 3 13. 3 6. 4 2. 0	.9 9.6 11.4 9.5 2.0	2. 7 28. 6 34. 0 28. 4 6. 0	

As reported by the Bureau of the Census.

² Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

² Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

² Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.




FIGURE 6.




FIGURE 7.




FIGURE 8.

Table 19.—Staple length of American upland cotton ginned in designated districts of Tennessee, crop of 1935 (fig. 9)

Staple length (inches)	Total		Dist	rict 1	Dist	rict 2	District 3	
All lengths	1,000 bales 1 315.6	Per- cent 100.0	1,000 bales 253. 8	Per- cent 100.0	1,000 bales 15.8	Per- cent 100.0	1,000 bales 46.0	Per- cent 100.0
Shorter than 76 2	76. 2 83. 1 93. 0 47. 3 13. 2 2. 4 . 3 . 1	24. 1 26. 3 29. 5 15. 0 4. 2 . 8 . 1	44.7 69.7 81.7 42.5 12.5 2.3 .3	17. 6 27. 5 32. 2 16. 8 4. 9 . 9 . 1	12. 4 2. 8 . 5 . 1	78. 5 17. 7 3. 2 . 6	19. 1 10. 6 10. 8 4. 7 . 7 . 1	41. 8 23. 1 23. 8 10. 2 1, 8

Table 20.—Staple length of American upland cotton ginned in designated districts of Texas, crop of 1935 (fig. 10)

Staple length (inches)	Tot	al	Distr	ict 1	Dist	rict 2	Distr	ict 3
All lengths.	1,000 bales 2,849.7	Per- cent 100.0	1,000 bales 43.8	Per- cent 100.0	1,000 bales 341.7	Per- cent 100.0	1,000 bales 665. 5	Per- cent 100.0
Shorter than 76 3 1/4 and 2%2 1/40 and 3/52 1 and 1/52 1/5 and 1/52 1/6 and 1/52 1/6 and 1/52 1/6 and 1/52 1/6 and 1/52 1/4 and 1/52 1/4 and 1/52 1/4 and 1/52 1/4 and 1/52 1/6 and 1/6 an	482. 3 1, 167. 2 936. 1 211. 0 36. 1 17. 0	16.9 41.0 32.8 7.4 1.3 .6	. 4 3, 7 24, 0 15, 7	. 9 8. 4 54. 8 35. 9	116. 2 178. 3 42. 3 4. 2 . 7	34. 0 52. 2 12. 4 1. 2 . 2	192. 6 304. 8 151. 1 16. 5 . 4 . 1	28. 9 45. 8 22. 7 2. 5 . 1
Staple length (inches)	Dist	rict 4	Dist	rict 5	Dist	rict 6	Distr	riet 7
All lengths	1,000 bales 56.4	Per- cent 100.0	1,000 bales 69. 3	Per- cent 100.0	1,000 bales 98.9	Per- cent 100. 0	1,000 bales 680. 2	Per- cent 100.0
Shorter than 1/6 2 1/6 and 2/62 1/6/6 and 3/62 1 and 11/62 1/6 and 1/62 1/6 and 1/62	19.9 32.8 2.7	1. 8 35. 3 58. 1 4. 8	17. 4 42. 4 9. 4 . 1	25. 1 61. 2 13. 6 . 1	6. 3 57. 1 33. 7 1. 8	6. 4 57. 7 34. 1 1. 8	31. 3 296. 5 306. 7 44. 6 1. 1	4. 6 43. 6 45. 1 6. 5
1% and 1%2 1% and longer	.							
Staple length (inches)	Dist	rict 8	Dist	rict 9	Dist	ict 10	Distr	ict 11
All lengths	1,000 bales 373.0	Per- cent 100.0	1,000 bales 97.6	Per- cent 100.0	1,000 bales 108. 9	Per- cent 100. 0	1,000 bales 314. 4	Per- cent 100.0
8horter than 76 1 34 and 2942 156 and 3152 1 and 1152 116 and 1352 116 and 1562 1176 and 1752 1184 and 10nger	180. 1 74. 5 6. 5	29. 9 48. 3 20. 0 1. 7 . 1	1. 5 23. 7 46. 0 17. 5 7. 8 1. 1	1. 6 24. 3 47. 1 17. 9 8. 0 1. 1	.1 16.5 80.7 11.5	. 1 15. 1 74. 1 10. 6 . 1	4. 2 47. 9 158. 5 101. 9 1. 8	1. 3 15. 3 50. 4 32. 4 .6 (3)

As reported by the Bureau of the Census.
 Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
 Less than 0.05 percent.

As reported by the Bureau of the Census.
 Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.
Less than 0.05 percent.




FIGURE 9.




FIGURE 10.

Table 21.—Tenderability of American upland cotton ginned in the United States, crops of 1928-35, and by States, crops of 1931-35

				inciu	abuj						
						Tendera	ble 2				
State	Стор уеаг	Total Ai can uplai ton gini	nd cot-	All sta lengt	ple bs	Staple le % to 1 inche	1/32	Staple le 11/16 in and lo	ches	Unten abl	der- e
United States	1928 1929 1930 1931 1932 1933 1934 1935	1,000 bales 14,268.2 14,519.0 13,732.2 16,615.2 12,701.3 12,654.3 9,458.0 10,402.7	Per- cent 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0	10, 992. 5 11, 623. 2 14, 833. 9 11, 489. 1	Per- cent 81. 8 75. 7 84. 6 89. 3 90. 5 93. 1 90. 1	9, 433, 5	Per- cent 71. 7 65. 0 74. 3 78. 2 78. 2 80. 4 72. 1 65. 5	1, 559. 0 1, 416. 0 1, 844. 5 1, 559. 7 1, 604. 9 1, 696. 4	Per- cent 10. 1 10. 7 10. 3 11. 1 12. 3 12. 7 18. 0 14. 6	1,000 bales 2,603.5 3,526.5 2,109.0 1,781.3 1,212.2 871.5 939.3 2,068.8	Per- cent 18. 2 24. 3 15. 4 10. 7 9. 8 9. 8 19. 8
Alabama	1935	1, 385. 0 933. 7 951. 1 936. 1 1, 033. 5 97. 3	100. 0 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0	669.3 92.9	90. 1 84. 8 91. 1 78. 7 64. 8 95. 5 98. 5	1, 240. 5 788. 3 859. 6 730. 1 662. 6 57. 8 31. 0	89. 6 84. 4 90. 4 78. 0 64. 1 59. 4 52. 7	3. 7 6. 4 6. 4 6. 7 35. 1	. 7 36. 1	137. 4 141. 7 85. 1 199. 6 364. 2 4. 4	9. 9 15. 3 8. 9 21. 3 35. 3 4. 8
Arizona	1932 1933 1934 1935 1931	58. 8 83. 2 99. 1 113. 9 1, 836. 1	100.0	82. 4 95. 5 109. 6 1, 616. 6	99. 0 96. 4 96. 2 88. 0	44. 2 37. 5 55. 0 1, 298. 4	53. 1 37. 9 48. 3 70. 7	38. 2 58. 0 54. 6 318. 2	45. 9 58. 5 47. 9 17. 3	3. 6 4. 3 219. 5	1. (3. 6 3. 8 12. (
Arkansas	1932 1933 1934 1935 (1931	1, 283. 4 1, 014. 6 849. 0 841. 5 171. 2	100. 0 100. 0 100. 0 100. 0	967. 5 794. 9 733. 7 161. 4	92. 5 95. 4 93. 6 87. 2 94. 3	864. 9 699. 6 566. 3 567. 5 27. 8	67. 4 69. 0 66. 7 67. 4 16. 2	322. 6 267. 9 228. 6 166. 2	26.9 19.8	95. 9 47. 1 54. 1 107. 8 9. 8	7. 8 4. 6 6. 4 12. 8 5. 7
California	1933 1934 1935	124. 4 210. 7 251. 5 232. 7 43. 4	100.0	120. 9 205. 4	97. 2 97. 5	16. 2 46. 6 11. 6	13. 0 22. 1 4. 6 8. 1 92. 4	104. 7 158. 8 234. 7	84. 2 75. 4 93. 3	3. 5 5. 3 5. 2	2. 8 2. 8 2. 1 11. 1
Florida	1932 1933 1934 1935	15. 6 24. 1 24. 3 26. 7 1, 393. 7	100. 0 100. 0 100. 0	13. 2 22. 7 22. 6 19. 1	84. 6 94. 2 93. 0 71. 5 94. 9	13. 2 22. 6 22. 5	84. 6 93. 8 92. 6 71. 1	.1 .1	.4 .4 .4	2. 4 1. 4	15. 4 5. 8 7. 0 28. 8 5. 1
Georgia	1931 1932 1933 1934 1935	1, 393. 7 861. 8 1, 093. 4 974. 9 1, 052. 7 876. 6	100. 0 100. 0 100. 0	809. 3 1, 019. 9 934. 0 910. 6	93. 9 93. 3 95. 8 86. 5	1, 310. 2 800. 4 1, 003. 8 896. 6 871. 9 623. 2	94. 0 92. 9 91. 8 92. 0 82. 8 71. 1	8. 9 16. 1 37. 4 38. 7	1.0 1.5 3.8 3.7	52. 5 73. 5 40. 9 142. 1	6. 1 6. 7 4. 2 13. 6
Louisiana	1931 1932 1933 1934	599. 5 469. 3 473. 3 541. 4	100. 0 100. 0 100. 0	450. 6 420. 1 522. 6 1, 561. 8	90. 7 89. 4 96. 0 88. 8 96. 5 90. 8	438. 8 338. 9 328. 1 391. 0 726. 2	73. 2 72. 2 69. 3 72. 2 42. 2	97. 0 111. 7 92. 0 131. 6 835. 6	23.8 19.5 24.3 48.6	81. 2 63. 7 18. 7 53. 2 18. 8 157. 6	10.6 4.0 11.2 3.5 9.2
Mississippi	1932 1933 1934 1935 1931	1, 719. 4 1, 161. 2 1, 132. 2 1, 121. 3 1, 226. 3 280. 4 300. 7	100. 0 100. 0 100. 0 100. 0 100. 0	1, 114. 0 1, 117. 6 1, 090. 9 1, 135. 8 204. 5	95. 9 98. 7 97. 3 92. 6 72. 9	473. 8 434. 3 410. 9 503. 2 194. 5	40. 8 38. 4 36. 6 41. 0 69. 3	640. 2 683. 3 680. 0 632. 6 10. 0	60.7 51.6 3.6	47. 2 14. 6 30. 4 90. 5 75. 9	4.1 1.3 2.7 7.4 27.1
Missouri	1932 1933 1934 1935 1931	230. 4 182. 8	100.0	243. 1 195. 6 197. 8 122. 6 88. 1	80. 8 82. 2 85. 9 67. 1 93. 9	219.7 185.2 174.2 106.8 51.2 24.3	73. 0 77. 8 75. 6 58. 4 54. 6	23. 4 10. 4 23. 6 15. 8 36. 9	4.4 10.3 8.7 39.3	57. 6 42. 3 32. 6 60. 2 5. 7	19. 2 17. 8 14. 1 32. 9 6. 1
New Mexico	1932 1933 1934 1935	93. 8 67. 5 86. 1 83. 7 70. 2	100. 0 100. 0	60, 1 83, 2 83, 3 63, 0	89, 0 96, 6 99, 5 89, 7	43.0 17.0 6.4	36. 0 49. 9 20. 3 9. 1	35. 8 40. 2 66. 3 56. 6	53. 0 46. 7	7. 4 2. 9	11.0 3.4 .5 10.3 1.2
North Carolina	13 1933	771. 2 680. 3 690. 5 640. 9 579. 3	100.0	668.3 663.9 628.4 545.2	98. 8 98. 2 96. 1 98. 0 94. 1	507.6	94. 5 89. 3 92. 4 87. 6 87. 6	32. 7 60. 5 26. 0 66. 7 37. 6	8.9 3.7 10.4 6.5	12. 0 26. 6 12. 5 34. 1 271. 8	1.8 3.9 2.0 5.9
Oklahoma	1931 1932 1933 1934 1935	1, 235. 9 1, 072. 0 1, 235. 8 329. 9 562. 7	100. 0 100. 0 100. 0 100. 0 100. 0	959. 6 1, 065. 0 223. 3	78. 0 89. 5 86. 2 67. 7 53. 2	953. 8 1, 032. 8 223. 2	76. 8 89. 0 83. 6 67. 7 52. 3	5. 8 32, 2	. 5 2. 6	112.4	10. 5 13. 8 32. 3

See footnotes at end of table.

Table 21 .- Tenderability of American upland cotton ginned in the United States, crops of 1928-35, and by States, crops of 1931-35—Continued

						Tendera	ble 3		ĺ		
State	Crop year	Total A: can uplai ton gini	nd cot-	All staple lengths		Staple lengt % to 11/32 inches		Staple le 1½ s in and lo	ches	Unten abl	
South Carolina Tennessee Texas Virginia	1931 1982 1933 1934 1935 1931 1932 1933 1934 1935 1931 1932 1933 1934 1934	1,000 bales 1,010.2 722.2 728.0 684.6 738.7 578.0 467.5 428.9 396.7 396.7 397.4 4.220.3 2.314.9 2.849.7 31.3 34.4 34.3	100. 0 100. 0	1,000 bales 997. 1 714. 8 709. 3 680. 0 707. 6 508. 8 423. 4 423. 4 424. 2 338. 3 3,748. 6 1,982. 0 2,069. 6 40. 6	Per- cent 98. 7 99. 0 97. 4 99. 3 95. 8 88. 0 90. 6 94. 2 95. 3 59. 8 87. 0 92. 1 85. 6 94. 9 94. 9 94. 9 94. 6	597. 3 547. 6 592. 4 494. 1 395. 1 387. 6 324. 9 174. 2 4, 321. 7 3, 691. 6 3, 801. 3 1, 926. 5 2, 016. 6 40. 8 29. 5 32. 4 32. 0	79.3 82.0 80.0 80.2 85.5 85.5 85.3 85.3 85.3 85.3 90.1 83.2 70.8 94.3 97.0	112. 0 132. 5 115. 2 14. 7 28. 3 16. 6 13. 4 14. 4 101. 1 57. 0 83. 8 55. 5 53. 0	2.5 6.1 3.9 3.4 4.6 2.0 1.3 2.0 2.4 1.8	1,000 bales 13. 1 7. 4 18. 7 4. 6 31. 1 69. 2 44. 7 58. 4 127. 0 646. 0 558. 8 335. 2 332. 9 780. 1 1. 6 0 2. 8	.7 4.2 12.0 9.48 14.7 40.2 12.7 13.0 7.9 14.4 27.4 4.0 5.1 5.1 5.8
All other 4	1935 1931 1932 1933 1934 1935	27. 6 11. 7 14. 0 13. 8 14. 4 7. 4	100. 0 100. 0	26. 7 8. 1 10. 9 12. 0 12. 6 3. 7	96. 7 69. 2 77. 9 87. 0 87. 5 50. 0		47. 0 61. 5 78. 3 81. 2	2.6 2.3 1.2	16.4 8.7 6.3	.9 3.6 3.1 1.8 1.8 3.7	30. 8 22. 1 13. 0 12. 5

Table 22 .- Tenderability of American upland cotton on hand in the United States, August 1, 1928-36

	Total A	meri-			Tendera	able :								
Year	can u	can upland cotton on hand Aug. I 1		cotton on					Staple lengths % to 11/62 inches		Staple lengths 11/16 inches and longer		Untender- able	
1928 1929 1930 1931 1932 1933 1933 1934 1934	1,000 bales 2,419,8 2,122,6 4,313,6 6,246,0 9,560,3 8,069,7 7,638,1 7,128,9 5,329,5	Per- cent 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	1,000 bales 2,198.0 1,747.0 3,416.3 5,543.3 8,882.7 7,437.4 6,969.8 6,371.0 4,399.0	Per- cent 90. 8 82. 3 79. 2 88. 7 92. 9 92. 2 91. 3 89. 4 82. 5	1,000 bales 1,459.5 1,251.0 2,666.6 4,773.0 7,418.4 6,065.8 5,709.5 5,357.8 3,907.1	Per- cent 60.3 58.9 61.8 76.4 77.6 75.2 74.8 75.2 73.3	1,000 bales 738, 5 496, 0 749, 7 770, 3 1,464, 3 1,371, 6 1,260, 3 1,013, 2 491, 9	Per- cent 30.5 23.4 17.4 12.3 15.3 17.0 16.5 14.2 9.2	1,000 bales 221. 8 375. 6 897. 3 702. 7 677. 6 632. 3 668. 3 757. 9 930. 5	Per- cent 9.2 17.7 20.8 11.3 7.1 7.8 8.7 10.6 17.5				

¹ As reported by the Bureau of the Census.

² Tenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

Less than 0.05 percent.

Includes Illinois, Kansas, and Kentucky.

As reported by the Bureau of the Census.

Tenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

Table 23.—Grade and staple length of American upland cotton on hand in the United States, August 1, 1936

Grade	All sta lengt		Shorter than 1/4 inch 1	% and 2%2 inch	and and al/32 inch	1 and 11/32 inches	11/16 and 13/32 inches	11/8 and 19/42 inches	13/16 and 13/32 inches	11/4 inches and longer
All grades	1,000 bales 2 5,329.5	Per- cent 100, 0	1,000 bales 561.4	1,000 bates 2, 288: 8	1,000 bales 1, 259. 2	1,000 bales 715. 1	1,000 bales 224. 8	1,000 bales 191. 1	1,000 bales 66. 5	1,000 bales 22.6
Extra White	1, 388. 2	26. 1	90.3	490.8	332.0	218.0	65. 5	117. 7	50.3	14.6
A bove 3-G. M	44. 2 420. 6 637. 5 230. 9 54. 2 . 8	. 8 7. 9 12. 0 4. 4 1. 0 (³)	3. 9 40. 6 47. 7 6. 0 1. 0	9. 5 159. 3 234. 8 73. 8 13. 3	6. 1 78. 9 155. 4 72. 7 18. 7	4. 7 51. 8 98. 3 47. 1 15. 9	3. 7 19. 2 26. 1 12. 5 3. 8	7. 5 40. 6 54. 3 14. 0 1. 3	6.8 21.9 17.0 4.4 .2	2, 0 8, 3 3, 9 , 4
White	2, 893. 0	54. 3	300. 9	1, 301. 2	679. 1	394. 9	129. 2	64. 4	15. 4	7. 9
1-M . F. 2-S. G. M. 3-G. M. 4-S. M. 5-M. 5-M. 7-L. M. 8-S. G. O.!.	38. 9 622. 1 1, 322. 2 632. 3 197. 1 64. 2 15. 9	(3) . 7 11. 7 24. 8 11. 9 3. 7 1. 2 . 3	. 1 8. 2 97. 1 123. 6 54. 9 13. 2 2. 8 1. 0	18. 3 293. 9 613. 1 270. 8 81. 8 19. 6 3. 7	7. 0 124. 2 301. 6 160. 5 56. 5 23. 9 5. 4	. 2 2. 6 62. 7 186. 2 94. 2 30. 7 14. 5 3. 8	1. 6 23. 9 55. 2 32. 2 11. 4 3. 0 1. 9	. 7 14. 0 28. 5 17. 8 3. 0 . 3 . 1	3 4.2 9.0 1.4 .4	. 2 2. 1 5. 0 . 5
Spotted	882. 6	16.6	129. 5	418. 2	214. 1	85. 6	25. 9	8.6	. 7	
3-G. M. 4-S. M. 5-M. 6-S. L. M. 1. 7-L. M. 1.	61. 1 335. 2 286. 5 133. 3 66. 5	1. 1 6. 3 5. 4 2. 5 1. 3	11. 3 54. 8 37. 2 21. 8 4. 4	31. 1 171. 5 139. 7 50. 8 25. 1	10. 1 65. 6 69. 4 42. 9 26. 1	3. 8 27. 0 30. 2 15. 3 9. 3	3. 9 10. 7 8. 1 1. 7 1. 5	.8 5.4 1.7 .6	.1 .2 .2 .2 .2	
Yellow Tinged	129. 4	2. 4	21.7	66. 8	26, 5	11.8	2. 4	. 2		
2-S. G. M	1. 9 16. 9 44. 0 47. 1 19. 3	(3) (3) .3 .8 .9 .4	.1 3.7 8.4 7.2 2.2	.1 .6 7.0 20.1 28.0 11.0	. 5 2. 4 10. 6 9. 0 4. 0	. 4 2. 9 4. 0 2. 5 2. 0	.3 .8 .8 .4 .1	.1		
Light Yellow Stained	4.7	. 1	1.6	2. 3	. 6	. 2				
3-G. M 4-S. M. ¹ 5-M. ¹		(³) . 1	. 1 1, 5	2. 1	. 1	. 1				
Yellow Stained	1.9	(3)	. 4	1, 1	. 4					
3-G. M 4-S. M. ¹ 5-M. ¹	. 2	(3)	. 4	1.0	.1					
Gray	. 9	(3)		.1	. 2	. 1	. 2	.1	. 1	.1
3-G. M 4-S. M 5-M.¹	. 4	(3)		. 1	. 1	. I	. î	. 1	. 1	·;i
No grade 1 4	28. 8	. 5	8.0	8. 3	6.3	4, 5	1.6	. 1		

¹ Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

As reported by the Bureau of the Census.

Less than 0.05 percent.

Includes bales not otherwise classified above.

Table 24.—Grade and staple length of American-Egyptian cotton on hand in the United States, August 1, 1932-36

[Quantities are given in running bales]

Year and grade	All staple	e lengths	Shorter than 1½ inches	1½ and 1½2 inches	1% and 11%2 inches	15% to 123%2 inches	1¾ inches and longer
1932	1,000 bales 1 16. 5	Percent 100.0	1,000 bales	1,000 bales 3.1	1,000 bales 12.4	1,000 bales 1.0	1,000 bales
1 and 1½	2. 9 9. 1 3. 5 1. 0	17. 6 55. 1 21. 2 6. 1		.3 1.5 1.1 .2	2, 5 7, 0 2, 2 , 7	.1 .6 .2 .1	
Below 5							
All grades	1 9. 8	100.0	0. 7	2. 9	5. 1	1. 1	
1 and 1½	1. 8 5. 5 2. 0 . 5	18. 4 56. 1 20. 4 5. 1	.2 .4 .1	1.7 1.0 .1	1. 3 3. 0 . 5 . 3	.4 .6 .1	
Below 5							
All grades	17.0	100. 0	.3	1.9	3.8	1.0	
1 and 13/2 2 and 23/2 3 and 33/2 4 and 43/2 5 6 Below 5.	2. 9 3. 1 . 6 . 1 . 1 . 2	41. 4 44. 3 8. 6 1. 4 1. 4 2. 9	.1	.9 .5 .3 .1	1.4 2.1 .3	.6	
1935			 		!]		
All grades	1 8. 6 1. 8 4. 9 1. 4 . 3	20. 9 56. 9 16. 3 3. 5 1. 2	.1	1.9 .5 .4 .7 .2 .1	6. 5 1. 3 4. 4 . 7 . 1		
Below 5	,1	1.2	.1				
All grades	1 7. 0	100.0	.1	3. 1	3. 4	.4	
1 and 13½ 2 and 2½ 3 and 3½ 4 and 4½ 5 Below 5	1. 9 3. 7 . 9 . 4 . 1	27. 1 52. 9 12. 9 5. 7 1. 4	.1	.8 1.2 .7 .3 .1	1. 0 2. 1 . 2 . 1	.1	

¹ As reported by the Bureau of the Census.

Table 25 .- Staple length of American upland cotton on hand in the United States, by places of storage, August 1, 1928-36

Place of storage	Year		staple gths ¹	Sh	ortei % in	r than ich ²	% and inc		15/16 and inc		1 and incl	
All places of storage	(1928 1929 1930 1931 (1932 1933 1934 1935 1936	1,000 bales 2,419. 2,122. 4,313. 6,246. 9,560. 8,069. 7,638. 7,128. 5,329.	8 100. 6 100. 6 100. 0 100. 3 100. 7 100.	t be 6 6 6 6 6 6 6 6 6	000 nles 37. 8 55. 0 6. 8 33. 2 98. 3 98. 4 98. 4 98. 8	Per- cent 3.6 7.3 10.4 7.4 3.1 2.3 3.0 7.4 10.5	1,000 bales 485. 0 650. 9 1, 445. 6 2, 615. 7 3, 392. 6 2, 503. 6 2, 534. 1 2, 773. 6 2, 288. 8	Per- cent 20. 0 30. 8 33. 5 41. 9 35. 5 31. 0 33. 2 38. 9 43. 0	1,000 bales 426. 8 307. 4 825. 4 1,528. 2 2,704. 0 2,199. 3 2,112. 9 1,799. 5 1,259. 2	Per- cent 17. 6 18. 7 19. 1 24. 5 28. 3 27. 3 27. 7 25. 2 23. 6	1,000 bales 659.8 395.1 783.0 849.2 1,657.6 1,774.6 1,477.4 996.2 715.1	Per- cent 27. 3 18. 6 18. 1 13. 6 17. 4 22. 0 19. 3 14. 0 13. 4
Public warehouses and compresses 3. Consuming establishments	(1928 1929 1930 1931 (1932 1933 1934 1935 (1928 1929 1930 1931 1932 1933	1, 488, 1, 196, 3, 271, 5, 332, 8, 405, 6, 779, 6, 473, 4, 481, 925, 1, 042, 913, 1, 154, 1, 290,	8 100. 0 100. 9 100. 4 100. 7 100. 0 100. 4 100. 1 100. 8 100. 6 100. 1 100. 6 100.	0 14 0 44 0 28 0 17 0 25 0 55 0 55 0	77. 1 45. 3 25. 6 41. 7 36. 7 78. 2 25. 7 24. 4 52. 8 10. 7 21. 2 21. 5 11. 6	5.2 12.1 13.0 8.3 3.4 2.6 3.5 8.2 12.3 1.2 2.4 1.0	341. 2 452. 4 1, 222. 2 2, 408. 0 3, 173. 4 2, 283. 6 2, 321. 0 2, 685. 0 2, 163. 8 143. 8 198. 5 223. 4 207. 7 219. 2	22. 9 37. 9 37. 4 45. 2 37. 7 35. 8 42. 0 48. 3 15. 4 21. 4 22. 7 19. 0	256. 0 177. 6 602. 1 1, 306. 1 2, 443. 9 1, 873. 0 1, 844. 0 1, 080. 0 170. 8 219. 8 223. 3 222. 1 260. 1	25. 7 24. 1 18. 3 23. 8 21. 4 24. 3 22. 5 25. 3	333. 5 196. 0 504. 0 656. 8 1, 292. 7 1, 361. 1 1, 109. 1 776. 0 480. 3 326. 3 199. 1 279. 0 192. 4 364. 9 413. 5	22. 4 16. 4 15. 4 12. 3 16. 4 20. 1 17. 1 12. 2 10. 7 35. 1 21. 5 26. 8 21. 1 31. 6 32. 0
Place of st	1934 1935 1936	1, 164. 741. 848.	9 100.	11/16	7. 7 4. 4 8. 6 and nche	1.0 1.0	213. 1 88. 6 125. 0	18. 3 11. 9 14. 7	268. 9 155. 5 179. 2	23. 1 21. 0 21. 1	368, 3 220, 2 234, 8	
-				1.00	0	Per-	1,000	Per-	1,000	Per-	1,000	Per-
All places of storage			1928 1929 1930 1931 1932 1933 1934 1935 1936	521. 389. 414. 754. 671. 615. 533. 224.	5 3 8 5 7 6 1	cent 11. 1 10. 4 9. 0 6. 6 7. 9 8. 3 8. 1 7. 5 4. 2	bales 287, 2 170, 1 283, 4 269, 5 546, 7 562, 9 529, 2 356, 4 191, 1	cent 11. 9 8. 0 6. 6 4. 3 5. 7 7. 0 6. 9 5. 0 3. 6	bales 157. 0 98. 4 115. 8 89. 7 174. 0 143. 6 111. 6 111. 9 66. 5	cent 6.5 4.5 2.7 1.4 1.8 1.5 1.6 1.3	bales 47. 7 36. 4 24. 3 15. 7 32. 6 25. 6 23. 9 29. 4 22. 6	2.0 1.7 .6 .3 .3 .3 .3 .4
Public warehouse presses 3			1928 1929 1930 1931 1932 1933 1934 1935 1936	186. 104. 301. 306. 626. 545. 499. 435.	47553794	12. 5 8. 7 9. 2 5. 7 7. 5 8. 0 7. 7 6. 8 2. 7	182. 8 79. 2 156. 8 170. 3 454. 4 434. 7 405. 8 235. 9 60. 7	12. 3 6. 6 4. 8 3. 2 5. 4 6. 4 6. 3 3. 7 1. 4	96. 6 34. 3 52. 6 37. 4 115. 7 91. 2 63. 3 72. 9 17. 5	6. 5 2. 9 1. 6 . 7 1. 4 1. 0 1. 2	14. 9 7. 6 6. 0 6. 1 12. 1 12. 0 5. 1 12. 9	1.0 .6 .2 .1 .1 .2 .1 .2 .1
Consuming establis	shments		1928 1929 1930 1931 1932 1933 1934 1935 1936	81. 116. 87. 108. 128. 126. 115. 97.	9 6 3 0 4 9 2	8. 8 12. 6 8. 4 11. 9 11. 1 9. 8 10. 0 13. 1 12. 1	104. 4 90. 9 126. 6 99. 2 92. 3 128. 2 123. 4 120. 5 130. 4	11. 2 9. 8 12. 1 10. 9 8. 0 9. 9 10. 6 16. 2 15. 4	60. 4 62. 1 63. 2 52. 3 58. 3 52. 4 48. 3 39. 0 49. 0	6. 5 6. 7 6. 1 5. 7 5. 0 4. 1 4. 1 5. 3 5. 8	32. 8 28. 8 18. 3 0. 0 20. 5 13. 6 18. 8 16. 5 18. 7	3. 5 3. 1 1. 8 1. 0 1. 8 1. 1 1. 6 2. 2 2. 2

¹ As reported by the Bureau of the Consus.

² Untenderable in settlement of futures contracts made subject to sec. 5 of the Cotton Futures Act and the regulations of the Secretary of Agriculture thereunder.

² Figures include cotton reported by the Bureau of the Census as "elsewhere", amounting to 335,000 hales for 1928; 275,000 for 1929; 470,000 for 1930; 850,000 for 1931; 1,760,000 for 1932; 1,080,000 for 1933; 950,000 for 1934; 680,000 for 1935; and 575,000 for 1936.

Table 26 .- Average staple length 1 of American upland cotton on hand in the United States, by places of storage, August 1, 1928-36

Place of storage	1928	1929	1930	1931	1932	1933	1934	1935	1936
All places of storage	Six- teenth inches 16.44	Six- teenth inches 15.95	Six- teenth inches 15.65	Six- teenth inches 15.40	Six- teenth inches 15.67	Six- teenth inches 15.83	Six- teenth inches 15.74	Six- teenth inches 15.49	Six- teenth inches 15.26
Public warehouses and com- presses ² Consuming establishments_	16. 32 16. 62	15. 56 16. 45	15. 42 16. 38	15. 25 16. 28	15. 58 16. 36	15. 73 16. 35	15. 63 16. 38	15. 34 16. 74	14, 99 16, 65

¹ Average calculated by multiplying the number of bales in each length group by the midpoint of the group expressed in sixteenths of an inch (that is, ¹\$/10 and ³\$/2=15.5, etc.), summating, and dividing by the total number of bales. The midpoint of the ¹\$/10 and ³\$/2-lnch group, for example, was taken as 15.5 sixteenths (³\$/2) inch because according to regulations ¹\$/0 is the lower limit of the group which includes all cotton classed as being as long as ¹\$/10 and shorter than 1 inch. In making the calculations, the midpoints of the groups ''shorter than 7½ inch' and ''¹¼ inches and longer' were considered to be 13.5 and 20.5, respectively. A verages can be converted to inches by dividing by 16.
² Figures include cotton reported by the Bureau of the Census as "elsewhere."

Table 27 .- Staple length of Egyptian cotton on hand in the United States, August 1,

[Quantities are given in equivalent 500-pound bales]

Year	All staple lengths ²	Shorter than 11/6 inches	11/2 and 15/2 inches	13/16 and 17/32 inches	1¼ to 11½2 inches	13% to 115%2 inches	1½ to 11%2 inches	15% to 123%2 inches	134 inches and longer
1928	1,000 bales 65.3 129.2 145.4 63.9 68.1 54.8 61.8 48.0 41.8	1,000 bales 1.4 .3 .3 1.1 8.0 7.9 1.9	1,000 bales 23. 4 70. 8 47. 3 21. 5 13. 0 12. 5 16. 4 14. 2 9. 1	1,000 bales 1.7 6.6 11.5 .8 .7 2.0 .9 .8	1,000 bales 7.5 2.7 9.9 6.5 3.1 2.4 2.0 4.4 9.0	1,000 bales 21. 3 34. 1 53. 5 28. 6 30. 3 22. 7 36. 7 25. 3 19. 5	1,000 bales 7.0 12.9 22.3 5.2 11.5 6.6 3.9 3.0 3.0	1,000 bales 2.6 1.8 .6	1,000 bates 0.4

^{&#}x27; Foreign cottons are not deliverable in settlement of futures contracts made subject to the Cotton Futures As reported by the Bureau of the Census.

Table 28.—Staple length of foreign cotton 1 other than Egyptian on hand in the United States, August 1, 1928-36

[Quantities are given in equivalent 500-pound bales]

Growth	Year	All s leng	taple ths ²	Shorter than 36 inch	76 and ²⁹ 42 inch	15/16 and 31/32 inch	1 and 1½2 inches	1½n and 1¾2 inches	11/8 and 15/32 inches	1%s and 1%2 inches	1¼ Inches and longer
Foreign, other than Egyptian	(1928 1929 1930 1931 (1932 1933 1934 1935 1936	1,000 bales 45. 6 53. 0 63. 3 43. 4 32. 9 30. 3 36. 8 23. 0 31. 1	Per- cent 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0 100. 0	1,000 bales 39. 3 42. 1 55. 6 39. 5 25. 4 26. 7 32. 6 21. 3 30. 1		1,000 bales 5.5	1,000 bales 0.3	1,000 bales 0.7 .3 .1 .2 .1	1,000 bales 0.1 .1 1.3 .3 .1 .4	1,000 bales 0.9 .4 .1 1.3 .2 .4 .7 .2	1,000 bales 5.0 3.9 6.0 2.2 6.4 2.6 3.2 .5
Peruvian	1928 1929 1930 1931 1932 1933 1934 1935 1936	5. 5 4. 6 7. 1 3. 2 2. 6 1. 6 . 9	12. 1 8. 7 11. 2 7. 4 7. 9 5. 3 2. 4 3. 9 2. 2					.7 .3 .1 .1 .1 .4	.1 1.3 .3 .1 .3	.9 .3 .1 1.3 .2 .4 .7 .2	4.5 3.5 5.4 1.5 2.3 .8
Chinese	1928 1929 1930 1931 1932 1933 1934 1935 1936	29. 9 22. 7 25. 5 21. 1 10. 5 21. 4 19. 9 9. 9	65. 5 42. 8 40. 3 48. 6 31. 9 70. 6 54. 1 43. 0	29. 9 18. 1 25. 5 21. 1 10. 2 21. 4 19. 9 9. 9	.3	4.6					
British Indian	1928 1929 1930 1931 1932 1933 1934 1935 1936	9. 4 25. 0 29. 9 18. 3 15. 4 5. 3 12. 1 10. 8 19. 8	20. 6 47. 2 47. 2 42. 2 46. 8 17. 5 32. 9 47. 0 63. 7	9. 4 23. 9 29. 9 18. 3 15. 0 5. 3 12. 1 10. 8 19. 8							
Other	1928 1929 1930 1931 1932 1933 1934 1935 1936	.8 .7 .8 4.4 2.0 3.9 1.4	1.8 1.3 1.3 1.8 13.4 6.6 10.6 6.1	.1 .2 .1 .2 .6	.1		.3	.1	.1	.1	. 4 . 6 . 7 4. 1 1. 8 3. 1

Foreign cottons are not deliverable in settlement of futures contracts made subject to the Cotton Futures
 Act.
 ² As reported by the Bureau of the Census.

[Public—No. 740—69TH Congress]

[S. 4746]

An Act Authorizing the Secretary of Agriculture to collect and publish statistics of the grade and staple length of cotton.

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That the Secretary of Agriculture be, and he is hereby, authorized and directed to collect and publish annually, on dates to be announced by him, statistics or estimates concerning the grades and staple length of stocks of cotton, known as the carry-over, on hand on the 1st of August of each year in warehouses and other establishments of every character in the continental United States; and following such publication each year, to publish, at intervals in his discretion, his estimate of the grades and staple length of cotton of the then current crop: Provided, That not less than three such estimates shall be published with respect to each crop. In any such statistics or estimates published, the cotton which on the date for which such statistics are published may be recognized as tenderable on contracts of sale of cotton for future delivery under the United States Cotton Futures Act of August 11, 1916, as amended, shall be stated separately from that which may be untenderable under said Act as amended.

SEC. 2. That the information furnished by any individual establishment under the provisions of this Act shall be considered as strictly confidential and shall be used only for the statistical purpose for which it is supplied. Any employee of the Department of Agriculture who, without the written authority of the Secretary of Agriculture, shall publish or communicate any information given into his possession by reason of his employment under the provisions of this Act shall be guilty of a misdemeanor and shall, upon conviction thereof, be fined not less than \$300 or more than \$1,000, or imprisoned for a period of not exceeding one year, or both so fined and imprisoned, at the discretion of the court.

Sec. 3. That it shall be the duty of every owner, president, treasurer, secretary, director, or other officer or agent of any cotton warehouse, cotton ginnery, cotton mill, or other place or establishment where cotton is stored, whether conducted as a corporation, firm, limited partnership, or individual, and of any owner or holder of any cotton, and of the agents and representatives of any such owner of holder, when requested by the Secretary of Agriculture, or by any special agent or other employee of the Department of Agriculture acting under the instructions of said Secretary to furnish completely and correctly, to the best of his knowledge, all of the information concerning the grades and staple length of cotton on hand, and when requested to permit such agent or employee of the Department of Agriculture to examine and classify samples of all such cotton on hand. The request of the Secretary of Agriculture for such information may be made in writing or by a visiting representative, and if made in writing shall be forwarded by registered mail, and the registry receipt of the Post Office Department shall be accepted as evidence of such demand. Any owner, president, treasurer, secretary, director, or other officer or agent of any cotton warehouse, cotton ginnery, cotton mill, or other place or establishment where cotton is stored, or any owner or holder of any cotton or the agent or representative of any such owner or holder, who, under the conditions hereinbefore stated, shall refuse or willfully neglect to furnish any information herein provided for or shall willfully give answers that are false or shall refuse to allow agents or employees of the Department of Agriculture to examine or classify any cotton in store in any such establishment, or in the hands of any owner or holder or of the agent or representative of any such owner or holder, shall be guilty of a misdemeanor and, upon conviction thereof, shall be fined not less than \$300 or more than \$1,000.

SEC. 4. The Secretary of Agriculture may cooperate with any department or agency of the Government, any State, Territory, District, or possession, or department, agency, or political subdivision thereof, or any person; and shall have the power to appoint, remove, and fix the compensation of such officers and employees, not in conflict with existing law, and make such expenditures for the

purchase of samples of cotton, for rent outside the District of Columbia, printing, telegrams, telephones, books of reference, periodicals, furniture, stationery, office equipment, travel, and other supplies and expenses as shall be necessary to the administration of this Act in the District of Columbia and elsewhere, and there are hereby authorized to be appropriated, out of any moneys in the Treasury not otherwise appropriated, such sums as may be necessary for such purposes.

otherwise appropriated, such sums as may be necessary for such purposes.

Sec. 5. That, of the reports issued by the Secretary of Agriculture, pursuant to the Act entitled "An Act authorizing the Department of Agriculture to issue semimonthly cotton crop reports and providing for their publication simultaneously with the ginning reports of the Department of Commerce", approved May 3, 1924, only five shall be issued hereafter, one as of August 1, one as of September 1, one as of October 1, one as of November 1, and one as of December 1, each of which shall state the condition and progress of the crop and the probable number of bales which will be ginned, these reports to be issued simultaneously with the cotton ginning reports of the Bureau of the Census relating to the same dates, the two reports to be issued from the same place at eleven antemeridian of the eighth day following that to which the respective reports relate. When such date of release falls on Sunday or a legal holiday the report shall be issued at eleven o'clock antemeridian of the next succeeding workday.

SEC. 6. The Secretary of Agriculture shall cause to be issued a report on or before the 10th day of July of each year showing by States and in toto the number of acres of cotton in cultivation on July 1, to be followed on September 1 and December 1 with an estimate of the acreage of cotton abandoned since July 1.

Approved, March 3, 1927.

STATISTICAL BULLETIN SERIES

At the Present Time (July 1937) Statistical Bulletins Have Been Issued as Follows:

- 2. Seed statistics.
- 3. Sheep, lamb, mutton, and wool statistics.
- 4. Cold-storage holdings, to October 1924.
- 5. Horses, mules, and motor vehicles.
- 6. Grain futures: Daily data.
- 7. Shipments and unloads of certain fruits and vegetables.
- 8. Carload shipments of fruits and melons.
- Carload shipments of vegetables.
- 10. Statistics of potatoes and sweetpotatoes.
- 11. Hay and feed statistics.
- 12. Wheat and rye statistics.
- 13. Cold-storage holdings, year ended December
- Prices of farm products received by producers, North Atlantic States.
- Prices of farm products received by producers, North Central States.
- Prices of farm products received by producers, South Atlantic and South Central States.
- 17. Prices of farm products received by producers, Mountain and Pacific States.
- 18. Statistics of hogs, pork, and pork products.
- 19. Carload shipments of fruits and vegetables from stations in the United States.
- 20. Cattle, cal-statistics. calves, beef, veal, hides, and skins
- 21. American forests and forest products.
- 22. Vegetable statistics.
- 23. Carload shipments and unloads of certain fruits and vegetables, 1924-26.
- 24. Statistics of fats, oils, and oleaginous raw materials.
- 25. Dairy statistics.
- Cold-storage holdings, year ended December 31, 1927.
- Car-lot shipments of fruits and vegetables from stations in the United States for the calendar years 1926 and 1927.
- 28. Corn statistics.
- 29. Statistics of oats, barley, and grain sorghums.
- Car-lot shipments and unloads of important fruits and vegetables for the calendar years 1927 and 1928.
- 31. Wheat futures: Volume of trading, open commitments, and prices.
- 32. Stumpage and log prices for the calendar year 1928.
- 33. Cold-storage holdings, year ended December 31, 1929.
- 34. Corn futures.

- 1. Cold-storage holdings, year ended January 35. Car-lot shipments of fruits and vegetables from stations in the United States for the calendar years 1928 and 1929.
 - 36. Stumpage and log prices for the calendar year
 - 37. Stumpage and log prices for the calendar year 1030.
 - Car-lot shipments and unloads of important fruits and vegetables for the calendar years 1929 and 1930.
 - 39. Cold-storage holdings, year ended December 31, 1931.
 - Grade, staple length, and tenderability of cotton in the United States, 1928-29 to 1931-32.
 - 41. Wheat futures.
 - Car-lot shipments of fruits and vegetables from stations in the United States for the calendar years 1930 and 1931.
 - 43. Corn futures.
 - 44. Stumpage and log prices for the calendar years 1931 and 1932.
 - Grade and staple length of cotton carried over in the United States as related to the domestic supply, 1928-29 to 1931-32.
 - Car-lot shipments and unloads of important fruits and vegetables for the calendar years 1931 and 1932.
 - Grade, staple length, and tenderability of cotton in the United States, 1928–29 to 1932–33.
 - 48. Cold-storage holdings, year ended December 31, 1933.
 - 49. Stumpage and log prices for the calendar year 1933.
 - Car-lot shipments of fruits and vegetables from stations in the United States for the calendar years 1932 and 1933.
 - 51. Stumpage and log prices for the calendar year 1934.
 - Grade, staple length, and tenderability of cotton in the United States, 1928–29 to 1933–34.
 - Car-lot shipments and unloads of nineteen im-portant fruits and vegetables for the calendar years 1933 and 1934.
 - 54. Wheat futures.
 - Corn futures: Volume of trading, open commit-ments, and prices, January 3, 1933, to Decem-ber 31, 1935.
 - Grade, staple length, and tenderability of cotton in the United States, 1928–29 to 1934–35.
 - 57. Stumpage and log prices for the calendar year 1935.
 - First annual report on tobacco statistics
 - 59. Fats, oils, and oleaginous raw materials, 1912-35.
 - 60. Grade, staple length, and tenderability of cotton in the United States, 1928-29 to 1935-36.