



Crop Progress

ISSN: 1948-3007

Released October 19, 2020, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, United States Department of Agriculture (USDA).

Corn Mature – Selected States

[These 18 States planted 91% of the 2019 corn acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Colorado	92	90	96	89
Illinois	84	95	99	96
Indiana	81	91	95	94
Iowa	83	97	99	95
Kansas	96	96	98	97
Kentucky	100	99	99	99
Michigan	57	82	91	84
Minnesota	82	98	99	94
Missouri	96	94	98	99
Nebraska	91	96	98	95
North Carolina	100	100	100	100
North Dakota	58	93	97	87
Ohio	68	77	86	89
Pennsylvania	84	91	95	91
South Dakota	68	95	98	90
Tennessee	100	100	100	100
Texas	95	95	97	94
Wisconsin	58	92	96	83
18 States	82	94	97	94

Corn Harvested – Selected States

[These 18 States harvested 93% of the 2019 corn acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Colorado	36	42	53	29
Illinois	32	45	66	65
Indiana	33	34	48	50
Iowa	13	42	65	29
Kansas	58	63	76	69
Kentucky	88	74	80	85
Michigan	12	16	24	23
Minnesota	9	34	63	29
Missouri	52	51	64	74
Nebraska	27	34	58	31
North Carolina	94	90	93	93
North Dakota	3	25	55	19
Ohio	23	15	24	37
Pennsylvania	42	23	33	41
South Dakota	8	39	64	24
Tennessee	95	76	83	94
Texas	81	81	85	79
Wisconsin	6	15	27	20
18 States	28	41	60	43

Corn Condition – Selected States: Week Ending October 18, 2020

[These 18 States planted 91% of the 2019 corn acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Colorado	26	22	28	20	4
Illinois	2	5	28	51	14
Indiana	4	9	26	47	14
Iowa	9	15	29	41	6
Kansas	7	12	27	39	15
Kentucky	-	2	8	49	41
Michigan	3	8	32	46	11
Minnesota	1	3	16	52	28
Missouri	2	4	16	61	17
Nebraska	6	13	22	42	17
North Carolina	6	10	32	42	10
North Dakota	2	8	31	47	12
Ohio	4	11	36	43	6
Pennsylvania	9	16	40	25	10
South Dakota	2	4	15	67	12
Tennessee	1	3	22	59	15
Texas	5	14	39	31	11
Wisconsin	2	4	17	48	29
18 States	5	9	25	46	15
Previous week	5	9	25	46	15
Previous year	4	10	30	45	11

- Represents zero.

Soybeans Dropping Leaves – Selected States

[These 18 States planted 96% of the 2019 soybean acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Arkansas	93	89	94	95
Illinois	89	95	99	95
Indiana	90	95	100	96
Iowa	91	97	99	96
Kansas	90	91	95	91
Kentucky	86	78	84	86
Louisiana	100	98	100	100
Michigan	88	96	99	95
Minnesota	97	98	99	99
Mississippi	96	94	97	96
Missouri	81	77	92	86
Nebraska	95	100	100	98
North Carolina	91	63	76	82
North Dakota	99	97	100	100
Ohio	86	93	97	95
South Dakota	96	97	100	98
Tennessee	95	81	89	94
Wisconsin	86	95	98	95
18 States	91	93	97	95

Soybeans Harvested – Selected States

[These 18 States harvested 96% of the 2019 soybean acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Arkansas	60	38	50	66
Illinois	45	56	81	66
Indiana	46	52	72	61
Iowa	39	78	90	52
Kansas	27	40	64	35
Kentucky	54	36	42	46
Louisiana	93	90	93	93
Michigan	32	42	64	47
Minnesota	35	87	96	67
Mississippi	82	63	72	83
Missouri	23	22	40	36
Nebraska	51	82	92	58
North Carolina	32	14	18	23
North Dakota	19	83	92	65
Ohio	50	49	65	63
South Dakota	27	82	90	60
Tennessee	59	31	41	53
Wisconsin	27	46	72	47
18 States	40	61	75	58

Cotton Bolls Opening – Selected States

[These 15 States planted 99% of the 2019 cotton acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Alabama	96	86	92	93
Arizona	100	100	100	100
Arkansas	100	100	100	100
California	94	85	90	89
Georgia	96	87	90	95
Kansas	89	79	88	79
Louisiana	100	100	100	100
Mississippi	98	96	98	98
Missouri	95	98	100	98
North Carolina	98	85	92	95
Oklahoma	92	85	91	91
South Carolina	97	86	92	93
Tennessee	96	91	95	97
Texas	87	89	92	84
Virginia	98	93	96	98
15 States	91	90	93	89

Cotton Harvested – Selected States

[These 15 States harvested 99% of the 2019 cotton acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Alabama	45	12	20	44
Arizona	26	22	27	28
Arkansas	63	30	47	66
California	19	15	20	26
Georgia	46	13	19	32
Kansas	3	2	6	6
Louisiana	78	61	73	80
Mississippi	60	29	46	64
Missouri	31	19	25	52
North Carolina	39	9	14	23
Oklahoma	19	9	16	15
South Carolina	49	1	6	28
Tennessee	47	18	32	44
Texas	31	35	42	29
Virginia	47	9	14	26
15 States	38	26	34	34

Cotton Condition – Selected States: Week Ending October 18, 2020

[These 15 States planted 99% of the 2019 cotton acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Alabama	1	4	22	63	10
Arizona	-	-	8	47	45
Arkansas	1	3	11	45	40
California	-	-	45	50	5
Georgia	2	14	26	50	8
Kansas	3	12	40	40	5
Louisiana	-	3	56	41	-
Mississippi	1	13	31	40	15
Missouri	3	11	37	49	-
North Carolina	2	11	31	49	7
Oklahoma	4	12	41	39	4
South Carolina	6	7	19	51	17
Tennessee	7	14	21	47	11
Texas	15	32	26	20	7
Virginia	5	20	34	41	-
15 States	10	23	27	31	9
Previous week	12	18	30	31	9
Previous year	5	18	36	33	8

- Represents zero.

Sorghum Mature – Selected States

[These 6 States planted 100% of the 2019 sorghum acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Colorado	91	85	92	84
Kansas	84	88	95	86
Nebraska	91	95	98	95
Oklahoma	90	75	88	89
South Dakota	76	99	100	83
Texas	99	95	97	92
6 States	89	90	95	88

Sorghum Harvested – Selected States

[These 6 States harvested 100% of the 2019 sorghum acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Colorado	46	23	43	30
Kansas	24	30	49	32
Nebraska	19	31	60	35
Oklahoma	45	41	47	51
South Dakota	14	61	83	32
Texas	92	90	92	80
6 States	46	49	63	51

Peanuts Harvested – Selected States

[These 8 States harvested 96% of the 2019 peanut acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Alabama	78	33	42	66
Florida	77	52	67	79
Georgia	69	27	42	57
North Carolina	60	22	27	40
Oklahoma	35	13	33	34
South Carolina	63	29	41	42
Texas	23	14	24	25
Virginia	82	21	24	57
8 States	64	28	41	55

Peanut Condition – Selected States: Week Ending October 18, 2020

[These 8 States planted 96% of the 2019 peanut acreage]

State	Very poor	Poor	Fair	Good	Excellent
	(percent)	(percent)	(percent)	(percent)	(percent)
Alabama	-	2	11	71	16
Florida	7	34	33	26	-
Georgia	1	5	21	56	17
North Carolina	-	-	15	72	13
Oklahoma	-	2	9	85	4
South Carolina	1	3	17	60	19
Texas	-	-	51	48	1
Virginia	-	8	43	49	-
8 States	1	7	25	55	12
Previous week	4	10	26	50	10
Previous year	5	11	30	46	8

- Represents zero.

Sugarbeets Harvested – Selected States

[These 4 States harvested 83% of the 2019 sugarbeet acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Idaho	42	40	57	46
Michigan	22	39	47	32
Minnesota	42	86	98	71
North Dakota	38	92	97	76
4 States	39	72	83	62

Sunflowers Harvested – Selected States

[These 4 States harvested 86% of the 2019 sunflower acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Colorado	51	39	68	28
Kansas	24	22	38	22
North Dakota	5	24	44	22
South Dakota	4	19	26	22
4 States	8	22	37	22

Rice Harvested – Selected States

[These 6 States harvested 100% of the 2019 rice acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Arkansas	92	83	89	95
California	77	65	90	76
Louisiana	100	98	99	100
Mississippi	92	84	92	95
Missouri	91	75	81	91
Texas	100	100	100	100
6 States	91	83	91	93

Winter Wheat Planted – Selected States

[These 18 States planted 91% of the 2019 winter wheat acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Arkansas	41	20	34	33
California	19	15	20	17
Colorado	95	94	98	93
Idaho	80	79	91	87
Illinois	56	46	73	55
Indiana	55	47	69	60
Kansas	73	74	84	70
Michigan	60	67	81	66
Missouri	30	26	42	37
Montana	74	66	77	84
Nebraska	97	89	94	95
North Carolina	10	10	15	11
Ohio	80	66	84	72
Oklahoma	77	69	74	74
Oregon	82	49	62	71
South Dakota	93	88	97	93
Texas	65	55	64	65
Washington	84	79	88	86
18 States	74	68	77	72

Winter Wheat Emerged – Selected States

[These 18 States planted 91% of the 2019 winter wheat acreage]

State	Week ending			2015-2019 Average
	October 18, 2019	October 11, 2020	October 18, 2020	
	(percent)	(percent)	(percent)	(percent)
Arkansas	21	7	18	17
California	4	1	5	3
Colorado	69	56	68	67
Idaho	47	39	51	57
Illinois	25	15	25	25
Indiana	22	8	24	29
Kansas	46	50	61	46
Michigan	31	32	45	41
Missouri	12	7	18	18
Montana	36	40	57	60
Nebraska	80	60	72	81
North Carolina	2	1	4	3
Ohio	51	18	37	41
Oklahoma	63	39	47	53
Oregon	42	15	21	31
South Dakota	76	53	71	72
Texas	42	33	40	39
Washington	61	55	65	61
18 States	50	41	51	48

Pasture and Range Condition – Selected States: Week Ending October 18, 2020

[National pasture and range conditions for selected States are weighted based on pasture acreage and/or livestock inventories]

State	Very poor (percent)	Poor (percent)	Fair (percent)	Good (percent)	Excellent (percent)
Alabama	-	2	21	70	7
Arizona	14	28	45	11	2
Arkansas	5	16	39	34	6
California	45	10	35	10	-
Colorado	36	30	26	8	-
Connecticut	62	14	16	8	-
Delaware	1	31	23	38	7
Florida	1	4	26	55	14
Georgia	3	8	31	51	7
Idaho	15	26	29	30	-
Illinois	20	19	27	33	1
Indiana	18	23	35	22	2
Iowa	14	27	39	19	1
Kansas	11	23	39	25	2
Kentucky	4	8	26	56	6
Louisiana	1	5	26	67	1
Maine	68	32	-	-	-
Maryland	-	10	49	34	7
Massachusetts	62	14	16	8	-
Michigan	8	20	27	39	6
Minnesota	5	12	38	42	3
Mississippi	2	8	30	50	10
Missouri	5	22	47	22	4
Montana	22	24	39	14	1
Nebraska	30	32	23	14	1
Nevada	20	25	30	25	-
New Hampshire	39	25	36	-	-
New Jersey	-	2	15	83	-
New Mexico	12	36	35	12	5
New York	14	17	29	30	10
North Carolina	1	3	24	58	14
North Dakota	14	31	36	17	2
Ohio	6	18	43	30	3
Oklahoma	9	24	40	26	1
Oregon	41	46	10	3	-
Pennsylvania	30	32	21	16	1
Rhode Island	65	15	15	5	-
South Carolina	1	3	36	53	7
South Dakota	13	25	41	21	-
Tennessee	1	6	34	48	11
Texas	11	26	43	18	2
Utah	17	27	41	15	-
Vermont	-	7	67	26	-
Virginia	1	7	23	56	13
Washington	20	26	46	8	-
West Virginia	2	8	21	66	3
Wisconsin	6	12	28	36	18
Wyoming	29	43	28	-	-
48 States	17	27	36	18	2
Previous week	16	24	38	20	2
Previous year	9	18	30	36	7

- Represents zero.

Days Suitable for Fieldwork - Selected States

[Days suitable for fieldwork are weighted based on cropland acreage]

State	Week ending		
	October 18, 2019 (Days)	October 11, 2020 (Days)	October 18, 2020 (Days)
Alabama	5.3	4.9	5.6
Arizona	7.0	7.0	7.0
Arkansas	5.2	5.5	5.8
California	6.9	7.0	7.0
Colorado	6.5	6.8	6.7
Connecticut	5.9	7.0	7.0
Delaware	6.0	6.0	3.5
Florida	6.2	6.3	6.4
Georgia	5.1	5.5	6.2
Idaho	5.6	6.5	6.1
Illinois	6.1	6.5	6.4
Indiana	6.3	6.7	5.8
Iowa	5.1	6.6	6.4
Kansas	6.2	6.9	6.9
Kentucky	5.5	5.9	5.6
Louisiana	3.9	3.7	4.5
Maine	5.0	4.5	5.8
Maryland	5.0	6.0	5.0
Massachusetts	5.0	7.0	7.0
Michigan	4.4	6.2	4.7
Minnesota	3.7	6.5	5.7
Mississippi	4.2	4.9	5.0
Missouri	5.1	6.5	6.4
Montana	5.0	6.9	5.6
Nebraska	6.0	6.8	6.5
Nevada	6.1	7.0	7.0
New Hampshire	5.5	6.2	5.0
New Jersey	5.5	6.5	5.5
New Mexico	6.8	6.8	6.8
New York	3.5	5.5	5.0
North Carolina	5.1	5.5	4.6
North Dakota	2.2	6.7	6.0
Ohio	5.8	6.2	5.4
Oklahoma	6.4	6.7	6.6
Oregon	5.5	5.6	6.6
Pennsylvania	4.5	6.5	5.5
Rhode Island	6.0	7.0	6.0
South Carolina	5.3	6.1	6.1
South Dakota	4.5	6.9	6.7
Tennessee	5.2	5.4	5.2
Texas	6.1	6.3	6.4
Utah	6.2	7.0	7.0
Vermont	4.0	5.5	4.0
Virginia	5.1	5.3	4.9
Washington	4.8	6.2	5.9
West Virginia	4.9	6.2	5.7
Wisconsin	4.3	6.4	5.2
Wyoming	5.9	6.8	6.9

Topsoil Moisture Condition - Selected States: Week Ending October 18, 2020

[National topsoil moisture conditions for selected States are weighted based on cropland acreage]

State	Very short (percent)	Short (percent)	Adequate (percent)	Surplus (percent)
Alabama	-	4	91	5
Arizona	17	19	64	-
Arkansas	3	19	68	10
California	70	5	25	-
Colorado	52	33	15	-
Connecticut	-	7	93	-
Delaware	-	4	86	10
Florida	1	14	64	21
Georgia	1	33	64	2
Idaho	36	33	31	-
Illinois	22	34	43	1
Indiana	31	43	25	1
Iowa	18	40	42	-
Kansas	29	50	21	-
Kentucky	7	26	63	4
Louisiana	-	6	59	35
Maine	12	20	68	-
Maryland	-	17	28	55
Massachusetts	-	7	93	-
Michigan	7	7	77	9
Minnesota	5	15	76	4
Mississippi	1	9	77	13
Missouri	13	41	46	-
Montana	19	58	23	-
Nebraska	34	46	20	-
Nevada	25	40	35	-
New Hampshire	50	42	8	-
New Jersey	-	-	92	8
New Mexico	47	45	8	-
New York	13	18	56	13
North Carolina	-	1	76	23
North Dakota	30	37	32	1
Ohio	12	33	53	2
Oklahoma	43	38	19	-
Oregon	35	41	24	-
Pennsylvania	19	38	43	-
Rhode Island	2	18	80	-
South Carolina	2	8	83	7
South Dakota	22	50	28	-
Tennessee	-	8	80	12
Texas	33	41	23	3
Utah	28	50	22	-
Vermont	-	18	82	-
Virginia	-	2	76	22
Washington	10	25	61	4
West Virginia	12	25	62	1
Wisconsin	5	17	75	3
Wyoming	46	41	13	-
48 States	22	34	41	3
Previous week	20	33	43	4
Previous year	8	16	59	17

- Represents zero.

Subsoil Moisture Condition - Selected States: Week Ending October 18, 2020

[National subsoil moisture conditions for selected States are weighted based on cropland acreage]

State	Very short (percent)	Short (percent)	Adequate (percent)	Surplus (percent)
Alabama	-	5	91	4
Arizona	17	19	64	-
Arkansas	3	20	66	11
California	75	5	20	-
Colorado	50	35	15	-
Connecticut	-	5	95	-
Delaware	15	20	60	5
Florida	-	5	70	25
Georgia	2	28	67	3
Idaho	35	37	28	-
Illinois	16	40	44	-
Indiana	30	44	25	1
Iowa	22	39	39	-
Kansas	23	46	31	-
Kentucky	5	26	65	4
Louisiana	-	6	64	30
Maine	37	43	20	-
Maryland	-	11	36	53
Massachusetts	-	5	95	-
Michigan	11	14	69	6
Minnesota	4	14	78	4
Mississippi	2	10	78	10
Missouri	11	32	57	-
Montana	9	57	34	-
Nebraska	32	40	27	1
Nevada	25	40	35	-
New Hampshire	48	23	29	-
New Jersey	-	-	85	15
New Mexico	43	47	10	-
New York	13	14	67	6
North Carolina	-	-	84	16
North Dakota	25	35	38	2
Ohio	14	37	48	1
Oklahoma	23	40	37	-
Oregon	33	44	23	-
Pennsylvania	32	38	30	-
Rhode Island	47	35	18	-
South Carolina	-	7	88	5
South Dakota	19	45	36	-
Tennessee	-	11	82	7
Texas	24	44	29	3
Utah	28	31	41	-
Vermont	-	24	76	-
Virginia	-	4	71	25
Washington	9	30	58	3
West Virginia	12	21	66	1
Wisconsin	3	17	76	4
Wyoming	50	35	15	-
48 States	20	33	44	3
Previous week	17	33	47	3
Previous year	8	17	60	15

- Represents zero.

Crop Progress and Condition Tables Expected Next Week

Corn: Harvested

Cotton: Bolls Opening, Harvested, Condition

Pasture and Range: Condition

Peanuts: Harvested, Condition

Rice: Harvested

Sorghum: Harvested

Soybeans: Harvested

Sugarbeets: Harvested

Sunflowers: Harvested

Winter Wheat: Planted, Emerged, Condition

Days Suitable for Fieldwork

Topsoil Moisture Condition

Subsoil Moisture Condition

Statistical Methodology

Survey Procedures: Crop progress and condition estimates are based on survey data collected each week from early April through the end of November. The non-probability crop progress and condition surveys include input from approximately 3,600 respondents whose occupations provide them opportunities to make visual observations and frequently bring them in contact with farmers in their counties. Based on standard definitions, these respondents subjectively estimate the progress of crops through various stages of development, as well as the progress of producer activities. They also provide subjective evaluations of crop conditions.

Most respondents complete their questionnaires on Friday or early Monday morning and submit them to the National Agricultural Statistics Service (NASS) Field Offices in their States by mail, telephone, fax, e-mail, or through a secured internet website. A small number of reports are completed on Thursday, Saturday, and Sunday. Regardless of when questionnaires are completed, respondents are asked to report for the entire week ending on Sunday. For reports submitted prior to the Sunday reference date, a degree of uncertainty is introduced by projections for weekend changes in progress and condition. By the end of the 2019 season, over 95 percent of the data were being submitted through the internet website. As a result, the majority of all data are submitted on Monday morning, significantly reducing projection uncertainty.

Respondents are sent written reporting instructions at the beginning of each season and are contacted periodically to ensure proper reporting. Terms and definitions of crop stages and condition categories used as reporting guidelines are available on the NASS website at www.nass.usda.gov/Publications/National_Crop_Progress.

Estimating Procedures: Reported data are reviewed for reasonableness and consistency by comparing with data reported the previous week and data reported in surrounding counties for the current week. Field Offices summarize the reported data to district and State levels, weighting each county's reported data by NASS county acreage estimates. Summarized indications are compared with previous week estimates, and progress items are compared with earlier stages of development and historical averages to ensure reasonableness. Weather events and respondent comments are also taken into consideration. State estimates are submitted to the Agricultural Statistics Board (ASB) along with supporting comments, where they are compared with surrounding States and compiled into a National level summary by weighting each State by its acreage estimates. National crop planting progress, progress of development stages, and condition estimates are weighted using the program State's average planted acres over the previous three crop years. National crop harvest progress estimates are weighted using the program State's average harvested acres over the previous three crop years. Pasture and range condition is weighted using pasture acreage and/or livestock inventories from the most recent Census of Agriculture. Days suitable for fieldwork, topsoil moisture and subsoil moisture are weighted using cropland acreage from the Census of Agriculture.

Revision Policy: Progress and condition estimates in the *Crop Progress* report are released after 4:00 pm ET on the first business day of the week. These estimates are subject to revision the following week.

Information Contacts

Listed below are the commodity statisticians in the Crops Branch of the National Agricultural Statistics Service to contact for additional information. E-mail inquiries may be sent to nass@usda.gov

Lance Honig, Chief, Crops Branch	(202) 720-2127
Chris Hawthorn, Head, Field Crops Section	(202) 720-2127
Irwin Anolik – Crop Weather	(202) 720-7621
Joshua Bates – Oats, Soybeans	(202) 690-3234
David Colwell – Current Agricultural Industrial Reports	(202) 720-8800
Becky Sommer – Cotton, Cotton Ginnings, Sorghum	(202) 720-5944
James Johanson – Barley, County Estimates, Hay	(202) 690-8533
Greg Lemmons – Corn, Flaxseed, Proso Millet	(202) 720-9526
Jean Porter – Rye, Wheat	(202) 720-8068
John Stephens – Peanuts, Rice	(202) 720-7688
Travis Thorson – Sunflower, Other Oilseeds	(202) 720-7369

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: www.nass.usda.gov
- Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit www.nass.usda.gov and click on “National” or “State” in upper right corner above “search” box to create an account and select the reports you would like to receive.
- Cornell’s Mann Library has launched a new website housing NASS’s and other agency’s archived reports. The new website, <https://usda.library.cornell.edu>. All email subscriptions containing reports will be sent from the new website, <https://usda.library.cornell.edu>. To continue receiving the reports via e-mail, you will have to go to the new website, create a new account and re-subscribe to the reports. If you need instructions to set up an account or subscribe, they are located at: <https://usda.library.cornell.edu/help>. You should whitelist notifications@usda-esmis.library.cornell.edu in your email client to avoid the emails going into spam/junk folders.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@usda.gov.

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers, employees, and applicants for employment on the basis of race, color, national origin, age, disability, sex, gender identity, religion, reprisal, and where applicable, political beliefs, marital status, familial or parental status, sexual orientation, or all or part of an individual's income is derived from any public assistance program, or protected genetic information in employment or in any program or activity conducted or funded by the Department. (Not all prohibited bases will apply to all programs and/or employment activities.)

If you wish to file a Civil Rights program complaint of discrimination, complete the [USDA Program Discrimination Complaint Form](#) (PDF), found online at www.ascr.usda.gov/filing-program-discrimination-complaint-usda-customer, or at any USDA office, or call (866) 632-9992 to request the form. You may also write a letter containing all of the information requested in the form. Send your completed complaint form or letter to us by mail at U.S. Department of Agriculture, Director, Office of Adjudication, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, by fax (202) 690-7442 or email at program.intake@usda.gov.