


WEEKLY WEATHER AND CROP BULLETIN

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Weather Service

U.S. DEPARTMENT OF AGRICULTURE
National Agricultural Statistics Service
and World Agricultural Outlook Board



HIGHLIGHTS



August 24 – 30, 2025

Highlights provided by USDA/WAOB

Short-term dryness intensified across the **southern Corn Belt**, especially from **Missouri to Ohio**, with some negative impacts on pastures, immature summer crops, and surface water availability. Dryness extended into other regions, including the **northern Mississippi Delta** and large sections of the **Tennessee Valley** and **middle Atlantic States**. However, there was a very sharp cutoff between the dry regions and adjacent wetter areas, mainly southwest of a line from **southwestern Missouri into southern sections of Alabama and Georgia**. In fact, weekly rainfall totaled
(Continued on page 3)

Contents

Highlights & Total Precipitation Map.....	1
Extreme Maximum & Minimum Temperature Maps	2
Temperature Departure Map	3
August 26 Drought Monitor & U.S. Monthly Drought Outlook	4
Palmer Drought & Crop Moisture Maps.....	5
Growing Degree Day Maps	6
National Weather Data for Selected Cities	8
National Agricultural Summary	11
Crop Progress and Condition Tables	12
International Weather and Crop Summary	18
Bulletin Information & Days Suitable for Fieldwork.....	30




(Continued from front cover)

4 inches or more in numerous communities in **central and northwestern Oklahoma**, extending to scattered locations in neighboring states. In fact, locally heavy showers occurred on the **Plains** from **northern Texas to South Dakota**, while rainfall largely bypassed **North Dakota**, **eastern Montana**, and **central and southern Texas**. Elsewhere, scattered **Western** showers yielded to hotter, drier weather as the week progressed, with parts of the **Northwest** remaining hot and dry throughout the period. Weekly temperatures averaged 5 to 10°F above normal from the **Pacific Northwest**—excluding coastal locations—to the **northernmost Rockies**. In contrast, chilly conditions covered much of the **central and eastern U.S.**, with temperatures averaging as much as 10°F below normal in portions of **Kansas and Oklahoma**, as well as an area stretching from the **Ohio Valley into the lower Great Lakes region**. Temperatures remained below 80°F all week on the **Plains** as far south as **central Kansas**. Readings also failed to reach 80°F in much of the **Great Lakes region**, including nearly all of **Michigan and Wisconsin**.



For much of the week, ongoing **Northwestern** heat resulted in numerous records. In **western Washington**, **Olympia** posted four consecutive daily-record highs (91, 93, 95, and 92°F) from August 22-25. **Yakima, WA**, attained 100°F on August 25, tying a record for the date. Other triple-digit, daily-record highs in **Washington** on August 25 included 102°F in **Ephrata** and 101°F in **Wenatchee**. Hot weather also persisted in **southern Florida**, where record-setting highs for August 26 reached 96°F in **West Palm Beach** and 94°F in **Miami**. West Palm Beach also closed the month on August 30-31 with a pair of daily-record highs (95 and 96°F, respectively). The monthly average temperature of 85.6°F (2.4°F above normal) in **West Palm Beach** tied an August record originally set in 2022. Late in the week, resurgent heat along the **Pacific Coast** led to daily-record highs in **California** locations such as **San Diego** (88°F on August 29) and **San Rafael** (100°F on August 30). In contrast, a long-lasting surge of cool air chilled the **Midwest, Northeast**, and—eventually—the **Southeast**. By August 25, daily-record lows dipped to 42°F in **Sisseton, SD**, and 44°F in **Sioux City, IA**. **Midwestern** daily-record lows for August 26 included 44°F in **Springfield, IL**, and **Ottumwa, IA**. **St. Joseph, MO**, logged a pair of daily-record lows (49 and 45°F, respectively) on August 25-26. Similarly, **Paducah, KY**, posted consecutive record-setting lows (49 and 48°F, respectively) on August 26-27. In the **Great Lakes States**, daily-record lows dipped below the 40-degree mark in a few locations, including **Gaylord, MI** (39°F on August 27), and **Glens Falls, NY** (38°F on August 28). From August 26-28, **Lexington, KY**, tallied a trio of daily-record lows (48, 46, and 48°F).



With the month ending on a cool, dry note from the **lower Midwest into the mid-Atlantic and Northeast**, records for record-low August precipitation were set in locations such as **Carbondale, IL** (0.02 inch); **Springfield, MO** (0.19 inch); and **Washington, DC** (0.20 inch). The previous August record in **Carbondale**, 0.35 inch, had been set in 1936. With 0.16 inch, **Springfield, IL**, experienced its second-driest August, ahead of only 0.10 inch in 1943. Just to the south, however, heavy rain soaked parts of the **mid-South** on August 28. In **Arkansas**,







record-setting rainfall totals for the 28th included 6.12 inches in **North Little Rock**, 4.56 inches in **Russellville**, and 4.26 inches at **Little Rock AFB**. For **North Little Rock**, it was the wettest August day on record, surpassing 4.43 inches on August 29, 1978. Heavy rain fell as far south as the **central Gulf Coast States**, where **Shreveport, LA**, netted a record-setting total (4.62 inches) for August 29. Earlier, heavy rain had fallen across multiple days across parts of **central and southern Plains**, with 3 to 6 inches broadly reported in **central and northwestern Oklahoma**. Meanwhile, scattered but locally heavy showers briefly dotted the **West**, where daily-record amounts surpassed an inch in locations such as **Montague, CA** (1.32 inches on August 24); **Yuma, AZ** (1.12 inches on August 25); **Denver, CO** (1.38 inches on August 26); and **Clayton, NM** (1.18 inches on August 29). Rain dampened some of the nation's driest places, including **Yuma**, as well as **Death Valley, CA**, where a daily-record sum of 0.36 inch occurred on August 25.

Warmth in **eastern and southeastern Alaska** contrasted with chilly weather in the northwest. Meanwhile, wet weather prevailed across much of **mainland Alaska**, while dry conditions covered the **southeastern part of the state**. Daily-record rainfall totals topped an inch in several locations, including **Fairbanks** (1.30 inches on August 24) and **Bethel** (1.86 inches on August 26). For **Bethel**, it was the wettest August day since August 12, 1951, when 2.30 inches fell, and the wettest day at any time of year since September 28, 1971, when rainfall totaled 1.97 inches. August rainfall topped the 5-inch mark in locations such as **Kotzebue** (5.35 inches, or 252 percent of normal) and **Nome** (5.18 inches, or 161 percent). Conversely, August rainfall totaled just 4.28 inches (31 percent of normal) in **Yakutat** and 4.29 inches (38 percent) in **Ketchikan**. Completely dry weather covered **Ketchikan** from August 20-31. Farther south, **Hawaii's** extended run of mostly dry weather continued. August rainfall at the state's major airport observation sites ranged from a trace in **Honolulu, Oahu**, to 1.52 inches (13 percent of normal) in **Hilo**, on the **Big Island**. For **Honolulu**, it marked the first time since 1974 that only a trace of rain fell during August. For **Hilo**, it was the driest August on record, previously set with a 2.66-inch total in 1971.









National Weather Data for Selected Cities

Weather Data for the Week Ending August 30, 2025

Accessible Data Available from the Climate Prediction Center

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL, IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL, IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
AK	ANCHORAGE	63	52	67	43	58	2	0.94	0.22	0.65	5.05	89	11.47	126	94	55	0	0	4	1
	BARROW	38	31	42	30	35	0	0.44	0.23	0.33	1.92	78	2.09	60	96	81	0	6	4	0
	FAIRBANKS	64	50	69	39	57	3	1.97	1.56	1.29	7.32	126	11.52	140	94	59	0	0	5	1
	JUNEAU	72	48	75	43	60	6	0.00	-1.70	0.00	18.33	121	46.96	130	94	54	0	0	0	0
	KODIAK	62	52	68	42	57	1	0.74	-0.53	0.47	17.26	120	58.17	126	95	65	0	0	3	0
AL	NOME	51	42	54	37	46	-3	2.67	2.02	1.51	10.11	156	16.16	150	94	70	0	0	5	2
	BIRMINGHAM	86	63	90	55	74	-6	0.00	-0.93	0.00	15.51	107	46.35	115	92	39	1	0	0	0
	HUNTSVILLE	87	60	92	54	73	-6	0.00	-0.72	0.00	10.40	86	41.91	113	89	22	2	0	0	0
	MOBILE	88	70	93	67	79	-2	0.93	-0.50	0.61	24.80	118	55.78	117	93	54	3	0	3	1
	MONTGOMERY	86	65	90	60	75	-6	0.71	-0.13	0.40	15.50	118	39.56	111	97	47	1	0	3	0
AR	FORT SMITH	82	66	98	63	74	-7	3.00	2.17	2.06	14.46	126	39.46	125	94	56	1	0	4	2
	LITTLE ROCK	82	64	94	61	73	-6	3.80	3.07	3.06	12.38	124	39.54	119	92	52	1	0	3	2
AZ	FLAGSTAFF	76	52	84	45	64	1	0.70	0.07	0.35	4.14	70	10.13	74	95	36	0	0	5	0
	PHOENIX	104	83	111	76	93	-1	0.30	0.09	0.29	1.05	57	2.37	50	59	21	7	0	2	0
CA	PRESCOTT	82	61	88	57	72	-2	1.10	0.58	0.79	7.75	168	12.38	137	82	35	0	0	3	1
	TUCSON	98	75	105	72	86	0	0.05	-0.36	0.05	2.63	60	3.22	45	67	25	7	0	1	0
	BAKERSFIELD	99	75	103	72	87	5	0.00	0.00	0.00	0.01	21	2.96	67	42	18	7	0	0	0
	EUREKA	63	53	65	49	58	0	0.00	-0.05	0.00	0.14	13	22.38	91	98	77	0	0	0	0
	FRESNO	99	71	104	66	85	4	0.50	0.50	0.50	0.50	185	6.79	87	59	19	7	0	1	1
CO	LOS ANGELES	79	68	83	67	74	3	0.00	0.00	0.00	0.01	9	5.31	61	90	52	0	0	0	0
	REDDING	100	69	106	61	84	5	0.00	-0.04	0.00	0.00	0	18.20	85	59	15	7	0	0	0
	SACRAMENTO	94	62	100	60	78	3	0.00	-0.01	0.00	0.00	0	7.05	58	55	38	7	0	0	0
	SAN DIEGO	80	69	88	67	74	2	0.14	0.14	0.14	0.15	111	4.88	72	88	57	0	0	1	0
	SAN FRANCISCO	74	59	83	58	67	1	0.00	-0.01	0.00	0.00	0	7.74	61	87	54	0	0	0	0
CT	STOCKTON	97	61	102	58	79	3	0.00	0.00	0.00	0.00	0	6.74	76	80	21	7	0	0	0
	ALAMOSA	76	46	79	41	61	-1	0.38	0.10	0.20	2.70	99	7.00	140	97	34	0	0	4	0
	CO SPRINGS	74	56	81	53	65	-4	2.79	2.27	0.82	13.95	168	21.72	165	97	52	0	0	6	3
	DENVER INTL	78	57	81	54	67	-4	2.94	2.69	1.44	8.19	145	15.47	139	96	45	0	0	6	3
	GRAND JUNCTION	80	61	90	51	70	-4	0.41	0.18	0.22	1.43	75	3.24	57	81	39	1	0	3	0
DC	PUEBLO	82	60	90	59	71	-2	1.89	1.54	0.86	6.25	120	10.44	106	93	43	1	0	4	2
	BRIDGEPORT	79	60	85	54	70	-3	0.00	-0.84	0.00	3.04	27	18.24	62	79	39	0	0	0	0
DE	HARTFORD	79	53	85	45	66	-5	0.02	-0.82	0.02	14.26	113	35.59	117	93	39	0	0	1	0
	WASHINGTON	83	63	88	59	73	-5	0.00	-0.76	0.00	11.26	96	31.85	114	75	31	0	0	0	0
FL	WILMINGTON	81	57	87	51	69	-5	0.18	-0.67	0.18	13.11	101	33.51	111	87	37	0	0	1	0
	DAYTONA BEACH	89	74	90	73	82	0	2.96	1.41	0.95	21.52	111	34.09	100	96	63	2	0	5	3
GA	JACKSONVILLE	90	73	94	69	81	0	0.55	-1.12	0.42	19.22	91	37.69	102	95	57	4	0	2	0
	KEY WEST	91	79	92	75	85	0	0.92	-0.53	0.51	13.45	103	24.47	106	94	67	6	0	3	1
	MIAMI	93	78	95	76	86	2	0.52	-1.79	0.26	25.85	95	37.97	87	89	56	7	0	4	0
	ORLANDO	90	74	94	74	82	0	1.49	-0.17	1.03	24.24	105	40.88	110	97	57	4	0	4	1
	PENSACOLA	87	72	93	67	79	-3	1.46	-0.08	0.89	22.02	97	48.37	103	84	51	4	0	3	1
HI	TALLAHASSEE	90	70	93	66	80	-2	1.11	-0.36	0.86	25.35	113	46.76	108	90	45	4	0	3	1
	TAMPA	89	77	93	75	83	-1	3.51	1.56	1.78	26.83	112	39.07	106	91	61	4	0	3	2
	WEST PALM BEACH	94	76	96	74	85	3	1.87	-0.22	1.56	18.70	83	30.41	75	89	52	7	0	3	1
	ATHENS	85	60	87	55	73	-6	0.00	-0.91	0.00	21.04	155	43.32	129	99	44	0	0	0	0
	ATLANTA	85	66	87	60	75	-4	0.00	-0.94	0.00	15.15	112	39.21	113	84	42	0	0	0	0
IA	AUGUSTA	86	64	91	60	75	-6	0.04	-0.89	0.02	8.04	58	27.83	88	99	44	1	0	2	0
	COLUMBUS	86	68	91	62	77	-5	0.25	-0.65	0.25	10.83	83	38.52	113	86	45	1	0	1	0
	MACON	84	64	91	58	74	-6	0.47	-0.49	0.24	21.11	156	41.86	128	100	56	1	0	3	0
	SAVANNAH	86	69	91	67	78	-3	1.42	0.18	1.41	23.20	131	41.21	120	91	52	1	0	2	1
	HILO	83	70	85	68	76	0	0.27	-2.20	0.19	11.80	42	36.83	49	85	55	0	0	3	0
ID	HONOLULU	89	76	90	74	83	1	0.00	-0.24	0.00	0.42	23	9.70	101	72	41	2	0	0	0
	KAHULUI	90	70	92	66	80	-1	0.00	-0.12	0.00	0.31	25	6.55	63	77	39	5	0	0	0
	LIHUE	86	77	87	74	82	1	0.02	-0.52	0.01	3.94	68	13.50	61	77	55	0	0	2	0
	BURLINGTON	78	55	83	47	66	-6	0.00	-0.91	0.00	14.22	113	23.93	92	95	48	0	0	0	0
	CEDAR RAPIDS	76	52	82	45	64	-5	0.03	-0.84	0.03	11.79	84	20.82	80	98	53	0	0	1	0
IL	DES MOINES	79	56	84	47	67	-5	0.00	-0.93	0.00	18.89	144	32.38	120	91	39	0	0	0	0
	DUBUQUE	74	53	81	46	63	-5	0.07	-0.80	0.07	16.86	122	26.69	97	97	56	0	0	1	0
	SIOUX CITY	77	53	82	44	65	-5	0.27	-0.65	0.27	15.88	138	23.04	105	99	50	0	0	1	0
	WATERLOO	75	53	82	48	64	-6	0.03	-0.89	0.03	21.22	150	32.50	120	98	52	0	0	1	0
	BOISE	87	65	94	61	76	3	0.60	0.56	0.59	1.30	115	7.67	101	70	28	2	0	2	1
IN	LEWISTON	93	68	98	63	80	8	0.11	-0.02	0.10	0.78	35	6.59	74	62	19	5	0	2	0
	POCATELLO	80	55	88	44	68	1	0.48	0.35	0.34	1.06	54	7.77	99	85	35	0	0	4	0
	CHICAGO/O_HARE	73	57	77	54	65	-7	0.35	-0.57	0.35	14.75	123	25.31	95	82	45	0	0	1	0
	MOLINE	77	55	84	48	66	-6	0.22	-0.68	0.16	14.52	111	27.69	100	94	50	0	0	3	0
	PEORIA	78	55	84	50	67	-6	0.00	-0.85	0.00	9.60	92	22.14	85	89	42	0	0	0	0
KS	ROCKFORD	74	52	79	46	63	-8	0.31	-0.65	0.31	13.89	106	22.81	85	96	48	0	0	1	0
	SPRINGFIELD	79	52	84	44	65	-8	0.00	-0.80	0.00	12.06	102	23.22	86	96	42	0	0	0	0
	EVANSVILLE	82	55	86	50	68	-8	0.13	-0.51	0.13	15.06	127	41.25	124	92	34	0	0	1	0
	FORT WAYNE	74	49																	

Weather Data for the Week Ending August 30, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION							RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.	
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE
KY	WICHITA	75	61	80	55	68	-10	1.86	0.96	1.15	20.36	155	34.28	133	95	62	0	0	4	1
	LEXINGTON	81	51	85	46	66	-8	0.00	-0.72	0.00	11.22	82	44.00	125	89	30	0	0	0	0
	LOUISVILLE	80	58	85	56	69	-9	0.00	-0.74	0.00	13.04	109	43.08	129	84	34	0	0	0	0
LA	PADUCAH	82	53	87	48	67	-9	0.00	-0.64	0.00	14.06	118	42.22	123	100	37	0	0	0	0
	BATON ROUGE	90	72	95	71	81	-1	1.91	0.44	1.91	20.93	118	49.92	115	94	53	5	0	1	1
	LAKE CHARLES	91	74	94	72	82	-1	0.75	-0.71	0.72	16.63	91	40.51	99	94	57	4	0	2	1
MA	NEW ORLEANS	91	77	95	75	84	0	0.98	-0.64	0.69	23.38	110	52.04	114	94	55	5	0	2	1
	SHREVEPORT	92	73	97	72	82	-1	***	***	***	***	***	***	***	85	46	5	0	***	***
	BOSTON	78	61	82	58	69	-2	0.22	-0.46	0.22	6.42	62	27.82	99	83	42	0	0	1	0
MD	WORCESTER	73	55	77	49	64	-4	0.51	-0.40	0.47	8.23	67	32.83	106	91	49	0	0	2	0
	BALTIMORE	80	57	84	50	69	-6	0.00	-0.90	0.00	13.17	105	30.66	103	90	36	0	0	0	0
	CARIBOU	69	53	74	48	61	-2	2.43	1.62	1.31	10.74	92	29.66	113	98	63	0	0	3	2
MI	PORTLAND	75	54	80	47	65	-3	0.45	-0.35	0.24	5.69	51	27.14	89	100	52	0	0	2	0
	ALPENA	69	45	73	40	57	-8	0.57	-0.15	0.28	9.86	110	22.31	114	96	45	0	0	3	0
	GRAND RAPIDS	73	48	77	44	60	-9	0.07	-0.70	0.07	7.69	68	21.60	82	93	40	0	0	1	0
MN	HOUGHTON LAKE	70	41	74	35	55	-9	0.33	-0.32	0.33	6.76	77	26.88	135	98	40	0	0	1	0
	LANSING	72	48	75	44	60	-9	0.37	-0.34	0.33	7.65	76	19.47	85	93	41	0	0	3	0
	MUSKEGON	71	48	76	43	59	-10	0.17	-0.55	0.13	8.43	95	21.30	94	95	44	0	0	3	0
MO	TRAVERSE CITY	69	47	76	42	58	-10	0.88	0.12	0.40	9.74	119	22.33	123	96	47	0	0	4	0
	DULUTH	69	47	78	40	58	-6	0.02	-0.84	0.02	8.39	70	16.31	76	98	53	0	0	1	0
	INT_L FALLS	73	45	82	36	59	-2	0.02	-0.65	0.02	11.91	113	25.88	146	100	51	0	0	1	0
MS	MINNEAPOLIS	76	58	80	51	67	-3	0.00	-0.88	0.00	15.04	117	24.22	104	87	47	0	0	0	0
	ROCHESTER	73	53	78	48	63	-4	0.74	-0.17	0.64	17.00	125	27.21	107	98	56	0	0	2	1
	ST. CLOUD	76	51	79	44	63	-3	0.00	-0.94	0.00	15.56	138	24.23	118	97	47	0	0	0	0
MT	COLUMBIA	82	55	88	50	68	-7	0.00	-0.96	0.00	13.91	112	25.97	88	89	31	0	0	0	0
	KANSAS CITY	80	56	84	50	68	-7	0.00	-1.06	0.00	19.59	140	31.67	112	93	38	0	0	0	0
	SAINT LOUIS	81	59	86	55	70	-7	0.00	-0.70	0.00	11.36	97	33.92	114	84	35	0	0	0	0
NC	SPRINGFIELD	80	56	87	52	68	-8	0.09	-0.74	0.09	9.86	83	33.98	111	89	39	0	0	1	0
	JACKSON	87	69	95	66	78	-3	2.38	1.44	2.07	16.17	115	50.34	124	89	50	3	0	2	1
	MERIDIAN	86	66	96	64	76	-5	2.23	1.41	2.04	16.74	119	42.55	105	94	50	2	0	2	1
ND	TUPELO	85	60	91	54	73	-8	0.02	-0.78	0.02	13.39	99	45.93	115	96	38	2	0	1	0
	BILLINGS	82	58	88	54	70	1	0.22	0.02	0.22	4.18	98	15.15	146	74	29	0	0	1	0
	BUTTE	76	48	86	42	62	3	0.50	0.22	0.50	4.83	98	11.61	119	83	32	0	0	1	1
NE	CUT BANK	80	47	88	42	64	3	0.09	-0.13	0.06	5.44	118	7.99	99	84	29	0	0	3	0
	GLASGOW	85	55	90	47	70	2	0.00	-0.30	0.00	3.16	91	6.08	76	66	25	1	0	0	0
	GREAT FALLS	82	52	90	46	67	3	0.19	-0.12	0.19	5.01	97	12.77	115	87	29	1	0	1	0
OH	HAVRE	79	53	87	46	66	1	0.34	0.13	0.30	7.61	154	12.32	135	88	39	0	0	2	0
	MISSOULA	84	56	94	50	70	6	0.25	0.04	0.13	3.64	96	9.86	101	78	30	2	0	2	0
	ASHEVILLE	78	57	81	52	67	-5	0.29	-0.73	0.29	18.31	127	37.57	110	90	46	0	0	1	0
OR	CHARLOTTE	85	63	88	59	74	-3	0.01	-0.91	0.01	15.13	126	32.72	110	87	38	0	0	1	0
	GREENSBORO	81	60	84	57	71	-5	0.00	-0.94	0.00	17.19	137	36.84	124	87	41	0	0	0	0
	HATTERAS	81	68	86	64	74	-6	0.42	-1.30	0.42	17.07	104	39.66	103	87	58	0	0	1	0
PA	RALEIGH	83	61	89	57	72	-5	0.00	-1.07	0.00	19.48	144	36.71	119	94	40	0	0	0	0
	WILMINGTON	86	66	90	61	76	-3	0.14	-1.84	0.13	20.92	102	35.88	91	94	47	1	0	2	0
	BISMARCK	80	49	86	38	64	-3	0.00	-0.51	0.00	8.69	97	17.37	119	97	41	0	0	0	0
RI	DICKINSON	79	47	85	40	63	-3	0.00	-0.33	0.00	11.11	157	19.41	160	93	35	0	0	0	0
	FARGO	78	52	83	40	65	-2	0.00	-0.64	0.00	10.54	106	17.19	100	95	46	0	0	0	0
	GRAND FORKS	82	50	87	42	66	1	0.00	-0.66	0.00	9.41	94	14.84	93	91	37	0	0	0	0
SD	JAMESTOWN	76	49	83	41	62	-3	0.00	-0.58	0.00	8.80	94	11.32	74	99	47	0	0	0	0
	GRAND ISLAND	75	58	80	49	67	-6	0.29	-0.31	0.20	15.66	147	21.80	105	95	57	0	0	2	0
	LINCOLN	78	56	82	52	67	-6	0.74	-0.10	0.65	16.17	147	23.00	106	93	50	0	0	2	1
TN	NORFOLK	76	55	79	46	66	-5	0.15	-0.58	0.15	16.14	150	23.47	115	97	52	0	0	1	0
	NORTH PLATTE	74	59	81	56	66	-5	1.34	0.94	0.58	11.27	122	18.59	112	97	67	0	0	3	1
	OMAHA	79	56	84	50	67	-6	0.00	-1.02	0.00	12.17	97	20.92	88	96	42	0	0	0	0
TX	SCOTTSBLUFF	80	59	85	57	69	-1	1.77	1.51	0.99	7.44	137	15.48	128	97	40	0	0	4	1
	VALENTINE	80	57	86	54	69	-3	1.23	0.86	0.50	11.43	130	20.10	124	94	45	0	0	3	1
	CONCORD	78	49	82	41	64	-4	0.91	0.15	0.83	7.50	68	28.25	106	95	43	0	0	2	1
UT	ATLANTIC_CITY	80	55	87	51	68	-6	0.00	-0.93	0.00	13.69	109	34.46	113	87	38	0	0	0	0
	NEWARK	82	62	88	57	72	-3	0.00	-0.84	0.00	10.91	83	27.57	87	73	32	0	0	0	0
	ALBUQUERQUE	88	65	92	60	76	1	0.19	-0.06	0.09	3.00	85	4.77	83	79	24	1	0	3	0
VZ	ELY	76	48	82	39	62	-3	0.92	0.73	0.38	0.96	49	4.72	71	94	31	0	0	4	0
	LAS VEGAS	95	79	101	74	87	-3	0.00	-0.07	0.00	0.03	3	2.09	75	46	19	7	0	0	0
	RENO	86	59	91	54	73	0	0.65	0.61	0.33	2.66	314	6.82	138	72	19	1	0	3	0
WY	WINNEMUCCA	84	57	89	48	70	2	0.57	0.54	0.36	0.65	84	3.37	62	85	28	0	0	4	0
	ALBANY	75	52	81	45	64	-6	0.22	-0.56	0.20	9.63	78	28.70	107	88	42	0	0	2	0
	BINGHAMTON	68	50	73	44	59	-6	0.78	-0.10	0.28	12.86	103	32.31	115	97	50	0	0	6	0
AZ	BUFFALO	70	53	75	43	62	-7	0.81	0.09	0.57	7.01	72	22.43	89	91	45	0	0	2	1
	ROCHESTER	7																		

Weather Data for the Week Ending August 30, 2025

STATES AND STATIONS		TEMPERATURE °F						PRECIPITATION								RELATIVE HUMIDITY PERCENT		NUMBER OF DAYS			
		AVERAGE MAXIMUM	AVERAGE MINIMUM	EXTREME HIGH	EXTREME LOW	AVERAGE	DEPARTURE FROM NORMAL	WEEKLY TOTAL, IN.	DEPARTURE FROM NORMAL	GREATEST IN 24-HOUR, IN.	TOTAL IN., SINCE JUN 1	PCT. NORMAL SINCE JUN 1	TOTAL IN., SINCE JAN 1	PCT. NORMAL SINCE JAN 1	AVERAGE MAXIMUM	AVERAGE MINIMUM	TEMP. °F		PRECIP.		
																	90 AND ABOVE	32 AND BELOW	.01 INCH OR MORE	.50 INCH OR MORE	
OK	TOLEDO	73	52	77	47	62	-10	0.01	-0.69	0.01	9.06	92	24.39	100	89	43	0	0	1	0	
	YOUNGSTOWN	71	48	79	41	60	-9	0.37	-0.44	0.30	14.09	122	33.81	121	99	43	0	0	3	0	
	OKLAHOMA CITY	78	67	91	64	72	-6	2.44	1.61	0.96	16.19	140	39.43	153	95	69	1	0	4	3	
OR	TULSA	78	66	89	64	72	-8	2.00	1.22	1.54	21.06	180	47.02	167	93	60	0	0	3	1	
	ASTORIA	66	56	69	51	61	0	0.01	-0.32	0.01	3.34	79	29.12	74	98	78	0	0	1	0	
	BURNS	83	50	89	41	67	3	0.00	-0.06	0.00	1.37	109	7.90	120	82	26	0	0	0	0	
PA	EUGENE	91	58	96	50	74	8	0.00	-0.14	0.00	0.74	38	20.54	89	86	29	5	0	0	0	
	MEDFORD	98	65	105	59	81	9	0.00	-0.07	0.00	0.51	40	11.54	109	62	15	7	0	0	0	
	PENDLETON	92	64	95	58	78	9	0.13	0.05	0.13	0.50	30	6.31	75	57	21	6	0	1	0	
RI	PORTLAND	87	65	95	60	76	7	0.01	-0.15	0.01	2.94	111	20.28	97	83	36	2	0	1	0	
	SALEM	88	61	96	54	75	7	0.00	-0.14	0.00	0.99	52	19.75	89	82	34	4	0	0	0	
	ALLENTOWN	78	53	82	46	65	-7	0.01	-0.92	0.01	10.93	77	32.13	103	92	37	0	0	1	0	
SC	ERIE	69	55	74	50	62	-8	1.07	0.33	0.67	11.08	107	28.34	108	88	46	0	0	3	1	
	MIDDLETOWN	78	58	82	51	68	-6	0.08	-0.80	0.08	14.89	120	35.63	122	86	38	0	0	1	0	
	PHILADELPHIA	81	62	86	57	71	-4	0.00	-0.94	0.00	10.66	84	27.88	95	79	35	0	0	0	0	
SD	PITTSBURGH	74	51	83	45	63	-8	0.17	-0.60	0.17	11.52	97	30.31	109	89	37	0	0	1	0	
	WILKES-BARRE	74	51	79	44	62	-8	0.76	-0.03	0.36	13.31	119	30.06	119	95	44	0	0	3	0	
	WILLIAMSPORT	77	51	80	45	64	-7	0.93	0.03	0.87	10.20	81	26.75	94	97	37	0	0	2	1	
TN	PROVIDENCE	77	57	83	52	67	-4	0.93	0.13	0.91	10.30	100	32.08	106	94	47	0	0	2	1	
	CHARLESTON	85	69	91	65	77	-3	0.65	-0.94	0.53	23.56	120	36.86	102	93	51	1	0	3	1	
	COLUMBIA	86	65	91	60	76	-4	0.00	-0.90	0.00	18.12	122	38.59	122	90	39	1	0	0	0	
TX	FLORENCE	87	63	91	58	75	-5	0.00	-1.06	0.00	15.23	100	31.05	100	92	41	1	0	0	0	
	GREENVILLE	83	60	87	56	71	-6	0.01	-0.90	0.01	17.26	130	39.45	116	89	41	0	0	1	0	
	ABERDEEN	77	51	82	42	64	-3	0.00	-0.50	0.00	14.53	161	23.31	143	98	46	0	0	0	0	
UT	HURON	77	55	83	44	66	-3	0.01	-0.50	0.01	10.02	111	17.17	100	97	54	0	0	1	0	
	RAPID CITY	81	54	86	47	67	-1	0.55	0.26	0.55	10.04	150	20.99	150	86	38	0	0	1	1	
	SIOUX FALLS	77	53	82	44	65	-5	0.09	-0.61	0.08	13.36	124	20.66	100	98	50	0	0	2	0	
VA	BRISTOL	78	53	83	47	65	-8	0.86	0.15	0.86	21.40	169	40.44	127	100	39	0	0	1	1	
	CHATTANOOGA	83	60	88	55	72	-7	0.00	-0.77	0.00	18.79	146	50.60	136	91	36	0	0	0	0	
	KNOXVILLE	80	59	85	53	69	-7	0.01	-0.69	0.01	13.11	100	40.83	112	89	38	0	0	1	0	
WV	MEMPHIS	85	65	92	61	75	-6	0.01	-0.65	0.01	4.77	39	27.84	73	77	34	2	0	1	0	
	NASHVILLE	86	60	90	55	73	-6	0.00	-0.83	0.00	13.06	107	42.10	120	79	24	3	0	0	0	
	ABILENE	95	72	102	70	83	1	0.39	-0.26	0.39	6.67	85	16.96	99	82	41	6	0	1	0	
WY	AMARILLO	83	64	91	61	73	-3	1.40	0.87	1.08	10.33	121	20.53	139	94	51	2	0	4	1	
	AUSTIN	100	75	103	73	88	2	0.08	-0.72	0.08	8.85	107	24.20	104	87	33	7	0	1	0	
	BEAUMONT	91	74	95	72	82	-1	1.12	-0.78	0.52	17.03	84	39.66	97	94	56	5	0	4	1	
WY	BROWNSVILLE	94	79	96	77	86	0	1.54	0.84	0.91	12.25	178	26.72	189	89	56	7	0	3	1	
	CORPUS CHRISTI	97	77	100	75	87	2	0.02	-0.88	0.02	7.82	89	16.20	84	91	46	7	0	1	0	
	DEL RIO	100	77	103	72	89	3	0.00	-0.73	0.00	4.67	73	6.79	50	75	27	7	0	0	0	
WY	EL PASO	96	73	100	71	85	3	0.05	-0.31	0.04	3.61	91	4.36	78	61	22	7	0	2	0	
	FORT WORTH	91	73	100	70	82	-2	1.60	0.99	1.49	7.65	97	27.50	112	82	47	4	0	2	1	
	GALVESTON	90	84	91	82	87	2	0.00	-0.88	0.00	6.11	54	17.70	68	77	64	2	0	0	0	
WY	HOUSTON	96	76	99	75	86	2	0.00	-1.31	0.00	14.46	100	33.91	101	94	42	7	0	0	0	
	LUBBOCK	93	68	104	65	81	3	0.63	0.19	0.47	13.51	217	18.31	145	86	35	5	0	2	0	
	MIDLAND	97	73	101	69	85	3	0.00	-0.39	0.00	5.08	99	6.39	68	65	29	7	0	0	0	
WY	SAN ANGELO	96	70	101	64	83	1	1.54	0.88	0.79	11.76	205	21.29	153	81	32	7	0	2	2	
	SAN ANTONIO	99	77	102	74	88	4	0.60	-0.11	0.60	11.03	142	24.04	116	83	30	7	0	1	1	
	VICTORIA	97	74	100	71	85	1	0.38	-0.54	0.38	17.19	161	31.57	119	99	44	7	0	1	0	
WY	WACO	96	73	99	70	84	1	0.85	0.27	0.55	14.97	210	31.24	133	87	43	7	0	2	1	
	WICHITA FALLS	87	69	99	68	78	-4	0.28	-0.35	0.20	14.54	186	34.02	181	94	56	4	0	3	0	
	SALT LAKE CITY	83	64	88	61	74	-2	0.76	0.60	0.68	1.23	61	6.53	62	78	33	0	0	3	1	
WY	LYNCHBURG	81	53	86	48	67	-6	0.04	-0.64	0.04	12.49	112	33.13	115	97	36	0	0	1	0	
	NORFOLK	81	64	85	59	73	-6	0.00	-1.22	0.00	10.35	63	28.30	84	89	43	0	0	0	0	
	RICHMOND	82	61	87	57	72	-5	0.03	-1.10	0.03	16.26	118	40.04	130	91	38	0	0	1	0	
WY	ROANOKE	78	56	82	51	67	-8	0.05	-0.72	0.05	13.66	111	33.41	112	88	40	0	0	1	0	
	WASH/DULLES	81	55	84	50	68	-6	0.00	-0.82	0.00	12.47	105	27.26	93	91	33	0	0	0	0	
	BURLINGTON	74	57	81	51	65	-4	1.48	0.72	0.49	8.56	72	26.26	106	90	47	0	0	5	0	
WY	OLYMPIA	82	55	95	48	69	6	0.06	-0.24	0.06	1.45	50	18.94	69	95	47	3	0	1	0	
	QUILLAYUTE	68	54	79	51	61	2	0.02	-0.71	0.02	4.93	66	38.57	67	100	72	0	0	1	0	
	SEATTLE-TACOMA	81	61	90	57	71	5	0.00	-0.28	0.00	1.74	58	16.36	75	84	46	2	0	0	0	
WY	SPOKANE	89	64	95	61	77	10	0.00	-0.12	0.00	0.78	38	8.91	88	61	20	4	0	0	0	
	YAKIMA	93	60	99	52	77	8	0.00	-0.05	0.00	0.26	29	5.14	106	72	22	6	0	0	0	
	EAU CLAIRE	71	51	77	46	61	-6	0.95	0.06	0.95	14.09	112	25.20	106	96	52	0	0	1	1	
WY	GREEN BAY	71	45	77	42	58	-9	0.03	-0.74	0.03	9.57	87	19.54	89	99	47	0	0	1	0	
	LA CROSSE	74	55	81	50	64	-7	0.16	-0.71	0.16	14.54	111	26.81	104	94	48	0	0	1	0	
	MADISON	71	51	74	47	61	-7	0.17	-0.72	0.17	17.59	127	29.54	109	96	51	0	0	1	0	
WY	MILWAUKEE	71	55	76	53	63	-8	0.00	-0.80	0.00	16.87	149									

National Agricultural Summary

August 25 – 31, 2025

Weekly National Agricultural Summary provided by USDA/NASS

HIGHLIGHTS

The week brought mixed conditions across key U.S. agricultural regions. Temperatures were below normal across much of the eastern and central U.S., with some areas in the Great Lakes and Ohio Valley recording anomalies up to 10°F below normal. Other regions experienced near-normal temperatures, except for parts of the Pacific Northwest, where readings averaged 4 to 6°F above normal. Meanwhile, rainfall varied

widely. Portions of the Rocky Mountains, the central and southern Great Plains, and the lower Mississippi Valley recorded more than twice the normal weekly rainfall. In contrast, dry conditions contributed to reductions in topsoil moisture in the upper and middle Mississippi Valley, Ohio Valley, Atlantic Coast States, and portions of the northern and eastern Great Plains.

Corn: Ninety percent of the nation's corn crop was at the dough stage by August 31, one percentage point ahead of last year but 1 point behind the 5-year average. By August 31, fifty-eight percent of the corn had reached the dented stage, equal to last year but 2 percentage points behind average. Fifteen percent of the corn was mature by week's end, 3 percentage points behind last year but 1 point ahead of average. On August 31, sixty-nine percent of the nation's corn was rated in good to excellent condition, 2 percentage points below the previous week. In Iowa, the largest corn-producing state, 84 percent of the corn was rated in good to excellent condition.

Soybeans: Ninety-four percent of the soybean crop had begun setting pods by August 31, one percentage point ahead of last year but equal to the 5-year average. By August 31, eleven percent of the soybeans had dropped leaves, 1 percentage point behind last year but 1 point ahead of average. On August 31, sixty-five percent of the soybeans were rated in good to excellent condition, 4 percentage points below the previous week.

Cotton: Ninety percent of the nation's cotton was setting bolls by August 31, four percentage points behind last year and 3 points behind the 5-year average. By August 31, twenty-eight percent of the cotton had bolls opening, 7 percentage points behind last year and 2 points behind average. Fifty-one percent of the cotton was rated in good to excellent condition by August 31, three percentage point below the previous week.

Sorghum: Ninety-four percent of the nation's sorghum had reached the headed stage by August 31, equal to both last year and the 5-year average. Fifty-eight percent of the sorghum had reached the coloring stage by week's end, 2 percentage points behind last year and 1 point behind average. By August 31, twenty-eight percent of the sorghum was mature, 1 percentage point behind last year but 2 points ahead of average. Seventeen percent of the sorghum acreage

had been harvested by August 31, two percentage points behind both last year and the average. On August 31, sixty-four percent of the sorghum was rated in good to excellent condition, one percentage point above the previous week.

Rice: Thirty-three percent of the nation's rice acreage had been harvested by August 31, nine percentage points behind last year but 6 points ahead of the 5-year average. Seventy-six percent of the rice was rated in good to excellent condition by August 31, two percentage points above the previous week.

Other Small Grains: Eighty-eight percent of the nation's oat crop had been harvested by August 31, one percentage point ahead of last year but 1 point behind the 5-year average. By August 31, at least 95 percent of the oats had been harvested in seven of the nine estimating states. Oat harvest progress advanced by 16 percentage points from the previous week in both Wisconsin and North Dakota.

Seventy-two percent of the barley acreage had been harvested by August 31, one percentage point ahead of last year but 3 points behind the 5-year average. Producers in both Minnesota and Washington had harvested 92 percent of their barley acreage by August 31.

Seventy-two percent of the nation's spring wheat had been harvested by August 31, five percentage points ahead of last year and 1 point behind the 5-year average. By week's end, producers in South Dakota and Washington had harvested 91 and 90 percent, respectively, of their spring wheat acreage.

Other Crops: On August 31, seventy-one percent of the nation's peanut crop was rated in good to excellent condition, 3 percentage points below the previous week. By week's end, South Carolina led the nation with 91 percent of its peanut crop rated in good to excellent condition.

Crop Progress and Condition

Week Ending August 31, 2025

Accessible Data Available from USDA/NASS

Corn Percent Dough				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
CO	64	61	72	78
IL	95	92	96	91
IN	88	82	90	91
IA	93	88	92	95
KS	95	89	96	93
KY	89	78	86	86
MI	86	75	86	84
MN	85	80	90	92
MO	97	94	97	96
NE	92	81	88	94
NC	98	93	96	98
ND	58	62	77	80
OH	93	87	92	89
PA	69	56	63	67
SD	91	86	93	91
TN	95	95	98	97
TX	98	93	98	96
WI	81	67	80	83
18 Sts	89	83	90	91
These 18 States planted 92% of last year's corn acreage.				

Corn Percent Dented				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
CO	36	7	30	36
IL	69	59	72	65
IN	58	34	47	52
IA	59	45	63	66
KS	74	56	72	71
KY	78	58	73	72
MI	46	26	42	42
MN	33	28	43	50
MO	84	66	78	81
NE	72	49	59	70
NC	92	89	93	92
ND	16	16	31	34
OH	62	35	51	48
PA	38	11	36	30
SD	38	38	56	47
TN	87	81	91	84
TX	94	86	90	87
WI	40	22	38	41
18 Sts	58	44	58	60
These 18 States planted 92% of last year's corn acreage.				

Corn Percent Mature				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
CO	0	0	0	3
IL	22	3	15	13
IN	11	1	5	8
IA	9	3	9	10
KS	34	12	29	26
KY	46	25	46	37
MI	2	0	2	3
MN	7	2	8	6
MO	36	15	34	22
NE	22	6	13	15
NC	73	62	78	74
ND	0	0	2	2
OH	13	2	7	5
PA	3	3	4	1
SD	3	0	3	7
TN	56	36	60	37
TX	85	71	75	71
WI	3	1	4	3
18 Sts	18	7	15	14
These 18 States planted 92% of last year's corn acreage.				

Corn Condition by Percent					
	VP	P	F	G	EX
CO	6	7	15	61	11
IL	8	9	28	43	12
IN	3	8	28	50	11
IA	1	2	13	58	26
KS	3	10	28	44	15
KY	4	10	36	44	6
MI	2	10	32	46	10
MN	2	6	19	49	24
MO	1	4	16	62	17
NE	1	4	19	49	27
NC	1	2	19	56	22
ND	1	5	29	59	6
OH	3	7	34	46	10
PA	1	2	15	43	39
SD	3	5	17	49	26
TN	7	9	30	38	16
TX	2	6	30	40	22
WI	1	4	12	57	26
18 Sts	3	6	22	50	19
Prev Wk	2	6	21	51	20
Prev Yr	4	8	23	50	15

Rice Percent Harvested				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
AR	37	15	26	15
CA	0	0	0	0
LA	87	69	79	79
MS	45	20	29	19
MO	14	2	8	4
TX	84	68	74	78
6 Sts	42	25	33	27
These 6 States harvested 100% of last year's rice acreage.				

Rice Condition by Percent					
	VP	P	F	G	EX
AR	1	4	24	53	18
CA	0	0	15	50	35
LA	2	3	13	77	5
MS	0	0	30	50	20
MO	0	3	18	67	12
TX	0	0	23	70	7
6 Sts	1	3	20	59	17
Prev Wk	1	3	22	55	19
Prev Yr	1	3	19	62	15

Spring Wheat Percent Harvested				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
ID	72	65	86	70
MN	72	73	89	76
MT	74	58	73	79
ND	58	40	62	61
SD	92	84	91	95
WA	84	74	90	79
6 Sts	67	53	72	71
These 6 States harvested 100% of last year's spring wheat acreage.				

Barley Percent Harvested				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
ID	77	70	87	75
MN	76	73	92	81
MT	64	46	63	75
ND	73	52	67	73
WA	85	76	92	80
5 Sts	71	56	72	75
These 5 States harvested 85% of last year's barley acreage.				

Crop Progress and Condition

Week Ending August 31, 2025

Soybeans Percent Setting Pods				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
AR	99	98	99	97
IL	96	91	95	93
IN	93	89	94	93
IA	94	90	95	96
KS	85	78	85	85
KY	90	79	87	86
LA	97	99	100	99
MI	99	95	97	98
MN	92	93	96	97
MS	100	96	98	98
MO	83	82	89	86
NE	98	89	92	98
NC	92	87	92	91
ND	86	94	96	94
OH	99	92	96	94
SD	93	85	91	95
TN	95	86	93	92
WI	94	86	92	94
18 Sts	93	89	94	94
These 18 States planted 96% of last year's soybean acreage.				

Soybeans Percent Dropping Leaves				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
AR	47	23	28	26
IL	13	2	16	5
IN	14	2	12	9
IA	2	0	3	4
KS	10	1	7	10
KY	13	2	15	8
LA	57	58	71	55
MI	9	0	8	9
MN	1	0	1	5
MS	53	39	48	37
MO	12	1	11	4
NE	12	0	5	17
NC	10	10	13	9
ND	6	1	7	16
OH	17	0	11	7
SD	4	2	8	15
TN	27	10	26	15
WI	3	0	1	2
18 Sts	12	4	11	10
These 18 States planted 96% of last year's soybean acreage.				

Soybean Condition by Percent					
	VP	P	F	G	EX
AR	2	5	28	49	16
IL	9	13	25	41	12
IN	3	8	28	51	10
IA	1	3	19	58	19
KS	1	6	27	55	11
KY	4	19	35	38	4
LA	0	0	8	89	3
MI	1	11	36	40	12
MN	1	5	19	54	21
MS	1	6	32	43	18
MO	1	6	23	62	8
NE	1	3	22	53	21
NC	3	3	32	49	13
ND	1	6	32	57	4
OH	3	7	36	45	9
SD	2	5	16	51	26
TN	12	13	33	34	8
WI	1	3	12	58	26
18 Sts	3	7	25	51	14
Prev Wk	2	6	23	54	15
Prev Yr	3	7	25	52	13

Cotton Percent Setting Bolls				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
AL	93	90	93	96
AZ	100	99	100	100
AR	100	97	99	100
CA	94	90	95	96
GA	95	95	97	96
KS	96	96	98	93
LA	92	87	90	98
MS	96	82	91	94
MO	94	82	94	93
NC	98	89	93	95
OK	92	82	93	88
SC	100	90	95	95
TN	99	91	95	98
TX	93	74	86	91
VA	100	96	100	96
15 Sts	94	81	90	93
These 15 States planted 99% of last year's cotton acreage.				

Cotton Percent Bolls Opening				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
AL	32	15	24	22
AZ	79	59	67	73
AR	65	31	40	43
CA	9	5	10	9
GA	26	21	31	25
KS	35	13	16	26
LA	61	34	48	61
MS	56	28	38	41
MO	13	3	8	9
NC	17	7	21	16
OK	19	8	21	14
SC	33	12	23	18
TN	35	20	32	17
TX	36	21	28	32
VA	36	14	28	27
15 Sts	35	20	28	30
These 15 States planted 99% of last year's cotton acreage.				

Cotton Condition by Percent					
	VP	P	F	G	EX
AL	1	9	16	62	12
AZ	8	4	14	48	26
AR	0	2	21	44	33
CA	0	0	0	5	95
GA	1	7	42	43	7
KS	1	7	29	42	21
LA	0	0	39	60	1
MS	2	8	40	44	6
MO	0	13	29	58	0
NC	0	1	27	53	19
OK	0	3	20	69	8
SC	3	8	22	56	11
TN	16	13	33	34	4
TX	2	14	40	38	6
VA	0	1	13	86	0
15 Sts	2	11	36	43	8
Prev Wk	3	10	33	43	11
Prev Yr	11	13	32	38	6

Crop Progress and Condition

Week Ending August 31, 2025

Sorghum Percent Headed				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
CO	93	85	97	95
KS	92	85	93	91
NE	99	85	89	97
OK	83	75	83	84
SD	99	95	100	98
TX	100	95	98	99
6 Sts	94	88	94	94
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Percent Coloring				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
CO	33	22	37	41
KS	51	30	49	46
NE	60	33	42	58
OK	46	35	45	46
SD	53	34	58	58
TX	90	83	88	88
6 Sts	60	44	58	59
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Percent Mature				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
CO	0	0	1	3
KS	13	6	12	6
NE	3	1	2	3
OK	11	8	12	9
SD	3	1	10	8
TX	79	71	76	76
6 Sts	29	23	28	26
These 6 States planted 100% of last year's sorghum acreage.				

Sorghum Percent Harvested				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
CO	0	0	0	0
KS	0	0	0	0
NE	0	0	0	0
OK	4	0	2	1
SD	0	0	0	0
TX	72	61	67	67
6 Sts	19	16	17	19
These 6 States harvested 100% of last year's sorghum acreage.				

Sorghum Condition by Percent					
	VP	P	F	G	EX
CO	1	1	16	79	3
KS	4	8	28	45	15
NE	1	2	17	42	38
OK	1	3	19	63	14
SD	3	16	33	41	7
TX	3	9	25	43	20
6 Sts	3	8	25	48	16
Prev Wk	3	8	26	47	16
Prev Yr	6	13	31	42	8

Peanut Condition by Percent					
	VP	P	F	G	EX
AL	0	0	14	80	6
FL	0	5	34	61	0
GA	0	5	27	55	13
NC	0	3	28	54	15
OK	1	5	10	82	2
SC	0	6	3	75	16
TX	0	6	32	49	13
VA	0	0	13	74	13
8 Sts	0	4	25	60	11
Prev Wk	0	3	23	62	12
Prev Yr	1	6	32	54	7

Oats Percent Harvested				
	Prev Year	Prev Week	Aug 31 2025	5-Yr Avg
IA	99	97	99	98
MN	87	81	93	90
NE	99	95	97	99
ND	66	43	59	68
OH	100	99	100	100
PA	84	100	100	87
SD	98	92	96	97
TX	100	100	100	100
WI	91	80	96	89
9 Sts	87	80	88	89
These 9 States harvested 76% of last year's oat acreage.				

Crop Progress and Condition

Week Ending August 31, 2025

Pasture and Range Condition by Percent Week Ending Aug 31, 2025												
	VP	P	F	G	EX		VP	P	F	G	EX	
AL	1	6	24	62	7		NH	0	34	46	20	0
AZ	58	16	11	14	1		NJ	1	13	44	32	10
AR	14	22	37	24	3		NM	7	36	24	11	22
CA	5	25	35	25	10		NY	8	31	35	24	2
CO	2	23	25	35	15		NC	0	1	14	80	5
CT	0	0	90	10	0		ND	4	6	31	54	5
DE	3	14	40	40	3		OH	3	24	37	34	2
FL	0	1	11	51	37		OK	3	8	26	53	10
GA	1	9	31	49	10		OR	22	27	32	17	2
ID	9	29	33	26	3		PA	1	3	20	68	8
IL	12	12	36	35	5		RI	0	1	84	13	2
IN	6	13	35	40	6		SC	0	13	34	43	10
IA	1	3	24	55	17		SD	7	19	30	37	7
KS	4	9	25	50	12		TN	10	21	31	35	3
KY	11	24	34	30	1		TX	8	16	37	30	9
LA	1	4	31	57	7		UT	22	25	40	13	0
ME	19	30	32	16	3		VT	30	45	25	0	0
MD	2	6	28	58	6		VA	2	4	27	55	12
MA	0	5	85	10	0		WA	24	25	36	15	0
MI	2	20	45	29	4		WV	4	14	40	42	0
MN	2	7	27	45	19		WI	1	5	21	56	17
MS	4	9	37	42	8		WY	10	29	29	20	12
MO	2	9	24	61	4		48 Sts	11	20	31	29	9
MT	13	28	42	16	1							
NE	4	15	36	37	8		Prev Wk	11	21	31	28	9
NV	35	55	10	0	0		Prev Yr	16	26	30	23	5

VP - Very Poor;

P - Poor;

F - Fair;

G - Good;



EX - Excellent

NA - Not Available;

*Revised



Crop Progress and Condition

Week Ending August 31, 2025



Crop Progress and Condition

Week Ending August 31, 2025



International Weather and Crop Summary

August 24 – 30, 2025

International Weather and Crop Highlights and Summaries provided by USDA/WAOB

HIGHLIGHTS

EUROPE: Drought-easing rain in France contrasted with continued dry but cooler weather in the Balkans.

WESTERN FSU: Dry weather adjacent to the Black Sea Coast favored fieldwork but exacerbated drought and maintained soil moisture deficits for winter crop sowing.

EASTERN FSU: Additional rain in the eastern spring grain belt contrasted with sunny weather in northern Kazakhstan, central Russia, and cotton areas farther south.

MIDDLE EAST: Seasonably hot and dry conditions in Turkey promoted summer crop drydown and harvesting.

SOUTH ASIA: The region was soaked by ongoing monsoon rains, but southern Pakistan saw a return to dry weather.

EAST ASIA: Widespread rainfall continued across much of the region, though precipitation was more scattered in the Heilongjiang province of northern China and parts of southern China.

SOUTHEAST ASIA: A combination of seasonal monsoon rains and the effects of Tropical Cyclones Kajiki and Nongfa led to torrential downpours across Vietnam, Thailand, and Laos.

AUSTRALIA: Showers in western and southeastern growing areas contrasted with dry weather in east-central Australia.

MEXICO: Seasonably showery weather across the southern plateau benefited corn and other summer crops, with rain extending into parts of southeastern and northwestern Mexico.


CANADIAN PRARIES: Warm, mostly dry weather promoted summer crop maturation and early-season harvesting.

SOUTHEASTERN CANADA: Rain eased dryness across eastern Ontario and southern Quebec, albeit too late to benefit some summer crops.



EUROPE

Total Precipitation(mm)
August 24 - 30, 2025



Station precipitation reports from France and Hungary are either missing or suspect.

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EUROPE

Rain eased drought in France and maintained favorable moisture supplies for winter crops across much of central and northern Europe. A series of slow-moving disturbances and their attendant cold fronts produced moderate to heavy showers and thunderstorms in France*, with supplemental weather data sources indicating up to 70 mm in the southwest easing drought but arriving too late to benefit heat- and drought-afflicted summer crops. Similarly, 10 to 55 mm of rain conditioned soils over central and northern France for winter wheat and rapeseed establishment. Widespread showers sustained favorable moisture supplies in southeastern England (10-55 mm) and from central and southern Germany (10-70 mm) northeastward into northern Poland (locally up to 60 mm). Farther south, a plume of subtropical moisture surging northward from the

Mediterranean Sea interacted with the elevated terrain of central and northern Italy, leading to a wide swath of 50 to 200 mm (locally more) across the Po River Valley and adjacent highlands. Shower activity reached into the western Balkans (10-100 mm, locally more than 150 mm), slowing fieldwork but maintaining good soil moisture for winter crop sowing. Conversely, dry conditions maintained drought concerns from southern and eastern Hungary into the lower Danube River Valley, though temperatures up to 3°C below normal in southern Romania and northern Bulgaria lowered evapotranspiration rates somewhat.

**Surface-based weather station data from France and Hungary were either missing or suspect; radar and satellite data were used to augment the analysis.*

WESTERN FSU
Total Precipitation(mm)
August 24 - 30, 2025



Data availability may be affected by the current geopolitical situation in Ukraine

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




WESTERN FSU

Dryness and drought in southern portions of the region juxtaposed with favorable conditions farther north. Dry weather exacerbated drought from Moldova eastward across southern portions of Ukraine and Russia, limiting soil moisture for winter crop planting and establishment but favoring a rapid pace of summer crop drydown and harvesting. Farther north, drier conditions (10 mm or less) favored summer crop maturation

in Belarus and southern portions of Russia's Central and Volga Districts. Conversely, moderate to heavy showers (10-65 mm) slowed spring grain harvesting and summer crop drydown in northern-most growing areas. Temperatures averaged near to as much as 4°C below normal over much of the region, with anomalous warmth (up to 2°C above normal) limited to the North Caucasus District.

EASTERN FSU
Total Precipitation(mm)
August 24 - 30, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




EASTERN FSU

Additional rain in the eastern spring grain belt contrasted with sunny weather in northern Kazakhstan, central Russia, and cotton areas farther south. A slow-moving area of low pressure over central Asia generated 10 to 90 mm of rainfall from Pavlodar, Kazakhstan eastward into Russia's Siberia District. Consequently, soil moisture remained adequate to locally excessive for filling to maturing

spring wheat and barley. On the other hand, drier weather over northern Kazakhstan and neighboring portions of central Russia favored spring grain drydown and early harvesting. Farther south across the Commonwealth of Independent States, seasonably sunny skies and above-normal temperatures (up to 4°C above normal) accelerated cotton maturation and harvesting in Uzbekistan and neighboring locales.

MIDDLE EAST
Total Precipitation(mm)
August 24 - 30, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




MIDDLE EAST

Seasonably sunny and hot weather persisted in Turkey. Temperatures for the week averaged 1 to 4°C above normal from the southern Anatolian Plateau eastward into the Armenian Highlands, while readings were closer to normal in the Aegean Region farther west. Daytime highs reached the middle and upper 30s (degrees C) nearly everywhere

in Turkey and topped 40°C adjacent to the Syrian border. The dryness and heat accelerated summer crops into maturity and promoted a rapid harvesting pace. Winter grain sowing typically begins during September in Turkey and northern Iran, shifting southward into October and November across the region's warmer southern climes.

SOUTH ASIA
Total Precipitation(mm)
August 24 - 30, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data




SOUTH ASIA

Across the region, monsoon showers delivered 25 to 200 mm of rainfall, with isolated areas reporting more than 300 mm. This precipitation was largely beneficial, aiding kharif crops and replenishing reservoirs vital for the upcoming winter crop season. However, parts of the north experienced continued flooding. Northern Pakistan, especially the Punjab province, has been particularly affected by flooding caused by a constant influx of monsoon

rains combined with water released from India's overfilled dams. The extent of agricultural damage in the flooded areas is currently being assessed. Most of the region continued to experience near-normal temperatures, with daytime highs in the lower to upper 30s (degrees C) and nighttime lows in the lower to upper 20s. In contrast, dry conditions and above-normal temperatures (1-2°C above average) returned to southern Pakistan.

EASTERN ASIA
Total Precipitation(mm)
August 24 - 30, 2025




CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



EASTERN ASIA

While much of the region received widespread showers (10-100 mm, with localized downpours reaching 300 mm), drier conditions were observed in South Korea, western Japan, southern China, and the northern Heilongjiang Province (less than 25 mm). Unseasonably hot weather persisted in some areas, with temperatures 3 to 6°C above

normal and daytime highs reaching the middle to upper 30s (degrees C). Elsewhere, temperatures were near to just above normal, with highs in the upper 20s to lower 30s. In Xinjiang, conditions continued to favor cotton crops, as nighttime lows (10-20°C) provided a reprieve from daytime highs that ranged from 30 to 40°C.




SOUTHEAST ASIA

A combination of Typhoon Kajiki, Tropical Storm Nongfa, and seasonal monsoon activity caused a week of heavy rainfall across Thailand and neighboring countries. Kajiki made landfall in Vietnam, followed five days later by Nongfa that tracked across the peninsula toward the Bay of Bengal. Rainfall totals reached as high as 500 mm in areas directly hit by both storms. Most of Thailand and Cambodia saw between 50 and

400 mm of rain, which maintained favorable moisture supplies for rice. Indonesia, Malaysia, and the Philippines received more moderate totals (10-100 mm, with localized downpours reaching 250 mm), which benefited oil palm. Throughout the region, temperatures remained near normal, with comfortable overnight lows in the lower to middle 20s (degrees C) contrasting with daytime highs in the middle to upper 30s.

AUSTRALIA
Total Precipitation(mm)
August 24 - 30, 2025



Gridded data from the Australian Bureau of Meteorology: www.bom.gov.au/
Creative Commons License found at:
<https://creativecommons.org/licenses/by/3.0/au/legalcode>

CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



AUSTRALIA


Showers in western and southeastern growing areas gave way to dry weather in east-central Australia. A cold front triggered 10 to 65 mm of rain in Western Australia (heaviest in the north), maintaining good to excellent prospects for vegetative (south) to reproductive (north) winter grains and oilseeds. The same system produced moderate to heavy showers (10-75 mm) in southern South Australia and Victoria, with amounts topping 100 mm farther east in the southern Great Dividing Range. Consequently, conditions continued to improve for vegetive winter wheat, barley, and rapeseed in southern and southeastern Australia after an unfavorably dry start to the austral winter. Meanwhile, mostly dry weather prevailed in southern New South

Wales, though a few spotty showers (2-10 mm) maintained soil moisture locally. Completely dry conditions were noted in northern New South Wales and southern Queensland, where prospects for vegetative to reproductive winter grains remained overall favorable due to good August rains. Chilly temperatures (up to 3°C below normal) were noted in Western Australia, with nighttime freezes (as low as -2°C in the south) possibly causing some burnback to flowering rapeseed but having little significant impact on jointing wheat and barley. Freezes were likewise noted over southeastern and eastern Australia, though winter crops were not far enough along in development to suffer significant widespread deleterious impacts.

MEXICO

Total Precipitation(mm)

August 24 - 30, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



MEXICO


Active weather prevailed not only across the southern plateau corn belt, but also in much of southeastern and northwestern Mexico. Rainfall on the southern plateau broadly totaled 10 to 50 mm or more, with several locations receiving at least 100 mm. Locally heavy showers extended northwestward through Sinaloa and into parts of Chihuahua and Sonora. According to the August 15 Mexican Drought Monitor, most of Mexico's

remaining drought was limited to Sonora and the nation's northern tier from Baja California to Coahuila. Significant rain also fell in previously dry areas of the Yucatan Peninsula, including parts of Campeche. Given the wet pattern, most rain-fed crops had ample moisture for normal development, while lingering water-storage issues were generally confined to northern Mexico.

CANADIAN PRAIRIES

Total Precipitation(mm)

August 24 - 30, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



CANADIAN PRAIRIES


Warm, mostly dry weather was ideal for summer crop maturation and early-season harvest efforts. Rainfall was scarce, with most Prairie communities reporting no precipitation and none receiving more than 10 mm. The most anomalous warmth was observed in northern crop areas, where weekly temperatures averaged at least 5°C above normal. Readings mostly averaged 1 to 3°C above normal across the southern Prairies. Maximum temperatures climbed to 30°C or

higher at least once during the week at nearly all Prairie locations, while patchy, early-week frost was observed in southeastern Saskatchewan. In Alberta, 11 percent of all crops had been harvested by August 26, slightly behind the 5-year average of 15 percent, according to a provincial report. In Saskatchewan, harvest was just getting underway by August 25 in northern production areas but was 23 percent complete in the southwest.

SOUTHEASTERN CANADA

Total Precipitation(mm)

August 24 - 30, 2025



CLIMATE PREDICTION CENTER, NOAA
Computer generated contours
Based on preliminary data



SOUTHEASTERN CANADA

Rain (10-50 mm or more) shifted eastward, falling across previously dry areas in eastern Ontario and southern Quebec. Precipitation helped to revive pastures but arrived too late to benefit some summer crops. Meanwhile, significant surges of cool air led to weekly temperatures averaging 3 to

5°C below normal in southwestern Ontario. Despite the cool regime, no significant frost was noted in key crop production areas. Chilly weather also prevailed farther east, with temperatures averaging mostly 1 to 2°C below normal in southern Quebec and neighboring areas.




United States
Department of
Agriculture

This product was prepared by the
USDA Office of the Chief Economist (OCE)
World Agricultural Outlook Board (WAOB)

Days Suitable for Fieldwork

Week Ending

August 31, 2025



The *Weekly Weather and Crop Bulletin* (ISSN 0043-1974) is jointly prepared by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration (NOAA) and the U.S. Department of Agriculture (USDA). Publication began in 1872 as the *Weekly Weather Chronicle*. It is issued under general authority of the Act of January 12, 1895 (44-USC 213), 53rd Congress, 3rd Session. The contents may be redistributed freely with proper credit.

Correspondence to the meteorologists should be directed to:
***Weekly Weather and Crop Bulletin*, NOAA/USDA, Joint Agricultural Weather Facility, USDA South Building, Room 4443B, Washington, DC 20250.**

Internet URL: www.usda.gov/oce/weather-drought-monitor

E-mail address: brad.rippey@usda.gov

An archive of past *Weekly Weather and Crop Bulletins* can be found at <https://usda.library.cornell.edu/>, keyword search "*Weekly Weather and Crop Bulletin*".

U.S. DEPARTMENT OF AGRICULTURE

World Agricultural Outlook Board

Managing Editor..... **Brad Rippey**

Agricultural Weather Analysts..... **Eric Luebehusen and Maureen Sartini**

National Agricultural Statistics Service

Agricultural Statistician and State Summaries Editor..... **Noemi Guindin**

U.S. DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

National Weather Service/Climate Prediction Center

Meteorologists..... **Brad Pugh, Adam Allgood, Ryan Bolt, and Rich Tinker**

USDA is an equal opportunity provider and employer. To file a complaint of discrimination, write: USDA, Office of the Assistant Secretary for Civil Rights, Office of Adjudication, 1400 Independence Ave., SW, Washington, DC 20250-9410 or call (866) 632-9992 (Toll-Free Customer Service), (800) 877-8339 (Local or Federal relay), (866) 377-8642 (Relay voice users).