



**Daily Spot Cotton Quotations**

Agricultural Marketing Service

Cotton and Tobacco Market News

27-Jul-21

Volume 103, No. 248

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program		
	ICE Futures	Staple 34	Staple 35	Today	Season	
	<i>Points</i>	<i>Cents per pound</i>			<i>Bales</i>	<i>Bales</i>
Southeast	-125 Oct-21	89.49	91.74	0	125,929	
North Delta	-225 Oct-21	88.49	90.74	0	45,961	
South Delta	-225 Oct-21	88.49	90.74	0	12,992	
East TX-OK	-475 Oct-21	85.99	88.74	0	417,019	
West Texas	-475 Oct-21	85.99	88.74	0	721,549	
Desert SW	-700 Oct-21	83.74	87.24	0	63,507	
SJ Valley	-650 Oct-21	84.24	93.14	0	0	
Average	-411 Oct-21	86.63	90.15	Upland Total		
Previous day	-411 Oct-21	86.18	89.70	0	1,386,957	
<b>AMERICAN PIMA SPOT PRICE QUOTATIONS</b>						
	<b>Color 02, Leaf 2 - Staple 46</b>	<b>Color 03, Leaf 3 - Staple 44</b>	<b>Color 03, Leaf 3 - Staple 46</b>	AP Total		
American Pima	153.00	132.50	140.25	0	10,275	
<b>ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER</b>			<b>7-MARKET BASE QUOTATIONS FOR UPLAND COTTON</b>		<b>Jul 23 - Jul 29 ADJ. WORLD PRICE</b>	
Month	<i>Cents per pound</i>					
	Today	Previous	Change			
Oct-21	90.74	90.29	↑ 0.45	Season high		
Dec-21	90.23	89.60	↑ 0.63			
Mar-22	89.81	89.25	↑ 0.56	2/24/2021	88.80	
May-22	89.10	88.49	↑ 0.61			
Jul-22	87.85	87.20	↑ 0.65	Season low		
Oct-22	82.85	82.30	↑ 0.55			
Dec-22	81.28	80.75	↑ 0.53			
Mar-23	81.48	80.95	↑ 0.53	8/12/2020	57.20	
May-23	81.13	80.60	↑ 0.53			
Jul-23	80.88	80.40	↑ 0.48			
<b>CC ADJUSTMENT</b> 0.00 <b>FC ADJUSTMENT</b> 2019 2020 0.40 0.35 <b>LOAN DEFICIENCY PMT.</b> 0.00 <b>PIMA COMPETITIVENESS PAYMENT</b> 0.00						

**TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:**

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-OK						
West Texas						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News  
 Memphis, Tennessee | 901-384-3016 | [cottonmn@ams.usda.gov](mailto:cottonmn@ams.usda.gov)  
<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	375	425	425	25-26	-1075
	3	-225	-50	150	225	350	400	400	27-29	-675
	4	-225	-125	75	175	275	300	300	30-32	-525
	5	-475	-325	-225	-75	-25	-25	-25	33-34	-400
	6	-600	-450	-400	-325	-300	-300	-300	Base 35-36	0
31	7	-725	-575	-550	-450	-425	-425	-425	37-42	0
	1 & 2	-225	-100	75	225	350	375	375	Base 43-49	0
	3	-225	-100	75	225	325	350	350	50-52	-200
	4	-225	-125	75	175	250	275	275	53 & Above	-375
	5	-475	-325	-225	-75	-50	-50	-50		
41	6	-600	-450	-400	-375	-350	-350	-350		
	7	-725	-575	-550	-500	-475	-475	-475		
	1 & 2	-275	-150	50	150	200	200	225	Strength	
	3	-275	-150	50	125	175	175	200	(Grams per Tex)	
	4	-275	-200	89.49	100	175	175	200	Range	Diff.
51	5	-550	-450	-300	-175	-125	-125	-125	21.0 - 21.9	-725
	6	-675	-550	-525	-450	-425	-425	-425	22.0 - 22.9	-675
	7	-775	-675	-650	-600	-575	-575	-575	23.0 - 23.9	-650
	1 & 2	-475	-350	-225	-175	-150	-150	-150	24.0 - 24.9	-625
	3	-550	-375	-300	-225	-175	-175	-175	25.0 - 25.9	-600
61	4	-575	-375	-325	-275	-250	-250	-250	26.0 - 26.9	-300
	5	-775	-650	-550	-500	-475	-475	-475	Base 27.0 - 28.9	0
	6	-850	-675	-625	-625	-600	-600	-600	29.0 - 29.9	0
	7	-925	-800	-775	-775	-750	-750	-750	30.0 - 30.9	25
	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
71	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
	1-6	-1075	-1000	-950	-950	-950	-950	-950		
12 & 22	7	-1100	-1025	-975	-975	-975	-975	-975		
	1 & 2	-275	-100	50	150	250	250	275	Extraneous Matter	
	3	-275	-100	50	125	225	225	250	Type - Level	Diff.
	4	-275	-125	0	100	200	200	225	Prep - Level 1	-200
	5	-525	-425	-300	-100	-75	-75	-75	Prep - Level 2	-800
32	6	-650	-525	-525	-450	-425	-425	-425	Other - Level 1	-550
	7	-750	-650	-650	-600	-575	-575	-575	Other - Level 2	-800
	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 1	-4000
	3	-350	-200	-50	0	25	25	25	Plastic - Level 2	-4000
	4	-450	-200	-150	-100	-50	-50	-50		
42	5	-625	-450	-400	-375	-350	-350	-350		
	6	-700	-550	-550	-525	-500	-500	-500		
	7	-800	-675	-675	-650	-625	-625	-625		
	1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity	
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
52	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	0
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
62	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
43	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
53	7	-1125	-1000	-950	-925	-925	-925	-925		
	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
63	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	150	275	375	425	425	25-26	-1000
	3	-225	-75	150	225	350	375	375	27-29	-650
	4	-275	-200	75	125	250	275	275	30-32	-525
	5	-450	-325	-150	-75	-50	-25	-25	33-34	-425
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
31	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
	1 & 2	-225	-100	125	250	350	375	375	Base 43-49	0
	3	-225	-100	125	225	325	350	350	50-52	-225
	4	-275	-250	75	125	175	200	200	53 & Above	-375
	5	-450	-325	-225	-125	-100	-75	-75		
41	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
	1 & 2	-350	-250	50	100	225	225	250	Strength	
	3	-350	-250	25	50	175	200	225	(Grams per Tex)	
	4	-375	-275	88.49	0	125	150	150	Range	Diff.
51	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-400	-400	-400	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750
	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-700
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-650
61	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-300
	5	-825	-725	-650	-575	-550	-550	-550	Base 27.0 - 28.9	0
	6	-950	-925	-775	-700	-700	-700	-700	29.0 - 29.9	0
	7	-1000	-975	-825	-775	-775	-775	-775	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-950	-950	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	225	250	250	Type - Level	Diff.
	3	-275	-125	25	50	175	225	225	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-600	-475	-300	-200	-175	-150	-150	Other - Level 1	-375
32	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 2	-785
	7	-775	-750	-625	-550	-525	-525	-525	Plastic - Level 1	-4000
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-4000
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-700	-525	-350	-325	-300	-300	-300	Uniformity	
	6	-800	-750	-575	-525	-500	-500	-500	Unit	Points
	7	-900	-850	-675	-625	-625	-625	-625	77.9 & Below	-90
	1-3	-550	-425	-325	-200	-175	-175	-175	78.0 - 78.9	-80
	4	-575	-450	-350	-275	-250	-250	-250	79.0 - 79.9	-70
52	5	-725	-575	-425	-375	-325	-325	-325	80.0 - 80.9	0
	6	-850	-750	-600	-550	-525	-525	-525	Base 81.0 - 81.9	0
	7	-900	-850	-700	-650	-650	-650	-650	82.0 - 82.9	0
	1-4	-750	-575	-525	-500	-500	-500	-500	83.0 - 83.9	30
	5	-825	-725	-650	-600	-600	-600	-600	84.0 - 84.9	40
62	6	-975	-875	-800	-775	-775	-775	-775	85.0 - 85.9	50
	7	-1000	-975	-900	-875	-875	-875	-875	86.0 & Above	60
	1-5	-1025	-925	-850	-825	-825	-825	-825		
43	6	-1175	-1075	-950	-925	-925	-925	-925		
	1-3	-900	-675	-500	-475	-475	-475	-475		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	300	375	425	425	25-26	-1100
	3	-225	-75	150	250	350	375	375	27-29	-750
	4	-275	-200	75	125	250	275	275	30-32	-525
	5	-450	-325	-175	-100	-75	-50	-50	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
31	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
	1 & 2	-225	-100	125	250	350	375	375	Base 43-49	0
	3	-225	-100	125	225	325	350	350	50-52	-225
	4	-275	-250	75	125	175	200	200	53 & Above	-375
	5	-550	-425	-225	-150	-125	-100	-100		
41	6	-600	-575	-450	-400	-400	-400	-400		
	7	-700	-675	-550	-500	-500	-500	-500		
	1 & 2	-350	-250	100	150	250	250	275	Strength	
	3	-350	-250	75	100	225	225	250	(Grams per Tex)	
	4	-375	-275	88.49	50	175	200	200	Range	Diff.
51	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-400	-425	-425	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750
	1-2	-675	-475	-300	-200	-200	-200	-200	24.0 - 24.9	-700
	3	-725	-475	-325	-225	-225	-225	-225	25.0 - 25.9	-650
61	4	-750	-500	-350	-300	-300	-300	-300	26.0 - 26.9	-300
	5	-825	-725	-625	-575	-550	-550	-550	Base 27.0 - 28.9	0
	6	-925	-825	-775	-700	-700	-700	-700	29.0 - 29.9	0
	7	-1100	-1075	-925	-800	-800	-800	-800	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1125	-1100	-975	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	250	275	275	Type - Level	Diff.
	3	-275	-125	25	50	200	250	250	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-600	-475	-300	-200	-175	-150	-150	Other - Level 1	-375
32	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 2	-785
	7	-775	-750	-625	-550	-525	-525	-525	Plastic - Level 1	-4000
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-4000
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-700	-525	-350	-325	-300	-300	-300	Uniformity	
	6	-800	-750	-575	-525	-500	-500	-500	Unit	Points
	7	-900	-850	-675	-625	-625	-625	-625	77.9 & Below	-90
	1-3	-550	-425	-325	-200	-175	-175	-175	78.0 - 78.9	-80
	4	-575	-450	-350	-275	-225	-225	-225	79.0 - 79.9	-70
52	5	-725	-575	-425	-375	-325	-325	-325	80.0 - 80.9	0
	6	-850	-750	-600	-525	-500	-500	-500	Base 81.0 - 81.9	0
	7	-900	-850	-700	-650	-650	-650	-650	82.0 - 82.9	0
	1-4	-750	-575	-525	-500	-500	-500	-500	83.0 - 83.9	30
	5	-875	-725	-650	-600	-600	-600	-600	84.0 - 84.9	40
62	6	-925	-875	-800	-775	-775	-775	-775	85.0 - 85.9	50
	7	-1025	-975	-900	-875	-875	-875	-875	86.0 & Above	60
	1-5	-1025	-925	-850	-825	-825	-825	-825		
43	6	-1175	-1075	-950	-925	-925	-925	-925		
	1-3	-900	-675	-475	-450	-450	-450	-450		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

## EAST TEXAS-OKLAHOMA DIFFERENCES

27-Jul-21

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-425	-375	-175	150	450	625	725	750
	3	-475	-425	-200	100	400	550	650	675
	4	-550	-425	-225	50	100	400	500	500
	5	-600	-475	-400	-75	100	225	325	325
	6	-750	-600	-575	-300	-275	-150	-75	-75
	7	-825	-700	-675	-375	-350	-225	-150	-150
31	1 & 2	-475	-400	-200	50	325	550	625	650
	3	-500	-425	-225	50	275	525	575	600
	4	-600	-500	-275	25	100	350	425	425
	5	-650	-500	-425	-75	75	175	275	275
	6	-775	-625	-600	-300	-275	-150	-125	-125
	7	-850	-725	-700	-375	-350	-250	-225	-225
41	1 & 2	-575	-400	-200	50	200	450	475	475
	3	-600	-425	-225	50	150	325	350	350
	4	-650	-500	-375	85.99	75	275	300	300
	5	-775	-600	-525	-175	-100	125	175	175
	6	-925	-725	-675	-375	-350	-225	-225	-225
	7	-1025	-825	-775	-475	-425	-350	-350	-350
51	1 & 2	-775	-625	-500	-100	-50	100	125	125
	3	-775	-650	-500	-100	-50	100	125	125
	4	-825	-675	-525	-175	-125	25	50	50
	5	-875	-750	-675	-275	-200	-150	-100	-100
	6	-1050	-850	-825	-425	-400	-275	-275	-275
	7	-1150	-875	-850	-500	-475	-350	-350	-350
61	1-5	-950	-800	-725	-325	-300	-175	-175	-175
	6	-1125	-925	-875	-500	-450	-325	-325	-325
	7	-1225	-1025	-975	-600	-550	-425	-425	-425
71	1-6	-1150	-1050	-975	-575	-550	-425	-425	-425
	7	-1250	-1100	-1050	-650	-625	-500	-500	-500
12 & 22	1 & 2	-725	-500	-300	75	225	450	550	550
	3	-750	-550	-350	75	175	400	425	425
	4	-800	-575	-375	0	75	375	375	375
	5	-875	-750	-675	-275	-175	150	250	250
	6	-1050	-850	-825	-425	-375	-200	-100	-100
	7	-1175	-975	-925	-525	-475	-300	-225	-225
32	1 & 2	-800	-700	-500	-100	25	75	175	175
	3	-825	-700	-525	-125	-75	0	100	100
	4	-875	-725	-600	-200	-175	-100	-50	-50
	5	-975	-850	-800	-375	-300	-125	-50	-50
	6	-1150	-950	-925	-550	-500	-425	-375	-375
	7	-1300	-1075	-1050	-650	-600	-525	-475	-475
42	1-3	-875	-775	-675	-200	-125	-100	-50	-50
	4	-925	-800	-700	-225	-175	-175	-125	-125
	5	-1075	-925	-825	-425	-375	-325	-275	-275
	6	-1300	-1025	-950	-575	-525	-525	-450	-450
	7	-1425	-1150	-1075	-700	-625	-575	-525	-525
	52	1-4	-1125	-925	-825	-500	-500	-425	-375
5		-1200	-1025	-900	-550	-550	-500	-425	-425
6		-1425	-1225	-1125	-700	-675	-600	-550	-550
7		-1525	-1350	-1250	-825	-800	-675	-625	-625
62	1-5	-1250	-1100	-1050	-625	-600	-525	-475	-475
	6	-1475	-1300	-1250	-825	-800	-700	-650	-650

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1200	-1050	-950	-500	-425	-325	-225	-225
	3	-1225	-1075	-975	-525	-450	-350	-250	-250
	4	-1275	-1150	-1025	-575	-500	-400	-300	-300
	5	-1400	-1250	-1150	-700	-625	-525	-425	-425
	6	-1525	-1325	-1200	-800	-725	-625	-525	-525
	7	-1625	-1425	-1325	-925	-850	-750	-650	-650
33	1 & 2	-1275	-1100	-1000	-530	-475	-375	-275	-275
	3	-1275	-1100	-1000	-555	-500	-400	-275	-275
	4	-1350	-1175	-1050	-605	-550	-450	-325	-325
	5	-1500	-1275	-1175	-730	-675	-575	-450	-450
	6	-1575	-1350	-1250	-855	-800	-700	-575	-575
	7	-1675	-1475	-1350	-980	-925	-825	-700	-700
43	1-3	-1325	-1175	-1050	-605	-550	-450	-325	-325
	4	-1400	-1250	-1100	-630	-575	-475	-350	-350
	5	-1525	-1350	-1200	-760	-700	-600	-475	-475
	6	-1625	-1425	-1300	-880	-850	-750	-625	-625
	7	-1725	-1525	-1400	-980	-950	-850	-725	-725
53	1-4	-1450	-1350	-1225	-780	-775	-700	-575	-575
	5	-1550	-1425	-1325	-855	-850	-775	-650	-650
	6	-1650	-1525	-1425	-1005	-975	-900	-775	-775
	7	-1750	-1625	-1550	-1105	-1050	-975	-850	-850
63	1-5	-1650	-1500	-1375	-955	-875	-800	-675	-675
	6	-1750	-1625	-1475	-1075	-1000	-925	-800	-800
34	1 & 2	-1400	-1275	-1200	-750	-725	-650	-575	-575
	3	-1400	-1275	-1200	-750	-725	-650	-575	-575
	4	-1525	-1400	-1300	-850	-825	-750	-675	-675
	5	-1625	-1500	-1425	-975	-950	-875	-800	-800
	6	-1800	-1675	-1600	-1150	-1125	-1050	-975	-975
44	1-3	-1500	-1375	-1300	-850	-825	-750	-675	-675
	4	-1575	-1475	-1350	-900	-875	-800	-725	-725
	5	-1650	-1550	-1450	-1000	-975	-900	-825	-825
	6	-1825	-1700	-1625	-1175	-1150	-1075	-1000	-1000
54	1-4	-1600	-1500	-1425	-925	-925	-850	-800	-800
	5	-1700	-1600	-1500	-1025	-1000	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1900
25-26	-1900
27-29	-1325
30-32	-700
33-34	-450
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-225
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-375
22.0 - 22.9	-375
23.0 - 23.9	-350
24.0 - 24.9	-350
25.0 - 25.9	-275
26.0 - 26.9	-250
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	0
31.0 - 32.9	0
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-4000
Plastic - Level 2	-4000

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-325	-215	-40	200	415	640	715	715
	3	-425	-315	-140	135	315	540	615	615
	4	-450	-350	-225	75	250	425	475	475
	5	-525	-375	-250	25	175	300	325	325
	6	-675	-500	-425	-200	-175	-125	-125	-125
	7	-750	-550	-500	-275	-250	-200	-200	-200
31	1 & 2	-475	-315	-115	135	300	525	650	650
	3	-550	-365	-165	110	275	500	600	600
	4	-600	-450	-325	50	150	325	425	425
	5	-650	-500	-375	-75	25	150	175	175
	6	-775	-600	-475	-275	-275	-250	-250	-250
	7	-875	-650	-550	-325	-325	-300	-300	-300
41	1 & 2	-650	-475	-275	50	175	200	225	225
	3	-675	-500	-300	20	100	175	200	200
	4	-725	-500	-425	85.99	0	25	50	50
	5	-800	-600	-500	-225	-100	-50	-50	-50
	6	-875	-700	-625	-425	-400	-275	-275	-275
	7	-1000	-800	-725	-475	-450	-375	-375	-375
51	1 & 2	-800	-625	-525	-175	-75	-75	-75	-75
	3	-800	-625	-525	-175	-75	-75	-75	-75
	4	-825	-625	-600	-250	-150	-150	-150	-150
	5	-825	-650	-650	-350	-275	-200	-200	-200
	6	-975	-750	-750	-475	-425	-300	-300	-300
	7	-1075	-850	-850	-575	-525	-425	-425	-425
61	1-5	-925	-750	-750	-425	-325	-225	-225	-225
	6	-1050	-825	-825	-625	-525	-400	-400	-400
	7	-1150	-975	-950	-700	-600	-500	-500	-500
71	1-6	-1125	-950	-900	-700	-600	-525	-525	-525
	7	-1200	-975	-950	-725	-675	-600	-600	-600
12 & 22	1 & 2	-625	-450	-250	75	225	325	425	425
	3	-650	-475	-275	75	175	275	325	325
	4	-700	-475	-400	-100	25	150	225	225
	5	-750	-550	-450	-125	-50	25	25	25
	6	-825	-650	-575	-350	-350	-250	-200	-200
	7	-950	-750	-675	-425	-425	-325	-275	-275
32	1 & 2	-825	-600	-375	-150	-25	0	50	75
	3	-875	-650	-400	-200	-25	0	25	25
	4	-925	-700	-575	-250	-50	-25	0	0
	5	-1050	-875	-750	-425	-250	-225	-200	-200
	6	-1100	-875	-825	-525	-450	-425	-375	-375
	7	-1200	-975	-875	-625	-525	-500	-450	-450
42	1-3	-950	-725	-625	-300	-200	-125	-75	-75
	4	-1000	-800	-650	-350	-250	-150	-100	-100
	5	-1100	-950	-800	-500	-325	-325	-275	-275
	6	-1300	-1000	-875	-600	-525	-450	-400	-400
	7	-1300	-1075	-975	-725	-600	-525	-475	-475
52	1-4	-1150	-900	-850	-600	-475	-425	-375	-375
	5	-1225	-1000	-925	-650	-525	-475	-425	-425
	6	-1425	-1175	-1100	-775	-675	-625	-575	-575
	7	-1500	-1275	-1200	-875	-775	-725	-675	-675
62	1-5	-1275	-1075	-1025	-750	-650	-600	-550	-550
	6	-1450	-1225	-1175	-900	-825	-775	-725	-725

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1050	-825	-775	-450	-350	-325	-275	-275
	3	-1100	-850	-800	-475	-375	-350	-300	-300
	4	-1125	-925	-875	-525	-425	-400	-350	-350
	5	-1225	-1000	-975	-650	-550	-500	-450	-450
	6	-1325	-1075	-1050	-725	-625	-575	-525	-525
	7	-1400	-1175	-1125	-775	-725	-675	-625	-625
33	1 & 2	-1175	-900	-825	-500	-425	-400	-350	-350
	3	-1175	-900	-825	-500	-425	-400	-350	-350
	4	-1250	-975	-925	-575	-500	-450	-400	-400
	5	-1375	-1075	-1025	-725	-625	-550	-500	-500
	6	-1425	-1150	-1150	-775	-725	-650	-600	-600
	7	-1500	-1250	-1200	-900	-825	-750	-700	-700
43	1-3	-1225	-1000	-950	-575	-500	-450	-400	-400
	4	-1300	-1075	-1000	-625	-525	-450	-400	-400
	5	-1400	-1150	-1075	-750	-650	-575	-525	-525
	6	-1475	-1225	-1175	-850	-800	-725	-675	-675
	7	-1550	-1325	-1250	-925	-875	-800	-750	-750
53	1-4	-1400	-1250	-1150	-750	-700	-650	-600	-600
	5	-1475	-1275	-1200	-850	-800	-750	-700	-700
	6	-1600	-1375	-1300	-950	-925	-875	-825	-825
	7	-1675	-1450	-1400	-1075	-1050	-1000	-950	-950
63	1-5	-1625	-1400	-1300	-900	-825	-775	-725	-725
	6	-1675	-1475	-1350	-1050	-1000	-950	-900	-900
34	1 & 2	-1300	-1075	-1000	-650	-625	-575	-525	-525
	3	-1300	-1075	-1000	-650	-625	-575	-525	-525
	4	-1425	-1200	-1100	-750	-725	-675	-625	-625
	5	-1500	-1275	-1200	-875	-850	-800	-750	-750
	6	-1650	-1425	-1350	-1075	-1050	-1000	-950	-950
44	1-3	-1425	-1200	-1125	-775	-750	-700	-650	-650
	4	-1500	-1300	-1175	-825	-800	-750	-700	-700
	5	-1575	-1350	-1250	-925	-900	-850	-800	-800
	6	-1725	-1500	-1425	-1150	-1125	-1075	-1025	-1025
54	1-4	-1525	-1325	-1250	-900	-875	-825	-775	-775
	5	-1600	-1375	-1275	-1025	-1000	-950	-900	-900

Mike	
Range	Diff.
24 & Below	-1850
25-26	-1850
27-29	-1300
30-32	-700
33-34	-450
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-225
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-375
22.0 - 22.9	-375
23.0 - 23.9	-350
24.0 - 24.9	-350
25.0 - 25.9	-275
26.0 - 26.9	-250
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	0
31.0 - 32.9	0
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-4000
Plastic - Level 2	-4000



DESERT SOUTHWEST DIFFERENCES

Color	Leaf	Staple						Mike		
		33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-125	75	500	845	935	1020	24 & Below	-1350	
	3	-125	50	425	795	835	895	25-26	-1150	
	4	-325	25	250	360	395	420	27-29	-1050	
	5	-400	-200	-25	75	160	160	30-32	-650	
	6	-475	-375	-150	-110	-55	-55	33-34	-450	
	7	-675	-400	-225	-165	-125	-125	35-36	0	
	31	1 & 2	-200	50	450	795	880	955	37-42	25
3		-200	25	350	745	780	855	43-49	0	
4		-375	0	150	310	345	395	50-52	-300	
5		-425	-225	-100	-25	45	45	53 & Above	-500	
6		-500	-400	-185	-145	-65	-65			
7		-700	-425	-275	-220	-140	-140			
41	1 & 2	-600	0	25	110	120	220	<b>Strength</b>		
	3	-600	0	10	85	95	195	(Grams per Tex)		
	4	-650	83.74	0	35	70	120	Range	Diff.	
	5	-675	-525	-425	-390	-330	-330	21.0 - 21.9	-600	
	6	-825	-700	-525	-490	-440	-440	22.0 - 22.9	-450	
	7	-975	-850	-700	-670	-635	-635	23.0 - 23.9	-300	
	51	1 & 2	-725	-550	-350	-340	-330	-330	24.0 - 24.9	-225
3		-725	-550	-350	-340	-330	-330	25.0 - 25.9	-200	
4		-750	-625	-475	-425	-365	-365	26.0 - 26.9	-125	
5		-850	-800	-675	-650	-600	-600	Base 27.0 - 28.9	0	
6		-1000	-900	-775	-775	-725	-725	29.0 - 29.9	0	
7		-1200	-1100	-975	-975	-950	-950	30.0 - 30.9	0	
12 & 22		1 & 2	-500	25	200	310	395	395	31.0 - 32.9	50
	3	-500	25	175	260	345	345	33.0 & above	75	
	4	-600	-25	175	260	345	345			
	5	-625	-450	-150	-150	-75	-75			
	6	-775	-650	-350	-350	-275	-275			
	7	-950	-825	-600	-600	-525	-525			
	32	1 & 2	-600	-225	0	85	95	95	<b>Extraneous Matter</b>	
3		-600	-225	0	85	95	95	Type - Level	Diff.	
4		-650	-450	-100	-15	-5	-5	Prep - Level 1	-50	
5		-700	-700	-450	-450	-450	-450	Prep - Level 2	-800	
6		-900	-825	-575	-575	-575	-575	Other - Level 1	-400	
7		-1050	-1000	-825	-825	-825	-825	Other - Level 2	-800	
42		1-3	-700	-525	-250	-200	-200	-200	Plastic - Level 1	-4000
	4	-725	-600	-350	-300	-300	-300	Plastic - Level 2	-4000	
	5	-800	-775	-550	-550	-550	-550			
	6	-975	-900	-675	-675	-675	-675			
	7	-1175	-1075	-925	-925	-925	-925			
	52	1-4	-925	-800	-600	-550	-550	-550	<b>Uniformity</b>	
		5	-975	-875	-700	-700	-700	-700	Unit	Points
6		-1075	-975	-800	-800	-800	-800	77.9 & Below	-100	
7		-1325	-1225	-1100	-1075	-1075	-1075	78.0 - 78.9	-90	
43	1-3	-800	-725	-650	-575	-575	-575	79.0 - 79.9	-80	
	4	-900	-825	-700	-650	-650	-650	80.0 - 80.9	0	
	5	-1000	-900	-725	-700	-700	-700	Base 81.0 - 81.9	0	
	6	-1100	-1000	-975	-975	-975	-975	82.0 - 82.9	0	
	7	-1200	-1125	-1100	-1100	-1100	-1100	83.0 - 83.9	30	
	53	1-4	-1050	-950	-875	-875	-875	-875	84.0 - 84.9	40
		5	-1100	-1000	-925	-925	-925	-925	85.0 - 85.9	50
6		-1200	-1100	-1025	-1025	-1025	-1025	86.0 & Above	60	
7		-1450	-1350	-1350	-1350	-1350	-1350			

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	84.24	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-675	-225	-175	-175	-175	29.0 - 29.9	0
	3	-700	-250	-200	-200	-200	30.0 - 30.9	75
	4	-750	-300	-275	-275	-275	31.0 - 32.9	125
	5	-775	-375	-325	-325	-325	33.0 & Above	250
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
							Plastic - Level 1	-4000
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 2	-4000
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

## AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	147.75	153.50	154.25	154.25
	2	147.50	153.25	154.00	154.00
	3	139.75	147.50	147.50	147.50
	4				
	5				
	6				
2	1	147.50	153.25	154.00	154.00
	2	147.25	153.00	153.75	153.75
	3	139.50	147.25	147.25	147.25
	4	129.50	137.75	137.75	137.75
	5				
	6				
3	1	136.25	144.00	144.00	144.00
	2	133.75	141.50	141.50	141.50
	3	132.50	140.25	140.25	140.25
	4	123.50	131.25	131.25	131.25
	5	107.50	114.75	114.75	114.75
	6				
4	1	117.50	125.25	126.00	126.00
	2	117.25	125.00	125.25	125.25
	3	117.00	124.75	124.75	124.75
	4	112.00	119.75	119.75	119.75
	5	100.75	108.50	108.50	108.50
	6				
5	1				
	2	95.25	105.25	105.25	105.25
	3	95.25	104.75	105.00	105.00
	4	95.25	99.25	99.25	99.25
	5	95.00	99.00	99.00	99.00
	6				
6	1				
	2	87.50	90.50	90.50	90.50
	3	87.50	90.50	90.50	90.50
	4	87.50	90.50	90.50	90.50
	5	87.25	90.25	90.25	90.25
	6	86.75	89.75	89.75	89.75

  

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on July 14, 2021.

Mike	
Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

  

Strength	
(Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	-500
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

  

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-4000
Plastic - Level 2	-4000

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

## UNITED STATES AVERAGE DIFFERENCES

27-Jul-21

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-375	-253	-90	188	461	661	741	789
	3	-450	-283	-111	157	404	611	674	714
	4	-500	-310	-217	64	196	337	389	392
	5	-563	-445	-338	-132	11	83	129	129
	6	-713	-540	-479	-354	-261	-219	-194	-194
	7	-788	-635	-596	-461	-386	-341	-318	-318
31	1 & 2	-475	-278	-136	125	391	601	671	710
	3	-525	-293	-148	111	352	569	624	664
	4	-600	-345	-267	50	161	274	326	333
	5	-650	-495	-383	-179	-50	11	55	55
	6	-775	-585	-513	-382	-305	-267	-245	-245
	7	-863	-680	-629	-479	-418	-381	-359	-359
41	1 & 2	-613	-370	-288	57	164	266	276	301
	3	-638	-380	-296	39	112	213	226	251
	4	-688	-405	-367	86.63	61	156	176	187
	5	-788	-600	-525	-329	-207	-141	-124	-124
	6	-900	-690	-646	-521	-432	-381	-377	-377
	7	-1013	-800	-783	-654	-571	-542	-537	-537
51	1 & 2	-788	-615	-508	-339	-189	-156	-151	-151
	3	-788	-655	-513	-361	-207	-170	-165	-165
	4	-825	-675	-542	-411	-282	-246	-234	-234
	5	-850	-765	-713	-575	-454	-414	-400	-400
	6	-1013	-865	-833	-696	-632	-593	-586	-586
	7	-1113	-950	-958	-821	-761	-725	-721	-721
61	1-5	-938	-805	-735	-535	-475	-430	-430	-430
	6	-1088	-915	-875	-700	-655	-605	-605	-605
	7	-1188	-1045	-995	-810	-745	-700	-700	-700
71	1-6	-1138	-1105	-1045	-875	-830	-790	-790	-790
	7	-1225	-1145	-1095	-910	-885	-845	-845	-845
12 & 22	1 & 2	-675	-355	-233	64	225	377	444	473
	3	-700	-370	-246	46	179	331	384	409
	4	-750	-385	-333	-29	100	237	276	280
	5	-813	-605	-521	-286	-132	-57	-18	-18
	6	-938	-720	-667	-504	-396	-339	-300	-300
	7	-1063	-805	-783	-636	-557	-500	-464	-464
32	1 & 2	-813	-485	-358	-100	36	91	121	139
	3	-850	-500	-371	-121	7	62	89	103
	4	-900	-545	-429	-236	-86	-41	-22	-22
	5	-1013	-750	-625	-446	-329	-289	-275	-275
	6	-1125	-825	-783	-611	-511	-486	-471	-471
	7	-1250	-930	-892	-736	-657	-639	-625	-625
42	1-3	-913	-645	-546	-336	-182	-146	-132	-132
	4	-963	-685	-567	-379	-254	-214	-200	-200
	5	-1088	-820	-704	-521	-389	-357	-343	-343
	6	-1300	-910	-846	-671	-600	-579	-561	-561
	7	-1363	-990	-954	-811	-736	-714	-700	-700
52	1-4	-1138	-830	-742	-621	-550	-525	-511	-511
	5	-1213	-915	-850	-704	-636	-621	-604	-604
	6	-1425	-1045	-992	-846	-793	-775	-761	-761
	7	-1513	-1145	-1121	-986	-939	-911	-896	-896
62	1-5	-1263	-1035	-960	-780	-745	-720	-700	-700
	6	-1463	-1200	-1125	-925	-895	-865	-845	-845

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1125	-938	-863	-475	-388	-325	-250	-250
	3	-1163	-963	-888	-500	-413	-350	-275	-275
	4	-1200	-1038	-950	-550	-463	-400	-325	-325
	5	-1313	-1125	-1063	-675	-588	-513	-438	-438
	6	-1425	-1200	-1125	-763	-675	-600	-525	-525
	7	-1513	-1300	-1225	-850	-788	-713	-638	-638
33	1 & 2	-1225	-1000	-913	-510	-467	-425	-375	-375
	3	-1225	-1000	-913	-518	-475	-433	-375	-375
	4	-1300	-1075	-988	-593	-550	-500	-442	-442
	5	-1438	-1175	-1100	-752	-700	-642	-583	-583
	6	-1500	-1250	-1200	-902	-867	-808	-750	-750
	7	-1588	-1363	-1275	-1035	-992	-933	-875	-875
43	1-3	-1275	-975	-833	-651	-607	-571	-546	-546
	4	-1350	-1020	-883	-701	-643	-607	-582	-582
	5	-1463	-1070	-979	-841	-782	-754	-729	-729
	6	-1550	-1150	-1067	-940	-914	-889	-864	-864
	7	-1638	-1275	-1175	-1065	-1039	-1014	-989	-989
53	1-4	-1425	-1120	-1021	-830	-792	-771	-742	-742
	5	-1513	-1195	-1117	-922	-892	-871	-842	-842
	6	-1625	-1310	-1204	-1018	-988	-967	-938	-938
	7	-1713	-1375	-1342	-1147	-1125	-1104	-1075	-1075
63	1-5	-1638	-1295	-1220	-1006	-965	-940	-905	-905
	6	-1713	-1380	-1295	-1085	-1050	-1025	-990	-990
34	1 & 2	-1350	-1175	-1100	-700	-675	-613	-550	-550
	3	-1350	-1175	-1100	-700	-675	-613	-550	-550
	4	-1475	-1300	-1200	-800	-775	-713	-650	-650
	5	-1563	-1388	-1313	-925	-900	-838	-775	-775
	6	-1725	-1550	-1475	-1113	-1088	-1025	-963	-963
44	1-3	-1463	-1288	-1213	-813	-788	-725	-663	-663
	4	-1538	-1388	-1263	-863	-838	-775	-713	-713
	5	-1613	-1450	-1350	-963	-938	-875	-813	-813
	6	-1775	-1600	-1525	-1163	-1138	-1075	-1013	-1013
54	1-4	-1563	-1413	-1338	-913	-900	-838	-788	-788
	5	-1650	-1488	-1388	-1025	-1000	-938	-888	-888

Mike	
Range	Diff.
24 & Below	-1700
25-26	-1346
27-29	-1050
30-32	-661
33-34	-443
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-271
53 & Above	-404

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-629
22.0 - 22.9	-579
23.0 - 23.9	-525
24.0 - 24.9	-493
25.0 - 25.9	-436
26.0 - 26.9	-261
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	21
31.0 - 32.9	46
33.0 & Above	75

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-157
Prep - Level 2	-714
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-450
Other - Level 2	-756
Plastic - Level 1	-4000
Plastic - Level 2	-4000



## Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service  
Cotton and Tobacco Market News

27-Jul-21

Volume 103, No. 248

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-93	148	381	572	645
	3	-118	117	321	517	575
	4	-220	60	180	342	389
	5	-340	-128	18	103	150
21	1 & 2	-93	148	381	572	645
	3	-118	117	321	517	575
	4	-220	60	180	342	389
	5	-340	-128	18	103	150
31	1 & 2	-143	87	310	514	581
	3	-158	77	270	484	531
	4	-270	45	140	282	334
	5	-385	-165	-43	28	72
41	1 & 2	-295	45	135	240	252
	3	-305	34	92	192	207
	4	-385	0	40	132	154
	5	-530	-310	-205	-123	-101
51	1 & 2	-515	-275	-175	-138	-131
	3	-520	-295	-190	-148	-141
	4	-550	-350	-270	-225	-208
	5	-710	-523	-445	-405	-385
12	1 & 2	-255	55	180	315	377
	3	-270	50	140	270	312
22	1 & 2	-255	55	180	315	377
	3	-270	50	140	270	312
32	1 & 2	-380	-120	0	52	84
	3	-395	-140	-25	27	54
Strength	25.0 - 25.9	-465				

Source: USDA, AMS Cotton and Tobacco Market News  
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov  
<https://www.ams.usda.gov/market-news/cotton>  
<https://mymarketnews.ams.usda.gov>

# Daily Spot Cotton Quotations

Volume 103, No. 248

27-Jul-21

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>			
Southeast	-125 Oct-21	89.49	91.74	0	125,929			
North Delta	-225 Oct-21	88.49	90.74	0	45,961			
South Delta	-225 Oct-21	88.49	90.74	0	12,992			
East TX-OK	-475 Oct-21	85.99	88.74	0	417,019			
West Texas	-475 Oct-21	85.99	88.74	0	721,549			
Desert SW	-700 Oct-21	83.74	87.24	0	63,507			
SJ Valley	-650 Oct-21	84.24	93.14	0	0			
Average	-411 Oct-21	86.63	90.15	Upland Total				
Previous day	-411 Oct-21	86.18	89.70	0	1,386,957			
<b>AMERICAN PIMA SPOT PRICE QUOTATIONS</b>								
American Pima	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total				
	153.00	132.50	140.25	0	10,275			
<b>ICE FUTURES US - CONTRACT NO. 2 1/</b>			<b>7-MARKET</b>		<b>Jul 23 - Jul 29</b>			
<b>COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER</b>			<b>BASE QUOTATIONS</b>		<b>ADJ. WORLD PRICE</b>			
Month	<i>Cents per pound</i>			<b>FOR UPLAND COTTON</b>				
	Today	Previous	Change	76.58				
Oct-21	90.74	90.29	0.45	<b>CC ADJUSTMENT</b>				
Dec-21	90.23	89.60	0.63	0.00				
Mar-22	89.81	89.25	0.56	<b>FC ADJUSTMENT</b>				
May-22	89.10	88.49	0.61	2018 2019				
Jul-22	87.85	87.20	0.65	0.40 0.35				
Oct-22	82.85	82.30	0.55	<b>LOAN DEFICIENCY PMT.</b>				
Dec-22	81.28	80.75	0.53	0.00				
Mar-23	81.48	80.95	0.53	<b>Pima Competitiveness</b>				
May-23	81.13	80.60	0.53	Payment				
Jul-23	80.88	80.40	0.48	0.00				
<b>PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/</b>								
Staple 33	Color							
	11	21	31	41	51	12	22	32
Leaf 1 & 2	-93	-93	-143	-295	-515	-255	-255	-380
3	-118	-118	-158	-305	-520	-270	-270	-395
4	-220	-220	-270	-385	-550	NOT TENDERABLE		
5	-340	-340	-385	-530	-710	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	148	148	87	45	-275	55	55	-120
3	117	117	77	34	-295	50	50	-140
4	60	60	45	0	-350	NOT TENDERABLE		
5	-128	-128	-165	-310	-522.5	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	381	381	310	135	-175	180	180	0
3	321	321	270	92	-190	140	140	-25
4	180	180	140	40	-270	NOT TENDERABLE		
5	18	18	-43	-205	-445	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	572	572	514	239.5	-138	314.5	315	52
3	517	517	484	192	-148	269.5	270	27
4	342	342	282	132	-225	NOT TENDERABLE		
5	103	103	28	-123	-405	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	645	645	581	251.5	-131	376.5	377	84
3	575	575	531	206.5	-141	311.5	312	54
4	389	389	334	154	-208	NOT TENDERABLE		
5	150	150	72	-101	-385	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP\_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT: <http://www.ams.usda.gov/mnreports/cnddsq.pdf>