



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

15-Apr-21

Volume 103, No. 177

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | | SPOT TRANSACTIONS | |
|--|-------------------------------------|-------------------------------------|-------------------------------------|---|-------------------|--------------|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | Number of Bales Provided to Cotton Program | | |
| | ICE Futures | Staple 34 | Staple 35 | Today | Season | |
| | <i>Points</i> | <i>Cents per pound</i> | | | <i>Bales</i> | <i>Bales</i> |
| Southeast | -125 May-21 | 83.77 | 86.02 | 0 | 112,955 | |
| North Delta | -225 May-21 | 82.77 | 85.02 | 0 | 42,825 | |
| South Delta | -225 May-21 | 82.77 | 85.02 | 0 | 12,974 | |
| East TX-OK | -500 May-21 | 80.02 | 82.77 | 3,642 | 394,364 | |
| West Texas | -500 May-21 | 80.02 | 82.77 | 2,116 | 705,831 | |
| Desert SW | -800 May-21 | 77.02 | 80.52 | 0 | 63,503 | |
| SJ Valley | -750 May-21 | 77.52 | 86.42 | 0 | 0 | |
| Average | -446 May-21 | 80.56 | 84.08 | Upland Total | | |
| Previous day | -446 May-21 | 79.74 | 83.26 | 5,758 | 1,332,452 | |
| AMERICAN PIMA SPOT PRICE QUOTATIONS | | | | | | |
| | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total | | |
| American Pima | 139.00 | 119.50 | 127.25 | 0 | 4,677 | |

| ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER | | | | 7-MARKET BASE QUOTATIONS FOR UPLAND COTTON | | Apr 09 - Apr 15 ADJ. WORLD PRICE 64.92 | |
|---|------------------------|----------|---------|--|-------|--|------|
| Month | <i>Cents per pound</i> | | | | | CC ADJUSTMENT 0.00 | |
| | Today | Previous | Change | | | FC ADJUSTMENT | |
| May-21 | 85.02 | 84.20 | ↑ 0.82 | Season high | | 2019 | 2020 |
| Jul-21 | 86.26 | 85.52 | ↑ 0.74 | 2/24/2021 | 88.80 | 0.38 | 0.33 |
| Oct-21 | 84.03 | 83.24 | ↑ 0.79 | | | LOAN DEFICIENCY PMT. 0.00 | |
| Dec-21 | 83.08 | 82.71 | ↑ 0.37 | Season low | | PIMA COMPETITIVENESS PAYMENT 0.00 | |
| Mar-22 | 82.76 | 82.56 | ↑ 0.20 | 8/12/2020 | 57.20 | | |
| May-22 | 82.29 | 82.35 | ↓ -0.06 | | | | |
| Jul-22 | 81.65 | 82.03 | ↓ -0.38 | | | | |
| Oct-22 | 78.30 | 78.33 | ↓ -0.03 | | | | |
| Dec-22 | 76.00 | 75.53 | ↑ 0.47 | | | | |
| Mar-23 | 76.15 | 75.62 | ↑ 0.53 | | | | |

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

| Market | Basis | Color Leaf Staple | Mike | Strength | Extraneous Matter | Uniformity |
|---------------|-------|-------------------|------|----------|-------------------|------------|
| Southeast | | | | | | |
| North Delta | | | | | | |
| South Delta | | | | | | |
| East TX-OK | | | | | | |
| West Texas | | | | | | |
| Desert SW | | | | | | |
| SJ Valley | | | | | | |
| American Pima | | | | | | |

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

| Color | Leaf | Staple | | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -225 | -50 | 150 | 250 | 375 | 425 | 425 | 25-26 | -1075 |
| | 3 | -225 | -50 | 150 | 225 | 350 | 400 | 400 | 27-29 | -675 |
| | 4 | -225 | -125 | 75 | 175 | 275 | 300 | 300 | 30-32 | -525 |
| | 5 | -475 | -325 | -225 | -75 | -25 | -25 | -25 | 33-34 | -400 |
| | 6 | -600 | -450 | -400 | -325 | -300 | -300 | -300 | Base 35-36 | 0 |
| 31 | 7 | -725 | -575 | -550 | -450 | -425 | -425 | -425 | 37-42 | 0 |
| | 1 & 2 | -225 | -100 | 75 | 225 | 350 | 375 | 375 | Base 43-49 | 0 |
| | 3 | -225 | -100 | 75 | 225 | 325 | 350 | 350 | 50-52 | -200 |
| | 4 | -225 | -125 | 75 | 175 | 250 | 275 | 275 | 53 & Above | -375 |
| | 5 | -475 | -325 | -225 | -75 | -50 | -50 | -50 | | |
| 41 | 6 | -600 | -450 | -400 | -375 | -350 | -350 | -350 | | |
| | 7 | -725 | -575 | -550 | -500 | -475 | -475 | -475 | | |
| | 1 & 2 | -275 | -150 | 50 | 150 | 200 | 200 | 225 | Strength | |
| | 3 | -275 | -150 | 50 | 125 | 175 | 175 | 200 | (Grams per Tex) | |
| | 4 | -275 | -200 | 83.77 | 100 | 175 | 175 | 200 | Range | Diff. |
| 51 | 5 | -550 | -450 | -300 | -175 | -125 | -125 | -125 | 21.0 - 21.9 | -725 |
| | 6 | -675 | -550 | -525 | -450 | -425 | -425 | -425 | 22.0 - 22.9 | -675 |
| | 7 | -775 | -675 | -650 | -600 | -575 | -575 | -575 | 23.0 - 23.9 | -650 |
| | 1 & 2 | -475 | -350 | -225 | -175 | -150 | -150 | -150 | 24.0 - 24.9 | -625 |
| | 3 | -550 | -375 | -300 | -225 | -175 | -175 | -175 | 25.0 - 25.9 | -600 |
| 61 | 4 | -575 | -375 | -325 | -275 | -250 | -250 | -250 | 26.0 - 26.9 | -300 |
| | 5 | -775 | -650 | -550 | -500 | -475 | -475 | -475 | Base 27.0 - 28.9 | 0 |
| | 6 | -850 | -675 | -625 | -625 | -600 | -600 | -600 | 29.0 - 29.9 | 0 |
| | 7 | -925 | -800 | -775 | -775 | -750 | -750 | -750 | 30.0 - 30.9 | 25 |
| | 1-5 | -775 | -700 | -625 | -600 | -600 | -600 | -600 | 31.0 - 32.9 | 50 |
| 71 | 6 | -950 | -875 | -825 | -800 | -800 | -800 | -800 | 33.0 & Above | 50 |
| | 7 | -1075 | -950 | -900 | -875 | -875 | -875 | -875 | | |
| | 1-6 | -1075 | -1000 | -950 | -950 | -950 | -950 | -950 | | |
| 12 & 22 | 7 | -1100 | -1025 | -975 | -975 | -975 | -975 | -975 | | |
| | 1 & 2 | -275 | -100 | 50 | 150 | 250 | 250 | 275 | Extraneous Matter | |
| | 3 | -275 | -100 | 50 | 125 | 225 | 225 | 250 | Type - Level | Diff. |
| | 4 | -275 | -125 | 0 | 100 | 200 | 200 | 225 | Prep - Level 1 | -200 |
| | 5 | -525 | -425 | -300 | -100 | -75 | -75 | -75 | Prep - Level 2 | -800 |
| 32 | 6 | -650 | -525 | -525 | -450 | -425 | -425 | -425 | Other - Level 1 | -550 |
| | 7 | -750 | -650 | -650 | -600 | -575 | -575 | -575 | Other - Level 2 | -800 |
| | 1 & 2 | -325 | -175 | -25 | 0 | 50 | 50 | 50 | Plastic - Level 1 | -4000 |
| | 3 | -350 | -200 | -50 | 0 | 25 | 25 | 25 | Plastic - Level 2 | -4000 |
| | 4 | -450 | -200 | -150 | -100 | -50 | -50 | -50 | | |
| 42 | 5 | -625 | -450 | -400 | -375 | -350 | -350 | -350 | | |
| | 6 | -700 | -550 | -550 | -525 | -500 | -500 | -500 | | |
| | 7 | -800 | -675 | -675 | -650 | -625 | -625 | -625 | | |
| | 1-3 | -625 | -425 | -225 | -200 | -175 | -175 | -175 | Uniformity | |
| | 4 | -675 | -425 | -275 | -275 | -250 | -250 | -250 | Unit | Points |
| 52 | 5 | -775 | -650 | -425 | -375 | -350 | -350 | -350 | 77.9 & Below | -125 |
| | 6 | -825 | -775 | -625 | -625 | -600 | -600 | -600 | 78.0 - 78.9 | -110 |
| | 7 | -925 | -800 | -775 | -750 | -725 | -725 | -725 | 79.0 - 79.9 | -100 |
| | 1-4 | -825 | -700 | -575 | -500 | -500 | -500 | -500 | 80.0 - 80.9 | 0 |
| | 5 | -850 | -850 | -675 | -650 | -650 | -650 | -650 | Base 81.0 - 81.9 | 0 |
| 62 | 6 | -925 | -900 | -850 | -825 | -825 | -825 | -825 | 82.0 - 82.9 | 0 |
| | 7 | -1075 | -1000 | -950 | -925 | -925 | -925 | -925 | 83.0 - 83.9 | 20 |
| | 1-5 | -950 | -875 | -825 | -825 | -825 | -825 | -825 | 84.0 - 84.9 | 30 |
| 43 | 6 | -1125 | -1050 | -1000 | -1000 | -1000 | -1000 | -1000 | 85.0 - 85.9 | 40 |
| | 1-3 | -900 | -850 | -800 | -750 | -725 | -725 | -725 | 86.0 & Above | 50 |
| | 4 | -925 | -900 | -850 | -775 | -750 | -750 | -750 | | |
| | 5 | -950 | -900 | -850 | -825 | -825 | -825 | -825 | | |
| | 6 | -1000 | -925 | -875 | -850 | -850 | -850 | -850 | | |
| 53 | 7 | -1125 | -1000 | -950 | -925 | -925 | -925 | -925 | | |
| | 1-4 | -1000 | -900 | -850 | -800 | -800 | -800 | -800 | | |
| | 5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 | | |
| | 6 | -1150 | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 | | |
| 63 | 7 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 | | |
| | 1-5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 | | |
| | 6 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 | | |

NORTH DELTA DIFFERENCES

| Color | Leaf | Staple | | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -225 | -75 | 150 | 275 | 375 | 425 | 425 | 25-26 | -1000 |
| | 3 | -225 | -75 | 150 | 225 | 350 | 375 | 375 | 27-29 | -650 |
| | 4 | -275 | -200 | 75 | 125 | 250 | 275 | 275 | 30-32 | -525 |
| | 5 | -450 | -325 | -150 | -75 | -50 | -25 | -25 | 33-34 | -425 |
| | 6 | -500 | -475 | -350 | -300 | -300 | -300 | -300 | Base 35-36 | 0 |
| 31 | 7 | -600 | -575 | -450 | -400 | -400 | -400 | -400 | 37-42 | 25 |
| | 1 & 2 | -225 | -100 | 125 | 250 | 350 | 375 | 375 | Base 43-49 | 0 |
| | 3 | -225 | -100 | 125 | 225 | 325 | 350 | 350 | 50-52 | -225 |
| | 4 | -275 | -250 | 75 | 125 | 175 | 200 | 200 | 53 & Above | -375 |
| | 5 | -450 | -325 | -225 | -125 | -100 | -75 | -75 | | |
| 41 | 6 | -500 | -475 | -350 | -300 | -300 | -300 | -300 | | |
| | 7 | -600 | -575 | -450 | -400 | -400 | -400 | -400 | | |
| | 1 & 2 | -350 | -250 | 50 | 100 | 225 | 225 | 250 | Strength | |
| | 3 | -350 | -250 | 25 | 50 | 175 | 200 | 225 | (Grams per Tex) | |
| | 4 | -375 | -275 | 82.77 | 0 | 125 | 150 | 150 | Range | Diff. |
| 51 | 5 | -625 | -500 | -325 | -225 | -175 | -175 | -175 | 21.0 - 21.9 | -850 |
| | 6 | -675 | -600 | -500 | -425 | -400 | -400 | -400 | 22.0 - 22.9 | -800 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -550 | -550 | 23.0 - 23.9 | -750 |
| | 1-2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 | 24.0 - 24.9 | -700 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 | 25.0 - 25.9 | -650 |
| 61 | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 | 26.0 - 26.9 | -300 |
| | 5 | -825 | -725 | -650 | -575 | -550 | -550 | -550 | Base 27.0 - 28.9 | 0 |
| | 6 | -950 | -925 | -775 | -700 | -700 | -700 | -700 | 29.0 - 29.9 | 0 |
| | 7 | -1000 | -975 | -825 | -775 | -775 | -775 | -775 | 30.0 - 30.9 | 25 |
| | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 | 31.0 - 32.9 | 50 |
| 71 | 6 | -950 | -950 | -775 | -750 | -750 | -750 | -750 | 33.0 & Above | 50 |
| | 7 | -1025 | -1000 | -875 | -850 | -850 | -850 | -850 | | |
| | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 | | |
| 12 & 22 | 7 | -1275 | -1225 | -1075 | -1075 | -1075 | -1075 | -1075 | Extraneous Matter | |
| | 1 & 2 | -275 | -125 | 50 | 100 | 225 | 250 | 250 | Type - Level | Diff. |
| | 3 | -275 | -125 | 25 | 50 | 175 | 225 | 225 | Prep - Level 1 | -200 |
| | 4 | -300 | -250 | 0 | 0 | 150 | 175 | 175 | Prep - Level 2 | -800 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 | Other - Level 1 | -375 |
| 32 | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 | Other - Level 2 | -785 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 | Plastic - Level 1 | -4000 |
| | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 | Plastic - Level 2 | -4000 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 | | |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 | | |
| 42 | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 | Uniformity | |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 | Unit | Points |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 | 77.9 & Below | -90 |
| | 1-3 | -550 | -425 | -325 | -200 | -175 | -175 | -175 | 78.0 - 78.9 | -80 |
| | 4 | -575 | -450 | -350 | -275 | -250 | -250 | -250 | 79.0 - 79.9 | -70 |
| 52 | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 | 80.0 - 80.9 | 0 |
| | 6 | -850 | -750 | -600 | -550 | -525 | -525 | -525 | Base 81.0 - 81.9 | 0 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 | 82.0 - 82.9 | 0 |
| | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 | 83.0 - 83.9 | 30 |
| | 5 | -825 | -725 | -650 | -600 | -600 | -600 | -600 | 84.0 - 84.9 | 40 |
| 62 | 6 | -975 | -875 | -800 | -775 | -775 | -775 | -775 | 85.0 - 85.9 | 50 |
| | 7 | -1000 | -975 | -900 | -875 | -875 | -875 | -875 | 86.0 & Above | 60 |
| | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 | | |
| 43 | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 | | |
| | 1-3 | -900 | -675 | -500 | -475 | -475 | -475 | -475 | | |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 | | |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 | | |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 | | |
| 53 | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 | | |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 | | |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| 63 | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 | | |
| | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 | | |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 | | |

SOUTH DELTA DIFFERENCES

| Color | Leaf | Staple | | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -225 | -75 | 175 | 300 | 375 | 425 | 425 | 25-26 | -1100 |
| | 3 | -225 | -75 | 150 | 250 | 350 | 375 | 375 | 27-29 | -750 |
| | 4 | -275 | -200 | 75 | 125 | 250 | 275 | 275 | 30-32 | -525 |
| | 5 | -450 | -325 | -175 | -100 | -75 | -50 | -50 | 33-34 | -425 |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 | Base 35-36 | 0 |
| 31 | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 | 37-42 | 25 |
| | 1 & 2 | -225 | -100 | 125 | 250 | 350 | 375 | 375 | Base 43-49 | 0 |
| | 3 | -225 | -100 | 125 | 225 | 325 | 350 | 350 | 50-52 | -225 |
| | 4 | -275 | -250 | 75 | 125 | 175 | 200 | 200 | 53 & Above | -375 |
| | 5 | -550 | -425 | -225 | -150 | -125 | -100 | -100 | | |
| 41 | 6 | -600 | -575 | -450 | -400 | -400 | -400 | -400 | | |
| | 7 | -700 | -675 | -550 | -500 | -500 | -500 | -500 | | |
| | 1 & 2 | -350 | -250 | 100 | 150 | 250 | 250 | 275 | Strength | |
| | 3 | -350 | -250 | 75 | 100 | 225 | 225 | 250 | (Grams per Tex) | |
| | 4 | -375 | -275 | 82.77 | 50 | 175 | 200 | 200 | Range | Diff. |
| 51 | 5 | -625 | -500 | -325 | -225 | -175 | -175 | -175 | 21.0 - 21.9 | -850 |
| | 6 | -675 | -600 | -500 | -425 | -400 | -425 | -425 | 22.0 - 22.9 | -800 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -550 | -550 | 23.0 - 23.9 | -750 |
| | 1-2 | -675 | -475 | -300 | -200 | -200 | -200 | -200 | 24.0 - 24.9 | -700 |
| | 3 | -725 | -475 | -325 | -225 | -225 | -225 | -225 | 25.0 - 25.9 | -650 |
| 61 | 4 | -750 | -500 | -350 | -300 | -300 | -300 | -300 | 26.0 - 26.9 | -300 |
| | 5 | -825 | -725 | -625 | -575 | -550 | -550 | -550 | Base 27.0 - 28.9 | 0 |
| | 6 | -925 | -825 | -775 | -700 | -700 | -700 | -700 | 29.0 - 29.9 | 0 |
| | 7 | -1100 | -1075 | -925 | -800 | -800 | -800 | -800 | 30.0 - 30.9 | 25 |
| | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 | 31.0 - 32.9 | 50 |
| 71 | 6 | -925 | -850 | -775 | -750 | -750 | -750 | -750 | 33.0 & Above | 50 |
| | 7 | -1125 | -1100 | -975 | -850 | -850 | -850 | -850 | | |
| | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 | | |
| 12 & 22 | 7 | -1275 | -1225 | -1125 | -1075 | -1075 | -1075 | -1075 | Extraneous Matter | |
| | 1 & 2 | -275 | -125 | 50 | 100 | 250 | 275 | 275 | Type - Level | Diff. |
| | 3 | -275 | -125 | 25 | 50 | 200 | 250 | 250 | Prep - Level 1 | -200 |
| | 4 | -300 | -250 | 0 | 0 | 150 | 175 | 175 | Prep - Level 2 | -800 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 | Other - Level 1 | -375 |
| 32 | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 | Other - Level 2 | -785 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 | Plastic - Level 1 | -4000 |
| | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 | Plastic - Level 2 | -4000 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 | | |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 | | |
| 42 | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 | | |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 | | |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 | | |
| | 1-3 | -550 | -425 | -325 | -200 | -175 | -175 | -175 | Uniformity | |
| | 4 | -575 | -450 | -350 | -275 | -225 | -225 | -225 | Unit | Points |
| 52 | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 | 77.9 & Below | -90 |
| | 6 | -850 | -750 | -600 | -525 | -500 | -500 | -500 | 78.0 - 78.9 | -80 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 | 79.0 - 79.9 | -70 |
| | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 | 80.0 - 80.9 | 0 |
| | 5 | -875 | -725 | -650 | -600 | -600 | -600 | -600 | Base 81.0 - 81.9 | 0 |
| 62 | 6 | -925 | -875 | -800 | -775 | -775 | -775 | -775 | 82.0 - 82.9 | 0 |
| | 7 | -1025 | -975 | -900 | -875 | -875 | -875 | -875 | 83.0 - 83.9 | 30 |
| | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 | 84.0 - 84.9 | 40 |
| | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 | 85.0 - 85.9 | 50 |
| | 1-3 | -900 | -675 | -475 | -450 | -450 | -450 | -450 | 86.0 & Above | 60 |
| 43 | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 | | |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 | | |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 | | |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 | | |
| 53 | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 | | |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 | | |
| | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 | | |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 | | |

EAST TEXAS-OKLAHOMA DIFFERENCES

15-Apr-21

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -425 | -375 | -175 | 150 | 450 | 625 | 725 | 750 |
| | 3 | -475 | -425 | -200 | 100 | 400 | 550 | 650 | 675 |
| | 4 | -550 | -425 | -225 | 50 | 100 | 400 | 500 | 500 |
| | 5 | -600 | -475 | -400 | -75 | 100 | 225 | 325 | 325 |
| | 6 | -750 | -600 | -575 | -300 | -275 | -150 | -75 | -75 |
| | 7 | -825 | -700 | -675 | -375 | -350 | -225 | -150 | -150 |
| 31 | 1 & 2 | -475 | -400 | -200 | 50 | 325 | 550 | 625 | 650 |
| | 3 | -500 | -425 | -225 | 50 | 275 | 525 | 575 | 600 |
| | 4 | -600 | -500 | -275 | 25 | 100 | 350 | 425 | 425 |
| | 5 | -650 | -500 | -425 | -75 | 75 | 175 | 275 | 275 |
| | 6 | -775 | -625 | -600 | -300 | -275 | -150 | -125 | -125 |
| | 7 | -850 | -725 | -700 | -375 | -350 | -250 | -225 | -225 |
| 41 | 1 & 2 | -575 | -400 | -200 | 50 | 200 | 450 | 475 | 475 |
| | 3 | -600 | -425 | -225 | 50 | 150 | 325 | 350 | 350 |
| | 4 | -650 | -500 | -375 | 80.02 | 75 | 275 | 300 | 300 |
| | 5 | -775 | -600 | -525 | -175 | -100 | 125 | 175 | 175 |
| | 6 | -925 | -725 | -675 | -375 | -350 | -225 | -225 | -225 |
| | 7 | -1025 | -825 | -775 | -475 | -425 | -350 | -350 | -350 |
| 51 | 1 & 2 | -775 | -625 | -500 | -100 | -50 | 100 | 125 | 125 |
| | 3 | -775 | -650 | -500 | -100 | -50 | 100 | 125 | 125 |
| | 4 | -825 | -675 | -525 | -175 | -125 | 25 | 50 | 50 |
| | 5 | -875 | -750 | -675 | -275 | -200 | -150 | -100 | -100 |
| | 6 | -1050 | -850 | -825 | -425 | -400 | -275 | -275 | -275 |
| | 7 | -1150 | -875 | -850 | -500 | -475 | -350 | -350 | -350 |
| 61 | 1-5 | -950 | -800 | -725 | -325 | -300 | -175 | -175 | -175 |
| | 6 | -1125 | -925 | -875 | -500 | -450 | -325 | -325 | -325 |
| | 7 | -1225 | -1025 | -975 | -600 | -550 | -425 | -425 | -425 |
| 71 | 1-6 | -1150 | -1050 | -975 | -575 | -550 | -425 | -425 | -425 |
| | 7 | -1250 | -1100 | -1050 | -650 | -625 | -500 | -500 | -500 |
| 12 & 22 | 1 & 2 | -725 | -500 | -300 | 75 | 225 | 450 | 550 | 550 |
| | 3 | -750 | -550 | -350 | 75 | 175 | 400 | 425 | 425 |
| | 4 | -800 | -575 | -375 | 0 | 75 | 375 | 375 | 375 |
| | 5 | -875 | -750 | -675 | -275 | -175 | 150 | 250 | 250 |
| | 6 | -1050 | -850 | -825 | -425 | -375 | -200 | -100 | -100 |
| | 7 | -1175 | -975 | -925 | -525 | -475 | -300 | -225 | -225 |
| 32 | 1 & 2 | -800 | -700 | -500 | -100 | 25 | 75 | 175 | 175 |
| | 3 | -825 | -700 | -525 | -125 | -75 | 0 | 100 | 100 |
| | 4 | -875 | -725 | -600 | -200 | -175 | -100 | -50 | -50 |
| | 5 | -975 | -850 | -800 | -375 | -300 | -125 | -50 | -50 |
| | 6 | -1150 | -950 | -925 | -550 | -500 | -425 | -375 | -375 |
| | 7 | -1300 | -1075 | -1050 | -650 | -600 | -525 | -475 | -475 |
| 42 | 1-3 | -875 | -775 | -675 | -200 | -125 | -100 | -50 | -50 |
| | 4 | -925 | -800 | -700 | -225 | -175 | -175 | -125 | -125 |
| | 5 | -1075 | -925 | -825 | -425 | -375 | -325 | -275 | -275 |
| | 6 | -1300 | -1025 | -950 | -575 | -525 | -525 | -450 | -450 |
| | 7 | -1425 | -1150 | -1075 | -700 | -625 | -575 | -525 | -525 |
| | 52 | 1-4 | -1125 | -925 | -825 | -500 | -500 | -425 | -375 |
| 5 | | -1200 | -1025 | -900 | -550 | -550 | -500 | -425 | -425 |
| 6 | | -1425 | -1225 | -1125 | -700 | -675 | -600 | -550 | -550 |
| 7 | | -1525 | -1350 | -1250 | -825 | -800 | -675 | -625 | -625 |
| 62 | 1-5 | -1250 | -1100 | -1050 | -625 | -600 | -525 | -475 | -475 |
| | 6 | -1475 | -1300 | -1250 | -825 | -800 | -700 | -650 | -650 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1200 | -1050 | -950 | -500 | -425 | -325 | -225 | -225 |
| | 3 | -1225 | -1075 | -975 | -525 | -450 | -350 | -250 | -250 |
| | 4 | -1275 | -1150 | -1025 | -575 | -500 | -400 | -300 | -300 |
| | 5 | -1400 | -1250 | -1150 | -700 | -625 | -525 | -425 | -425 |
| | 6 | -1525 | -1325 | -1200 | -800 | -725 | -625 | -525 | -525 |
| | 7 | -1625 | -1425 | -1325 | -925 | -850 | -750 | -650 | -650 |
| 33 | 1 & 2 | -1275 | -1100 | -1000 | -530 | -475 | -375 | -275 | -275 |
| | 3 | -1275 | -1100 | -1000 | -555 | -500 | -400 | -275 | -275 |
| | 4 | -1350 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 5 | -1500 | -1275 | -1175 | -730 | -675 | -575 | -450 | -450 |
| | 6 | -1575 | -1350 | -1250 | -855 | -800 | -700 | -575 | -575 |
| | 7 | -1675 | -1475 | -1350 | -980 | -925 | -825 | -700 | -700 |
| 43 | 1-3 | -1325 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 4 | -1400 | -1250 | -1100 | -630 | -575 | -475 | -350 | -350 |
| | 5 | -1525 | -1350 | -1200 | -760 | -700 | -600 | -475 | -475 |
| | 6 | -1625 | -1425 | -1300 | -880 | -850 | -750 | -625 | -625 |
| | 7 | -1725 | -1525 | -1400 | -980 | -950 | -850 | -725 | -725 |
| 53 | 1-4 | -1450 | -1350 | -1225 | -780 | -775 | -700 | -575 | -575 |
| | 5 | -1550 | -1425 | -1325 | -855 | -850 | -775 | -650 | -650 |
| | 6 | -1650 | -1525 | -1425 | -1005 | -975 | -900 | -775 | -775 |
| | 7 | -1750 | -1625 | -1550 | -1105 | -1050 | -975 | -850 | -850 |
| 63 | 1-5 | -1650 | -1500 | -1375 | -955 | -875 | -800 | -675 | -675 |
| | 6 | -1750 | -1625 | -1475 | -1075 | -1000 | -925 | -800 | -800 |
| 34 | 1 & 2 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 3 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 4 | -1525 | -1400 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 5 | -1625 | -1500 | -1425 | -975 | -950 | -875 | -800 | -800 |
| | 6 | -1800 | -1675 | -1600 | -1150 | -1125 | -1050 | -975 | -975 |
| 44 | 1-3 | -1500 | -1375 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 4 | -1575 | -1475 | -1350 | -900 | -875 | -800 | -725 | -725 |
| | 5 | -1650 | -1550 | -1450 | -1000 | -975 | -900 | -825 | -825 |
| | 6 | -1825 | -1700 | -1625 | -1175 | -1150 | -1075 | -1000 | -1000 |
| 54 | 1-4 | -1600 | -1500 | -1425 | -925 | -925 | -850 | -800 | -800 |
| | 5 | -1700 | -1600 | -1500 | -1025 | -1000 | -925 | -875 | -875 |

| Mike | |
|------------|-------|
| Range | Diff. |
| 24 & Below | -1900 |
| 25-26 | -1900 |
| 27-29 | -1325 |
| 30-32 | -700 |
| 33-34 | -450 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -225 |
| 53 & Above | -400 |

| Strength (Grams per Tex) | |
|-----------------------------|-------|
| Range | Diff. |
| 19.0 - 19.9 | -400 |
| 20.0 - 20.9 | -400 |
| 21.0 - 21.9 | -375 |
| 22.0 - 22.9 | -375 |
| 23.0 - 23.9 | -350 |
| 24.0 - 24.9 | -350 |
| 25.0 - 25.9 | -275 |
| 26.0 - 26.9 | -250 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 0 |
| 31.0 - 32.9 | 0 |
| 33.0 & above | 25 |

| Uniformity | |
|------------------|--------|
| Unit | Points |
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -75 |
| 79.0 - 79.9 | -60 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -200 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -525 |
| Other - Level 1 | -550 |
| Other - Level 2 | -600 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -325 | -215 | -40 | 200 | 415 | 640 | 715 | 715 |
| | 3 | -425 | -315 | -140 | 135 | 315 | 540 | 615 | 615 |
| | 4 | -450 | -350 | -225 | 75 | 250 | 425 | 475 | 475 |
| | 5 | -525 | -375 | -250 | 25 | 175 | 300 | 325 | 325 |
| | 6 | -675 | -500 | -425 | -200 | -175 | -125 | -125 | -125 |
| | 7 | -750 | -550 | -500 | -275 | -250 | -200 | -200 | -200 |
| 31 | 1 & 2 | -475 | -315 | -115 | 135 | 300 | 525 | 650 | 650 |
| | 3 | -550 | -365 | -165 | 110 | 275 | 500 | 600 | 600 |
| | 4 | -600 | -450 | -325 | 50 | 150 | 325 | 425 | 425 |
| | 5 | -650 | -500 | -375 | -75 | 25 | 150 | 175 | 175 |
| | 6 | -775 | -600 | -475 | -275 | -275 | -250 | -250 | -250 |
| | 7 | -875 | -650 | -550 | -325 | -325 | -300 | -300 | -300 |
| 41 | 1 & 2 | -650 | -475 | -275 | 50 | 175 | 200 | 225 | 225 |
| | 3 | -675 | -500 | -300 | 20 | 100 | 175 | 200 | 200 |
| | 4 | -725 | -500 | -425 | 80.02 | 0 | 25 | 50 | 50 |
| | 5 | -800 | -600 | -500 | -225 | -100 | -50 | -50 | -50 |
| | 6 | -875 | -700 | -625 | -425 | -400 | -275 | -275 | -275 |
| | 7 | -1000 | -800 | -725 | -475 | -450 | -375 | -375 | -375 |
| 51 | 1 & 2 | -800 | -625 | -525 | -175 | -75 | -75 | -75 | -75 |
| | 3 | -800 | -625 | -525 | -175 | -75 | -75 | -75 | -75 |
| | 4 | -825 | -625 | -600 | -250 | -150 | -150 | -150 | -150 |
| | 5 | -825 | -650 | -650 | -350 | -275 | -200 | -200 | -200 |
| | 6 | -975 | -750 | -750 | -475 | -425 | -300 | -300 | -300 |
| | 7 | -1075 | -850 | -850 | -575 | -525 | -425 | -425 | -425 |
| 61 | 1-5 | -925 | -750 | -750 | -425 | -325 | -225 | -225 | -225 |
| | 6 | -1050 | -825 | -825 | -625 | -525 | -400 | -400 | -400 |
| | 7 | -1150 | -975 | -950 | -700 | -600 | -500 | -500 | -500 |
| 71 | 1-6 | -1125 | -950 | -900 | -700 | -600 | -525 | -525 | -525 |
| | 7 | -1200 | -975 | -950 | -725 | -675 | -600 | -600 | -600 |
| 12 & 22 | 1 & 2 | -625 | -450 | -250 | 75 | 225 | 325 | 425 | 425 |
| | 3 | -650 | -475 | -275 | 75 | 175 | 275 | 325 | 325 |
| | 4 | -700 | -475 | -400 | -100 | 25 | 150 | 225 | 225 |
| | 5 | -750 | -550 | -450 | -125 | -50 | 25 | 25 | 25 |
| | 6 | -825 | -650 | -575 | -350 | -350 | -250 | -200 | -200 |
| | 7 | -950 | -750 | -675 | -425 | -425 | -325 | -275 | -275 |
| 32 | 1 & 2 | -825 | -600 | -375 | -150 | -25 | 0 | 50 | 75 |
| | 3 | -875 | -650 | -400 | -200 | -25 | 0 | 25 | 25 |
| | 4 | -925 | -700 | -575 | -250 | -50 | -25 | 0 | 0 |
| | 5 | -1050 | -875 | -750 | -425 | -250 | -225 | -200 | -200 |
| | 6 | -1100 | -875 | -825 | -525 | -450 | -425 | -375 | -375 |
| | 7 | -1200 | -975 | -875 | -625 | -525 | -500 | -450 | -450 |
| 42 | 1-3 | -950 | -725 | -625 | -300 | -200 | -125 | -75 | -75 |
| | 4 | -1000 | -800 | -650 | -350 | -250 | -150 | -100 | -100 |
| | 5 | -1100 | -950 | -800 | -500 | -325 | -325 | -275 | -275 |
| | 6 | -1300 | -1000 | -875 | -600 | -525 | -450 | -400 | -400 |
| | 7 | -1300 | -1075 | -975 | -725 | -600 | -525 | -475 | -475 |
| 52 | 1-4 | -1150 | -900 | -850 | -600 | -475 | -425 | -375 | -375 |
| | 5 | -1225 | -1000 | -925 | -650 | -525 | -475 | -425 | -425 |
| | 6 | -1425 | -1175 | -1100 | -775 | -675 | -625 | -575 | -575 |
| | 7 | -1500 | -1275 | -1200 | -875 | -775 | -725 | -675 | -675 |
| 62 | 1-5 | -1275 | -1075 | -1025 | -750 | -650 | -600 | -550 | -550 |
| | 6 | -1450 | -1225 | -1175 | -900 | -825 | -775 | -725 | -725 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1050 | -825 | -775 | -450 | -350 | -325 | -275 | -275 |
| | 3 | -1100 | -850 | -800 | -475 | -375 | -350 | -300 | -300 |
| | 4 | -1125 | -925 | -875 | -525 | -425 | -400 | -350 | -350 |
| | 5 | -1225 | -1000 | -975 | -650 | -550 | -500 | -450 | -450 |
| | 6 | -1325 | -1075 | -1050 | -725 | -625 | -575 | -525 | -525 |
| | 7 | -1400 | -1175 | -1125 | -775 | -725 | -675 | -625 | -625 |
| 33 | 1 & 2 | -1175 | -900 | -825 | -500 | -425 | -400 | -350 | -350 |
| | 3 | -1175 | -900 | -825 | -500 | -425 | -400 | -350 | -350 |
| | 4 | -1250 | -975 | -925 | -575 | -500 | -450 | -400 | -400 |
| | 5 | -1375 | -1075 | -1025 | -725 | -625 | -550 | -500 | -500 |
| | 6 | -1425 | -1150 | -1150 | -775 | -725 | -650 | -600 | -600 |
| | 7 | -1500 | -1250 | -1200 | -900 | -825 | -750 | -700 | -700 |
| 43 | 1-3 | -1225 | -1000 | -950 | -575 | -500 | -450 | -400 | -400 |
| | 4 | -1300 | -1075 | -1000 | -625 | -525 | -450 | -400 | -400 |
| | 5 | -1400 | -1150 | -1075 | -750 | -650 | -575 | -525 | -525 |
| | 6 | -1475 | -1225 | -1175 | -850 | -800 | -725 | -675 | -675 |
| | 7 | -1550 | -1325 | -1250 | -925 | -875 | -800 | -750 | -750 |
| 53 | 1-4 | -1400 | -1250 | -1150 | -750 | -700 | -650 | -600 | -600 |
| | 5 | -1475 | -1275 | -1200 | -850 | -800 | -750 | -700 | -700 |
| | 6 | -1600 | -1375 | -1300 | -950 | -925 | -875 | -825 | -825 |
| | 7 | -1675 | -1450 | -1400 | -1075 | -1050 | -1000 | -950 | -950 |
| 63 | 1-5 | -1625 | -1400 | -1300 | -900 | -825 | -775 | -725 | -725 |
| | 6 | -1675 | -1475 | -1350 | -1050 | -1000 | -950 | -900 | -900 |
| 34 | 1 & 2 | -1300 | -1075 | -1000 | -650 | -625 | -575 | -525 | -525 |
| | 3 | -1300 | -1075 | -1000 | -650 | -625 | -575 | -525 | -525 |
| | 4 | -1425 | -1200 | -1100 | -750 | -725 | -675 | -625 | -625 |
| | 5 | -1500 | -1275 | -1200 | -875 | -850 | -800 | -750 | -750 |
| | 6 | -1650 | -1425 | -1350 | -1075 | -1050 | -1000 | -950 | -950 |
| 44 | 1-3 | -1425 | -1200 | -1125 | -775 | -750 | -700 | -650 | -650 |
| | 4 | -1500 | -1300 | -1175 | -825 | -800 | -750 | -700 | -700 |
| | 5 | -1575 | -1350 | -1250 | -925 | -900 | -850 | -800 | -800 |
| | 6 | -1725 | -1500 | -1425 | -1150 | -1125 | -1075 | -1025 | -1025 |
| 54 | 1-4 | -1525 | -1325 | -1250 | -900 | -875 | -825 | -775 | -775 |
| | 5 | -1600 | -1375 | -1275 | -1025 | -1000 | -950 | -900 | -900 |

| Mike | |
|------------|-------|
| Range | Diff. |
| 24 & Below | -1850 |
| 25-26 | -1850 |
| 27-29 | -1300 |
| 30-32 | -700 |
| 33-34 | -450 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -225 |
| 53 & Above | -400 |

| Strength (Grams per Tex) | |
|-----------------------------|-------|
| Range | Diff. |
| 19.0 - 19.9 | -400 |
| 20.0 - 20.9 | -400 |
| 21.0 - 21.9 | -375 |
| 22.0 - 22.9 | -375 |
| 23.0 - 23.9 | -350 |
| 24.0 - 24.9 | -350 |
| 25.0 - 25.9 | -275 |
| 26.0 - 26.9 | -250 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 0 |
| 31.0 - 32.9 | 0 |
| 33.0 & above | 25 |

| Uniformity | |
|------------------|--------|
| Unit | Points |
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -75 |
| 79.0 - 79.9 | -60 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -200 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -525 |
| Other - Level 1 | -550 |
| Other - Level 2 | -600 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

DESERT SOUTHWEST DIFFERENCES

| Color | Leaf | Staple | | | | | | Mike | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------------------|--------------------------|--------|
| | | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. | |
| 11 & 21 | 1 & 2 | -125 | 75 | 500 | 845 | 935 | 1020 | 24 & Below | -1350 | |
| | 3 | -125 | 50 | 425 | 795 | 835 | 895 | 25-26 | -1150 | |
| | 4 | -325 | 25 | 250 | 360 | 395 | 420 | 27-29 | -1050 | |
| | 5 | -400 | -200 | -25 | 75 | 160 | 160 | 30-32 | -650 | |
| | 6 | -475 | -375 | -150 | -110 | -55 | -55 | 33-34 | -450 | |
| | 7 | -675 | -400 | -225 | -165 | -125 | -125 | 35-36 | 0 | |
| | 31 | 1 & 2 | -200 | 50 | 450 | 795 | 880 | 955 | 37-42 | 25 |
| 3 | | -200 | 25 | 350 | 745 | 780 | 855 | 43-49 | 0 | |
| 4 | | -375 | 0 | 150 | 310 | 345 | 395 | 50-52 | -300 | |
| 5 | | -425 | -225 | -100 | -25 | 45 | 45 | 53 & Above | -500 | |
| 6 | | -500 | -400 | -185 | -145 | -65 | -65 | | | |
| 7 | | -700 | -425 | -275 | -220 | -140 | -140 | | | |
| | | | | | | | | | | |
| 41 | 1 & 2 | -600 | 0 | 25 | 110 | 120 | 220 | Strength | | |
| | 3 | -600 | 0 | 10 | 85 | 95 | 195 | (Grams per Tex) | | |
| | 4 | -650 | 77.02 | 0 | 35 | 70 | 120 | Range | Diff. | |
| | 5 | -675 | -525 | -425 | -390 | -330 | -330 | 21.0 - 21.9 | -600 | |
| | 6 | -825 | -700 | -525 | -490 | -440 | -440 | 22.0 - 22.9 | -450 | |
| | 7 | -975 | -850 | -700 | -670 | -635 | -635 | 23.0 - 23.9 | -300 | |
| | 51 | 1 & 2 | -725 | -550 | -350 | -340 | -330 | -330 | 24.0 - 24.9 | -225 |
| 3 | | -725 | -550 | -350 | -340 | -330 | -330 | 25.0 - 25.9 | -200 | |
| 4 | | -750 | -625 | -475 | -425 | -365 | -365 | 26.0 - 26.9 | -125 | |
| 5 | | -850 | -800 | -675 | -650 | -600 | -600 | Base 27.0 - 28.9 | 0 | |
| 6 | | -1000 | -900 | -775 | -775 | -725 | -725 | 29.0 - 29.9 | 0 | |
| 7 | | -1200 | -1100 | -975 | -975 | -950 | -950 | 30.0 - 30.9 | 0 | |
| 12 & 22 | | 1 & 2 | -500 | 25 | 200 | 310 | 395 | 395 | 31.0 - 32.9 | 50 |
| | 3 | -500 | 25 | 175 | 260 | 345 | 345 | 33.0 & above | 75 | |
| | 4 | -600 | -25 | 175 | 260 | 345 | 345 | | | |
| | 5 | -625 | -450 | -150 | -150 | -75 | -75 | | | |
| | 6 | -775 | -650 | -350 | -350 | -275 | -275 | | | |
| | 7 | -950 | -825 | -600 | -600 | -525 | -525 | | | |
| | 32 | 1 & 2 | -600 | -225 | 0 | 85 | 95 | 95 | Extraneous Matter | |
| 3 | | -600 | -225 | 0 | 85 | 95 | 95 | Type - Level | Diff. | |
| 4 | | -650 | -450 | -100 | -15 | -5 | -5 | Prep - Level 1 | -50 | |
| 5 | | -700 | -700 | -450 | -450 | -450 | -450 | Prep - Level 2 | -800 | |
| 6 | | -900 | -825 | -575 | -575 | -575 | -575 | Other - Level 1 | -400 | |
| 7 | | -1050 | -1000 | -825 | -825 | -825 | -825 | Other - Level 2 | -800 | |
| 42 | | 1-3 | -700 | -525 | -250 | -200 | -200 | -200 | Plastic - Level 1 | -4000 |
| | 4 | -725 | -600 | -350 | -300 | -300 | -300 | Plastic - Level 2 | -4000 | |
| | 5 | -800 | -775 | -550 | -550 | -550 | -550 | | | |
| | 6 | -975 | -900 | -675 | -675 | -675 | -675 | | | |
| | 7 | -1175 | -1075 | -925 | -925 | -925 | -925 | | | |
| | 52 | 1-4 | -925 | -800 | -600 | -550 | -550 | -550 | Uniformity | |
| | | 5 | -975 | -875 | -700 | -700 | -700 | -700 | Unit | Points |
| 6 | | -1075 | -975 | -800 | -800 | -800 | -800 | 77.9 & Below | -100 | |
| 7 | | -1325 | -1225 | -1100 | -1075 | -1075 | -1075 | 78.0 - 78.9 | -90 | |
| 43 | 1-3 | -800 | -725 | -650 | -575 | -575 | -575 | 79.0 - 79.9 | -80 | |
| | 4 | -900 | -825 | -700 | -650 | -650 | -650 | 80.0 - 80.9 | 0 | |
| | 5 | -1000 | -900 | -725 | -700 | -700 | -700 | Base 81.0 - 81.9 | 0 | |
| | 6 | -1100 | -1000 | -975 | -975 | -975 | -975 | 82.0 - 82.9 | 0 | |
| | 7 | -1200 | -1125 | -1100 | -1100 | -1100 | -1100 | 83.0 - 83.9 | 30 | |
| | 53 | 1-4 | -1050 | -950 | -875 | -875 | -875 | -875 | 84.0 - 84.9 | 40 |
| | | 5 | -1100 | -1000 | -925 | -925 | -925 | -925 | 85.0 - 85.9 | 50 |
| 6 | | -1200 | -1100 | -1025 | -1025 | -1025 | -1025 | 86.0 & Above | 60 | |
| 7 | | -1450 | -1350 | -1350 | -1350 | -1350 | -1350 | | | |

| Color | Leaf | Staple | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------------------|--------|
| | | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | 415 | 1040 | 1390 | 1540 | 1765 | 27-29 | -1600 |
| | 3 | 365 | 990 | 1340 | 1465 | 1665 | 30-32 | -1000 |
| | 4 | 75 | 350 | 400 | 500 | 500 | 33-34 | -500 |
| | 5 | -125 | 75 | 130 | 190 | 190 | Base 35-36 | 0 |
| | 6 | -400 | -200 | -150 | -100 | -100 | 37-42 | 25 |
| | 7 | -625 | -525 | -475 | -425 | -425 | Base 43-49 | 0 |
| | | | | | | | 50-52 | -500 |
| 31 | 1 & 2 | 315 | 940 | 1290 | 1415 | 1590 | | |
| | 3 | 265 | 890 | 1240 | 1365 | 1540 | | |
| | 4 | 50 | 300 | 330 | 410 | 410 | | |
| | 5 | -200 | 0 | 55 | 115 | 115 | | |
| | 6 | -500 | -325 | -275 | -225 | -225 | | |
| | 7 | -675 | -575 | -525 | -475 | -475 | | |
| | | | | | | | | |
| 41 | 1 & 2 | 100 | 350 | 430 | 440 | 440 | Strength | |
| | 3 | 50 | 250 | 330 | 340 | 340 | (Grams per Tex) | |
| | 4 | 77.52 | 200 | 280 | 290 | 290 | Range | Diff. |
| | 5 | -425 | -200 | -195 | -185 | -185 | 24.0 - 24.9 | -500 |
| | 6 | -625 | -450 | -450 | -450 | -450 | 25.0 - 25.9 | -400 |
| | 7 | -825 | -725 | -725 | -725 | -725 | 26.0 - 26.9 | -300 |
| | | | | | | | Base 27.0 - 28.9 | 0 |
| 51 | 1 & 2 | -675 | -225 | -175 | -175 | -175 | 29.0 - 29.9 | 0 |
| | 3 | -700 | -250 | -200 | -200 | -200 | 30.0 - 30.9 | 75 |
| | 4 | -750 | -300 | -275 | -275 | -275 | 31.0 - 32.9 | 125 |
| | 5 | -775 | -375 | -325 | -325 | -325 | 33.0 & Above | 250 |
| | 6 | -900 | -800 | -800 | -800 | -800 | | |
| | 7 | -1050 | -1000 | -1000 | -1000 | -1000 | | |
| | | | | | | | | |
| 12 & 22 | 1 & 2 | 125 | 575 | 830 | 965 | 1140 | | |
| | 3 | 50 | 500 | 780 | 890 | 1040 | | |
| | 4 | -75 | 325 | 375 | 440 | 440 | | |
| | 5 | -250 | -50 | 0 | 50 | 50 | | |
| | 6 | -525 | -400 | -350 | -300 | -300 | | |
| | 7 | -775 | -700 | -650 | -600 | -600 | | |
| | | | | | | | | |
| 32 | 1 & 2 | 0 | 250 | 325 | 375 | 475 | Extraneous Matter | |
| | 3 | -50 | 200 | 275 | 325 | 425 | Type - Level | Diff. |
| | 4 | -200 | 25 | 50 | 100 | 100 | Prep - Level 1 | -50 |
| | 5 | -525 | -275 | -275 | -275 | -275 | Prep - Level 2 | -800 |
| | 6 | -675 | -475 | -475 | -475 | -475 | Other - Level 1 | -350 |
| | 7 | -850 | -750 | -750 | -750 | -750 | Other - Level 2 | -925 |
| | | | | | | | Plastic - Level 1 | -4000 |
| 42 | 1-3 | -450 | -100 | -75 | -75 | -75 | Plastic - Level 2 | -4000 |
| | 4 | -500 | -175 | -150 | -150 | -150 | | |
| | 5 | -675 | -350 | -300 | -300 | -300 | | |
| | 6 | -800 | -775 | -775 | -775 | -775 | | |
| | 7 | -1000 | -950 | -950 | -950 | -950 | | |
| | | | | | | | | |
| | | | | | | | | |
| 52 | 1-4 | -825 | -775 | -775 | -775 | -775 | Uniformity | |
| | 5 | -875 | -825 | -825 | -825 | -825 | Unit | Points |
| | 6 | -1025 | -1025 | -1025 | -1025 | -1025 | 77.9 & Below | -60 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 | 78.0 - 78.9 | -50 |
| | | | | | | | 79.0 - 79.9 | -40 |
| | | | | | | | 80.0 - 80.9 | 0 |
| | | | | | | | Base 81.0 - 81.9 | 0 |
| 33 | 1 & 2 | -500 | -500 | -500 | -500 | -500 | 82.0 - 82.9 | 50 |
| | 3 | -500 | -500 | -500 | -500 | -500 | 83.0 - 83.9 | 80 |
| | 4 | -600 | -600 | -600 | -600 | -600 | 84.0 - 84.9 | 90 |
| | 5 | -800 | -800 | -800 | -800 | -800 | 85.0 - 85.9 | 100 |
| | 6 | -1075 | -1075 | -1075 | -1075 | -1075 | 86.0 & Above | 110 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 | | |
| | | | | | | | | |
| 43 | 1-3 | -875 | -875 | -875 | -875 | -875 | | |
| | 4 | -925 | -925 | -925 | -925 | -925 | | |
| | 5 | -1075 | -1075 | -1075 | -1075 | -1075 | | |
| | 6 | -1225 | -1225 | -1225 | -1225 | -1225 | | |
| | 7 | -1425 | -1425 | -1425 | -1425 | -1425 | | |
| | | | | | | | | |
| | | | | | | | | |

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

| Color | Leaf | Staple | | | |
|-------|------|--------|--------|--------|--------|
| | | 44 | 46 | 48 | 50 |
| 1 | 1 | 133.75 | 139.50 | 140.25 | 140.25 |
| | 2 | 133.50 | 139.25 | 140.00 | 140.00 |
| | 3 | 125.75 | 133.50 | 133.50 | 133.50 |
| | 4 | | | | |
| | 5 | | | | |
| | 6 | | | | |
| 2 | 1 | 133.50 | 139.25 | 140.00 | 140.00 |
| | 2 | 133.25 | 139.00 | 139.75 | 139.75 |
| | 3 | 125.50 | 133.25 | 133.25 | 133.25 |
| | 4 | 115.50 | 123.75 | 123.75 | 123.75 |
| | 5 | | | | |
| | 6 | | | | |
| 3 | 1 | 123.25 | 131.00 | 131.00 | 131.00 |
| | 2 | 120.75 | 128.50 | 128.50 | 128.50 |
| | 3 | 119.50 | 127.25 | 127.25 | 127.25 |
| | 4 | 110.50 | 118.25 | 118.25 | 118.25 |
| | 5 | 94.50 | 101.75 | 101.75 | 101.75 |
| | 6 | | | | |
| 4 | 1 | 104.25 | 112.00 | 112.75 | 112.75 |
| | 2 | 104.00 | 111.75 | 112.00 | 112.00 |
| | 3 | 103.75 | 111.50 | 111.50 | 111.50 |
| | 4 | 98.75 | 106.50 | 106.50 | 106.50 |
| | 5 | 87.50 | 95.25 | 95.25 | 95.25 |
| | 6 | | | | |
| 5 | 1 | | | | |
| | 2 | 83.25 | 93.25 | 93.25 | 93.25 |
| | 3 | 83.25 | 92.75 | 93.00 | 93.00 |
| | 4 | 83.25 | 87.25 | 87.25 | 87.25 |
| | 5 | 83.00 | 87.00 | 87.00 | 87.00 |
| | 6 | | | | |
| 6 | 1 | | | | |
| | 2 | 75.50 | 78.50 | 78.50 | 78.50 |
| | 3 | 75.50 | 78.50 | 78.50 | 78.50 |
| | 4 | 75.50 | 78.50 | 78.50 | 78.50 |
| | 5 | 75.25 | 78.25 | 78.25 | 78.25 |
| | 6 | 74.75 | 77.75 | 77.75 | 77.75 |

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on February 25, 2021.

Mike

| Range | Diff. |
|------------|-------|
| 26 & Below | -1900 |
| 27-29 | -1400 |
| 30-32 | -900 |
| 33-34 | -400 |
| 35 & Above | 0 |

Strength

(Grams per Tex)

| Range | Diff. |
|--------------|-------|
| 34.9 & Below | -1350 |
| 35.0 – 35.9 | -1100 |
| 36.0 – 36.9 | -850 |
| 37.0 – 37.9 | 0 |
| 38.0 – 38.9 | 0 |
| 39.0 – 39.9 | 0 |
| 40.0 & Above | 0 |

Extraneous Matter

| Type - Level | Diff. |
|-------------------|-------|
| Prep - Level 1 | -810 |
| Prep - Level 2 | -1095 |
| Other - Level 1 | -715 |
| Other - Level 2 | -1035 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -375 | -253 | -90 | 188 | 461 | 661 | 741 | 789 |
| | 3 | -450 | -283 | -111 | 157 | 404 | 611 | 674 | 714 |
| | 4 | -500 | -310 | -217 | 64 | 196 | 337 | 389 | 392 |
| | 5 | -563 | -445 | -338 | -132 | 11 | 83 | 129 | 129 |
| | 6 | -713 | -540 | -479 | -354 | -261 | -219 | -194 | -194 |
| | 7 | -788 | -635 | -596 | -461 | -386 | -341 | -318 | -318 |
| 31 | 1 & 2 | -475 | -278 | -136 | 125 | 391 | 601 | 671 | 710 |
| | 3 | -525 | -293 | -148 | 111 | 352 | 569 | 624 | 664 |
| | 4 | -600 | -345 | -267 | 50 | 161 | 274 | 326 | 333 |
| | 5 | -650 | -495 | -383 | -179 | -50 | 11 | 55 | 55 |
| | 6 | -775 | -585 | -513 | -382 | -305 | -267 | -245 | -245 |
| | 7 | -863 | -680 | -629 | -479 | -418 | -381 | -359 | -359 |
| 41 | 1 & 2 | -613 | -370 | -288 | 57 | 164 | 266 | 276 | 301 |
| | 3 | -638 | -380 | -296 | 39 | 112 | 213 | 226 | 251 |
| | 4 | -688 | -405 | -367 | 80.56 | 61 | 156 | 176 | 187 |
| | 5 | -788 | -600 | -525 | -329 | -207 | -141 | -124 | -124 |
| | 6 | -900 | -690 | -646 | -521 | -432 | -381 | -377 | -377 |
| | 7 | -1013 | -800 | -783 | -654 | -571 | -542 | -537 | -537 |
| 51 | 1 & 2 | -788 | -615 | -508 | -339 | -189 | -156 | -151 | -151 |
| | 3 | -788 | -655 | -513 | -361 | -207 | -170 | -165 | -165 |
| | 4 | -825 | -675 | -542 | -411 | -282 | -246 | -234 | -234 |
| | 5 | -850 | -765 | -713 | -575 | -454 | -414 | -400 | -400 |
| | 6 | -1013 | -865 | -833 | -696 | -632 | -593 | -586 | -586 |
| | 7 | -1113 | -950 | -958 | -821 | -761 | -725 | -721 | -721 |
| 61 | 1-5 | -938 | -805 | -735 | -535 | -475 | -430 | -430 | -430 |
| | 6 | -1088 | -915 | -875 | -700 | -655 | -605 | -605 | -605 |
| | 7 | -1188 | -1045 | -995 | -810 | -745 | -700 | -700 | -700 |
| 71 | 1-6 | -1138 | -1105 | -1045 | -875 | -830 | -790 | -790 | -790 |
| | 7 | -1225 | -1145 | -1095 | -910 | -885 | -845 | -845 | -845 |
| 12 & 22 | 1 & 2 | -675 | -355 | -233 | 64 | 225 | 377 | 444 | 473 |
| | 3 | -700 | -370 | -246 | 46 | 179 | 331 | 384 | 409 |
| | 4 | -750 | -385 | -333 | -29 | 100 | 237 | 276 | 280 |
| | 5 | -813 | -605 | -521 | -286 | -132 | -57 | -18 | -18 |
| | 6 | -938 | -720 | -667 | -504 | -396 | -339 | -300 | -300 |
| | 7 | -1063 | -805 | -783 | -636 | -557 | -500 | -464 | -464 |
| 32 | 1 & 2 | -813 | -485 | -358 | -100 | 36 | 91 | 121 | 139 |
| | 3 | -850 | -500 | -371 | -121 | 7 | 62 | 89 | 103 |
| | 4 | -900 | -545 | -429 | -236 | -86 | -41 | -22 | -22 |
| | 5 | -1013 | -750 | -625 | -446 | -329 | -289 | -275 | -275 |
| | 6 | -1125 | -825 | -783 | -611 | -511 | -486 | -471 | -471 |
| | 7 | -1250 | -930 | -892 | -736 | -657 | -639 | -625 | -625 |
| 42 | 1-3 | -913 | -645 | -546 | -336 | -182 | -146 | -132 | -132 |
| | 4 | -963 | -685 | -567 | -379 | -254 | -214 | -200 | -200 |
| | 5 | -1088 | -820 | -704 | -521 | -389 | -357 | -343 | -343 |
| | 6 | -1300 | -910 | -846 | -671 | -600 | -579 | -561 | -561 |
| | 7 | -1363 | -990 | -954 | -811 | -736 | -714 | -700 | -700 |
| 52 | 1-4 | -1138 | -830 | -742 | -621 | -550 | -525 | -511 | -511 |
| | 5 | -1213 | -915 | -850 | -704 | -636 | -621 | -604 | -604 |
| | 6 | -1425 | -1045 | -992 | -846 | -793 | -775 | -761 | -761 |
| | 7 | -1513 | -1145 | -1121 | -986 | -939 | -911 | -896 | -896 |
| 62 | 1-5 | -1263 | -1035 | -960 | -780 | -745 | -720 | -700 | -700 |
| | 6 | -1463 | -1200 | -1125 | -925 | -895 | -865 | -845 | -845 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1125 | -938 | -863 | -475 | -388 | -325 | -250 | -250 |
| | 3 | -1163 | -963 | -888 | -500 | -413 | -350 | -275 | -275 |
| | 4 | -1200 | -1038 | -950 | -550 | -463 | -400 | -325 | -325 |
| | 5 | -1313 | -1125 | -1063 | -675 | -588 | -513 | -438 | -438 |
| | 6 | -1425 | -1200 | -1125 | -763 | -675 | -600 | -525 | -525 |
| | 7 | -1513 | -1300 | -1225 | -850 | -788 | -713 | -638 | -638 |
| 33 | 1 & 2 | -1225 | -1000 | -913 | -510 | -467 | -425 | -375 | -375 |
| | 3 | -1225 | -1000 | -913 | -518 | -475 | -433 | -375 | -375 |
| | 4 | -1300 | -1075 | -988 | -593 | -550 | -500 | -442 | -442 |
| | 5 | -1438 | -1175 | -1100 | -752 | -700 | -642 | -583 | -583 |
| | 6 | -1500 | -1250 | -1200 | -902 | -867 | -808 | -750 | -750 |
| | 7 | -1588 | -1363 | -1275 | -1035 | -992 | -933 | -875 | -875 |
| 43 | 1-3 | -1275 | -975 | -833 | -651 | -607 | -571 | -546 | -546 |
| | 4 | -1350 | -1020 | -883 | -701 | -643 | -607 | -582 | -582 |
| | 5 | -1463 | -1070 | -979 | -841 | -782 | -754 | -729 | -729 |
| | 6 | -1550 | -1150 | -1067 | -940 | -914 | -889 | -864 | -864 |
| | 7 | -1638 | -1275 | -1175 | -1065 | -1039 | -1014 | -989 | -989 |
| 53 | 1-4 | -1425 | -1120 | -1021 | -830 | -792 | -771 | -742 | -742 |
| | 5 | -1513 | -1195 | -1117 | -922 | -892 | -871 | -842 | -842 |
| | 6 | -1625 | -1310 | -1204 | -1018 | -988 | -967 | -938 | -938 |
| | 7 | -1713 | -1375 | -1342 | -1147 | -1125 | -1104 | -1075 | -1075 |
| 63 | 1-5 | -1638 | -1295 | -1220 | -1006 | -965 | -940 | -905 | -905 |
| | 6 | -1713 | -1380 | -1295 | -1085 | -1050 | -1025 | -990 | -990 |
| 34 | 1 & 2 | -1350 | -1175 | -1100 | -700 | -675 | -613 | -550 | -550 |
| | 3 | -1350 | -1175 | -1100 | -700 | -675 | -613 | -550 | -550 |
| | 4 | -1475 | -1300 | -1200 | -800 | -775 | -713 | -650 | -650 |
| | 5 | -1563 | -1388 | -1313 | -925 | -900 | -838 | -775 | -775 |
| | 6 | -1725 | -1550 | -1475 | -1113 | -1088 | -1025 | -963 | -963 |
| 44 | 1-3 | -1463 | -1288 | -1213 | -813 | -788 | -725 | -663 | -663 |
| | 4 | -1538 | -1388 | -1263 | -863 | -838 | -775 | -713 | -713 |
| | 5 | -1613 | -1450 | -1350 | -963 | -938 | -875 | -813 | -813 |
| | 6 | -1775 | -1600 | -1525 | -1163 | -1138 | -1075 | -1013 | -1013 |
| 54 | 1-4 | -1563 | -1413 | -1338 | -913 | -900 | -838 | -788 | -788 |
| | 5 | -1650 | -1488 | -1388 | -1025 | -1000 | -938 | -888 | -888 |

| Mike | |
|------------|-------|
| Range | Diff. |
| 24 & Below | -1700 |
| 25-26 | -1346 |
| 27-29 | -1050 |
| 30-32 | -661 |
| 33-34 | -443 |
| Base 35-36 | 0 |
| 37-42 | 14 |
| Base 43-49 | 0 |
| 50-52 | -271 |
| 53 & Above | -404 |

| Strength (Grams per Tex) | |
|-----------------------------|-------|
| Range | Diff. |
| 19.0 - 19.9 | -400 |
| 20.0 - 20.9 | -400 |
| 21.0 - 21.9 | -629 |
| 22.0 - 22.9 | -579 |
| 23.0 - 23.9 | -525 |
| 24.0 - 24.9 | -493 |
| 25.0 - 25.9 | -436 |
| 26.0 - 26.9 | -261 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 0 |
| 30.0 - 30.9 | 21 |
| 31.0 - 32.9 | 46 |
| 33.0 & Above | 75 |

| Uniformity | |
|------------------|--------|
| Unit | Points |
| 77.9 & Below | -92 |
| 78.0 - 78.9 | -80 |
| 79.0 - 79.9 | -69 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 7 |
| 83.0 - 83.9 | 27 |
| 84.0 - 84.9 | 34 |
| 85.0 - 85.9 | 41 |
| 86.0 & Above | 49 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -157 |
| Prep - Level 2 | -714 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -525 |
| Other - Level 1 | -450 |
| Other - Level 2 | -756 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

15-Apr-21

Volume 103, No. 177

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

| PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/ | | | | | | |
|--|-------------|--------|------|------|------|------|
| Color | Leaf | Staple | | | | |
| | | 33 | 34 | 35 | 36 | 37 |
| 11 | 1 & 2 | -93 | 148 | 381 | 572 | 645 |
| | 3 | -118 | 117 | 321 | 517 | 575 |
| | 4 | -220 | 60 | 180 | 342 | 389 |
| | 5 | -340 | -128 | 18 | 103 | 150 |
| 21 | 1 & 2 | -93 | 148 | 381 | 572 | 645 |
| | 3 | -118 | 117 | 321 | 517 | 575 |
| | 4 | -220 | 60 | 180 | 342 | 389 |
| | 5 | -340 | -128 | 18 | 103 | 150 |
| 31 | 1 & 2 | -143 | 87 | 310 | 514 | 581 |
| | 3 | -158 | 77 | 270 | 484 | 531 |
| | 4 | -270 | 45 | 140 | 282 | 334 |
| | 5 | -385 | -165 | -43 | 28 | 72 |
| 41 | 1 & 2 | -295 | 45 | 135 | 240 | 252 |
| | 3 | -305 | 34 | 92 | 192 | 207 |
| | 4 | -385 | 0 | 40 | 132 | 154 |
| | 5 | -530 | -310 | -205 | -123 | -101 |
| 51 | 1 & 2 | -515 | -275 | -175 | -138 | -131 |
| | 3 | -520 | -295 | -190 | -148 | -141 |
| | 4 | -550 | -350 | -270 | -225 | -208 |
| | 5 | -710 | -523 | -445 | -405 | -385 |
| 12 | 1 & 2 | -255 | 55 | 180 | 315 | 377 |
| | 3 | -270 | 50 | 140 | 270 | 312 |
| 22 | 1 & 2 | -255 | 55 | 180 | 315 | 377 |
| | 3 | -270 | 50 | 140 | 270 | 312 |
| 32 | 1 & 2 | -380 | -120 | 0 | 52 | 84 |
| | 3 | -395 | -140 | -25 | 27 | 54 |
| Strength | 25.0 - 25.9 | -465 | | | | |

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 103, No. 177

15-Apr-21

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | | SPOT TRANSACTIONS | | | |
|--|------------------------------|------------------------------|------------------------------|---|-------------------------|----------------|------|------|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | Number of Bales Provided to Cotton Program | | | | |
| | N.Y. Futures | Staple 34 | Staple 35 | Today | Season | | | |
| | <i>Points</i> | <i>Cents per pound</i> | | <i>Bales</i> | <i>Bales</i> | | | |
| Southeast | -125 May-21 | 83.77 | 86.02 | 0 | 112,955 | | | |
| North Delta | -225 May-21 | 82.77 | 85.02 | 0 | 42,825 | | | |
| South Delta | -225 May-21 | 82.77 | 85.02 | 0 | 12,974 | | | |
| East TX-OK | -500 May-21 | 80.02 | 82.77 | 3,642 | 394,364 | | | |
| West Texas | -500 May-21 | 80.02 | 82.77 | 2,116 | 705,831 | | | |
| Desert SW | -800 May-21 | 77.02 | 80.52 | 0 | 63,503 | | | |
| SJ Valley | -750 May-21 | 77.52 | 86.42 | 0 | 0 | | | |
| Average | -446 May-21 | 80.56 | 84.08 | Upland Total | | | | |
| Previous day | -446 May-21 | 79.74 | 83.26 | 5,758 | 1,332,452 | | | |
| AMERICAN PIMA SPOT PRICE QUOTATIONS | | | | | | | | |
| American Pima | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total | | | | |
| | 139.00 | 119.50 | 127.25 | 0 | 4,677 | | | |
| ICE FUTURES US - CONTRACT NO. 2 1/ | | | 7-MARKET | | Apr 09 - Apr 15 | | | |
| COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER | | | BASE QUOTATIONS | | ADJ. WORLD PRICE | | | |
| Month | <i>Cents per pound</i> | | | FOR UPLAND COTTON | | | | |
| | Today | Previous | Change | | | | | |
| May-21 | 85.02 | 84.20 | ↑ 0.82 | Season high | | | | |
| Jul-21 | 86.26 | 85.52 | ↑ 0.74 | | | | | |
| Oct-21 | 84.03 | 83.24 | ↑ 0.79 | 2/24/2021 | 88.80 | | | |
| Dec-21 | 83.08 | 82.71 | ↑ 0.37 | | | | | |
| Mar-22 | 82.76 | 82.56 | ↑ 0.20 | Season low | | | | |
| May-22 | 82.29 | 82.35 | ↓ -0.06 | | | | | |
| Jul-22 | 81.65 | 82.03 | ↓ -0.38 | | | | | |
| Oct-22 | 78.30 | 78.33 | ↓ -0.03 | 8/12/2020 | 57.20 | | | |
| Dec-22 | 76.00 | 75.53 | ↑ 0.47 | | | | | |
| Mar-23 | 76.15 | 75.62 | ↑ 0.53 | | | | | |
| CC ADJUSTMENT | | | | | | | | |
| 0.00 | | | | | | | | |
| FC ADJUSTMENT | | | | | | | | |
| 2018 2019 | | | | | | | | |
| 0.38 0.33 | | | | | | | | |
| LOAN DEFICIENCY PMT. | | | | | | | | |
| 0.00 | | | | | | | | |
| Pima Competitiveness | | | | | | | | |
| Payment | | | | | | | | |
| 0.00 | | | | | | | | |
| PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/ | | | | | | | | |
| Staple 33 | Color | | | | | | | |
| | 11 | 21 | 31 | 41 | 51 | 12 | 22 | 32 |
| Leaf 1 & 2 | -93 | -93 | -143 | -295 | -515 | -255 | -255 | -380 |
| 3 | -118 | -118 | -158 | -305 | -520 | -270 | -270 | -395 |
| 4 | -220 | -220 | -270 | -385 | -550 | NOT TENDERABLE | | |
| 5 | -340 | -340 | -385 | -530 | -710 | NOT TENDERABLE | | |
| Staple 34 | | | | | | | | |
| Leaf 1 & 2 | 148 | 148 | 87 | 45 | -275 | 55 | 55 | -120 |
| 3 | 117 | 117 | 77 | 34 | -295 | 50 | 50 | -140 |
| 4 | 60 | 60 | 45 | 0 | -350 | NOT TENDERABLE | | |
| 5 | -128 | -128 | -165 | -310 | -522.5 | NOT TENDERABLE | | |
| Staple 35 | | | | | | | | |
| Leaf 1 & 2 | 381 | 381 | 310 | 135 | -175 | 180 | 180 | 0 |
| 3 | 321 | 321 | 270 | 92 | -190 | 140 | 140 | -25 |
| 4 | 180 | 180 | 140 | 40 | -270 | NOT TENDERABLE | | |
| 5 | 18 | 18 | -43 | -205 | -445 | NOT TENDERABLE | | |
| Staple 36 | | | | | | | | |
| Leaf 1 & 2 | 572 | 572 | 514 | 239.5 | -138 | 314.5 | 315 | 52 |
| 3 | 517 | 517 | 484 | 192 | -148 | 269.5 | 270 | 27 |
| 4 | 342 | 342 | 282 | 132 | -225 | NOT TENDERABLE | | |
| 5 | 103 | 103 | 28 | -123 | -405 | NOT TENDERABLE | | |
| Staple 37 | | | | | | | | |
| Leaf 1 & 2 | 645 | 645 | 581 | 251.5 | -131 | 376.5 | 377 | 84 |
| 3 | 575 | 575 | 531 | 206.5 | -141 | 311.5 | 312 | 54 |
| 4 | 389 | 389 | 334 | 154 | -208 | NOT TENDERABLE | | |
| 5 | 150 | 150 | 72 | -101 | -385 | NOT TENDERABLE | | |

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.