



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

16-Jan-19

Volume 101, No. 117

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS			SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program	
	ICE Futures	Staple 34	Staple 35	Today	Season
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>
Southeast	-225 Mar-19	71.02	73.27	332	14,518
North Delta	-275 Mar-19	70.52	72.27	0	3,844
South Delta	-275 Mar-19	70.52	72.27	0	1,723
East TX-OK	-525 Mar-19	68.02	70.52	2,250	119,961
West Texas	-525 Mar-19	68.02	70.77	4,892	158,034
Desert SW	-600 Mar-19	67.27	71.52	1,878	13,093
SJ Valley	-550 Mar-19	67.77	76.67	0	0
Average	-425 Mar-19	69.02	72.47	Upland Total	
Previous day	-436 Mar-19	68.00	71.45	9,352	311,173
AMERICAN PIMA SPOT PRICE QUOTATIONS					
American Pima	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total	
	125.00	102.50	110.25	0	1,052
ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Jan 11 - Jan 17 ADJ. WORLD PRICE
Month	<i>Cents per pound</i>				
	Today	Previous	Change		
Mar-19	73.27	72.36	0.91	CC ADJUSTMENT	
May-19	74.54	73.72	0.82	0.00	
Jul-19	75.71	74.89	0.82	FC ADJUSTMENT	
Oct-19	74.56	73.74	0.82	2017 2018	
Dec-19	74.24	73.44	0.80	0.00 0.00	
Mar-20	75.31	74.60	0.71	LOAN DEFICIENCY PMT.	
May-20	75.75	75.00	0.75	0.00	
Jul-20	76.07	75.35	0.72	PIMA COMPETITIVENESS	
Oct-20	74.27	73.55	0.72	PAYMENT	
Dec-20	73.68	73.15	0.53	0.00	

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast	✓					
North Delta						
South Delta						
East TX-OK	✓					
West Texas	✓					
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

16-Jan-19

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	325	375	375	25-26	-825
	3	-225	-50	150	225	300	350	350	27-29	-425
	4	-225	-125	75	175	275	300	300	30-32	-275
	5	-375	-225	-125	25	75	75	75	33-34	-150
	6	-500	-350	-300	-225	-200	-200	-200	Base 35-36	0
	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
31	1 & 2	-225	-50	125	225	300	325	325	Base 43-49	0
	3	-225	-50	125	225	275	300	300	50-52	-200
	4	-225	-125	75	175	250	275	275	53 & Above	-375
	5	-375	-225	-125	25	50	50	50		
	6	-500	-350	-300	-275	-250	-250	-250		
	7	-625	-475	-450	-400	-375	-375	-375		
41	1 & 2	-275	-100	50	150	200	200	225	Strength	
	3	-275	-100	50	125	175	175	200	(Grams per Tex)	
	4	-275	-200	71.02	100	175	175	200	Range	Diff.
	5	-450	-350	-200	-75	-25	-25	-25	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
51	1 & 2	-475	-300	-175	-175	-150	-150	-150	24.0 - 24.9	-250
	3	-550	-325	-250	-225	-175	-175	-175	25.0 - 25.9	-200
	4	-575	-325	-275	-275	-250	-250	-250	26.0 - 26.9	-25
	5	-675	-550	-450	-400	-375	-375	-375	Base 27.0 - 28.9	0
	6	-750	-575	-525	-525	-500	-500	-500	29.0 - 29.9	0
	7	-825	-700	-675	-675	-650	-650	-650	30.0 - 30.9	25
61	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
71	1-6	-1075	-1000	-950	-950	-950	-950	-950		
	7	-1100	-1025	-975	-975	-975	-975	-975		
12 & 22	1 & 2	-275	-100	50	150	250	250	275	Extraneous Matter	
	3	-275	-100	50	125	225	225	250	Type - Level	Diff.
	4	-275	-125	0	100	200	200	225	Prep - Level 1	-200
	5	-425	-325	-200	0	25	25	25	Prep - Level 2	-800
	6	-550	-425	-425	-350	-325	-325	-325	Other - Level 1	-400
	7	-650	-550	-550	-500	-475	-475	-475	Other - Level 2	-800
32	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 1	-400
	3	-350	-200	-50	0	25	25	25	Plastic - Level 2	-800
	4	-450	-200	-150	-100	-50	-50	-50		
	5	-525	-350	-300	-275	-250	-250	-250		
	6	-600	-450	-450	-425	-400	-400	-400		
	7	-700	-575	-575	-550	-525	-525	-525		
42	1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity	
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
52	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	-25
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
62	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
43	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
	7	-1125	-1000	-950	-925	-925	-925	-925		
53	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
63	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

16-Jan-19

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	325	375	375	25-26	-1000
	3	-225	-75	100	200	300	325	325	27-29	-650
	4	-275	-200	25	75	200	225	225	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
31	1 & 2	-225	-100	75	200	300	325	325	Base 43-49	0
	3	-225	-100	75	175	275	300	300	50-52	-225
	4	-275	-250	25	75	125	150	150	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
41	1 & 2	-350	-250	50	100	200	200	225	Strength	
	3	-350	-250	25	50	175	175	200	(Grams per Tex)	
	4	-375	-275	70.52	0	125	150	150	Range	Diff.
	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-475	-475	23.0 - 23.9	-200
51	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-850	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
61	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
	3	-275	-125	25	50	200	250	250	Type - Level	Diff.
	4	-300	-250	0	0	150	175	175	Prep - Level 1	-200
	5	-500	-375	-200	-100	-75	-50	-50	Prep - Level 2	-800
	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 1	-375
	7	-675	-650	-525	-450	-425	-425	-425	Other - Level 2	-785
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 1	-375
	3	-400	-250	-100	-25	25	25	25	Plastic - Level 2	-785
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity	
	4	-575	-450	-350	-275	-250	-250	-250	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-550	-525	-525	-525	78.0 - 78.9	-80
	7	-900	-800	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-500	-475	-475	-475	-475	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

16-Jan-19

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	325	375	375	25-26	-1100
	3	-225	-75	100	200	300	325	325	27-29	-750
	4	-275	-200	25	75	200	225	225	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
31	1 & 2	-225	-100	75	200	300	325	325	Base 43-49	0
	3	-225	-100	75	175	275	300	300	50-52	-225
	4	-275	-250	25	75	125	150	150	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
41	1 & 2	-350	-250	50	100	200	200	225	Strength	
	3	-350	-250	25	50	175	175	200	(Grams per Tex)	
	4	-375	-275	70.52	0	125	150	150	Range	Diff.
	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-275
	6	-575	-500	-400	-325	-300	-325	-325	22.0 - 22.9	-225
	7	-700	-675	-550	-450	-450	-475	-735	23.0 - 23.9	-200
51	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-925	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
61	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
	3	-275	-125	25	50	200	250	250	Type - Level	Diff.
	4	-300	-250	0	0	150	175	175	Prep - Level 1	-200
	5	-500	-375	-200	-100	-75	-50	-50	Prep - Level 2	-800
	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 1	-375
	7	-675	-650	-525	-450	-425	-425	-425	Other - Level 2	-785
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 1	-375
	3	-400	-250	-100	-25	25	25	25	Plastic - Level 2	-785
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity	
	4	-575	-450	-350	-275	-225	-225	-225	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-800	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-475	-450	-450	-450	-450	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

EAST TEXAS-OKLAHOMA DIFFERENCES

16-Jan-19

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-350	-300	-125	200	350	475	500	525
	3	-400	-350	-150	150	300	425	425	450
	4	-475	-350	-175	100	100	325	350	350
	5	-525	-400	-350	-25	100	300	300	300
	6	-675	-525	-525	-275	-275	-75	-75	-75
	7	-750	-625	-625	-350	-350	-150	-150	-150
31	1 & 2	-400	-325	-125	125	300	400	475	500
	3	-425	-350	-150	125	250	375	425	450
	4	-525	-425	-225	75	100	225	225	225
	5	-575	-425	-375	-25	75	225	225	225
	6	-700	-550	-550	-275	-275	-125	-125	-125
	7	-775	-650	-650	-350	-350	-225	-225	-225
41	1 & 2	-500	-325	-150	100	175	300	325	325
	3	-525	-350	-175	100	125	175	200	200
	4	-575	-425	-325	68.02	75	125	150	150
	5	-700	-525	-475	-125	-75	125	150	150
	6	-850	-650	-625	-350	-350	-125	-125	-125
	7	-950	-750	-725	-450	-425	-300	-300	-300
51	1 & 2	-675	-525	-425	-50	-50	75	100	100
	3	-675	-550	-425	-50	-50	75	100	100
	4	-725	-575	-450	-125	-100	25	50	50
	5	-775	-650	-600	-225	-175	-100	-75	-75
	6	-950	-750	-750	-375	-375	-250	-250	-250
	7	-1050	-775	-775	-450	-450	-325	-325	-325
61	1-5	-850	-700	-650	-275	-275	-150	-150	-150
	6	-1025	-825	-800	-450	-425	-300	-300	-300
	7	-1125	-925	-900	-550	-525	-400	-400	-400
71	1-6	-1050	-950	-900	-525	-525	-400	-400	-400
	7	-1150	-1000	-975	-600	-600	-475	-475	-475
12 & 22	1 & 2	-725	-500	-300	50	100	250	300	300
	3	-750	-550	-350	25	50	175	225	225
	4	-800	-575	-375	0	0	125	175	175
	5	-875	-750	-675	-275	-175	25	75	75
	6	-1050	-850	-825	-425	-375	-275	-225	-225
	7	-1175	-975	-925	-525	-475	-375	-325	-325
32	1 & 2	-800	-700	-500	-100	0	100	150	150
	3	-825	-700	-525	-125	-100	25	75	75
	4	-875	-725	-600	-200	-175	-75	-25	-25
	5	-975	-850	-800	-375	-300	-75	-25	-25
	6	-1150	-950	-925	-550	-500	-400	-350	-350
	7	-1300	-1075	-1050	-650	-600	-500	-450	-450
42	1-3	-850	-750	-650	-175	-125	-50	0	0
	4	-900	-775	-675	-200	-175	-125	-75	-75
	5	-1050	-900	-825	-425	-375	-300	-250	-250
	6	-1275	-1000	-950	-575	-525	-450	-400	-400
	7	-1400	-1125	-1075	-700	-625	-550	-500	-500
52	1-4	-1100	-900	-800	-475	-475	-400	-350	-350
	5	-1175	-1000	-875	-525	-525	-450	-400	-400
	6	-1400	-1200	-1100	-675	-650	-575	-525	-525
	7	-1500	-1325	-1225	-800	-775	-650	-600	-600
62	1-5	-1225	-1075	-1025	-600	-575	-500	-450	-450
	6	-1450	-1275	-1225	-800	-775	-675	-625	-625

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1175	-1025	-925	-475	-400	-275	-175	-175
	3	-1200	-1050	-950	-500	-425	-300	-200	-200
	4	-1250	-1125	-1000	-550	-475	-350	-250	-250
	5	-1375	-1225	-1125	-675	-600	-475	-375	-375
	6	-1500	-1300	-1175	-775	-700	-575	-475	-475
	7	-1600	-1400	-1300	-900	-825	-700	-600	-600
33	1 & 2	-1275	-1100	-1000	-530	-475	-350	-250	-250
	3	-1275	-1100	-1000	-555	-500	-375	-250	-250
	4	-1350	-1175	-1050	-605	-550	-425	-300	-300
	5	-1500	-1275	-1150	-730	-675	-550	-425	-425
	6	-1575	-1350	-1250	-855	-800	-675	-550	-550
	7	-1675	-1475	-1350	-980	-925	-800	-675	-675
43	1-3	-1325	-1175	-1050	-605	-550	-425	-300	-300
	4	-1400	-1250	-1100	-630	-575	-450	-325	-325
	5	-1525	-1350	-1200	-760	-700	-575	-450	-450
	6	-1625	-1425	-1300	-880	-850	-725	-600	-600
	7	-1725	-1525	-1400	-980	-950	-825	-700	-700
53	1-4	-1450	-1350	-1225	-780	-775	-675	-550	-550
	5	-1550	-1425	-1325	-855	-850	-750	-625	-625
	6	-1650	-1525	-1425	-1005	-975	-875	-750	-750
	7	-1750	-1625	-1550	-1105	-1050	-950	-825	-825
63	1-5	-1650	-1500	-1375	-955	-850	-750	-625	-625
	6	-1750	-1625	-1475	-1055	-1000	-900	-775	-775
34	1 & 2	-1400	-1275	-1200	-750	-725	-625	-550	-550
	3	-1400	-1275	-1200	-750	-725	-625	-550	-550
	4	-1525	-1400	-1300	-850	-825	-725	-650	-650
	5	-1625	-1500	-1425	-975	-950	-850	-775	-775
	6	-1800	-1675	-1600	-1150	-1125	-1025	-950	-950
44	1-3	-1500	-1375	-1300	-850	-825	-725	-650	-650
	4	-1575	-1475	-1350	-900	-875	-775	-700	-700
	5	-1650	-1550	-1450	-1000	-975	-875	-800	-800
	6	-1825	-1700	-1625	-1175	-1150	-1050	-975	-975
54	1-4	-1600	-1500	-1425	-925	-925	-825	-775	-775
	5	-1700	-1600	-1500	-1000	-1000	-900	-850	-850

Mike	
Range	Diff.
24 & Below	-2075
25-26	-2075
27-29	-1200
30-32	-850
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-1500
Plastic - Level 2	-2000

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-275	-190	10	160	375	425	500	525
	3	-350	-240	-40	135	300	400	475	500
	4	-375	-275	-150	125	275	350	400	400
	5	-500	-300	-250	25	175	325	325	325
	6	-675	-500	-425	-175	-150	-100	-100	-100
	7	-750	-550	-500	-250	-225	-175	-175	-175
31	1 & 2	-425	-290	-90	85	275	375	475	500
	3	-475	-315	-115	85	275	375	450	475
	4	-525	-375	-250	75	150	250	275	275
	5	-600	-425	-350	-75	25	175	175	175
	6	-775	-600	-475	-250	-250	-225	-225	-225
	7	-875	-650	-550	-300	-300	-275	-275	-275
41	1 & 2	-575	-400	-200	45	175	225	250	250
	3	-600	-425	-225	45	100	200	225	225
	4	-650	-450	-375	68.02	75	100	125	125
	5	-725	-525	-450	-150	-50	25	25	25
	6	-875	-700	-625	-350	-350	-250	-250	-250
	7	-1000	-800	-725	-450	-400	-325	-325	-325
51	1 & 2	-750	-550	-475	-125	-25	25	25	25
	3	-750	-550	-475	-125	-25	25	25	25
	4	-775	-550	-550	-200	-75	-25	-25	-25
	5	-825	-650	-650	-350	-250	-175	-175	-175
	6	-975	-750	-750	-475	-400	-275	-275	-275
	7	-1075	-850	-850	-575	-500	-400	-400	-400
61	1-5	-900	-725	-725	-400	-300	-200	-200	-200
	6	-1025	-800	-800	-600	-500	-375	-375	-375
	7	-1125	-950	-925	-675	-575	-475	-475	-475
71	1-6	-1100	-925	-875	-675	-575	-500	-500	-500
	7	-1175	-950	-925	-700	-650	-575	-575	-575
12 & 22	1 & 2	-650	-425	-250	75	150	275	350	350
	3	-700	-475	-275	75	100	225	300	300
	4	-725	-525	-450	-150	50	150	225	225
	5	-850	-650	-625	-325	-125	-125	-75	-75
	6	-1000	-775	-750	-425	-350	-300	-250	-250
	7	-1075	-875	-825	-500	-425	-375	-325	-325
32	1 & 2	-725	-500	-325	-75	-25	0	75	75
	3	-775	-550	-350	-125	-50	0	75	75
	4	-850	-625	-525	-200	-75	0	50	50
	5	-975	-825	-750	-400	-250	-200	-150	-150
	6	-1125	-900	-850	-525	-450	-400	-350	-350
	7	-1225	-1000	-900	-625	-525	-475	-425	-425
42	1-3	-875	-650	-575	-225	-150	-25	25	25
	4	-925	-725	-600	-250	-175	-50	0	0
	5	-1025	-875	-775	-425	-275	-250	-200	-200
	6	-1225	-925	-875	-550	-475	-425	-375	-375
	7	-1300	-1075	-975	-675	-550	-500	-450	-450
52	1-4	-1150	-900	-850	-575	-450	-400	-350	-350
	5	-1225	-1000	-925	-625	-500	-450	-400	-400
	6	-1425	-1175	-1100	-750	-650	-600	-550	-550
	7	-1500	-1275	-1200	-850	-750	-700	-650	-650
62	1-5	-1275	-1075	-1025	-725	-625	-575	-525	-525
	6	-1450	-1225	-1175	-875	-800	-750	-700	-700

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1050	-825	-750	-400	-325	-300	-250	-250
	3	-1100	-850	-775	-425	-350	-325	-275	-275
	4	-1125	-925	-850	-475	-400	-375	-325	-325
	5	-1225	-1000	-950	-600	-525	-475	-425	-425
	6	-1325	-1075	-1025	-675	-600	-550	-500	-500
	7	-1400	-1175	-1100	-725	-700	-650	-600	-600
33	1 & 2	-1175	-900	-825	-450	-400	-375	-325	-325
	3	-1175	-900	-825	-450	-400	-375	-325	-325
	4	-1250	-975	-900	-500	-450	-425	-375	-375
	5	-1375	-1075	-1000	-650	-575	-525	-475	-475
	6	-1425	-1150	-1125	-700	-675	-625	-575	-575
	7	-1500	-1250	-1175	-825	-775	-725	-675	-675
43	1-3	-1225	-1000	-925	-525	-475	-425	-375	-375
	4	-1300	-1075	-975	-550	-475	-425	-375	-375
	5	-1400	-1150	-1050	-675	-600	-550	-500	-500
	6	-1475	-1225	-1150	-775	-750	-700	-650	-650
	7	-1550	-1325	-1225	-850	-825	-775	-725	-725
53	1-4	-1400	-1250	-1150	-725	-675	-625	-575	-575
	5	-1475	-1275	-1200	-825	-775	-725	-675	-675
	6	-1600	-1375	-1300	-925	-900	-850	-800	-800
	7	-1675	-1450	-1400	-1050	-1025	-975	-925	-925
63	1-5	-1625	-1400	-1300	-875	-800	-750	-700	-700
	6	-1675	-1475	-1350	-1025	-975	-925	-875	-875
34	1 & 2	-1300	-1075	-1000	-625	-600	-550	-500	-500
	3	-1300	-1075	-1000	-625	-600	-550	-500	-500
	4	-1425	-1200	-1100	-725	-700	-650	-600	-600
	5	-1500	-1275	-1200	-850	-825	-775	-725	-725
	6	-1650	-1425	-1350	-1050	-1025	-975	-925	-925
44	1-3	-1425	-1200	-1125	-750	-725	-675	-625	-625
	4	-1500	-1300	-1175	-800	-775	-725	-675	-675
	5	-1575	-1350	-1250	-900	-875	-825	-775	-775
	6	-1725	-1500	-1425	-1125	-1100	-1050	-1000	-1000
54	1-4	-1525	-1325	-1250	-875	-850	-800	-750	-750
	5	-1600	-1375	-1275	-1000	-975	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-2075
25-26	-2075
27-29	-1200
30-32	-850
33-34	-625
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-275
22.0 - 22.9	-250
23.0 - 23.9	-225
24.0 - 24.9	-225
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-125
78.0 - 78.9	-95
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-1500
Plastic - Level 2	-2000

DESERT SOUTHWEST DIFFERENCES

16-Jan-19

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-100	125	575	720	785	870	24 & Below	-1350
	3	-100	100	500	670	685	770	25-26	-1150
	4	-300	50	300	385	420	445	27-29	-1050
	5	-375	-175	25	100	185	185	30-32	-650
	6	-450	-350	-100	-85	-30	-30	33-34	-450
	7	-650	-375	-175	-140	-100	-100	35-36	0
								37-42	25
31	1 & 2	-175	75	525	670	705	780	43-49	0
	3	-175	50	425	620	630	705	50-52	-300
	4	-350	25	200	335	370	420	53 & Above	-550
	5	-400	-200	-50	0	70	70		
	6	-475	-375	-135	-120	-40	-40		
	7	-675	-400	-225	-195	-115	-115		
41	1 & 2	-575	0	50	160	170	220	Strength	
	3	-575	0	35	135	170	220	(Grams per Tex)	
	4	-625	67.27	25	85	145	170	Range	Diff.
	5	-625	-500	-350	-340	-280	-280	21.0 - 21.9	-600
	6	-800	-675	-450	-440	-390	-390	22.0 - 22.9	-450
	7	-950	-825	-625	-620	-585	-585	23.0 - 23.9	-300
								24.0 - 24.9	-225
51	1 & 2	-675	-500	-250	-215	-205	-205	25.0 - 25.9	-200
	3	-675	-500	-250	-215	-205	-205	26.0 - 26.9	-125
	4	-700	-575	-375	-325	-265	-265	Base 27.0 - 28.9	0
	5	-800	-750	-575	-550	-500	-500	29.0 - 29.9	0
	6	-950	-850	-650	-650	-600	-600	30.0 - 30.9	25
	7	-1150	-1050	-850	-850	-825	-825	31.0 - 32.9	50
								33.0 & above	100
12 & 22	1 & 2	-475	50	325	385	445	445	Extraneous Matter	
	3	-475	50	300	360	420	420	Type - Level	Diff.
	4	-575	0	225	285	370	370	Prep - Level 1	-50
	5	-600	-425	-125	-125	-50	-50	Prep - Level 2	-800
	6	-750	-625	-325	-325	-250	-250	Other - Level 1	-350
	7	-925	-800	-575	-575	-500	-500	Other - Level 2	-800
								Plastic - Level 1	-350
32	1 & 2	-575	-200	150	235	245	245	Plastic - Level 2	-800
	3	-575	-200	150	235	245	245	Uniformity	
	4	-625	-425	0	85	95	95	Unit	Points
	5	-675	-675	-400	-400	-400	-400	77.9 & Below	-100
	6	-875	-800	-525	-525	-525	-525	78.0 - 78.9	-90
	7	-1025	-975	-775	-775	-775	-775	79.0 - 79.9	-80
								80.0 - 80.9	0
42	1-3	-625	-450	-150	-100	-100	-100	Base 81.0 - 81.9	0
	4	-650	-525	-250	-200	-200	-200	82.0 - 82.9	0
	5	-725	-700	-450	-450	-450	-450	83.0 - 83.9	30
	6	-900	-825	-575	-575	-575	-575	84.0 - 84.9	40
	7	-1100	-1000	-825	-825	-825	-825	85.0 - 85.9	50
								86.0 & Above	60
52	1-4	-850	-725	-500	-450	-450	-450	Uniformity	
	5	-900	-800	-575	-575	-575	-575	Unit	Points
	6	-1000	-900	-675	-675	-675	-675	77.9 & Below	-100
	7	-1250	-1150	-975	-950	-950	-950	78.0 - 78.9	-90
								79.0 - 79.9	-80
								80.0 - 80.9	0
								Base 81.0 - 81.9	0
43	1-3	-725	-650	-575	-500	-500	-500	82.0 - 82.9	0
	4	-825	-750	-625	-575	-575	-575	83.0 - 83.9	30
	5	-925	-825	-650	-625	-625	-625	84.0 - 84.9	40
	6	-1025	-925	-900	-900	-900	-900	85.0 - 85.9	50
	7	-1125	-1050	-1025	-1025	-1025	-1025	86.0 & Above	60
53	1-4	-975	-875	-800	-800	-800	-800	Uniformity	
	5	-1025	-925	-850	-850	-850	-850	Unit	Points
	6	-1125	-1025	-950	-950	-950	-950	77.9 & Below	-100
	7	-1375	-1275	-1275	-1275	-1275	-1275	78.0 - 78.9	-90
								79.0 - 79.9	-80
								80.0 - 80.9	0
								Base 81.0 - 81.9	0

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
31	1 & 2	315	940	1290	1415	1590	50-52	-500
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	67.77	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
51	1 & 2	-675	-225	-175	-175	-175	Base 27.0 - 28.9	0
	3	-700	-250	-200	-200	-200	29.0 - 29.9	0
	4	-750	-300	-275	-275	-275	30.0 - 30.9	75
	5	-775	-375	-325	-325	-325	31.0 - 32.9	125
	6	-900	-800	-800	-800	-800	33.0 & Above	250
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 1	-350
	4	-500	-175	-150	-150	-150	Plastic - Level 2	-925
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
33	1 & 2	-500	-500	-500	-500	-500	Base 81.0 - 81.9	0
	3	-500	-500	-500	-500	-500	82.0 - 82.9	50
	4	-600	-600	-600	-600	-600	83.0 - 83.9	80
	5	-800	-800	-800	-800	-800	84.0 - 84.9	90
	6	-1075	-1075	-1075	-1075	-1075	85.0 - 85.9	100
	7	-1225	-1225	-1225	-1225	-1225	86.0 & Above	110
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	116.75	125.50	126.50	126.50
	2	116.50	125.25	126.25	126.25
	3	108.75	116.50	116.50	116.50
	4				
	5				
	6				
2	1	116.50	125.25	126.25	126.25
	2	116.25	125.00	126.00	126.00
	3	108.50	116.25	116.25	116.25
	4	98.50	106.75	106.75	106.75
	5				
	6				
3	1	106.25	114.00	114.00	114.00
	2	103.75	111.50	111.50	111.50
	3	102.50	110.25	110.25	110.25
	4	93.50	101.25	101.25	101.25
	5	77.50	84.75	84.75	84.75
	6				
4	1	87.25	95.00	95.75	95.75
	2	87.00	94.75	95.00	95.00
	3	86.75	94.50	94.25	94.25
	4	81.75	89.50	89.25	89.25
	5	70.50	78.25	78.00	78.00
	6				
5	1				
	2	66.25	76.25	76.00	76.00
	3	66.25	75.75	76.00	76.00
	4	66.25	70.25	70.00	70.00
	5	66.00	70.00	69.75	69.75
	6				
6	1				
	2	58.50	61.50	61.25	61.25
	3	58.50	61.50	61.25	61.25
	4	58.50	61.50	61.25	61.25
	5	58.25	61.25	61.00	61.00
	6	57.75	60.75	60.50	60.50

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on December 20, 2018.

Mike	
Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	0
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-715
Plastic - Level 2	-1035

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

16-Jan-19

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-313	-233	-69	186	441	569	636	687
	3	-375	-253	-82	157	388	534	579	626
	4	-425	-280	-192	68	193	305	346	349
	5	-513	-395	-308	-82	57	140	168	168
	6	-675	-505	-450	-314	-221	-173	-158	-158
	7	-750	-600	-567	-421	-346	-295	-282	-282
31	1 & 2	-413	-258	-107	125	381	519	578	621
	3	-450	-268	-115	114	345	491	539	581
	4	-525	-315	-242	50	154	234	265	272
	5	-588	-425	-333	-125	-4	65	91	91
	6	-738	-530	-467	-343	-266	-228	-209	-209
	7	-825	-625	-583	-439	-379	-342	-324	-324
41	1 & 2	-538	-340	-254	56	157	245	255	273
	3	-563	-350	-263	42	105	195	209	226
	4	-613	-380	-346	69.02	68	145	169	176
	5	-713	-510	-450	-264	-143	-80	-66	-66
	6	-863	-615	-583	-461	-371	-313	-309	-309
	7	-975	-725	-721	-600	-511	-478	-480	-517
51	1 & 2	-713	-580	-471	-318	-175	-134	-129	-129
	3	-713	-620	-475	-339	-193	-149	-144	-144
	4	-750	-640	-504	-389	-261	-221	-209	-209
	5	-800	-725	-675	-514	-389	-346	-336	-336
	6	-963	-805	-779	-639	-564	-525	-518	-518
	7	-1063	-890	-904	-779	-696	-661	-657	-657
61	1-5	-875	-780	-715	-520	-465	-420	-420	-420
	6	-1025	-885	-835	-685	-645	-595	-595	-595
	7	-1125	-1000	-955	-775	-735	-690	-690	-690
71	1-6	-1075	-1080	-1025	-860	-820	-780	-780	-780
	7	-1163	-1120	-1075	-895	-875	-835	-835	-835
12 & 22	1 & 2	-688	-350	-229	64	214	356	409	437
	3	-725	-370	-242	43	168	309	366	391
	4	-763	-395	-338	-32	100	205	251	255
	5	-863	-565	-496	-268	-96	-50	-11	-11
	6	-1025	-685	-642	-468	-350	-311	-279	-279
	7	-1125	-770	-754	-600	-511	-471	-439	-439
32	1 & 2	-763	-465	-346	-86	54	116	142	156
	3	-800	-480	-358	-107	21	87	114	128
	4	-863	-530	-417	-225	-75	-20	3	3
	5	-975	-680	-571	-396	-279	-229	-214	-214
	6	-1138	-770	-733	-564	-461	-429	-414	-414
	7	-1263	-875	-842	-689	-607	-582	-568	-568
42	1-3	-863	-625	-521	-311	-161	-111	-96	-96
	4	-913	-665	-542	-350	-229	-179	-164	-164
	5	-1038	-800	-688	-500	-368	-329	-314	-314
	6	-1250	-890	-833	-654	-579	-550	-536	-536
	7	-1350	-985	-925	-793	-714	-693	-679	-679
52	1-4	-1125	-825	-725	-604	-529	-504	-489	-489
	5	-1200	-900	-833	-686	-611	-593	-579	-579
	6	-1413	-1050	-975	-829	-768	-750	-736	-736
	7	-1500	-1135	-1104	-968	-914	-886	-871	-871
62	1-5	-1250	-1030	-955	-770	-735	-710	-690	-690
	6	-1450	-1195	-1120	-915	-885	-855	-835	-835

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1113	-925	-838	-438	-363	-288	-213	-213
	3	-1150	-950	-863	-463	-388	-313	-238	-238
	4	-1188	-1025	-925	-513	-438	-363	-288	-288
	5	-1300	-1113	-1038	-638	-563	-475	-400	-400
	6	-1413	-1188	-1100	-725	-650	-563	-488	-488
	7	-1500	-1288	-1200	-813	-763	-675	-600	-600
33	1 & 2	-1225	-1000	-913	-493	-458	-408	-358	-358
	3	-1225	-1000	-913	-502	-467	-417	-358	-358
	4	-1300	-1075	-975	-568	-533	-483	-425	-425
	5	-1438	-1175	-1075	-727	-683	-625	-567	-567
	6	-1500	-1250	-1188	-877	-850	-792	-733	-733
	7	-1588	-1363	-1263	-1010	-975	-917	-858	-858
43	1-3	-1275	-975	-817	-633	-593	-554	-529	-529
	4	-1350	-1020	-867	-679	-625	-589	-564	-564
	5	-1463	-1070	-963	-819	-764	-736	-711	-711
	6	-1550	-1150	-1050	-919	-896	-871	-846	-846
	7	-1638	-1275	-1158	-1044	-1021	-996	-971	-971
53	1-4	-1425	-1120	-1008	-813	-775	-750	-721	-721
	5	-1513	-1195	-1104	-905	-875	-850	-821	-821
	6	-1625	-1310	-1192	-1001	-971	-946	-917	-917
	7	-1713	-1375	-1329	-1130	-1108	-1083	-1054	-1054
63	1-5	-1638	-1295	-1220	-1001	-955	-925	-890	-890
	6	-1713	-1380	-1295	-1076	-1045	-1015	-980	-980
34	1 & 2	-1350	-1175	-1100	-688	-663	-588	-525	-525
	3	-1350	-1175	-1100	-688	-663	-588	-525	-525
	4	-1475	-1300	-1200	-788	-763	-688	-625	-625
	5	-1563	-1388	-1313	-913	-888	-813	-750	-750
	6	-1725	-1550	-1475	-1100	-1075	-1000	-938	-938
44	1-3	-1463	-1288	-1213	-800	-775	-700	-638	-638
	4	-1538	-1388	-1263	-850	-825	-750	-688	-688
	5	-1613	-1450	-1350	-950	-925	-850	-788	-788
	6	-1775	-1600	-1525	-1150	-1125	-1050	-988	-988
54	1-4	-1563	-1413	-1338	-900	-888	-813	-763	-763
	5	-1650	-1488	-1388	-1000	-988	-913	-863	-863

Mike	
Range	Diff.
24 & Below	-1833
25-26	-1371
27-29	-982
30-32	-611
33-34	-371
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-279
53 & Above	-404

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-300
20.0 - 20.9	-300
21.0 - 21.9	-358
22.0 - 22.9	-296
23.0 - 23.9	-242
24.0 - 24.9	-254
25.0 - 25.9	-200
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	32
31.0 - 32.9	54
33.0 & Above	79

Uniformity	
Unit	Points
77.9 & Below	-97
78.0 - 78.9	-83
79.0 - 79.9	-71
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-157
Prep - Level 2	-714
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-421
Other - Level 2	-756
Plastic - Level 1	-693
Plastic - Level 2	-1156



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

16-Jan-19

Volume 101, No. 117

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-68	152	360	454	507
	3	-83	127	305	419	452
	4	-190	75	185	307	339
	5	-305	-75	65	165	187
21	1 & 2	-68	152	360	454	507
	3	-83	127	305	419	452
	4	-190	75	185	307	339
	5	-305	-75	65	165	187
31	1 & 2	-108	97	305	409	461
	3	-118	92	270	384	421
	4	-240	55	140	237	259
	5	-335	-110	5	85	104
41	1 & 2	-255	49	130	217	229
	3	-265	44	87	172	189
	4	-360	0	55	122	149
	5	-460	-240	-135	-58	-41
51	1 & 2	-470	-240	-150	-103	-96
	3	-475	-260	-165	-113	-106
	4	-505	-315	-235	-185	-168
	5	-665	-460	-375	-330	-315
12	1 & 2	-250	55	165	282	324
	3	-265	45	125	237	284
22	1 & 2	-250	55	165	282	324
	3	-265	45	125	237	284
32	1 & 2	-365	-100	25	87	114
	3	-380	-120	-5	62	89
Strength	25.0 - 25.9	-235				

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 101, No. 117

16-Jan-19

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

	UPLAND SPOT PRICE QUOTATIONS						SPOT TRANSACTIONS	
Growth Areas	Basis	Color 41 Leaf 4	Color 31 Leaf 3			Number of Bales Provided to Cotton Program		
	N.Y. Futures	Staple 34	Staple 35			Today	Season	
	Points	Cents per pound				Bales	Bales	
Southeast	-225 Mar-19	71.02	73.27			332	14,518	
North Delta	-275 Mar-19	70.52	72.27			0	3,844	
South Delta	-275 Mar-19	70.52	72.27			0	1,723	
East TX-OK	-525 Mar-19	68.02	70.52			2,250	119,961	
West Texas	-525 Mar-19	68.02	70.77			4,892	158,034	
Desert SW	-600 Mar-19	67.27	71.52			1,878	13,093	
SJ Valley	-550 Mar-19	67.77	76.67			0	0	
Average	-425 Mar-19	69.02	72.47			Upland Total		
Previous day	-436 Mar-19	68.00	71.45			9,352	311,173	
	AMERICAN PIMA SPOT PRICE QUOTATIONS							
American Pima	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46			AP Total		
	125.00	102.50	110.25			0	1,052	
ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER				7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Jan 11 - Jan 17 ADJ. WORLD PRICE		
Month	Cents per pound					0.00		
	Today	Previous	Change			CC ADJUSTMENT		
Mar-19	73.27	72.36	0.91	Season high		0.00		
May-19	74.54	73.72	0.82			FC ADJUSTMENT		
Jul-19	75.71	74.89	0.82	8/2/2018	85.65	2017	2018	
Oct-19	74.56	73.74	0.82			0.00	0.00	
Dec-19	74.24	73.44	0.80			LOAN DEFICIENCY PMT.		
Mar-20	75.31	74.60	0.71	Season low		0.00		
May-20	75.75	75.00	0.75			Pima Competitiveness		
Jul-20	76.07	75.35	0.72	1/3/2019	66.40	Payment		
Oct-20	74.27	73.55	0.72			0.00		
Dec-20	73.68	73.15	0.53					
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
	Color							
	11	21	31	41	51	12	22	32
Staple 33								
Leaf 1 & 2	-68	-68	-108	-255	-470	-250	-250	-365
3	-83	-83	-118	-265	-475	-265	-265	-380
4	-190	-190	-240	-360	-505	NOT TENDERABLE		
5	-305	-305	-335	-460	-665	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	152	152	97	49	-240	55	55	-100
3	127	127	92	44	-260	45	45	-120
4	75	75	55	0	-315	NOT TENDERABLE		
5	-75	-75	-110	-240	-460	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	360	360	305	130	-150	165	165	25
3	305	305	270	87	-165	125	125	-5
4	185	185	140	55	-235	NOT TENDERABLE		
5	65	65	5	-135	-375	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	454	454	409	217	-103	282	282	87
3	419	419	384	172	-113	237	237	62
4	307	307	237	122	-185	NOT TENDERABLE		
5	165	165	85	-58	-330	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	507	507	461	229	-96	324	324	114
3	452	452	421	189	-106	284	284	89
4	339	339	259	149	-168	NOT TENDERABLE		
5	187	187	104	-41	-315	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT: <http://www.ams.usda.gov/mnreports/cnndsqs.pdf>