



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

24-Jul-25

Volume 107, No. 249

SEE IMPORTANT MESSAGE AT THE BOTTOM OF THIS PAGE

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | | SPOT TRANSACTIONS | |
|---|------------------------------|------------------------------|------------------------------|--|---|--------------|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | | Number of Bales Provided to Cotton Program | |
| | ICE Futures | Staple 34 | Staple 35 | | Today | Season |
| | <i>Points</i> | <i>Cents per pound</i> | | | <i>Bales</i> | <i>Bales</i> |
| Southeast | -75 Oct-25 | 66.59 | 71.34 | | 0 | 76,783 |
| North Delta | -125 Oct-25 | 66.09 | 68.09 | | 0 | 41,025 |
| South Delta | -125 Oct-25 | 66.09 | 68.59 | | 0 | 9,308 |
| East TX-South TX | -400 Oct-25 | 63.34 | 67.59 | | 842 | 149,600 |
| West TX-KS-OK | -400 Oct-25 | 63.34 | 65.84 | | 1,958 | 704,627 |
| Desert SW | -425 Oct-25 | 63.09 | 66.34 | | 0 | 10,653 |
| SJ Valley | -350 Oct-25 | 63.84 | 72.74 | | 0 | 0 |
| Average | -271 Oct-25 | 64.63 | 68.65 | | Upland Total | |
| Previous day | -271 Oct-25 | 63.91 | 67.93 | | 2,800 | 991,996 |
| AMERICAN PIMA SPOT PRICE QUOTATIONS | | | | | | |
| American Pima | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | | AP Total | |
| | 151.00 | 132.50 | 140.25 | | 1,284 | 14,737 |
| ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER | | | | 7-MARKET BASE QUOTATIONS FOR UPLAND COTTON | Jul 18 - Jul 24 ADJ. WORLD PRICE 54.72 | |
| Month | <i>Cents per pound</i> | | | | CC ADJUSTMENT 0.00 | |
| | Today | Previous | Change | | FC ADJUSTMENT 2023 2024 0.00 0.00 | |
| Oct-25 | 67.34 | 66.62 | ↑ 0.72 | Season high | LOAN DEFICIENCY PMT. 0.00 | |
| Dec-25 | 68.71 | 68.24 | ↑ 0.47 | | PIMA COMPETITIVENESS PAYMENT 0.00 | |
| Mar-26 | 70.13 | 69.63 | ↑ 0.50 | 9/24/2024 67.70 | | |
| May-26 | 71.19 | 70.73 | ↑ 0.46 | | | |
| Jul-26 | 71.91 | 71.50 | ↑ 0.41 | Season low | | |
| Oct-26 | 70.52 | 70.18 | ↑ 0.34 | | | |
| Dec-26 | 70.00 | 69.68 | ↑ 0.32 | 8/6/2024 58.84 | | |
| Mar-27 | 70.34 | 70.09 | ↑ 0.25 | | | |
| May-27 | 70.79 | 70.53 | ↑ 0.26 | | | |
| Jul-27 | 71.11 | 70.82 | ↑ 0.29 | | | |

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

| Market | Basis | Color Leaf Staple | Mike | Strength | Extraneous Matter | Uniformity |
|------------------|-------|-------------------|------|----------|-------------------|------------|
| Southeast | | | | | | |
| North Delta | | | | | | |
| South Delta | | | | | | |
| East TX-South TX | | | | | | |
| West TX-OK-KS | | | | | | |
| Desert SW | | | | | | |
| SJ Valley | | | | | | |
| American Pima | | | | | | |

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT: <http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News

Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov

<https://www.ams.usda.gov/market-news/cotton>

Exciting customizable enhancements and new features to the Cotton Price Report series will launch August 1, 2025. Contact your local Market Reporter for more information.

SOUTHEAST DIFFERENCES

24-Jul-25

| Color | Leaf | Staple | | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -225 | -50 | 175 | 500 | 600 | 650 | 675 | 25-26 | -1075 |
| | 3 | -225 | -50 | 175 | 475 | 575 | 625 | 650 | 27-29 | -675 |
| | 4 | -225 | -125 | 100 | 425 | 500 | 525 | 525 | 30-32 | -525 |
| | 5 | -475 | -325 | -225 | 25 | 100 | 100 | 100 | 33-34 | -400 |
| | 6 | -600 | -450 | -400 | -225 | -175 | -175 | -175 | Base 35-36 | 0 |
| | 7 | -725 | -575 | -550 | -350 | -300 | -300 | -300 | 37-42 | 0 |
| 31 | 1 & 2 | -225 | -100 | 100 | 475 | 575 | 600 | 625 | Base 43-49 | 0 |
| | 3 | -225 | -100 | 100 | 475 | 550 | 575 | 600 | 50-52 | -200 |
| | 4 | -225 | -125 | 100 | 425 | 475 | 500 | 500 | 53 & Above | -375 |
| | 5 | -475 | -325 | -225 | 25 | 75 | 75 | 75 | | |
| | 6 | -600 | -450 | -400 | -275 | -225 | -225 | -225 | | |
| | 7 | -725 | -575 | -550 | -400 | -350 | -350 | -350 | | |
| 41 | 1 & 2 | -275 | -150 | 75 | 400 | 450 | 450 | 475 | Strength | |
| | 3 | -275 | -150 | 75 | 375 | 425 | 425 | 450 | (Grams per Tex) | |
| | 4 | -275 | -200 | 66.59 | 225 | 400 | 400 | 425 | Range | Diff. |
| | 5 | -550 | -450 | -300 | -175 | -100 | -100 | -100 | 21.0 - 21.9 | -725 |
| | 6 | -675 | -550 | -525 | -450 | -400 | -400 | -400 | 22.0 - 22.9 | -675 |
| | 7 | -775 | -675 | -650 | -600 | -550 | -550 | -550 | 23.0 - 23.9 | -650 |
| 51 | 1 & 2 | -475 | -350 | -175 | -125 | -75 | -75 | -75 | 24.0 - 24.9 | -625 |
| | 3 | -550 | -375 | -250 | -175 | -100 | -100 | -100 | 25.0 - 25.9 | -600 |
| | 4 | -575 | -375 | -300 | -250 | -200 | -200 | -200 | 26.0 - 26.9 | -300 |
| | 5 | -775 | -650 | -525 | -475 | -425 | -425 | -425 | Base 27.0 - 28.9 | 0 |
| | 6 | -850 | -675 | -625 | -625 | -575 | -575 | -575 | 29.0 - 29.9 | 0 |
| | 7 | -925 | -800 | -775 | -775 | -725 | -725 | -725 | 30.0 - 30.9 | 25 |
| 61 | 1-5 | -775 | -700 | -625 | -600 | -575 | -575 | -575 | 31.0 - 32.9 | 50 |
| | 6 | -950 | -875 | -825 | -800 | -775 | -775 | -775 | 33.0 & Above | 50 |
| | 7 | -1075 | -950 | -900 | -875 | -850 | -850 | -850 | | |
| 71 | 1-6 | -1075 | -1000 | -950 | -950 | -925 | -925 | -925 | | |
| | 7 | -1100 | -1025 | -975 | -975 | -950 | -950 | -950 | | |
| 12 & 22 | 1 & 2 | -275 | -100 | 50 | 200 | 275 | 275 | 300 | Extraneous Matter | |
| | 3 | -275 | -100 | 50 | 175 | 250 | 250 | 275 | Type - Level | Diff. |
| | 4 | -275 | -125 | 0 | 150 | 225 | 225 | 250 | Prep - Level 1 | -200 |
| | 5 | -525 | -425 | -300 | -100 | -50 | -50 | -50 | Prep - Level 2 | -800 |
| | 6 | -650 | -525 | -525 | -450 | -400 | -400 | -400 | Other - Level 1 | -550 |
| | 7 | -750 | -650 | -650 | -600 | -550 | -550 | -550 | Other - Level 2 | -800 |
| 32 | 1 & 2 | -325 | -175 | -25 | 0 | 75 | 75 | 75 | Plastic - Level 1 | -4000 |
| | 3 | -350 | -200 | -50 | 0 | 50 | 50 | 50 | Plastic - Level 2 | -4000 |
| | 4 | -450 | -200 | -150 | -100 | -25 | -25 | -25 | | |
| | 5 | -625 | -450 | -400 | -375 | -325 | -325 | -325 | | |
| | 6 | -700 | -550 | -550 | -525 | -475 | -475 | -475 | | |
| | 7 | -800 | -675 | -675 | -650 | -600 | -600 | -600 | | |
| 42 | 1-3 | -550 | -350 | -200 | -175 | -125 | -125 | -125 | Uniformity | |
| | 4 | -575 | -375 | -275 | -275 | -225 | -225 | -225 | Unit | Points |
| | 5 | -775 | -650 | -425 | -375 | -350 | -350 | -350 | 77.9 & Below | -125 |
| | 6 | -825 | -675 | -625 | -625 | -600 | -600 | -600 | 78.0 - 78.9 | -110 |
| | 7 | -925 | -800 | -775 | -750 | -725 | -725 | -725 | 79.0 - 79.9 | -100 |
| 52 | 1-4 | -825 | -700 | -575 | -500 | -500 | -500 | -500 | 80.0 - 80.9 | 0 |
| | 5 | -850 | -850 | -675 | -650 | -650 | -650 | -650 | Base 81.0 - 81.9 | 0 |
| | 6 | -925 | -900 | -850 | -825 | -825 | -825 | -825 | 82.0 - 82.9 | 0 |
| | 7 | -1075 | -1000 | -950 | -925 | -925 | -925 | -925 | 83.0 - 83.9 | 20 |
| 62 | 1-5 | -950 | -875 | -825 | -825 | -825 | -825 | -825 | 84.0 - 84.9 | 30 |
| | 6 | -1125 | -1050 | -1000 | -1000 | -1000 | -1000 | -1000 | 85.0 - 85.9 | 40 |
| 43 | 1-3 | -900 | -850 | -800 | -750 | -725 | -725 | -725 | 86.0 & Above | 50 |
| | 4 | -925 | -900 | -850 | -775 | -750 | -750 | -750 | | |
| | 5 | -950 | -900 | -850 | -825 | -825 | -825 | -825 | | |
| | 6 | -1000 | -925 | -875 | -850 | -850 | -850 | -850 | | |
| | 7 | -1125 | -1000 | -950 | -925 | -925 | -925 | -925 | | |
| 53 | 1-4 | -1000 | -900 | -850 | -800 | -800 | -800 | -800 | | |
| | 5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 | | |
| | 6 | -1150 | -1100 | -1000 | -1000 | -1000 | -1000 | -1000 | | |
| | 7 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 | | |
| 63 | 1-5 | -1125 | -1075 | -975 | -975 | -975 | -975 | -975 | | |
| | 6 | -1250 | -1200 | -1100 | -1100 | -1100 | -1100 | -1100 | | |

NORTH DELTA DIFFERENCES

24-Jul-25

| Color | Leaf | Staple | | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -225 | -75 | 175 | 250 | 500 | 575 | 575 | 25-26 | -1000 |
| | 3 | -225 | -75 | 150 | 200 | 475 | 525 | 525 | 27-29 | -650 |
| | 4 | -275 | -200 | 75 | 100 | 225 | 250 | 250 | 30-32 | -525 |
| | 5 | -450 | -325 | -175 | -100 | -100 | -75 | -75 | 33-34 | -425 |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 | Base 35-36 | 0 |
| | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 | 37-42 | 25 |
| 31 | 1 & 2 | -225 | -100 | 125 | 225 | 500 | 525 | 525 | Base 43-49 | 0 |
| | 3 | -225 | -100 | 125 | 200 | 475 | 500 | 500 | 50-52 | -225 |
| | 4 | -275 | -250 | 75 | 100 | 175 | 225 | 225 | 53 & Above | -375 |
| | 5 | -450 | -325 | -225 | -150 | -125 | -100 | -100 | | |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 | | |
| | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 | | |
| 41 | 1 & 2 | -350 | -250 | 50 | 100 | 350 | 350 | 375 | Strength | |
| | 3 | -350 | -250 | 25 | 50 | 325 | 350 | 375 | (Grams per Tex) | |
| | 4 | -375 | -275 | 66.09 | 0 | 175 | 200 | 200 | Range | Diff. |
| | 5 | -625 | -500 | -325 | -225 | -175 | -175 | -175 | 21.0 - 21.9 | -850 |
| | 6 | -675 | -600 | -500 | -425 | -425 | -425 | -425 | 22.0 - 22.9 | -800 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -550 | -550 | 23.0 - 23.9 | -750 |
| 51 | 1-2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 | 24.0 - 24.9 | -700 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 | 25.0 - 25.9 | -650 |
| | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 | 26.0 - 26.9 | -300 |
| | 5 | -825 | -725 | -650 | -575 | -550 | -550 | -550 | Base 27.0 - 28.9 | 0 |
| | 6 | -950 | -925 | -775 | -700 | -700 | -700 | -700 | 29.0 - 29.9 | 0 |
| | 7 | -1000 | -975 | -825 | -775 | -775 | -775 | -775 | 30.0 - 30.9 | 25 |
| 61 | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 | 31.0 - 32.9 | 50 |
| | 6 | -950 | -950 | -775 | -750 | -750 | -750 | -750 | 33.0 & Above | 50 |
| | 7 | -1025 | -1000 | -875 | -850 | -850 | -850 | -850 | | |
| 71 | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 | | |
| | 7 | -1275 | -1225 | -1075 | -1075 | -1075 | -1075 | -1075 | | |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 100 | 250 | 275 | 275 | Extraneous Matter | |
| | 3 | -275 | -125 | 25 | 50 | 200 | 250 | 250 | Type - Level | Diff. |
| | 4 | -300 | -250 | 0 | 0 | 175 | 200 | 200 | Prep - Level 1 | -200 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 | Prep - Level 2 | -800 |
| | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 | Other - Level 1 | -375 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 | Other - Level 2 | -785 |
| 32 | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 | Plastic - Level 1 | -4000 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 | Plastic - Level 2 | -4000 |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 | | |
| | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 | | |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 | | |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 | | |
| 42 | 1-3 | -550 | -425 | -325 | -225 | -200 | -200 | -200 | Uniformity | |
| | 4 | -575 | -450 | -350 | -300 | -250 | -250 | -250 | Unit | Points |
| | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 | 77.9 & Below | -90 |
| | 6 | -850 | -750 | -600 | -575 | -525 | -525 | -525 | 78.0 - 78.9 | -80 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 | 79.0 - 79.9 | -70 |
| 52 | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 | 80.0 - 80.9 | 0 |
| | 5 | -825 | -725 | -650 | -600 | -600 | -600 | -600 | Base 81.0 - 81.9 | 0 |
| | 6 | -975 | -875 | -800 | -775 | -775 | -775 | -775 | 82.0 - 82.9 | 0 |
| | 7 | -1000 | -975 | -900 | -875 | -875 | -875 | -875 | 83.0 - 83.9 | 30 |
| 62 | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 | 84.0 - 84.9 | 40 |
| | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 | 85.0 - 85.9 | 50 |
| 43 | 1-3 | -900 | -675 | -500 | -475 | -475 | -475 | -475 | 86.0 & Above | 60 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 | | |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 | | |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 | | |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| 53 | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 | | |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 | | |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 | | |
| 63 | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 | | |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 | | |

SOUTH DELTA DIFFERENCES

24-Jul-25

| Color | Leaf | Staple | | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------------------|--------|
| | | 32 | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -225 | -75 | 175 | 300 | 450 | 550 | 550 | 25-26 | -1100 |
| | 3 | -225 | -75 | 150 | 250 | 425 | 500 | 500 | 27-29 | -750 |
| | 4 | -275 | -200 | 75 | 150 | 275 | 300 | 300 | 30-32 | -525 |
| | 5 | -450 | -325 | -175 | -100 | -100 | -75 | -75 | 33-34 | -425 |
| | 6 | -500 | -475 | -450 | -400 | -400 | -400 | -400 | Base 35-36 | 0 |
| | 7 | -600 | -575 | -550 | -500 | -500 | -500 | -500 | 37-42 | 25 |
| 31 | 1 & 2 | -225 | -100 | 125 | 275 | 425 | 450 | 450 | Base 43-49 | 0 |
| | 3 | -225 | -100 | 125 | 250 | 425 | 450 | 450 | 50-52 | -225 |
| | 4 | -275 | -250 | 75 | 150 | 250 | 275 | 275 | 53 & Above | -375 |
| | 5 | -550 | -425 | -225 | -150 | -125 | -100 | -100 | | |
| | 6 | -600 | -575 | -450 | -400 | -400 | -400 | -400 | | |
| | 7 | -700 | -675 | -550 | -500 | -500 | -500 | -500 | | |
| 41 | 1 & 2 | -350 | -250 | 50 | 150 | 300 | 300 | 325 | Strength | |
| | 3 | -350 | -250 | 25 | 100 | 275 | 300 | 325 | (Grams per Tex) | |
| | 4 | -375 | -275 | 66.09 | 50 | 225 | 250 | 250 | Range | Diff. |
| | 5 | -625 | -500 | -325 | -200 | -150 | -150 | -150 | 21.0 - 21.9 | -850 |
| | 6 | -675 | -600 | -500 | -425 | -425 | -425 | -425 | 22.0 - 22.9 | -800 |
| | 7 | -800 | -775 | -650 | -550 | -550 | -550 | -550 | 23.0 - 23.9 | -750 |
| 51 | 1-2 | -675 | -475 | -350 | -250 | -250 | -250 | -250 | 24.0 - 24.9 | -700 |
| | 3 | -725 | -475 | -375 | -275 | -275 | -275 | -275 | 25.0 - 25.9 | -650 |
| | 4 | -750 | -500 | -400 | -350 | -350 | -350 | -350 | 26.0 - 26.9 | -300 |
| | 5 | -825 | -725 | -650 | -575 | -550 | -550 | -550 | Base 27.0 - 28.9 | 0 |
| | 6 | -925 | -825 | -775 | -700 | -700 | -700 | -700 | 29.0 - 29.9 | 0 |
| | 7 | -1100 | -1075 | -925 | -800 | -800 | -800 | -800 | 30.0 - 30.9 | 25 |
| 61 | 1-5 | -850 | -750 | -650 | -575 | -575 | -575 | -575 | 31.0 - 32.9 | 50 |
| | 6 | -925 | -850 | -775 | -750 | -750 | -750 | -750 | 33.0 & Above | 50 |
| | 7 | -1125 | -1100 | -975 | -850 | -850 | -850 | -850 | | |
| 71 | 1-6 | -1225 | -1175 | -1075 | -1025 | -1025 | -1025 | -1025 | | |
| | 7 | -1275 | -1225 | -1125 | -1075 | -1075 | -1075 | -1075 | | |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 100 | 275 | 300 | 300 | Extraneous Matter | |
| | 3 | -275 | -125 | 25 | 50 | 225 | 275 | 275 | Type - Level | Diff. |
| | 4 | -300 | -250 | 0 | 0 | 175 | 200 | 200 | Prep - Level 1 | -200 |
| | 5 | -600 | -475 | -300 | -200 | -175 | -150 | -150 | Prep - Level 2 | -800 |
| | 6 | -725 | -650 | -525 | -425 | -400 | -400 | -400 | Other - Level 1 | -375 |
| | 7 | -775 | -750 | -625 | -550 | -525 | -525 | -525 | Other - Level 2 | -785 |
| 32 | 1 & 2 | -400 | -250 | -100 | 0 | 50 | 50 | 50 | Plastic - Level 1 | -4000 |
| | 3 | -400 | -250 | -100 | -25 | 25 | 25 | 25 | Plastic - Level 2 | -4000 |
| | 4 | -425 | -275 | -200 | -100 | -75 | -75 | -75 | | |
| | 5 | -700 | -525 | -350 | -325 | -300 | -300 | -300 | | |
| | 6 | -800 | -750 | -575 | -525 | -500 | -500 | -500 | | |
| | 7 | -900 | -850 | -675 | -625 | -625 | -625 | -625 | | |
| 42 | 1-3 | -550 | -425 | -325 | -225 | -200 | -200 | -200 | Uniformity | |
| | 4 | -575 | -450 | -350 | -300 | -250 | -250 | -250 | Unit | Points |
| | 5 | -725 | -575 | -425 | -375 | -325 | -325 | -325 | 77.9 & Below | -90 |
| | 6 | -850 | -750 | -600 | -525 | -500 | -500 | -500 | 78.0 - 78.9 | -80 |
| | 7 | -900 | -850 | -700 | -650 | -650 | -650 | -650 | 79.0 - 79.9 | -70 |
| 52 | 1-4 | -750 | -575 | -525 | -500 | -500 | -500 | -500 | 80.0 - 80.9 | 0 |
| | 5 | -875 | -725 | -650 | -600 | -600 | -600 | -600 | Base 81.0 - 81.9 | 0 |
| | 6 | -925 | -875 | -800 | -775 | -775 | -775 | -775 | 82.0 - 82.9 | 0 |
| | 7 | -1025 | -975 | -900 | -875 | -875 | -875 | -875 | 83.0 - 83.9 | 30 |
| 62 | 1-5 | -1025 | -925 | -850 | -825 | -825 | -825 | -825 | 84.0 - 84.9 | 40 |
| | 6 | -1175 | -1075 | -950 | -925 | -925 | -925 | -925 | 85.0 - 85.9 | 50 |
| 43 | 1-3 | -900 | -675 | -475 | -450 | -450 | -450 | -450 | 86.0 & Above | 60 |
| | 4 | -925 | -700 | -525 | -500 | -500 | -500 | -500 | | |
| | 5 | -950 | -850 | -775 | -750 | -750 | -750 | -750 | | |
| | 6 | -1050 | -950 | -875 | -850 | -850 | -850 | -850 | | |
| | 7 | -1200 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| 53 | 1-4 | -1000 | -900 | -825 | -800 | -800 | -800 | -800 | | |
| | 5 | -1075 | -1000 | -925 | -900 | -900 | -900 | -900 | | |
| | 6 | -1250 | -1100 | -1025 | -1000 | -1000 | -1000 | -1000 | | |
| | 7 | -1275 | -1225 | -1125 | -1100 | -1100 | -1100 | -1100 | | |
| 63 | 1-5 | -1225 | -1175 | -1100 | -1075 | -1075 | -1075 | -1075 | | |
| | 6 | -1275 | -1225 | -1100 | -1075 | -1075 | -1075 | -1075 | | |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -500 | -450 | -275 | 175 | 500 | 850 | 925 | 975 |
| | 3 | -550 | -500 | -300 | 125 | 475 | 825 | 900 | 950 |
| | 4 | -625 | -500 | -300 | 25 | 150 | 375 | 400 | 450 |
| | 5 | -650 | -525 | -450 | -100 | 25 | 150 | 275 | 275 |
| | 6 | -750 | -600 | -575 | -300 | -275 | -150 | -50 | -50 |
| | 7 | -825 | -700 | -675 | -375 | -350 | -225 | -150 | -150 |
| 31 | 1 & 2 | -575 | -500 | -300 | 100 | 450 | 750 | 825 | 875 |
| | 3 | -600 | -525 | -325 | 75 | 425 | 725 | 825 | 875 |
| | 4 | -675 | -575 | -325 | 0 | 150 | 325 | 400 | 450 |
| | 5 | -700 | -575 | -475 | -100 | 0 | 75 | 200 | 200 |
| | 6 | -775 | -625 | -600 | -300 | -275 | -175 | -125 | -125 |
| | 7 | -850 | -725 | -700 | -375 | -350 | -250 | -225 | -225 |
| 41 | 1 & 2 | -675 | -500 | -325 | 50 | 175 | 450 | 550 | 625 |
| | 3 | -725 | -525 | -325 | 25 | 175 | 310 | 410 | 485 |
| | 4 | -750 | -600 | -450 | 63.34 | 110 | 185 | 260 | 335 |
| | 5 | -900 | -675 | -600 | -225 | -90 | 35 | 85 | 110 |
| | 6 | -975 | -775 | -725 | -375 | -350 | -250 | -250 | -250 |
| | 7 | -1075 | -875 | -825 | -475 | -425 | -350 | -350 | -350 |
| 51 | 1 & 2 | -850 | -700 | -575 | -150 | -100 | 50 | 75 | 75 |
| | 3 | -875 | -750 | -600 | -175 | -100 | 50 | 50 | 75 |
| | 4 | -925 | -775 | -625 | -250 | -175 | -50 | -50 | -25 |
| | 5 | -950 | -825 | -750 | -325 | -250 | -225 | -200 | -175 |
| | 6 | -1050 | -850 | -825 | -425 | -400 | -300 | -300 | -300 |
| | 7 | -1150 | -875 | -850 | -500 | -475 | -350 | -350 | -350 |
| 61 | 1-5 | -1025 | -875 | -800 | -375 | -350 | -225 | -225 | -225 |
| | 6 | -1175 | -975 | -925 | -550 | -500 | -375 | -375 | -375 |
| | 7 | -1275 | -1075 | -1025 | -650 | -600 | -475 | -475 | -475 |
| 71 | 1-6 | -1225 | -1125 | -1050 | -625 | -600 | -475 | -475 | -475 |
| | 7 | -1300 | -1150 | -1100 | -700 | -675 | -550 | -550 | -550 |
| 12 & 22 | 1 & 2 | -650 | -450 | -275 | 50 | 325 | 475 | 550 | 550 |
| | 3 | -700 | -500 | -325 | 50 | 275 | 425 | 475 | 475 |
| | 4 | -725 | -500 | -325 | -25 | 110 | 325 | 375 | 375 |
| | 5 | -800 | -675 | -600 | -225 | -115 | 150 | 275 | 275 |
| | 6 | -950 | -750 | -725 | -375 | -350 | -200 | -75 | -75 |
| | 7 | -1075 | -875 | -825 | -475 | -425 | -300 | -225 | -225 |
| 32 | 1 & 2 | -825 | -725 | -550 | -150 | 25 | 100 | 225 | 225 |
| | 3 | -850 | -725 | -575 | -175 | -50 | 50 | 175 | 200 |
| | 4 | -900 | -750 | -625 | -200 | -75 | -50 | 0 | 25 |
| | 5 | -1000 | -875 | -825 | -375 | -300 | -125 | -50 | -50 |
| | 6 | -1150 | -950 | -925 | -550 | -500 | -425 | -375 | -375 |
| | 7 | -1300 | -1075 | -1050 | -650 | -600 | -525 | -475 | -475 |
| 42 | 1-3 | -900 | -800 | -700 | -225 | -50 | -25 | 25 | 50 |
| | 4 | -975 | -850 | -750 | -275 | -75 | -75 | -50 | 0 |
| | 5 | -1125 | -975 | -875 | -475 | -375 | -325 | -300 | -250 |
| | 6 | -1300 | -1025 | -950 | -600 | -550 | -550 | -475 | -475 |
| | 7 | -1425 | -1150 | -1075 | -725 | -650 | -600 | -550 | -550 |
| 52 | 1-4 | -1175 | -975 | -875 | -525 | -500 | -400 | -350 | -325 |
| | 5 | -1225 | -1050 | -925 | -550 | -550 | -525 | -450 | -425 |
| | 6 | -1425 | -1225 | -1125 | -725 | -700 | -625 | -575 | -575 |
| | 7 | -1525 | -1350 | -1250 | -850 | -825 | -700 | -650 | -650 |
| 62 | 1-5 | -1275 | -1125 | -1100 | -650 | -625 | -550 | -500 | -500 |
| | 6 | -1475 | -1300 | -1275 | -850 | -825 | -725 | -675 | -675 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1200 | -1050 | -975 | -525 | -450 | -325 | -225 | -225 |
| | 3 | -1225 | -1075 | -1000 | -550 | -475 | -350 | -250 | -250 |
| | 4 | -1275 | -1150 | -1025 | -575 | -500 | -400 | -300 | -300 |
| | 5 | -1400 | -1250 | -1150 | -700 | -625 | -525 | -425 | -425 |
| | 6 | -1525 | -1325 | -1200 | -800 | -725 | -625 | -525 | -525 |
| | 7 | -1625 | -1425 | -1325 | -925 | -850 | -750 | -650 | -650 |
| 33 | 1 & 2 | -1275 | -1100 | -1000 | -530 | -475 | -375 | -275 | -275 |
| | 3 | -1275 | -1100 | -1000 | -555 | -500 | -400 | -275 | -275 |
| | 4 | -1350 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 5 | -1500 | -1275 | -1175 | -730 | -675 | -575 | -450 | -450 |
| | 6 | -1575 | -1350 | -1250 | -855 | -800 | -700 | -575 | -575 |
| | 7 | -1675 | -1475 | -1350 | -980 | -925 | -825 | -700 | -700 |
| 43 | 1-3 | -1325 | -1175 | -1050 | -605 | -550 | -450 | -325 | -325 |
| | 4 | -1400 | -1250 | -1100 | -630 | -575 | -475 | -350 | -350 |
| | 5 | -1525 | -1350 | -1200 | -760 | -700 | -600 | -475 | -475 |
| | 6 | -1625 | -1425 | -1300 | -880 | -850 | -750 | -625 | -625 |
| | 7 | -1725 | -1525 | -1400 | -980 | -950 | -850 | -725 | -725 |
| 53 | 1-4 | -1450 | -1350 | -1225 | -755 | -750 | -700 | -575 | -575 |
| | 5 | -1550 | -1425 | -1325 | -830 | -825 | -775 | -650 | -650 |
| | 6 | -1650 | -1525 | -1425 | -1005 | -950 | -900 | -775 | -775 |
| | 7 | -1750 | -1625 | -1550 | -1105 | -1050 | -975 | -850 | -850 |
| 63 | 1-5 | -1650 | -1500 | -1375 | -955 | -875 | -800 | -675 | -675 |
| | 6 | -1750 | -1625 | -1475 | -1075 | -1000 | -925 | -800 | -800 |
| 34 | 1 & 2 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 3 | -1400 | -1275 | -1200 | -750 | -725 | -650 | -575 | -575 |
| | 4 | -1525 | -1400 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 5 | -1625 | -1500 | -1425 | -975 | -950 | -875 | -800 | -800 |
| | 6 | -1800 | -1675 | -1600 | -1150 | -1125 | -1050 | -975 | -975 |
| 44 | 1-3 | -1500 | -1375 | -1300 | -850 | -825 | -750 | -675 | -675 |
| | 4 | -1575 | -1475 | -1350 | -900 | -875 | -800 | -725 | -725 |
| | 5 | -1650 | -1550 | -1450 | -1000 | -975 | -900 | -825 | -825 |
| | 6 | -1825 | -1700 | -1625 | -1175 | -1150 | -1075 | -1000 | -1000 |
| 54 | 1-4 | -1600 | -1500 | -1425 | -925 | -925 | -850 | -800 | -800 |
| | 5 | -1700 | -1600 | -1500 | -1025 | -1000 | -925 | -875 | -875 |

| Mike | |
|------------|-------|
| Range | Diff. |
| 24 & Below | -1850 |
| 25-26 | -1850 |
| 27-29 | -1300 |
| 30-32 | -825 |
| 33-34 | -625 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -375 |
| 53 & Above | -450 |

| Strength | |
|------------------|-------|
| (Grams per Tex) | |
| Range | Diff. |
| 19.0 - 19.9 | -485 |
| 20.0 - 20.9 | -485 |
| 21.0 - 21.9 | -460 |
| 22.0 - 22.9 | -460 |
| 23.0 - 23.9 | -435 |
| 24.0 - 24.9 | -435 |
| 25.0 - 25.9 | -385 |
| 26.0 - 26.9 | -360 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 10 |
| 30.0 - 30.9 | 40 |
| 31.0 - 32.9 | 45 |
| 33.0 & above | 50 |

| Uniformity | |
|------------------|--------|
| Unit | Points |
| 77.9 & Below | -90 |
| 78.0 - 78.9 | -75 |
| 79.0 - 79.9 | -10 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -300 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -475 |
| Bark - Level 2 | -550 |
| Other - Level 1 | -950 |
| Other - Level 2 | -1000 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -475 | -325 | -125 | 225 | 350 | 550 | 700 | 750 |
| | 3 | -575 | -400 | -200 | 125 | 250 | 525 | 655 | 705 |
| | 4 | -625 | -450 | -325 | 100 | 200 | 350 | 375 | 375 |
| | 5 | -650 | -450 | -325 | 75 | 175 | 325 | 350 | 350 |
| | 6 | -775 | -575 | -475 | -175 | -150 | -100 | -100 | -100 |
| | 7 | -850 | -625 | -550 | -250 | -225 | -175 | -175 | -175 |
| 31 | 1 & 2 | -725 | -500 | -300 | 175 | 300 | 525 | 675 | 700 |
| | 3 | -775 | -525 | -325 | 100 | 250 | 525 | 650 | 675 |
| | 4 | -800 | -550 | -400 | 100 | 150 | 275 | 350 | 350 |
| | 5 | -825 | -600 | -450 | 0 | 100 | 225 | 250 | 250 |
| | 6 | -925 | -675 | -500 | -225 | -225 | -200 | -200 | -200 |
| | 7 | -1025 | -725 | -575 | -275 | -275 | -250 | -250 | -250 |
| 41 | 1 & 2 | -825 | -575 | -325 | 50 | 100 | 225 | 300 | 325 |
| | 3 | -850 | -600 | -350 | 25 | 75 | 200 | 275 | 300 |
| | 4 | -900 | -625 | -500 | 63.34 | 50 | 50 | 125 | 150 |
| | 5 | -950 | -675 | -525 | -175 | -150 | -100 | -75 | -25 |
| | 6 | -1050 | -800 | -675 | -425 | -425 | -300 | -300 | -300 |
| | 7 | -1150 | -875 | -750 | -475 | -475 | -400 | -400 | -400 |
| 51 | 1 & 2 | -900 | -700 | -575 | -125 | -75 | -75 | -75 | -75 |
| | 3 | -950 | -700 | -575 | -125 | -75 | -75 | -75 | -75 |
| | 4 | -975 | -700 | -650 | -225 | -200 | -200 | -175 | -175 |
| | 5 | -975 | -725 | -700 | -325 | -325 | -250 | -225 | -225 |
| | 6 | -1075 | -825 | -800 | -525 | -500 | -400 | -375 | -375 |
| | 7 | -1175 | -925 | -900 | -625 | -600 | -525 | -500 | -500 |
| 61 | 1-5 | -975 | -775 | -750 | -375 | -350 | -250 | -250 | -250 |
| | 6 | -1150 | -900 | -875 | -625 | -550 | -450 | -450 | -450 |
| | 7 | -1250 | -1050 | -1000 | -700 | -625 | -550 | -550 | -550 |
| 71 | 1-6 | -1175 | -975 | -900 | -650 | -600 | -525 | -525 | -525 |
| | 7 | -1300 | -1050 | -1000 | -725 | -675 | -600 | -600 | -600 |
| 12 & 22 | 1 & 2 | -625 | -425 | -175 | 175 | 225 | 275 | 400 | 400 |
| | 3 | -650 | -450 | -225 | 100 | 150 | 225 | 300 | 300 |
| | 4 | -750 | -500 | -400 | 0 | 100 | 200 | 250 | 250 |
| | 5 | -850 | -625 | -500 | -75 | 0 | 75 | 75 | 75 |
| | 6 | -925 | -725 | -625 | -350 | -350 | -250 | -200 | -200 |
| | 7 | -1050 | -825 | -725 | -425 | -425 | -325 | -275 | -275 |
| 32 | 1 & 2 | -850 | -575 | -325 | -50 | 25 | 25 | 50 | 75 |
| | 3 | -925 | -650 | -375 | -125 | 25 | 25 | 25 | 25 |
| | 4 | -975 | -725 | -575 | -150 | 25 | 25 | 25 | 25 |
| | 5 | -1125 | -925 | -775 | -400 | -250 | -225 | -200 | -200 |
| | 6 | -1225 | -975 | -900 | -550 | -450 | -425 | -375 | -375 |
| | 7 | -1300 | -1050 | -925 | -625 | -525 | -500 | -450 | -450 |
| 42 | 1-3 | -950 | -700 | -525 | -175 | -125 | -50 | 0 | 0 |
| | 4 | -1025 | -800 | -575 | -225 | -150 | -75 | -25 | 0 |
| | 5 | -1175 | -1000 | -775 | -425 | -275 | -275 | -250 | -225 |
| | 6 | -1425 | -1100 | -900 | -575 | -475 | -450 | -425 | -400 |
| | 7 | -1450 | -1150 | -1000 | -675 | -550 | -525 | -500 | -500 |
| 52 | 1-4 | -1200 | -925 | -850 | -525 | -450 | -400 | -350 | -350 |
| | 5 | -1275 | -1025 | -925 | -550 | -475 | -425 | -375 | -375 |
| | 6 | -1525 | -1250 | -1150 | -725 | -625 | -575 | -525 | -525 |
| | 7 | -1600 | -1350 | -1250 | -800 | -725 | -675 | -650 | -650 |
| 62 | 1-5 | -1325 | -1100 | -1025 | -650 | -600 | -550 | -500 | -500 |
| | 6 | -1550 | -1300 | -1225 | -900 | -825 | -775 | -700 | -700 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1025 | -800 | -725 | -400 | -350 | -325 | -275 | -275 |
| | 3 | -1125 | -850 | -775 | -425 | -375 | -350 | -300 | -300 |
| | 4 | -1175 | -950 | -875 | -475 | -425 | -400 | -350 | -350 |
| | 5 | -1275 | -1025 | -975 | -600 | -550 | -500 | -450 | -450 |
| | 6 | -1425 | -1150 | -1100 | -725 | -625 | -575 | -525 | -525 |
| | 7 | -1500 | -1250 | -1175 | -775 | -725 | -675 | -625 | -625 |
| 33 | 1 & 2 | -1200 | -900 | -800 | -450 | -425 | -400 | -350 | -350 |
| | 3 | -1200 | -900 | -800 | -450 | -425 | -400 | -350 | -350 |
| | 4 | -1300 | -1000 | -925 | -525 | -500 | -450 | -400 | -400 |
| | 5 | -1425 | -1100 | -1025 | -675 | -625 | -550 | -500 | -500 |
| | 6 | -1525 | -1225 | -1200 | -775 | -725 | -650 | -600 | -600 |
| | 7 | -1600 | -1325 | -1250 | -900 | -825 | -750 | -700 | -700 |
| 43 | 1-3 | -1275 | -1025 | -950 | -525 | -500 | -450 | -400 | -400 |
| | 4 | -1350 | -1100 | -1000 | -600 | -550 | -450 | -400 | -400 |
| | 5 | -1450 | -1175 | -1075 | -725 | -675 | -575 | -525 | -525 |
| | 6 | -1575 | -1300 | -1225 | -850 | -800 | -725 | -675 | -675 |
| | 7 | -1650 | -1400 | -1300 | -925 | -875 | -800 | -750 | -750 |
| 53 | 1-4 | -1450 | -1275 | -1150 | -700 | -675 | -550 | -500 | -500 |
| | 5 | -1525 | -1300 | -1200 | -800 | -750 | -600 | -550 | -550 |
| | 6 | -1700 | -1450 | -1350 | -950 | -875 | -725 | -675 | -675 |
| | 7 | -1750 | -1525 | -1450 | -1075 | -1000 | -875 | -825 | -825 |
| 63 | 1-5 | -1675 | -1425 | -1300 | -850 | -825 | -775 | -725 | -725 |
| | 6 | -1775 | -1550 | -1400 | -1050 | -1000 | -950 | -900 | -900 |
| 34 | 1 & 2 | -1375 | -1125 | -1025 | -625 | -625 | -575 | -525 | -525 |
| | 3 | -1375 | -1125 | -1025 | -625 | -625 | -575 | -525 | -525 |
| | 4 | -1500 | -1250 | -1125 | -725 | -725 | -675 | -625 | -625 |
| | 5 | -1575 | -1325 | -1225 | -850 | -850 | -800 | -750 | -750 |
| | 6 | -1750 | -1500 | -1400 | -1075 | -1050 | -1000 | -950 | -950 |
| 44 | 1-3 | -1500 | -1250 | -1150 | -725 | -725 | -675 | -650 | -650 |
| | 4 | -1575 | -1350 | -1200 | -775 | -775 | -725 | -700 | -700 |
| | 5 | -1650 | -1400 | -1275 | -875 | -875 | -825 | -800 | -800 |
| | 6 | -1825 | -1575 | -1475 | -1125 | -1100 | -1050 | -1025 | -1025 |
| 54 | 1-4 | -1600 | -1375 | -1275 | -850 | -850 | -800 | -775 | -775 |
| | 5 | -1675 | -1425 | -1300 | -975 | -975 | -925 | -900 | -900 |

| Mike | |
|------------|-------|
| Range | Diff. |
| 24 & Below | -1825 |
| 25-26 | -1825 |
| 27-29 | -1200 |
| 30-32 | -675 |
| 33-34 | -500 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -475 |
| 53 & Above | -500 |

| Strength (Grams per Tex) | |
|-----------------------------|-------|
| Range | Diff. |
| 19.0 - 19.9 | -525 |
| 20.0 - 20.9 | -500 |
| 21.0 - 21.9 | -475 |
| 22.0 - 22.9 | -450 |
| 23.0 - 23.9 | -425 |
| 24.0 - 24.9 | -400 |
| 25.0 - 25.9 | -275 |
| 26.0 - 26.9 | -250 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 10 |
| 30.0 - 30.9 | 10 |
| 31.0 - 32.9 | 15 |
| 33.0 & above | 25 |

| Uniformity | |
|------------------|--------|
| Unit | Points |
| 77.9 & Below | -70 |
| 78.0 - 78.9 | -55 |
| 79.0 - 79.9 | -40 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 0 |
| 83.0 - 83.9 | 0 |
| 84.0 - 84.9 | 0 |
| 85.0 - 85.9 | 0 |
| 86.0 & Above | 0 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -300 |
| Prep - Level 2 | -500 |
| Bark - Level 1 | -350 |
| Bark - Level 2 | -550 |
| Other - Level 1 | -650 |
| Other - Level 2 | -700 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

DESERT SOUTHWEST DIFFERENCES

24-Jul-25

| Color | Leaf | Staple | | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------|--------------------------|--------|
| | | 33 | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | -125 | 150 | 475 | 750 | 785 | 825 | 24 & Below | -1350 |
| | 3 | -125 | 125 | 400 | 700 | 725 | 750 | 25-26 | -1150 |
| | 4 | -325 | 25 | 250 | 360 | 420 | 445 | 27-29 | -1050 |
| | 5 | -400 | -200 | -25 | 75 | 160 | 160 | 30-32 | -700 |
| | 6 | -475 | -375 | -150 | -110 | -55 | -55 | 33-34 | -500 |
| | 7 | -675 | -400 | -225 | -165 | -125 | -125 | 35-36 | 0 |
| | | | | | | | | 37-42 | 25 |
| 31 | 1 & 2 | -200 | 125 | 425 | 675 | 725 | 750 | 43-49 | 0 |
| | 3 | -200 | 100 | 325 | 600 | 625 | 650 | 50-52 | -325 |
| | 4 | -375 | 0 | 150 | 310 | 370 | 420 | 53 & Above | -525 |
| | 5 | -425 | -225 | -100 | -25 | 70 | 70 | | |
| | 6 | -500 | -400 | -185 | -145 | -65 | -65 | | |
| | 7 | -700 | -425 | -275 | -220 | -140 | -140 | | |
| | | | | | | | | | |
| 41 | 1 & 2 | -600 | 0 | 25 | 160 | 170 | 270 | Strength | |
| | 3 | -600 | 0 | 10 | 135 | 145 | 245 | (Grams per Tex) | |
| | 4 | -650 | 63.09 | 0 | 85 | 120 | 170 | Range | Diff. |
| | 5 | -675 | -525 | -425 | -340 | -280 | -280 | 21.0 - 21.9 | -675 |
| | 6 | -825 | -700 | -525 | -490 | -440 | -440 | 22.0 - 22.9 | -525 |
| | 7 | -975 | -850 | -700 | -670 | -635 | -635 | 23.0 - 23.9 | -375 |
| | | | | | | | | 24.0 - 24.9 | -300 |
| 51 | 1 & 2 | -725 | -550 | -350 | -340 | -330 | -330 | 25.0 - 25.9 | -275 |
| | 3 | -725 | -550 | -350 | -340 | -330 | -330 | 26.0 - 26.9 | -200 |
| | 4 | -750 | -625 | -475 | -425 | -365 | -365 | Base 27.0 - 28.9 | 0 |
| | 5 | -850 | -800 | -675 | -650 | -600 | -600 | 29.0 - 29.9 | 0 |
| | 6 | -1000 | -900 | -775 | -775 | -725 | -725 | 30.0 - 30.9 | 10 |
| | 7 | -1200 | -1100 | -975 | -975 | -950 | -950 | 31.0 - 32.9 | 35 |
| | | | | | | | | 33.0 & above | 75 |
| 12 & 22 | 1 & 2 | -500 | 25 | 175 | 260 | 345 | 345 | Extraneous Matter | |
| | 3 | -500 | 25 | 150 | 210 | 295 | 295 | Type - Level | Diff. |
| | 4 | -600 | -25 | 150 | 210 | 295 | 295 | Prep - Level 1 | -50 |
| | 5 | -625 | -450 | -150 | -150 | -75 | -75 | Prep - Level 2 | -800 |
| | 6 | -775 | -650 | -350 | -350 | -275 | -275 | Other - Level 1 | -600 |
| | 7 | -950 | -825 | -600 | -600 | -525 | -525 | Other - Level 2 | -800 |
| | | | | | | | | Plastic - Level 1 | -4000 |
| 32 | 1 & 2 | -600 | -225 | 0 | 110 | 120 | 120 | Plastic - Level 2 | -4000 |
| | 3 | -600 | -225 | 0 | 110 | 120 | 120 | | |
| | 4 | -650 | -450 | -100 | 10 | 20 | 20 | | |
| | 5 | -700 | -700 | -450 | -450 | -450 | -450 | | |
| | 6 | -900 | -825 | -575 | -575 | -575 | -575 | | |
| | 7 | -1050 | -1000 | -825 | -825 | -825 | -825 | | |
| | | | | | | | | | |
| 42 | 1-3 | -700 | -525 | -250 | -175 | -175 | -175 | Uniformity | |
| | 4 | -725 | -600 | -350 | -275 | -275 | -275 | Unit | Points |
| | 5 | -800 | -775 | -550 | -525 | -525 | -525 | 77.9 & Below | -100 |
| | 6 | -975 | -900 | -675 | -675 | -675 | -675 | 78.0 - 78.9 | -90 |
| | 7 | -1175 | -1075 | -925 | -925 | -925 | -925 | 79.0 - 79.9 | -80 |
| | | | | | | | | 80.0 - 80.9 | 0 |
| | | | | | | | | Base 81.0 - 81.9 | 0 |
| 52 | 1-4 | -925 | -800 | -600 | -550 | -550 | -550 | 82.0 - 82.9 | 0 |
| | 5 | -975 | -875 | -700 | -700 | -700 | -700 | 83.0 - 83.9 | 30 |
| | 6 | -1075 | -975 | -800 | -800 | -800 | -800 | 84.0 - 84.9 | 40 |
| | 7 | -1325 | -1225 | -1100 | -1075 | -1075 | -1075 | 85.0 - 85.9 | 50 |
| | | | | | | | | 86.0 & Above | 60 |
| | | | | | | | | | |
| | | | | | | | | | |
| 43 | 1-3 | -800 | -725 | -650 | -575 | -575 | -575 | | |
| | 4 | -900 | -825 | -700 | -650 | -650 | -650 | | |
| | 5 | -1000 | -900 | -725 | -700 | -700 | -700 | | |
| | 6 | -1100 | -1000 | -975 | -975 | -975 | -975 | | |
| | 7 | -1200 | -1125 | -1100 | -1100 | -1100 | -1100 | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 53 | 1-4 | -1050 | -950 | -875 | -875 | -875 | -875 | | |
| | 5 | -1100 | -1000 | -925 | -925 | -925 | -925 | | |
| | 6 | -1200 | -1100 | -1025 | -1025 | -1025 | -1025 | | |
| | 7 | -1450 | -1350 | -1350 | -1350 | -1350 | -1350 | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| Color | Leaf | Staple | | | | | Mike | |
|---------|-------|--------|-------|-------|-------|-------|-------------------|--------|
| | | 34 | 35 | 36 | 37 | 38 | Range | Diff. |
| 11 & 21 | 1 & 2 | 415 | 1040 | 1390 | 1540 | 1765 | 27-29 | -1600 |
| | 3 | 365 | 990 | 1340 | 1465 | 1665 | 30-32 | -1000 |
| | 4 | 75 | 350 | 400 | 500 | 500 | 33-34 | -500 |
| | 5 | -125 | 75 | 130 | 190 | 190 | Base 35-36 | 0 |
| | 6 | -400 | -200 | -150 | -100 | -100 | 37-42 | 25 |
| | 7 | -625 | -525 | -475 | -425 | -425 | Base 43-49 | 0 |
| | | | | | | | 50-52 | -500 |
| 31 | 1 & 2 | 315 | 940 | 1290 | 1415 | 1590 | | |
| | 3 | 265 | 890 | 1240 | 1365 | 1540 | | |
| | 4 | 50 | 300 | 330 | 410 | 410 | | |
| | 5 | -200 | 0 | 55 | 115 | 115 | | |
| | 6 | -500 | -325 | -275 | -225 | -225 | | |
| | 7 | -675 | -575 | -525 | -475 | -475 | | |
| | | | | | | | | |
| 41 | 1 & 2 | 100 | 350 | 430 | 440 | 440 | Strength | |
| | 3 | 50 | 250 | 330 | 340 | 340 | (Grams per Tex) | |
| | 4 | 63.84 | 200 | 280 | 290 | 290 | Range | Diff. |
| | 5 | -425 | -200 | -195 | -185 | -185 | 24.0 - 24.9 | -500 |
| | 6 | -625 | -450 | -450 | -450 | -450 | 25.0 - 25.9 | -400 |
| | 7 | -825 | -725 | -725 | -725 | -725 | 26.0 - 26.9 | -300 |
| | | | | | | | Base 27.0 - 28.9 | 0 |
| 51 | 1 & 2 | -675 | -225 | -175 | -175 | -175 | 29.0 - 29.9 | 0 |
| | 3 | -700 | -250 | -200 | -200 | -200 | 30.0 - 30.9 | 75 |
| | 4 | -750 | -300 | -275 | -275 | -275 | 31.0 - 32.9 | 125 |
| | 5 | -775 | -375 | -325 | -325 | -325 | 33.0 & Above | 250 |
| | 6 | -900 | -800 | -800 | -800 | -800 | | |
| | 7 | -1050 | -1000 | -1000 | -1000 | -1000 | | |
| | | | | | | | | |
| 12 & 22 | 1 & 2 | 125 | 575 | 830 | 965 | 1140 | | |
| | 3 | 50 | 500 | 780 | 890 | 1040 | | |
| | 4 | -75 | 325 | 375 | 440 | 440 | | |
| | 5 | -250 | -50 | 0 | 50 | 50 | | |
| | 6 | -525 | -400 | -350 | -300 | -300 | | |
| | 7 | -775 | -700 | -650 | -600 | -600 | | |
| | | | | | | | | |
| 32 | 1 & 2 | 0 | 250 | 325 | 375 | 475 | Extraneous Matter | |
| | 3 | -50 | 200 | 275 | 325 | 425 | Type - Level | Diff. |
| | 4 | -200 | 25 | 50 | 100 | 100 | Prep - Level 1 | -50 |
| | 5 | -525 | -275 | -275 | -275 | -275 | Prep - Level 2 | -800 |
| | 6 | -675 | -475 | -475 | -475 | -475 | Other - Level 1 | -350 |
| | 7 | -850 | -750 | -750 | -750 | -750 | Other - Level 2 | -925 |
| | | | | | | | Plastic - Level 1 | -4000 |
| 42 | 1-3 | -450 | -100 | -75 | -75 | -75 | Plastic - Level 2 | -4000 |
| | 4 | -500 | -175 | -150 | -150 | -150 | | |
| | 5 | -675 | -350 | -300 | -300 | -300 | | |
| | 6 | -800 | -775 | -775 | -775 | -775 | | |
| | 7 | -1000 | -950 | -950 | -950 | -950 | | |
| | | | | | | | | |
| | | | | | | | | |
| 52 | 1-4 | -825 | -775 | -775 | -775 | -775 | Uniformity | |
| | 5 | -875 | -825 | -825 | -825 | -825 | Unit | Points |
| | 6 | -1025 | -1025 | -1025 | -1025 | -1025 | 77.9 & Below | -60 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 | 78.0 - 78.9 | -50 |
| | | | | | | | 79.0 - 79.9 | -40 |
| | | | | | | | 80.0 - 80.9 | 0 |
| | | | | | | | Base 81.0 - 81.9 | 0 |
| 33 | 1 & 2 | -500 | -500 | -500 | -500 | -500 | 82.0 - 82.9 | 50 |
| | 3 | -500 | -500 | -500 | -500 | -500 | 83.0 - 83.9 | 80 |
| | 4 | -600 | -600 | -600 | -600 | -600 | 84.0 - 84.9 | 90 |
| | 5 | -800 | -800 | -800 | -800 | -800 | 85.0 - 85.9 | 100 |
| | 6 | -1075 | -1075 | -1075 | -1075 | -1075 | 86.0 & Above | 110 |
| | 7 | -1225 | -1225 | -1225 | -1225 | -1225 | | |
| | | | | | | | | |
| 43 | 1-3 | -875 | -875 | -875 | -875 | -875 | | |
| | 4 | -925 | -925 | -925 | -925 | -925 | | |
| | 5 | -1075 | -1075 | -1075 | -1075 | -1075 | | |
| | 6 | -1225 | -1225 | -1225 | -1225 | -1225 | | |
| | 7 | -1425 | -1425 | -1425 | -1425 | -1425 | | |
| | | | | | | | | |
| | | | | | | | | |

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

| Color | Leaf | Staple | | | | | | |
|-------|------|--------|-----|--------|-----|--------|-----|--------|
| | | 44 | 46 | 48 | 50 | | | |
| 1 | 1 | 145.75 | # # | 151.50 | # # | 153.25 | # # | 153.25 |
| | 2 | 145.50 | # # | 151.25 | # # | 153.00 | # # | 153.00 |
| | 3 | 138.75 | # # | 146.50 | # # | 147.50 | # # | 147.50 |
| | 4 | | | | | | | |
| | 5 | | | | | | | |
| | 6 | | | | | | | |
| 2 | 1 | 145.50 | # # | 151.25 | # # | 153.00 | # # | 153.00 |
| | 2 | 145.25 | # # | 151.00 | # # | 152.75 | # # | 152.75 |
| | 3 | 138.50 | # # | 146.25 | # # | 147.25 | # # | 147.25 |
| | 4 | 128.50 | # # | 136.75 | # # | 137.75 | # # | 137.75 |
| | 5 | | | | | | | |
| | 6 | | | | | | | |
| 3 | 1 | 137.25 | | 145.00 | | 146.00 | | 146.00 |
| | 2 | 134.75 | | 142.50 | | 143.50 | | 143.50 |
| | 3 | 132.50 | | 140.25 | | 141.25 | | 141.25 |
| | 4 | 123.50 | | 131.25 | | 132.25 | | 132.25 |
| | 5 | 107.50 | | 114.75 | | 115.75 | | 115.75 |
| | 6 | | | | | | | |
| 4 | 1 | 118.50 | | 126.25 | | 128.00 | | 128.00 |
| | 2 | 118.25 | | 126.00 | | 127.25 | | 127.25 |
| | 3 | 117.00 | | 124.75 | | 125.75 | | 125.75 |
| | 4 | 112.00 | | 119.75 | | 120.75 | | 120.75 |
| | 5 | 100.75 | | 108.50 | | 109.50 | | 109.50 |
| | 6 | | | | | | | |
| 5 | 1 | | | | | | | |
| | 2 | 95.25 | | 105.25 | | 105.25 | | 105.25 |
| | 3 | 95.25 | | 104.75 | | 105.00 | | 105.00 |
| | 4 | 95.25 | | 99.25 | | 99.25 | | 99.25 |
| | 5 | 95.00 | | 99.00 | | 99.00 | | 99.00 |
| | 6 | | | | | | | |
| 6 | 1 | | | | | | | |
| | 2 | 87.50 | | 90.50 | | 90.50 | | 90.50 |
| | 3 | 87.50 | | 90.50 | | 90.50 | | 90.50 |
| | 4 | 87.50 | | 90.50 | | 90.50 | | 90.50 |
| | 5 | 87.25 | | 90.25 | | 90.25 | | 90.25 |
| | 6 | 86.75 | | 89.75 | | 89.75 | | 89.75 |

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on July 23, 2025

| Mike | |
|------------|-------|
| Range | Diff. |
| 26 & Below | -2000 |
| 27-29 | -1500 |
| 30-32 | -1000 |
| 33-34 | -500 |
| 35 & Above | 0 |

| Strength | |
|-----------------|-------|
| (Grams per Tex) | |
| Range | Diff. |
| 34.9 & Below | -1650 |
| 35.0 – 35.9 | -1400 |
| 36.0 – 36.9 | -1150 |
| 37.0 – 37.9 | -800 |
| 38.0 – 38.9 | 0 |
| 39.0 – 39.9 | 0 |
| 40.0 & Above | 0 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -810 |
| Prep - Level 2 | -1095 |
| Other - Level 1 | -715 |
| Other - Level 2 | -1035 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

24-Jul-25

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|------|------|------|------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 11 & 21 | 1 & 2 | -488 | -290 | -121 | 213 | 488 | 727 | 818 | 874 |
| | 3 | -563 | -315 | -138 | 174 | 434 | 695 | 771 | 821 |
| | 4 | -625 | -345 | -246 | 68 | 232 | 355 | 396 | 406 |
| | 5 | -650 | -470 | -358 | -132 | 11 | 83 | 132 | 132 |
| | 6 | -763 | -555 | -488 | -364 | -257 | -212 | -183 | -183 |
| | 7 | -838 | -650 | -604 | -471 | -382 | -334 | -311 | -311 |
| 31 | 1 & 2 | -650 | -335 | -183 | 152 | 441 | 677 | 745 | 788 |
| | 3 | -688 | -345 | -192 | 127 | 402 | 649 | 713 | 756 |
| | 4 | -738 | -380 | -288 | 57 | 204 | 306 | 361 | 376 |
| | 5 | -763 | -530 | -404 | -171 | -39 | 22 | 73 | 73 |
| | 6 | -850 | -600 | -517 | -389 | -298 | -260 | -234 | -234 |
| | 7 | -938 | -695 | -633 | -486 | -411 | -371 | -349 | -349 |
| 41 | 1 & 2 | -750 | -410 | -317 | 54 | 186 | 338 | 366 | 405 |
| | 3 | -788 | -420 | -321 | 32 | 148 | 286 | 321 | 360 |
| | 4 | -825 | -450 | -392 | 64.63 | 91 | 200 | 235 | 260 |
| | 5 | -925 | -630 | -542 | -329 | -209 | -146 | -126 | -115 |
| | 6 | -1013 | -720 | -663 | -521 | -436 | -391 | -384 | -384 |
| | 7 | -1113 | -825 | -796 | -654 | -575 | -542 | -537 | -537 |
| 51 | 1 & 2 | -875 | -645 | -529 | -339 | -196 | -159 | -154 | -154 |
| | 3 | -913 | -690 | -538 | -364 | -214 | -174 | -172 | -169 |
| | 4 | -950 | -710 | -567 | -421 | -300 | -264 | -252 | -249 |
| | 5 | -963 | -795 | -733 | -579 | -464 | -425 | -411 | -407 |
| | 6 | -1063 | -880 | -842 | -704 | -643 | -607 | -596 | -596 |
| | 7 | -1163 | -965 | -967 | -829 | -771 | -736 | -729 | -729 |
| 61 | 1-5 | -1000 | -825 | -750 | -535 | -490 | -440 | -440 | -440 |
| | 6 | -1163 | -940 | -895 | -710 | -670 | -620 | -620 | -620 |
| | 7 | -1263 | -1070 | -1015 | -820 | -760 | -715 | -715 | -715 |
| 71 | 1-6 | -1200 | -1125 | -1060 | -875 | -840 | -795 | -795 | -795 |
| | 7 | -1300 | -1170 | -1115 | -920 | -895 | -850 | -850 | -850 |
| 12 & 22 | 1 & 2 | -638 | -340 | -217 | 75 | 243 | 377 | 444 | 473 |
| | 3 | -675 | -355 | -233 | 46 | 193 | 331 | 391 | 416 |
| | 4 | -738 | -375 | -325 | -18 | 119 | 241 | 284 | 287 |
| | 5 | -825 | -605 | -517 | -271 | -116 | -46 | -4 | -4 |
| | 6 | -938 | -715 | -658 | -496 | -393 | -336 | -293 | -293 |
| | 7 | -1063 | -800 | -775 | -629 | -550 | -496 | -461 | -461 |
| 32 | 1 & 2 | -838 | -485 | -358 | -93 | 43 | 105 | 135 | 153 |
| | 3 | -888 | -505 | -375 | -118 | 18 | 80 | 106 | 124 |
| | 4 | -938 | -555 | -433 | -221 | -61 | -20 | -4 | -1 |
| | 5 | -1063 | -765 | -633 | -443 | -329 | -286 | -271 | -271 |
| | 6 | -1188 | -845 | -796 | -614 | -511 | -482 | -468 | -468 |
| | 7 | -1300 | -945 | -900 | -736 | -657 | -636 | -621 | -621 |
| 42 | 1-3 | -925 | -630 | -521 | -318 | -164 | -121 | -107 | -104 |
| | 4 | -1000 | -675 | -554 | -368 | -232 | -186 | -175 | -164 |
| | 5 | -1150 | -840 | -708 | -518 | -382 | -346 | -339 | -329 |
| | 6 | -1363 | -930 | -833 | -671 | -600 | -582 | -568 | -564 |
| | 7 | -1438 | -1005 | -958 | -807 | -732 | -718 | -707 | -707 |
| 52 | 1-4 | -1188 | -845 | -750 | -614 | -546 | -518 | -504 | -500 |
| | 5 | -1250 | -925 | -854 | -689 | -629 | -618 | -600 | -596 |
| | 6 | -1475 | -1060 | -1000 | -843 | -789 | -771 | -757 | -757 |
| | 7 | -1563 | -1160 | -1129 | -979 | -936 | -907 | -896 | -896 |
| 62 | 1-5 | -1300 | -1045 | -970 | -765 | -740 | -715 | -695 | -695 |
| | 6 | -1513 | -1215 | -1140 | -930 | -900 | -870 | -845 | -845 |

| Color | Leaf | Staple | | | | | | | |
|---------|-------|--------|-------|-------|-------|-------|-------|-------|-------|
| | | 26-31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| 13 & 23 | 1 & 2 | -1113 | -925 | -850 | -463 | -400 | -325 | -250 | -250 |
| | 3 | -1175 | -963 | -888 | -488 | -425 | -350 | -275 | -275 |
| | 4 | -1225 | -1050 | -950 | -525 | -463 | -400 | -325 | -325 |
| | 5 | -1338 | -1138 | -1063 | -650 | -588 | -513 | -438 | -438 |
| | 6 | -1475 | -1238 | -1150 | -763 | -675 | -600 | -525 | -525 |
| | 7 | -1563 | -1338 | -1250 | -850 | -788 | -713 | -638 | -638 |
| 33 | 1 & 2 | -1238 | -1000 | -900 | -493 | -467 | -425 | -375 | -375 |
| | 3 | -1238 | -1000 | -900 | -502 | -475 | -433 | -375 | -375 |
| | 4 | -1325 | -1088 | -988 | -577 | -550 | -500 | -442 | -442 |
| | 5 | -1463 | -1188 | -1100 | -735 | -700 | -642 | -583 | -583 |
| | 6 | -1550 | -1288 | -1225 | -902 | -867 | -808 | -750 | -750 |
| | 7 | -1638 | -1400 | -1300 | -1035 | -992 | -933 | -875 | -875 |
| 43 | 1-3 | -1300 | -980 | -833 | -644 | -607 | -571 | -546 | -546 |
| | 4 | -1375 | -1025 | -883 | -697 | -646 | -607 | -582 | -582 |
| | 5 | -1488 | -1075 | -979 | -837 | -786 | -754 | -729 | -729 |
| | 6 | -1600 | -1165 | -1075 | -940 | -914 | -889 | -864 | -864 |
| | 7 | -1688 | -1290 | -1183 | -1065 | -1039 | -1014 | -989 | -989 |
| 53 | 1-4 | -1450 | -1125 | -1021 | -818 | -783 | -754 | -725 | -725 |
| | 5 | -1538 | -1200 | -1117 | -909 | -879 | -846 | -817 | -817 |
| | 6 | -1675 | -1325 | -1213 | -1018 | -975 | -942 | -913 | -913 |
| | 7 | -1750 | -1390 | -1350 | -1147 | -1117 | -1083 | -1054 | -1054 |
| 63 | 1-5 | -1663 | -1300 | -1220 | -996 | -965 | -940 | -905 | -905 |
| | 6 | -1763 | -1395 | -1305 | -1085 | -1050 | -1025 | -990 | -990 |
| 34 | 1 & 2 | -1388 | -1200 | -1113 | -688 | -675 | -613 | -550 | -550 |
| | 3 | -1388 | -1200 | -1113 | -688 | -675 | -613 | -550 | -550 |
| | 4 | -1513 | -1325 | -1213 | -788 | -775 | -713 | -650 | -650 |
| | 5 | -1600 | -1413 | -1325 | -913 | -900 | -838 | -775 | -775 |
| | 6 | -1775 | -1588 | -1500 | -1113 | -1088 | -1025 | -963 | -963 |
| 44 | 1-3 | -1500 | -1313 | -1225 | -788 | -775 | -713 | -663 | -663 |
| | 4 | -1575 | -1413 | -1275 | -838 | -825 | -763 | -713 | -713 |
| | 5 | -1650 | -1475 | -1363 | -938 | -925 | -863 | -813 | -813 |
| | 6 | -1825 | -1638 | -1550 | -1150 | -1125 | -1063 | -1013 | -1013 |
| 54 | 1-4 | -1600 | -1438 | -1350 | -888 | -888 | -825 | -788 | -788 |
| | 5 | -1688 | -1513 | -1400 | -1000 | -988 | -925 | -888 | -888 |

| Mike | |
|------------|-------|
| Range | Diff. |
| 24 & Below | -1675 |
| 25-26 | -1333 |
| 27-29 | -1032 |
| 30-32 | -682 |
| 33-34 | -482 |
| Base 35-36 | 0 |
| 37-42 | 14 |
| Base 43-49 | 0 |
| 50-52 | -332 |
| 53 & Above | -433 |

| Strength | |
|------------------|-------|
| (Grams per Tex) | |
| Range | Diff. |
| 19.0 - 19.9 | -505 |
| 20.0 - 20.9 | -493 |
| 21.0 - 21.9 | -673 |
| 22.0 - 22.9 | -618 |
| 23.0 - 23.9 | -564 |
| 24.0 - 24.9 | -523 |
| 25.0 - 25.9 | -462 |
| 26.0 - 26.9 | -287 |
| Base 27.0 - 28.9 | 0 |
| 29.0 - 29.9 | 3 |
| 30.0 - 30.9 | 30 |
| 31.0 - 32.9 | 53 |
| 33.0 & Above | 79 |

| Uniformity | |
|------------------|--------|
| Unit | Points |
| 77.9 & Below | -89 |
| 78.0 - 78.9 | -77 |
| 79.0 - 79.9 | -59 |
| 80.0 - 80.9 | 0 |
| Base 81.0 - 81.9 | 0 |
| 82.0 - 82.9 | 7 |
| 83.0 - 83.9 | 27 |
| 84.0 - 84.9 | 34 |
| 85.0 - 85.9 | 41 |
| 86.0 & Above | 49 |

| Extraneous Matter | |
|-------------------|-------|
| Type - Level | Diff. |
| Prep - Level 1 | -186 |
| Prep - Level 2 | -714 |
| Bark - Level 1 | -413 |
| Bark - Level 2 | -550 |
| Other - Level 1 | -550 |
| Other - Level 2 | -828 |
| Plastic - Level 1 | -4000 |
| Plastic - Level 2 | -4000 |



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

24-Jul-25

Volume 107, No. 249

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract. Values represent the average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest markets.

| PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/ | | | | | | |
|--|-------------|--------|------|------|------|------|
| Color | Leaf | Staple | | | | |
| | | 33 | 34 | 35 | 36 | 37 |
| 11 | 1 & 2 | -130 | 180 | 420 | 645 | 725 |
| | 3 | -150 | 140 | 365 | 615 | 684 |
| | 4 | -255 | 65 | 230 | 367 | 399 |
| | 5 | -365 | -125 | 20 | 110 | 162 |
| 21 | 1 & 2 | -130 | 180 | 420 | 645 | 725 |
| | 3 | -150 | 140 | 365 | 615 | 684 |
| | 4 | -255 | 65 | 230 | 367 | 399 |
| | 5 | -365 | -125 | 20 | 110 | 162 |
| 31 | 1 & 2 | -200 | 125 | 380 | 598 | 663 |
| | 3 | -210 | 100 | 340 | 570 | 630 |
| | 4 | -295 | 55 | 200 | 320 | 374 |
| | 5 | -410 | -155 | -25 | 45 | 99 |
| 41 | 1 & 2 | -330 | 45 | 165 | 322 | 359 |
| | 3 | -335 | 30 | 142 | 274 | 316 |
| | 4 | -415 | 0 | 82 | 184 | 226 |
| | 5 | -550 | -310 | -211 | -134 | -107 |
| 51 | 1 & 2 | -540 | -270 | -180 | -138 | -131 |
| | 3 | -550 | -295 | -195 | -148 | -146 |
| | 4 | -580 | -360 | -290 | -245 | -228 |
| | 5 | -735 | -525 | -460 | -420 | -400 |
| 12 | 1 & 2 | -235 | 70 | 205 | 310 | 372 |
| | 3 | -255 | 50 | 160 | 265 | 317 |
| 22 | 1 & 2 | -235 | 70 | 205 | 310 | 372 |
| | 3 | -255 | 50 | 160 | 265 | 317 |
| 32 | 1 & 2 | -380 | -110 | 10 | 72 | 104 |
| | 3 | -400 | -135 | -10 | 52 | 79 |
| Strength | 25.0 - 25.9 | -507 | | | | |

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 107, No. 249

24-Jul-25

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS | | | | SPOT TRANSACTIONS | | | |
|--|-------------------------------------|------------------------------|--|---|--|---|------|------|
| | Basis | Color 41 Leaf 4 | Color 31 Leaf 3 | Number of Bales Provided to Cotton Program | | | | |
| | N.Y. Futures | Staple 34 | Staple 35 | Today | Season | | | |
| | Points | Cents per pound | | Bales | Bales | | | |
| Southeast | -75 Oct-25 | 66.59 | 71.34 | 0 | 76,783 | | | |
| North Delta | -125 Oct-25 | 66.09 | 68.09 | 0 | 41,025 | | | |
| South Delta | -125 Oct-25 | 66.09 | 68.59 | 0 | 9,308 | | | |
| East TX-South TX | -400 Oct-25 | 63.34 | 67.59 | 842 | 149,600 | | | |
| West TX-KS-OK | -400 Oct-25 | 63.34 | 65.84 | 1,958 | 704,627 | | | |
| Desert SW | -425 Oct-25 | 63.09 | 66.34 | 0 | 10,653 | | | |
| SJ Valley | -350 Oct-25 | 63.84 | 72.74 | 0 | 0 | | | |
| Average | -271 Oct-25 | 64.63 | 68.65 | Upland Total | | | | |
| Previous day | -271 Oct-25 | 63.91 | 67.93 | 2,800 | 991,996 | | | |
| American Pima | AMERICAN PIMA SPOT PRICE QUOTATIONS | | | | | | | |
| | Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total | | | | |
| | 151.00 | 132.50 | 140.25 | 1,284 | 14,737 | | | |
| ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER | | | 7-MARKET BASE QUOTATIONS FOR UPLAND COTTON | | Jul 18 - Jul 24 ADJ. WORLD PRICE 54.72 | | | |
| Month | Cents per pound | | | | | CC ADJUSTMENT 0.00 | | |
| | Today | Previous | Change | | | FC ADJUSTMENT 2018 2019 0.00 0.00 | | |
| Oct-25 | 67.34 | 66.62 | 0.72 | Season high | | LOAN DEFICIENCY PMT. 0.00 | | |
| Dec-25 | 68.71 | 68.24 | 0.47 | | | Pima Competitiveness Payment 0.00 | | |
| Mar-26 | 70.13 | 69.63 | 0.50 | 9/24/2024 | 67.70 | | | |
| May-26 | 71.19 | 70.73 | 0.46 | Season low | | | | |
| Jul-26 | 71.91 | 71.50 | 0.41 | | | | | |
| Oct-26 | 70.52 | 70.18 | 0.34 | | | | | |
| Dec-26 | 70.00 | 69.68 | 0.32 | | | | | |
| Mar-27 | 70.34 | 70.09 | 0.25 | 8/6/2024 | 58.84 | | | |
| May-27 | 70.79 | 70.53 | 0.26 | | | | | |
| Jul-27 | 71.11 | 70.82 | 0.29 | | | | | |
| PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/ | | | | | | | | |
| Staple 33 Leaf 1 & 2 3 4 5 Staple 34 Leaf 1 & 2 3 4 5 Staple 35 Leaf 1 & 2 3 4 5 Staple 36 Leaf 1 & 2 3 4 5 Staple 37 Leaf 1 & 2 3 4 5 | Color | | | | | | | |
| | 11 | 21 | 31 | 41 | 51 | 12 | 22 | 32 |
| | -130 | -130 | -200 | -330 | -540 | -235 | -235 | -380 |
| | -150 | -150 | -210 | -335 | -550 | -255 | -255 | -400 |
| | -255 | -255 | -295 | -415 | -580 | NOT TENDERABLE | | |
| | -365 | -365 | -410 | -550 | -735 | NOT TENDERABLE | | |
| | 180 | 180 | 125 | 45 | -270 | 70 | 70 | -110 |
| | 140 | 140 | 100 | 30 | -295 | 50 | 50 | -135 |
| | 65 | 65 | 55 | 0 | -360 | NOT TENDERABLE | | |
| | -125 | -125 | -155 | -310 | -525 | NOT TENDERABLE | | |
| | 420 | 420 | 380 | 165 | -180 | 205 | 205 | 10 |
| | 365 | 365 | 340 | 142 | -195 | 160 | 160 | -10 |
| | 230 | 230 | 200 | 82 | -290 | NOT TENDERABLE | | |
| | 20 | 20 | -25 | -210.5 | -460 | NOT TENDERABLE | | |
| | 645 | 645 | 598 | 322 | -138 | 309.5 | 310 | 72 |
| | 615 | 615 | 570 | 274 | -148 | 264.5 | 265 | 52 |
| | 367 | 367 | 320 | 184 | -245 | NOT TENDERABLE | | |
| | 110 | 110 | 45 | -133.5 | -420 | NOT TENDERABLE | | |
| | 725 | 725 | 663 | 359 | -131 | 371.5 | 372 | 104 |
| | 684 | 684 | 630 | 316 | -146 | 316.5 | 317 | 79 |
| 399 | 399 | 374 | 226 | -228 | NOT TENDERABLE | | | |
| 162 | 162 | 99 | -106.5 | -400 | NOT TENDERABLE | | | |

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas and South Texas, West Texas-Kansas-Oklahoma, and Desert Southwest market

MP_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT: <http://www.ams.usda.gov/mnreports/cnddsq.pdf>