



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

16-Oct-19

Volume 102, No. 54

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3		Number of Bales Provided to Cotton Program	
	ICE Futures	Staple 34	Staple 35		Today	Season
	<i>Points</i>	<i>Cents per pound</i>			<i>Bales</i>	<i>Bales</i>
Southeast	50 Dec-19	65.04	67.29		418	2,768
North Delta	-50 Dec-19	64.04	66.29		2	24,692
South Delta	-50 Dec-19	64.04	66.29		0	264
East TX-OK	-350 Dec-19	61.04	63.54		6,200	93,601
West Texas	-400 Dec-19	60.54	63.29		1,569	31,009
Desert SW	-625 Dec-19	58.29	62.29		0	984
SJ Valley	-575 Dec-19	58.79	67.69		0	0
Average	-286 Dec-19	61.68	65.24		8,189	153,318
Previous day	-286 Dec-19	60.67	64.23			
	AMERICAN PIMA SPOT PRICE QUOTATIONS					
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46		AP Total	
American Pima	113.00	90.50	98.25		0	0
	ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON	Oct 11 - Oct 17 ADJ. WORLD PRICE	
Month	<i>Cents per pound</i>				53.90	
	Today	Previous	Change		CC ADJUSTMENT	
Dec-19	64.54	63.53	↑ 1.01	Season high	0.00	
Mar-20	65.19	64.26	↑ 0.93	10/16/2019 61.68	FC ADJUSTMENT	
May-20	65.72	64.83	↑ 0.89		2018	2019
Jul-20	66.15	65.26	↑ 0.89		0.00	0.00
Oct-20	66.19	65.47	↑ 0.72	Season low	LOAN DEFICIENCY PMT.	
Dec-20	66.59	65.97	↑ 0.62		0.00	
Mar-21	67.26	66.45	↑ 0.81		PIMA COMPETITIVENESS PAYMENT	
May-21	67.94	67.28	↑ 0.66	8/5/2019 52.73	0.00	
Jul-21	68.64	67.97	↑ 0.67			
Oct-21	68.54	67.77	↑ 0.77			

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-OK						
West Texas						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	325	375	375	25-26	-1075
	3	-225	-50	150	225	300	350	350	27-29	-675
	4	-225	-125	75	175	275	300	300	30-32	-525
	5	-475	-325	-225	-75	-25	-25	-25	33-34	-400
	6	-600	-450	-400	-325	-300	-300	-300	Base 35-36	0
31	7	-725	-575	-550	-450	-425	-425	-425	37-42	0
	1 & 2	-225	-50	125	225	300	325	325	Base 43-49	0
	3	-225	-50	125	225	275	300	300	50-52	-200
	4	-225	-125	75	175	250	275	275	53 & Above	-375
	5	-475	-325	-225	-75	-50	-50	-50		
41	6	-600	-450	-400	-375	-350	-350	-350		
	7	-725	-575	-550	-500	-475	-475	-475		
	1 & 2	-275	-100	50	150	200	200	225	Strength	
	3	-275	-100	50	125	175	175	200	(Grams per Tex)	
	4	-275	-200	65.04	100	175	175	200	Range	Diff.
51	5	-550	-450	-300	-175	-125	-125	-125	21.0 - 21.9	-725
	6	-675	-550	-525	-450	-425	-425	-425	22.0 - 22.9	-675
	7	-775	-675	-650	-600	-575	-575	-575	23.0 - 23.9	-650
	1 & 2	-475	-300	-175	-175	-150	-150	-150	24.0 - 24.9	-625
	3	-550	-325	-250	-225	-175	-175	-175	25.0 - 25.9	-600
61	4	-575	-325	-275	-275	-250	-250	-250	26.0 - 26.9	-200
	5	-775	-650	-550	-500	-475	-475	-475	Base 27.0 - 28.9	0
	6	-850	-675	-625	-625	-600	-600	-600	29.0 - 29.9	0
	7	-925	-800	-775	-775	-750	-750	-750	30.0 - 30.9	25
	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
71	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
	1-6	-1075	-1000	-950	-950	-950	-950	-950		
12 & 22	7	-1100	-1025	-975	-975	-975	-975	-975		
	1 & 2	-275	-100	50	150	250	250	275	Extraneous Matter	
	3	-275	-100	50	125	225	225	250	Type - Level	Diff.
	4	-275	-125	0	100	200	200	225	Prep - Level 1	-200
	5	-525	-425	-300	-100	-75	-75	-75	Prep - Level 2	-800
32	6	-650	-525	-525	-450	-425	-425	-425	Other - Level 1	-450
	7	-750	-650	-650	-600	-575	-575	-575	Other - Level 2	-800
	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 1	-4000
	3	-350	-200	-50	0	25	25	25	Plastic - Level 2	-4000
	4	-450	-200	-150	-100	-50	-50	-50		
42	5	-625	-450	-400	-375	-350	-350	-350		
	6	-700	-550	-550	-525	-500	-500	-500		
	7	-800	-675	-675	-650	-625	-625	-625		
	1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity	
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
52	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	-25
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
62	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
43	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
53	7	-1125	-1000	-950	-925	-925	-925	-925		
	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
63	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

Color	Leaf	Staple							Mike		
		32	33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-225	-75	175	300	375	425	425	25-26	-1000	
	3	-225	-75	150	250	350	375	375	27-29	-650	
	4	-275	-200	75	125	250	275	275	30-32	-525	
	5	-450	-325	-75	0	25	50	50	33-34	-425	
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0	
	7	-600	-575	-450	-400	-400	-400	-400	37-42	25	
									Base 43-49	0	
31	1 & 2	-225	-100	125	250	350	375	375	50-52	-225	
	3	-225	-100	125	225	325	350	350	53 & Above	-375	
	4	-275	-250	75	125	175	200	200			
	5	-450	-325	-125	-50	-25	0	0			
	6	-500	-475	-350	-300	-300	-300	-300			
	7	-600	-575	-450	-400	-400	-400	-400			
41	1 & 2	-350	-250	100	150	250	250	275	Strength		
	3	-350	-250	75	100	225	225	250	(Grams per Tex)		
	4	-375	-275	64.04	50	175	200	200	Range	Diff.	
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-750	
	6	-675	-600	-500	-425	-400	-400	-400	22.0 - 22.9	-700	
	7	-800	-775	-650	-550	-550	-575	-575	23.0 - 23.9	-650	
									24.0 - 24.9	-625	
51	1-2	-675	-475	-350	-250	-250	-250	-250	25.0 - 25.9	-600	
	3	-725	-475	-375	-275	-275	-275	-275	26.0 - 26.9	-25	
	4	-750	-500	-400	-350	-350	-350	-350	Base 27.0 - 28.9	0	
	5	-825	-725	-650	-575	-550	-550	-550	29.0 - 29.9	0	
	6	-950	-925	-775	-700	-700	-700	-700	30.0 - 30.9	25	
	7	-1000	-975	-825	-750	-775	-775	-775	31.0 - 32.9	50	
									33.0 & Above	50	
61	1-5	-850	-750	-650	-575	-575	-575	-575			
	6	-950	-950	-775	-750	-750	-750	-750			
	7	-1025	-1000	-875	-850	-850	-850	-850			
	71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
		7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
	12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
3		-275	-125	25	50	200	250	250	Type - Level	Diff.	
4		-300	-250	0	0	150	175	175	Prep - Level 1	-200	
5		-600	-475	-300	-200	-175	-150	-150	Prep - Level 2	-800	
6		-725	-650	-525	-425	-400	-400	-400	Other - Level 1	-375	
7		-775	-750	-625	-550	-525	-525	-525	Other - Level 2	-785	
									Plastic - Level 1	-4000	
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-4000	
	3	-400	-250	-100	-25	25	25	25			
	4	-425	-275	-200	-100	-75	-75	-75			
	5	-700	-525	-350	-325	-300	-300	-300			
	6	-800	-750	-575	-525	-500	-500	-500			
	7	-900	-850	-675	-625	-625	-625	-625			
42	1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity		
	4	-575	-450	-350	-275	-250	-250	-250	Unit	Points	
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90	
	6	-850	-750	-600	-550	-525	-525	-525	78.0 - 78.9	-80	
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70	
	52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
		5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
6		-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0	
7		-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30	
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40	
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50	
43	1-3	-900	-675	-500	-475	-475	-475	-475	86.0 & Above	60	
	4	-925	-700	-525	-500	-500	-500	-500			
	5	-950	-850	-775	-750	-750	-750	-750			
	6	-1050	-950	-875	-850	-850	-850	-850			
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000			
	53	1-4	-1000	-900	-825	-800	-800	-800	-800		
		5	-1075	-1000	-925	-900	-900	-900	-900		
6		-1250	-1100	-1025	-1000	-1000	-1000	-1000			
7		-1275	-1225	-1125	-1100	-1100	-1100	-1100			
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075			
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075			

SOUTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike		
		32	33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-225	-75	175	300	375	425	425	25-26	-1100	
	3	-225	-75	150	250	350	375	375	27-29	-750	
	4	-275	-200	75	125	250	275	275	30-32	-525	
	5	-450	-325	-175	-100	-75	-50	-50	33-34	-425	
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0	
	7	-600	-575	-550	-500	-500	-500	-500	37-42	25	
									Base 43-49	0	
31	1 & 2	-225	-100	125	250	350	375	375	50-52	-225	
	3	-225	-100	125	225	325	350	350	53 & Above	-375	
	4	-275	-250	75	125	175	200	200			
	5	-550	-425	-225	-150	-125	-100	-100			
	6	-600	-575	-450	-400	-400	-400	-400			
	7	-700	-675	-550	-500	-500	-500	-500			
41	1 & 2	-350	-250	100	150	250	250	275	Strength		
	3	-350	-250	75	100	225	225	250	(Grams per Tex)		
	4	-375	-275	64.04	50	175	200	200	Range	Diff.	
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-725	
	6	-675	-600	-500	-425	-400	-425	-425	22.0 - 22.9	-675	
	7	-800	-775	-650	-550	-550	-575	-575	23.0 - 23.9	-650	
									24.0 - 24.9	-625	
51	1-2	-675	-475	-300	-200	-200	-200	-200	25.0 - 25.9	-600	
	3	-725	-475	-325	-225	-225	-225	-225	26.0 - 26.9	-25	
	4	-750	-500	-350	-300	-300	-300	-300	Base 27.0 - 28.9	0	
	5	-825	-725	-625	-575	-550	-550	-550	29.0 - 29.9	0	
	6	-925	-825	-775	-700	-700	-700	-700	30.0 - 30.9	25	
	7	-1100	-1075	-925	-800	-800	-800	-800	31.0 - 32.9	50	
									33.0 & Above	50	
61	1-5	-850	-750	-650	-575	-575	-575	-575			
	6	-925	-850	-775	-750	-750	-750	-750			
	7	-1125	-1100	-975	-850	-850	-850	-850			
	71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
		7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
	12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
3		-275	-125	25	50	200	250	250	Type - Level	Diff.	
4		-300	-250	0	0	150	175	175	Prep - Level 1	-200	
5		-600	-475	-300	-200	-175	-150	-150	Prep - Level 2	-800	
6		-725	-650	-525	-425	-400	-400	-400	Other - Level 1	-375	
7		-775	-750	-625	-550	-525	-525	-525	Other - Level 2	-785	
									Plastic - Level 1	-4000	
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-4000	
	3	-400	-250	-100	-25	25	25	25			
	4	-425	-275	-200	-100	-75	-75	-75			
	5	-700	-525	-350	-325	-300	-300	-300			
	6	-800	-750	-575	-525	-500	-500	-500			
	7	-900	-850	-675	-625	-625	-625	-625			
42	1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity		
	4	-575	-450	-350	-275	-225	-225	-225	Unit	Points	
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90	
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80	
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70	
	52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
		5	-875	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
6		-925	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0	
7		-1025	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30	
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40	
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50	
43	1-3	-900	-675	-475	-450	-450	-450	-450	86.0 & Above	60	
	4	-925	-700	-525	-500	-500	-500	-500			
	5	-950	-850	-775	-750	-750	-750	-750			
	6	-1050	-950	-875	-850	-850	-850	-850			
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000			
	53	1-4	-1000	-900	-825	-800	-800	-800	-800		
		5	-1075	-1000	-925	-900	-900	-900	-900		
6		-1250	-1100	-1025	-1000	-1000	-1000	-1000			
7		-1275	-1225	-1125	-1100	-1100	-1100	-1100			
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075			
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075			

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-350	-300	-125	200	375	575	600	625
	3	-400	-350	-150	150	325	525	525	550
	4	-475	-350	-175	100	100	350	375	375
	5	-525	-400	-350	-25	100	300	300	300
	6	-675	-525	-525	-275	-275	-75	-75	-75
	7	-750	-625	-625	-350	-350	-150	-150	-150
31	1 & 2	-400	-325	-150	100	300	450	550	575
	3	-425	-350	-175	100	250	425	500	525
	4	-525	-425	-225	75	100	275	275	275
	5	-575	-425	-375	-25	75	225	225	225
	6	-700	-550	-550	-275	-275	-125	-125	-125
	7	-775	-650	-650	-350	-350	-225	-225	-225
41	1 & 2	-500	-325	-150	100	225	350	375	375
	3	-525	-350	-175	100	175	225	250	250
	4	-575	-425	-325	61.04	100	125	150	150
	5	-700	-525	-475	-125	-75	100	125	125
	6	-850	-650	-625	-350	-350	-150	-150	-150
	7	-950	-750	-725	-450	-425	-325	-325	-325
51	1 & 2	-700	-550	-450	-75	-50	75	100	100
	3	-700	-575	-450	-75	-50	75	100	100
	4	-750	-600	-475	-150	-125	0	25	25
	5	-800	-675	-625	-250	-200	-125	-100	-100
	6	-975	-775	-775	-400	-400	-275	-275	-275
	7	-1075	-800	-800	-475	-475	-350	-350	-350
61	1-5	-875	-725	-675	-300	-300	-175	-175	-175
	6	-1050	-850	-825	-475	-450	-325	-325	-325
	7	-1150	-950	-925	-575	-550	-425	-425	-425
71	1-6	-1075	-975	-925	-550	-550	-425	-425	-425
	7	-1175	-1025	-1000	-625	-625	-500	-500	-500
12 & 22	1 & 2	-725	-500	-300	50	225	350	400	400
	3	-750	-550	-350	25	175	250	275	275
	4	-800	-575	-375	0	75	175	200	200
	5	-875	-750	-675	-275	-175	25	75	75
	6	-1050	-850	-825	-425	-375	-275	-225	-225
	7	-1175	-975	-925	-525	-475	-375	-325	-325
32	1 & 2	-800	-700	-500	-100	25	125	175	175
	3	-825	-700	-525	-125	-75	50	100	100
	4	-875	-725	-600	-200	-175	-100	-50	-50
	5	-975	-850	-800	-375	-300	-100	-50	-50
	6	-1150	-950	-925	-550	-500	-425	-375	-375
	7	-1300	-1075	-1050	-650	-600	-525	-475	-475
42	1-3	-875	-775	-675	-200	-125	-50	0	0
	4	-925	-800	-700	-225	-175	-125	-75	-75
	5	-1075	-925	-850	-450	-400	-325	-275	-275
	6	-1300	-1025	-975	-600	-550	-475	-425	-425
	7	-1425	-1150	-1100	-725	-650	-575	-525	-525
	52	1-4	-1125	-925	-825	-500	-500	-425	-375
5		-1200	-1025	-900	-550	-550	-475	-425	-425
6		-1425	-1225	-1125	-700	-675	-600	-550	-550
7		-1525	-1350	-1250	-825	-800	-675	-625	-625
62	1-5	-1250	-1100	-1050	-625	-600	-525	-475	-475
	6	-1475	-1300	-1250	-825	-800	-700	-650	-650

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1200	-1050	-950	-500	-425	-325	-225	-225
	3	-1225	-1075	-975	-525	-450	-350	-250	-250
	4	-1275	-1150	-1025	-575	-500	-400	-300	-300
	5	-1400	-1250	-1150	-700	-625	-525	-425	-425
	6	-1525	-1325	-1200	-800	-725	-625	-525	-525
	7	-1625	-1425	-1325	-925	-850	-750	-650	-650
33	1 & 2	-1275	-1100	-1000	-530	-475	-375	-275	-275
	3	-1275	-1100	-1000	-555	-500	-400	-275	-275
	4	-1350	-1175	-1050	-605	-550	-450	-325	-325
	5	-1500	-1275	-1175	-730	-675	-575	-450	-450
	6	-1575	-1350	-1250	-855	-800	-700	-575	-575
	7	-1675	-1475	-1350	-980	-925	-825	-700	-700
43	1-3	-1325	-1175	-1050	-605	-550	-450	-325	-325
	4	-1400	-1250	-1100	-630	-575	-475	-350	-350
	5	-1525	-1350	-1200	-760	-700	-600	-475	-475
	6	-1625	-1425	-1300	-880	-850	-750	-625	-625
	7	-1725	-1525	-1400	-980	-950	-850	-725	-725
53	1-4	-1450	-1350	-1225	-780	-775	-700	-575	-575
	5	-1550	-1425	-1325	-855	-850	-775	-650	-650
	6	-1650	-1525	-1425	-1005	-975	-900	-775	-775
	7	-1750	-1625	-1550	-1105	-1050	-975	-850	-850
63	1-5	-1650	-1500	-1375	-955	-875	-800	-675	-675
	6	-1750	-1625	-1475	-1075	-1000	-925	-800	-800
34	1 & 2	-1400	-1275	-1200	-750	-725	-650	-575	-575
	3	-1400	-1275	-1200	-750	-725	-650	-575	-575
	4	-1525	-1400	-1300	-850	-825	-750	-675	-675
	5	-1625	-1500	-1425	-975	-950	-875	-800	-800
	6	-1800	-1675	-1600	-1150	-1125	-1050	-975	-975
44	1-3	-1500	-1375	-1300	-850	-825	-750	-675	-675
	4	-1575	-1475	-1350	-900	-875	-800	-725	-725
	5	-1650	-1550	-1450	-1000	-975	-900	-825	-825
	6	-1825	-1700	-1625	-1175	-1150	-1075	-1000	-1000
54	1-4	-1600	-1500	-1425	-925	-925	-850	-800	-800
	5	-1700	-1600	-1500	-1025	-1000	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1875
25-26	-1875
27-29	-1200
30-32	-900
33-34	-675
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-300
53 & Above	-425

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-325
20.0 - 20.9	-325
21.0 - 21.9	-300
22.0 - 22.9	-275
23.0 - 23.9	-250
24.0 - 24.9	-250
25.0 - 25.9	-175
26.0 - 26.9	-125
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-4000
Plastic - Level 2	-4000

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-275	-190	10	160	375	475	500	525
	3	-350	-240	-40	135	300	450	475	500
	4	-375	-275	-150	125	275	375	400	400
	5	-500	-300	-250	25	175	300	300	300
	6	-675	-500	-425	-175	-150	-100	-100	-100
	7	-750	-550	-500	-250	-225	-175	-175	-175
	31	1 & 2	-425	-290	-90	85	275	425	475
3		-475	-315	-115	85	275	425	450	475
4		-525	-375	-250	75	150	275	300	300
5		-600	-425	-350	-75	25	150	150	150
6		-775	-600	-475	-250	-250	-225	-225	-225
7		-875	-650	-550	-300	-300	-275	-275	-275
41		1 & 2	-575	-400	-200	45	200	250	275
	3	-600	-425	-225	45	125	225	250	250
	4	-650	-450	-375	60.54	75	100	125	125
	5	-725	-525	-450	-150	-50	25	25	25
	6	-875	-700	-625	-400	-375	-250	-250	-250
	7	-1000	-800	-725	-450	-425	-350	-350	-350
	51	1 & 2	-750	-550	-475	-125	-25	25	25
3		-750	-550	-475	-125	-25	25	25	25
4		-775	-550	-550	-200	-100	-50	-50	-50
5		-825	-650	-650	-350	-275	-200	-200	-200
6		-975	-750	-750	-475	-425	-300	-300	-300
7		-1075	-850	-850	-575	-525	-425	-425	-425
61		1-5	-900	-725	-725	-400	-300	-200	-200
	6	-1025	-800	-800	-600	-500	-375	-375	-375
	7	-1125	-950	-925	-675	-575	-475	-475	-475
71	1-6	-1100	-925	-875	-675	-575	-500	-500	-500
	7	-1175	-950	-925	-700	-650	-575	-575	-575
12 & 22	1 & 2	-650	-425	-250	100	225	325	400	400
	3	-700	-475	-275	100	175	275	350	350
	4	-725	-525	-450	-125	75	200	275	275
	5	-850	-650	-625	-325	-125	-75	-25	-25
	6	-1000	-775	-750	-425	-350	-250	-200	-200
	7	-1075	-875	-825	-500	-425	-325	-275	-275
	32	1 & 2	-725	-500	-325	-50	0	25	100
3		-775	-550	-350	-100	-25	25	100	100
4		-850	-625	-525	-175	-50	0	50	50
5		-975	-825	-750	-400	-250	-225	-175	-175
6		-1125	-900	-850	-525	-450	-425	-375	-375
7		-1225	-1000	-900	-625	-525	-500	-450	-450
42		1-3	-900	-675	-600	-250	-175	-50	0
	4	-950	-750	-625	-275	-200	-75	-25	-25
	5	-1050	-900	-800	-450	-300	-275	-225	-225
	6	-1250	-950	-900	-575	-500	-450	-400	-400
	7	-1325	-1100	-1000	-700	-575	-525	-475	-475
	52	1-4	-1175	-925	-875	-600	-475	-425	-375
5		-1250	-1025	-950	-650	-525	-475	-425	-425
6		-1450	-1200	-1125	-775	-675	-625	-575	-575
7		-1525	-1300	-1225	-875	-775	-725	-675	-675
62	1-5	-1300	-1100	-1050	-750	-650	-600	-550	-550
	6	-1475	-1250	-1200	-900	-825	-775	-725	-725

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1075	-850	-775	-425	-350	-325	-275	-275
	3	-1125	-875	-800	-450	-375	-350	-300	-300
	4	-1150	-950	-875	-500	-425	-400	-350	-350
	5	-1250	-1025	-975	-625	-550	-500	-450	-450
	6	-1350	-1100	-1050	-700	-625	-575	-525	-525
	7	-1425	-1200	-1125	-750	-725	-675	-625	-625
33	1 & 2	-1200	-925	-850	-475	-425	-400	-350	-350
	3	-1200	-925	-850	-475	-425	-400	-350	-350
	4	-1275	-1000	-925	-525	-475	-450	-400	-400
	5	-1400	-1100	-1025	-675	-600	-550	-500	-500
	6	-1450	-1175	-1150	-725	-700	-650	-600	-600
	7	-1525	-1275	-1200	-850	-800	-750	-700	-700
43	1-3	-1250	-1025	-950	-550	-500	-450	-400	-400
	4	-1325	-1100	-1000	-575	-500	-450	-400	-400
	5	-1425	-1175	-1075	-700	-625	-575	-525	-525
	6	-1500	-1250	-1175	-800	-775	-725	-675	-675
	7	-1575	-1350	-1250	-875	-850	-800	-750	-750
53	1-4	-1425	-1275	-1175	-750	-700	-650	-600	-600
	5	-1500	-1300	-1225	-850	-800	-750	-700	-700
	6	-1625	-1400	-1325	-950	-925	-875	-825	-825
	7	-1700	-1475	-1425	-1075	-1050	-1000	-950	-950
63	1-5	-1650	-1425	-1325	-900	-825	-775	-725	-725
	6	-1700	-1500	-1375	-1050	-1000	-950	-900	-900
34	1 & 2	-1325	-1100	-1025	-650	-625	-575	-525	-525
	3	-1325	-1100	-1025	-650	-625	-575	-525	-525
	4	-1450	-1225	-1125	-750	-725	-675	-625	-625
	5	-1525	-1300	-1225	-875	-850	-800	-750	-750
	6	-1675	-1450	-1375	-1075	-1050	-1000	-950	-950
44	1-3	-1450	-1225	-1150	-775	-750	-700	-650	-650
	4	-1525	-1325	-1200	-825	-800	-750	-700	-700
	5	-1600	-1375	-1275	-925	-900	-850	-800	-800
	6	-1750	-1525	-1450	-1150	-1125	-1075	-1025	-1025
54	1-4	-1550	-1350	-1275	-900	-875	-825	-775	-775
	5	-1625	-1400	-1300	-1025	-1000	-950	-900	-900

Mike	
Range	Diff.
24 & Below	-1825
25-26	-1825
27-29	-1175
30-32	-900
33-34	-675
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-300
53 & Above	-425

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-325
20.0 - 20.9	-325
21.0 - 21.9	-300
22.0 - 22.9	-275
23.0 - 23.9	-250
24.0 - 24.9	-250
25.0 - 25.9	-175
26.0 - 26.9	-125
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-125
78.0 - 78.9	-95
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-4000
Plastic - Level 2	-4000

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-125	100	550	870	935	1020	24 & Below	-1350
	3	-125	75	475	820	835	920	25-26	-1150
	4	-325	25	250	360	395	420	27-29	-1050
	5	-400	-200	-25	75	160	160	30-32	-650
	6	-475	-375	-150	-110	-55	-55	33-34	-450
	7	-675	-400	-225	-165	-125	-125	35-36	0
	31	1 & 2	-200	50	500	820	855	930	37-42
3		-200	25	400	770	780	855	43-49	0
4		-375	0	150	310	345	395	50-52	-300
5		-425	-225	-100	-25	45	45	53 & Above	-550
6		-500	-400	-185	-145	-65	-65		
7		-700	-425	-275	-220	-140	-140		
41		1 & 2	-600	0	50	135	145	245	Strength
	3	-600	0	10	85	120	220	(Grams per Tex)	
	4	-650	58.29	0	35	95	145	Range	Diff.
	5	-675	-525	-425	-390	-330	-330	21.0 - 21.9	-600
	6	-825	-700	-525	-490	-440	-440	22.0 - 22.9	-450
	7	-975	-850	-700	-670	-635	-635	23.0 - 23.9	-300
	51	1 & 2	-725	-550	-350	-315	-305	-305	24.0 - 24.9
3		-725	-550	-350	-315	-305	-305	25.0 - 25.9	-200
4		-750	-625	-475	-425	-365	-365	26.0 - 26.9	-125
5		-850	-800	-675	-650	-600	-600	Base 27.0 - 28.9	0
6		-1000	-900	-750	-750	-700	-700	29.0 - 29.9	0
7		-1200	-1100	-950	-950	-925	-925	30.0 - 30.9	50
12 & 22		1 & 2	-500	25	250	310	370	370	31.0 - 32.9
	3	-500	25	225	285	345	345	33.0 & above	100
	4	-600	-25	200	260	345	345		
	5	-625	-450	-150	-150	-75	-75		
	6	-775	-650	-350	-350	-275	-275		
	7	-950	-825	-600	-600	-525	-525		
	32	1 & 2	-600	-225	50	135	145	145	Extraneous Matter
3		-600	-225	50	135	145	145	Type - Level	Diff.
4		-650	-450	-100	-15	-5	-5	Prep - Level 1	-50
5		-700	-700	-450	-450	-450	-450	Prep - Level 2	-800
6		-900	-825	-575	-575	-575	-575	Other - Level 1	-350
7		-1050	-1000	-825	-825	-825	-825	Other - Level 2	-800
42		1-3	-700	-525	-250	-200	-200	-200	Plastic - Level 1
	4	-725	-600	-350	-300	-300	-300	Plastic - Level 2	-4000
	5	-800	-775	-550	-550	-550	-550		
	6	-975	-900	-675	-675	-675	-675		
	7	-1175	-1075	-925	-925	-925	-925		
52	1-4	-925	-800	-600	-550	-550	-550	Uniformity	
	5	-975	-875	-675	-675	-675	-675	Unit	Points
	6	-1075	-975	-775	-775	-775	-775	77.9 & Below	-100
	7	-1325	-1225	-1075	-1050	-1050	-1050	78.0 - 78.9	-90
43	1-3	-800	-725	-650	-575	-575	-575	79.0 - 79.9	-80
	4	-900	-825	-700	-650	-650	-650	80.0 - 80.9	0
	5	-1000	-900	-725	-700	-700	-700	Base 81.0 - 81.9	0
	6	-1100	-1000	-975	-975	-975	-975	82.0 - 82.9	0
	7	-1200	-1125	-1100	-1100	-1100	-1100	83.0 - 83.9	30
53	1-4	-1050	-950	-875	-875	-875	-875	84.0 - 84.9	40
	5	-1100	-1000	-925	-925	-925	-925	85.0 - 85.9	50
	6	-1200	-1100	-1025	-1025	-1025	-1025	86.0 & Above	60
	7	-1450	-1350	-1350	-1350	-1350	-1350		

SAN JOAQUIN VALLEY DIFFERENCES

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	58.79	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-675	-225	-175	-175	-175	29.0 - 29.9	0
	3	-700	-250	-200	-200	-200	30.0 - 30.9	75
	4	-750	-300	-275	-275	-275	31.0 - 32.9	125
	5	-775	-375	-325	-325	-325	33.0 & Above	250
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
							Plastic - Level 1	-4000
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 2	-4000
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	104.75	113.50	114.50	114.50
	2	104.50	113.25	114.25	114.25
	3	96.75	104.50	104.50	104.50
	4				
	5				
	6				
2	1	104.50	113.25	114.25	114.25
	2	104.25	113.00	114.00	114.00
	3	96.50	104.25	104.25	104.25
	4	86.50	94.75	94.75	94.75
	5				
	6				
3	1	94.25	102.00	102.00	102.00
	2	91.75	99.50	99.50	99.50
	3	90.50	98.25	98.25	98.25
	4	81.50	89.25	89.25	89.25
	5	65.50	72.75	72.75	72.75
	6				
4	1	75.25	83.00	83.75	83.75
	2	75.00	82.75	83.00	83.00
	3	74.75	82.50	82.50	82.50
	4	69.75	77.50	77.50	77.50
	5	58.50	66.25	66.25	66.25
	6				
5	1				
	2	54.25	64.25	64.25	64.25
	3	54.25	63.75	64.00	64.00
	4	54.25	58.25	58.25	58.25
	5	54.00	58.00	58.00	58.00
	6				
6	1				
	2	46.50	49.50	49.50	49.50
	3	46.50	49.50	49.50	49.50
	4	46.50	49.50	49.50	49.50
	5	46.25	49.25	49.25	49.25
	6	45.75	48.75	48.75	48.75

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on September 13, 2019.

Mike	
Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	0
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-4000
Plastic - Level 2	-4000

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

16-Oct-19

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-313	-233	-73	196	456	626	686	737
	3	-375	-253	-86	168	402	591	629	676
	4	-425	-280	-196	79	200	323	360	364
	5	-513	-415	-329	-114	21	104	132	132
	6	-675	-525	-471	-346	-257	-205	-190	-190
	7	-750	-620	-588	-454	-382	-327	-314	-314
	31	1 & 2	-413	-258	-115	132	391	569	624
3		-450	-268	-123	121	356	541	585	628
4		-525	-315	-246	61	161	256	286	294
5		-588	-465	-371	-157	-39	29	55	55
6		-738	-570	-504	-375	-301	-260	-241	-241
7		-825	-665	-621	-471	-414	-374	-356	-356
41		1 & 2	-538	-340	-258	71	182	266	276
	3	-563	-350	-267	56	126	213	226	251
	4	-613	-380	-350	61.68	82	152	176	187
	5	-713	-570	-508	-311	-196	-134	-120	-120
	6	-863	-675	-638	-514	-429	-366	-363	-363
	7	-975	-785	-775	-646	-568	-535	-537	-537
	51	1 & 2	-725	-585	-483	-321	-182	-141	-136
3		-725	-625	-488	-343	-200	-156	-151	-151
4		-763	-645	-517	-393	-275	-236	-224	-224
5		-813	-750	-704	-571	-454	-411	-400	-400
6		-975	-850	-825	-693	-629	-589	-582	-582
7		-1075	-935	-950	-818	-754	-721	-718	-718
61		1-5	-888	-785	-720	-525	-470	-425	-425
	6	-1038	-895	-860	-690	-650	-600	-600	-600
	7	-1138	-1025	-980	-800	-740	-695	-695	-695
71	1-6	-1088	-1085	-1030	-865	-825	-785	-785	-785
	7	-1175	-1125	-1080	-900	-880	-840	-840	-840
12 & 22	1 & 2	-688	-350	-233	64	232	366	419	448
	3	-725	-370	-246	43	186	316	369	394
	4	-763	-395	-342	-32	111	216	259	262
	5	-863	-625	-550	-314	-143	-89	-50	-50
	6	-1025	-745	-696	-514	-396	-350	-318	-318
	7	-1125	-830	-808	-646	-557	-511	-479	-479
	32	1 & 2	-763	-465	-350	-86	46	109	135
3		-800	-480	-363	-107	14	80	106	121
4		-863	-530	-421	-225	-86	-38	-15	-15
5		-975	-740	-625	-443	-329	-286	-271	-271
6		-1138	-830	-788	-611	-511	-486	-471	-471
7		-1263	-935	-896	-736	-657	-639	-625	-625
42		1-3	-888	-635	-542	-329	-179	-129	-114
	4	-938	-675	-563	-368	-246	-196	-182	-182
	5	-1063	-810	-708	-518	-389	-350	-336	-336
	6	-1275	-900	-854	-671	-600	-571	-557	-557
	7	-1375	-995	-963	-811	-736	-714	-700	-700
52	1-4	-1150	-835	-746	-621	-550	-525	-511	-511
	5	-1225	-920	-854	-704	-632	-614	-600	-600
	6	-1438	-1050	-996	-846	-789	-771	-757	-757
	7	-1525	-1150	-1125	-986	-936	-907	-893	-893
62	1-5	-1275	-1040	-965	-780	-745	-720	-700	-700
	6	-1475	-1205	-1130	-925	-895	-865	-845	-845

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1138	-950	-863	-463	-388	-325	-250	-250
	3	-1175	-975	-888	-488	-413	-350	-275	-275
	4	-1213	-1050	-950	-538	-463	-400	-325	-325
	5	-1325	-1138	-1063	-663	-588	-513	-438	-438
	6	-1438	-1213	-1125	-750	-675	-600	-525	-525
33	1 & 2	-1238	-1013	-925	-502	-467	-425	-375	-375
	3	-1238	-1013	-925	-510	-475	-433	-375	-375
	4	-1313	-1088	-988	-577	-542	-500	-442	-442
	5	-1450	-1188	-1100	-735	-692	-642	-583	-583
	6	-1513	-1263	-1200	-885	-858	-808	-750	-750
43	1-3	-1288	-980	-833	-647	-607	-571	-546	-546
	4	-1363	-1025	-883	-694	-639	-607	-582	-582
	5	-1475	-1075	-979	-834	-779	-754	-729	-729
	6	-1563	-1155	-1067	-933	-911	-889	-864	-864
	7	-1650	-1280	-1175	-1058	-1036	-1014	-989	-989
53	1-4	-1438	-1125	-1025	-830	-792	-771	-742	-742
	5	-1525	-1200	-1121	-922	-892	-871	-842	-842
	6	-1638	-1315	-1208	-1018	-988	-967	-938	-938
	7	-1725	-1380	-1346	-1147	-1125	-1104	-1075	-1075
63	1-5	-1650	-1300	-1225	-1006	-965	-940	-905	-905
	6	-1725	-1385	-1300	-1085	-1050	-1025	-990	-990
34	1 & 2	-1363	-1188	-1113	-700	-675	-613	-550	-550
	3	-1363	-1188	-1113	-700	-675	-613	-550	-550
	4	-1488	-1313	-1213	-800	-775	-713	-650	-650
	5	-1575	-1400	-1325	-925	-900	-838	-775	-775
	6	-1738	-1563	-1488	-1113	-1088	-1025	-963	-963
44	1-3	-1475	-1300	-1225	-813	-788	-725	-663	-663
	4	-1550	-1400	-1275	-863	-838	-775	-713	-713
	5	-1625	-1463	-1363	-963	-938	-875	-813	-813
	6	-1788	-1613	-1538	-1163	-1138	-1075	-1013	-1013
54	1-4	-1575	-1425	-1350	-913	-900	-838	-788	-788
	5	-1663	-1500	-1400	-1025	-1000	-938	-888	-888

Mike	
Range	Diff.
24 & Below	-1683
25-26	-1338
27-29	-1014
30-32	-718
33-34	-507
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-293
53 & Above	-421

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-325
20.0 - 20.9	-325
21.0 - 21.9	-567
22.0 - 22.9	-508
23.0 - 23.9	-458
24.0 - 24.9	-443
25.0 - 25.9	-393
26.0 - 26.9	-132
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	36
31.0 - 32.9	64
33.0 & Above	86

Uniformity	
Unit	Points
77.9 & Below	-97
78.0 - 78.9	-83
79.0 - 79.9	-71
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-157
Prep - Level 2	-714
Bark - Level 1	-350
Bark - Level 2	-525
Other - Level 1	-429
Other - Level 2	-756
Plastic - Level 1	-4000
Plastic - Level 2	-4000



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

16-Oct-19

Volume 102, No. 54

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-73	157	370	524	567
	3	-88	132	315	489	512
	4	-195	80	185	322	349
	5	-330	-110	25	125	147
21	1 & 2	-73	157	370	524	567
	3	-88	132	315	489	512
	4	-195	80	185	322	349
	5	-330	-110	25	125	147
31	1 & 2	-118	97	310	469	516
	3	-128	92	275	444	476
	4	-245	60	140	257	279
	5	-370	-145	-35	45	64
41	1 & 2	-260	59	155	237	249
	3	-270	54	107	187	204
	4	-365	0	65	122	149
	5	-510	-285	-190	-113	-96
51	1 & 2	-485	-250	-165	-118	-111
	3	-490	-270	-180	-128	-121
	4	-520	-325	-260	-210	-193
	5	-700	-518	-445	-400	-385
12	1 & 2	-255	55	190	297	339
	3	-270	45	150	247	289
22	1 & 2	-255	55	190	297	339
	3	-270	45	150	247	289
32	1 & 2	-370	-100	15	77	104
	3	-385	-120	-15	52	79
Strength	25.0 - 25.9	-410				

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 102, No. 54

16-Oct-19

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>			
Southeast	50 Dec-19	65.04	67.29	418	2,768			
North Delta	-50 Dec-19	64.04	66.29	2	24,692			
South Delta	-50 Dec-19	64.04	66.29	0	264			
East TX-OK	-350 Dec-19	61.04	63.54	6,200	93,601			
West Texas	-400 Dec-19	60.54	63.29	1,569	31,009			
Desert SW	-625 Dec-19	58.29	62.29	0	984			
SJ Valley	-575 Dec-19	58.79	67.69	0	0			
Average	-286 Dec-19	61.68	65.24	8,189	153,318			
Previous day	-286 Dec-19	60.67	64.23					
	AMERICAN PIMA SPOT PRICE QUOTATIONS				AP Total			
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46					
American Pima	113.00	90.50	98.25	0	0			
ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Oct 11 - Oct 17 ADJ. WORLD PRICE			
Month	<i>Cents per pound</i>					53.90		
	Today	Previous	Change			CC ADJUSTMENT		
Dec-19	64.54	63.53	↑ 1.01	Season high		0.00		
Mar-20	65.19	64.26	↑ 0.93	10/16/2019	61.68	FC ADJUSTMENT		
May-20	65.72	64.83	↑ 0.89			2018 2019		
Jul-20	66.15	65.26	↑ 0.89			0.00 0.00		
Oct-20	66.19	65.47	↑ 0.72	Season low		LOAN DEFICIENCY PMT.		
Dec-20	66.59	65.97	↑ 0.62			0.00		
Mar-21	67.26	66.45	↑ 0.81			Pima Competitiveness Payment		
May-21	67.94	67.28	↑ 0.66	8/5/2019	52.73	0.00		
Jul-21	68.64	67.97	↑ 0.67					
Oct-21	68.54	67.77	↑ 0.77					
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
	Color							
	11	21	31	41	51	12	22	32
Staple 33								
Leaf 1 & 2	-73	-73	-118	-260	-485	-255	-255	-370
3	-88	-88	-128	-270	-490	-270	-270	-385
4	-195	-195	-245	-365	-520		NOT TENDERABLE	
5	-330	-330	-370	-510	-700		NOT TENDERABLE	
Staple 34								
Leaf 1 & 2	157	157	97	59	-250	55	55	-100
3	132	132	92	54	-270	45	45	-120
4	80	80	60	0	-325		NOT TENDERABLE	
5	-110	-110	-145	-285	-517.5		NOT TENDERABLE	
Staple 35								
Leaf 1 & 2	370	370	310	155	-165	190	190	15
3	315	315	275	107	-180	150	150	-15
4	185	185	140	65	-260		NOT TENDERABLE	
5	25	25	-35	-190	-445		NOT TENDERABLE	
Staple 36								
Leaf 1 & 2	524	524	469	237	-118	297	297	77
3	489	489	444	187	-128	247	247	52
4	322	322	257	122	-210		NOT TENDERABLE	
5	125	125	45	-113	-400		NOT TENDERABLE	
Staple 37								
Leaf 1 & 2	567	567	516	249	-111	339	339	104
3	512	512	476	204	-121	289	289	79
4	349	349	279	149	-193		NOT TENDERABLE	
5	147	147	64	-96	-385		NOT TENDERABLE	

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.