



Daily Spot Cotton Quotations

Agricultural Marketing Service

Cotton and Tobacco Market News

25-Apr-19

Volume 101, No. 185

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program		
	ICE Futures	Staple 34	Staple 35	Today	Season	
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>	
Southeast	-325 Jul-19	75.07	77.32	0	18,448	
North Delta	-450 Jul-19	73.82	75.57	0	4,663	
South Delta	-450 Jul-19	73.82	75.57	0	1,873	
East TX-OK	-625 Jul-19	72.07	74.32	1,875	457,971	
West Texas	-625 Jul-19	72.07	74.82	443	575,077	
Desert SW	-700 Jul-19	71.32	75.32	0	50,418	
SJ Valley	-650 Jul-19	71.82	80.72	0	0	
Average	-546 Jul-19	72.86	76.23	Upland Total		
Previous day	-546 Jul-19	71.66	75.03	2,318	1,108,450	
AMERICAN PIMA SPOT PRICE QUOTATIONS						
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total		
American Pima	120.00	97.50	105.25	0	3,453	

ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER				7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Apr 19 - Apr 25 ADJ. WORLD PRICE	
Month	<i>Cents per pound</i>					0.00	
	Today	Previous	Change			CC ADJUSTMENT	
May-19	76.97	75.77	↑ 1.20	Season high		0.00	
Jul-19	78.32	77.12	↑ 1.20			FC ADJUSTMENT	
Oct-19	76.88	76.17	↑ 0.71	8/2/2018	85.65	2017	2018
Dec-19	76.71	76.06	↑ 0.65			0.00	0.00
Mar-20	76.84	76.48	↑ 0.36			LOAN DEFICIENCY PMT.	
May-20	76.56	76.30	↑ 0.26	Season low		0.00	
Jul-20	75.99	75.77	↑ 0.22			PIMA COMPETITIVENESS	
Oct-20	74.48	74.35	↑ 0.13	2/13/2019	65.15	PAYMENT	
Dec-20	72.67	72.61	↑ 0.06			0.00	
Mar-21	73.00	72.94	↑ 0.06				

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-OK						
West Texas						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	325	375	375	25-26	-825
	3	-225	-50	150	225	300	350	350	27-29	-425
	4	-225	-125	75	175	275	300	300	30-32	-275
	5	-375	-225	-125	25	75	75	75	33-34	-150
	6	-500	-350	-300	-225	-200	-200	-200	Base 35-36	0
31	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
	1 & 2	-225	-50	125	225	300	325	325	Base 43-49	0
	3	-225	-50	125	225	275	300	300	50-52	-200
	4	-225	-125	75	175	250	275	275	53 & Above	-375
	5	-375	-225	-125	25	50	50	50		
41	6	-500	-350	-300	-275	-250	-250	-250		
	7	-625	-475	-450	-400	-375	-375	-375		
	1 & 2	-275	-100	50	150	200	200	225	Strength	
	3	-275	-100	50	125	175	175	200	(Grams per Tex)	
	4	-275	-200	75.07	100	175	175	200	Range	Diff.
51	5	-450	-350	-200	-75	-25	-25	-25	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
	1 & 2	-475	-300	-175	-175	-150	-150	-150	24.0 - 24.9	-250
	3	-550	-325	-250	-225	-175	-175	-175	25.0 - 25.9	-200
61	4	-575	-325	-275	-275	-250	-250	-250	26.0 - 26.9	-25
	5	-675	-550	-450	-400	-375	-375	-375	Base 27.0 - 28.9	0
	6	-750	-575	-525	-525	-500	-500	-500	29.0 - 29.9	0
	7	-825	-700	-675	-675	-650	-650	-650	30.0 - 30.9	25
	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
71	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
	1-6	-1075	-1000	-950	-950	-950	-950	-950		
12 & 22	7	-1100	-1025	-975	-975	-975	-975	-975		
	1 & 2	-275	-100	50	150	250	250	275	Extraneous Matter	
	3	-275	-100	50	125	225	225	250	Type - Level	Diff.
	4	-275	-125	0	100	200	200	225	Prep - Level 1	-200
	5	-425	-325	-200	0	25	25	25	Prep - Level 2	-800
32	6	-550	-425	-425	-350	-325	-325	-325	Other - Level 1	-450
	7	-650	-550	-550	-500	-475	-475	-475	Other - Level 2	-800
	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 1	-1500
	3	-350	-200	-50	0	25	25	25	Plastic - Level 2	-2000
	4	-450	-200	-150	-100	-50	-50	-50		
42	5	-525	-350	-300	-275	-250	-250	-250		
	6	-600	-450	-450	-425	-400	-400	-400		
	7	-700	-575	-575	-550	-525	-525	-525		
	1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity	
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
52	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	-25
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
62	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
43	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
53	7	-1125	-1000	-950	-925	-925	-925	-925		
	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
63	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	325	375	375	25-26	-1000
	3	-225	-75	100	200	300	325	325	27-29	-650
	4	-275	-200	25	75	200	225	225	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
31	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
	1 & 2	-225	-100	75	200	300	325	325	Base 43-49	0
	3	-225	-100	75	175	275	300	300	50-52	-225
	4	-275	-250	25	75	125	150	150	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
41	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
	1 & 2	-350	-250	50	100	200	200	225	Strength	
	3	-350	-250	25	50	175	175	200	(Grams per Tex)	
	4	-375	-275	73.82	0	125	150	150	Range	Diff.
51	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-475	-475	23.0 - 23.9	-200
	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
61	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-850	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	250	275	275	Type - Level	Diff.
	3	-275	-125	25	50	200	250	250	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-500	-375	-200	-100	-75	-50	-50	Other - Level 1	-375
32	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 2	-785
	7	-675	-650	-525	-450	-425	-425	-425	Plastic - Level 1	-1575
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-1985
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-600	-425	-250	-225	-200	-200	-200	Uniformity	
	6	-700	-650	-475	-425	-400	-400	-400	Unit	Points
	7	-800	-750	-575	-525	-525	-525	-525	77.9 & Below	-90
	1-3	-550	-425	-325	-200	-175	-175	-175	78.0 - 78.9	-80
	4	-575	-450	-350	-275	-250	-250	-250	79.0 - 79.9	-70
52	5	-725	-575	-425	-375	-325	-325	-325	80.0 - 80.9	0
	6	-850	-750	-600	-550	-525	-525	-525	Base 81.0 - 81.9	0
	7	-900	-800	-700	-650	-650	-650	-650	82.0 - 82.9	0
	1-4	-750	-575	-525	-500	-500	-500	-500	83.0 - 83.9	30
	5	-825	-725	-650	-600	-600	-600	-600	84.0 - 84.9	40
62	6	-975	-875	-800	-775	-775	-775	-775	85.0 - 85.9	50
	7	-1000	-975	-900	-875	-875	-875	-875	86.0 & Above	60
	1-5	-1025	-925	-850	-825	-825	-825	-825		
43	6	-1175	-1075	-950	-925	-925	-925	-925		
	1-3	-900	-675	-500	-475	-475	-475	-475		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	125	250	325	375	375	25-26	-1100
	3	-225	-75	100	200	300	325	325	27-29	-750
	4	-275	-200	25	75	200	225	225	30-32	-325
	5	-450	-325	-75	0	25	50	50	33-34	-125
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
31	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
	1 & 2	-225	-100	75	200	300	325	325	Base 43-49	0
	3	-225	-100	75	175	275	300	300	50-52	-225
	4	-275	-250	25	75	125	150	150	53 & Above	-375
	5	-450	-325	-125	-50	-25	0	0		
41	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
	1 & 2	-350	-250	50	100	200	200	225	Strength	
	3	-350	-250	25	50	175	175	200	(Grams per Tex)	
	4	-375	-275	73.82	0	125	150	150	Range	Diff.
51	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-275
	6	-575	-500	-400	-325	-300	-325	-325	22.0 - 22.9	-225
	7	-700	-675	-550	-450	-450	-475	-735	23.0 - 23.9	-200
	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-150
61	4	-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-525	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-925	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	250	275	275	Type - Level	Diff.
	3	-275	-125	25	50	200	250	250	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-500	-375	-200	-100	-75	-50	-50	Other - Level 1	-375
32	6	-625	-550	-425	-325	-300	-300	-300	Other - Level 2	-785
	7	-675	-650	-525	-450	-425	-425	-425	Plastic - Level 1	-1575
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-1985
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-600	-425	-250	-225	-200	-200	-200	Uniformity	
	6	-700	-650	-475	-425	-400	-400	-400	Unit	Points
	7	-800	-750	-575	-525	-525	-525	-525	77.9 & Below	-90
	1-3	-550	-425	-325	-200	-175	-175	-175	78.0 - 78.9	-80
	4	-575	-450	-350	-275	-225	-225	-225	79.0 - 79.9	-70
52	5	-725	-575	-425	-375	-325	-325	-325	80.0 - 80.9	0
	6	-850	-750	-600	-525	-500	-500	-500	Base 81.0 - 81.9	0
	7	-900	-800	-700	-650	-650	-650	-650	82.0 - 82.9	0
	1-4	-750	-575	-525	-500	-500	-500	-500	83.0 - 83.9	30
	5	-825	-725	-650	-600	-600	-600	-600	84.0 - 84.9	40
62	6	-975	-875	-800	-775	-775	-775	-775	85.0 - 85.9	50
	7	-1000	-975	-900	-875	-875	-875	-875	86.0 & Above	60
	1-5	-1025	-925	-850	-825	-825	-825	-825		
43	6	-1175	-1075	-950	-925	-925	-925	-925		
	1-3	-900	-675	-475	-450	-450	-450	-450		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

EAST TEXAS-OKLAHOMA DIFFERENCES

25-Apr-19

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-350	-300	-125	200	350	525	550	575
	3	-400	-350	-150	150	300	475	475	500
	4	-475	-350	-175	100	100	350	375	375
	5	-525	-400	-350	-25	100	300	300	300
	6	-675	-525	-525	-275	-275	-75	-75	-75
	7	-750	-625	-625	-350	-350	-150	-150	-150
31	1 & 2	-400	-325	-150	100	275	425	525	550
	3	-425	-350	-175	100	225	400	475	500
	4	-525	-425	-225	75	100	275	275	275
	5	-575	-425	-375	-25	75	225	225	225
	6	-700	-550	-550	-275	-275	-125	-125	-125
	7	-775	-650	-650	-350	-350	-225	-225	-225
41	1 & 2	-500	-325	-150	100	200	325	350	350
	3	-525	-350	-175	100	150	200	225	225
	4	-575	-425	-325	72.07	100	150	175	175
	5	-700	-525	-475	-125	-75	125	150	150
	6	-850	-650	-625	-350	-350	-125	-125	-125
	7	-950	-750	-725	-450	-425	-300	-300	-300
51	1 & 2	-675	-525	-425	-50	-50	75	100	100
	3	-675	-550	-425	-50	-50	75	100	100
	4	-725	-575	-450	-125	-100	25	50	50
	5	-775	-650	-600	-225	-175	-100	-75	-75
	6	-950	-750	-750	-375	-375	-250	-250	-250
	7	-1050	-775	-775	-450	-450	-325	-325	-325
61	1-5	-850	-700	-650	-275	-275	-150	-150	-150
	6	-1025	-825	-800	-450	-425	-300	-300	-300
	7	-1125	-925	-900	-550	-525	-400	-400	-400
71	1-6	-1050	-950	-900	-525	-525	-400	-400	-400
	7	-1150	-1000	-975	-600	-600	-475	-475	-475
12 & 22	1 & 2	-725	-500	-300	50	200	325	375	375
	3	-750	-550	-350	25	150	225	250	250
	4	-800	-575	-375	0	100	175	200	200
	5	-875	-750	-675	-275	-175	25	75	75
	6	-1050	-850	-825	-425	-375	-275	-225	-225
	7	-1175	-975	-925	-525	-475	-375	-325	-325
32	1 & 2	-800	-700	-500	-100	0	100	150	150
	3	-825	-700	-525	-125	-100	25	75	75
	4	-875	-725	-600	-200	-175	-75	-25	-25
	5	-975	-850	-800	-375	-300	-75	-25	-25
	6	-1150	-950	-925	-550	-500	-400	-350	-350
	7	-1300	-1075	-1050	-650	-600	-500	-450	-450
42	1-3	-850	-750	-650	-175	-125	-50	0	0
	4	-900	-775	-675	-200	-175	-125	-75	-75
	5	-1050	-900	-825	-425	-375	-300	-250	-250
	6	-1275	-1000	-950	-575	-525	-450	-400	-400
	7	-1400	-1125	-1075	-700	-625	-550	-500	-500
	52	1-4	-1100	-900	-800	-475	-475	-400	-350
5		-1175	-1000	-875	-525	-525	-450	-400	-400
6		-1400	-1200	-1100	-675	-650	-575	-525	-525
7		-1500	-1325	-1225	-800	-775	-650	-600	-600
62	1-5	-1225	-1075	-1025	-600	-575	-500	-450	-450
	6	-1450	-1275	-1225	-800	-775	-675	-625	-625

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1175	-1025	-925	-475	-400	-275	-175	-175
	3	-1200	-1050	-950	-500	-425	-300	-200	-200
	4	-1250	-1125	-1000	-550	-475	-350	-250	-250
	5	-1375	-1225	-1125	-675	-600	-475	-375	-375
	6	-1500	-1300	-1175	-775	-700	-575	-475	-475
	7	-1600	-1400	-1300	-900	-825	-700	-600	-600
33	1 & 2	-1250	-1075	-975	-505	-450	-325	-225	-225
	3	-1250	-1075	-975	-530	-475	-350	-225	-225
	4	-1325	-1150	-1025	-580	-525	-400	-275	-275
	5	-1475	-1250	-1125	-705	-650	-525	-400	-400
	6	-1550	-1325	-1225	-830	-775	-650	-525	-525
	7	-1650	-1450	-1325	-955	-900	-775	-650	-650
43	1-3	-1300	-1150	-1025	-580	-525	-400	-275	-275
	4	-1375	-1225	-1075	-605	-550	-425	-300	-300
	5	-1500	-1325	-1175	-735	-675	-550	-425	-425
	6	-1600	-1400	-1275	-855	-825	-700	-575	-575
	7	-1700	-1500	-1375	-955	-925	-800	-675	-675
53	1-4	-1425	-1325	-1200	-755	-750	-650	-525	-525
	5	-1525	-1400	-1300	-830	-825	-725	-600	-600
	6	-1625	-1500	-1400	-980	-950	-850	-725	-725
	7	-1725	-1600	-1525	-1080	-1025	-925	-800	-800
63	1-5	-1625	-1475	-1350	-930	-825	-725	-600	-600
	6	-1725	-1600	-1450	-1030	-975	-875	-750	-750
34	1 & 2	-1375	-1250	-1175	-725	-700	-600	-525	-525
	3	-1375	-1250	-1175	-725	-700	-600	-525	-525
	4	-1500	-1375	-1275	-825	-800	-700	-625	-625
	5	-1600	-1475	-1400	-950	-925	-825	-750	-750
	6	-1775	-1650	-1575	-1125	-1100	-1000	-925	-925
44	1-3	-1475	-1350	-1275	-825	-800	-700	-625	-625
	4	-1550	-1450	-1325	-875	-850	-750	-675	-675
	5	-1625	-1525	-1425	-975	-950	-850	-775	-775
	6	-1800	-1675	-1600	-1150	-1125	-1025	-950	-950
54	1-4	-1575	-1475	-1400	-900	-900	-800	-750	-750
	5	-1675	-1575	-1475	-975	-975	-875	-825	-825

Mike	
Range	Diff.
24 & Below	-1850
25-26	-1850
27-29	-1175
30-32	-825
33-34	-600
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-325
20.0 - 20.9	-325
21.0 - 21.9	-300
22.0 - 22.9	-275
23.0 - 23.9	-250
24.0 - 24.9	-250
25.0 - 25.9	-175
26.0 - 26.9	-125
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-300
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-1500
Plastic - Level 2	-2000

WEST TEXAS DIFFERENCES

25-Apr-19

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-275	-190	10	160	375	475	525	550
	3	-350	-240	-40	135	300	450	500	525
	4	-375	-275	-150	125	275	375	400	400
	5	-500	-300	-250	25	175	300	300	300
	6	-675	-500	-425	-175	-150	-100	-100	-100
	7	-750	-550	-500	-250	-225	-175	-175	-175
31	1 & 2	-425	-290	-90	85	275	425	500	525
	3	-475	-315	-115	85	275	425	475	500
	4	-525	-375	-250	75	150	275	300	300
	5	-600	-425	-350	-75	25	150	150	150
	6	-775	-600	-475	-250	-250	-225	-225	-225
	7	-875	-650	-550	-300	-300	-275	-275	-275
41	1 & 2	-575	-400	-200	45	200	250	275	275
	3	-600	-425	-225	45	125	225	250	250
	4	-650	-450	-375	72.07	100	125	150	150
	5	-725	-525	-450	-150	-25	50	50	50
	6	-875	-700	-625	-350	-350	-225	-225	-225
	7	-1000	-800	-725	-450	-400	-325	-325	-325
51	1 & 2	-750	-550	-475	-125	-25	25	25	25
	3	-750	-550	-475	-125	-25	25	25	25
	4	-775	-550	-550	-200	-75	-25	-25	-25
	5	-825	-650	-650	-350	-250	-175	-175	-175
	6	-975	-750	-750	-475	-400	-275	-275	-275
	7	-1075	-850	-850	-575	-500	-400	-400	-400
61	1-5	-900	-725	-725	-400	-300	-200	-200	-200
	6	-1025	-800	-800	-600	-500	-375	-375	-375
	7	-1125	-950	-925	-675	-575	-475	-475	-475
71	1-6	-1100	-925	-875	-675	-575	-500	-500	-500
	7	-1175	-950	-925	-700	-650	-575	-575	-575
12 & 22	1 & 2	-650	-425	-250	100	225	325	400	400
	3	-700	-475	-275	100	175	275	350	350
	4	-725	-525	-450	-125	75	200	275	275
	5	-850	-650	-625	-325	-125	-75	-25	-25
	6	-1000	-775	-750	-425	-350	-250	-200	-200
	7	-1075	-875	-825	-500	-425	-325	-275	-275
32	1 & 2	-725	-500	-325	-50	0	25	100	100
	3	-775	-550	-350	-100	-25	25	100	100
	4	-850	-625	-525	-175	-50	25	75	75
	5	-975	-825	-750	-400	-250	-200	-150	-150
	6	-1125	-900	-850	-525	-450	-400	-350	-350
	7	-1225	-1000	-900	-625	-525	-475	-425	-425
42	1-3	-875	-650	-575	-225	-150	-25	25	25
	4	-925	-725	-600	-250	-175	-50	0	0
	5	-1025	-875	-775	-425	-275	-250	-200	-200
	6	-1225	-925	-875	-550	-475	-425	-375	-375
	7	-1300	-1075	-975	-675	-550	-500	-450	-450
52	1-4	-1150	-900	-850	-575	-450	-400	-350	-350
	5	-1225	-1000	-925	-625	-500	-450	-400	-400
	6	-1425	-1175	-1100	-750	-650	-600	-550	-550
	7	-1500	-1275	-1200	-850	-750	-700	-650	-650
62	1-5	-1275	-1075	-1025	-725	-625	-575	-525	-525
	6	-1450	-1225	-1175	-875	-800	-750	-700	-700

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1050	-825	-750	-400	-325	-300	-250	-250
	3	-1100	-850	-775	-425	-350	-325	-275	-275
	4	-1125	-925	-850	-475	-400	-375	-325	-325
	5	-1225	-1000	-950	-600	-525	-475	-425	-425
	6	-1325	-1075	-1025	-675	-600	-550	-500	-500
	7	-1400	-1175	-1100	-725	-700	-650	-600	-600
33	1 & 2	-1175	-900	-825	-450	-400	-375	-325	-325
	3	-1175	-900	-825	-450	-400	-375	-325	-325
	4	-1250	-975	-900	-500	-450	-425	-375	-375
	5	-1375	-1075	-1000	-650	-575	-525	-475	-475
	6	-1425	-1150	-1125	-700	-675	-625	-575	-575
	7	-1500	-1250	-1175	-825	-775	-725	-675	-675
43	1-3	-1225	-1000	-925	-525	-475	-425	-375	-375
	4	-1300	-1075	-975	-550	-475	-425	-375	-375
	5	-1400	-1150	-1050	-675	-600	-550	-500	-500
	6	-1475	-1225	-1150	-775	-750	-700	-650	-650
	7	-1550	-1325	-1225	-850	-825	-775	-725	-725
53	1-4	-1400	-1250	-1150	-725	-675	-625	-575	-575
	5	-1475	-1275	-1200	-825	-775	-725	-675	-675
	6	-1600	-1375	-1300	-925	-900	-850	-800	-800
	7	-1675	-1450	-1400	-1050	-1025	-975	-925	-925
63	1-5	-1625	-1400	-1300	-875	-800	-750	-700	-700
	6	-1675	-1475	-1350	-1025	-975	-925	-875	-875
34	1 & 2	-1300	-1075	-1000	-625	-600	-550	-500	-500
	3	-1300	-1075	-1000	-625	-600	-550	-500	-500
	4	-1425	-1200	-1100	-725	-700	-650	-600	-600
	5	-1500	-1275	-1200	-850	-825	-775	-725	-725
	6	-1650	-1425	-1350	-1050	-1025	-975	-925	-925
44	1-3	-1425	-1200	-1125	-750	-725	-675	-625	-625
	4	-1500	-1300	-1175	-800	-775	-725	-675	-675
	5	-1575	-1350	-1250	-900	-875	-825	-775	-775
	6	-1725	-1500	-1425	-1125	-1100	-1050	-1000	-1000
54	1-4	-1525	-1325	-1250	-875	-850	-800	-750	-750
	5	-1600	-1375	-1275	-1000	-975	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1800
25-26	-1800
27-29	-1150
30-32	-825
33-34	-600
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-325
20.0 - 20.9	-325
21.0 - 21.9	-300
22.0 - 22.9	-275
23.0 - 23.9	-250
24.0 - 24.9	-250
25.0 - 25.9	-175
26.0 - 26.9	-125
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-125
78.0 - 78.9	-95
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-275
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-1500
Plastic - Level 2	-2000

DESERT SOUTHWEST DIFFERENCES

Color	Leaf	Staple						Mike		
		33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-125	100	550	870	935	1020	24 & Below	-1350	
	3	-125	75	475	820	835	920	25-26	-1150	
	4	-325	25	250	360	395	420	27-29	-1050	
	5	-400	-200	-25	75	160	160	30-32	-650	
	6	-475	-375	-150	-110	-55	-55	33-34	-450	
	7	-675	-400	-225	-165	-125	-125	35-36	0	
	31	1 & 2	-200	50	500	820	855	930	37-42	25
3		-200	25	400	770	780	855	43-49	0	
4		-375	0	150	310	345	395	50-52	-300	
5		-425	-225	-100	-25	45	45	53 & Above	-550	
6		-500	-400	-185	-145	-65	-65			
7		-700	-425	-275	-220	-140	-140			
41	1 & 2	-600	0	50	135	145	245	Strength		
	3	-600	0	10	85	120	220	(Grams per Tex)		
	4	-650	71.32	0	35	95	145	Range	Diff.	
	5	-675	-525	-425	-390	-330	-330	21.0 - 21.9	-600	
	6	-825	-700	-525	-490	-440	-440	22.0 - 22.9	-450	
	7	-975	-850	-700	-670	-635	-635	23.0 - 23.9	-300	
	51	1 & 2	-725	-550	-350	-315	-305	-305	24.0 - 24.9	-225
3		-725	-550	-350	-315	-305	-305	25.0 - 25.9	-200	
4		-750	-625	-475	-425	-365	-365	26.0 - 26.9	-125	
5		-850	-800	-675	-650	-600	-600	Base 27.0 - 28.9	0	
6		-1000	-900	-750	-750	-700	-700	29.0 - 29.9	0	
7		-1200	-1100	-950	-950	-925	-925	30.0 - 30.9	50	
12 & 22		1 & 2	-500	25	250	310	370	370	31.0 - 32.9	75
	3	-500	25	225	285	345	345	33.0 & above	100	
	4	-600	-25	200	260	345	345			
	5	-625	-450	-150	-150	-75	-75			
	6	-775	-650	-350	-350	-275	-275			
	7	-950	-825	-600	-600	-525	-525			
	32	1 & 2	-600	-225	50	135	145	145	Extraneous Matter	
3		-600	-225	50	135	145	145	Type - Level	Diff.	
4		-650	-450	-100	-15	-5	-5	Prep - Level 1	-50	
5		-700	-700	-450	-450	-450	-450	Prep - Level 2	-800	
6		-900	-825	-575	-575	-575	-575	Other - Level 1	-350	
7		-1050	-1000	-825	-825	-825	-825	Other - Level 2	-800	
42		1-3	-700	-525	-250	-200	-200	-200	Plastic - Level 1	-350
	4	-725	-600	-350	-300	-300	-300	Plastic - Level 2	-800	
	5	-800	-775	-550	-550	-550	-550			
	6	-975	-900	-675	-675	-675	-675			
	7	-1175	-1075	-925	-925	-925	-925			
	52	1-4	-925	-800	-600	-550	-550	-550	Uniformity	
		5	-975	-875	-675	-675	-675	-675	Unit	Points
6		-1075	-975	-775	-775	-775	-775	77.9 & Below	-100	
7		-1325	-1225	-1075	-1050	-1050	-1050	78.0 - 78.9	-90	
43	1-3	-800	-725	-650	-575	-575	-575	79.0 - 79.9	-80	
	4	-900	-825	-700	-650	-650	-650	80.0 - 80.9	0	
	5	-1000	-900	-725	-700	-700	-700	Base 81.0 - 81.9	0	
	6	-1100	-1000	-975	-975	-975	-975	82.0 - 82.9	0	
	7	-1200	-1125	-1100	-1100	-1100	-1100	83.0 - 83.9	30	
	53	1-4	-1050	-950	-875	-875	-875	-875	84.0 - 84.9	40
		5	-1100	-1000	-925	-925	-925	-925	85.0 - 85.9	50
6		-1200	-1100	-1025	-1025	-1025	-1025	86.0 & Above	60	
7		-1450	-1350	-1350	-1350	-1350	-1350			

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	71.82	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-675	-225	-175	-175	-175	29.0 - 29.9	0
	3	-700	-250	-200	-200	-200	30.0 - 30.9	75
	4	-750	-300	-275	-275	-275	31.0 - 32.9	125
	5	-775	-375	-325	-325	-325	33.0 & Above	250
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
							Plastic - Level 1	-350
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 2	-925
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	111.75	120.50	121.50	121.50
	2	111.50	120.25	121.25	121.25
	3	103.75	111.50	111.50	111.50
	4				
	5				
	6				
2	1	111.50	120.25	121.25	121.25
	2	111.25	120.00	121.00	121.00
	3	103.50	111.25	111.25	111.25
	4	93.50	101.75	101.75	101.75
	5				
	6				
3	1	101.25	109.00	109.00	109.00
	2	98.75	106.50	106.50	106.50
	3	97.50	105.25	105.25	105.25
	4	88.50	96.25	96.25	96.25
	5	72.50	79.75	79.75	79.75
	6				
4	1	82.25	90.00	90.75	90.75
	2	82.00	89.75	90.00	90.00
	3	81.75	89.50	89.25	89.25
	4	76.75	84.50	84.25	84.25
	5	65.50	73.25	73.00	73.00
	6				
5	1				
	2	61.25	71.25	71.00	71.00
	3	61.25	70.75	71.00	71.00
	4	61.25	65.25	65.00	65.00
	5	61.00	65.00	64.75	64.75
	6				
6	1				
	2	53.50	56.50	56.25	56.25
	3	53.50	56.50	56.25	56.25
	4	53.50	56.50	56.25	56.25
	5	53.25	56.25	56.00	56.00
	6	52.75	55.75	55.50	55.50

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on February 28, 2019.

Mike

Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength

(Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	0
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

Extraneous Matter

Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-715
Plastic - Level 2	-1035

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-313	-233	-73	182	438	605	668	719
	3	-375	-253	-86	154	384	569	611	659
	4	-425	-280	-196	64	186	309	346	349
	5	-513	-395	-313	-86	50	133	161	161
	6	-675	-505	-454	-318	-229	-176	-161	-161
	7	-750	-600	-571	-425	-354	-299	-286	-286
31	1 & 2	-413	-258	-115	118	374	551	610	653
	3	-450	-268	-123	107	338	523	571	614
	4	-525	-315	-246	46	146	241	272	279
	5	-588	-425	-338	-129	-11	58	84	84
	6	-738	-530	-471	-346	-273	-231	-213	-213
	7	-825	-625	-588	-443	-386	-346	-327	-327
41	1 & 2	-538	-340	-258	56	164	249	259	284
	3	-563	-350	-267	42	109	195	209	234
	4	-613	-380	-350	72.86	71	145	169	180
	5	-713	-510	-458	-268	-150	-84	-70	-70
	6	-863	-615	-588	-464	-382	-316	-313	-313
	7	-975	-725	-725	-604	-521	-485	-487	-524
51	1 & 2	-713	-580	-479	-325	-189	-149	-144	-144
	3	-713	-620	-483	-346	-207	-163	-158	-158
	4	-750	-640	-513	-396	-275	-236	-224	-224
	5	-800	-725	-683	-521	-404	-361	-350	-350
	6	-963	-805	-788	-646	-579	-539	-532	-532
	7	-1063	-890	-913	-786	-711	-675	-671	-671
61	1-5	-875	-780	-715	-520	-465	-420	-420	-420
	6	-1025	-885	-835	-685	-645	-595	-595	-595
	7	-1125	-1000	-955	-775	-735	-690	-690	-690
71	1-6	-1075	-1080	-1025	-860	-820	-780	-780	-780
	7	-1163	-1120	-1075	-895	-875	-835	-835	-835
12 & 22	1 & 2	-688	-350	-233	64	229	363	416	444
	3	-725	-370	-246	43	182	313	366	391
	4	-763	-395	-342	-32	114	216	259	262
	5	-863	-565	-500	-271	-100	-46	-7	-7
	6	-1025	-685	-646	-471	-354	-307	-275	-275
	7	-1125	-770	-758	-604	-514	-468	-436	-436
32	1 & 2	-763	-465	-350	-86	43	105	131	146
	3	-800	-480	-363	-107	11	76	103	117
	4	-863	-530	-421	-225	-86	-31	-8	-8
	5	-975	-680	-575	-400	-286	-236	-221	-221
	6	-1138	-770	-738	-568	-468	-436	-421	-421
	7	-1263	-875	-846	-693	-614	-589	-575	-575
42	1-3	-863	-625	-533	-321	-175	-125	-111	-111
	4	-913	-665	-554	-361	-243	-193	-179	-179
	5	-1038	-800	-700	-511	-382	-343	-329	-329
	6	-1250	-890	-846	-664	-593	-564	-550	-550
	7	-1350	-985	-938	-804	-729	-707	-693	-693
52	1-4	-1125	-825	-738	-614	-543	-518	-504	-504
	5	-1200	-900	-846	-696	-625	-607	-593	-593
	6	-1413	-1050	-988	-839	-782	-764	-750	-750
	7	-1500	-1135	-1117	-979	-929	-900	-886	-886
62	1-5	-1250	-1030	-955	-770	-735	-710	-690	-690
	6	-1450	-1195	-1120	-915	-885	-855	-835	-835

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1113	-925	-838	-438	-363	-288	-213	-213
	3	-1150	-950	-863	-463	-388	-313	-238	-238
	4	-1188	-1025	-925	-513	-438	-363	-288	-288
	5	-1300	-1113	-1038	-638	-563	-475	-400	-400
	6	-1413	-1188	-1100	-725	-650	-563	-488	-488
	7	-1500	-1288	-1200	-813	-763	-675	-600	-600
33	1 & 2	-1213	-988	-900	-485	-450	-400	-350	-350
	3	-1213	-988	-900	-493	-458	-408	-350	-350
	4	-1288	-1063	-963	-560	-525	-475	-417	-417
	5	-1425	-1163	-1063	-718	-675	-617	-558	-558
	6	-1488	-1238	-1175	-868	-842	-783	-725	-725
	7	-1575	-1350	-1250	-1002	-967	-908	-850	-850
43	1-3	-1263	-970	-825	-640	-600	-561	-536	-536
	4	-1338	-1015	-875	-686	-632	-596	-571	-571
	5	-1450	-1065	-971	-826	-771	-743	-718	-718
	6	-1538	-1145	-1058	-926	-904	-879	-854	-854
	7	-1625	-1270	-1167	-1051	-1029	-1004	-979	-979
	53	1-4	-1413	-1115	-1017	-822	-783	-758	-729
5		-1500	-1190	-1113	-913	-883	-858	-829	-829
6		-1613	-1305	-1200	-1009	-979	-954	-925	-925
7		-1700	-1370	-1338	-1138	-1117	-1092	-1063	-1063
63	1-5	-1625	-1290	-1215	-996	-950	-920	-885	-885
	6	-1700	-1375	-1290	-1071	-1040	-1010	-975	-975
34	1 & 2	-1338	-1163	-1088	-675	-650	-575	-513	-513
	3	-1338	-1163	-1088	-675	-650	-575	-513	-513
	4	-1463	-1288	-1188	-775	-750	-675	-613	-613
	5	-1550	-1375	-1300	-900	-875	-800	-738	-738
	6	-1713	-1538	-1463	-1088	-1063	-988	-925	-925
44	1-3	-1450	-1275	-1200	-788	-763	-688	-625	-625
	4	-1525	-1375	-1250	-838	-813	-738	-675	-675
	5	-1600	-1438	-1338	-938	-913	-838	-775	-775
	6	-1763	-1588	-1513	-1138	-1113	-1038	-975	-975
54	1-4	-1550	-1400	-1325	-888	-875	-800	-750	-750
	5	-1638	-1475	-1375	-988	-975	-900	-850	-850

Mike	
Range	Diff.
24 & Below	-1667
25-26	-1288
27-29	-971
30-32	-604
33-34	-364
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-279
53 & Above	-404

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-325
20.0 - 20.9	-325
21.0 - 21.9	-367
22.0 - 22.9	-304
23.0 - 23.9	-250
24.0 - 24.9	-261
25.0 - 25.9	-207
26.0 - 26.9	-107
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	36
31.0 - 32.9	64
33.0 & Above	86

Uniformity	
Unit	Points
77.9 & Below	-97
78.0 - 78.9	-83
79.0 - 79.9	-71
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-157
Prep - Level 2	-714
Bark - Level 1	-288
Bark - Level 2	-525
Other - Level 1	-429
Other - Level 2	-756
Plastic - Level 1	-1193
Plastic - Level 2	-1671



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

25-Apr-19

Volume 101, No. 185

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-73	147	355	504	552
	3	-88	122	300	469	497
	4	-195	70	175	312	339
	5	-310	-80	55	155	177
21	1 & 2	-73	147	355	504	552
	3	-88	122	300	469	497
	4	-195	70	175	312	339
	5	-310	-80	55	155	177
31	1 & 2	-118	87	295	454	506
	3	-128	82	260	429	466
	4	-245	50	130	247	269
	5	-340	-115	-5	75	94
41	1 & 2	-260	49	140	222	234
	3	-270	44	92	172	189
	4	-365	0	60	122	149
	5	-470	-245	-145	-63	-46
51	1 & 2	-480	-250	-170	-123	-116
	3	-485	-270	-185	-133	-126
	4	-515	-325	-255	-205	-188
	5	-675	-470	-395	-350	-335
12	1 & 2	-255	55	185	292	334
	3	-270	45	145	242	284
22	1 & 2	-255	55	185	292	334
	3	-270	45	145	242	284
32	1 & 2	-370	-100	10	72	99
	3	-385	-120	-20	47	74
Strength	25.0 - 25.9	-245				

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 101, No. 185

25-Apr-19

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Color 31 Leaf 3	Number of Bales Provided to Cotton Program			
	N.Y. Futures	Staple 34	Staple 34	Staple 35	Today	Season		
	<i>Points</i>		<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>		
Southeast	-325 Jul-19	75.07	77.32		0	18,448		
North Delta	-450 Jul-19	73.82	75.57		0	4,663		
South Delta	-450 Jul-19	73.82	75.57		0	1,873		
East TX-OK	-625 Jul-19	72.07	74.32		1,875	457,971		
West Texas	-625 Jul-19	72.07	74.82		443	575,077		
Desert SW	-700 Jul-19	71.32	75.32		0	50,418		
SJ Valley	-650 Jul-19	71.82	80.72		0	0		
Average	-546 Jul-19	72.86	76.23		Upland Total			
Previous day	-546 Jul-19	71.66	75.03		2,318	1,108,450		
AMERICAN PIMA SPOT PRICE QUOTATIONS								
American Pima	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total				
	120.00	97.50	105.25	0	3,453			
ICE FUTURES US - CONTRACT NO. 2 1/				7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Apr 19 - Apr 25		
COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER						ADJ. WORLD PRICE		
Month	<i>Cents per pound</i>					0.00		
	Today	Previous	Change			CC ADJUSTMENT		
May-19	76.97	75.77	↑ 1.20	Season high		0.00		
Jul-19	78.32	77.12	↑ 1.20			FC ADJUSTMENT		
Oct-19	76.88	76.17	↑ 0.71	8/2/2018	85.65	2017 2018		
Dec-19	76.71	76.06	↑ 0.65			0.00 0.00		
Mar-20	76.84	76.48	↑ 0.36	Season low		LOAN DEFICIENCY PMT.		
May-20	76.56	76.30	↑ 0.26			0.00		
Jul-20	75.99	75.77	↑ 0.22			Pima Competitiveness		
Oct-20	74.48	74.35	↑ 0.13	2/13/2019	65.15	Payment		
Dec-20	72.67	72.61	↑ 0.06			0.00		
Mar-21	73.00	72.94	↑ 0.06					
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
Staple 33	Color							
	11	21	31	41	51	12	22	32
Leaf 1 & 2	-73	-73	-118	-260	-480	-255	-255	-370
3	-88	-88	-128	-270	-485	-270	-270	-385
4	-195	-195	-245	-365	-515	NOT TENDERABLE		
5	-310	-310	-340	-470	-675	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	147	147	87	49	-250	55	55	-100
3	122	122	82	44	-270	45	45	-120
4	70	70	50	0	-325	NOT TENDERABLE		
5	-80	-80	-115	-245	-470	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	355	355	295	140	-170	185	185	10
3	300	300	260	92	-185	145	145	-20
4	175	175	130	60	-255	NOT TENDERABLE		
5	55	55	-5	-145	-395	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	504	504	454	222	-123	292	292	72
3	469	469	429	172	-133	242	242	47
4	312	312	247	122	-205	NOT TENDERABLE		
5	155	155	75	-63	-350	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	552	552	506	234	-116	334	334	99
3	497	497	466	189	-126	284	284	74
4	339	339	269	149	-188	NOT TENDERABLE		
5	177	177	94	-46	-335	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.