

Acreage



D
1751
A291
1975

Released:
June 30, 1975
3:00 P.M. ET

ALBERT F. WANN
LIBRARY
ITHACA, N. Y. 14850

HIGHLIGHTS

FEB 6 1976

CORN planted for all purposes totals 77.5 million acres, virtually unchanged from 1974 but 8 percent above 1973. Acreage for grain, at 67.0 million, is up 3 percent from last year and 8 percent from 1973.

SORGHUM plantings of 18.2 million acres are up 3 percent from 1974 but 5 percent below 1973. Producers expect to harvest 14.9 million acres for grain, a 7 percent increase from 1974.

FEED GRAIN planted acreage (corn, sorghum, oats and barley combined) totals 122.7 million acres, nearly equal to the acreage planted last year. Acreage intended for grain harvest is 104.5 million, almost 4 percent larger than 1974.

ALL WHEAT seedings total 74.4 million acres, up 5 percent from last year and 26 percent above 1973. Growers seeded 55.8 million acres of winter wheat last fall, the largest acreage since 1953. Durum wheat acreage seeded is 4.6 million, up 13 percent from 1974. Spring wheat other than durum seedings total 14.0 million acres, down 5 percent from last year but 9 percent above 1973. Acreage for harvest is indicated at 50.9 million acres for winter wheat, 4.5 for durum and 13.6 for other spring wheat.

FOOD GRAIN seeded acreage (wheat, rice and rye combined) at 80.4 million acres, is up 4 percent from 1974. Acreage harvested and to be harvested for grain is indicated at 72.6 million acres, up 5 percent from 1974.

SOYBEAN planted acreage of 54.6 million is up 2 percent from 1974 and the second largest of record. Growers intend to harvest 53.6 million acres for beans.

COTTON planted acreage is placed at 10.2 million, 26 percent below 1974.

OILSEED planted acreage (cotton, flaxseed, peanuts and soybeans combined) is 68.0 million, down nearly 4 percent from 1974 as a result of the sharply lower cotton acreage.

This acreage report, issued in June for the first time in 1975, includes estimates of acres planted or intended to be planted and acres intended for harvest based on surveys conducted about June 1. These estimates were previously issued as part of the July Crop Production Report.

The Crop Production Report to be issued July 10 will include estimates of acres for harvest and forecasts of yield and production for corn; wheat, barley, oats, rye, summer potatoes and flue-cured tobacco as well as production forecasts for selected fruits and nuts. Yield and production will be based on surveys conducted about July 1.

UNITED STATES DEPARTMENT OF AGRICULTURE

STATISTICAL REPORTING SERVICE

CROP REPORTING BOARD

CrPr 2-2 (6-75)

WASHINGTON, D.C. 20250

A P P R O V E D:

William Erwin

ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

B. M. Graham, Chairman,
T. J. Byram, Acting Secretary,
J. W. Kirkbride, R. J. Ries,
W. W. Adams, R. W. Cole,
W. C. Erwin, D. J. Fedewa,
R. L. Freie, G. W. Gneiting,
C. E. Gore, W. G. Hamlin,
P. R. H. Hardy, R. H. Hettinger,
D. H. Johnson, R. B. Karnes,
D. C. Ledford, E. S. Lippert,
J. C. McCall, B. R. McCullough,
H. M. Nishimoto, H. K. Rowley,
H. J. Tippett, D. H. Von Steen.

UNITED STATES CROP SUMMARY
(DOMESTIC UNITS)

CROP	AREA PLANTED FOR ALL PURPOSES				AREA HARVESTED 1/			
	1973	1974	1975	1975	1973	1974	INDICATED	1975
				1974			1975	1974
	1,000 ACRES				PERCENT			
ALL CORN	71,912	77,746	77,527	100	61,894	65,194	66,953	103
WHITE CORN 2/	538	659	695	105	509	611	651	107
ALL SORGHUM	19,231	17,733	18,230	103	15,853	13,917	14,857	107
OATS	19,147	18,100	17,379	96	14,065	13,325	13,882	104
BARLEY	11,229	9,117	9,557	105	10,452	8,281	8,814	106
ALL WHEAT	58,978	71,169	74,406	105	53,869	65,459	69,029	105
WINTER	43,232	52,407	55,848	107	38,474	47,117	50,876	108
DURUM	2,952	4,074	4,599	113	2,884	3,999	4,514	113
OTHER SPRING	12,794	14,688	13,959	95	12,511	14,343	13,639	95
RICE	2,181.3	2,588.0	2,765.0	107	2,170.2	2,569.0	2,747.5	107
RYE	3,545	3,200	3,186	100	1,033	897	800	89
SOYBEANS	56,675	53,580	54,586	102	55,796	52,460	53,590	102
FLAXSEED	1,742	1,739	1,696	98	1,692	1,645	1,626	99
PEANUTS	1,530.2	1,519.6	1,527.8	101	1,495.7	1,472.1	1,495.2	102
POPCORN	154.3	198.5	226.8	114	148.8	188.7	220.0	117
COTTON	12,479.7	13,729.4	10,205.3	74	11,970.2	12,546.6		
ALL HAY					62,099	60,546	61,502	102
ALFALFA					27,787	26,642	26,709	100
ALL OTHER					34,312	33,904	34,793	103
DRY EDIBLE BEANS	1,394.7	1,647.4	1,531.5	93	1,367.7	1,569.7	1,477.9	94
DRY EDIBLE PEAS	146.6	220.0	171.5	78	136.4	213.0	165.5	78
SUMMER POTATOES	129.2	135.1	122.9	91	125.1	132.1	119.8	91
SWEETPOTATOES	117.7	123.6	126.5	102	113.2	119.7	123.2	103
ALL TOBACCO					886.6	963.1	1,083.6	113
SUGARBEETS	1,280.1	1,251.5	1,591.9	127	1,217.5	1,212.6	1,541.8	127
SUGARCANE FOR								
SUGAR AND SEED					741.0	732.8	774.8	106

1/ HARVESTED FOR PRINCIPAL USE OF EACH CROP, I.E., GRAIN, BEANS, NUTS, ETC. 2/ 10 STATE TOTAL; INCLUDED IN ALL CORN, SEE PAGE B-4 FOR STATES COVERED.

UNITED STATES CROP SUMMARY
(METRIC UNITS)

CROP	AREA PLANTED FOR ALL PURPOSES				AREA HARVESTED 1/			
	1973	1974	1975	1975	1973	1974	INDICATED	1975
				1974			1975	1974
	1,000 HECTARES				PERCENT			
ALL CORN	29,102	31,463	31,374	100	25,048	26,383	27,095	103
WHITE CORN 2/	218	267	281	105	206	247	263	106
ALL SORGHUM	7,783	7,176	7,377	103	6,416	5,632	6,012	107
OATS	7,749	7,325	7,033	96	5,692	5,392	5,618	104
BARLEY	4,544	3,690	3,868	105	4,230	3,351	3,567	106
ALL WHEAT	23,868	28,801	30,111	105	21,800	26,491	27,936	105
WINTER	17,496	21,209	22,601	107	15,570	19,068	20,589	108
DURUM	1,195	1,649	1,861	113	1,167	1,618	1,827	113
OTHER SPRING	5,178	5,944	5,649	95	5,063	5,805	5,520	95
RICE	882.8	1,047.3	1,119.0	107	878.3	1,039.6	1,111.9	107
RYE	1,435	1,295	1,289	100	418	363	324	89
SOYBEANS	22,936	21,683	22,090	102	22,580	21,230	21,687	102
FLAXSEED	705	704	686	97	685	666	658	99
PEANUTS	619.3	615.0	618.3	101	605.3	595.7	605.1	102
POPCORN	62.4	80.3	91.8	114	60.2	76.4	89.0	116
COTTON	5,050.4	5,556.2	4,130.0	74	4,844.2	5,077.5		
ALL HAY					25,131	24,503	24,889	102
ALFALFA					11,245	10,782	10,809	100
ALL OTHER					13,886	13,721	14,080	103
DRY EDIBLE BEANS	564.4	666.7	619.8	93	553.5	635.2	598.1	94
DRY EDIBLE PEAS	59.3	89.0	69.4	78	55.2	86.2	67.0	78
SUMMER POTATOES	52.3	54.7	49.7	91	50.6	53.5	48.5	91
SWEETPOTATOES	47.6	50.0	51.2	102	45.8	48.4	49.9	103
ALL TOBACCO					358.8	389.8	438.5	112
SUGARBEETS	518.0	506.5	644.2	127	492.7	490.7	624.0	127
SUGARCANE FOR								
SUGAR AND SEED					299.9	296.6	313.6	106

1/ HARVESTED FOR PRINCIPAL USE OF EACH CROP, I.E., GRAIN, BEANS, NUTS, ETC. 2/ 10 STATE TOTAL; INCLUDED IN ALL CORN, SEE PAGE B-4 FOR STATES COVERED.

1975 PLANTING PROGRESS

The 1975 planting season got off to a slow start over much of the Nation. Rain, snow and poor drying conditions during March restricted field activity except in some Southern States. By early April, field preparations for planting and seeding the 1975 crops were behind schedule in most States although fall and spring plowing for corn and soybeans was ahead of normal across the heart of the Corn Belt from Iowa to Ohio. Farmers throughout much of the Country had difficulty keeping up-to-date with their April spring field activities. Seeding of small grains was lagging in most areas except Illinois, Indiana, and Ohio where oat seeding was completed ahead of normal. In contrast, oat seeding was far behind normal and 1974 in all other North Central States and was barely underway in Minnesota and North Dakota by May 1st.

Corn planting got off to a slow start in most States. By May 4th, only 13% of the Nation's intended corn acreage was planted, versus 31% in 1974 and the normal 21%. However, planting accelerated the first full week of May and forged ahead of both the 1974 and average level at midmonth. Favorable weather and excellent planting conditions permitted growers long work days. By June 1st, 96% of the U. S. corn acreage was in the ground, ahead of the 83% in 1974 and usual 89%. Corn planting in the North Central States was 97% finished; Farmers in Iowa were through planting and in Illinois, corn was virtually all planted. Planting was nearing completion in most States by June 8th and in the North Central Region, unplanted acreage was limited to Kansas, Michigan, Missouri and Wisconsin. Cutworms and dry soil conditions necessitated replanting in some States.

Soybean planting was underway in Arkansas, Georgia, North Carolina, Ohio and Virginia during the last week of April and continued to pick up momentum in other major States during early May. Soybean planting also moved ahead of both the 1974 and average pace at midmonth. The U. S. crop was 67% in the ground by June 1st, ahead of both the 1974 rate of 42% and usual 53%. By June 22nd, soybean planting had advanced to 90% complete, much ahead of, the 78% of a year ago but only slightly ahead of the normal 88%. Planting in the North Central States was 97% finished, still ahead of last year's 78% and the average of 92%. All States in this Region were virtually complete except Kansas, Michigan, Missouri and those areas where soybeans would be planted after winter wheat is harvested. South Atlantic States were ahead of normal in planting progress, while South Central States were behind normal as a result of wet weather and slow small grain combining before second cropping.

Excessive rain in most major cotton producing areas delayed planting and progress remained far behind schedule in late April through mid-May. However, favorable weather during the latter part of May allowed rapid progress and planting rebounded ahead of normal except in Louisiana, Oklahoma, Mississippi, and Tennessee. By June 22nd, planting was virtually complete in major producing States except Oklahoma. Planting was rapidly nearing completion at 99% in Texas compared with 94% in 1974 and usual 97%; replanting previously hailed and flooded fields was also active. In Oklahoma, 88% was planted, much behind both the 1974 and normal rate of progress.

Sorghum planting got off to an early start in Southern Texas and better than normal progress has been maintained to date. Planting in the 7 major States was over one-thirds done on May 11th and by June 22nd 90% had been planted. Planting was virtually complete in Nebraska and South Dakota and 97% finished in Texas versus 90% in 1974 and the usual 92%. Progress was behind normal in Colorado, Kansas and Oklahoma.

Subnormal temperatures, rain, and snow kept spring wheat seeding virtually at a standstill in Montana until April 20th; in North Dakota until April 27th; and in Minnesota until May 4th. In Minnesota and South Dakota, spring wheat seeding advanced sharply during May and was virtually complete by June 1st. North Dakota growers finished up in early June, while seeding in Idaho and Montana lingered on until midmonth.

CORN: Corn planted for all purposes is estimated at 77.5 million acres; up 3 percent from the March Intentions, virtually unchanged from 1974 and 8 percent above 1973. All regions except the North Central showed increased plantings from last year. Acreage is down 1 percent in the North Central region while increases by region were: South Central, 9 percent; North Atlantic, 3 percent; Western, 2 percent; and the South Atlantic, 1 percent.

The 67.0 million acres intended for grain in 1975 are up 3 percent (1.8 million acres) from last year and 8 percent above 1973. If realized, this would be the largest acreage harvested for grain since 1960. Acreage estimated for grain is up 2 percent in the Corn Belt, 11 percent in the South Central region, 10 percent in the West and virtually unchanged in the North and South Atlantic regions. Planting in the Corn Belt State got off to a slow start but progressed well ahead of schedule after mid-May and by June 1 was 97 percent complete. This compares with the slow 1974 pace of 81 percent and normal of 89 percent. In three of the leading corn producing States (Iowa, Illinois and Ohio) planting was virtually completed by June 1. Nebraska, Indiana, Wisconsin and Kansas were 95 percent completed. All other North Central States had finished planting 90 percent or more of the intended acreage.

Planting progress was equal to or ahead of normal on June 1 in the South Atlantic and South Central States. Georgia experienced below normal planting progress due to frequent rains and some replanting was necessary. A cool, wet spring throughout the Western States delayed plantings and some acreage still remained to be planted at mid-June.

WHITE CORN: Growers in the 10 States surveyed planted 695,000 acres to white corn varieties, 5 percent above the 659,000 acres planted in 1974. The acreage intended for harvest as grain totals 651,000, up 7 percent from the 611,000 acres harvested in 1974. White corn acreage is included in the all-corn acreage estimates published in this report.

Growers in the 8 States for which comparable estimates are available for the past 3 years planted 497,000 acres in 1975, 2 percent above the 488,000 acres planted in 1974 but 4 percent below the 517,000 acres planted in 1973. White corn estimates in Nebraska and Ohio were discontinued after 1973 with Alabama and Georgia being added in 1974.

Acreage planted in Kentucky and Georgia, the Nation's leading white corn producing States, was unchanged from 1974. Increases in acreage are estimated for Tennessee, Alabama, Texas, Iowa, and Indiana while decreases are anticipated for Kansas, Illinois and Missouri.

SORGHUM: Sorghum planted for all purposes is estimated at 18.2 million acres, up 3 percent from 1974 but 5 percent below the 1973 acreage and 3 percent under the intentions of March 1. Texas, with 8.0 million acres, is up 7 percent from 1974. Kansas, the second largest sorghum State with 4.0 million acres, is off 2 percent from last year, and a 5 percent decrease is expected in Nebraska. The greatest percentage increase among major sorghum producing States occurred in Missouri with plantings estimated 12 percent above the 1974 acreage.

Producers expect to harvest 14.9 million acres of sorghum for grain, an increase of 7 percent from 1974 but 6 percent below 1973. Texas expects to harvest 6.8 million acres for grain, 13 percent more than 1974, but 2 percent less than 1973. Acreage harvested for grain in Kansas is expected to be 1 percent less than 1974, Nebraska 4 percent less, and Oklahoma expects to harvest 10 percent fewer acres. Other major States anticipate increased harvested acres as follows: Colorado, 13 percent; Missouri, 11 percent; and South Dakota, 7 percent.

Sorghum planting in the 7 major producing States was 85 percent complete in mid-June, ahead of last year's 81 percent and the normal pace of 84 percent. In Texas, planting was rapidly nearing completion in the High and Low Plains and Statewide was 95 percent finished. Kansas sorghum planting was 60 percent finished, while normally 70 percent has been planted by mid-June. Nebraska and South Dakota plantings started later than normal but by mid-June South Dakota was able to move ahead of normal to 93 percent complete and Nebraska finished about on time.

Rain and wet fields held back planting in the Southeast and Southwest.

OATS: Plantings last fall plus plantings this spring total a 1975 seeded acreage of 17.4 million acres, 4 percent below 1974 and 9 percent below 1973. Acreage for harvest is estimated at 13.9 million acres, 4 percent above 1974 but 1 percent less than 1973.

Spring seeding started late in the North Central States due to unfavorable planting conditions but, once able to get in the fields, farmers made rapid headway and seeding was completed near normal. Crop development to date is reported to be good reflecting this year's improved weather conditions.

Harvest is progressing about normal in the Southern States with Georgia more than three-fourths completed. In South Texas, harvest is rapidly nearing completion and is just getting underway in the High Plains.

BARLEY: Acreage planted last fall plus plantings this spring resulted in a 1975 crop of 9.6 million seeded acres, 5 percent above 1974 but 15 percent below 1973 and 6 percent below the 1975 acreage intentions indicated on March 1.

Acreage for harvest is estimated at 8.8 million acres, 6 percent above 1974 but 16 percent below 1973.

Spring planting in the major producing areas of the Dakotas, Minnesota, Montana and Idaho was delayed several weeks due to cool, wet weather and crop development is behind normal. Barley is heading in Idaho with the Dakotas and Montana crop mostly in the boot stage. Harvest is under way in California.

WHEAT: Seeded acres of all wheat is placed at 74.4 million acres, up 5 percent from last year and 26 percent above 1973. This is the largest wheat acreage since 1953 when nearly 79 million acres were seeded.

Acreage of all wheat for harvest is estimated at 69.0 million acres, up 5 percent from 1974 and 28 percent above 1973.

Growers seeded 55.8 million acres of winter wheat last fall, the largest acreage since the 1953 crop. This is 7 percent more than a year earlier and 29 percent above the 43.2 million acres seeded for the 1973 crop. Acreage is up in most major producing States. Exceptions are decreases for Colorado, Idaho and South Dakota and Illinois unchanged from a year earlier.

Acreage of winter wheat harvested and to be harvested for grain is estimated at 50.9 million acres, 8 percent above last year and 32 percent above 1973. Indicated 1975 acreage for grain at 91 percent of the acres planted compares with 90 percent last year and 89 in 1973.

Durum wheat acreage seeded is estimated at 4.6 million, up 13 percent from 1974 and 56 percent above 1973. All durum wheat producing States show increases over the previous year. North Dakota, accounting for 85 percent of the National durum wheat acreage, planted 12 percent more acres. Seeding of durum wheat in the major areas got off to a late start due to cool, wet weather, but made rapid progress during late May and was completed by early June.

Durum acreage expected to be harvested for grain at 4.5 million, is 13 percent above last year and 57 percent above 2 years ago.

Acreage seeded to spring wheat other than durum is estimated at 14.0 million, down 5 percent from last year but 9 percent above 1973. Growers seeded fewer acres in all major States except Minnesota, which was up 8 percent, and Idaho with no change. North Dakota, with nearly 45 percent of the U.S. plantings, is off 5 percent; South Dakota is off 1 percent; and Montana is down 17 percent. Seeding in the major areas got off to a slow start as cool damp weather delayed progress. Conditions improved in late May and by early June the crop was seeded. Growth and development of the spring wheat crop is behind normal, largely due to the late planting schedule and cool temperatures since the time of seeding over many of the major production areas.

Other spring wheat harvested acres are indicated at 13.6 million acres, 5 percent below last year but 9 percent above 1973.

RICE: Rice planted average is estimated at a record high 2.8 million acres, 7 percent above last year and 27 percent above the 1973 level. Acres for harvest is estimated at 2.7 million acres, also up 7 percent from 1974. Growers in Arkansas, Mississippi and Missouri seeded more acres than in 1974; Texas and Louisiana have fewer acres while California acreage is unchanged from a year earlier.

Planting in the Delta States was hampered by extended periods of wet weather, causing some growers to shift to medium and short season varieties for late plantings. The early crop in Texas got off to a slow start as cool wet weather delayed germination, causing some replanting along the Upper Gulf Coast. Plantings in Texas and California were virtually complete by the first week in June. By mid-June, growth in many California fields was well through the water.

RYE: Fall seeding of rye totaled 3.19 million acres, slightly less than the 1974 crop plantings of 3.20 million acres and the smallest seeded acreage since 1952. Acreage for harvest as grain is expected to total 800 thousand acres, the lowest of record, and 11 percent below the 897 thousand harvested in 1974. Reductions in acreage for harvest are indicated in major States as follows: South Dakota, 53 percent; Oklahoma, 20 percent; and Georgia, 4 percent. Partially offsetting these losses were gains of 32 percent in Minnesota, 9 percent in Nebraska, and 4 percent in North Dakota.

Soil moisture conditions last fall in the major North Central rye producing States were generally short at seeding time which delayed progress and restricted growth of early seedings. Generally good moisture supplies during spring and early summer in the North Central States have aided crop development. Stands in Minnesota and North Dakota are normal but lack of snowcover in South Dakota caused moderate winter kill resulting in spotty stands.

SOYBEANS: Soybean plantings are estimated at 54.6 millions acres, the second largest acreage of record. The 54.6 million planted acres represents a decline of 4 percent from the March Intentions Report of 56.6 million acres but is 2 percent more than the 1974 crop of 53.6 million acres. Growers intend to harvest 53.6 million acres for beans, 2 percent more than last year.

Planting progress in the North Central Region was earlier than both last year and average by June 1. Progress continued at a good pace during early June and remained ahead of normal with 90 percent in the ground by June 22. Planted acreage in the North Central States totals 33.8 million acres, down 4 percent from last year's 35.2 million acres. All North Central States show decreases except Nebraska and Missouri.

South Central States were plagued with flooding and wet fields at planting time. Consequently planting progress on June 1 was behind last year's late season and average, especially in Mississippi and Louisiana. Soybean acreage planted in the South Central States totals 15.2 million acres, an increase of 15 percent from the 1974 crop of 13.2 million acres. All States except Oklahoma register increases.

Soybean planting in the Atlantic States progressed near normal. Acreage totaled 5.6 million acres, 10 percent more than last year. All States in this region show increases except New York.

Nationally, survey data indicate about 7 percent of the 1975 soybean crop will be planted after another crop has been harvested. This is about the same level as last year and compares with 5 percent in 1973. Doublecropping of soybeans in the North Central States is indicated to be 4 percent, while other States average slightly more than 12 percent.

FLAXSEED: Flaxseed plantings in 1975 are estimated at 1.70 million acres, down 6 percent from the March Intentions Report and off 2 percent from last year. Acres for harvest at 1.63 million compares with 1.64 million in 1974 and 1.69 million in 1973.

Seeding in North Dakota, South Dakota, Minnesota, and Montana got underway unusually late this spring due to cold wet weather. However, once farmers were able to get into the fields, progress was rapid and seeding was completed near the normal date. In Texas, the flaxseed crop planted last fall had favorable moisture conditions and made good growth. Harvest started in April, and with rapid progress reached completion by the end of May.

PEANUTS: Peanut acreage planted for all purposes is estimated at 1.53 million acres, 1 percent more than 1974. Included are peanuts planted for nuts, hay, hogging off and other uses. Acreage expected to be harvested for nuts is estimated at 1.50 million acres, 2 percent more than last year.

Planted acreage in the Virginia-North Carolina area totaled 272,000 acres, unchanged from a year earlier. Below normal temperatures during the first half of May kept growers from planting because of likely poor germination. Temperatures after mid-May averaged above normal and planting progressed rapidly with most of the crop seed by early June. Planting in North Carolina also began slowly but advanced rapidly after mid-May and seeding was completed slightly ahead of normal.

Acreage planted in the five southern States is estimated at 815,000 acres, up 1 percent from a year earlier. Growers in Georgia, the leading peanut producing State, were delayed in their planting schedules by heavy rains in mid-April. However, the excellent moisture supplies have put the crop in very good condition. Fields are also in good condition in Alabama, Florida and South Carolina.

In the Southwest region acreage is set at 440,800 acres, 1 percent higher than in 1974. Planting of Texas' Cross-Timbers and Low Plains crops, following the small grains harvest, is on schedule and will increase as the grain harvest is completed. Early stands in south Texas are blooming and pegging. Planting of the Oklahoma crop is about 2 weeks behind normal following above normal rainfall during May and early June. In New Mexico, planting has been completed.

COTTON: Cotton planted in 1975 is estimated to total 10.2 million acres, up 3 percent from March intentions, but 26 percent below 1974. Upland cotton is estimated at 10.1 million acres while American-Pima is placed at 70,200 acres.

Oklahoma and Texas Upland growers expect plantings to reach 5.0 million acres, 5 percent more than was intended in March but 14 percent below 1974. Texas farmers planted some acreage to cotton which was earlier intended for sorghum. Rain delayed planting operations in Oklahoma and less than half the currently expected acreage was planted by June 1. Hail damage in Texas and rains in Oklahoma caused considerable replanting.

In the Delta States--Arkansas, Louisiana, Mississippi, Missouri, and Tennessee--planted acreage is set at 3.0 million acres, down 2 percent from March intentions and 35 percent below 1974. Rains delayed planting schedules but most of the planned acreage was seeded except in Louisiana where flooding reduced planted acreage from earlier expectations.

Upland cotton growers in Arizona, California, and New Mexico planted 1.3 million acres, 3 percent below March intentions and down 26 percent from 1974. Rains and cool weather delayed plantings, and considerable replanting was necessary in California.

In the Southeast--Alabama, Georgia, North Carolina, and South Carolina--estimated planted acreage at 885,000 acres, is 13 percent above the March intended acreage but 41 percent below 1974. Favorable weather conditions at planting time and an improved outlook stimulated more interest in cotton, especially in Alabama.

American-Pima growers planted 70,200 acres, 4 percent above their March intentions but 16 percent below 1974.

HAY: Acreage to be harvested for hay in 1975 is estimated at 61.5 million acres, an increase of nearly 2 percent from last year's 60.5 million acres. Estimated all hay acreage is up slightly or unchanged in most States. States recording the largest average increase from last year are, Missouri, Minnesota, Iowa, Illinois and Kentucky. The largest acreage decreases are expected in Texas, North Dakota, and Kansas.

Harvested acreage of alfalfa and alfalfa mixtures is estimated at 26.7 million acres, virtually the same as last year but 4 percent below the 1973 crop of 27.8 million acres harvested. Acreage of all other hay is estimated at 34.8 million acres, 3 percent more than last year and 1 percent more than the 1973 acreage.

DRY EDIBLE BEANS: Growers planted an estimated 1.53 million acres to dry edible beans this year, 7 percent less than a year ago. Acreage for harvest is set at 1.48 million acres, a 6 percent decline from the 1.57 million acres planted in 1974.

Planting has been later than normal this year as late spring weather was cool and wet in most areas. Both Michigan and New York growers got off to an early start but wet weather since early June delayed field activity and by mid-month planting schedules were behind normal. Warm and dry weather is needed in both States to complete planting. Most beans have been planted in Illinois and Indiana with good stands reported.

Cool wet spring weather delayed early planting in most other areas. Seeding progressed rapidly in North Dakota during late May and early June. Most of the Montana crop was planted by mid-month. Current moisture supplies are adequate for both States.

In Washington, some wind damaged fields were being reseeded. Early stands were doing well but cool weather slowed development of later plantings. Recent warm weather has been beneficial for crop development. Idaho stands were also in need of warmer temperatures. Some California beans are to be planted following the small grain harvest. Moisture supplies were reported adequate for Colorado's dryland areas--irrigation water supplies are also good. In Utah, cold spring weather slowed development.

DRY EDIBLE PEAS: Growers in Washington, Oregon and Idaho planted 171,500 acres of dry edible peas in 1975. This is 21 percent fewer than the 218,000 acres seeded in 1974. Washington, the leading pea producing state, reduced acreage by 14 percent from 122,000 to 105,000 acres. Idaho acreage decreased from 1974 by 30 percent while Oregon plantings are off 42 percent.

Planting in Washington was generally completed by June 1, however, the cool wet weather prevented or delayed early season planting. The crop is about one month behind in development but is now doing well with higher temperatures. Idaho was also plagued by cold wet weather which caused delay in seed bed preparation. In Oregon, conditions were normal and the recent warm weather has been beneficial for growth. Moisture supplies are good in all areas.

POTATOES: Planted acreage of summer potatoes, at 122,900 acres is 9 percent below the 1974 summer planting of 135,100 acres. Estimated acreage for harvest in 1975 at 119,800 acres, is also 9 percent below the 132,100 acres harvested in 1974.

New Jersey fields generally show good stands and vine growth. Early harvest is expected to get underway by mid-July. Wet weather caused some planting problems in Virginia, West Virginia and North Carolina.

The Michigan and Minnesota potato crops are progressing satisfactorily. Indiana and Ohio growing conditions are good with an ample moisture supply.

Wet weather delayed some plantings in Tennessee and reduced stands in Alabama. Growing conditions since planting have been good and harvest is now underway in Alabama and Mississippi.

Light digging will begin in the Texas High Plains in early July with the heaviest movement expected in late July and August. Colorado potatoes are in good condition and good yields are expected. The California crop is late in some districts because of a cold, wet spring.

SWEETPOTATOES: The 1975 planted acreage of sweetpotatoes is estimated at 126,500 acres, up 2 percent from the 1974 total of 123,600. Harvested acreage is expected to be 123,200 acres, 3 percent above the 119,700 acres harvested in 1974.

In New Jersey, transplanting is essentially complete and growing conditions are good. Georgia's sweetpotato planting was delayed by rains and current stands vary considerably in condition. South Carolina and Mississippi transplantings are near completion.

Heavy rains in East Texas resulted in some fields not being planted; however, existing stands are in good condition.

In California, planting was completed in June. Cold weather and wind damage produced uneven stands. Yield prospects have been reduced.

TOBACCO: Acreage of all tobacco in 1975 is estimated at 1.1 million acres, up 13 percent from the acreage harvested in 1974. The larger acreage reflects increases in type of tobacco as follows: flue-cured, 16 percent; burley, 7 percent; dark air-cured, 9 percent; fire-cured, 10 percent; cigar binder, 6 percent. Partially offsetting are acreage declines of 16 percent for cigar wrapper, 4 percent for Southern Maryland, and 5 percent for cigar filler.

Flue-cured crop in 1975 is expected to be harvested from 717,600 acres, 16 percent above the 616,330 acres harvested a year earlier. All States producing this type of tobacco transplanted larger acreages with increases ranging from 4 percent to 22 percent. Unfavorable weather interrupted seed bed preparation in several States. In Virginia, many beds were reseeded, which delayed transplanting. Heavy rains also hampered setting of the crop in South Carolina and Georgia.

Burley growers expect to harvest 279,800 acres, 7 percent more than the 261,250 acres grown in 1974. All burley States plan to harvest more acreage in 1975, with the largest producing States, Kentucky and Tennessee, increasing acreage 7 percent and 8 percent respectively. Transplanting of the crop in Kentucky was later than a year earlier but plants have made normal growth.

Fire-cured acreage, at 23,300 acres, is 10 percent above the 21,190 acres harvested in 1974. Acreages for all types (21-23) are higher than a year earlier.

Southern Maryland tobacco acreage totaled 23,000 acres, down 4 percent from the 1974 acreage of 24,000 acres.

Dark air-cured producers indicate acreage would total 8,400 acres, up 9 percent from the 7,680 acres last year, which was the smallest acreage of record. Type 35 growers will utilize 11 percent more acreage, type 36--up 7 percent and 3 percent more for type 37.

The Cigar filler crop in 1975 expects 14,300 harvested acres, a record low and 5 percent below the 1974 acreage harvested.

Cigar binder producers plan to harvest 11,460 acres, a gain of 6 percent from a year earlier. All the increase in acreage is expected in Wisconsin types 54 and 55.

Cigar wrapper tobacco is estimated at a record low 5,570 acres for harvest, 16 percent below 1974 acreage. Both types 61 and 62 are at a lower level with type 61 declining 7 percent and type 62 down 39 percent.

SUGARBEETS: Planted acreage of sugarbeets is estimated at 1.6 million acres, up 27 percent from a year earlier and the largest acreage planted since 1969. All States except North Dakota indicate a substantial increase in acreage. Planting changes from last year in the larger producing States were as follows: California, up 41 percent; Minnesota, up 20 percent; Idaho, up 81 percent; and Colorado, up 27 percent. North Dakota growers reduced acreage 4 percent following a sharp increase in 1974. Acreage of sugarbeets for harvest is estimated at 1.5 million acres, 27 percent above the 1974 total.

Sugarbeet plantings in many States were later than normal and behind a year earlier because of cold weather and wet soils. In Michigan, only about 12 percent of the acreage had been planted by May 3, compared with 75 percent in 1974 and the normal of 45 percent. Montana producers had planted 5 percent of their crop by May 5, while the 1974 crop was 45 percent complete on this date. Plantings were complete in most of the States by mid-May or early June. Frost in late May resulted in some replanting in Idaho. Considerable replanting was also necessary in Renville County, Minnesota due to heavy rains and hail. Favorable conditions in Ohio resulted in plantings being completed earlier than normal with good stands obtained. The crop is currently making satisfactory progress; even though many growers had difficulty planting their crop.

SUGARCANE FOR SUGAR AND SEED: Acreage of sugarcane for harvest in 1975 is estimated at 774,800 acres, 6 percent above the 732,800 acres harvested in 1974. All States except Louisiana plan to harvest more acreage in 1975. Growers in Hawaii expect an 11 percent increase over a year earlier when a strike reduced acreage harvested. In Florida acreage is expected to be 9 percent larger than in 1974. Texas producers anticipate a 25 percent gain in acreage.

Favorable weather has resulted in good growth of the crop but irrigation is currently required to maintain the Texas crop.

CROP ACREAGES, UNITED STATES, 1966-75

YEAR	CORN			SORGHUM		
	ALL	HARVESTED		ALL	HARVESTED	
	PLANTED	HARVESTED	FOR GRAIN	PLANTED	HARVESTED	FOR GRAIN
1,000 ACRES						
1966	66,347	65,867	57,002	16,372	15,966	12,813
1967	71,156	70,034	60,694	18,945	18,351	14,988
1968	65,126	64,605	55,980	17,793	17,302	13,890
1969	64,264	63,063	54,574	17,231	16,835	13,437
1970	66,849	66,077	57,358	16,957	16,476	13,568
1971	74,055	73,523	64,047	20,756	20,026	16,301
1972	66,972	66,237	57,421	17,295	16,728	13,368
1973	71,912	71,396	61,894	19,231	18,851	15,853
1974	77,746	76,657	65,194	17,733	16,834	13,917
1975	77,527	76,750	66,953	18,230	17,680	14,857
OATS						
OATS			BARLEY			FEED
PLANTED	HARVESTED	PLANTED	HARVESTED	HARVESTED	GRAINS	
1,000 ACRES						
1966	23,343	17,877	11,184	10,250	97,942	
1967	20,719	16,110	10,077	9,230	101,022	
1968	23,342	17,708	10,486	9,732	97,310	
1969	23,561	17,971	10,291	9,557	95,539	
1970	24,469	18,638	10,490	9,725	99,289	
1971	21,956	15,772	11,115	10,151	106,271	
1972	20,178	13,525	10,639	9,707	94,021	
1973	19,147	14,065	11,229	10,452	102,264	
1974	18,100	13,325	9,117	8,281	100,717	
1975	17,379	13,882	9,557	8,814	104,506	
WHEAT						
ALL	WINTER	DURUM		OTHER SPRING		
HARVESTED	HARVESTED	PLANTED	HARVESTED	PLANTED	HARVESTED	
1,000 ACRES						
1966	49,613	38,616	2,491	2,423	8,868	8,574
1967	58,353	45,039	2,826	2,754	10,789	10,560
1968	54,765	41,929	3,715	3,621	9,478	9,215
1969	47,146	36,303	3,466	3,420	7,646	7,423
1970	43,564	32,702	2,167	2,105	8,949	8,757
1971	47,674	32,359	2,943	2,864	12,807	12,451
1972	47,284	34,840	2,592	2,550	10,138	9,894
1973	53,869	38,474	2,952	2,884	12,794	12,511
1974	65,459	47,117	4,074	3,999	14,688	14,343
1975	69,029	50,876	4,599	4,514	13,959	13,639
RICE						
RICE		RYE	FOOD GRAINS	SOYBEANS		
PLANTED	HARVESTED	HARVESTED	HARVESTED <u>2/</u>	PLANTED	HARVESTED	
1,000 ACRES						
1966	1,980.3	1,967.2	1,276	52,856	37,294	36,546
1967	1,982.2	1,970.1	1,063	61,386	40,819	39,805
1968	2,366.6	2,353.4	996	58,114	42,265	41,391
1969	2,140.6	2,128.4	1,291	50,565	42,534	41,337
1970	1,825.8	1,814.7	1,427	46,806	43,082	42,249
1971	1,826.0	1,817.9	1,754	51,246	43,472	42,701
1972	1,824.0	1,817.9	1,084	50,186	46,885	45,698
1973	2,181.3	2,170.2	1,033	57,072	56,675	55,796
1974	2,588.0	2,569.0	897	68,925	53,580	52,460
1975	2,765.0	2,747.5	800	72,577	54,586	53,590

SEE FOOTNOTES ON PAGE B-2.

CROP ACREAGES, UNITED STATES, 1966-75 - CONTINUED

YEAR	FLAXSEED		PEANUTS		POPCORN		
	PLANTED	HARVESTED	PLANTED	HARVESTED FOR NUTS	PLANTED	HARVESTED	
1,000 ACRES							
1966	2,679	2,576	1,490.1	1,420.7	218.1	207.1	
1967	2,061	1,975	1,473.8	1,403.5	182.5	161.9	
1968	2,177	2,092	1,495.9	1,438.4	197.6	185.3	
1969	2,661	2,605	1,512.1	1,455.7	192.0	182.6	
1970	2,963	2,848	1,515.3	1,467.0	147.3	136.5	
1971	1,627	1,545	1,528.9	1,454.5	178.9	173.7	
1972	1,191	1,151	1,532.8	1,486.4	174.1	157.0	
1973	1,742	1,692	1,530.2	1,495.7	154.3	148.8	
1974	1,739	1,645	1,519.6	1,472.1	198.5	188.7	
1975	1,696	1,626	1,527.8	1,495.2	226.8	220.0	
1,000 ACRES							
	COTTON		ALL HAY	DRY EDIBLE BEANS	DRY EDIBLE PEAS		
	PLANTED	HARVESTED	HARVESTED	PLANTED	HARVESTED	PLANTED	HARVESTED
1,000 ACRES							
1966	10,349.4	9,552.6	64,356	1,521	1,486	184	175
1967	9,449.6	7,997.3	63,303	1,283	1,205	185	176
1968	10,912.9	10,159.3	60,922	1,473	1,424	191	181
1969	11,882.5	11,051.1	59,716	1,519	1,469	242	232
1970	11,945.2	11,155.0	61,492	1,503	1,409	279.9	256.9
1971	12,354.9	11,470.9	61,405	1,358	1,316	213.7	202.7
1972	14,001.3	12,983.8	59,821	1,487	1,402	148.0	135.1
1973	12,479.7	11,970.2	62,099	1,394.7	1,367.7	146.6	136.4
1974	13,729.4	12,546.6	60,546	1,647.4	1,569.7	220.0	213.0
1975	10,205.3		61,502	1,531.5	1,477.9	171.5	165.5
1,000 ACRES							
	POTATOES			SWEETPOTATOES			
	PLANTED	HARVESTED		PLANTED	HARVESTED		
1,000 ACRES							
1966	1,497.6		1,462.6	158.6		154.4	
1967	1,499.1		1,459.9	144.1		139.5	
1968	1,414.5		1,383.3	142.5		135.2	
1969	1,457.6		1,415.5	142.2		136.9	
1970	1,449.9		1,421.3	133.0		127.8	
1971	1,432.4		1,391.3	119.6		113.6	
1972	1,300.3		1,253.8	116.8		114.4	
1973	1,328.1		1,304.6	117.7		113.2	
1974	1,410.9		1,374.3	123.6		119.7	
1975	3/1,317.3			126.5		123.2	
1,000 ACRES							
	ALL TOBACCO	SUGARBEETS	SUGARCANE FOR SUGAR & SEED	PRINCIPAL CROPS			
	HARVESTED	PLANTED	HARVESTED	HARVESTED	PLANTED 4/	HARVESTED 5/	
1,000 ACRES							
1966	971.9	1,240.1	1,161.1	625.2	293,062	283,511	
1967	959.8	1,197.2	1,122.1	627.6	305,781	295,447	
1968	879.3	1,476.1	1,410.1	605.8	299,384	289,668	
1969	918.3	1,647.1	1,540.5	535.6	291,153	280,586	
1970	898.3	1,482.9	1,418.6	583.9	293,312	283,185	
1971	837.6	1,406.3	1,341.9	648.1	306,153	295,319	
1972	842.4	1,419.7	1,328.7	701.8	295,183	283,458	
1973	886.6	1,280.1	1,217.5	741.0	319,528	310,805	
1974	963.1	1,251.5	1,212.6	732.8	329,722	319,066	
1975	1,083.6	1,591.9	1,541.8	774.8	332,033	324,056	

1/ CORN FOR GRAIN, OATS, BARLEY AND SORGHUM GRAIN. 2/ WHEAT, RYE AND RICE. 3/ INCLUDES WINTER, SPRING AND SUMMER ESTIMATES AND INTENTIONS FOR FALL CROP. 4/ CROP ACREAGES INCLUDED ARE PLANTED FOR CORN, SORGHUM, OATS, BARLEY, DURUM AND OTHER SPRING WHEAT, RICE, SOYBEANS, FLAXSEED, PEANUTS, POPCORN, COTTON, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES (INCLUDED INTENDED PLANTINGS FOR FALL CROP) SWEET-POTATOES, AND SUGARBEETS; HARVESTED ACREAGE FOR WINTER WHEAT, RYE, ALL HAY, TOBACCO, AND SUGARCANE. 5/ CROP ACREAGES INCLUDED ARE CORN, SORGHUM, OATS, BARLEY, WHEAT, RICE, RYE, SOYBEANS, FLAXSEED, PEANUTS, POPCORN, COTTON, (CURRENT YEAR HARVESTED ACREAGE ALLOWANCES FOR COTTON AND POTATOES ARE DERIVED BY SUBTRACTING AVERAGE ABANDONMENT FROM COTTON PLANTED ACREAGE AND INTENDED FALL POTATO ACREAGE), ALL HAY, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES, SWEETPOTATOES, TOBACCO, SUGARCANE, AND SUGARBEETS.

ALL CORN

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ALA	694	715	750	610	650	680
ARIZ	23	21	22	9	10	12
ARK	34	36	50	21	23	35
CALIF	412	416	420	235	241	250
COLO	763	760	800	438	460	520
CONN	50	50	52			
DEL	200	204	204	186	194	192
FLA	400	452	464	340	398	405
GA	1,840	2,000	2,020	1,670	1,880	1,900
IDAHO	110	100	103	28	28	30
ILL	4,830	10,520	11,000	9,530	10,010	10,650
IND	5,400	5,760	5,850	5,240	5,460	5,600
IOWA	11,970	12,920	12,950	11,280	11,850	12,100
KANS	1,900	2,260	1,950	1,540	1,730	1,560
KY	1,160	1,290	1,330	1,010	1,120	1,160
LA	85	95	90	65	72	62
MAINE	37	40	44			
MD	600	630	645	500	535	550
MASS	35	35	36			
MICH	2,100	2,310	2,300	1,690	1,810	1,820
MINN	6,200	6,940	6,800	5,520	5,900	5,920
MISS	200	205	195	148	144	140
MO	2,800	3,110	3,000	2,600	2,710	2,750
MONT	92	99	90	11	13	11
NERR	6,480	6,800	6,480	5,900	5,600	5,850
NEV	3	3	3			
N H	19	19	20			
N J	120	127	131	75	87	90
N MEX	60	70	75	25	35	55
N Y	1,000	1,100	1,130	360	440	450
N C	1,550	1,720	1,700	1,400	1,570	1,550
N DAK	544	533	500	180	149	150
OHIO	3,300	3,950	3,750	3,040	3,650	3,500
OKLA	128	124	120	87	91	85
OREG	43	42	45	9	9	11
PA	1,490	1,530	1,550	1,040	1,100	1,080
R I	4	4	4			
S C	500	600	620	430	539	545
S DAK	3,870	3,800	3,570	2,710	2,330	2,520
TENN	720	760	780	533	570	585
TEX	750	900	1,200	640	800	1,100
UTAH	90	95	100	13	14	15
VT	88	88	94			
VA	734	750	745	550	570	550
WASH	112	95	80	53	43	32
W VA	100	107	104	63	66	64
WIS	3,200	3,490	3,500	2,090	2,270	2,350
WYO	72	71	71	25	23	24
U S	71,912	77,746	77,527	61,894	65,194	66,953

WHITE CORN 1/

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ALA		46	73		40	70
GA		125	125		112	112
ILL	50	50	45	49	49	44
IND	43	40	42	41	37	40
IOWA	23	15	20	22	13	19
KANS	60	47	46	59	45	44
KY	125	130	130	120	124	126
MO	65	70	55	64	67	53
NEBR	17			16		
OHIO	4			3		
TENN	101	91	99	90	81	88
TEX	50	45	60	45	43	55
8 COMP STATES	517	488	497	490	459	469
10 STS	538	659	659	509	611	651

1/ INCLUDED IN "ALL CORN": NEBRASKA AND OHIO INCLUDED IN 10-STATE TOTAL IN 1973, WERE REPLACED BY ALABAMA AND GEORGIA IN 1974 AND 1975.

ALL SORGHUM

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ALA	65	70	80	31	33	40
ARIZ	150	160	180	140	147	165
ARK	189	175	230	149	140	200
CALIF	312	234	255	287	205	230
COLO	480	480	560	285	265	300
GA	60	65	70	34	35	40
ILL	77	120	100	60	72	78
IND	40	31	26	25	18	14
IOWA	36	34	40	22	19	24
KANS	4,650	4,100	4,000	3,900	3,320	3,300
KY	30	42	36	17	26	20
LA	40	42	50	26	30	36
MISS	85	85	80	30	41	30
MO	500	520	580	440	440	490
NEBR	2,220	2,220	2,100	2,000	1,950	1,880
N MEX	403	343	353	363	220	299
N C	110	100	100	74	70	70
OKLA	1,160	930	865	695	600	540
S C	31	32	27	15	15	13
S DAK	400	370	410	262	225	240
TENN	62	52	62	33	31	37
TEX	8,100	7,500	8,000	6,950	6,000	6,800
VA	31	28	26	14	14	11
U S	19,231	17,733	18,230	15,853	13,917	14,857

OATS

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN INDICATED		
	1973	1974	1975	1973	1974	1975
	1,000 ACRES					
ALA	24	100	110	20	24	33
ARK	110	110	100	67	74	60
CALIF	346	344	365	110	100	107
COLO	130	136	130	46	50	60
FLA	32	33	31	11	12	13
GA	148	230	240	70	95	95
IDAHO	81	81	85	60	57	64
ILL	550	540	570	430	480	500
IND	359	275	320	261	215	235
IOWA	1,850	1,900	1,950	1,325	1,600	1,750
KANS	140	300	170	100	240	135
KY	50	42	35	12	10	10
LA	24	24	20	8	11	8
MAINE	44	45	49	34	40	42
MD	31	31	28	26	26	23
MICH	350	370	375	330	350	355
MINN	2,690	2,150	2,100	2,550	2,020	1,970
MISS	70	80	85	20	20	27
MO	90	250	190	41	140	105
MONT	510	420	400	270	245	260
NEBR	545	690	690	430	560	590
NEV	8	8	10	2	2	3
N J	9	10	11	6	7	7
N Y	370	390	405	325	360	360
N C	150	170	165	75	90	85
N DAK	2,120	1,670	1,540	1,800	1,400	1,430
OHIO	600	530	540	540	490	500
OKLA	350	320	280	194	140	130
OREG	140	125	140	90	75	84
PA	405	420	405	375	395	385
S C	150	160	150	68	77	72
S DAK	2,480	2,430	2,500	2,140	2,020	2,250
TFNN	120	123	120	29	30	28
TEX	2,100	1,800	1,300	650	300	550
UTAH	23	21	22	14	12	13
VA	90	85	85	46	42	42
WASH	112	125	115	50	54	55
W VA	30	22	30	18	17	22
WIS	1,500	1,470	1,450	1,370	1,400	1,380
WYO	76	70	68	52	45	44
U S	19,147	18,100	17,379	14,065	13,325	13,882

BARLEY

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ARIZ	145	120	130	120	100	115
CALIF	1,070	1,020	1,220	940	877	1,040
COLO	289	262	280	268	210	245
DEL	29	30	31	22	22	23
GA	15	12	10	14	9	8
IDAHO	835	720	760	820	695	735
ILL	18	18	15	14	15	13
IND	13	13	12	11	12	11
KANS	90	60	50	80	50	45
KY	67	60	48	55	48	38
MD	110	110	113	96	100	102
MICH	24	21	23	23	20	22
MINN	903	804	950	894	778	920
MO	17	16	12	13	11	10
MONT	2,100	1,400	1,360	2,000	1,280	1,270
NEBR	34	33	38	30	30	34
NEV	18	16	16	15	14	14
N J	39	40	40	17	19	20
N MEX	35	28	36	26	20	30
N Y	13	13	13	12	12	12
N C	74	70	70	62	60	60
N DAK	2,860	2,200	2,220	2,770	2,090	2,150
OHIO	15	15	15	12	13	13
OKLA	270	150	110	235	120	90
OREG	270	225	210	230	200	180
PA	172	170	170	155	158	158
S C	29	30	25	24	24	21
S DAK	671	560	560	631	512	525
TENN	29	28	26	14	15	13
TEX	150	90	110	90	50	85
UTAH	147	144	144	135	131	131
VA	117	125	123	98	105	104
WASH	380	335	420	365	320	400
W VA	11	11	11	10	10	10
WIS	22	20	34	21	19	32
WYO	148	148	152	130	132	135
U S	11,229	9,117	9,557	10,452	8,281	8,814

WINTER WHEAT

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ALA	140	185	185	88	130	130
ARIZ	236	250	325	216	235	310
ARK	305	470	630	217	400	490
CALIF	625	813	1,060	570	747	986
COLO	2,520	2,800	2,730	2,400	2,630	2,050
DEL	29	35	37	26	32	34
FLA	55	52	40	30	30	20
GA	165	215	160	120	160	130
IDAHO	900	1,060	990	780	970	880
ILL	1,390	1,850	1,850	1,300	1,790	1,800
IND	740	1,440	1,560	703	1,390	1,500
IOWA	40	44	64	34	41	60
KANS	10,800	12,000	12,500	10,400	11,600	11,900
KY	241	460	450	164	390	332
LA	60	80	70	18	30	25
MD	125	158	170	116	148	156
MICH	585	950	1,030	568	940	1,000
MINN	36	44	62	32	40	52
MISS	135	195	231	100	162	185
MO	980	1,450	1,660	850	1,310	1,500
MONT	2,200	2,750	3,100	2,080	2,650	3,000
NEBR	2,800	3,000	3,150	2,680	2,900	2,980
NEV	9	11	12	8	10	11
N J	50	60	63	38	54	61
N MEX	390	429	463	289	162	382
N Y	151	220	200	140	210	190
N C	230	325	360	180	290	310
N DAK	80	130	130	73	116	116
OHIO	755	1,580	1,820	720	1,540	1,770
OKLA	6,000	7,000	7,400	5,260	6,400	6,750
OREG	1,020	1,120	1,150	940	1,080	1,110
PA	276	350	360	264	350	340
S C	120	180	190	101	158	166
S DAK	793	990	950	666	900	810
TFENN	207	395	405	144	325	300
TEX	4,600	5,600	6,500	3,400	3,300	5,500
UTAH	235	259	250	207	243	233
VA	195	300	330	175	275	285
WASH	2,730	2,800	2,850	2,120	2,660	2,700
W VA	17	21	21	12	17	17
WIS	17	61	70	16	57	65
WYO	250	265	270	229	245	240
U S	43,232	52,407	55,848	38,474	47,117	50,876

DURUM WHEAT

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
CALIF	2	3	4	2	3	4
MINN	60	86	105	58	84	102
MONT	185	270	340	182	267	335
N DAK	2,590	3,500	3,910	2,530	3,440	3,840
S DAK	115	215	240	112	205	233
U S	2,952	4,074	4,599	2,884	3,999	4,514

SPRING WHEAT OTHER THAN DURUM

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
COLO	24	36	30	19	24	21
IDAHO	300	490	490	295	470	470
MINN	1,960	2,730	2,950	1,920	2,670	2,890
MONT	1,850	2,000	1,650	1,790	1,940	1,600
NEV	7	9	10	6	8	9
N DAK	6,270	6,580	6,220	6,170	6,480	6,130
OREG	80	158	110	72	150	100
S DAK	1,610	2,100	2,070	1,570	2,040	2,010
UTAH	50	60	52	47	52	46
WASH	615	480	330	500	470	320
WIS	12	22	22	11	21	21
WYO	16	23	25	11	18	22
U S	12,794	14,688	13,959	12,511	14,343	13,639

RICE

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ARK	534.0	750.0	900.0	533.0	745.0	895.0
CALIF	403.0	470.0	470.0	401.0	467.0	467.0
LA	624.0	674.0	652.0	620.0	673.0	650.0
MISS	62.0	114.0	170.0	62.0	108.0	165.0
MO	5.3	15.0	18.0	5.2	14.0	17.5
TEX	553.0	565.0	555.0	549.0	562.0	553.0
U S	2,181.3	2,588.0	2,765.0	2,170.2	2,569.0	2,747.5

RYE

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR GRAIN		
	1973	1974	1975	1973	1974	INDICATED 1975
1,000 ACRES						
COLO	71	35	21	15	6	2
DFL	52	50	54	9	9	9
GA	446	400	480	115	115	110
ILL	85	83	78	21	19	17
IND	55	51	48	13	9	14
IOWA	16	22	25	4	5	6
KANS	155	100	100	40	20	15
KY	35	50	60	2	3	3
MD	74	80	80	12	11	11
MICH	165	150	165	33	25	24
MINN	100	80	100	90	72	95
MO	106	80	85	14	10	9
NEBR	186	130	130	78	55	60
N J	71	75	77	8	9	8
N Y	130	130	127	16	13	12
N C	115	115	125	20	20	20
N DAK	116	116	135	103	106	110
OHIO	50	80	90	8	6	7
OKLA	315	280	210	62	45	36
OREG	60	60	58	9	10	11
PA	79	85	85	15	16	16
S C	142	130	130	34	39	33
S DAK	260	229	140	234	202	95
TFNN	27	30	24	2	3	3
TEX	350	250	250	35	25	33
VA	200	200	205	15	16	15
WASH	32	50	40	8	10	8
WIS	23	35	40	9	10	10
WYO	25	24	24	9	8	8
U S	3,545	3,200	3,186	1,033	897	800

FLAXSEED

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED		
	1973	1974	1975	1973	1974	INDICATED 1975
1,000 ACRES						
MINN	235	280	286	231	275	281
MONT	15	23	15	13	19	14
N DAK	963	876	815	933	820	787
S DAK	520	520	480	507	497	474
TEX	9	40	100	8	34	70
U S	1,742	1,739	1,696	1,692	1,645	1,626

SOYBEANS

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR BEANS		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ALA	1,000	1,050	1,350	970	1,020	1,320
ARK	4,700	4,400	4,750	4,650	4,300	4,650
DEL	180	190	194	178	185	190
FLA	262	285	305	254	279	298
GA	970	1,030	1,290	950	1,010	1,260
ILL	9,000	8,600	8,160	8,930	8,470	8,100
IND	4,310	3,960	3,600	4,290	3,910	3,580
IOWA	7,800	7,200	7,000	7,750	7,110	6,950
KANS	1,240	1,070	1,050	1,200	1,030	1,020
KY	1,180	1,200	1,250	1,140	1,170	1,200
LA	1,620	1,800	2,100	1,580	1,760	2,050
MD	278	278	285	275	275	281
MICH	700	640	615	693	630	600
MINN	4,420	4,080	3,720	4,390	4,040	3,690
MISS	2,830	2,630	3,300	2,750	2,525	3,200
MO	4,800	4,450	4,500	4,700	4,350	4,400
NEBR	1,230	1,210	1,250	1,210	1,190	1,230
N J	70	74	78	67	72	76
N Y	11	11	10	11	11	10
N C	1,500	1,475	1,500	1,450	1,420	1,450
N DAK	220	182	180	218	179	177
OHIO	3,620	3,230	3,150	3,590	3,190	3,120
OKLA	210	230	230	200	219	220
PA	58	47	53	55	44	49
S C	1,300	1,290	1,450	1,250	1,250	1,400
S DAK	400	396	340	396	393	334
TENN	1,640	1,620	1,850	1,570	1,520	1,750
TEX	450	275	365	425	261	350
VA	430	447	451	413	430	430
WIS	246	230	210	241	217	205
U S	56,675	53,580	54,586	55,796	52,460	53,590

PEANUTS

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED FOR NUTS		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ALA	204.0	204.0	206.0	200.0	201.0	202.0
FLA	68.0	66.0	63.0	55.0	55.0	55.0
GA	520.0	519.0	521.0	512.0	516.0	515.0
MISS	9.5	5.0	9.0	9.5	5.0	9.0
N MEX	7.8	7.7	8.8	7.7	7.6	8.7
N C	168.0	168.0	168.0	166.0	166.0	166.0
OKLA	123.0	121.0	122.0	118.0	114.0	116.0
S C	15.9	15.9	16.0	15.5	15.5	15.5
TEX	311.0	309.0	310.0	309.0	288.0	304.0
VA	103.0	104.0	104.0	103.0	104.0	104.0
U S	1,530.2	1,519.6	1,527.8	1,495.7	1,472.1	1,495.2

COTTON

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED		
	1973	1974	1975	1973	1974	INDICATED 1975 1/
1,000 ACRES						
<u>UPLAND</u>						
ALA	525.0	600.0	475.0	510.0	585.0	
ARIZ	276.0	392.0	280.0	276.0	392.0	
ARK	1,045.0	1,200.0	800.0	975.0	1,130.0	
CALIF	950.0	1,250.0	925.0	942.0	1,238.0	
FLA	12.6	12.5	7.0	11.5	12.1	
GA	386.0	423.0	210.0	375.0	410.0	
ILL	0	.8	0	0	.5	
KY	.9	5.1	.8	.3	4.5	
LA	530.0	650.0	330.0	520.0	635.0	
MISS	1,370.0	1,780.0	1,200.0	1,340.0	1,710.0	
MO	241.0	400.0	260.0	173.0	310.0	
NEV	1.9	1.8	1.3	1.9	1.7	
N MEX	131.0	151.0	115.0	127.0	140.0	
N C	186.0	158.0	60.0	173.0	145.0	
OKLA	547.0	570.0	420.0	526.0	547.0	
S C	330.0	310.0	140.0	294.0	292.0	
TENN	460.0	540.0	360.0	440.0	510.0	
TEX	5,400.0	5,200.0	4,550.0	5,200.0	4,400.0	
VA	2.7	1.7	1.0	2.4	1.5	
U.S. UPLAND	12,395.1	13,645.9	10,135.1	11,887.1	12,464.3	
<u>AMER-PIMA</u>						
ARIZ	34.0	34.7	30.0	34.0	34.7	
CALIF	.2	.3	.2	.2	.3	
N MEX	18.7	14.6	13.0	17.7	14.5	
TEX	31.7	33.9	27.0	31.2	32.8	
U.S. AMER-PIMA	84.6	83.5	70.2	83.1	82.3	
U.S. ALL COTTON	12,479.7	13,729.4	10,205.3	11,970.2	12,546.6	

1/ ESTIMATES TO BE RELEASED AUGUST 11, 1975.

DRY EDIBLE PEAS 1/

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED		
	1973	1974	1975	1973	1974	INDICATED 1975
1,000 ACRES						
IDAHO	50.0	90.0	63.0	48.0	89.0	62.0
MINN 2/	8.0	2.0		4.0	1.0	
OREG	3.6	6.0	3.5	3.4	6.0	3.5
WASH	85.0	122.0	105.0	81.0	117.0	100.0
U S	146.6	220.0	171.5	136.4	213.0	165.5

1/ EXCLUDES BOTH WRINKLED SEED PEAS AND AUSTRIAN WINTER PEAS.

2/ DISCONTINUED AFTER 1974.

HAY

STATE	ALL HAY			ALFALFA AND ALFALFA MIXTURE			ALL OTHER		
	ACREAGE HARVESTED			ACREAGE HARVESTED			ACREAGE HARVESTED		
	1973	1974	INDICATED: 1975	1973	1974	INDICATED: 1975	1973	1974	INDICATED: 1975
1,000 ACRES									
ALA	543	580	600				543	580	600
ARIZ	260	255	255	219	215	215	41	40	40
ARK	855	700	725	65	50	60	790	650	665
CALIF	1,725	1,670	1,650	1,190	1,150	1,120	535	520	530
COLO	1,532	1,450	1,450	798	760	765	734	690	685
CONN	91	95	95	21	24	24	70	71	71
DEL	25	24	23	7	7	7	18	17	16
FLA	188	197	207				188	197	207
GA	466	455	460				466	455	460
IDAHO	1,400	1,335	1,330	1,110	1,050	1,030	290	285	300
ILL	1,180	1,180	1,270	780	700	700	400	480	570
IND	886	895	890	410	395	400	476	500	490
IOWA	2,480	2,260	2,370	1,940	1,720	1,770	540	540	600
KANS	2,450	2,320	2,280	1,210	1,070	980	1,240	1,250	1,300
KY	1,538	1,497	1,580	188	197	180	1,350	1,300	1,400
LA	360	355	351	12	10	11	348	345	340
MAINE	215	218	214	18	18	19	197	200	195
MD	256	251	248	66	67	69	190	184	179
MASS	112	112	112	28	29	30	84	83	82
MICH	1,360	1,240	1,270	1,080	1,000	1,000	280	240	270
MINN	3,150	3,060	3,210	2,210	2,080	2,200	940	980	1,010
MISS	650	643	633	14	13	13	636	630	620
MO	3,250	3,200	3,400	650	530	500	2,600	2,670	2,900
MONT	2,450	2,390	2,380	1,220	1,220	1,220	1,230	1,170	1,160
NEBR	4,050	3,990	4,050	1,770	1,740	1,730	2,280	2,250	2,320
NEV	443	445	449	175	180	176	268	265	273
N H	88	88	90	20	19	19	68	69	71
N J	124	119	119	56	55	55	68	64	64
N MEX	276	265	272	205	197	201	71	68	71
N Y	2,295	2,275	2,300	945	925	950	1,350	1,350	1,350
N C	325	325	325	13	13	13	312	312	312
N DAK	3,660	3,700	3,660	1,580	1,600	1,560	2,080	2,100	2,100
OHIO	1,540	1,435	1,500	470	470	510	1,070	965	990
OKLA	1,710	1,580	1,650	580	530	550	1,130	1,050	1,100
OREG	1,029	1,070	1,070	407	420	420	622	650	650
PA	1,942	1,947	1,970	812	812	820	1,130	1,135	1,150
R I	9	9	9	3	3	3	6	6	6
S C	225	220	215				225	220	215
S DAK	4,650	4,620	4,670	2,530	2,400	2,400	2,120	2,220	2,270
TENN	1,224	1,193	1,230	84	83	90	1,140	1,110	1,140
TEX	2,400	2,300	2,200	220	220	200	2,180	2,080	2,000
UTAH	584	578	584	460	460	460	124	118	124
VT	485	485	496	98	98	106	387	387	390
VA	975	970	980	75	80	80	900	890	900
WASH	903	890	893	518	497	500	385	393	393
W VA	620	600	607	90	90	93	530	510	514
WIS	3,950	3,950	4,000	2,970	3,000	3,000	980	950	1,000
WYO	1,170	1,110	1,160	470	445	460	700	665	700
U S	62,099	60,546	61,502	27,787	26,642	26,709	34,312	33,904	34,793

DRY EDIBLE BEANS 1/

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
CALIF						
LARGE	31.0	33.0	27.0	31.0	33.0	27.0
MAY	20.0	28.0	18.0	20.0	28.0	18.0
OTHER	110.0	166.0	115.0	110.0	166.0	115.0
TOTAL CALIF	161.0	227.0	160.0	161.0	227.0	160.0
COLO	193.0	185.0	210.0	184.0	180.0	200.0
IDAHO	100.0	130.0	139.0	99.0	129.0	138.0
KANS	9.0	10.0	10.5	8.0	10.0	10.0
MICH	570.0	610.0	560.0	560.0	600.0	535.0
MINN	34.0	94.0	53.0	37.0	87.0	52.0
MONT	9.0	11.0	12.0	9.0	11.0	12.0
NEBR	108.0	118.0	124.0	104.0	113.0	114.0*
N Y	40.0	44.0	46.0	39.0	42.0	44.0
N DAK	102.0	134.0	127.0	100.0	94.0	122.0
UTAH	15.0	14.0	14.0	15.0	14.0	14.0
WASH	19.0	24.0	35.0	18.0	26.0	33.0
WYO	23.0	27.0	29.0	22.0	26.0	24.0
OTHER	7.7	11.4	12.0	7.7	10.7	11.9
U S	1,394.7	1,647.4	1,531.5	1,367.7	1,569.7	1,477.9

1/ EXCLUDES BEANS GROWN FOR GARDEN SEED.
2/ INDIANA AND ILLINOIS.

IRISH POTATOES

SEASONAL GROUP AND STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
WINTER	14.0	13.9	14.6	14.0	13.7	14.6
SPRING	99.9	100.7	81.4	98.9	99.8	80.5
SUMMER:						
ALA	8.0	10.5	9.0	8.0	10.5	9.0
CALIF	9.5	9.9	7.8	9.5	9.9	7.8
COLO	6.7	6.7	6.9	6.5	6.6	6.8
DEL	7.0	7.0	6.5	6.8	6.8	6.3
ILL	1.9	2.1	2.1	1.8	1.6	2.0
IND	1.3	1.1	.8	1.0	1.1	.8
IOWA	3.0	3.4	3.2	2.6	3.3	3.1
MD	2.0	2.0	1.8	2.0	2.0	1.8
MICH	8.4	8.7	7.7	8.0	8.4	7.4
MINN	7.5	8.6	8.2	7.4	8.5	8.1
NEBR	2.7	2.8	2.7	2.4	2.6	2.5
N J	9.6	9.0	7.0	9.3	9.0	6.8
N MEX	3.2	4.5	4.5	3.2	4.2	4.5
N C	3.3	3.5	3.6	3.0	3.3	3.2
OHIO	3.1	3.1	3.1	2.8	2.9	2.9
TENN	4.2	6.0	6.3	4.2	6.0	6.3
TEX	12.3	10.5	8.7	12.0	10.2	8.5
VA	31.9	31.5	29.0	31.0	31.0	28.0
W VA	3.6	4.2	4.0	3.6	4.2	4.0
TOTAL	129.2	135.1	122.9	125.1	132.1	119.8
FALL 1/	1,085.0			1,066.6		

1/ REVISED 1974 AND PRELIMINARY 1975 ESTIMATES TO BE RELEASED AUG 11, 1975.

SWEETPOTATOES

STATE	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ALA	4.5	5.5	5.8	4.5	5.5	5.8
ARK	1.5	1.7	1.8	1.5	1.7	1.8
CALIF	6.4	6.7	7.2	6.4	6.7	7.2
GA	8.0	8.5	8.0	7.5	8.0	7.5
LA	36.0	36.0	32.0	33.0	35.0	31.0
MD	2.2	2.2	2.2	2.1	2.1	2.1
MISS	9.5	9.0	9.5	9.5	9.0	9.5
N J	1.6	1.8	2.0	1.6	1.8	2.0
N C	25.0	28.0	33.0	25.0	27.0	32.0
S C	2.0	2.5	2.3	2.0	2.5	2.3
TENN	3.2	3.0	5.0	3.2	3.0	5.0
TEX	10.0	11.0	10.5	9.5	10.0	10.0
VA	7.8	7.7	7.2	7.4	7.4	7.0
U S	117.7	123.6	126.5	113.2	119.7	123.2

SUGARCANE FOR SUGAR AND SFFD

STATE	ACREAGE HARVESTED		
	1973	1974	INDICATED 1975
	1,000 ACRES		
FLA	265.6	272.0	296.0
HAW	115.8	101.3	112.1
LA	341.0	331.0	331.0
TEX	18.6	28.5	35.7
U S	741.0	732.8	774.8

ALL TOBACCO

STATE	ACREAGE HARVESTED		
	1973	1974	INDICATED 1975
	ACRES		
ALA	530	630	700
CONN	5,050	4,800	4,600
FLA	13,700	13,270	13,890
GA	60,530	72,280	75,130
IND	5,600	7,000	7,500
KY	161,750	189,050	202,700
LA	200	160	200
MD	25,000	24,000	23,000
MASS	1,510	1,460	1,310
MO	1,900	2,400	2,500
N C	383,500	398,500	478,500
OHIO	9,600	11,000	11,300
PA	13,000	13,000	12,500
S C	67,000	80,000	92,000
TENN	51,420	56,540	61,200
VA	74,400	77,880	84,800
W VA	1,700	1,750	1,800
WIS	10,200	9,400	10,000
U S	886,590	963,120	1,083,630

TOBACCO BY CLASS AND TYPE

CLASS AND TYPE	TYPE NO.	ACREAGE HARVESTED		
		1973	1974	INDICATED 1975
ACRES				
CLASS 1, FLUE-CURED				
N C	11	149,000	152,000	179,000
VA	11	60,000	62,000	68,000
TOTAL OLD AND MIDDLE BELTS	11	209,000	214,000	247,000
EASTERN N C BELT	12	180,000	188,000	229,000
N C	13	47,000	50,000	61,000
S C	13	67,000	80,000	92,000
TOTAL N C BORDER AND S C BELT	13	114,000	130,000	153,000
ALA	14	530	630	700
FLA	14	11,600	11,700	12,900
GA	14	60,000	72,000	75,000
TOTAL FLA-GA BELT	14	72,130	84,330	88,600
TOTAL ALL FLUE-CURED TYPES	11-14	575,130	616,330	717,600
CLASS 2, FIRE-CURED:				
VA BELT	21	4,700	5,000	5,100
KY	22	4,900	4,650	5,300
TENN	22	8,800	8,500	9,400
TOTAL EASTERN DISTRICT	22	13,700	13,150	14,700
KY	23	2,500	2,600	3,000
TENN	23	420	440	500
TOTAL WESTERN DISTRICT	23	2,920	3,040	3,500
TOTAL ALL FIRE-CURED TYPES	21-23	21,320	21,190	23,300
CLASS 3, AIR-CURED				
3A LIGHT AIR-CURED				
IND	31	5,600	7,000	7,500
KY	31	148,000	176,000	188,000
MO	31	1,900	2,400	2,500
N C	31	7,500	8,500	9,500
OHIO	31	7,400	9,000	9,500
TENN	31	41,000	46,400	50,000
VA	31	9,000	10,200	11,000
W VA	31	1,700	1,750	1,800
TOTAL BURLEY BELT	31	222,100	261,250	279,800
SOUTHERN MD BELT	32	25,000	24,000	23,000
TOTAL ALL LIGHT AIR-CURED TYPES	31-32	247,100	285,250	302,800
3B DARK AIR-CURED				
KY	35	4,100	3,650	4,100
TENN	35	1,200	1,200	1,300
TOTAL ONE SUCKER BELT	35	5,300	4,850	5,400
GREEN RIVER BELT (KY)	36	2,250	2,150	2,300
VA SUN-CURED BELT	37	700	680	700
TOTAL ALL DARK AIR-CURED TYPES	35-37	8,250	7,680	8,400

CONTINUED

TOBACCO BY CLASS AND TYPE CONTINUED

CLASS AND TYPE	TYPE NO.	ACREAGE HARVESTED		
		1973	1974	INDICATED 1975
ACRES				
CLASS 4, CIGAR FILLER:				
PA SEEDLEAF	: 41 :	13,000	13,000	12,500
OHIO MIAMI VALLEY TYPES	: 42-44 :	2,200	2,000	1,800
TOTAL CIGAR FILLER TYPES	: 41-44 :	15,200	15,000	14,300
CLASS 5, CIGAR BINDER:				
CONN-CONN VALLEY BROADLEAF	: 51 :	1,350	1,300	1,300
MASS-CONN VALLEY HAVANA SEED	: 52 :	210	160	160
TOTAL CONN VALLEY BINDER	: 51-52 :	1,560	1,460	1,460
S WIS	: 54 :	4,900	4,700	5,000
N WIS	: 55 :	5,300	4,700	5,000
TOTAL WIS BINDER	: 54-55 :	10,200	9,400	10,000
TOTAL CIGAR BINDER TYPES	: 51-55 :	11,760	10,860	11,460
CLASS 6, CIGAR WRAPPER:				
CONN	: 61 :	3,700	3,500	3,300
MASS	: 61 :	1,300	1,300	1,150
TOTAL CONN VALLEY SHADE-GROWN	: 61 :	5,000	4,800	4,450
FLA	: 62 :	2,100	1,570	990
GA	: 62 :	530	280	130
TOTAL GA-FLA SHADE-GROWN 1/	: 62 :	2,630	1,850	1,120
TOTAL CIGAR WRAPPER TYPES	: 61-62 :	7,630	6,650	5,570
TOTAL ALL CIGAR TYPES	: 41-62 :	34,590	32,510	31,330
CLASS 7, MISCELLANEOUS:				
LA PERIQUE	: 72 :	200	160	200
U S	: ALL :	886,590	963,120	1,083,630

1/ INCLUDES FIRE-CURED WRAPPER.

STATE	SICARETS					
	ACREAGE PLANTED FOR ALL PURPOSES			ACREAGE HARVESTED		
	1973	1974	1975	1973	1974	INDICATED 1975
	1,000 ACRES					
ARIZ 1/	14.4	11.1	18.0	13.0	10.4	17.0
CALIF 1/	280.1	234.0	330.0	262.6	230.0	324.0
COLO	122.8	128.6	163.0	113.7	125.7	152.0
IDAHO	154.9	93.5	169.0	144.3	90.8	163.0
KANS	34.8	35.9	46.0	34.0	35.1	44.0
MICH	89.1	82.4	93.0	86.7	80.4	90.0
MINN	132.1	189.4	227.0	131.2	182.7	222.0
MONT	45.9	44.7	49.0	44.6	43.9	48.0
NEBR	79.4	82.5	98.0	74.4	75.5	92.0
N MEX	.8	.5	.9	.8	.4	.8
N DAK	80.1	143.2	137.0	79.3	139.9	135.0
OHIO	31.1	33.5	40.0	29.6	32.7	39.0
ORFG	19.3	11.8	18.0	18.4	11.6	17.0
TEX	23.3	22.6	37.0	20.7	19.7	36.0
UTAH	19.3	17.7	23.0	18.4	17.0	22.0
WASH	96.9	65.2	84.0	91.7	63.3	82.0
WYO	55.8	54.9	59.0	54.1	53.5	58.0
U S	1,280.1	1,251.5	1,591.9	1,217.5	1,212.6	1,541.8

1/ RELATES TO YEAR OF HARVEST. INCLUDES SOME SPRING PLANTED ACREAGE CARRIED OVER TO BE HARVESTED THE FOLLOWING SPRING.

I N D E X

	<u>Page</u>
Acreages, 10 Years	B- 1
All Corn	B- 3
All Sorghum	B- 4
All Tobacco	B-14
Barley	B- 6
Cotton	B-11
Dry Edible Beans	B-13
Dry Edible Peas	B-11
Durum Wheat	B- 8
Flaxseed	B- 9
Hay	B-12
Irish Potatoes	B-13
Oats	B- 5
Peanuts	B-10
Rice	B- 8
Rye	B- 9
Soybeans	B-10
Spring Wheat	B- 8
Sugarbeets	B-16
Sugarcane for Sugar and Seed	B-14
Sweetpotatoes	B-14
Tobacco by Class and Type	B-15
U. S. Crop Summary	A- 3
Winter Wheat	B- 7
White Corn	B- 4