

ACREAGE



Crop
Reporting
Board

Released: June 30, 1977
3:00 P.M. ET

Statistical Reporting
Service

U.S. Department
of Agriculture

Washington, D.C.
20250

HIGHLIGHTS

CORN planted for all purposes totals 82.7 million acres, down 2 percent from 1976 but 6 percent above 1975. Acreage for grain, at 70.8 million acres, is down 0.4 percent from last year but is 5 percent above 1975.

SORGHUM plantings of 17.4 million acres are down 6 percent from 1976 and 5 percent from 1975. Producers expect to harvest 14.1 million acres for grain, a decrease of 5 percent from 1976.

FEED GRAIN planted acreage (corn, sorghum, oats and barley combined) totals 129.1 million acres, down 0.4 percent from the acreage planted last year. Acreage intended for grain harvest is 108.9 million, 2 percent larger than the 1976 acreage.

ALL WHEAT seedings total 74.4 million acres, down 7 percent from a year earlier and down 1 percent from two years ago. Growers seeded 55.7 million acres of winter wheat last fall, 3 percent less than a year earlier. Durum wheat acreage seeded is 3.2 million, down 33 percent from 1976. Spring wheat other than durum seedings total 15.6 million acres, down 12 percent from last year but 11 percent above 1975. Acreage for harvest is indicated at 48.5 million acres for winter wheat, 3.0 million for durum and 15.0 million for other spring wheat.

FOOD GRAIN seeded acreage (wheat, rice and rye combined) at 79.6 million acres is down 7 percent from 1976. Acreage harvested and to be harvested for grain is indicated at 69.5 million acres, down 6 percent from 1976.

SOYBEAN planted acreage is a record 59.0 million acres, up 4 percent from the previous record in 1973 and up 17 percent from 1976. Growers intend to harvest 58.0 million acres for beans.

COTTON planted acreage is placed at 13.4 million, 15 percent above 1976 and 41 percent above 1975.

OILSEED planted acreage (cotton, flaxseed, peanuts and soybeans combined) is 75.4 million, up 17 percent from 1976.

DATA SOURCES AND RELIABILITY

This acreage report is based on surveys conducted about June 1 using a probability area frame survey with a sample of nearly 16,000 land area segments, and a mail survey with responses from about 130,000 growers. Data for some commodities are also obtained from processors. For the area frame survey trained interviewers collect the data by personal enumeration, accounting for all land area within the boundaries of the sample segments and recording acreages devoted to each crop or use including intended use for crops not fully planted. Growers responding voluntarily to the mail survey provide acreages for the individual crops grown or intended to be grown on their farms.

These surveys are subject to sampling and non-sampling type errors that are common to all surveys. Sampling errors are present because crop acreages are obtained from only a sample of producers rather than from all producers. Non-sampling errors cannot be measured directly but can occur due to mistakes in reporting and recording, data omissions or duplications, errors in processing, and numerous other reasons. To minimize non-sampling type errors, rigorous quality controls are used in the data collection process, and all reported and summary data are carefully reviewed for consistency and reasonableness.

Sampling errors are estimated for the probability area frame survey. This variation is measured by the relative standard errors and presented in the table below for some of the major crop acreages at the U.S. level. Used as a measure of survey reliability, a relative standard error of 2 percent means chances are about 2 out of 3 that the survey estimate will be within 2 percent of the complete coverage value if the same procedures were used to survey all producers, or 9 chances in 10 that the estimate will be within 3.3 percent of the complete coverage value. These sampling errors provide some guidance as to the reliability of SRS data but cannot be applied directly to the acreages published in this report since the Crop Reporting Board estimates represent a composite of information from more than a single survey source.

RELATIVE SAMPLING ERRORS FOR U. S. PLANTED ACREAGES
SRS AREA FRAME SURVEY
JUNE 1977

<u>CROP</u>	<u>SAMPLING ERROR - PERCENT</u>
BARLEY	3.4
CORN	1.1
COTTON	3.0
HAY, ALL (FOR HARVEST)	1.6
OATS	2.1
SORGHUM	3.3
SOYBEANS	1.9
WHEAT - WINTER	1.5
OTHER SPRING	3.1
DURUM	7.7

CROP REPORTING BOARD:

- B. M. Graham, Chairman,
- M. L. Koehn, Secretary,
- J. W. Kirkbride, F. E. Rolf,
- C. D. Spencer, A. R. Davis, Jr.,
- H. J. DeLong, W. N. Dowdy,
- J. R. Gibson, R. A. Graham,
- D. E. Hamilton, G. H. Howse,
- C. A. Hudson, D. H. Johnson,
- R. F. Kriesel, J. E. Lange,
- C. A. Ouzts, R. L. Schulte,
- L. E. Snipes, C. D. Spillmann,
- H. J. Tippet, R. F. Tratz, Jr.,
- W. J. Walker.

A P P R O V E D:



ACTING SECRETARY OF AGRICULTURE

UNITED STATES CROP SUMMARY
(DOMESTIC UNITS)

CROP	AREA PLANTED FOR ALL PURPOSES				AREA HARVESTED 1/			
	1975	1976	1977	1977/1976	1975	1976	INDICATED: 1977	1977/1976
	1,000 ACRES		PERCENT		1,000 ACRES		PERCENT	
ALL CORN	78,166	84,121	82,735	98	67,222	71,085	70,823	100
WHITE CORN 2/	696	552	515	93	631	513	475	93
ALL SORGHUM	18,345	18,639	17,440	94	15,519	14,877	14,147	95
OATS	17,366	17,549	18,471	105	13,609	12,392	14,300	115
BARLEY	9,536	9,296	10,430	112	8,743	8,417	9,600	114
ALL WHEAT	75,078	80,215	74,440	93	69,641	70,824	66,524	94
WINTER	56,186	57,708	55,708	97	51,567	49,535	48,451	98
DURUM	4,830	4,748	3,167	67	4,680	4,584	3,041	66
OTHER SPRING	14,062	17,759	15,565	88	13,394	16,705	15,032	90
RICE	2,818.0	2,510.0	2,213.0	88	2,802.0	2,501.0	2,202.0	88
RYE	3,166	2,954	2,913	99	814	804	785	98
SOYBEANS	54,732	50,327	58,954	117	53,761	49,443	57,955	117
FLAXSEED	1,630	1,044	1,522	146	1,520	954	1,440	151
PEANUTS	1,531.9	1,548.6	1,543.8	100	1,504.0	1,521.5	1,511.7	99
SUNFLOWER SEED 3/	787	834	2,090	251	709	810	2,025	250
POPCORN	232.2	214.9	156.3	73	224.2	207.8	151.4	73
COTTON	9,492.6	11,655.5	13,354.5	115	8,796.0	10,913.5		
ALL HAY					61,673	60,915	61,729	101
ALFALFA					27,092	26,556	27,658	104
ALL OTHER					34,581	34,359	34,071	99
DRY EDIBLE BEANS	1,515.2	1,526.8	1,374.9	90	1,467.1	1,485.3	1,320.3	89
DRY EDIBLE PEAS	196.5	130.0	170.0	131	188.5	125.0	165.0	132
SUMMER POTATOES	120.8	123.7	120.0	97	115.7	120.1	117.5	98
SWEET POTATOES	122.0	124.7	119.7	96	118.5	119.6	115.8	97
ALL TOBACCO					1,086.4	1,043.9	962.5	92
SUGARBEETS	1,595.0	1,525.5	1,286.9	84	1,516.6	1,478.9	1,246.6	84
SUGARCANE FOR SUGAR AND SEED					774.0	756.9	764.0	101

1/ HARVESTED FOR PRINCIPAL USE OF EACH CROP, I.E., GRAIN, BEANS, NUTS, ETC. 2/ 10-STATE TOTAL; INCLUDED IN ALL CORN, SEE PAGE B-5 FOR STATES COVERED. 3/ MINN AND N DAK ONLY FOR 1975 AND 1976; DATA FOR 1977 INCLUDES MINN, N DAK, S DAK AND TEX. 1977 ACREAGE FOR MINN AND N DAK TOTALS 1,660,000 ACRES PLANTED AND 1,610,000 ACRES HARVESTED.

UNITED STATES CROP SUMMARY
(METRIC UNITS)

CROP	AREA PLANTED FOR ALL PURPOSES				AREA HARVESTED 1/			
	1975	1976	1977	1977/1976	1975	1976	INDICATED: 1977	1977/1976
	HECTARES		PERCENT		HECTARES		PERCENT	
ALL CORN	31,633,000	34,042,930	33,482,030	98	27,204,070	28,767,390	28,661,360	100
WHITE CORN 2/	281,660	223,390	208,420	93	255,360	207,610	192,230	93
ALL SORGHUM	7,424,040	7,543,020	7,057,790	94	6,280,380	6,020,570	5,725,150	95
OATS	7,027,850	7,101,900	7,475,030	105	5,507,430	5,014,920	5,787,070	115
BARLEY	3,859,120	3,762,000	4,220,920	112	3,538,200	3,406,280	3,885,020	114
ALL WHEAT	30,383,310	32,462,210	30,125,120	93	28,183,020	28,661,770	26,921,600	94
WINTER	22,737,910	23,353,850	22,544,470	97	20,868,650	20,046,320	19,607,640	98
DURUM	1,954,650	1,921,470	1,281,650	67	1,893,950	1,855,100	1,230,660	66
OTHER SPRING	5,690,750	7,186,890	6,299,000	88	5,420,420	6,760,350	6,083,300	90
RICE	1,140,420	1,015,770	895,580	88	1,133,940	1,012,130	891,130	88
RYE	1,281,250	1,195,450	1,178,860	99	329,420	325,370	317,680	98
SOYBEANS	22,149,490	20,366,830	23,858,090	117	21,756,540	20,009,090	23,453,810	117
FLAXSEED	659,640	422,500	615,940	146	615,130	386,070	582,750	151
PEANUTS	619,940	626,700	624,760	100	608,650	615,740	611,770	99
SUNFLOWER SEED 3/	318,490	337,510	845,800	251	286,930	327,800	819,500	250
POPCORN	93,970	86,970	63,250	73	90,730	84,090	61,270	73
COTTON	3,841,560	4,716,860	5,404,430	115	3,559,650	4,416,580		
ALL HAY					24,958,440	24,651,690	24,981,110	101
ALFALFA					10,963,860	10,746,950	11,192,920	104
ALL OTHER					13,994,580	13,904,740	13,788,190	99
DRY EDIBLE BEANS	613,190	617,880	556,410	90	593,720	601,090	534,310	89
DRY EDIBLE PEAS	79,520	52,610	68,800	131	76,280	50,590	66,770	132
SUMMER POTATOES	48,890	50,060	48,560	97	46,820	48,600	47,550	98
SWEET POTATOES	49,370	50,460	48,440	96	47,960	48,400	46,860	97
ALL TOBACCO					439,660	422,460	389,510	92
SUGARBEETS	645,480	617,350	520,800	84	613,750	598,500	504,490	84
SUGARCANE FOR SUGAR AND SEED					313,230	306,310	309,180	101

1/ HARVESTED FOR PRINCIPAL USE OF EACH CROP, I.E., GRAIN, BEANS, NUTS, ETC. 2/ 10-STATE TOTAL, INCLUDED IN ALL CORN, SEE PAGE B-5 FOR STATES COVERED. 3/ MINN AND N DAK ONLY FOR 1975 AND 1976. DATA FOR 1977 INCLUDES MINN, N DAK, S DAK AND TEX. 1977 HECTARES FOR MINN AND N DAK TOTALS 571,785,400 HECTARES PLANTED AND 651,550,900 HECTARES HARVESTED.

1977 PLANTING PROGRESS

Spring fieldwork began slowly during February because of the lingering effects of the 1976-1977 severe winter. February fieldwork was concentrated mostly in the southern part of the Nation but some Corn Belt farmers spread fertilizer and disked old crop residue. Wet fields delayed land preparation and planting in southern Texas where U. S. field crop planting usually begins. During March land preparation for the 1977 crop progressed without significant problems but lagged the fast pace set in 1976. Precipitation at the end of March delayed some farmers as fields were too wet in eastern States and an unseasonable snow covered portions of the Dakotas.

Land preparations and spring planting moved along rapidly during April, far surpassing the average rate for recent years and nearly matching the fast pace set a year earlier. Farmers in the North Central States enjoyed good planting weather but rain and low temperatures slowed cotton producers. Plowing and disking advanced rapidly in the Midwest during April with weather patterns providing many suitable days for fieldwork. By May 1 Indiana farmers had plowed 90 percent of the land for spring planting. Iowa farmers had plowed 96 percent and Wisconsin farmers 70 percent. In previous years usual plowing progress ranged from 55 to 65 percent complete.

With land preparation almost matching the pace set in 1976, farmers planted row crops early too. Producers planted almost a third of the Nation's corn by the beginning of May, by mid-May 82 percent of the crop was in the ground and by June 1 farmers had almost finished planting. Weather conditions were almost ideal for planting throughout most of the Corn Belt. Soil moisture remained adequate for germination until near the end of May when some areas needed moisture to germinate late seedings. Timely rains in June provided the necessary moisture for germination stands were uneven in some localities. Corn planting advanced rapidly in the western Corn Belt but lagged in Ohio and Indiana where early May rains kept fields too wet. Later clear, dry weather gave eastern Corn Belt farmers the chance to catch up.

Soybean planting began throughout the southern production area along with a few fields in Ohio during April. Progress in the South by May 1 ranged from 3 to 6 percent complete, slightly ahead of 1976 and the average. As farmers completed corn planting early, they turned to planting soybeans and during May planted at a record pace. Farmers had planted 76 percent of the soybeans by the end of May, surpassing both 1976's 70 percent and the 51 percent average. Soil moisture shortages affected germination and planting schedules at the beginning of June in some eastern North Central States and South Central States. By mid-June rains improved conditions in many areas and planting advanced to 92 percent complete. Most of the acreage remaining to be planted was in the South Central States.

Cotton planting was 25 percent complete by May 1 in the 11 major producing States, far behind last year but near the average. Cool temperatures delayed planting in several areas including Texas and the Delta States. Farmers replanted some fields because of poor germination. By mid-May cotton planting was virtually complete in the 11 major States except Oklahoma and Texas. Low soil temperatures and rain delayed growers early in the season particularly in Texas. Periodic May rains plagued Texas farmers but planting advanced rapidly during the last part of the month. By the end of May Texas farmers had planted 77 percent and Oklahoma growers 25 percent of the cotton. Texas was on schedule but Oklahoma lagged most recent years.

Sorghum planting in the major producing States reached 61 percent complete by the end of May, slightly ahead of recent years. Only Oklahoma farmers lagged 1976's pace. Rains delayed some row crop planting in Kansas, Oklahoma and Texas. Most of the sorghum was planted by mid-June.

Spring wheat seeding began slowly but two-thirds of the crop was planted by the beginning of May. Progress surpassed the 1976 rate and was almost double the average rate. Farmers took advantage of clear weather and planted 30 percent of the spring wheat during the last week of April. Farmers had almost finished planting by mid-May.

The percentages of U. S. major crop acreages actually planted by June 1, the mid-point of the data collection activities for surveys upon which this report is based, are shown below.

ACREAGE PLANTED BY JUNE 1, U.S., 1975-77

CROP	1975	1976	1977
	PERCENT		
CORN	95	96	99
SORGHUM	61	57	62
OATS	98	100	100
BARLEY	98	100	100
SOYBEANS	67	71	77
COTTON	83	88	84
SPRING WHEAT	90	100	100

CORN: Corn planted for all purposes is estimated at 82.7 million acres, down 1 percent from the April 1 intentions and down 2 percent from 1976. The North Atlantic, South Central and West all showed increases from last year but these were more than offset by decreases in the South Atlantic and North Central Regions. Acreage is down 3 percent in the major producing North Central region, down less than 1 percent in the South Atlantic, up 3 percent in the North Atlantic, up 4 percent in the South Central and up 1 percent in the West.

The 70.8 million acres intended for grain in 1977 is down less than 1 percent (262,000 acres) from 1976 but is 5 percent above 1975. If realized, this would be the second largest acreage harvested for grain since 1960. Acreage for grain is up 3 percent in the North Atlantic and South Central, and up 1 percent in the West, down 7 percent in the South Atlantic and unchanged in the Corn Belt.

Planting in the major producing areas got off to a fast start and progressed at a pace slightly ahead of last year and well ahead of normal. At the end of the fourth week in May, 98 percent of the crop had been planted. This compares with 97 percent in 1976 and 88 percent for normal. In Illinois and Iowa, the two leading corn producing States, planting was practically complete by the end of the third week in May. By that date Minnesota was 95 percent complete and all other Corn Belt States were at least 90 percent complete.

The crop has developed rapidly with fields silked as far north as Minnesota. In the Corn Belt the crop is in mostly good condition. In the Southeast condition is poor to fair due primarily to dry weather.

WHITE CORN: Growers in the 10 States surveyed planted 515,000 acres to white corn varieties, 7 percent below the 552,000 acres planted in 1976. The acreage intended for harvest as grain totals 475,000, down 7 percent from the 513,000 acres harvested in 1976. White corn acreage is included in the all-corn acreage estimates published in this report.

Increases in acreage planted in Illinois, Indiana, Missouri, Tennessee and Texas were more than offset by decreases in Alabama, Georgia, Iowa and Kentucky. Kansas planted acreage remained unchanged from a year earlier. Kentucky continues to be the Nation's leading white corn State followed closely by Tennessee with the remaining States trailing considerably behind the leaders.

SORGHUM: Sorghum planted for all purposes is estimated at 17.4 million acres, a 6 percent decrease from 1976 but 6 percent above the April 1, 1977 intentions. This represents a 5 percent decrease from 1975. Texas acreage at 6.1 million acres is down 16 percent from 1976 while Kansas, the second largest sorghum producing State with 4.6 million acres, is down 2 percent from last year. Plantings in Nebraska and Oklahoma are estimated at 2.4 and 1.0 million acres, respectively.

Producers expect to harvest 14.1 million acres of sorghum for grain, a decrease of 5 percent from last year and 9 percent below the 1975 level. Acres for grain in Texas at 5.1 million are down 12 percent from 1976 and 29 percent less than the 1975 harvested acreage. Acreage for grain in Kansas is expected to be 5 percent less than last year, Nebraska expects a 3 percent increase and Oklahoma is 7 percent below the 1976 level. The remaining major sorghum producing States and the changes from 1976 are: Missouri, up 33 percent; Colorado, up 8 percent; and South Dakota, up 97 percent.

Sorghum planting in the 7 major producing States was 84 percent complete at mid-June, ahead of last year's 82 percent and the average of 78 percent. In Texas, plantings were 94 percent complete at mid-June but hail damaged some Texas fields on the northern Plains. By late June, growers in the major producing States were almost finished planting; Kansas growers reached 90 percent, Oklahoma 95 percent and Texas 99 percent.

OATS: Plantings last fall and this spring total 18.5 million acres, 5 percent above 1976, 6 percent above 1975 and the largest planted acreage since 1973. This estimate is 2 percent above the April 1 intentions.

Acreage for harvest is estimated at 14.3 million acres, the largest since 1971 and 15 percent above the 1976.

Spring seeded oats were planted earlier than normal in the North Central States. Fifty to 95 percent of the crop has headed and some early fields are ripening. The sharp acreage increase in South Dakota resulted from widespread reseeding of winter wheat acreage.

Harvest is well underway and ahead of normal in the southern States. Dry weather during late spring caused early maturity in the Southeast. Crop development in Texas is good with favorable moisture supplies throughout the growing season.

BARLEY: Acreage planted last fall plus plantings this spring total 10.4 million acres, 12 percent above 1976 but 5 percent below acreage intentions indicated on April 1.

Acreage for harvest is estimated at 9.6 million acres, 14 percent above 1976 and 10 percent above 1975.

Spring planting in the major producing areas of the Dakotas, Minnesota, Montana and Idaho was earlier than normal as dry open weather allowed producers to set a near record pace. The crop is in generally good condition. Barley is heading in Idaho, Minnesota and North Dakota and turning in South Dakota. Harvest is underway in the central interior valleys and southern areas of California.

WHEAT: Seeded acres of all wheat is estimated at 74.4 million, 7 percent less than last year's crop and 1 percent smaller than the 1975 crop. Farmers expect to harvest 66.5 million acres for grain. This is 6 percent less than last year and 4 percent fewer than two years ago. Indicated 1977 acres for grain at 89 percent of planted acres compares with 88 percent in 1976 and 93 percent in 1975.

The Nation's grain producers seeded 55.7 million acres to winter wheat last fall. This is 3 percent less than the previous year and 1 percent less than two years ago.

Acres of winter wheat harvested and to be harvested for grain are placed at 48.5 million, 2 percent less than last year and 6 percent below 1975. Expected acres for grain in 1977 at 87 percent of planted compares with 86 percent last year and 92 percent two years ago.

Durum wheat seeded acreage dropped to an estimated 3.2 million acres from the 4.7 million acres seeded last year. North Dakota accounting for over four-fifths of the national durum wheat acreage, as well as Montana and South Dakota each seeded about 30 percent fewer acres this year than last year. However, the largest percentage decline occurred in the southwestern part of the country where California, Arizona and New Mexico farmers cut back plantings by two-thirds or more. Seeding of durum wheat in the northern producing areas got off to an early start and was completed 10 days to 2 weeks ahead of normal.

Durum acreage expected to be harvested for grain based on conditions as of June 1, is estimated at 3.0 million acres, down significantly from the 4.6 million and 4.7 million acres harvested in 1976 and 1975 respectively. Soil moisture supplies have been limited throughout most of the major producing area so far this season. Harvest is underway in Arizona.

Acreage seeded to spring wheat other than durum is estimated at 15.6 million acres, down 12 percent from last year but 11 percent above the acreage seeded in 1975. North Dakota, with 46 percent of the U.S. acreage, is down 11 percent from last year. Of the other major producing States, acreage in Minnesota is down 18 percent, South Dakota reduced plantings by 8 percent and Montana farmers cut back acreage by only 1 percent. Although soil moisture supplies were limited at seeding time in most areas, planting of the crop was completed ahead of last year's early pace and well ahead of normal. Growing conditions since planting have been generally favorable and development is well ahead of normal. By the third week of June, 80 percent of the South Dakota crop and 73 percent of the Minnesota crop had headed.

Other spring wheat harvested acres are indicated at 15.0 million based on June 1 conditions. Harvested acreage at this level would be 10 percent below last year but 12 percent above the 1975 crop. Indicated 1977 acreage for grain at 97 percent of planted acres compares with 94 percent last year and 95 percent in 1975.

RICE: Planted acreage of rice is estimated at 2.21 million acres, 12 percent below last year but 2 percent above the April 1 planting intentions. Acreage for harvest at 2.20 million is 12 percent below last year and 21 percent below 1975.

Growers in each of the six rice producing States seeded fewer acres in 1977 than in the previous year. Planting progressed normally with the crop currently in good condition. Development was slowed in California by cool weather in late May but warm temperatures in mid-June have promoted good growth.

Long grain rice plantings are estimated at 1.39 million acres, 10 percent below 1976. Arkansas and Texas account for 80 percent of long grain acreage and planted acres in each State are 6 percent below a year ago.

Acreage of medium grain rice is down 26 percent from the previous year. Louisiana has over half of the acreage with plantings there down 14 percent from 1976.

Planted acres of short grain varieties are 36 percent above last year. California's acreage jumped 43 percent over 1976 while acreage in Arkansas dropped 10 percent.

RYE: Fall seeding of rye totaled 2.9 million acres, a record low and 1 percent less than last year's 3.0 million acres. Growers expect to harvest 785 thousand acres for grain, 2 percent less than last year and also a record low harvested acreage. Of the four major rye producing States, Georgia acres for harvest are expected to remain unchanged from last year, South Dakota harvested acreage will be 21 percent larger than a year ago, and Minnesota and North Dakota acreages will decline from last year by 12 and 28 percent respectively.

Rye seedings in the Plains States were delayed initially by dry soil conditions. Rains in mid-September improved the situation and early plantings emerged. Unseasonably cool temperatures during November caused the crop to go into early dormancy with spotted stands and short top growth. The crop emerged from dormancy by early April but low soil moisture limited plant growth in many areas. Most of the Great Plains received good amounts of precipitation prior to mid-April and the crop responded well. Favorable weather conditions in the upper Plains area have helped the crop mature ahead of normal.

SOYBEANS: Acreage planted to soybeans is estimated at a record high 59.0 million acres, up 4 percent from the previous record high in 1973 and up 17 percent from last year. This estimate is 6 percent larger than the acreage farmers expected to plant as of April 1. Acreage for harvest as beans is expected to total 58.0 million acres, up 17 percent from 1976.

The North Central States account for 35.8 million acres, up 16 percent from last year. All States in this region increased from the 1976 level with the increases ranging from 10 percent in Iowa and Kansas to 43 percent in North Dakota.

Planted acreage in the South Central Region totaled 17.7 million acres, up 20 percent from 1976. The increases range from 7 percent in Arkansas to 36 percent in Alabama with acreage up in all States compared with last year.

Acreage planted in the Atlantic States is 5.4 million, up 16 percent from last year's total.

Survey data indicate that 7 percent of the 1977 soybean acreage at the National level will be planted following the harvest of another crop. This compares with the final survey results of 10 percent in 1976, and 7 percent in both 1974 and 1975. Double cropping in the North Central States is indicated to be 4 percent compared with 7 percent last year. Other States averaged 12 percent, also 3 points below 1976.

FLAXSEED: Flaxseed plantings in 1977 are estimated at 1.5 million acres, up 46 percent from last year's small planting but 7 percent below the 1975 acreage. Acres for harvest are expected to total 1.4 million acres, up 51 percent from 1976 but 5 percent below 2 years ago.

Dry soil conditions were a problem at planting time in most major areas but planting got off to an early start and was completed at a near record pace. Timely rains have helped the crop in Minnesota and the Dakotas and development is generally well ahead of normal. By the third week of June, 51 percent of the Minnesota crop and 45 percent of the South Dakota crop was blooming. Normally only 5-10 percent is blooming by this time. The Texas harvest was complete by June 20.

PEANUTS: Peanuts planted for all purposes for 1977 total 1.54 million acres, virtually the same as in 1976. Included are peanuts for nuts, hay, hogging off and other uses. Acreage intended to be harvested for nuts is estimated at 1.51 million acres, one percent less than last year.

The Virginia-North Carolina area totals 273,000 acres planted, an increase of 1,000 acres over 1976. Dry conditions and lack of available high quality seed delayed planting in Virginia through most of May. However, a big push in late May brought plantings back on schedule with rains during the week ending May 27 helping to bring the crop up to good stands and to improve the effectiveness of herbicides. Land plaster and chemical applications are beginning. North Carolina plantings were a few days ahead of schedule and are in fair to mostly good condition.

Southeast States' acreage is estimated at 825,000 acres, down 8,000 acres from 1976. Planting was slow and interrupted in Georgia because of very dry conditions. The Georgia crop is in fair to good condition with blooming well along. The dry conditions have also hastened peg development. Dry conditions also slowed planting in Alabama although most intended acres were planted. Florida plantings were delayed by dry weather but the crop is now up to good stands and in fair condition. The crop in South Carolina is in fair to good condition. More moisture will be needed in these Southeast States to obtain normal yields.

Southwest region acreage is set at 445,800, up 2,200 acres from 1976. Texas' planting is ahead of schedule although farmers in the important Cross-Timbers area need moisture before planting the remaining acres. Oklahoma plantings were ahead of normal and the crop is in fair to good condition. Cooler weather is needed to help the young plants mature. Crop development is good in New Mexico although later than usual.

COTTON: Acreage planted to cotton in 1977 is estimated at 13.4 million acres, 15 percent above last year but 2 percent below the April 1 intentions. Upland cotton is estimated at 13.3 million acres and American-Pima is placed at 72,100 acres.

Growers in Oklahoma and Texas expect plantings of Upland cotton to total 6.7 million acres, 30 percent above 1976 but 1 percent less than was intended April 1. In Texas, planting was about three-fourths done by June 1 and was nearing completion by the end of the month. Crop prospects are excellent. Oklahoma growers had only about one-fourth of the acreage planted by June 1 but by the end of June were completing planting activities after having replanted some acreage. Conditions are only fair to good as moisture is needed.

In the Delta States--Arkansas, Louisiana, Mississippi, Missouri, and Tennessee--planted acreage is set at 3.7 million acres, 7 percent below 1976 and 3 percent below April 1 intentions. Plantings were complete by June 1 with favorable conditions and minimum delays. Early crop prospects are very good even though moisture supplies have been limited. Recent showers have been beneficial to crop progress. Older cotton is squaring freely and some is blooming and setting bolls.

In the Southeast--Alabama, Georgia, North Carolina and South Carolina--estimated planted acreage at 965,000 is 1 percent above 1976, but 8 percent below April 1 intentions. Clear, dry weather which aided early planting progress continued and droughty conditions hampered final planting activity which was essentially complete by June 1. Recent moisture benefited crop development, but a general rain is needed. Cotton is squaring and blooming freely. Upland cotton growers in Arizona, California, and New Mexico planted 1.9 million acres, 25 percent more than in 1976 but 2 percent less than intended April 1. While growers in Arizona planted more than indicated April 1, California and New Mexico growers planted less. Cool weather held back crop development earlier, but subsequent warm temperatures stimulated growth. Available water supplies remain a question in the San Joaquin Valley. Early fields are squaring and some are blooming.

American-Pima growers planted 72,100 acres, 58 percent more than 1976, 4 percent more than 1975, and 1 percent more than intended April 1. American-Pima cotton is progressing normally.

HAY: All hay acreage to be harvested in 1977 is estimated at 61.7 million acres, about the same as the April 1 Intentions and 1 percent above 1976.

The acreage of alfalfa and alfalfa mixtures to be harvested is estimated at 27.7 million, the largest since 1973 when 27.8 million acres were harvested. This is an increase of 4 percent above the 26.6 million acres in 1976 and 2 percent above 1975. All States except Colorado, Connecticut, Louisiana, Mississippi, New York and Utah, expect an increase in acreage or no change. Acreage of all other hay is estimated at 34.1 million acres, 1 percent below 1976 and 1975.

DRY EDIBLE BEANS: Growers planted an estimated 1.37 million acres to dry edible beans for 1977, down 10 percent from the 1976 crop. Acreage expected for harvest at 1.32 million acres is down 11 percent from the 1.49 million acres harvested a year earlier.

Planting in Michigan was off to a good early start with only a little replanting because of dry soils in local areas. Open weather allowed most intended acreage to be planted. California plantings proceeded on schedule with favorable conditions. Some planting will be completed following small grain harvest.

It has been extremely dry for dryland acreage in Colorado although planting progressed ahead of normal. Water supplies are short in Idaho. Planting was behind schedule in Washington with the cool spring slowing plant development. The small acreage in Utah has been further curtailed because of drought conditions in the dry bean area.

Much of Nebraska's acreage was replanted because of heavy rains and hail in the bean areas. Precipitation has been below average in the main producing areas of Montana. Planting started well in New York but dry weather slowed most activity. However, rains on the weekend of June 18th brought sufficient moisture to allow planting to be completed.

DRY EDIBLE PEAS: Growers in Idaho and Washington planted 170,000 acres of dry peas for harvest in 1977. This is 31 percent more than the 130,000 acres seeded in these two States in 1976. Washington, the leader in dry pea production, increased acreage by 28 percent from 80,000 to 102,000 acres. Idaho acreage increased from 50,000 to 68,000 acres planted, an increase of 36 percent.

Washington plantings were completed in May with below normal soil moisture supplies. The weather since planting has been good. Timely showers to date, along with cooler temperatures, have prevented extreme heat stress. Plants are 5 to 6 inches high and starting to bloom. The crop generally is in good condition in both Washington and Idaho.

POTATOES: Planted acreage of summer potatoes is estimated at 120,000 acres, 3 percent below the 1976 summer planting of 123,700 acres. Estimated acreage for harvest in 1977 at 117,500 acres is 2 percent below the 120,100 acres harvested in 1976.

Digging is underway in Virginia with a wide range of yields reported. Growers are delaying harvest of non-irrigated fields to let the crop mature further. The New Jersey crop is in good condition with some irrigation required. Vines are covering the rows. Recent rains in Delaware relieved the dry conditions. The crop was planted earlier than normal with harvest expected to get underway by the end of June. Frost in early June hit the potato crop in West Virginia. Heavy rains during planting in the Sand Mountain region of Alabama forced frequent replanting. Harvest should peak about the 4th of July.

Irrigation in Minnesota has kept the summer crop in good condition. A good set is reported in Michigan but additional rain would be welcome. Water supplies in Colorado are expected to be adequate for the growing season in the major producing areas. Development is normal.

Growing conditions in Texas have been very good. Harvest is expected to get under way in early July. Early planted acreage in California is late in development because of cool weather at planting time. Later planted acreage is making normal progress.

SWEETPOTATOES: The 1977 planted acreage of sweetpotatoes is estimated at 119,700 acres, down 4 percent from the 1976 total of 124,700. Harvested acreage is expected to be 115,800 acres, 3 percent below the 119,600 acres harvested in 1976.

Transplanting in North Carolina was over 90 percent complete by mid-June, slightly ahead of last year. The crop is in generally good condition. Planting in Virginia is nearly finished with some shortages of plants reported. Dry weather has slowed growth and development in South Carolina.

Planting was delayed by dry soil conditions in Georgia but is now nearly complete. Plant shortages were reported by some growers. Planting in Alabama is 80 percent done and rain is needed. Planting is ahead of last year and average in Mississippi with the crop in fair to good condition. Recent rains improved prospects in Tennessee.

In Louisiana, about four-fifths of the crop had been transplanted and is making good progress. Very dry conditions in East Texas during May delayed transplanting and hampered plant development. Transplanting will continue through June.

Favorable weather enabled California growers to complete planting by the end of June. In some areas, stands have been reduced slightly by dry weather. Growers have shifted to areas with adequate water supplies.

TOBACCO: Acreage of all tobacco in 1977 is estimated at 962,505 acres, down 8 percent from the acreage harvested in 1976. The decrease is attributed to declines of 11 percent in flue-cured, 3 percent in burley, 5 percent for cigar filler and 25 percent for cigar wrapper. Partially offsetting are acreage increases of 8 percent for fire-cured, 14 percent for dark air-cured, 4 percent for cigar binder, and 36 percent for Perique.

Flue-cured tobacco is expected to be harvested from 592,275 acres, 11 percent below the 666,640 acres harvested last year. All States producing this type of tobacco showed a decline. Transplanting was completed in late May, about the usual time. Dry weather in late April made some replanting necessary. Heavy rains and flooding in late May caused some drowning in several counties in North Carolina and Georgia. Where irrigation is not available in Georgia, the plants are small and conditions are poor. Irrigated tobacco is in fair to good condition. By Mid-June, the crop in North Carolina and South Carolina was in fair to good condition.

Burley growers expect to harvest 275,700 acres, 3 percent less than the 284,900 acres grown in 1976. In Kentucky, the largest producing State, 6 percent less acreage is expected to be harvested. Partially offsetting the decrease in Kentucky were increases in acreage in Tennessee, Ohio, North Carolina and Missouri. Practically all of the acreage has been set. Dry weather in late May made some replanting necessary.

Fire-cured acreage at 28,620 acres is up 8 percent from last year's 26,600 acres. All States producing this type of tobacco showed an increase in acreage.

Southern Maryland is expecting production from 23,000 acres - the same as a year ago.

Dark air-cured acreage is indicated at 11,380 acres, 14 percent above the 9,980 acres harvested last year. Type 35 producers expect to harvest 17 percent more acreage, while type 36 acreage is up 9 percent, and type 37 acreage is the same as a year ago.

Cigar filler tobacco is expected to be harvested from 14,700 acres, down 5 percent from last year's 15,400 acres.

Cigar binder growers plan to harvest 13,170 acres, 4 percent more than the 12,610 acres harvested in 1976.

Cigar wrapper acreage dropped 25 percent to a record low of 3,470 acres. This is the third consecutive year of record low acreage. Last year's wrapper acreage was 4,600.

SUGARBEETS: Planted acreage of sugarbeets is estimated at 1,286,900 acres in 1977, down 16 percent from a year earlier. All States except Minnesota, Montana, New Mexico and North Dakota indicated a decrease in acreage. Planting changes from last year in the larger producing States were as follows: California, down 26 percent, Minnesota, up 3 percent, Idaho, down 20 percent, Colorado, down 37 percent and North Dakota, up 5 percent. Acreage of sugarbeets for harvest is estimated at 1,246,600 acres, 16 percent below the 1976 total.

Sugarbeet seeding progressed at a near normal pace in most States. The new crop beets in California were planted by the second week in May in the Central Valley and they appear to be developing well. Seedings in Washington were two weeks later than normal. Plants got off to a slow start due to a cool spring and light precipitation. The recent warm weather in Washington has helped to bring the crop to near normal development. Dry soils in Michigan before and after planting caused poor germination in many fields. About 10 percent of Michigan's acreage had to be replanted. In Colorado and Texas some fields were damaged by hail. The sugarbeet crop is currently making satisfactory progress in most areas.

SUGARCANE FOR SUGAR AND SEED: Acreage of sugarcane for harvest is estimated at 764,000 acres, 1 percent above the 756,900 acres harvested in 1976. Hawaii expects to harvest 107,500 acres 1,400 more than in 1976. Weather in Hawaii during the early part of the year was dry and some fields showed stress from the dry conditions. Rains began to fall in late February and the moisture level since has been adequate. Texas producers anticipate a 19 percent increase in acreage. Florida's and Louisiana's acreage is the same as a year earlier. The crop in Louisiana is in generally good condition with layby nearly complete. Most fields are clean with good stands and growth.

AREA PLANTED AND HARVESTED, UNITED STATES, 1968-77

YEAR	CORN			SORGHUM		
	ALL	HARVESTED	HARVESTED FOR GRAIN	ALL	HARVESTED	HARVESTED FOR GRAIN
	PLANTED			PLANTED		
1,000 ACRES						
1968	65,126	64,605	55,980	17,793	17,302	13,890
1969	64,264	63,063	54,574	17,231	16,835	13,437
1970	66,849	66,077	57,358	16,957	16,476	13,568
1971	74,055	73,523	64,047	20,756	20,026	16,301
1972	66,972	66,237	57,421	17,295	16,728	13,368
1973	71,912	71,396	61,894	19,231	18,851	15,853
1974	77,787	76,738	65,357	17,676	16,774	13,876
1975	78,166	77,496	67,222	18,345	17,890	15,519
1976	84,121	83,185	71,085	18,639	17,578	14,877
1977	82,735	82,500	70,823	17,440	16,800	14,147

YEAR	OATS		BARLEY		FEED GRAINS
	PLANTED	HARVESTED	PLANTED	HARVESTED	HARVESTED 1/
1,000 ACRES					
1968	23,342	17,708	10,486	9,732	97,310
1969	23,561	17,971	10,291	9,557	95,539
1970	24,469	18,638	10,490	9,725	99,289
1971	21,956	15,772	11,115	10,151	106,271
1972	20,178	13,525	10,639	9,707	94,021
1973	19,147	14,065	11,229	10,452	102,264
1974	17,967	13,206	8,994	8,168	100,607
1975	17,366	13,609	9,536	8,743	105,093
1976	17,549	12,392	9,296	8,417	106,771
1977	18,471	14,300	10,430	9,600	108,870

YEAR	WHEAT					
	ALL	WINTER	DURUM		OTHER SPRING	
	HARVESTED	HARVESTED	PLANTED	HARVESTED	PLANTED	HARVESTED
1,000 ACRES						
1968	54,765	41,929	3,715	3,621	9,478	9,215
1969	47,146	36,303	3,466	3,420	7,646	7,423
1970	43,564	32,702	2,167	2,105	8,949	8,757
1971	47,674	32,359	2,943	2,864	12,807	12,451
1972	47,284	34,840	2,592	2,550	10,138	9,894
1973	53,869	38,474	2,952	2,884	12,794	12,511
1974	65,613	47,043	4,174	4,099	14,826	14,471
1975	69,641	51,567	4,830	4,680	14,062	13,394
1976	70,824	49,535	4,748	4,584	17,759	16,705
1977	66,524	48,451	3,167	3,041	15,565	15,032

YEAR	RICE		RYE	FOOD GRAINS	SOYBEANS	
	PLANTED	HARVESTED	HARVESTED	HARVESTED 2/	PLANTED	HARVESTED FOR BEANS
1,000 ACRES						
1968	2,366.6	2,353.4	996	58,114	42,265	41,391
1969	2,140.6	2,128.4	1,291	50,565	42,534	41,337
1970	1,825.8	1,814.7	1,427	46,806	43,082	42,249
1971	1,826.0	1,817.9	1,754	51,246	43,472	42,701
1972	1,824.0	1,817.9	1,084	50,186	46,885	45,698
1973	2,181.3	2,170.2	1,033	57,072	56,675	55,796
1974	2,555.0	2,536.0	897	69,046	53,507	52,368
1975	2,818.0	2,802.0	814	73,257	54,732	53,761
1976	2,510.0	2,501.0	804	74,129	50,327	49,443
1977	2,213.0	2,202.0	785	69,511	58,954	57,955

SEE FOOTNOTES ON PAGE B-2.

AREA PLANTED AND HARVESTED, UNITED STATES, 1968-77 - CONTINUED

YEAR	FLAXSEED		PEANUTS		SUNFLOWER SEED	
	PLANTED	HARVESTED	PLANTED	HARVESTED FOR NUTS	PLANTED	HARVESTED
1,000 ACRES						
1968	2,177	2,092	1,495.9	1,438.4		
1969	2,661	2,605	1,512.1	1,455.7		
1970	2,963	2,848	1,515.3	1,467.0		
1971	1,627	1,545	1,528.9	1,454.5		
1972	1,191	1,151	1,532.8	1,486.4		
1973	1,742	1,692	1,530.2	1,495.7		
1974	1,759	1,673	1,519.6	1,472.1		
1975	1,630	1,520	1,531.9	1,504.0	787	709
1976	1,044	954	1,548.6	1,521.5	834	810
1977	1,522	1,440	1,543.8	1,511.7	3/2,090	3/2,025

YEAR	POPCORN		COTTON		ALL HAY	DRY EDIBLE BEANS	
	PLANTED	HARVESTED	PLANTED	HARVESTED	HARVESTED	PLANTED	HARVESTED
1,000 ACRES							
1968	197.6	185.3	10,912.9	10,159.3	60,922	1,473	1,424
1969	192.0	182.6	11,882.5	11,051.1	59,716	1,519	1,469
1970	147.3	136.5	11,945.2	11,155.0	61,492	1,503	1,409
1971	178.9	173.7	12,354.9	11,470.9	61,405	1,358	1,316
1972	174.1	157.0	14,001.3	12,983.8	59,821	1,487	1,402
1973	154.3	148.8	12,479.7	11,970.2	62,099	1,394.7	1,367.7
1974	198.5	188.7	13,699.4	12,566.6	60,571	1,624.4	1,541.7
1975	232.2	224.2	9,492.6	8,796.0	61,673	1,515.2	1,467.1
1976	214.9	207.8	11,655.5	10,913.5	60,915	1,526.8	1,485.3
1977	156.3	151.4	13,354.5		61,729	1,374.9	1,320.3

YEAR	DRY EDIBLE PEAS		POTATOES		SWEETPOTATOES	
	PLANTED	HARVESTED	PLANTED	HARVESTED	PLANTED	HARVESTED
1,000 ACRES						
1968	191	181	1,414.5	1,383.3	142.5	135.2
1969	242	232	1,457.6	1,415.5	142.2	136.9
1970	279.9	256.9	1,449.9	1,421.3	133.0	127.8
1971	213.7	202.7	1,432.4	1,391.3	119.6	113.6
1972	148.0	135.1	1,300.3	1,253.8	116.8	114.4
1973	146.6	136.4	1,328.1	1,304.6	117.7	113.2
1974	220.0	213.0	1,421.0	1,390.8	125.6	121.7
1975	196.5	188.5	1,301.7	1,261.8	122.0	118.5
1976	130.0	125.0	1,406.4	1,373.9	124.7	119.6
1977	170.0	165.0	4/1,345.0		119.7	115.8

YEAR	ALL TOBACCO	SUGARBEETS		SUGARCANE FOR SUGAR & SEED	PRINCIPAL CROPS	
	HARVESTED	PLANTED	HARVESTED	HARVESTED	PLANTED 5/	HARVESTED 6/
1,000 ACRES						
1968	879.3	1,476.1	1,410.1	605.8	259,384	289,668
1969	918.3	1,647.1	1,540.5	535.6	291,153	280,586
1970	898.3	1,482.9	1,418.6	583.9	293,312	283,185
1971	837.6	1,406.3	1,341.9	648.1	306,153	295,319
1972	842.4	1,419.7	1,328.7	701.8	295,183	283,458
1973	886.6	1,280.1	1,217.5	741.0	319,528	310,805
1974	962.6	1,251.5	1,212.6	734.1	329,513	318,948
1975	1,086.4	1,595.0	1,516.6	774.0	334,174	325,595
1976	1,043.9	1,525.5	1,478.9	756.9	338,014	326,849
1977	962.5	1,286.9	1,246.6	764.0	344,630	335,710

1/ CORN FOR GRAIN, OATS, BARLEY AND SORGHUM GRAIN. 2/ WHEAT, RYE, RICE. 3/ INCLUDES MINN, N DAK, S DAK AND TEX; PREVIOUS YEARS INCLUDE MINN AND N DAK ONLY. 4/ INCLUDES WINTER, SPRING AND SUMMER ESTIMATES AND INTENTIONS FOR FALL CROP. 5/ CROP ACREAGES INCLUDED ARE PLANTED FOR CORN, SORGHUM, OATS, BARLEY, DURUM AND OTHER SPRING WHEAT, RICE, SOYBEANS, FLAXSEED, PEANUTS, SUNFLOWER SEED BEGINNING 1975, POPCORN, COTTON, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES (INCLUDED INTENDED PLANTINGS FOR FALL CROP), SWEETPOTATOES, AND SUGARBEETS; HARVESTED ACREAGE FOR WINTER WHEAT, RYE, ALL HAY, TOBACCO, AND SUGARCANE. 6/ CROP ACREAGES INCLUDED ARE CORN, SORGHUM, OATS, BARLEY, WHEAT, RICE, RYE, SOYBEANS, FLAXSEED, PEANUTS, SUNFLOWER SEED BEGINNING 1975, POPCORN, COTTON (CURRENT YEAR HARVESTED ACREAGE ALLOWANCES FOR COTTON AND POTATOES ARE DERIVED BY SUBTRACTING AVERAGE ABANDONMENT FROM COTTON PLANTED ACREAGE AND INTENDED FALL POTATO ACREAGE), ALL HAY, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES, SWEETPOTATOES, TOBACCO, SUGARCANE, AND SUGARBEETS.

AREA PLANTED, PRINCIPAL CROPS BY STATES, 1977 WITH COMPARISONS 1/

STATE	1975	1976	1977
1,000 ACRES			
ALA	3,691	3,798	4,160
ARIZ	1,230	1,379	1,254
ARK	8,027	8,291	8,414
CALIF	6,870	7,003	6,653
COLO	5,763	5,762	5,871
CONN	154	151	148
DEL	515	514	521
FLA	1,434	1,539	1,651
GA	5,125	5,167	5,441
HAW	112	106	107
IDAHO	4,372	4,482	4,328
ILL	23,039	23,246	23,547
IND	12,372	12,693	12,780
IOWA	24,671	24,824	25,032
KANS	21,870	21,796	22,755
KY	4,813	4,866	5,168
LA	3,869	4,223	4,560
MAINE	429	435	418
MD	1,554	1,579	1,574
MASS	153	154	155
MICH	6,361	6,420	6,581
MINN	21,065	21,720	22,089
MISS	5,754	6,258	6,691
MO	13,460	13,794	14,269
MONT	9,363	9,497	9,473
NEBR	17,913	18,444	18,986
NEV	513	526	484
N H	110	115	110
N J	452	502	522
N MEX	1,270	1,024	1,178
N Y	4,158	4,225	4,245
N C	4,968	4,977	5,036
N DAK	20,402	21,253	21,385
OHIO	10,821	10,973	11,086
OKLA	10,688	10,394	10,870
OREG	2,734	2,848	2,661
PA	4,544	4,541	4,529
R I	17	17	17
S C	2,878	2,859	2,888
S DAK	15,712	15,420	15,860
TENN	4,849	5,054	5,363
TEX	24,485	23,390	24,461
UTAH	1,184	1,162	1,039
VT	580	579	564
VA	2,939	2,923	2,951
WASH	4,925	5,028	4,754
W VA	773	754	753
WIS	9,349	9,449	9,434
WYO	1,844	1,860	1,814
U S	334,174	338,014	344,630

1/ CROP ACREAGES INCLUDED ARE PLANTED FOR CORN, SORGHUM, OATS, BARLEY, DURUM AND OTHER SPRING WHEAT, RICE, SOYBEANS, FLAXSEED, PEANUTS, SUNFLOWER SEED, POPCORN, COTTON, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES (INCLUDED INTENDED PLANTINGS FOR FALL CROP), SWEETPOTATOES, AND SUGARBEETS; HARVESTED ACREAGE FOR WINTER WHEAT, RYE, ALL HAY, TOBACCO, AND SUGARCANE.

CORN

STATE	AREA PLANTED			AREA HARVESTED FOR GRAIN		
	1975	1976	1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
ALA	750	880	860	660	796	750
ARIZ	22	42	65	12	28	50
ARK	50	55	55	38	45	44
CALIF	420	480	430	254	290	250
COLO	780	870	925	525	600	620
CONN	52	52	53	0	0	0
DEL	204	230	220	190	215	205
FLA	464	571	640	394	504	550
GA	2,020	2,300	2,270	1,880	2,160	1,720
IDAHO	103	100	100	25	29	26
ILL	11,100	12,000	11,350	10,810	11,690	11,020
IND	5,850	6,500	6,400	5,630	6,300	6,200
IOWA	13,200	13,800	13,500	12,300	12,750	12,500
KANS	1,950	2,150	2,030	1,640	1,790	1,650
KY	1,330	1,540	1,600	1,140	1,360	1,420
LA	80	110	105	60	87	80
MAINE	44	46	48	0	0	0
MD	645	730	720	550	630	620
MASS	36	38	39	0	0	0
MICH	2,300	2,450	2,500	1,910	2,050	2,050
MINN	7,000	7,200	6,900	5,820	5,600	5,900
MISS	195	240	250	145	172	100
MO	3,000	3,200	2,950	2,700	2,850	2,700
MONT	90	90	95	10	11	12
NEBR	6,500	7,000	7,150	5,920	6,200	6,350
NEV	3	3	2	0	0	0
N H	20	21	21	0	0	0
N J	131	149	149	83	100	104
N MEX	100	125	135	70	88	95
N Y	1,130	1,170	1,250	466	492	530
N C	1,750	2,050	2,000	1,590	1,880	1,820
N DAK	500	510	620	132	180	190
OHIO	3,750	4,200	4,050	3,490	3,920	3,750
OKLA	120	124	120	85	91	85
OREG	45	48	44	11	11	11
PA	1,550	1,600	1,615	1,080	1,150	1,165
R I	4	4	4	0	0	0
S C	620	750	745	550	667	660
S DAK	3,570	3,200	3,000	2,250	1,200	2,000
TENN	780	890	920	615	715	750
TEX	1,200	1,650	1,800	1,100	1,500	1,600
UTAH	100	100	80	15	15	12
VT	94	95	95	0	0	0
VA	745	825	840	565	615	630
WASH	94	110	120	34	44	45
W VA	104	104	100	65	61	59
WIS	3,500	3,650	3,700	2,390	2,180	2,400
WYO	71	69	70	18	19	20
U S	78,166	84,121	82,735	67,222	71,085	70,823

SORGHUM

STATE	AREA PLANTED			AREA HARVESTED FOR GRAIN		
	1975	1976	1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
ALA	80	80	65	40	40	30
ARIZ	180	138	125	165	125	100
ARK	230	340	285	200	310	255
CALIF	230	235	150	207	210	130
COLO	510	505	510	290	259	280
GA	80	85	65	47	45	35
ILL	80	75	70	60	59	52
IND	26	30	23	18	21	14
IOWA	40	42	45	26	26	27
KANS	4,100	4,700	4,600	3,430	3,950	3,750
KY	36	49	50	21	29	32
LA	41	50	38	28	37	26
MISS	75	75	60	38	45	35
MO	580	680	870	490	600	800
NEBR	2,100	2,300	2,400	1,900	2,100	2,170
N MEX	353	272	240	310	199	201
N C	115	125	120	85	90	85
OKLA	970	1,060	1,040	660	730	680
S C	32	32	30	17	15	14
S DAK	410	395	490	247	152	300
TENN	51	45	40	26	23	20
TEX	8,000	7,300	6,100	7,200	5,800	5,100
VA	26	26	24	14	12	11
U S	18,345	18,639	17,440	15,519	14,877	14,147

WHITE CORN 1/

STATE	AREA PLANTED			AREA HARVESTED FOR GRAIN		
	1975	1976	1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
ALA	70	70	46	60	65	43
GA	125	80	45	100	72	36
ILL	45	40	45	44	39	44
IND	42	24	30	40	22	28
IOWA	23	17	16	22	16	15
KANS	55	30	30	54	29	29
KY	130	120	118	123	115	112
MO	57	25	35	55	24	33
TENN	99	90	92	85	80	82
TEX	50	56	58	48	51	53
U S	696	552	515	631	513	475


1/ INCLUDED IN "ALL CORN".

OATS

STATE	AREA PLANTED			AREA HARVESTED		
	1975	1976	1977	1975	1976	1977
	1,000 ACRES			1,000 ACRES		
ALA	110	110	115	33	30	30
ARK	100	110	102	60	70	65
CALIF	365	385	400	113	115	120
COLO	110	114	115	42	50	40
FLA	31	33	33	12	12	12
GA	240	250	230	90	100	100
IDAHO	85	80	85	64	57	65
ILL	570	470	420	490	410	360
IND	320	280	200	250	220	150
IOWA	1,430	1,850	1,800	1,500	1,475	1,450
KANS	190	300	325	150	240	250
KY	42	42	36	10	10	9
LA	20	20	21	8	10	9
MAINE	49	51	51	42	37	44
MD	28	30	30	24	25	25
MICH	400	420	400	370	385	360
MINN	2,100	2,300	2,530	2,000	2,060	2,410
MISS	85	70	80	27	23	23
MO	180	260	260	100	170	165
MONT	400	380	450	250	230	260
NEBR	700	820	800	590	640	650
NEV	10	10	10	3	3	3
N J	11	11	10	7	8	8
N Y	405	360	340	350	315	310
N C	155	175	170	80	80	75
N DAK	1,500	1,320	1,950	1,370	1,180	1,750
OHIO	540	560	460	500	500	410
OKLA	270	290	310	120	132	150
OREG	140	130	150	80	80	90
PA	405	390	390	375	365	350
S C	150	150	140	73	70	65
S DAK	2,530	2,560	2,920	2,230	1,420	2,590
TENN	120	130	128	30	32	29
TEX	1,400	1,330	1,400	650	390	500
UTAH	22	22	20	13	12	12
VA	80	85	88	40	42	43
WASH	105	105	100	45	45	45
W VA	30	26	27	18	16	16
WIS	1,470	1,450	1,300	1,350	1,280	1,200
WYO	68	70	75	50	53	57
U S	17,366	17,549	18,471	13,609	12,392	14,300

BARLEY

STATE	AREA PLANTED			AREA HARVESTED		
	1975	1976	1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
ARIZ	130	116	110	115	100	100
CALIF	1,220	1,200	1,150	1,060	1,010	930
COLO	245	275	265	230	245	240
DEL	31	31	31	23	22	21
GA	10	12	14	8	10	11
IDAHO	775	810	940	755	800	915
ILL	15	15	14	14	13	13
IND	12	12	9	10	9	8
KANS	60	90	110	55	76	90
KY	48	44	39	34	30	28
MO	113	107	105	100	94	90
MICH	23	22	23	22	21	22
MINN	950	880	1,000	850	860	980
MO	14	13	13	11	10	10
MONT	1,360	1,220	1,500	1,300	1,170	1,430
NEBR	36	42	34	33	38	31
NEV	16	18	19	14	16	16
N J	40	42	40	18	20	17
N MEX	36	30	35	28	20	25
N Y	13	13	14	12	12	13
N C	67	73	67	57	60	57
N DAK	2,220	2,200	2,600	2,100	2,140	2,500
OHIO	15	14	15	12	12	13
OKLA	110	100	160	93	85	140
OREG	200	180	200	177	160	180
PA	170	165	165	155	147	145
S C	28	28	27	23	23	22
S DAK	560	580	680	532	350	640
TENN	26	25	24	14	14	14
TEX	110	75	150	70	52	85
UTAH	144	151	144	135	126	125
VA	123	120	121	104	103	100
WASH	420	400	420	400	390	410
W VA	11	10	10	10	9	9
WIS	37	35	30	35	32	28
WYO	148	148	152	134	138	142
U S	9,536	9,296	10,430	8,743	8,417	9,600



WINTER WHEAT

STATE	AREA PLANTED			AREA HARVESTED		
	1975	1976	IND 1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
ALA	185	200	210	135	125	120
ARIZ	325	115	65	320	112	63
ARK	630	800	900	520	710	700
CALIF	1,060	1,060	885	986	860	650
COLD	2,750	2,830	2,740	2,240	2,200	2,360
DEL	37	35	33	34	31	29
FLA	40	30	30	20	22	21
GA	160	150	155	135	115	112
IDAHO	990	1,010	950	880	890	830
ILL	1,790	1,900	1,670	1,730	1,850	1,600
IND	1,560	1,670	1,350	1,500	1,600	1,265
IOWA	106	100	80	100	85	65
KANS	12,800	12,900	13,200	12,100	11,300	12,300
KY	450	450	380	352	330	270
LA	70	65	70	25	35	40
MD	170	150	140	156	138	123
MICH	1,030	1,000	980	1,020	990	930
MINN	88	180	140	80	163	105
MISS	231	220	220	185	180	125
MO	1,660	1,900	1,730	1,470	1,650	1,550
MONT	3,100	3,200	3,050	3,000	3,080	2,800
NEBR	3,200	3,400	3,300	3,070	2,950	3,050
NEV	12	12	11	11	11	8
N J	63	63	61	54	55	42
N MEX	463	454	480	387	213	349
N Y	200	175	180	190	165	170
N C	315	275	235	275	240	195
N DAK	147	140	160	123	135	128
OHIO	1,820	1,750	1,580	1,770	1,650	1,540
OKLA	7,600	7,800	7,800	6,700	6,300	6,500
ORFG	1,150	1,250	1,160	1,110	1,220	1,080
PA	360	330	275	345	315	260
S C	170	160	115	155	145	105
S DAK	950	1,190	1,160	770	970	680
TENN	405	405	373	310	335	280
TEX	6,500	6,500	6,150	5,700	4,700	4,600
UTAH	250	250	225	238	222	180
VA	330	275	265	292	240	215
WASH	2,850	2,960	2,850	2,740	2,885	2,700
W VA	21	17	15	17	14	11
WIS	78	67	65	72	64	60
WYO	270	270	270	250	240	240
U S	56,186	57,708	55,708	51,567	49,535	48,451

DURUM WHEAT

STATE	AREA PLANTED			AREA HARVESTED		
	1975	1976	IND 1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
ARIZ	1/1	325	93		319	90
CALIF		15	30	15	80	28
MINN		105	85	87	93	82
MONT		380	210	375	295	205
N MEX	1/1		4		17	4
N DAK		4,080	2,600	3,960	3,620	2,500
S DAK		250	145	243	160	132
U S		4,830	3,167	4,680	4,564	3,041

1/ INCLUDED IN WINTER WHEAT PRIOR TO 1976.

SPRING WHEAT OTHER THAN DURUM

STATE	AREA PLANTED			AREA HARVESTED			IND
	1975	1976	1977	1975	1976	1977	
	1,000 ACRES			1,000 ACRES			
COLO	23	29	35	20	23	30	
IDAHO	490	565	380	470	540	370	
MINN	2,950	3,880	3,200	2,700	3,800	3,120	
MONT	1,650	2,080	2,050	1,600	2,040	1,980	
NEV	10	9	8	9	8	7	
N DAK	6,400	8,080	7,200	6,130	7,900	7,000	
OREG	110	120	70	105	113	65	
S DAK	2,000	2,550	2,350	1,952	1,860	2,200	
UTAH	52	50	26	44	42	24	
WASH	330	325	200	320	315	195	
WIS	22	31	20	21	29	19	
WYO	25	40	26	23	35	22	
U S	14,062	17,759	15,565	13,394	16,705	15,032	

RYE

STATE	AREA PLANTED			AREA HARVESTED			IND
	1975	1976	1977	1975	1976	1977	
	1,000 ACRES			1,000 ACRES			
COLO	21	35	30	4	7	5	
DEL	54	52	50	9	9	8	
GA	480	410	425	105	110	110	
ILL	78	65	65	17	15	15	
IND	48	50	55	9	10	9	
IOWA	25	24	20	5	5	4	
KANS	80	80	75	15	15	20	
KY	60	60	56	4	3	2	
MD	80	80	77	11	11	11	
MICH	165	160	150	28	26	30	
MINN	100	116	104	89	105	92	
MO	85	82	85	11	10	11	
NEBR	130	130	120	55	60	55	
N J	77	77	76	7	8	10	
N Y	127	123	130	12	12	13	
N C	125	130	130	20	20	22	
N DAK	135	120	110	119	111	80	
OHIO	90	80	80	7	7	8	
OKLA	210	180	190	36	36	34	
OREG	58	55	52	11	9	10	
PA	85	65	65	16	14	14	
S C	130	120	120	33	30	29	
S DAK	140	165	175	102	99	120	
TENN	24	22	22	2	2	2	
TEX	250	175	150	40	27	25	
VA	205	200	200	14	14	16	
WASH	40	40	45	10	8	8	
WIS	40	35	35	15	12	14	
WYO	24	23	21	8	9	8	
U S	3,166	2,954	2,913	814	804	785	

RICE

STATE	AREA PLANTED			AREA HARVESTED		
	1975	1976	1977	1975	1976	1977
1,000 ACRES						
<u>LONG GRAIN RICE</u>						
ARK	650.0	698.0	656.0	648.0	696.0	654.0
LA	160.0	208.0	170.0	159.0	207.0	169.0
MISS	172.0	144.0	105.0	168.0	143.0	104.0
MO	13.3	9.0	9.5	13.3	9.0	9.5
TEX	454.0	477.0	449.0	453.0	476.0	448.0
U S	1,449.3	1,536.0	1,389.5	1,441.3	1,531.0	1,384.5
<u>MEDIUM GRAIN RICE</u>						
ARK	200.0	132.0	126.0	199.0	131.0	125.0
CALIF	341.0	278.0	141.0	338.0	277.0	140.0
LA	500.0	362.0	310.0	499.0	361.0	309.0
MISS	2.0	1.0		2.0	1.0	
MO	4.2	5.0	3.5	4.2	5.0	3.5
TEX	96.0	33.0	21.0	95.0	32.0	20.0
U S	1,143.2	811.0	601.5	1,137.2	807.0	597.5
<u>SHORT GRAIN RICE</u>						
ARK	35.0	20.0	18.0	35.0	20.0	18.0
CALIF	189.0	143.0	204.0	187.0	143.0	202.0
MISS	1.0			1.0		
MO	.5			.5		
U S	225.5	163.0	222.0	223.5	163.0	220.0
<u>ALL RICE</u>						
ARK	885.0	850.0	800.0	882.0	847.0	797.0
CALIF	530.0	421.0	345.0	525.0	420.0	342.0
LA	660.0	570.0	480.0	658.0	568.0	478.0
MISS	175.0	145.0	105.0	171.0	144.0	104.0
MO	18.0	14.0	13.0	18.0	14.0	13.0
TEX	550.0	510.0	470.0	548.0	508.0	468.0
U S	2,818.0	2,510.0	2,213.0	2,802.0	2,501.0	2,202.0

PEANUTS

STATE	AREA PLANTED			AREA HARVESTED FOR NUTS		
	1975	1976	1977	1975	1976	1977
1,000 ACRES						
ALA	209.0	216.0	214.0	206.0	214.0	212.0
FLA	62.0	63.0	62.0	55.0	55.0	55.0
GA	527.0	529.0	525.0	524.0	526.0	521.0
MISS	9.0	9.0	7.5	9.7	8.5	7.0
N MEX	8.9	9.6	9.2	8.8	9.5	9.7
N C	167.0	168.0	169.0	165.0	166.0	166.0
OKLA	122.0	124.0	124.0	115.0	120.0	119.0
S C	16.0	16.0	15.5	15.5	15.5	15.0
TEX	307.0	310.0	310.0	304.0	304.0	304.0
VA	104.0	104.0	104.0	102.0	103.0	103.0
U S	1,531.9	1,548.6	1,543.8	1,504.0	1,521.5	1,511.7

SOYBEANS

STATE	AREA PLANTED			AREA HARVESTED FOR BEANS		
	1975	1976	1977	1975	1976	IND
	1,000 ACRES			1,000 ACRES		
ALA	1,350	1,250	1,700	1,310	1,220	1,675
ARK	4,750	4,360	4,650	4,700	4,320	4,600
DEL	207	185	205	204	182	202
FLA	305	271	310	295	265	300
GA	1,290	970	1,310	1,260	940	1,260
ILL	8,250	7,600	8,850	8,220	7,560	8,800
IND	3,650	3,300	3,900	3,630	3,280	3,870
IOWA	7,000	6,610	7,250	6,970	6,590	7,200
KANS	1,100	900	990	1,080	865	960
KY	1,250	1,100	1,400	1,200	1,070	1,360
LA	2,000	2,150	2,600	1,920	2,120	2,550
MD	323	290	310	318	285	305
MICH	615	570	730	610	565	720
MINN	3,700	3,050	3,850	3,650	3,020	3,810
MISS	3,230	3,335	3,950	3,120	3,250	3,900
MO	4,550	4,300	4,850	4,470	4,200	4,750
NEBR	1,220	1,050	1,280	1,200	1,030	1,260
N J	81	105	135	79	102	132
N Y	10	12	16	10	12	16
N C	1,500	1,200	1,380	1,420	1,100	1,300
N DAK	180	150	215	149	147	210
OHIO	3,120	2,900	3,400	3,100	2,880	3,380
OKLA	245	250	280	237	240	265
PA	45	44	53	43	42	50
S C	1,420	1,230	1,300	1,380	1,190	1,260
S DAK	345	280	310	342	271	305
TENN	1,950	1,920	2,300	1,850	1,800	2,160
TEX	395	375	800	370	347	750
VA	451	410	430	433	398	415
WIS	200	160	200	191	152	190
U S	54,732	50,327	58,954	53,761	49,443	57,955

FLAXSEED

STATE	AREA PLANTED			AREA HARVESTED		
	1975	1976	1977	1975	1976	IND
	1,000 ACRES			1,000 ACRES		
MINN	280	205	235	250	195	225
MONT	15	13	17	14	12	16
N DAK	815	486	900	770	462	850
S DAK	460	270	360	446	230	340
TEX	60	70	10	40	55	9
U S	1,630	1,044	1,522	1,520	954	1,440

COTTON

CROP AND STATE	AREA PLANTED			AREA HARVESTED 1/		
	1975	1976	1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
<u>COTTON, UPLAND</u>						
ALA	400.0	460.0	430.0	370.0	420.0	
ARIZ	269.0	341.0	470.0	268.0	340.0	
ARK	700.0	1,125.0	1,020.0	680.0	950.0	
CALIF	900.0	1,130.0	1,350.0	875.0	1,120.0	
FLA	4.0	7.4	9.0	3.7	7.1	
GA	165.0	255.0	260.0	160.0	240.0	
ILL	.0	.0	.0	.0	.0	
KY	.6	1.8	1.2	.6	1.3	
LA	320.0	570.0	575.0	310.0	560.0	
MISS	1,140.0	1,530.0	1,450.0	1,100.0	1,470.0	
MO	220.0	305.0	290.0	210.0	260.0	
NEV	1.0	1.1	1.3	1.0	1.1	
N MEX	95.0	68.0	110.0	85.0	64.0	
N C	56.0	75.0	90.0	53.0	71.0	
OKLA	360.0	350.0	490.0	295.0	335.0	
S C	107.0	170.0	185.0	103.0	159.0	
TENN	335.0	420.0	350.0	315.0	370.0	
TEX	4,350.0	4,800.0	6,200.0	3,900.0	4,500.0	
VA	.8	.7	.9	.8	.6	
U S	9,423.4	11,610.0	13,282.4	8,730.1	10,869.1	
<u>COTTON, AMER-PIMA</u>						
ARIZ	30.1	30.3	48.0	29.8	30.0	
CALIF	.2	.1	.1	.1	.1	
N MEX	13.3	6.5	9.0	12.5	6.3	
TEX	25.6	8.6	15.0	23.5	8.0	
U S	69.2	45.5	72.1	65.9	44.4	
<u>COTTON, ALL</u>						
U S	9,492.6	11,655.5	13,354.5	8,796.0	10,913.5	

1/ 1977 ESTIMATES TO BE RELEASED AUGUST 11 1977.

DRY EDIBLE PEAS 1/

STATE	AREA PLANTED			AREA HARVESTED		
	1975	1976	1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
IDAHO	72.0	50.0	68.0	69.0	48.0	67.0
OREG 2/	3.5			2.5		
WASH	121.0	80.0	102.0	117.0	77.0	98.0
U S	196.5	130.0	170.0	188.5	125.0	165.0

1/ EXCLUDES BOTH WRINKLED SEED PEAS AND AUSTRIAN WINTER PEAS.

2/ DISCONTINUED AFTER 1975.

HAY

STATE	ALL HAY AREA HARVESTED			ALFALFA AND ALFALFA MIXTURES AREA HARVESTED			ALL OTHER AREA HARVESTED		
	1975	1976	1977	1975	1976	1977	1975	1976	1977
	1,000 ACRES								
ALA	630	650	630				630	650	630
ARIZ	255	250	240	215	210	220	40	40	40
ARK	790	740	800	61	6	60	730	680	740
CALIF	1,650	1,630	1,670	1,120	1,100	1,140	530	530	530
COLO	1,440	1,400	1,363	740	710	703	700	690	660
CONN	95	92	89	21	22	21	74	70	68
DEL	23	22	22	7	7	7	16	15	15
FLA	207	219	226				207	219	226
GA	470	465	470				470	465	470
IDAHO	1,330	1,310	1,345	1,030	1,020	1,050	300	290	295
ILL	1,250	1,200	1,210	770	730	770	480	470	440
IND	945	900	920	420	400	440	525	500	480
IOWA	2,450	2,400	2,350	1,810	1,750	1,850	640	650	500
KANS	2,280	2,275	2,330	980	1,000	1,060	1,300	1,275	1,270
KY	1,528	1,528	1,558	144	194	194	1,340	1,330	1,360
LA	360	370	355	10	10	9	350	360	346
MAINE	214	212	200	20	20	22	194	192	178
MD	251	246	248	67	66	68	184	180	180
MASS	112	112	112	29	30	30	83	82	82
MICH	1,300	1,260	1,300	1,000	980	1,020	300	280	280
MINN	3,210	3,250	3,240	2,200	2,190	2,290	1,010	1,060	970
MISS	648	663	652	13	13	12	635	650	640
MO	3,400	3,350	3,455	530	500	575	2,870	2,850	2,880
MONT	2,400	2,270	2,290	1,230	1,170	1,200	1,170	1,100	1,090
NEBR	3,950	3,950	3,985	1,700	1,700	1,745	2,250	2,250	2,200
NEV	449	460	420	176	180	180	273	280	240
N H	90	94	89	19	19	19	71	75	70
N J	119	122	125	55	54	55	64	68	70
N MEX	272	278	282	201	211	215	71	67	67
N Y	2,300	2,400	2,350	930	990	950	1,370	1,410	1,400
N C	335	350	340	13	15	17	322	335	363
N DAK	3,540	3,510	3,400	1,650	1,620	1,620	1,890	1,890	1,870
OHIO	1,535	1,560	1,550	525	550	600	1,010	1,010	950
OKLA	1,755	1,760	1,810	515	500	540	1,240	1,260	1,270
OREG	1,040	1,060	1,040	420	420	425	620	640	615
PA	1,970	1,970	1,980	820	820	840	1,150	1,150	1,150
R I	9	9	9	3	3	3	6	6	6
S C	225	230	240				225	230	240
S DAK	4,710	4,300	4,620	2,600	2,300	2,560	2,110	2,000	2,060
TENN	1,200	1,210	1,240	90	95	100	1,110	1,115	1,140
TEX	2,250	2,150	2,250	200	200	210	2,050	1,950	2,040
UTAH	584	580	569	460	460	455	124	120	114
VT	485	483	468	100	98	98	385	385	370
VA	985	975	1,000	80	80	85	905	895	915
WASH	877	885	906	500	500	525	377	385	381
W VA	605	595	600	85	80	86	520	515	514
WIS	3,970	3,980	4,040	3,020	3,010	3,080	950	970	960
WYO	1,180	1,190	1,161	470	465	465	710	725	696
U S	61,673	60,915	61,729	27,092	26,556	27,658	34,581	34,359	34,071

DRY EDIBLE BEANS

1/

CROP AND STATE	AREA PLANTED			AREA HARVESTED		
	1975	1976	1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
LARGE LIMA BEANS						
CALIF	24.0	35.0	30.0	24.0	35.0	30.0
BABY LIMA BEANS						
CALIF	20.0	21.0	25.0	20.0	21.0	25.0
BEANS OTHER THAN LIMAS						
CALIF	110.0	123.0	121.0	110.0	123.0	121.0
DRY EDIBLE BEANS						
CALIF	154.0	179.0	176.0	154.0	179.0	176.0
COLO	205.0	190.0	175.0	200.0	185.0	155.0
IDAHO	143.0	161.0	124.0	141.0	159.0	122.0
KANS	13.0	13.0	13.0	13.0	12.5	12.5
MICH	540.0	540.0	530.0	520.0	525.0	515.0
MINN	53.0	45.0	33.0	48.0	42.0	31.0
MONT	12.0	9.0	6.0	11.0	9.0	6.0
NEBR	126.0	126.0	105.0	120.0	120.0	100.0
N Y	49.0	43.0	42.0	47.0	40.0	40.0
N DAK	127.0	144.0	115.0	122.0	139.0	110.0
UTAH	15.0	13.0	5.0	15.0	13.0	4.0
WASH	37.0	27.0	20.0	36.0	26.0	19.0
WYO	29.0	29.0	25.0	28.0	28.0	24.0
OTHER	2/ 12.2	7.8	5.9	12.1	7.8	5.8
U S	1,515.2	1,526.8	1,374.9	1,467.1	1,485.3	1,320.3

1/ EXCLUDES BEANS GROWN FOR GARDEN SEED.

2/ ILLINOIS AND INDIANA.

POTATOES

SEASONAL GROUP AND STATE	AREA PLANTED FOR ALL PURPOSES			AREA HARVESTED		
	1975	1976	1977	1975	1976	IND 1977
	1,000 ACRES			1,000 ACRES		
WINTER	14.4	14.6	13.6	14.3	14.4	13.6
SPRING	85.4	10.9	91.9	84.5	99.0	91.3
SUMMER						
ALA	9.0	8.5	8.0	9.0	8.2	7.8
CALIF	8.4	8.5	8.4	8.4	8.1	8.4
COLO	7.4	7.6	7.0	7.2	7.5	6.9
DEL	6.5	6.0	5.5	5.7	5.8	5.3
ILL	2.1	2.8	2.6	2.0	2.7	2.5
IND	.8	1.3	1.3	.8	1.2	1.2
IOWA	3.2	3.0	2.3	3.1	2.9	2.2
MD	1.8	1.8	1.6	1.8	1.8	1.6
MICH	7.7	7.9	8.0	7.4	7.6	7.8
MINN	8.2	8.1	7.6	8.1	8.0	7.5
NEBR	2.7	2.4	2.3	2.5	2.2	2.1
N J	7.4	8.0	8.2	7.0	7.6	7.9
N MEX	3.7	3.2	3.4	3.5	3.2	3.4
N C	4.4	4.4	4.2	4.0	4.0	4.0
OHIO	3.1	3.1	3.0	2.9	2.9	2.5
TENN	5.0	4.7	5.0	5.0	4.7	5.0
TEX	8.7	9.8	9.8	8.6	9.4	9.6
VA	27.0	29.0	28.0	25.0	28.5	27.7
W VA	3.7	3.6	3.8	3.7	3.6	3.8
TOTAL	120.8	123.7	120.0	115.7	120.1	117.5
FALL 1/	1,081.1			1,047.3		

1/ REVISED 1976 AND PRELIMINARY 1977 ESTIMATES TO BE RELEASED AUG 11, 1977.

TOBACCO BY CLASS AND TYPE

CLASS AND TYPE	AREA HARVESTED		
	1975	1976	IND 1977
	ACRES		
CLASS 1, FLUE-CURED			
TYPE 11 OLD AND MIDDLE BELTS			
N C	179,000	185,000	160,000
VA	68,000	70,000	61,000
U S	247,000	255,000	221,000
TYPE 12 EASTERN N C BELT			
N C	229,000	203,000	175,000
TYPE 13 N C BORDER & S C BELT			
N C	62,000	51,000	47,000
S C	90,000	75,000	69,000
U S	152,000	126,000	116,000
TYPE 14 GEORGIA-FLORDIA BELT			
ALA	700	640	575
FLA	13,500	14,000	12,700
GA	75,000	68,000	67,000
U S	89,200	82,640	80,275
TOTAL 11-14	717,200	666,640	592,275
CLASS 2, FIRE-CURED			
TYPE 21 VIRGINIA BELT			
VA	5,000	5,300	5,400
TYPE 22 EASTERN DISTRICT			
KY	4,950	5,650	6,200
TENN	9,900	11,400	12,000
U S	14,850	17,050	18,200
TYPE 23 WESTERN DISTRICT			
KY	3,100	3,700	4,400
TENN	430	550	620
U S	3,530	4,250	5,020
TOTAL 21-23	23,380	26,600	28,620
CLASS 3, AIR-CURED			
CLASS 3A, LIGHT AIR-CURED			
TYPE 31 BURLEY BELT			
IND	7,500	7,500	6,800
KY	186,000	190,000	179,000
MO	2,700	2,400	2,500
N C	9,500	9,000	9,500
OHIO	9,500	9,300	9,500
TENN	54,400	54,100	56,000
VA	10,800	10,800	10,700
W VA	1,750	1,800	1,700
U S	282,150	284,900	275,700
TYPE 32 SOUTHERN MARYLAND BELT			
MD	23,000	23,000	23,000
TOTAL 31-32	305,150	307,900	298,700
CLASS 3B, DARK AIR-CURED			
TYPE 35 ONE SUCKER BELT			
KY	4,250	5,150	6,100
TENN	1,300	1,500	1,700
U S	5,550	6,650	7,800
TYPE 36 GREEN RIVER BELT			
KY	2,400	2,650	2,900
TYPE 37 VA SUN-CURED BELT			
VA	730	680	680
TOTAL 35-37	8,680	9,980	11,380

TOBACCO BY CLASS AND TYPE CONTINUED

CLASS AND TYPE	AREA HARVESTED		
	1975	1976	IND 1977
	ACRES		
CLASS 4, CIGAR FILLER			
TYPE 41 PENNSYLVANIA SEEDLEAF			
PA	12,000	13,500	13,000
TYPE 42-44 OHIO MIAMI VALLEY TYPES			
OHIO	1,800	1,900	1,700
TOTAL 41-44	13,800	15,400	14,700
CLASS 5, CIGAR BINDER			
CLASS 5A, CONN VALLEY BINDER			
TYPE 51 CONN VALLEY BROADLEAF			
CONN	1,350	1,350	1,390
TYPE 52 CONN VALLEY HAVANA SEED			
MASS	170	160	180
TOTAL 51-52	1,520	1,510	1,570
CLASS 5B, WISCONSIN BINDER			
TYPE 54 SOUTHERN WISCONSIN			
WIS	5,600	5,600	6,000
TYPE 55 NORTHERN WISCONSIN			
WIS	5,400	5,500	5,600
TOTAL 54-55	11,000	11,100	11,600
TOTAL 51-55	12,520	12,610	13,170
CLASS 6, CIGAR WRAPPER			
TYPE 61 CONN VALLEY SHADE-GROWN			
CONN	3,100	3,200	2,350
MASS	1,250	1,050	980
U S	4,350	4,250	3,330
TYPE 62 GA-FLA. SHADE-GROWN			
FLA	990	350	140
GA	130	0	0
U S	1,120	350	140
TOTAL 61-62	5,470	4,600	3,470
ALL CIGAR TYPES			
TOTAL 41-62	31,790	32,610	31,340
CLASS 7, MISC. DOMESTIC TOBACCO			
TYPE 72 LOUISIANA PERIQUE			
LA	150	140	100
ALL TOBACCO	1,086,350	1,043,870	962,505

1/ GEORGIA'S 1976 ACREAGE INCLUDED IN FLORIDA'S ACREAGE.
2/ INCLUDES FIRE CURED WRAPPER.

TOBACCO

STATE	AREA HARVESTED		
	1975	1976	IND 1977
	ACRES		
ALA	700	640	575
CONN	4,450	4,550	3,740
FLA	14,490	14,350	12,840
GA	75,130	68,000	67,000
IND	7,500	7,500	6,800
KY	200,700	207,150	198,600
LA	150	140	100
MO	23,000	23,000	23,000
MASS	1,420	1,210	1,160
MO	2,700	2,400	2,500
N C	479,500	448,000	391,500
OHIO	11,300	11,200	11,200
PA	12,000	13,500	13,000
S C	90,000	75,000	69,000
TENN	66,030	67,550	70,320
VA	84,530	86,780	77,780
W VA	1,750	1,800	1,700
WIS	11,000	11,100	11,600
U S	1,086,350	1,043,870	962,505

SWEETPOTATOES

STATE	AREA PLANTED			AREA HARVESTED			IND
	1975	1976	1977	1975	1976	1977	
	1,000 ACRES			1,000 ACRES			
ALA	5.8	5.5	5.5	5.8	5.5	5.5	
ARK	1.5	1.5	1.6	1.5	1.5	1.6	
CALIF	7.3	7.6	7.8	7.3	7.6	7.8	
GA	8.0	8.0	8.0	7.5	7.5	7.5	
LA	31.0	30.0	28.0	30.0	29.0	27.0	
MD	2.2	2.0	2.0	2.1	1.9	1.9	
MISS	9.5	9.5	9.5	9.5	9.0	9.0	
N J	2.0	2.2	2.3	2.0	2.2	2.3	
N C	32.0	35.0	34.0	31.0	33.0	33.0	
S C	2.3	2.5	2.3	2.3	2.5	2.3	
TENN	3.0	2.9	2.8	3.0	2.9	2.8	
TEX	10.5	11.0	10.0	10.0	10.5	9.5	
VA	6.9	7.0	5.9	6.5	6.5	5.6	
U S	122.0	124.7	119.7	118.5	119.6	115.8	

SUGARCANE FOR SUGAR AND SEED

STATE	AREA HARVESTED			IND
	1975	1976	1977	
	1,000 ACRES			
FLA	298.0	306.0	306.0	
HAW	111.5	106.1	107.5	
LA	329.0	315.0	315.0	
TEX	35.5	29.8	35.5	
U S	774.0	756.9	764.0	

SUGARBEETS

STATE	AREA PLANTED			AREA HARVESTED			IND
	1975	1976	1977	1975	1976	1977	
	1,000 ACRES			1,000 ACRES			
ARIZ	1/1	18.0	17.8	13.5	17.0	17.0	13.5
CALIF	1/1	333.0	318.0	235.0	326.3	312.0	230.0
COLO		162.7	124.0	78.0	154.9	121.0	77.0
IDAHO		168.7	145.6	116.0	158.3	139.4	110.0
KANS		46.0	39.0	27.0	43.0	38.0	25.0
MAINE	2/1		10.0	.0		5.5	.0
MICH		93.6	93.6	93.0	91.4	91.4	89.0
MINN		225.0	256.0	264.0	196.0	248.0	257.0
MONT		48.7	46.5	46.7	48.5	46.1	46.4
NEBR		98.0	86.0	75.0	96.0	84.5	70.0
N MEX		.9	1.1	1.3	.9	.9	1.2
N DAK		139.6	153.2	161.0	130.9	149.8	157.0
OHIO		39.9	38.4	25.0	39.2	36.5	24.0
OREG		18.3	14.9	8.7	17.9	14.5	8.7
TEX		37.2	26.8	19.9	33.7	23.4	18.5
UTAH		23.2	18.4	10.0	22.5	18.0	9.0
WASH		83.9	79.1	63.0	82.4	76.5	61.0
WYO		58.3	57.1	49.8	57.7	56.4	49.3
U S		1,595.0	1,525.5	1,286.9	1,516.6	1,478.9	1,246.6

1/ RELATES TO YEAR OF HARVEST.
2/ NONE PLANTED IN 1975.

I N D E X

	<u>PAGE</u>
ACREAGES, 10 YEARS	B- 1-
AREA PLANTED	B- 3
BARLEY	B- 7
CORN	B- 4
COTTON	B-12
DRY EDIBLE BEANS	B-14
DRY EDIBLE PEAS	B-12
DURUM WHEAT	B- 8
FLAXSEED	B-11
HAY	B-13
PEANUTS	B-10
POTATOES	B-14
OATS	B- 6
RICE	B-10
RYE	B- 9
SORGHUM	B- 5
SOYBEANS	B-11
SPRING WHEAT	B- 9
SUGARBEETS	B-17
SUGARCANE FOR SUGAR AND SEED	B-17
SWEETPOTATOES	B-17
TOBACCO	B-16
TOBACCO BY CLASS AND TYPE	B-15
U S CROP SUMMARY	A- 3
WHITE CORN	B- 5
WINTER WHEAT	B- 8

