

ACREAGE

Released: June 30, 1976
3:00 P.M. ET



Statistical Reporting
Service

U.S. Department
of Agriculture

Washington, D.C.
20250

HIGHLIGHTS

CORN planted for all purposes totals 84.1 million acres, up 8 percent from both 1975 and 1974. Acreage for grain, at 72.4 million acres, is up 8 percent from last year and 11 percent from 1974.

SORGHUM plantings of 18.4 million acres are up 1 percent from 1975 and 4 percent above 1974. Producers expect to harvest 14.8 million acres for grain, a decrease of 5 percent from 1975.

FEED GRAIN planted acreage (corn, sorghum, oats and barley combined) totals 129.3 million acres, up 5 percent from the acreage planted last year. Acreage intended for grain harvest is 108.7 million, almost 4 percent larger than 1975.

ALL WHEAT seedings total 80.2 million acres, up 7 percent from a year earlier and 12 percent from two years ago. Growers seeded 57.7 million acres of winter wheat last fall, the largest acreage since 1949. Durum wheat acreage seeded is 4.7 million, down 2 percent from 1975. Spring wheat other than durum seedings total 17.8 million acres, up 26 percent from last year and 20 percent above 1974. Acreage for harvest is indicated at 49.2 million acres for winter wheat, 4.6 for durum and 16.5 for other spring wheat.

FOOD GRAIN seeded acreage (wheat, rice and rye combined) at 85.7 million acres, is up 6 percent from 1975. Acreage harvested and to be harvested for grain is indicated at 73.5 million acres, virtually unchanged from 1975.

SOYBEAN planted acreage of 49.0 million acres is down 10 percent from 1975 and down 8 percent from 1974. Growers intend to harvest 48.2 million acres for beans.

COTTON planted acreage is placed at 11.7 million, 23 percent above 1975 but 15 percent below 1974.

OILSEED planted acreage (cotton, flaxseed, peanuts and soybeans combined) is 63.2 million, down 6 percent from 1975.

This acreage report is based on surveys conducted about June 1, including a probability land area frame survey and the voluntary responses of 168,000 growers giving individual farm data on a mail survey. Included in this report are acreages actually planted by June 1 and also acreage intended to be planted after June 1. Percent of acreage planted as of June 1 was approximately: corn, 95 percent; sorghum, 57 percent; oats, barley and spring wheat, virtually complete; soybeans, 72 percent; and cotton, 88 percent. The usual follow-up surveys will be conducted during July to determine final plantings. Changes from this report will be shown in the August Crop Production Report issued August 12.

The Crop Production Report to be issued July 12 will include forecasts of yield and production for corn, wheat, barley, oats, rye, summer potatoes and flue-cured tobacco as well as production forecasts for selected fruits and nuts. Yield and production will be based on surveys conducted about July 1.

A P P R O V E D:

How Pearlberg

ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

B. M. Graham, *Chairman*,
M. R. Stuckey, *Acting Secretary*,
J. W. Kirkbride, F. E. Rolf,
R. M. Pallesen, A. R. Davis, Jr.,
H. J. DeLong, W. N. Dowdy,
M. A. Evans, D. J. Fedewa,
D. G. Gerhardt, J. R. Gibson,
D. G. Hagel, W. G. Hamlin,
M. L. Holko, D. H. Johnson,
R. F. Kriesel, R. D. Latham,
W. P. Parks, C. D. Spillmann,
H. J. Tippet, D. H. Von Steen,
W. J. Walker.

UNITED STATES CROP SUMMARY
(DOMESTIC UNITS)

CROP	AREA PLANTED FOR ALL PURPOSES				AREA HARVESTED 1/			
	1974	1975	1976	1976	1974	1975	IND	1976
	1,000 ACRES		PERCENT		1,000 ACRES		PERCENT	
ALL CORN	77,787	77,902	84,092	108	65,357	66,905	72,435	108
WHITE CORN 2/	659	696	542	78	611	631	504	80
ALL SORGHUM	17,676	18,275	18,398	101	13,876	15,484	14,782	95
OATS	17,967	17,386	17,559	101	13,206	13,650	13,076	96
BARLEY	8,994	9,526	9,247	97	8,168	8,711	8,373	96
ALL WHEAT	71,354	75,095	80,239	107	65,613	69,656	70,215	101
WINTER	52,354	56,163	57,747	103	47,043	51,544	49,167	95
DURUM	4,174	4,820	4,740	98	4,099	4,670	4,591	98
OTHER SPRING	14,826	14,112	17,752	126	14,471	13,442	16,457	122
RICE	2,555.0	2,818.0	2,451.0	87	2,536.0	2,802.0	2,433.5	87
RYE	3,200	3,166	3,038	96	897	814	869	107
SOYBEANS	53,507	54,577	48,972	90	52,368	53,606	48,172	90
FLAXSEED	1,759	1,612	988	61	1,673	1,500	922	61
PEANUTS	1,519.6	1,531.9	1,539.8	101	1,472.1	1,504.0	1,511.9	101
POPCORN	198.5	232.2	219.2	94	188.7	224.2	212.8	95
COTTON	13,699.4	9,492.6	11,711.2	123	12,566.6	8,796.0		
ALL HAY					60,571	61,863	61,079	99
ALFALFA					26,817	27,057	26,647	98
ALL OTHER					33,754	34,806	34,432	99
DRY EDIBLE BEANS	1,624.4	1,496.2	1,505.6	101	1,541.7	1,447.1	1,465.0	101
DRY EDIBLE PEAS	220.0	196.5	130.0	66	213.0	188.5	126.0	67
SUMMER POTATOES	136.3	120.8	123.0	102	133.3	115.7	120.6	104
SWEETPOTATOES	125.6	122.0	124.2	102	121.7	118.5	120.8	102
ALL TOBACCO					962.6	1,086.4	1,022.7	94
SUGARBEETS	1,251.5	1,593.2	1,532.5	96	1,212.6	1,516.7	1,486.0	98
SUGARCANE FOR								
SUGAR AND SEED					734.1	774.0	782.3	101
SUNFLOWER SEEDS 3/		787	698	89		709	667	94

1/ HARVESTED FOR PRINCIPAL USE OF EACH CROP, I.E., GRAIN, BEANS, NUTS, ETC. 2/ 10-STATE TOTAL; INCLUDED IN ALL CORN, SEE PAGE B-4 FOR STATES COVERED. 3/ 2-STATE TOTAL, SEE PAGE B-10 FOR STATES COVERED; NOT AVAILABLE FOR 1974.

UNITED STATES CROP SUMMARY
(METRIC UNITS)

CROP	AREA PLANTED FOR ALL PURPOSES				AREA HARVESTED			
	1974	1975	1976	1976	1974	1975	IND	1976
	HECTARES		PERCENT		HECTARES		PERCENT	
ALL CORN	31,479,620	31,526,160	34,031,190	108	26,449,320	27,075,780	29,313,720	108
WHITE CORN	266,690	281,660	219,340	78	247,270	255,360	203,960	80
ALL SORGHUM	7,153,300	7,395,710	7,445,490	101	5,615,480	6,266,220	5,982,130	95
OATS	7,271,070	7,035,940	7,105,950	101	5,344,340	5,524,020	5,291,730	96
BARLEY	3,639,780	3,855,080	3,742,170	97	3,305,510	3,525,250	3,388,470	96
ALL WHEAT	28,876,250	30,390,200	32,471,920	107	26,552,920	28,189,080	28,415,300	101
WINTER	21,187,140	22,728,600	23,369,630	103	19,037,830	20,859,340	19,897,390	95
DURUM	1,689,180	1,950,610	1,918,230	98	1,658,820	1,889,900	1,857,930	98
OTHER SPRING	5,999,930	5,710,990	7,184,060	126	5,856,270	5,439,840	6,659,980	122
RICE	1,033,980	1,140,420	991,900	87	1,026,290	1,133,940	984,810	87
RYE	1,295,010	1,281,250	1,229,450	96	363,010	329,420	351,680	107
SOYBEANS	21,653,750	22,086,770	19,818,480	90	21,192,810	21,693,810	19,494,730	90
FLAXSEED	711,850	652,360	399,830	61	677,050	607,040	373,120	61
PEANUTS	614,970	619,940	623,140	101	595,740	608,650	611,850	101
POPCORN	80,330	93,970	88,710	94	76,370	90,730	86,120	95
COTTON	5,544,010	3,841,560	4,739,410	123	5,085,580	3,559,650		
ALL HAY					24,512,480	25,035,340	24,718,060	99
ALFALFA					10,852,570	10,949,700	10,783,770	98
ALL OTHER					13,659,910	14,085,640	13,934,290	99
DRY EDIBLE BEANS	657,380	605,500	609,300	101	623,910	585,630	592,870	101
DRY EDIBLE PEAS	89,030	79,520	52,610	66	86,200	76,280	50,990	67
SUMMER POTATOES	55,160	48,890	49,780	102	53,950	46,820	48,810	104
SWEETPOTATOES	50,830	49,370	50,260	102	49,250	47,960	48,890	102
ALL TOBACCO					389,550	439,660	413,880	94
SUGARBEETS	506,470	644,750	620,190	96	490,730	613,790	601,370	98
SUGARCANE FOR								
SUGAR AND SEED					297,080	313,230	316,590	101
SUNFLOWER SEEDS		318,490	282,470	89		286,930	269,930	94

1976 PLANTING PROGRESS

Unseasonably mild temperatures brought spring-like weather to most of the United States early this year. Land preparation began much earlier than normal and by May 1 plowing and disking were nearly complete in several of the North Central States. In Iowa land preparations were virtually complete compared with 65 percent in 1975 and the average of 78 percent. Plowing and disking were also nearly complete in Indiana by May 1, ahead of last year's 85 percent and 60 percent average. South Dakota farmers prepared 77 percent of the land by May 1, three times the 26 percent attained in 1975 and well ahead of the 50 percent average.

With land preparation far advanced, planting activities began early also. Almost a third of the U. S. corn crop was planted by the beginning of May and at mid-month about 80 percent of the crop was in the ground. This year's pace far exceeded last year's 13 percent planted about May 1 and the mid-May 1975 figure of 63 percent. Dry weather helped farmers keep planting progress a week or more ahead of normal. Although planting was well advanced, subnormal temperatures in May slowed germination and emergence of seedlings. Many new plants yellowed from the cold temperatures. Later in May more favorable germination temperatures returned aiding the emergence and development of the corn crop.

Farmers began planting soybeans at the beginning of May. By the end of May 72 percent of the crop was seeded compared with 62 percent in 1975 and 50 percent average. At mid-June 89 percent of the crop was in the ground, ahead of both last year's 84 percent and 76 percent average. In the North Central States planting reached 95 to 98 percent complete at mid-June, well ahead of average. In some North Central States farmers replanted some soybean fields where dry soils reduced germination to unacceptable levels. In the South Central States 79 percent of the crop was in the ground by mid-June, compared with 67 percent for both last year and average. Late in the month farmers were planting soybeans following small grain harvest and replanting some failed cotton acreage to soybeans.

Warm April temperatures encouraged growers to plant cotton early. By May 1 planting in most major cotton States was 50 percent complete except in Oklahoma where none was planted and in Texas where 22 percent was sown. Late in May, cool temperatures and wet weather reduced germination. Many fields were replanted. Replanting of poor stands slowed planting progress but planting remained ahead of last year's rate and average. By June 1 only Oklahoma and Texas growers were seeding cotton; elsewhere planting was virtually complete. In Oklahoma planting was 60 percent complete, twice last year's rate but near average. In Texas planting reached 78 percent complete, about the same as last year but ahead of average.

Sorghum planting lagged the pace of last year and the average through May and early June. However, by mid-June planting was 84 percent complete, compared with 80 percent in 1975 and 81 percent average.

In Texas farmers on the Plains delayed planting, hoping for rain to improve germination, while in other areas rains forced some growers to replant.

Spring wheat seeding began very early as a result of mild temperatures and dry weather. Planting was virtually complete in the Dakotas, Minnesota and Montana by mid-May. Seeding was 92 percent complete in the 5 major States, by mid-May, compared with 33 percent in 1975 and 61 percent average.

CORN: Corn planted for all purposes is estimated at 84.1 million acres, up 2 percent from the April 1 intentions and up 8 percent from both 1975 and 1974. All regions showed increased plantings from last year. Acreage is up 6 percent in the North Central region; up 20 percent in the South Central; North Atlantic, 4 percent; Western, 11 percent; and the South Atlantic, 17 percent.

The 72.4 million acres intended for grain in 1976 is up 8 percent (5.5 million acres) from last year and 11 percent above 1974. If realized, this would be the largest acreage harvested for grain since 1949. Acreage for grain is up 6 percent in the Corn Belt, 20 percent in the South Central region, 10 percent in the West, 7 percent in the North Atlantic and 19 percent in the South Atlantic region. Planting in the Corn Belt States got off to a fast start and progressed well ahead of normal. As of mid-May nearly 80 percent of the crop had been planted. This compares with 63 percent in 1975 and 55 percent for normal. In three of the leading corn producing States (Iowa, Illinois, and Ohio) planting was virtually complete by June 1. Nebraska, Indiana and Wisconsin were at least 95 percent complete. Other North Central States, with the exception of Michigan, had 90 percent or more of the intended acreage planted by June 1.

Planting progress was ahead of normal on June 1 in the South Atlantic and South Central States. A cool spring throughout the Western States slowed plantings.

WHITE CORN: Growers in the 10 States surveyed planted 542,000 acres to white corn varieties, 22 percent below the 696,000 acres planted in 1975. The acreage intended for harvest as grain totals 504,000, down 20 percent from the 631,000 acres harvested in 1975. White corn acreage is included in the all-corn acreage estimates published in this report.

Acreage planted in Kentucky, the Nation's leading white corn producing State, was down 8 percent from last year. The remaining States (listed in the order of acreage planted) Tennessee, Georgia, Alabama, Texas, Illinois, Kansas, Indiana, Missouri and Iowa showed sharp decreases from last year, with the exception of Texas, which remained unchanged from 1975.

SORGHUM: Sorghum planted for all purposes is estimated at 18.4 million acres, a 1 percent increase from 1975. This represents a 4 percent increase from the 1974 acreage and 3 percent above the intentions of April 1. The Texas acreage of 7.2 million acres is down 10 percent from 1975 while Kansas, the second largest sorghum producing State with 4.5 million acres, is up 10 percent from last year. Plantings in Nebraska and Oklahoma are estimated at 2.3 million and 1.1 million acres respectively.

Producers expect to harvest 14.8 million acres of sorghum for grain, a decrease of 5 percent from last year but 7 percent above the 1974 level. Acres for grain in Texas at 5.9 million are down 8 percent from 1975 and 2 percent less than the 1974 harvested acreage. Acreage for grain in Kansas is expected to be 8 percent higher than last year, Nebraska expects a 9 percent increase, and Oklahoma is 3 percent above the 1975 level. The remaining major sorghum producing States and the change from 1975 are: Missouri, up 18 percent; Colorado, down 5 percent; and South Dakota, down 3 percent.

Sorghum planting in the 7 major producing States was 84 percent complete at mid-June, ahead of last year's 80 percent and the average of 81 percent. In Texas, plantings were 92 percent complete and replanting continued in the High and Low Plains where stands were lost to heavy rains and hail. Nebraska plantings were complete by mid-June while usually 90 percent of the crop has been planted by mid-June. Kansas and Oklahoma were ahead of the normal planting rate in mid-June and nearing completion late in the month.

OATS: Plantings last fall plus plantings this spring total 17.6 million acres, 1 percent above 1975 but 2 percent below 1974. This is 5 percent above the intentions indicated on April 1.

Acreage for harvest is estimated at 13.1 million acres, 4 percent below 1975 and 1 percent below 1974.

Spring seeding was completed much ahead of normal in the North Central States. Dry conditions are affecting crop prospects in many areas. Oats are heading in the Dakotas as dry conditions continue.

Harvest is underway in the Southern States with harvest in Georgia ahead of normal. In east and central Texas heavy rains and wet fields have delayed harvest while drought in the Plains area is reducing yields.

BARLEY: Acreage planted last fall plus plantings this spring resulted in a 1976 crop of 9.25 million seeded acres, 3 percent below 1975 but 3 percent above 1974 and slightly above acreage intentions indicated on April 1.

Acreage for harvest is estimated at 8.37 million acres, 4 percent below 1975 but 3 percent above 1974.

Spring planting in the major producing areas of the Dakotas, Minnesota, Montana and Idaho was earlier than normal. Barley is heading in North Dakota and early fields are turning in Idaho. Dry weather has affected the crop in most producing areas. Harvest is underway in California with dryland barley suffering greatly from drought conditions.

WHEAT: Seeded acres of all wheat is placed at 80.2 million, up 7 percent from last year and 12 percent above 1974. This is the third largest planted acreage of record, being exceeded only in 1937 when 80.8 million acres were seeded and in 1949 when 83.9 million were seeded.

Acreage of all wheat for harvest is estimated at 70.2 million acres, up 1 percent from last year and the largest since 1952. Indicated 1976 acreage for grain at 88 percent of acres planted, compares with 93 percent last year and 92 percent in 1974.

Growers seeded 57.7 million acres of winter wheat last fall, the largest acreage since 1949. This is 3 percent more than a year earlier and 10 percent more than the acreage seeded for the 1974 crop. Acreages increased in all major producing States except Texas which shows no change from a year earlier.

Acreage of winter wheat harvested and to be harvested for grain is estimated at 49.2 million acres, down 5 percent from the 51.5 million acres harvested last year but 5 percent above the 1974 harvested acreage. Indicated 1976 acreage for grain at 85 percent of the acres planted compares with 92 percent last year and 90 percent in 1974. Abandonment of seeded acres has been rather severe this year in several of the major producing winter wheat States due to drought conditions, although moisture received since mid-April has improved conditions in many areas.

Durum wheat seeded acreage is estimated at 4.7 million, 2 percent less than the record acreage last year. North Dakota, accounting for over three-fourths of the national durum wheat acreage, planted 9 percent fewer acres this year. This decline, plus declines in the other traditional durum areas, was partially offset by expansion of acreage in Arizona, New Mexico and California. Seeding of durum wheat in the major areas was far ahead of normal and was nearing completion by the end of May.

Durum acreage expected to be harvested for grain based on conditions as of June 1, is placed at 4.6 million, down from the 4.7 million acres harvested last year but 12 percent more than the acreage harvested in 1974. Drought conditions in some of the major producing areas could further reduce the harvested acres this year.

Acreage seeded to spring wheat other than durum is estimated at 17.8 million, up 26 percent from a year earlier and 20 percent above 1974. This is the largest acreage since 1953 when 19.7 million acres were seeded. North Dakota, with 46 percent of the total U. S. acreage, is up 26 percent. Minnesota is up 32 percent, South Dakota is up 24 percent, and Montana is up 26 percent. Planting of the crop was completed ahead of normal and last year, but growth has been slow due to limited soil moisture in some of the major producing areas.

Other spring wheat harvested acres are indicated at 16.5 million based on June 1 conditions, up 22 percent from a year earlier and 14 percent from 1974. Indicated 1976 acreage for grain at 93 percent of the acres planted compares with 95 percent last year and 98 percent in 1974.

RICE: Rice acreage planted is estimated at 2.45 million acres, 13 percent below last year and 4 percent below the 1974 planted acreage. Acreage for harvest is 2.43 million acres, also down 13 percent from 1975. Growers in all rice States seeded less acreage than in 1975.

Planting was completed ahead of normal in the Delta States and near normal in other States. The crop in the South was delayed early in the season due to cool weather; however, it has recovered well and is in generally good condition.

RYE: Fall seeding of rye totaled 3.04 million acres, slightly less than the 1975 crop plantings of 3.17 million acres and a record low seeded acreage. Acreage for harvest as grain is expected to total 869 thousand acres, up 7 percent from the record low 814 thousand acres harvested a year earlier. Increases in harvested acreage in 5 States, including the major producing States of South Dakota and Minnesota, more than offset declines in 11 other States.

Soil moisture last fall in the Great Plains area was generally short at planting time which slowed seeding and restricted germination. The crop in North Dakota has progressed rapidly and maturity is well ahead of normal. Moisture shortages are severe in the heavy producing areas of Minnesota and South Dakota.

SOYBEANS: Soybean planted acreage is estimated at 49.0 million acres, down 10 percent from a year ago and down 14 percent from the record high 1973 crop. This estimate represents a 1 percent decrease from the April Intentions Report of 49.3 million acres. Acreage for harvest as beans is indicated at 48.2 million acres, down 10 percent from 1975.

Planting in the North Central States progressed at a rapid pace with 98 percent in the ground by June 13. This area accounts for 30.1 million acres, down 11 percent from last year. All States in the North Central Region decreased from the 1975 level.

The South Central area was 79 percent planted by June 13, well above average and normal for this date. Planted acreage, totaling 14.2 million acres, is down 6 percent from last year. Only Louisiana registered an increase from a year ago.

Planting in the Atlantic States progressed near normal. Acreage is estimated at 4.7 million acres, down 17 percent from last year. Only New Jersey and New York show increases from the 1975 crop.

Survey data indicate at the National level that 9 percent of the 1976 soybean crop will be planted following the harvest of another crop. This compares with about 7 percent for the two previous years. Double cropping of soybeans in the North Central States is indicated to be 3 percent while other States average just over 15 percent.

FLAXSEED: Flaxseed plantings in 1976 are estimated at a record low 988,000 acres, 9 percent below the April intentions and down 39 percent from last year. Acres for harvest at 922,000 acres are down 39 percent from 1975 and down 45 percent from 1974.

Seeding in North Dakota, South Dakota, Minnesota and Montana got off to an early start but dry conditions in the Dakotas and Minnesota during May and June slowed development. Conditions in Montana were generally favorable. Recent rains in North Dakota have improved growing conditions. In Texas, flaxseed harvest has been delayed slightly due to wet conditions.

PEANUTS: Peanut acreage planted for all purposes for 1976 is estimated at 1.54 million acres, one percent more than in 1975. Included are peanuts for nuts, hay, hogging off and other uses. Acreage expected to be harvested for nuts is estimated at 1.51 million acres, one percent more than last year.

The Virginia-North Carolina area totaled 272,000 acres, an increase of 1,000 acres over 1975. Planting started early in Virginia with dry, cool conditions prevailing. Moderate rains came after planting started and stands are generally good. Crop condition is good with recent rains and warmer temperatures providing favorable prospects. North Carolina plantings were on schedule and are in good condition.

Acreage planted in the Southeast States is estimated at 826,000 acres, up 3,000 acres from a year earlier. Georgia plantings made rapid progress early, then were slowed by dry weather after mid-April but were completed on schedule. Heavy rains in mid-May caused some damage but conditions are now good. Good conditions were also reported in Alabama, Florida, Mississippi and South Carolina.

The Southwest region acreage is set at 441,800, up 3,900 acres from 1975. Texas plantings have been slow with cool, wet weather delaying plantings in the Cross-Timbers region. Planting is now progressing well and should be completed in early July. Oklahoma planting is nearly complete and moisture supplies are good. Planting is nearing completion in New Mexico.

COTTON: Acreage planted to cotton in 1976 is estimated to total 11.7 million acres, 23 percent above last year, 4 percent above the April intentions, but 15 percent below 1974. Upland cotton is estimated at 11,655,200 acres while American-Pima is placed at 56,000 acres.

Oklahoma and Texas upland growers expect plantings to total 5.3 million acres, 11 percent more than was planted in 1975 and 5 percent more than was intended in April. Planting generally occurred ahead of normal in most of Texas and Oklahoma, although western parts of the Southern High Plains experienced drought conditions and some expected plantings will not occur. Grass and weed problems are present as a result of wet weather in other parts of Texas but control measures are being taken.

In the Delta States--Arkansas, Louisiana, Mississippi, Missouri, and Tennessee--planted acreage is set at 3.9 million acres, 45 percent above last year and 6 percent above April intentions. In most of the Delta, planting was ahead of schedule as favorable conditions prevailed during early Spring. However, with cool, wet weather during parts of April and May, germination and growth slowed resulting in poor stands, seedling disease, insect infestations and considerable replanting.

In the Southeast--Alabama, Georgia, North Carolina and South Carolina--estimated planted acreage at 1.0 million is 36 percent above last year and slightly above the acreage intended in April. Considerable replantings were also necessary in these States as a result of cool, wet conditions during April and May which resulted in poor stands and slow development. Upland cotton growers in Arizona, California, and New Mexico planted 1.5 million acres, 16 percent above last year but 2 percent less than intended in April. Larger acreage than intended in April for Arizona and New Mexico was more than offset by reduced acreage in California. Growth and development in these western areas have been generally favorable although dampened slightly by cool weather.

American-Pima growers planted 56,000 acres, 19 percent below last year and 15 percent below the acreage intended in April.

HAY: Acreage to be harvested for all hay in 1976 is estimated at 61.1 million acres, a decrease of 2 percent from the April 1 Intentions and 1 percent below 1975. The largest acreage decreases from last year are expected in Indiana, Illinois, Iowa, South Dakota and Kansas.

Harvested acreage of alfalfa and alfalfa mixtures is estimated at 26.6 million acres, 2 percent below the 27.1 million acres harvested in 1975 and 1 percent below 1974. Acreage of all other hay is estimated at 34.4 million acres, 1 percent below last year but 2 percent above the 1974 crop of 33.8 million acres harvested.

DRY EDIBLE BEANS: Growers planted an estimated 1.51 million acres to dry edible beans for 1976, one percent more than a year ago. Acreage for harvest is set at 1.47 million acres, one percent more than the 1.45 million acres harvested in 1975.

Planting has been near normal in the majority of areas with some dry conditions prevailing. Some early plantings were delayed in drier areas of Michigan, Minnesota, North Dakota and Utah. However, planting in Michigan is now ahead of normal. Montana plantings were complete by the first week of June as were plantings in North Dakota.

In California, conditions have been mostly favorable. Cool weather has delayed the crop in Washington but beans are in good condition. The Idaho producing area suffered a general frost on June 26 with some reduced yields expected.

Rain is needed in Minnesota, although crop development and growth have been good. Moisture supplies remain short in North Dakota dry bean areas. Conditions are fairly good in other dry bean States.

DRY EDIBLE PEAS: Growers in Idaho and Washington planted 130,000 acres of dry edible peas for harvest in 1976. This is 33 percent less than the 193,000 acres seeded in these two States in 1975. Washington, the leader in pea production, reduced acreage by 34 percent from 121,000 to 80,000 acres. Idaho acreage decreased from 72,000 to 50,000 acres planted, a drop of 31 percent.

Washington plantings were completed in May. The cool, wet spring prevented early planting, but weather since has been excellent with good soil moisture. Early fields are blooming. Conditions have been similar in Idaho.

POTATOES: Planted acreage of summer potatoes is estimated at 123,000 acres, 2 percent above the 1975 summer planting of 120,800 acres. Estimated acreage for harvest in 1976 at 120,600 acres is 4 percent above the 115,700 acres harvested in 1975.

Planting in Virginia was about 2 weeks ahead of normal and harvest 10 days early. Quality and size are good but yields are lower due to dry weather during the growing season. Weather has been favorable for development in West Virginia. The New Jersey crop has made good growth although some areas have been quite dry and growers had difficulty keeping up with irrigation.

In Delaware, potatoes have good stands, but are growing slowly due to cool, dry weather. Some farmers have been irrigating.

In Alabama, the crop is in good condition with light harvest to begin the last week of June. Volume movement is not expected until after July 4. The crop was about 2 weeks ahead of normal in Tennessee with digging getting started. Early growth in Michigan and Illinois has been generally good. Planting in Minnesota was 2 to 3 weeks earlier than normal and far ahead of the rain delayed crop last year.

Planting progressed normally in Colorado and the crop is in very good condition. Some fields on the High Plains of Texas have suffered damage from hail and high winds with blowing sand. Harvest is expected to begin around July 1. Crop development is normal in California and yields are expected to be good.

SWEETPOTATOES: The 1976 planted acreage of sweetpotatoes is estimated at 124,200 acres, up 2 percent from the 1975 total of 122,000. Harvested acreage is expected to be 120,800 acres, 2 percent above the 118,500 acres harvested in 1975.

In California planting is complete, with some stands reduced by dry weather. Planting in Georgia was delayed by heavy rainfall and the crop has suffered from excessive moisture and cool night-time temperatures.

Transplanting in Louisiana is 75 percent complete. Growth appears good. Planting in Mississippi is over 50 percent complete. In North Carolina the crop is about three-fourths planted and in generally good condition.

Planting in Texas began in early May and continued into June. Planting in some areas has been delayed due to wet field conditions.

TOBACCO: Acreage of all tobacco in 1976 is estimated at 1.0 million acres, down 6 percent from the acreage harvested in 1975. Declines of 9 percent for flue-cured, 1 percent for burley, and 16 percent for cigar wrapper, more than offset increases for several other types. Types with larger acreages indicated were: fire-cured, 1 percent; cigar filler, 4 percent; cigar binder, 2 percent; and dark air-cured, 12 percent. Southern Maryland was estimated at the same level as 1975.

Flue-cured tobacco is expected to be harvested from 655,140 acres, 9 percent below the 717,200 acres harvested last year. All States producing this type of tobacco showed a decline except Florida, which has no change, and Virginia, where a slight increase is expected. Transplanting was accomplished earlier than normal for most States, but was followed by very dry and windy weather in April which necessitated some resetting in Georgia, South Carolina and North Carolina. Subsequent heavy rains during May caused damage in Georgia and Florida.

Burley growers expect to harvest 279,100 acres - 1 percent less than the 282,150 acres grown in 1975. Declines of 8 percent in Tennessee, 5 percent in North Carolina, 4 percent in Missouri, and 1 percent in Indiana more than offset a 1 percent increase in Kentucky, the largest producer. Conditions have been very favorable for both transplanting and growth.

Fire-cured acreage at 23,720 is up 1 percent from last year's 23,380 acres. Tennessee was the only State with less acreage this year.

Southern Maryland is expecting production from 23,000 acres-the same as a year ago.

Dark air-cured acreage is indicated at 9,750 acres, 12 percent above the 8,680 acres last year. Type 35 producers will harvest 14 percent more acreage, while type 36 acreage is up 10 percent and type 37 increased 3 percent.

Acreage for cigar filler, at 14,400, is up 4 percent from last year's 13,800 acres.

Cigar binder growers indicated 2 percent more acreage being utilized this year to total 12,810 acres. Wisconsin's types 54 and 55 were the only types to show increases and these were up 4 percent and 2 percent respectively.

Cigar wrapper tobacco acreage dropped another 16 percent to a record low 4,600 acres. This is the third consecutive year of record low acreage. Last year's wrapper acreage was 5,470. Type 61 is off only 2 percent this year but type 62 dropped 69 percent.

SUGARBEETS: Planted acreage of sugarbeets is estimated at 1.53 million acres, down 4 percent from a year earlier. Only Minnesota, New Mexico and North Dakota indicate an increase in planted acreage. Planting changes from last year in the larger producing States were as follows: California, down 3 percent; Idaho, down 14 percent; Colorado, down 24 percent; Nebraska, down 12 percent; Michigan, down 1 percent. States indicating an increase in planted acres were New Mexico up 22 percent, Minnesota up 13 percent and North Dakota up 11 percent. Acreage of sugarbeets for harvest is estimated at 1.49 million acres, 2 percent below the 1975 total.

Maine growers have planted 10,000 acres in 1976 which is included in this report. Sugarbeets have not been produced in Maine since 1970.

Sugarbeet plantings in many States were earlier than normal due to warm weather in April but development was slowed due to dry, cool conditions during May and early June. High winds at planting time in Idaho caused some problems with stands because of movement of dirt and uneven distribution of sprinkler water. In Michigan strong winds and cold weather adversely affected emergence, causing considerable acreage to be replanted. Development of sugarbeets in North Dakota has been slowed due to dry conditions. Some relief was provided by rains during the week of June 13-19, but additional moisture is needed for normal development. Plantings were 3 weeks ahead of normal in Ohio. However, dry, cool conditions resulted in some poor stands and slow early growth. Very little replanting was required in Ohio. The crop is currently making satisfactory progress with additional rainfall in most areas during the week of June 14-20.

SUGARCANE FOR SUGAR AND SEED: Acreage of sugarcane for harvest in 1976 is estimated at 782,300 acres, 1 percent above the 774,000 acres harvested in 1975. Hawaii expects to harvest 400 acres less than in 1975. A prolonged drought in 1975 caused several plantations to preharvest a portion of their 1976 crop. Rainfall during November 1975 alleviated the dry conditions. Growth of sugarcane in Louisiana has been good this spring, and stands are the best in recent years. Fertilization and lay-by of the crop was completed in early June. The sugarcane crop is currently in good condition in Florida. Fields are requiring irrigation on a routine basis.

SUNFLOWER SEEDS: Sunflower seed acreage in Minnesota and North Dakota is estimated at 698 thousand acres, down 11 percent from a year ago. Acreage for oil at 499 thousand acres is down 13 percent with non-oil acreage down 7 percent. Oil varieties account for 71 percent of the two-State total compared with 73 percent in 1975.

The total Minnesota crop, with 85 percent for oil, is estimated at 210 thousand planted acres, down 14 percent from last year. In North Dakota where 66 percent is for oil, the 1976 total planted acreage is 488 thousand acres, down 10 percent from a year ago.

Acreage for harvest in the two-State area is 667 thousand acres, down 6 percent from last year. Minnesota acreage for harvest is estimated at 189 thousand acres and North Dakota expects to have 478 thousand acres harvested

AREA PLANTED AND HARVESTED, UNITED STATES, 1967-76

YEAR	CORN			SORGHUM		
	ALL	HARVESTED	HARVESTED FOR GRAIN	ALL	HARVESTED	HARVESTED FOR GRAIN
	PLANTED			PLANTED		
1,000 ACRES						
1967	71,156	70,034	60,694	18,945	18,351	14,988
1968	65,126	64,605	55,980	17,793	17,302	13,890
1969	64,264	63,063	54,574	17,231	16,835	13,437
1970	66,849	66,077	57,358	16,957	16,476	13,568
1971	74,055	73,523	64,047	20,756	20,026	16,301
1972	66,972	66,237	57,421	17,295	16,728	13,368
1973	71,912	71,396	61,894	19,231	18,851	15,853
1974	77,787	76,738	65,357	17,676	16,774	13,876
1975	77,902	77,220	66,905	18,275	17,820	15,484
1976	84,092	83,000	72,435	18,398	17,900	14,782

YEAR	OATS		BARLEY		FEED GRAINS
	PLANTED	HARVESTED	PLANTED	HARVESTED	HARVESTED 1/
1967	20,719	16,110	10,077	9,230	101,022
1968	23,342	17,708	10,486	9,732	97,310
1969	23,561	17,971	10,291	9,557	95,539
1970	24,469	18,638	10,490	9,725	99,289
1971	21,956	15,772	11,115	10,151	106,271
1972	20,178	13,525	10,639	9,707	94,021
1973	19,147	14,065	11,229	10,452	102,264
1974	17,967	13,206	8,994	8,168	100,607
1975	17,386	13,650	9,526	8,711	104,750
1976	17,559	13,076	9,247	8,373	108,666

YEAR	WHEAT					
	ALL	WINTER	DURUM		OTHER SPRING	
	HARVESTED	HARVESTED	PLANTED	HARVESTED	PLANTED	HARVESTED
1,000 ACRES						
1967	58,353	45,039	2,826	2,754	10,789	10,560
1968	54,765	41,929	3,715	3,621	9,478	9,215
1969	47,146	36,303	3,466	3,420	7,646	7,423
1970	43,564	32,702	2,167	2,105	8,949	8,757
1971	47,674	32,359	2,943	2,864	12,807	12,451
1972	47,284	34,840	2,592	2,550	10,138	9,894
1973	53,869	38,474	2,952	2,884	12,794	12,511
1974	65,613	47,043	4,174	4,099	14,826	14,471
1975	69,656	51,544	4,820	4,670	14,112	13,442
1976	70,215	49,167	4,740	4,591	17,752	16,457

YEAR	RICE		RYE	FOOD GRAINS	SOYBEANS	
	PLANTED	HARVESTED	HARVESTED	HARVESTED 2/	PLANTED	HARVESTED FOR BEANS
1967	1,982.2	1,970.1	1,063	61,386	40,819	39,805
1968	2,366.6	2,353.4	996	58,114	42,265	41,391
1969	2,140.6	2,128.4	1,291	50,565	42,534	41,337
1970	1,825.8	1,814.7	1,427	46,806	43,082	42,249
1971	1,826.0	1,817.9	1,754	51,246	43,472	42,701
1972	1,824.0	1,817.9	1,084	50,186	46,885	45,698
1973	2,181.3	2,170.2	1,033	57,072	56,675	55,796
1974	2,555.0	2,536.0	897	69,046	53,507	52,368
1975	2,818.0	2,802.0	814	73,272	54,577	53,606
1976	2,451.0	2,433.5	869	73,518	48,972	48,172

SEE FOOTNOTES ON PAGE B-2.

AREA PLANTED AND HARVESTED, UNITED STATES, 1967-76 - CONTINUED

YEAR	FLAXSEED		PEANUTS		POPCORN	
	PLANTED	HARVESTED	PLANTED	HARVESTED FOR NUTS	PLANTED	HARVESTED
	1,000 ACRES					
1967	2,061	1,975	1,473.8	1,403.5	182.5	161.9
1968	2,177	2,092	1,495.9	1,438.4	197.6	185.3
1969	2,661	2,605	1,512.1	1,455.7	192.0	182.6
1970	2,965	2,848	1,515.3	1,467.0	147.3	136.5
1971	1,627	1,545	1,528.9	1,454.5	178.9	173.7
1972	1,191	1,151	1,532.8	1,486.4	174.1	157.0
1973	1,742	1,692	1,530.2	1,495.7	154.3	148.8
1974	1,759	1,673	1,519.6	1,472.1	198.5	188.7
1975	1,612	1,500	1,531.9	1,504.0	232.2	224.2
1976	988	922	1,539.8	1,511.9	219.2	212.8

	COTTON		ALL HAY	DRY EDIBLE BEANS		DRY EDIBLE PEAS	
	PLANTED	HARVESTED	HARVESTED	PLANTED	HARVESTED	PLANTED	HARVESTED
	1,000 ACRES						
1967	9,449.6	7,997.3	63,303	1,283	1,205	185	176
1968	10,912.9	10,159.3	60,922	1,473	1,424	191	181
1969	11,882.5	11,051.1	59,716	1,519	1,469	242	232
1970	11,945.2	11,155.0	61,492	1,503	1,409	279.9	256.9
1971	12,354.9	11,470.9	61,405	1,358	1,316	213.7	202.7
1972	14,001.3	12,983.8	59,821	1,487	1,402	148.0	135.1
1973	12,479.7	11,970.2	62,099	1,394.7	1,367.7	146.6	136.4
1974	13,699.4	12,566.6	60,571	1,624.4	1,541.7	220.0	213.0
1975	9,492.6	8,796.0	61,863	1,496.2	1,447.1	196.5	188.5
1976	11,711.2		61,079	1,505.6	1,465.0	130.0	126.0

	POTATOES			SWEET POTATOES	
	PLANTED	HARVESTED		PLANTED	HARVESTED
	1,000 ACRES				
1967	1,499.1	1,459.9		144.1	139.5
1968	1,414.5	1,383.3		142.5	135.2
1969	1,457.6	1,415.5		142.2	136.9
1970	1,449.9	1,421.3		133.0	127.8
1971	1,432.4	1,391.3		119.6	113.6
1972	1,300.3	1,253.8		116.8	114.4
1973	1,328.1	1,304.6		117.7	113.2
1974	1,421.0	1,390.8		125.6	121.7
1975	1,297.4	1,257.2		122.0	118.5
1976	3/1,354.8			124.2	120.8

	ALL TOBACCO	SUGARBEETS		SUGARCANE FOR SUGAR & SEED	PRINCIPAL CROPS	
	HARVESTED	PLANTED	HARVESTED	HARVESTED	PLANTED 4/	HARVESTED 5/
	1,000 ACRES					
1967	959.8	1,197.2	1,122.1	627.6	305,781	295,447
1968	879.3	1,476.1	1,410.1	605.8	299,384	289,668
1969	918.3	1,647.1	1,540.5	535.6	291,153	280,586
1970	898.3	1,482.9	1,418.6	583.9	293,312	283,185
1971	837.6	1,406.3	1,341.9	648.1	306,153	295,319
1972	842.4	1,419.7	1,328.7	701.8	295,183	283,458
1973	886.6	1,280.1	1,217.5	741.0	319,528	310,805
1974	962.6	1,251.5	1,212.6	734.1	329,513	318,948
1975	1,086.4	1,593.2	1,516.7	774.0	333,071	324,555
1976	1,022.7	1,532.5	1,486.0	782.3	335,236	325,007

1/ CORN FOR GRAIN, OATS, BARLEY AND SORGHUM GRAIN. 2/ WHEAT, RYE AND RICE. 3/ INCLUDES WINTER, SPRING AND SUMMER ESTIMATES AND INTENTIONS FOR FALL CROP. 4/ CROP ACREAGES INCLUDED ARE PLANTED FOR CORN, SORGHUM, OATS, BARLEY, DURUM AND OTHER SPRING WHEAT, RICE, SOYBEANS, FLAXSEED, PEANUTS, POPCORN, COTTON, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES (INCLUDED INTENDED PLANTINGS FOR FALL CROP) SWEETPOTATOES, AND SUGARBEETS; HARVESTED ACREAGE FOR WINTER WHEAT, RYE, ALL HAY, TOBACCO, AND SUGARCANE. 5/ CROP ACREAGES INCLUDED ARE CORN, SORGHUM, OATS, BARLEY, WHEAT, RICE, RYE, SOYBEANS, FLAXSEED, PEANUTS, POPCORN, COTTON, (CURRENT YEAR HARVESTED ACREAGE ALLOWANCES FOR COTTON AND POTATOES ARE DERIVED BY SUBTRACTING AVERAGE ABANDONMENT FROM COTTON PLANTED ACREAGE AND INTENDED FALL POTATO ACREAGE), ALL HAY, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES, SWEETPOTATOES, TOBACCO, SUGARCANE, AND SUGARBEETS.

CORN

STATE	AREA PLANTED			AREA HARVESTED FOR GRAIN		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ALA	715	750	880	650	660	780
ARIZ	21	22	21	10	12	12
ARK	36	50	55	23	38	40
CALIF	416	420	480	241	254	280
COLO	750	800	880	490	530	570
CONN	50	52	52	0	0	0
DEL	204	204	230	194	190	218
FLA	452	464	571	398	394	480
GA	2,000	2,020	2,300	1,880	1,880	2,130
IDAHO	100	103	100	28	25	28
ILL	10,400	11,000	12,000	9,900	10,710	11,600
IND	5,760	5,850	6,500	5,460	5,630	6,250
IOWA	13,100	13,100	13,800	12,000	12,130	12,750
KANS	2,260	1,950	2,150	1,730	1,640	1,750
KY	1,290	1,330	1,540	1,120	1,140	1,340
LA	95	80	110	72	60	85
MAINE	40	44	44	0	0	0
MD	630	645	730	535	550	650
MASS	35	36	38	0	0	0
MICH	2,310	2,300	2,450	1,810	1,910	2,000
MINN	6,940	7,000	7,200	5,900	5,820	6,100
MISS	205	195	240	144	145	175
MO	3,110	3,000	3,200	2,710	2,700	2,880
MONT	99	90	90	13	10	10
NEBR	6,800	6,480	7,000	5,700	5,920	6,200
NEV	3	3	3	0	0	0
N H	19	20	21	0	0	0
N J	127	131	149	87	83	100
N MEX	77	100	125	41	70	85
N Y	1,100	1,130	1,170	440	466	500
N C	1,720	1,700	2,100	1,570	1,540	1,940
N DAK	533	500	510	149	132	160
OHIO	3,950	3,750	4,200	3,650	3,490	3,900
OKLA	124	120	124	91	85	85
OREG	42	45	48	9	11	12
PA	1,530	1,550	1,600	1,100	1,080	1,140
R I	4	4	4	0	0	0
S C	600	620	750	539	550	675
S DAK	3,800	3,570	3,200	2,330	2,250	2,100
TENN	760	780	890	570	615	715
TEX	900	1,200	1,550	800	1,100	1,400
UTAH	95	100	100	14	15	13
VT	88	94	99	0	0	0
VA	750	745	825	570	565	650
WASH	79	80	110	30	32	50
W VA	107	104	104	66	65	64
WIS	3,490	3,500	3,680	2,270	2,390	2,500
WYO	71	71	69	23	18	18
U S	77,787	77,902	84,092	65,357	66,905	72,435

SORGHUM

STATE	AREA PLANTED			AREA HARVESTED FOR GRAIN		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ALA	70	80	80	33	40	40
ARIZ	160	180	180	147	165	165
ARK	175	230	320	140	200	290
CALIF	234	230	235	210	207	210
COLO	448	510	480	250	290	275
GA	65	80	85	36	47	51
ILL	120	80	75	72	60	55
IND	31	26	28	18	18	19
IOWA	34	40	42	19	26	25
KANS	4,100	4,100	4,500	3,320	3,430	3,700
KY	42	36	44	26	21	27
LA	42	41	50	30	28	35
MISS	65	75	75	41	38	40
MO	520	580	680	440	490	580
NEBR	2,170	2,050	2,250	1,900	1,880	2,050
N MEX	343	353	340	220	310	264
N C	110	110	125	80	80	90
OKLA	930	970	1,100	600	660	680
S C	32	32	33	15	17	14
S DAK	385	395	395	234	237	230
TENN	52	51	55	31	26	29
TEX	7,500	8,000	7,200	6,000	7,200	5,900
VA	28	26	26	14	14	13
U S	17,676	18,275	18,398	13,876	15,484	14,782

WHITE CORN 1/

STATE	AREA PLANTED			AREA HARVESTED FOR GRAIN		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ALA	46	70	60	40	60	55
GA	125	125	80	112	100	72
ILL	50	45	40	49	44	39
IND	40	42	30	37	40	29
IOWA	15	23	17	13	22	16
KANS	47	55	30	45	54	29
KY	130	130	120	124	123	115
MO	70	57	25	67	55	24
TENN	91	99	90	81	85	80
TEX	45	50	50	43	48	45
U S	659	696	542	611	631	504

1/ INCLUDED IN "ALL CORN".

OATS

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ALA.	100	110	110	24	33	30
ARK.	110	100	110	74	60	70
CALIF.	344	365	385	100	113	115
COLO.	115	120	114	31	48	45
FLA.	33	31	33	12	12	14
GA.	230	240	250	95	90	95
IDAHO	81	85	80	57	64	61
ILL.	540	570	470	480	490	420
IND.	275	320	280	215	250	220
IOWA	1,800	1,830	1,850	1,500	1,540	1,550
KANS.	270	190	260	215	150	210
KY.	42	42	42	10	10	10
LA.	24	20	20	11	8	9
MAINE	45	49	51	40	42	44
MD.	31	28	30	26	24	25
MICH.	370	400	420	350	370	400
MINN.	2,150	2,100	2,300	2,020	2,000	2,120
MISS.	80	85	70	20	27	23
MO.	250	180	260	140	100	128
MONT.	420	400	380	245	250	240
NEBR.	660	690	800	535	570	670
NEV.	8	10	10	2	3	3
N. J.	10	11	11	7	7	8
N. Y.	390	405	360	360	350	310
N. C.	160	165	185	85	85	95
N. DAK.	1,670	1,500	1,320	1,400	1,370	1,120
OHIO	530	540	560	490	500	520
OKLA.	320	270	290	140	120	132
OREG.	125	140	130	75	80	80
PA.	420	405	390	395	375	365
S. C.	160	150	150	77	73	76
S. DAK.	2,500	2,530	2,560	2,080	2,230	1,930
TENN.	123	120	130	30	30	32
TEX.	1,800	1,400	1,330	300	650	380
UTAH	21	22	22	12	13	12
VA.	85	80	85	42	40	42
WASH.	113	115	115	49	55	55
W. VA.	22	30	26	17	18	16
WIS.	1,470	1,470	1,500	1,400	1,350	1,350
WYO.	70	68	70	45	50	51
U. S.	17,967	17,386	17,559	13,206	13,650	13,076

BARLEY

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ARIZ.	120	130	125	100	115	108
CALIF.	1,020	1,220	1,200	877	1,060	1,040
COLO.	252	280	275	200	265	256
DELI.	30	31	31	22	23	23
GA.	12	10	12	9	8	10
IDAHO	720	775	810	695	755	785
ILLI.	18	15	15	15	14	14
INDI.	13	12	12	12	10	10
KANS.	60	60	90	50	55	80
KY.	60	48	44	48	34	32
MD.	110	113	107	100	100	94
MICH.	21	23	22	20	22	21
MINN.	804	950	880	778	850	810
MO.	16	14	13	11	11	10
MONT.	1,400	1,360	1,220	1,280	1,300	1,160
NEBR.	30	38	43	27	35	39
NEV.	16	16	18	14	14	16
N. J.	40	40	42	19	18	20
N. MEX.	28	36	30	20	28	20
N. Y.	13	13	13	12	12	12
N. C.	70	70	75	60	60	65
N. DAK.	2,110	2,130	2,150	2,010	1,990	2,070
OHIO.	15	15	14	13	12	12
OKLA.	150	110	85	120	93	72
OREG.	215	200	180	190	177	160
PA.	170	170	165	158	155	147
S. C.	30	28	28	24	23	23
S. DAK.	560	600	580	512	570	405
TENN.	28	26	25	15	14	15
TEX.	90	110	75	50	70	45
UTAH.	144	144	151	131	135	135
VA.	125	123	120	105	104	105
WASH.	325	420	400	310	400	380
W. VA.	11	11	10	10	10	9
WIS.	20	37	39	19	35	36
WYD.	148	148	148	132	134	134
U. S.	8,994	9,526	9,247	8,168	8,711	8,373

WINTER WHEAT

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ALA	185	185	200	130	135	110
ARIZ	250	325	115	235	320	112
ARK	470	630	800	400	520	710
CALIF	813	1,060	1,060	747	986	810
COLD	2,800	2,750	2,830	2,630	2,240	2,200
DEL	35	37	35	32	34	29
FLA	52	40	30	30	20	22
GA	215	160	150	160	135	115
IDAHO	1,060	990	1,010	970	880	890
ILL	1,790	1,790	1,900	1,730	1,730	1,850
IND	1,440	1,560	1,550	1,390	1,500	1,500
IOWA	66	79	100	62	75	85
KANS	12,000	12,800	13,100	11,600	12,100	11,100
KY	460	450	420	390	352	340
LA	80	70	65	30	25	35
MD	158	170	150	148	156	132
MICH	950	1,030	1,000	940	1,020	990
MINN	44	62	130	40	57	110
MISS	195	231	220	162	185	180
MO	1,450	1,660	1,900	1,310	1,470	1,650
MONT	2,750	3,100	3,200	2,650	3,000	3,020
NEBR	3,000	3,200	3,400	2,900	3,070	3,000
NEV	11	12	11	10	11	10
N J	60	63	63	54	54	59
N MEX	429	463	454	162	387	200
N Y	220	200	175	210	190	165
N C	310	345	300	275	300	260
N DAK	130	147	140	116	123	127
OHIO	1,580	1,820	1,750	1,540	1,770	1,650
OKLA	7,000	7,400	7,800	6,400	6,700	6,300
OREG	1,120	1,150	1,250	1,060	1,110	1,220
PA	360	360	330	350	345	315
S C	180	170	160	158	155	140
S DAK	990	950	1,230	900	770	1,040
TENN	395	405	385	325	310	330
TEX	5,600	6,500	6,500	3,300	5,700	4,700
UTAH	259	250	250	243	238	224
VA	300	330	270	275	292	240
WASH	2,800	2,850	2,960	2,660	2,740	2,885
W VA	21	21	17	17	17	15
WIS	61	78	67	57	72	62
WYO	265	270	270	245	250	235
U S	52,354	56,163	57,747	47,043	51,544	49,167

DURUM WHEAT

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ARIZ	1/1		325			319
CALIF		3	90	3	15	83
MINN		86	95	84	87	86
MONT		270	300	267	375	295
N MEX	1/1		20			18
N DAK		3,600	3,710	3,540	3,960	3,640
S DAK		215	200	205	233	150
U S		4,174	4,740	4,099	4,670	4,591

1/ INCLUDED IN WINTER WHEAT PRIOR TO 1976.

SPRING WHEAT OTHER THAN DURUM

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	IND 1976	1974	1975	IND 1976
	1,000 ACRES					
COLO	34	23	29	22	20	24
IDAHO	490	490	565	470	470	540
MINN	2,730	2,950	3,880	2,670	2,700	3,640
MONT	2,000	1,650	2,080	1,940	1,600	2,020
NEV	9	10	9	8	9	8
N DAK	6,770	6,400	8,080	6,660	6,130	7,800
OREG	158	110	120	150	105	110
S DAK	2,050	2,050	2,550	1,990	2,000	1,900
UTAH	60	52	50	52	44	42
WASH	480	330	325	470	320	315
WIS	22	22	24	21	21	23
WYO	23	25	40	18	23	35
U S	14,826	14,112	17,752	14,471	13,442	16,457

RYE

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	IND 1976	1974	1975	IND 1976
	1,000 ACRES					
COLO	35	21	35	6	4	3
DEL	50	54	52	9	9	9
GA	400	480	410	115	105	105
ILL	83	78	65	19	17	15
IND	51	48	50	9	9	10
IOWA	22	25	24	5	5	5
KANS	100	80	80	20	15	16
KY	50	60	60	3	4	3
MD	80	80	80	11	11	11
MICH	150	165	160	25	28	28
MINN	80	100	130	72	89	115
MO	80	85	82	10	11	11
NEBR	130	130	130	55	55	55
N J	75	77	77	9	7	6
N Y	130	127	123	13	12	13
N C	115	125	130	20	20	20
N DAK	116	135	120	106	119	107
OHIO	80	90	80	6	7	7
OKLA	280	210	180	45	36	32
OREG	60	58	55	10	11	10
PA	85	85	65	16	16	14
S C	130	130	120	39	33	33
S DAK	229	140	190	202	102	160
TENN	30	24	22	3	2	3
TEX	250	250	200	25	40	35
VA	200	205	200	16	14	14
WASH	50	40	40	10	10	8
WIS	35	40	55	10	15	15
WYO	24	24	23	8	8	7
U S	3,200	3,166	3,038	897	814	869

RICE

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ARK	730.0	885.0	790.0	725.0	882.0	787.0
CALIF	470.0	530.0	400.0	467.0	525.0	395.0
LA	661.0	660.0	590.0	660.0	658.0	588.0
MISS	114.0	175.0	135.0	108.0	171.0	130.0
MO	15.0	18.0	16.0	14.0	18.0	15.5
TEX	565.0	550.0	520.0	562.0	548.0	518.0
U S	2,555.0	2,818.0	2,451.0	2,536.0	2,802.0	2,433.5

SOYBEANS

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ALA	1,050	1,350	1,200	1,020	1,310	1,160
ARK	4,400	4,750	4,320	4,300	4,700	4,280
DELI	203	207	185	198	204	182
FLA.	285	305	271	279	295	265
GA	1,030	1,290	970	1,010	1,260	950
ILLI	8,570	8,250	7,500	8,440	8,220	7,460
IND	3,960	3,650	3,200	3,890	3,630	3,180
IOWA	7,200	7,000	6,550	7,110	6,970	6,500
KANS	1,070	1,100	800	1,030	1,080	780
KY	1,200	1,250	1,090	1,170	1,200	1,040
LA	1,800	1,900	2,000	1,760	1,820	1,950
MD	313	323	270	310	318	266
MICH	640	615	570	630	610	555
MINN	4,040	3,620	2,940	4,000	3,570	2,900
MISS	2,605	3,230	3,130	2,500	3,120	3,100
MO	4,450	4,550	4,000	4,350	4,470	3,920
NEBR	1,210	1,250	1,050	1,190	1,230	1,030
N J.	74	81	105	72	79	102
N Y	11	10	12	11	10	12
N C.	1,475	1,500	1,200	1,420	1,420	1,150
N DAK	182	180	150	179	149	147
OHIO	3,230	3,120	2,900	3,190	3,100	2,880
OKLA	230	245	240	219	237	230
PA	47	45	39	44	43	36
S C.	1,290	1,420	1,230	1,250	1,380	1,190
S DAK	370	340	280	368	337	277
TENN	1,620	1,950	1,900	1,520	1,850	1,800
TEX	275	395	300	261	370	280
VA	447	451	410	430	433	395
WIS	230	200	160	217	191	155
U S:	53,507	54,577	48,972	52,368	53,606	48,172

PEANUTS

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ALA	204.0	208.0	212.0	201.0	206.0	210.0
FLA	66.0	63.0	63.0	55.0	55.0	55.0
GA	519.0	527.0	525.0	516.0	524.0	521.0
MISS	5.0	9.0	10.0	5.0	8.7	9.7
N MEX	7.7	8.9	9.8	7.6	8.8	9.7
N C	168.0	167.0	168.0	166.0	165.0	166.0
OKLA	121.0	122.0	122.0	114.0	115.0	115.0
S C	15.9	16.0	16.0	15.5	15.5	15.5
TEX	309.0	307.0	310.0	288.0	304.0	307.0
VA	104.0	104.0	104.0	104.0	102.0	103.0
U S	1,519.6	1,531.9	1,539.8	1,472.1	1,504.0	1,511.9

FLAXSEED

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
MINN	280	260	205	275	230	191
MONT	23	15	13	19	14	12
N DAK	886	797	430	836	752	414
S DAK	530	480	270	509	464	250
TEX.	40	60	70	34	40	55
U S	1,759	1,612	988	1,673	1,500	922

SUNFLOWER SEEDS

STATE	AREA PLANTED		AREA HARVESTED	
	1975	1976	1975	IND 1976
	1,000 ACRES			
<u>OIL VARIETIES</u>				
MINN	197	179	174	161
N DAK	376	320	349	313
2 STATES	573	499	523	474
<u>NON-OIL VARIETIES</u>				
MINN	48	31	37	28
N DAK	166	168	149	165
2 STATES	214	199	186	193
<u>TOTAL</u>				
MINN	245	210	211	189
N DAK	542	488	498	478
2 STATES	787	698	709	667

COTTON

CROP AND STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976 ^{1/}
	1,000 ACRES					
COTTON, UPLAND						
ALA	600.0	400.0	480.0	585.0	370.0	
ARIZ	392.0	269.0	320.0	392.0	268.0	
ARK	1,200.0	700.0	1,150.0	1,130.0	680.0	
CALIF	1,250.0	900.0	1,050.0	1,238.0	875.0	
FLA	12.5	4.0	7.0	12.1	3.7	
GA	423.0	165.0	250.0	410.0	160.0	
ILLI	.8	.0	.0	.5	.0	
KY	5.1	.6	1.4	4.5	.6	
LA	650.0	320.0	520.0	635.0	310.0	
MISS	1,780.0	1,140.0	1,500.0	1,710.0	1,100.0	
MO	370.0	220.0	300.0	330.0	210.0	
NEV	1.8	1.0	1.0	1.7	1.0	
N MEX	151.0	95.0	95.0	140.0	85.0	
N C	158.0	56.0	70.0	145.0	53.0	
OKLA	570.0	360.0	350.0	547.0	295.0	
S C	310.0	107.0	190.0	292.0	103.0	
TENN	540.0	335.0	470.0	510.0	315.0	
TEX	5,200.0	4,350.0	4,900.0	4,400.0	3,900.0	
VA	1.7	.8	.8	1.5	.8	
U S	13,615.9	9,423.4	11,655.2	12,484.3	8,730.1	
COTTON, AMER-PIMA						
ARIZ	34.7	30.1	35.0	34.7	29.8	
CALIF	.3	.2	.0	.3	.1	
N MEX	14.6	13.3	10.0	14.5	12.5	
TEX	33.9	25.6	11.0	32.8	23.5	
U S	83.5	69.2	56.0	82.3	65.9	
COTTON, ALL	13,699.4	9,492.6	11,711.2	12,566.6	8,796.0	

1/ ESTIMATES TO BE RELEASED AUGUST 12, 1976.

DRY EDIBLE PEAS ^{1/}

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
IDAHO	90.0	72.0	50.0	89.0	69.0	49.0
MINN	2/ 2.0	.0		1.0	.0	
OREG	3/ 6.0	3.5		6.0	2.5	
WASH	122.0	121.0	80.0	117.0	117.0	77.0
U S	220.0	196.5	130.0	213.0	188.5	126.0

1/ EXCLUDES BOTH WRINKLED SEED PEAS AND AUSTRIAN WINTER PEAS.

2/ DISCONTINUED AFTER 1974.

3/ DISCONTINUED AFTER 1975.

HAY

STATE	ALL HAY			ALFALFA AND ALFALFA MIXTURES			ALL OTHER		
	AREA HARVESTED			AREA HARVESTED			AREA HARVESTED		
	1974	1975	INDICATED: 1976	1974	1975	INDICATED: 1976	1974	1975	INDICATED: 1976
	1,000 ACRES								
ALA	580	630	650				580	630	650
ARIZ	255	255	250	215	215	210	40	40	40
ARK	700	790	810	50	60	70	650	730	740
CALIF	1,670	1,650	1,650	1,150	1,120	1,100	520	530	550
COLO	1,385	1,460	1,425	735	745	710	650	715	715
CONN	95	95	93	24	21	22	71	74	71
DEL	24	23	23	7	7	7	17	16	16
FLA	197	207	213				197	207	213
GA	455	470	465				455	470	465
IDAHO	1,335	1,330	1,310	1,050	1,030	1,020	285	300	290
ILL	1,180	1,270	1,200	740	740	730	440	530	470
IND	895	945	880	395	420	400	500	525	480
IOWA	2,350	2,450	2,330	1,810	1,810	1,680	540	640	650
KANS	2,320	2,280	2,170	1,070	980	950	1,250	1,300	1,220
KY	1,497	1,528	1,514	197	188	184	1,300	1,340	1,330
LA	355	360	345	10	10	10	345	350	335
MAINE	218	214	220	18	20	20	200	194	200
MD	251	251	240	67	67	65	184	184	175
MASS	112	112	112	29	29	30	83	83	82
MICH	1,240	1,300	1,280	1,000	1,000	980	240	300	300
MINN	3,060	3,210	3,170	2,080	2,200	2,190	980	1,010	980
MISS	643	648	640	13	13	12	630	635	628
MO	3,200	3,400	3,350	530	530	500	2,670	2,870	2,850
MONT	2,390	2,400	2,400	1,220	1,230	1,260	1,170	1,170	1,140
NEBR	3,850	4,050	4,000	1,700	1,730	1,700	2,150	2,320	2,300
NEV	445	449	480	180	176	180	265	273	300
N H	88	90	94	19	19	21	69	71	73
N J	119	119	121	55	55	53	64	64	68
N MEX	265	272	315	197	201	230	68	71	85
N Y	2,275	2,300	2,300	925	930	950	1,350	1,370	1,350
N C	325	325	350	13	13	15	312	312	335
N DAK	3,700	3,540	3,530	1,600	1,650	1,640	2,100	1,890	1,890
OHIO	1,435	1,535	1,500	470	525	500	965	1,010	1,000
OKLA	1,580	1,755	1,740	530	515	480	1,050	1,240	1,260
OREG	1,070	1,040	1,050	420	420	420	650	620	630
PA	1,947	1,970	1,980	812	820	830	1,135	1,150	1,150
R I	9	9	9	3	3	3	6	6	6
S C	220	225	235				220	225	235
S DAK	4,760	4,770	4,500	2,510	2,560	2,480	2,250	2,210	2,020
TENN	1,193	1,200	1,200	83	90	90	1,110	1,110	1,110
TEX	2,300	2,250	2,280	220	200	210	2,080	2,050	2,070
UTAH	578	584	593	460	460	465	118	124	128
VT	485	485	470	98	100	110	387	385	360
VA	970	985	985	80	80	75	890	905	910
WASH	890	877	877	497	500	500	393	377	377
W VA	600	605	585	90	85	80	510	520	505
WIS	3,950	3,970	3,970	3,000	3,020	3,000	950	950	970
WYO	1,110	1,180	1,175	445	470	465	665	710	710
U S	60,571	61,863	61,079	26,817	27,057	26,647	33,754	34,806	34,432

DRY EDIBLE BEANS 1/

CROP AND STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
LARGE LIMA BEANS						
CALIF	33.0	24.0	28.0	33.0	24.0	28.0
BABY LIMA BEANS						
CALIF	28.0	20.0	22.0	28.0	20.0	22.0
BEANS OTHER THAN LIMAS						
CALIF	166.0	110.0	125.0	166.0	110.0	125.0
DRY EDIBLE BEANS						
CALIF	227.0	154.0	175.0	227.0	154.0	175.0
COLO	185.0	210.0	190.0	180.0	205.0	185.0
IDAHO	130.0	143.0	153.0	129.0	141.0	152.0
KANS	10.0	13.0	13.0	10.0	13.0	12.5
MICH	590.0	520.0	540.0	575.0	500.0	525.0
MINN	98.0	53.0	43.0	87.0	48.0	39.0
MONT	11.0	12.0	9.0	11.0	11.0	9.0
NEBR	115.0	124.0	126.0	110.0	118.0	120.0
N Y	44.0	49.0	46.0	42.0	47.0	44.0
N DAK	134.0	127.0	130.0	94.0	122.0	125.0
UTAH	14.0	15.0	15.0	14.0	15.0	15.0
WASH	28.0	35.0	28.0	26.0	33.0	27.0
WYO	27.0	29.0	29.0	26.0	28.0	28.0
OTHER	2/ 11.4	12.2	8.6	10.7	12.1	8.5
U S	1,624.4	1,496.2	1,505.6	1,541.7	1,447.1	1,465.0

1/ EXCLUDES BEANS GROWN FOR GARDEN SEED.
2/ ILLINOIS AND INDIANA.

POTATOES

SEASONAL GROUP AND STATE	AREA PLANTED FOR ALL PURPOSES			AREA HARVESTED		
	1974	1975	1976	1974	1975	INDICATED 1976
	1,000 ACRES					
WINTER:	13.9	14.4	14.6	13.7	14.3	14.6
SPRING:	104.3	85.4	100.0	103.4	84.5	99.4
SUMMER:						
ALA	10.5	9.0	8.5	10.5	9.0	8.5
CALIF	9.9	8.4	8.7	9.9	8.4	8.7
COLO	6.7	7.4	7.4	6.6	7.2	7.3
DEL	7.0	6.5	6.0	6.8	5.7	5.8
ILL	2.1	2.1	2.3	1.6	2.0	2.2
IND	1.1	.8	1.1	1.1	.8	1.1
IOWA	3.4	3.2	3.0	3.3	3.1	2.9
MD	2.0	1.8	1.8	2.0	1.8	1.8
MICH	8.7	7.7	7.9	8.4	7.4	7.6
MINN	8.6	8.2	8.1	8.5	8.1	8.0
NEBR	2.8	2.7	2.5	2.6	2.5	2.3
N J	9.0	7.4	7.7	9.0	7.0	7.5
N MEX	4.5	3.7	3.2	4.2	3.5	3.2
N C	4.7	4.4	4.6	4.5	4.0	4.4
OHIO	3.1	3.1	3.1	2.9	2.9	2.9
TENN	6.0	5.0	5.0	6.0	5.0	5.0
TEX	10.5	8.7	9.5	10.2	8.6	9.3
VA	31.5	27.0	29.0	31.0	25.0	28.5
W VA	4.2	3.7	3.6	4.2	3.7	3.6
TOTAL	136.3	120.8	123.0	133.3	115.7	120.6
FALL 1/:	1,166.5			1,140.4		

1/ REVISED 1975 AND PRELIMINARY 1976 ESTIMATES TO BE RELEASED AUG 12, 1976.

TOBACCO BY CLASS AND TYPE

CLASS AND TYPE	AREA HARVESTED		
	1974	1975	IND 1976
	ACRES		
CLASS 1, FLUE-CURED			
TYPE 11 OLD AND MIDDLE BELTS			
N C	152,000	179,000	176,000
VA	62,000	68,000	69,000
U S	214,000	247,000	245,000
TYPE 12 EASTERN N C BELT			
N C	188,000	229,000	200,000
TYPE 13 N C BORDER & S C BELT			
N C	50,000	62,000	51,000
S C	80,000	90,000	77,000
U S	130,000	152,000	128,000
TYPE 14 GEORGIA-FLORIDIA BELT			
ALA	630	700	640
FLA	11,700	13,500	13,500
GA	72,000	75,000	68,000
U S	84,330	89,200	82,140
TOTAL 11-14	616,330	717,200	655,140
CLASS 2, FIRE-CURED			
TYPE 21 VIRGINIA BELT			
VA	5,000	5,000	5,100
TYPE 22 EASTERN DISTRICT			
KY	4,650	4,950	5,200
TENN	8,500	9,900	9,600
U S	13,150	14,850	14,800
TYPE 23 WESTERN DISTRICT			
KY	2,600	3,100	3,400
TENN	440	430	420
U S	3,040	3,530	3,820
TOTAL 21-23	21,190	23,380	23,720
CLASS 3, AIR-CURED			
CLASS 3A, LIGHT AIR-CURED			
TYPE 31 BURLEY BELT			
IND	7,000	7,500	7,400
KY	176,000	186,000	188,000
MO	2,400	2,700	2,600
N C	8,000	9,500	9,000
OHIO	9,000	9,500	9,500
TENN	46,400	54,400	50,000
VA	10,200	10,800	10,800
W VA	1,750	1,750	1,800
U S	260,750	282,150	279,100
TYPE 32 SOUTHERN MARYLAND BELT			
MD	24,000	23,000	23,000
TOTAL 31-32	284,750	305,150	302,100
CLASS 3B, DARK AIR-CURED			
TYPE 35 ONE SUCKER BELT			
KY	3,650	4,250	4,850
TENN	1,200	1,300	1,500
U S	4,850	5,550	6,350
TYPE 36 GREEN RIVER BELT			
KY	2,150	2,400	2,650
TYPE 37 VA SUN-CURED BELT			
VA	680	730	750
TOTAL 35-37	7,680	8,680	9,750

TOBACCO BY CLASS AND TYPE CONTINUED

CLASS AND TYPE	AREA HARVESTED		
	1974	1975	IND 1976
	ACRES		
CLASS 4, CIGAR FILLER			
TYPE 41 PENNSYLVANIA SEEDLEAF PA.	13,000	12,000	12,500
TYPE 42-44 OHIO MIAMI VALLEY TYPES OHIO	2,000	1,800	1,900
TOTAL 41-44	15,000	13,800	14,400
CLASS 5, CIGAR BINDER			
CLASS 5A, CONN VALLEY BINDER			
TYPE 51 CONN VALLEY BROADLEAF CONN	1,300	1,350	1,350
TYPE 52 CONN VALLEY HAVANA SEED MASS	160	170	160
TOTAL 51-52	1,460	1,520	1,510
CLASS 5B, WISCONSIN BINDER			
TYPE 54 SOUTHERN WISCONSIN WIS	4,700	5,600	5,800
TYPE 55 NORTHERN WISCONSIN WIS	4,700	5,400	5,500
TOTAL 54-55	9,400	11,000	11,300
TOTAL 51-55	10,860	12,920	12,810
CLASS 6, CIGAR WRAPPER			
TYPE 61 CONN VALLEY SHADE-GROWN			
CONN	3,500	3,100	3,200
MASS	1,300	1,250	1,050
U S	4,800	4,350	4,250
TYPE 62 GA-FLA SHADE-GROWN			
FLA.	1,570	990	350
GA 1/	280	130	0
U S 2/	1,850	1,120	350
TOTAL 61-62	6,650	5,470	4,600
ALL CIGAR TYPES			
TOTAL 41-62	32,510	31,790	31,810
CLASS 7, MISC. DOMESTIC TOBACCO			
TYPE 72 LOUISIANA PERIQUE LA	160	150	170
ALL TOBACCO			
U S	962,620	1,086,350	1,022,690

1/ GEORGIA'S 1976 ACREAGE INCLUDED IN FLORIDA'S ACREAGE. 2/ INCLUDES FIRE CURED WRAPPER.

TOBACCO

STATE	AREA HARVESTED		
	1974	1975	IND 1976
	ACRES		
ALA	630	700	640
CONN	4,800	4,450	4,550
FLA	13,270	14,490	13,850
GA	72,280	75,130	68,000
IND	7,000	7,500	7,400
KY	189,050	200,700	204,100
LA	160	150	170
MD	24,000	23,000	23,000
MASS	1,460	1,420	1,210
MO	2,400	2,700	2,600
N C	398,000	479,500	436,000
OHIO	11,000	11,300	11,400
PA	13,000	12,000	12,500
S C	80,000	90,000	77,000
TENN	56,540	66,030	61,520
VA	77,880	84,530	85,650
W VA	1,750	1,750	1,800
WIS	9,400	11,000	11,300
U S	962,620	1,086,350	1,022,690

SWEETPOTATOES

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ALA	5.5	5.8	5.5	5.5	5.8	5.5
ARK	1.7	1.5	1.6	1.7	1.5	1.6
CALIF	6.7	7.3	7.6	6.7	7.3	7.6
GA	8.5	8.0	8.0	8.0	7.5	7.5
LA	36.0	31.0	30.0	35.0	30.0	29.0
MD	2.2	2.2	2.0	2.1	2.1	1.9
MISS	9.0	9.5	9.5	9.0	9.5	9.5
N J	1.8	2.0	2.2	1.8	2.0	2.2
N C	30.0	32.0	35.0	29.0	31.0	34.0
S C	2.5	2.3	2.5	2.5	2.3	2.5
TENN	3.0	3.0	3.3	3.0	3.0	3.3
TEX	11.0	10.5	10.0	10.0	10.0	9.5
VA	7.7	6.9	7.0	7.4	6.5	6.7
U S	125.6	122.0	124.2	121.7	118.5	120.8

SUGARCANE FOR SUGAR AND SEED

STATE	AREA HARVESTED		
	1974	1975	IND 1976
	1,000 ACRES		
FLA	273.3	298.0	314.0
HAW	101.3	111.5	107.5
LA	331.0	329.0	325.0
TEX	28.5	35.5	35.8
U S	734.1	774.0	782.3

SUGARBEETS

STATE	AREA PLANTED			AREA HARVESTED		
	1974	1975	1976	1974	1975	IND 1976
	1,000 ACRES					
ARIZ	11.1	18.0	17.8	10.4	17.0	17.4
CALIF	234.0	331.2	322.0	230.0	326.4	317.0
COLO	128.6	162.7	124.0	125.7	154.9	120.0
IDAHO	93.5	168.7	145.0	90.8	158.3	136.0
KANS	35.9	46.0	40.0	35.1	43.0	38.0
MAINE			10.0			10.0
MICH	82.4	93.6	93.0	80.4	91.4	90.0
MINN	189.4	225.0	255.0	182.7	196.0	246.0
MONT	44.7	48.7	46.5	43.9	48.5	45.8
NEBR	82.5	98.0	86.0	75.5	96.0	83.0
N MEX	.5	.9	1.1	.4	.9	1.1
N DAK	143.2	139.6	155.0	139.9	130.9	152.0
OHIO	33.5	39.9	39.0	32.7	39.2	38.0
OREG	11.8	18.3	16.0	11.6	17.9	16.0
TEX	22.6	37.2	27.1	19.7	33.7	24.7
UTAH	17.7	23.2	18.0	17.0	22.5	17.0
WASH	65.2	83.9	80.0	63.3	82.4	78.0
WYO	54.9	58.3	57.0	53.5	57.7	56.0
U S	1,251.5	1,593.2	1,532.5	1,212.6	1,516.7	1,486.0

1/ RELATES TO YEAR OF HARVEST.

I N D E X

	<u>PAGE</u>
ACREAGES, 10 YEARS	B- 1
BARLEY	B- 6
CORN	B- 3
COTTON	B-11
DRY EDIBLE BEANS	B-13
DRY EDIBLE PEAS	B-11
DURUM WHEAT	B- 7
FLAXSEED	B-10
HAY	B-12
POTATOES	B-13
OATS	B- 5
PEANUTS	B-10
RICE	B- 9
RYE	B- 8
SORGHUM	B- 4
SOYBEANS	B- 9
SPRING WHEAT	B- 8
SUGARBEETS	B-16
SUGARCANE FOR SUGAR AND SEED	B-16
SUNFLOWER SEEDS	B-10
SWEETPOTATOES	B-16
TOBACCO	B-15
TOBACCO BY CLASS AND TYPE	B-14
U S CROP SUMMARY	A- 3
WINTER WHEAT	B- 7
WHITE CORN	B- 4
