



United States
Department of
Agriculture

Statistical
Reporting
Service

Statistical
Bulletin
Number 739

Distribution of the Varieties and Classes of Wheat in the United States, 1984

V. L. Siegenthaler
J. E. Stepanich
L. W. Briggle

Distribution of the Varieties and Classes of Wheat in the United States, 1984.
By V. L. Siegenthaler, J. E. Stepanich, and L. W. Briggle. Crops Branch, Estimates Division, Statistical Reporting Service, U.S. Department of Agriculture. Statistical Bulletin No. 739.

ABSTRACT

This publication presents the distribution of the varieties and classes of wheat in the United States for the 1984 crop planting with 1979 comparisons. The data provide an important historical record showing longevity and areas of adaption of specific varieties and fluctuations in predominance of individual market classes.

Washington, D.C. 20250

January 1986

CONTENTS

	PAGE
Introduction	4
Wheat Acreage in the United States	5
Varietal Survey Methods	5
Estimated Acreage of Wheat Varieties	6
Hard Red Winter Wheat Varieties	6
Hard Red Spring Wheat Varieties	7
Soft Red Winter Wheat Varieties	7
White and Club Wheat Varieties	7
Durum Wheat Varieties	8
Species of Wheat Seeded	8
Distribution of Market Classes of Wheat	8
Privately Developed Varieties	8
Hybrid Wheat	8
Appendix (Tables 1-13)	9

Distribution of the Varieties
and Classes of Wheat
in the United States in 1984

By L. W. Briggle, J. E. Stepanich,
V. L. Siegenthaler 1/

INTRODUCTION

Varietal surveys provide a historical record of field crop varieties preferred by growers. Such surveys indicate how long a particular variety remains in production and how large a geographic area it occupies during any one survey period.

Wheat variety surveys have been conducted by the U.S. Department of Agriculture (USDA) at 5-year intervals since 1919.2/ The 1984 survey was similar to its predecessors. Wheat growers have a number of varieties from which to choose the few they wish to grow. Experimental documentation, personal experience, and market demand all influence the grower's choice. It is to the farmer's advantage to grow a wheat variety that is well adapted to the local producing area, high yielding, and resistant to prevailing diseases and insects.

1/ Briggle is the National Research Program Leader for Small Grains, Agricultural Research Service; Stepanich is an ADP Survey Statistician, Survey Applications Section, Statistical Reporting Service (SRS); and Siegenthaler is an Agricultural Statistician, Crops Branch, SRS. Appreciation is expressed to the Agricultural Statisticians in the various SRS State offices for collection of the basic data.

2/ Results of previous surveys were published in the following USDA Statistical Bulletins and Agricultural Handbook:

<u>SURVEY YEAR</u>	<u>PUBLICATION</u>
1979	SB-676
1974	SB-604
1969	SB-475
1964	SB-369
1959	SB-272
1954 and earlier	AH-108


WHEAT ACREAGE IN THE UNITED STATES

The total 1984 crop area seeded to all wheat varieties in the United States was 79.2 million acres. This is an 11-percent increase from the 71.4 million acres seeded for 1979. During the course of the wheat variety survey series, planted wheat acreage fluctuated from a low of 48.7 million acres in 1970 to a high of 83.9 million acres in 1949.

VARIETAL SURVEY METHODS

The 1984 survey methodology differed slightly from that used previously. With little exception, State offices of the Statistical Reporting Service (SRS) added the varietal questions to another mail survey questionnaire, such as midyear acreage or end-of-year acreage and production surveys. Thus, there was no set sample size assigned by State. However, over 51,000 usable variety reports were tabulated, compared with 39,790 returns for the 1979 survey.

The format of the varietal portion on the parent questionnaire was essentially the same as in recent surveys. Varieties believed to be the most extensively grown in each State were grouped by class and listed alphabetically. Space was provided for write-in varieties in each grouping. Growers were asked to report the acreage seeded for all purposes to each variety for the 1984 harvest. Data were summarized at the Crop Reporting District (CRD) level. Figure 1 shows crop reporting districts in each State.



SRS estimates acreage for three types of wheat: Winter, Durum, and Other Spring. Twenty-seven of the participating States estimate only Winter wheat. Ten States estimate both Winter and either Durum or Other Spring wheat. The remaining four States estimate all three types.

Percentages of all wheat acreage in a State for each variety were obtained in the following manner. Raw data acreages in each State were summed by class within CRD. An additional summation was made for States with data indicating more than one class by type, such as both Hard and Soft Red Winter. These sums were divided into the estimated acreages of each type of wheat seeded in a CRD. The resulting factor was applied to the raw variety acreage to expand the CRD acreage estimate for each wheat type. Expanded varietal district totals were summed to a State total. State totals were then divided by the State's all wheat acreage estimate to derive a percentage for each variety. This procedure provided class acreage totals that equal the official estimates by type for each State.

Farmers did not always report acreages under the standard variety name; sometimes they reported the variety as unknown. State offices made every attempt to establish the correct standard name by recontacting the respondent. Callbacks were also made to those reporting unknown varieties. If no wheat variety could be determined, the class was obtained and summarized as Unknown Hard Red winter, Unknown Durum, etc. The unknown varieties accounted for 2.81 million acres, or 3.6 percent of the U.S. total wheat acreage. The commercial class of wheat was determined on all but 357 acres of the unknowns.

ESTIMATED ACREAGE OF WHEAT VARIETIES

Table 1 presents the percentage of the total wheat acreage by State, class, and variety for 1979 and 1984, and the acreage for 1984. Varieties are grouped by market classes within each State and arranged in descending order.

National acreages for 1984 wheat varieties are listed alphabetically in table 2. Percentages of total acreage for 1979 and 1984 are also included.

The 50 leading wheat varieties for 1984 are listed in descending acreage order in table 3. Newton, a Hard Red Winter wheat, tops the list with 4.79 million acres, or 6.1 percent of the U.S. total. TAM W 105, another Hard Red Winter, ranked a close second with 4.78 million acres, or 6.0 percent. Vona, also Hard Red Winter, was third with 3.69 million acres. In 1979, the top variety was Centurk, a Hard Red Winter wheat. It was seeded on 6.3 percent of the total wheat acreage. The 10 leading 1984 varieties occupied 28.2 million acres, 35.6 percent of the total.

Of the 429 varieties reported in 1984, 178 were not reported in 1979. Varieties grown in 1979, but not in 1984, equaled 119.

Hard Red Winter Wheat Varieties

Estimated acreage sown to Hard Red Winter wheat in 1984 and the percentage each variety accounted for of this class are listed in table 4. Newton accounted for 11.2 percent of the Hard Red Winter acreage. TAM W 105, Vona, TAM W 101, and Scout 66 were next in order, each exceeding 2 million acres. These five accounted for 43.6 percent of all Hard Red Winter acreage. An additional five varieties were seeded on a million or more acres. The top 10 varieties accounted for 59.7 percent of the class acreage.

In 1984, 164 varieties of Hard Red Winter wheat were planted, 30 varieties more than in 1979.

Hard Red Winter wheat is predominately grown east of the Rocky Mountains and west of the Mississippi River. The highest concentration is in the central Great Plains.

Hard Red Spring Wheat Varieties

The percentage of the total Hard Red Spring wheat acreage occupied by each variety of the class in 1979 and 1984 is shown in table 5. Marshall and Len were the top two varieties in the class; both seeded to a million plus acres. Butte, Olaf, and Alex were the only other varieties planted to 500,000 or more acres. These leading five varieties accounted for 51.1 percent of the total Hard Red Spring wheat planted in 1984. Total varieties reported in 1984 were 91, compared with 86 in 1979.

Well over 80 percent of the Hard Red Spring wheat is seeded in the Dakotas, western Minnesota, and the eastern two-thirds of Montana. Other areas with significant acreages include California's Central and Imperial Valleys, eastern Idaho, and central Washington.

Soft Red Winter Wheat Varieties

The estimated 1984 acreage of all Soft Red Winter wheat varieties is in table 6. Nearly all of the area devoted to this class is in the eastern half of the United States. In 1984, the leading Soft Red variety was Caldwell, followed by Coker 747 and Hart. These were the only three varieties in the class grown on more than a million acres, collectively totaling 4.19 million acres, or 28.8 percent of the class. In 1984, 98 varieties were grown, compared with only 71 in 1979.

White and Club Wheat Varieties

All White varieties, both Common and Club, are listed in table 7. Club varieties are also shown separately in table 8. Data are given for 1984 acreages and the percentages of class total for 1979 and 1984. Stephens, a Soft White Winter variety, was the class leader and was seeded on 1.95 million acres in the Pacific Northwest. Daws, another Soft White Winter, was the only other White exceeding a half-million acres. These two represent 51.8 percent of all White wheat acreage.

Tyee was the number one Club wheat, totaling 48.7 percent of the Club acreage. All Club varieties amounted to a little over 529,000 acres, 13 percent less than in 1979.

Of the 51 White varieties reported in the 1984 survey, 45 were Common White and 6 were Club varieties. The 1979 survey listed 48 Common White and 7 Club wheats.

The vast majority of White wheat is grown in the Pacific Northwest, followed by Michigan and western New York in importance. Other areas of 10,000 acres or more are located in northeastern California, Colorado's San Luis Valley, western Montana, northwestern Nevada and Utah, and southeastern Wisconsin.

Durum Wheat Varieties

The 1984 Durum varieties are listed in table 9; all are Amber Durum. Vic was seeded on 1.52 million acres and accounted for 46.2 percent of all Durum seeded in 1984. Ward, the 1979 leader, was a distant second with 17.0 percent of the total. Twenty-five Durum varieties were reported in 1984, the same total as 1979.

Most of the Durum wheat is grown in North Dakota (83.9 percent of the 1984 acreage), primarily the northern half. Other acreages are in northwestern Minnesota and the northeastern areas of Montana and South Dakota. Southwestern Arizona and California's Imperial Valley is another important area.

SPECIES OF WHEAT SEEDED

Varieties of wheat grown in the United States belong to three species or subspecies. Current classification of the genus Triticum separates commercially grown varieties into (1) Triticum aestivum L. em. Thell., or Common wheat; (2) Triticum compactum Host, or Club wheat; and (3) Triticum durum Desf., or Durum wheat. In 1984, the species divided as follows: 95.2 percent Common wheat; 0.7 percent Club wheat; and 4.1 percent, Durum wheat.

DISTRIBUTION OF MARKET CLASSES OF WHEAT

The percentage of wheat in each principal wheat market class in 1984 is given by CRD within each State in table 10. Class totals for each State are in table 11.

Values in table 10 were obtained by totaling the acreage of varieties belonging to each class. The small amount of "variety unknown" acreage was apportioned to the market classes according to the percentage the classes held in the State where it occurred. Thus, table 12 acreages for Hard Red Winter, Hard Red Spring, and Soft Red Winter wheats are slightly higher than their corresponding acreage totals in tables 4 through 6, respectively.

PRIVATELY DEVELOPED VARIETIES

Much of the wheat acreage over the years has been seeded with varieties developed by State agricultural experiment stations, both on their own and in cooperation with USDA. The 1979 survey showed 89.8 percent of the total acreage was seeded to varieties developed and released by public agencies.

Increasing private industry involvement in wheat varietal development was spurred by two major events. These were the early sixties' discovery of the "genetic tools" for producing hybrid wheat and the 1970 passage of the U.S. Variety Protection Act. The former provided natural proprietary protection and the latter gave proprietary rights to the originator of a new variety. Percentages of planted acres devoted to privately developed varieties have climbed from 10.2 percent in 1979 to 18.7 percent in 1984. The 145 private varieties reported are in table 13.

HYBRID WHEAT

Considerable research effort has been forwarded toward hybrid wheat development. Despite such efforts, very minor acreages of hybrids were reported in both the 1979 and 1984 surveys. Recorded acreage of hybrid wheat in 1984 amounted to less than one-tenth of 1 percent of the total.

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	1979	1984	
Alabama:			
Coker 762	---	29.60	142,065
Coker 747	2.49	17.63	84,644
Florida 301	---	17.13	82,236
Coker 916	---	12.58	60,381
McNair 1003	4.42	6.17	29,626
Southern Belle	---	6.05	29,032
McNair 1813	22.32	3.50	16,799
Arthur	16.18	1.52	7,284
Caldwell	---	1.41	6,762
Hunter	---	1.18	5,688
Coker 797	---	1.05	5,053
Rosen (Ark 38-1)	---	.91	4,389
Delta Queen (Coker 75-24)	---	.26	1,260
Arthur 71	20.41	.25	1,217
Pioneer Variety 2550	---	.19	926
Dual	---	.16	790
Abe	3.31	---	---
Blueboy II	1.24	---	---
Coker 68-15	14.05	---	---
Georgia 1123	1.86	---	---
Holley	.88	---	---
Oasis	2.59	---	---
Wakeland	7.60	---	---
Unknown Soft Red Winter wheat	---	.43	2,068
Total Soft Red Winter wheat	97.35	100.00	480,000
Variety unknown 1/	2.65	---	---
Total all wheat	100.00	100.00	480,000
Arizona:			
Turkey	5.70	---	---
Total Hard Red Winter wheat	5.70	---	---
Yecora Rojo	4.84	31.29	45,370
Westbred 911	---	2.48	3,590
Cajeme 71	10.70	2.35	3,402
Super X	1.62	.38	548
Westbred 906R	---	.22	326
Inia 66	5.35	.13	183
Probred	2.63	.05	77
Bounty 309	.23	---	---
Westbred Aim	.51	---	---
Zaragoza 75	.59	---	---
Unknown Hard Red Spring wheat	---	6.55	9,504
Total Hard Red Spring wheat	26.47	43.45	63,000

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	1979	1984	
Arizona: (cont)	:	:	
Redhart	.49	---	---
Total Soft Red Winter wheat	.49	---	---
Gaines	.59	---	---
Siete Cerros 66	11.42	---	---
Total White wheat	12.01	---	---
Aldura	.65	32.54	47,188
Mexicali	1.55	14.70	21,320
Westbred 881	---	1.29	1,868
Westbred 1000-D	1.05	.48	702
Cocorit	3.69	---	---
Crane	.64	---	---
Jori 69	1.14	---	---
Produra	45.22	---	---
Unknown Durum wheat	---	7.53	10,922
Total Durum wheat	53.94	56.55	82,000
Variety unknown 1/	1.39	---	---
Total all wheat	100.00	100.00	145,000
Arkansas:	:	:	
Vona	---	.09	1,283
Wings	---	.07	1,038
Pro Brand 812	---	.01	212
Jeff	---	*	146
Total Hard Red Winter wheat	---	.18	2,679
Rosen (Ark 38-1)	.93	17.22	258,337
McNair 1003	---	16.44	246,642
Coker 747	2.81	13.00	195,071
Caldwell	---	12.20	183,035
Southern Belle	---	8.17	122,505
Double Crop	18.50	6.40	95,974
Hunter	---	4.81	72,165
Coker 68-15	.61	3.77	56,570
Arthur 71	25.40	3.39	50,880
Coker 762	---	2.63	39,379
Delta Queen (Coker 75-24)	.90	2.34	35,134
Coker 916	---	2.08	31,210
Abe	28.46	2.01	30,087
Pike	---	1.10	16,426
Nelson	---	.66	9,971
Coker 797	---	.54	8,102

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		Acreage for 1984
	1979	1984	
Arkansas: (cont)			
Tyler	---	.45	6,815
Pioneer Variety 2550	---	.38	5,737
Florida 301	---	.32	4,847
Hart	.08	.20	2,998
Wheeler	---	.16	2,442
HW 3006	---	.13	2,022
McNair 1813	---	.09	1,331
Taylor	---	.09	1,278
HW 3007	---	.06	887
Ace	---	.04	595
Blueboy (Multihead 100)	---	.03	392
Arthur	11.98	---	---
Coker 65-20	1.16	---	---
Knox	.62	---	---
Oasis	2.34	---	---
Unknown Soft Red Winter wheat	---	.87	12,991
Total Soft Red Winter wheat	93.79	99.59	1,493,824
Hybrid 128	---	.23	3,497
Total White wheat	---	.23	3,497
Variety unknown 1/	6.21	---	---
Total all wheat	100.00	100.00	1,500,000
California:			
Unknown Hard Red Winter wheat	---	.75	6,518
Total Hard Red Winter wheat	---	.75	6,518
Anza	44.65	34.68	301,678
Yecora Rojo	20.67	33.67	292,964
Yolo	---	9.43	82,015
Inia 66	10.53	2.73	23,764
Westbred 911	---	1.32	11,441
Pro Brand 771	---	1.16	10,115
Oslo	---	.32	2,795
Westbred Aim	---	.28	2,424
Cajeme 71	1.88	.25	2,167
Probred	3.74	.19	1,627
Shasta	---	.13	1,154
Germain's 444 (W-444)	---	.13	1,142
Super X	---	.07	587
Pro Brand 751	---	.02	200
Westbred 906R	---	.02	166
Tanori 71	.74	---	---
W-433	.25	---	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :			Acreage for 1984	
	: 1979 : 1984		: Acreage for 1984		
California: (cont)	:	:	:		
Unknown Hard Red Spring wheat	:	---	.42	3,663	
Total Hard Red Spring wheat	:	82.46	84.82	737,903	
Roland	:	---	.08	655	
Total Soft Red Winter wheat	:	---	.08	655	
Hyslop	:	.94	.40	3,520	
McDermid	:	---	.38	3,327	
Ramona 50	:	2.16	.33	2,881	
Klasic	:	---	.31	2,690	
Yamhill	:	---	.19	1,662	
Stephens	:	---	.10	840	
Gaines	:	*	.09	770	
Galgalos	:	---	.05	446	
Twin	:	---	.03	266	
Fielder	:	---	.02	203	
Siete Cerros 66	:	.43	.02	164	
Nugaines	:	.38	---	---	
Onas	:	.80	---	---	
Onas 53	:	.19	---	---	
Unknown White Spring wheat	:	---	.55	4,827	
Moro	:	---	.38	3,327	
Total Club wheat	:	---	.38	3,327	
Total White wheat	:	4.90	2.86	24,923	
Mexicali	:	1.79	6.09	52,965	
Aldura	:	---	3.10	26,978	
Westbred 881	:	---	.67	5,843	
Westbred 1000-D	:	---	.25	2,166	
Produra	:	2.92	.14	1,226	
Yavoros 79	:	---	.07	579	
Unknown Durum wheat	:	---	1.18	10,244	
Total Durum wheat	:	4.71	11.49	100,000	
Variety unknown 1/	:	7.93	---	---	
Total all wheat	:	100.00	100.00	870,000	
Colorado:	:	:	:		
Baca	:	19.70	22.53	872,889	
Vona	:	1.81	17.59	681,722	
Scout 66	:	23.56	8.76	339,525	
Scout	:	18.43	7.91	306,438	
Sandy	:	---	6.20	240,330	

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 :	: 1984 :	
Colorado: (cont)	:	:	
Newton	.02	3.67	142,061
Centurk	13.49	3.37	130,752
Hawk	---	3.17	122,779
Jeff	.54	2.47	95,869
Centurk 78	---	2.05	79,358
Warrior	---	1.77	68,695
Wichita (Early Colorado)	6.29	1.56	60,583
Rocky	---	1.56	60,558
Sage	1.18	1.52	59,047
TAM W-105	---	1.51	58,358
Eagle	3.02	1.01	39,204
Duke	---	.97	37,573
Brule	---	.47	18,220
Buckskin	*	.40	15,539
Wings	---	.36	14,065
Manning	---	.33	12,651
Hail	---	.31	12,094
Trapper	1.27	.23	9,012
Larned	.21	.22	8,541
Cheyenne	.25	.20	7,704
Monarch	---	.15	5,811
Trader	.14	.14	5,469
Comanche	.02	.13	4,880
Lancer	.27	.12	4,478
Bridger	.89	.10	3,737
Delmar	.22	.09	3,559
Colorow	.21	.09	3,468
Pioneer Variety PL 145	---	.09	3,457
Weathermaster 135	---	.07	2,779
Quantum 554	---	.07	2,686
Archer	---	.05	2,048
Hansel	---	.05	1,827
Quantum 555	---	.03	1,229
Golden Chief	---	.02	853
Bounty Hybrid 310	---	.02	751
Bison	.04	.02	633
Lancota	---	.01	512
Mustang	---	.01	473
Goldenwest	---	.01	438
Ram	---	.01	410
Quantum 568	---	*	315
Rall	---	*	307
Pro Brand 830	---	*	288
Wrangler	---	*	50
HR 53 (Garst HR 53)	---	*	45
Cardon	.14	---	---
Crest	.12	---	---
Itana	*	---	---
Kaw	.34	---	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 :	1984	
Colorado: (cont)			
Lindon	.60	---	---
Ranger	.34	---	---
Sturdy	.10	---	---
TAM W-101	.12	---	---
Tascosa	.04	---	---
W-332	.27	---	---
Unknown Hard Red Winter wheat	---	6.55	253,781
Total Hard Red Winter wheat	97.56	98.01	3,797,852
Yucatán Rojo			
Ceres	.13	.22	8,451
Bounty 309	.05	.21	8,049
Westbred 906R	---	.19	7,538
Wampum	---	.06	2,384
Oslo	---	.06	2,300
Waldron	---	.06	2,234
Hermosillo 77	---	.05	1,957
Eureka	---	.01	405
Porstar	---	*	248
Borah	.02	*	199
Prodax	*	*	60
Len	---	*	5
Bounty 208	.07	---	---
Colano	.12	---	---
Durham	*	---	---
Komar	.04	---	---
Red River 68	.02	---	---
Unknown Hard Red Spring wheat	---	.17	6,479
Total Hard Red Spring wheat	.45	1.61	62,283
Georgia 1123	---	*	137
Total Soft Red Winter wheat	---	*	137
Twin			
Creston	.65	.24	9,165
Nugaines	---	.05	1,866
Gaines	.02	.03	1,004
Fielder	*	*	381
Stephens	.13	*	53
Fieldwin	---	*	40
Omar	.06	---	---
Unknown White Spring wheat	---	.07	---
Unknown White Winter wheat	---	---	1,083
Total White wheat	---	.02	587
	.93	.37	14,179

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984
	1979 : 1984			
Colorado: (cont)	:	:	:	
Westbred 881	:	---	.01	550
Total Durum wheat	:	---	.01	550
Variety unknown 1/	:	1.06	---	---
Total all wheat	:	100.00	100.00	3,875,000
Delaware:	:	:	:	
Tyler	:	---	17.85	8,927
Coker 747	:	---	12.71	6,356
Wheeler	:	---	12.54	6,270
Arthur 71	:	13.01	10.20	5,102
Arthur	:	35.86	7.07	3,533
Massey	:	---	6.80	3,400
McNair 1003	:	.83	5.45	2,727
Pioneer Variety 2550	:	---	5.20	2,600
Potomac	:	5.71	4.62	2,309
Coker 916	:	---	4.61	2,307
Feland	:	---	3.21	1,607
McNair 4823	:	.38	2.24	1,120
Redcoat	:	19.93	2.05	1,024
Pennoll	:	---	1.23	616
Titan	:	---	1.22	608
Abe	:	18.81	1.00	498
Blueboy II	:	---	.30	152
Pike	:	---	.22	111
Hunter	:	---	.19	93
Blueboy (Multihead 100)	:	1.21	---	---
McNair 1813	:	1.78	---	---
Oasis	:	.13	---	---
Pioneer Variety S-76	:	1.69	---	---
Unknown Soft Red Winter wheat	:	---	1.29	643
Total Soft Red Winter wheat	:	99.34	100.00	50,000
Variety unknown 1/	:	.66	---	---
Total all wheat	:	100.00	100.00	50,000
Georgia:	:	:	:	
Coker 797	:	---	33.89	338,917
Florida 301	:	---	29.26	292,642
Coker 762	:	---	9.08	90,806
Coker 747	:	8.11	8.72	87,241
Coker 916	:	---	3.10	31,010
Omega 78	:	.12	2.15	21,537
Hunter	:	---	1.93	19,297
McNair 1003	:	5.43	1.88	18,813

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984
	1979 : 1984			
	:	:		
Georgia: (cont)	:	:		
McNair 1813	:	19.64	1.19	11,895
Georgia 1123	:	15.80	1.15	11,491
Stacey	:	---	1.04	10,358
Holley	:	9.00	.69	6,855
Arthur 71	:	23.67	.34	3,354
Double Crop	:	.96	.33	3,271
FS 401	:	---	.23	2,342
Southern Belle	:	---	.23	2,279
Coker 983	:	---	.15	1,509
Pioneer Variety 2550	:	---	.12	1,185
Delta Queen (Coker 75-24)	:	---	.12	1,157
Oasis	:	5.79	.10	1,046
Anderson	:	---	.04	414
Coker 68-15	:	2.02	.02	156
Abe	:	.15	---	---
Coker 68-19	:	.63	---	---
Mc Nair 2203	:	.29	---	---
Unknown Soft Red Winter wheat	:	---	4.24	42,424
Total Soft Red Winter wheat	:	91.61	100.00	1,000,000
Variety unknown 1/	:	8.39	---	---
Total all wheat	:	100.00	100.00	1,000,000
Idaho:	:			
Jeff	:	10.56	6.45	99,924
Weston	:	*	5.55	85,993
Manning	:	---	3.54	54,854
Neeley	:	---	1.29	19,956
Hansel	:	1.10	.70	10,890
Itana	:	.11	.69	10,729
Turkey	:	1.60	.55	8,526
Cheyenne	:	.41	.32	4,989
Ranger	:	2.20	.18	2,836
Wanser	:	.27	.07	1,073
McCall	:	.35	.02	378
Ark	:	.36	.01	221
Franklin	:	.25	*	129
Crest	:	1.05	---	---
Heglar	:	.94	---	---
Ridit	:	.18	---	---
Tendoy	:	.08	---	---
Unknown Hard Red Winter wheat	:	---	4.53	70,245
Total Hard Red Winter wheat	:	19.46	23.92	370,742
Westbred 906R	:	---	4.34	67,197
Borah	:	1.81	2.01	31,155

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 :	: 1984 :	
Idaho: (cont)	:	:	
Bannock	.2.96	1.33	20,614
Fremont	.91	1.10	17,112
Pro Brand 751	---	.89	13,852
Komar	.87	.87	13,521
McKay	---	.71	11,055
Prodax	1.92	.36	5,578
Bounty 309	---	.27	4,114
Moran	.48	.15	2,279
Pilot	.18	.08	1,290
Fortuna	---	.07	1,102
Olaf	---	.06	944
Sawtell	.13	.04	675
Wynne	---	.03	475
Pro Brand 711	---	.02	378
Pondera	---	.02	243
Bounty 208	.76	---	---
Centana	.07	---	---
Peak 72	.09	---	---
Red River 68	.02	---	---
Thatcher	.05	---	---
Unknown Hard Red Spring wheat	---	2.17	33,607
Total Hard Red Spring wheat	10.25	14.53	225,192
Stephens	3.61	26.46	410,133
Daws	3.65	10.91	169,083
Fieldwin	8.65	2.92	45,222
Owens	---	2.17	33,655
Fielder	17.30	1.94	29,995
Nugaines	15.43	1.75	27,133
Hyslop	12.39	1.56	24,137
Gaines	1.03	1.51	23,373
Sprague	---	1.18	18,270
Hill 81	---	1.17	18,155
Lewjain	---	.90	14,007
Twin	1.68	.75	11,557
Dirkwin	---	.65	10,038
Springfield	.98	.22	3,453
Waverly	---	.18	2,765
McDermid	2.02	.11	1,775
Lemhi	.03	.01	171
Urquie	---	*	115
Burt	.04	---	---
Early Baart	.02	---	---
Luke	.30	---	---
Yamhill	.27	---	---
Unknown White Winter wheat	---	4.72	73,192
Unknown White Spring wheat	---	2.44	37,838

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	1979	1984	Acreage for 1984
Idaho: (cont)	:	:	
Total White wheat	: 67.40	61.55	954,067
Variety unknown 1/	: 2.88	---	---
Total all wheat	: 100.00	100.00	1,550,000
Illinois:	:	:	
Centurk	: 5.18	.95	17,027
Newton	: ---	.25	4,427
Wings	: ---	.17	3,076
Pawnee	: .92	.13	2,276
Gage	: 2.10	.11	2,032
Parker	: 1.32	.07	1,329
Bounty Hybrid 301	: ---	.01	221
Homestead	: .05	---	---
Ottawa	: .01	---	---
Sage	: .04	---	---
Unknown Hard Red Winter wheat	: ---	.27	4,883
Total Hard Red Winter wheat	: 9.62	1.96	35,271
Caldwell	: ---	26.14	470,491
Hart	: .75	16.24	292,313
Pioneer Variety 2550	: ---	13.93	250,702
Roland	: .11	7.48	134,595
Pioneer Variety S-76	: .06	6.03	108,582
Pike	: ---	4.88	87,844
Arthur 71	: 35.57	3.56	64,017
Auburn	: ---	3.52	63,445
Arthur	: 17.04	2.35	42,368
Coker 916	: ---	2.21	39,741
Scotty	: ---	2.04	36,737
Abe	: 23.65	1.40	25,196
Pioneer Variety S78	: .06	1.30	23,325
Argee	: ---	1.16	20,943
McNair 1003	: ---	.96	17,341
Callahan 115	: ---	.80	14,395
Oasis	: 3.82	.74	13,319
Sullivan	: .08	.33	5,915
FS 402	: ---	.32	5,782
Tyler	: ---	.24	4,236
Voris 8088	: ---	.20	3,679
Beau	: 2.40	.15	2,746
FS 401	: ---	.12	2,091
Titan	: ---	.11	1,933
Blueboy II	: .19	.05	887
Magnum	: ---	.04	796
HW 3006	: ---	.04	739
Rosen (Ark 38-1)	: ---	.04	681

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	1979	1984	Acreage for 1984
Illinois: (cont)	:	:	:
Bintee III	:	.02	408
Katie	:	.02	317
Ruler	:	.02	298
Hunter	:	.01	250
Blueboy (Multihead 100)	:	.09	---
Coker 68-15	:	.49	---
Double Crop	:	.73	---
McNair 4823	:	.21	---
Monon	:	1.45	---
Timwin	:	.08	---
Unknown Soft Red Winter wheat	:	1.58	28,396
Total Soft Red Winter wheat	:	86.78	1,764,508
Unknown White Winter wheat	:	---	.01
Total White wheat	:	---	.01
Variety unknown 1/	:	3.60	---
Total all wheat	:	100.00	1,800,000
Indiana:	:	:	:
Pawnee	:	.11	.50
Total Hard Red Winter wheat	:	.11	.50
Caldwell	:	32.67	382,261
Auburn	:	13.29	155,521
Pioneer Variety S-76	:	8.20	95,997
Arthur 71	:	6.02	70,408
Hart	:	5.90	68,996
Titan	:	4.04	47,245
Pioneer Variety 2550	:	3.64	42,610
Beau	:	3.62	42,308
Arthur	:	2.60	30,432
Fillmore	:	2.46	28,836
Abe	:	2.17	25,422
McNair 1003	:	1.61	18,835
Coker 747	:	1.30	15,267
Sullivan	:	1.12	13,086
Callahan 115	:	.89	10,377
Callahan 118	:	.63	7,339
Pike	:	.58	6,746
SW 330	:	.52	6,087
Coker 916	:	.50	5,889
Monon	:	.38	4,462
Voris 8088	:	.37	4,304
Callahan 116	:	.24	2,791

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984	
	:		Acreage		
	1979	1984			
Indiana: (cont)	:	:			
Scotty	:	---	.21	2,456	
SW 220	:	---	.19	2,253	
Ruler	:	1.47	.16	1,875	
Hunter	:	---	.12	1,454	
Logan	:	.62	.11	1,270	
Callahan 117	:	---	.07	860	
SW 230	:	---	.04	422	
Callahan 107	:	.25	---	---	
Callahan 121	:	.07	---	---	
Double Crop	:	.41	---	---	
Downy	:	.29	---	---	
Dual	:	.06	---	---	
Knox 62	:	.34	---	---	
McNair 4823	:	.66	---	---	
Oasis	:	5.57	---	---	
Pioneer Variety S-77	:	.09	---	---	
Voris B-7340	:	.09	---	---	
VR-20	:	.05	---	---	
W-504	:	.25	---	---	
Unknown Soft Red Winter wheat	:	---	5.85	68,398	
Total Soft Red Winter wheat	:	96.70	99.50	1,164,205	
Avon	:	.03	---	---	
Genesee	:	.04	---	---	
Total White wheat	:	.07	---	---	
Variety unknown 1/	:	3.12	---	---	
Total all wheat	:	100.00	100.00	1,170,000	
Iowa:	:	:			
Centurk 78	:	---	16.72	18,389	
Gage	:	19.09	8.27	9,100	
Sage	:	13.53	4.37	4,810	
Bennett	:	---	4.20	4,621	
Vona	:	---	3.39	3,731	
Wings	:	---	2.41	2,655	
Brule	:	---	2.38	2,622	
Newton	:	---	2.08	2,288	
Pioneer Variety PL 145	:	---	1.55	1,703	
Rita	:	---	1.37	1,506	
Hawk	:	---	1.29	1,420	
Rocky	:	---	1.19	1,304	
Roughrider	:	---	.95	1,045	
Scoutland	:	.65	.87	956	
TAM W-105	:	---	.78	860	
Archer	:	---	.75	824	

See footnotes at end of table

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	Acreage		for 1984
	1979	1984	
Iowa: (cont)			
Buckskin	.72	.57	632
MR 64 (Garst HR 64)	---	.46	504
Pawnee	3.06	.38	421
Gent	2.05	.28	306
Homestead	1.70	.09	98
Sentinel	4.39	.05	54
Lancer	---	.01	13
Turkey	---	.01	12
Centurk	26.76	---	---
Lancota	.80	---	---
Lindon	.68	---	---
Osage	.15	---	---
Parker	.68	---	---
Scout 66	.62	---	---
Shawnee	.37	---	---
Spaka	.41	---	---
Triumph	2.93	---	---
W-335	1.32	---	---
Unknown Hard Red Winter wheat	---	11.05	12,151
Total Hard Red Winter wheat	79.91	65.48	72,027
Marshall			
Chris	---	1.00	1,101
Butte	---	.29	314
Ellar	---	.24	265
Era	---	.16	172
Polk	---	.07	78
Kitt	---	.02	22
Unknown Hard Red Spring wheat	---	.01	9
Total Hard Red Spring wheat	---	2.27	2,500
Hart	---	4.06	4,461
Pioneer Variety S-76	---	9.49	10,434
Arthur 71	---	2.38	2,620
Caldwell	---	2.27	2,495
Roland	---	2.24	2,468
Katie	---	2.12	2,330
Pike	---	1.94	2,137
Bintee III	---	1.67	1,843
Genie	---	1.23	1,353
Abe	---	.91	996
McNair 1003	---	.53	579
Auburn	---	.33	358
Scotty	---	.29	316
Pioneer Variety 2550	---	.13	144
Pioneer Variety 2553	---	.12	130
Argee	---	.08	128
			89

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 :	: 1984 :	
Iowa: (cont)	:	:	
Unknown Soft Red Winter wheat	---	4.30	4,735
Total Soft Red Winter wheat	---	30.14	33,155
Variety unknown 1/	20.09	.32	357
Total all wheat	100.00	100.00	110,000
Kansas:	:	:	
Newton	2.82	31.10	4,136,788
TAM W-105	---	13.21	1,756,320
Larned	8.38	10.23	1,360,939
Hawk	---	9.07	1,206,040
Vona	.74	5.79	769,850
Eagle	20.96	5.43	721,646
Scout 66	.36	4.21	560,400
Pioneer Variety PL 145	---	2.52	335,099
Wings	.06	2.35	313,139
Sage	12.51	1.90	253,116
TAM W-101	4.97	1.41	187,442
Rocky	*	1.38	183,881
Arkan	---	1.10	146,304
Centurk 78	---	1.05	139,965
Pro Brand 830	---	.79	105,581
Triumph 64	.49	.67	89,542
Centurk	8.79	.66	88,097
Sandy	---	.57	75,803
Buckskin	2.26	.56	74,334
Triumph	6.36	.52	69,526
Baca	.31	.51	68,189
Trison	1.74	.38	50,865
Brule	---	.32	43,204
Plainsman V	.22	.32	42,141
Pro Brand 835	---	.32	41,985
Tut	---	.31	41,690
Century II 2148	---	.28	37,616
Satanta	1.69	.20	26,178
Mustang	---	.15	20,038
HR 64 (Garst HR 64)	---	.15	19,672
Bennett	*	.15	19,359
Pro Brand 817	---	.13	17,380
Archer	---	.13	17,285
Parker	1.28	.13	17,249
Apache	.45	.11	14,962
Gage	1.30	.10	13,226
Chanute	.73	.09	12,210
Cheney	*	.09	11,312
Bounty Hybrid 310	---	.08	11,063
HW 1010	---	.06	8,561

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 :	: 1984 :	
Kansas: (cont)	:	:	
Monarch	.15	.06	8,444
Bounty Hybrid 100	---	.05	7,193
Danne	.51	.05	6,807
Weathermaster 135	---	.05	6,721
Wichita (Early Colorado)	.08	.05	6,721
Brawny	---	.04	4,813
HR 53 (Garst HR 53)	---	.03	4,365
Seed Research, Inc 5221	---	.03	3,881
Century II 4555	---	.03	3,787
Kiowa	.08	.03	3,650
Frontiersman	---	.03	3,614
Lindon	.18	.03	3,586
Seed Research, Inc 5409	---	.03	3,363
Payne	.02	.02	3,213
Parker 76	.31	.02	2,880
Lancer	.24	.02	2,842
TAM W-106	---	.02	2,638
Lancota	1.14	.02	2,474
Sturdy	.63	.02	2,213
Bison	.46	.01	1,687
Palo Duro	.04	.01	1,574
Tejas	---	.01	1,333
Ram	---	*	1,187
Tascosa	---	*	1,048
Ponca	---	*	996
Duke	---	*	775
Joleen	---	*	646
Wrangler	---	*	615
HW 1019	---	*	569
Citation	---	*	555
Bounty Hybrid 201	---	*	448
Ottawa	.01	*	407
Homestead	1.46	*	388
Rall	---	*	354
Yukon	*	*	290
HW 1020	---	*	282
Bounty Hybrid 202	---	*	213
HW 1030	---	*	188
Golden 50	*	*	177
W-335	.02	*	142
HW 1018	---	*	135
Bounty Hybrid 200	---	*	85
Bounty Hybrid 204	---	*	83
Colt	---	*	53
Hail	---	*	47
Utah Kanred	---	*	26
Agate	*	---	---
Caprock	.20	---	---
Cloud	.32	---	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		Acreage for 1984
	1979	1984	
Kansas: (cont)			
Concho	.15	---	---
Crockett	*	---	---
Dekalb 581	.05	---	---
Dekalb 582	*	---	---
Froid	*	---	---
Gent	*	---	---
Gold Chief	*	---	---
III	.20	---	---
Kaw	.06	---	---
Kirwin	.03	---	---
Minter	.01	---	---
Osage	*	---	---
Pawnee	*	---	---
Pioneer Hybrid HR 915A	.12	---	---
Pronto	*	---	---
Rodco	.04	---	---
Roughrider	*	---	---
Scout	15.15	---	---
Scoutland	.01	---	---
Shawnee	.05	---	---
TAM W-103	.11	---	---
Tenmarq	.04	---	---
Trapper	*	---	---
Turkey	*	---	---
W-332	.03	---	---
Warrior	.06	---	---
Weathermaster 209	*	---	---
4555	.52	---	---
5411	*	---	---
Unknown Hard Red Winter wheat	---	.27	36,164
Total Hard Red Winter wheat	98.98	99.56	13,241,667
Embro	*	---	---
Era	*	---	---
Protor	*	---	---
Total Hard Red Spring wheat	.02	---	---
McNair 1003	---	.13	17,520
Pioneer Variety 2553	---	.08	10,108
Pioneer Variety S78	---	.07	8,859
Blazer	---	.04	4,840
Hart	---	.02	3,098
Caldwell	---	.02	2,669
Arthur 71	.09	.01	1,850
Pike	---	*	1,218
Royal	---	*	1,208
Arthur	.06	*	645

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984	
	:		Acreage for 1984		
	1979	1984			
Kansas: (cont)	:	:	:		
Rosen (Ark 38-1)	:	---	*	320	
Double Crop	:	---	*	265	
Pioneer Variety S-76	:	---	*	249	
Abe	:	.06	---	---	
Blueboy (Multihead 100)	:	*	---	---	
Early Premium	:	.21	---	---	
Oasis	:	.03	---	---	
Unknown Soft Red Winter wheat	:	---	.04	5,484	
Total Soft Red Winter wheat	:	.46	.44	58,333	
Variety unknown 1/	:	.54	---	---	
Total all wheat	:	100.00	100.00	13,300,000	
Kentucky:	:	:	:		
Triumph	:	.07	---	---	
Unknown Hard Red Winter wheat	:	---	2.88	19,264	
Total Hard Red Winter wheat	:	.07	2.88	19,264	
Tyler	:	---	16.12	107,999	
Arthur	:	36.16	12.15	81,410	
Hart	:	---	10.84	72,625	
Caldwell	:	---	8.77	58,748	
Wheeler	:	---	6.89	46,162	
Arthur 71	:	24.64	6.04	40,740	
Coker 747	:	.11	5.89	39,490	
Pioneer Variety S-76	:	---	4.29	28,739	
McNair 1003	:	---	3.45	23,095	
Abe	:	25.09	3.39	22,702	
Massey	:	---	2.54	16,997	
Hunter	:	---	2.46	16,454	
Double Crop	:	4.74	2.42	16,247	
Coker 916	:	---	1.96	13,154	
Pioneer Variety 2550	:	---	1.95	13,049	
Feland	:	---	.74	4,940	
Southern Belle	:	---	.59	3,984	
Sullivan	:	.21	.31	2,061	
Beau	:	.53	.29	1,965	
Fillmore	:	---	.27	1,803	
Coker 983	:	---	.20	1,316	
Rosen (Ark 38-1)	:	---	.11	764	
Callahan 118	:	---	.09	585	
Auburn	:	---	.07	446	
Knox 62	:	---	.06	371	
Titan	:	---	.04	265	
Roland	:	---	.03	195	
HW 3007	:	---	.02	151	

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984	
	: 1979 : 1984		:		
Kentucky: (cont)	:				
Magnum	:	---	.01	88	
Seneca	:	---	*	18	
Knox	:	.89	---	---	
McNair 1813	:	.26	---	---	
Oasis	:	.68	---	---	
Unknown Soft Red Winter wheat	:	---	5.14	34,442	
Total Soft Red Winter wheat	:	93.38	97.12	650,736	
Variety unknown 1/	:	6.62	---	---	
Total all wheat	:	100.00	100.00	670,000	
Louisiana:	:				
Pro Brand 812	:	---	1.31	5,253	
Unknown Hard Red Winter wheat	:	---	.22	891	
Total Hard Red Winter wheat	:	---	1.54	6,143	
Coker 762	:	---	14.97	59,884	
Coker 797	:	---	10.43	41,714	
Southern Belle	:	---	8.46	33,847	
Double Crop	:	15.57	6.83	27,325	
Delta Queen	:	.86	6.58	26,317	
Coker 747	:	4.05	5.85	23,381	
Hunter	:	---	5.66	22,653	
Coker 916	:	---	4.72	18,891	
Arthur 71	:	37.11	2.56	10,256	
McNair 1003	:	.92	2.15	8,609	
Florida 301	:	---	2.01	8,044	
Coker 68-15	:	12.54	1.45	5,798	
Rosen (Ark 38-1)	:	---	1.28	5,122	
Coker 983	:	---	.81	3,222	
McNair 1813	:	.18	.42	1,661	
Blueboy II	:	4.74	.30	1,207	
Nelson	:	---	.20	793	
Terral 81-17	:	---	.15	595	
Wakeland	:	.43	.10	388	
Arthur	:	---	.04	168	
Abe	:	6.18	---	---	
Atlas 66	:	.09	---	---	
Coker 65-20	:	.19	---	---	
Coker 68-19	:	.47	---	---	
Knox	:	.57	---	---	
Unknown Soft Red Winter wheat	:	---	23.50	93,982	
Total Soft Red Winter wheat	:	83.90	98.46	393,857	
Variety unknown 1/	:	16.10	---	---	
Total all wheat	:	100.00	100.00	400,000	

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State,
variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	Acreage		
	1979	1984	for 1984
Maryland:			
Tyler	---	27.73	40,762
Arthur	33.53	13.72	20,164
Pioneer Variety 2550	---	7.98	11,732
McNair 1003	1.49	7.33	10,775
Potomac	14.88	6.05	8,898
Hart	1.42	5.68	8,351
Hunter	---	5.30	7,797
Titan	---	3.90	5,739
Arthur 71	12.07	3.86	5,679
Redcoat	15.50	3.63	5,333
Coker 747	---	2.32	3,405
Wheeler	---	2.25	3,303
McNair 4823	1.10	2.10	3,081
Severn	---	1.33	1,960
Feland	---	.83	1,213
Pike	---	.73	1,072
Southern Belle	---	.64	944
Coker 916	---	.58	856
Abe	9.91	.55	812
Massey	---	.34	497
Thorne	.75	.22	324
Blueboy II	.25	.09	132
Ruler	---	.08	121
Beau	.06	---	---
Blueboy (Multihead 100)	.82	---	---
Logan	.26	---	---
Mammoth Red	.16	---	---
Monon	2.13	---	---
Oasis	.13	---	---
Pennoll	.46	---	---
Pioneer Variety S-76	4.40	---	---
Pioneer Variety S78	.37	---	---
Seneca	.21	---	---
Unknown Soft Red Winter wheat	---	2.75	4,049
Total Soft Red Winter wheat	99.90	100.00	147,000
Variety unknown 1/	.10	---	---
Total all wheat	100.00	100.00	147,000
Michigan:			
Era	.02	---	---
Total Hard Red Spring wheat	.02	---	---
Pioneer Variety S-76	1.59	5.93	53,362
Arthur	10.89	4.96	44,666
Titan	---	3.93	35,381

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	1979	1984	
Michigan: (cont)			
Abe	.2.63	1.30	11,737
Caldwell	---	1.07	9,672
Pioneer Variety 2550	---	1.07	9,600
Hart	---	.92	8,291
Arthur 71	2.42	.62	5,593
Auburn	---	.59	5,269
Callahan 115	---	.19	1,751
Pioneer Variety 2553	---	.16	1,399
Logan	.39	.12	1,109
Pike	---	.06	578
Fillmore	---	.03	289
Beau	.18	---	---
Callahan 118	.05	---	---
Downy	.02	---	---
Fuzz	.15	---	---
McNair 701	.14	---	---
Monon	.23	---	---
Oasis	.07	---	---
Redcoat	.07	---	---
Ruler	.59	---	---
Unknown Soft Red Winter wheat	---	.79	7,129
Total Soft Red Winter wheat	19.42	21.76	195,825
Michigan: (cont)			
Frankenmuth	---	51.27	461,466
Augusta	---	11.67	105,004
Frederick	3.50	4.74	42,649
Yorkstar	12.22	3.62	32,555
Genesee	9.10	2.39	21,506
Tecumseh	30.21	1.57	14,089
Ionia	14.25	1.46	13,099
Avon	.96	---	---
Yorkwin	.73	---	---
Unknown White Winter wheat	---	1.53	13,807
Total White wheat	70.97	78.24	704,175
Variety unknown 1/	9.59	---	---
Total all wheat	100.00	100.00	900,000
Minnesota:			
Roughrider	.63	11.72	308,953
Rose	---	1.64	43,083
Minter	.62	.81	21,347
Agassiz	---	.36	9,549
Norstar	---	.13	3,330
Winoka	.05	.05	1,287
Gent	.39	*	148

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		
	: 1979 : 1984 : Acreage for 1984		
Minnesota: (cont)			
Bronze	.05	---	---
Centurk	.05	---	---
Eklund	.03	---	---
Froid	.03	---	---
Mosida	.16	---	---
Unknown Hard Red Winter wheat	---	.47	12,303
Total Hard Red Winter wheat	2.01	15.18	400,000
Marshall	---	48.49	1,277,781
Era	61.25	13.05	343,992
Wheaton	---	3.70	97,375
Len	---	3.31	87,125
Oslo	---	3.12	82,326
Butte	2.83	2.52	66,470
Pioneer Variety 2369	---	1.66	43,752
Pro Brand 711	---	1.06	27,944
Erik	---	1.05	27,583
Olaf	8.30	1.00	26,329
Weathermaster 99	---	.95	25,123
Pioneer Variety PR-2360	---	.77	20,362
Solar	4.53	.66	17,473
Walera	---	.44	11,609
Coteau	.03	.35	9,195
Buckshot	---	.31	8,043
Kitt	5.24	.29	7,531
Glenlea	.09	.18	4,706
Wared	3.73	.11	2,812
James	.03	.07	1,924
A99ar	---	.06	1,451
Apex	---	.05	1,245
Protor	1.17	.04	1,101
Pro Brand 715	---	.04	979
World Seeds 1809	.70	.03	793
Chris	.58	.02	439
Guard	---	*	102
Angus	.94	---	---
Bonanza	.08	---	---
Bounty 208	.10	---	---
Ellar	.10	---	---
Embro	.09	---	---
Eureka	*	---	---
Prodax	.99	---	---
Profit-75	1.13	---	---
Red River	.02	---	---
Sinton	.06	---	---
Waldron	2.50	---	---
Weathermaster 85	.06	---	---
Weathermaster 90	.20	---	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984
	1979 : 1984			
Minnesota: (cont)	:			
World Seeds 1812	:	.03	---	---
Unknown Hard Red Spring wheat	:	---	.17	4,434
Total Hard Red Spring wheat	:	94.79	83.49	2,200,000
B-1	:	.23	---	---
Total Soft Red Winter wheat	:	.23	---	---
Cando	:	.74	.83	21,930
Vic	:	---	.37	9,756
Lloyd	:	---	.04	1,114
Crosby	:	.09	---	---
Leeds	:	.09	---	---
Rugby	:	.04	---	---
Ward	:	1.13	---	---
Unknown Durum wheat	:	---	.08	2,200
Total Durum wheat	:	2.09	1.33	35,000
Variety unknown 1/	:	.88	---	---
Total all wheat	:	100.00	100.00	2,635,000
Mississippi:	:			
Southern Belle	:	---	21.59	166,268
Coker 747	:	3.05	20.37	156,817
Coker 762	:	---	13.12	101,055
Coker 916	:	---	12.63	97,240
Hunter	:	---	6.11	47,011
McNair 1003	:	.12	4.16	32,047
Delta Queen	:	---	3.81	29,366
Coker 797	:	---	3.37	25,930
Rosen (Ark 38-1)	:	---	3.33	25,662
Arthur 71	:	38.41	1.99	15,301
Double Crop	:	6.88	1.78	13,734
Coker 68-15	:	4.49	1.24	9,550
Caldwell	:	---	1.21	9,315
Coker 983	:	---	1.19	9,136
McNair 1813	:	1.54	.59	4,515
Pioneer Variety 2550	:	---	.52	3,996
Abe	:	24.07	.31	2,401
Florida 301	:	---	.06	459
HW 3007	:	---	.05	423
Roy	:	---	.05	401
Arthur	:	11.47	---	---
McNair 4823	:	.05	---	---
Unknown Soft Red Winter wheat	:	---	2.52	19,374
Total Soft Red Winter wheat	:	90.08	100.00	770,000

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage		Acreage for 1984
	1979	1984	
Mississippi: (cont)			
Variety unknown 1/	9.92	---	---
Total all wheat	100.00	100.00	770,000
Missouri:			
Newton	---	3.19	74,934
Vona	---	.97	22,693
Wings	---	.92	21,712
TAM W-105	---	.70	16,510
Gent	---	.38	8,815
Hawk	---	.25	5,948
Parker 76	---	.20	4,786
Triumph 64	---	.19	4,444
HR 64 (Garst HR 64)	---	.17	3,982
Centurk	2.39	.12	2,735
Bounty Hybrid 310	---	.07	1,709
Mustang	---	.06	1,367
Bounty Hybrid 301	---	.04	1,029
Pro Brand 835	---	.03	684
Danne	.25	---	---
Gage	.22	---	---
Parker	2.77	---	---
Pioneer Hybrid HR 915A	.02	---	---
Sage	.02	---	---
Scout	.03	---	---
Sturdy	.29	---	---
Triumph	3.48	---	---
W-335	.05	---	---
Unknown Hard Red Winter wheat	---	.14	3,181
Total Hard Red Winter wheat	9.52	7.43	174,529
Pike	---	21.62	508,116
Hart	4.93	19.92	468,124
Arthur 71	36.29	13.71	322,159
Caldwell	---	10.88	255,754
McNair 1003	.02	5.44	127,883
Rosen (Ark 38-1)	---	4.06	95,371
Pioneer Variety 2550	---	4.04	94,962
Pioneer Variety S-76	2.33	3.54	83,087
Pioneer Variety S78	1.99	3.04	71,418
Abe	11.78	1.46	34,247
Hunter	---	1.06	24,883
Southern Belle	---	1.05	24,765
Coker 747	.07	.43	10,191
Coker 916	---	.28	6,517
Blueboy (Multihead 100)	*	.25	5,925
Pioneer Variety 2553	---	.23	5,322
Bintee III	---	.22	5,188
Hybrid English 46 (Marsters)	---	.18	4,218

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :			Acreage for 1984	
	:-----:		: 1979 : 1984		
Missouri: (cont)	:	:			
Roland	:	---	.12	2,786	
Dancer	:	---	.09	2,015	
Clarkan	:	.06	.06	1,525	
Lucas	:	---	.02	359	
Arthur	:	19.27	---	---	
Beau	:	1.15	---	---	
Benhur	:	.05	---	---	
Blueboy II	:	.12	---	---	
Double Crop	:	1.59	---	---	
Dual	:	.06	---	---	
Knox	:	.09	---	---	
Knox 62	:	.03	---	---	
McNair 4823	:	.28	---	---	
Monon	:	.50	---	---	
Oasis	:	5.30	---	---	
Pioneer Variety S-77	:	.71	---	---	
Redcoat	:	.07	---	---	
Stadler	:	*	---	---	
Stoddard	:	.33	---	---	
Vermillion	:	*	---	---	
Unknown Soft Red Winter wheat	:	---	.88	20,656	
Total Soft Red Winter wheat	:	87.05	92.57	2,175,471	
Variety unknown 1/	:	3.43	---	---	
Total all wheat	:	100.00	100.00	2,350,000	
Montana:	:				
Redwin	:	---	19.14	959,922	
Winalta	:	10.94	6.91	346,780	
Rocky	:	---	6.80	340,913	
Norstar	:	---	5.41	271,389	
Centurk	:	14.56	3.43	171,794	
Cheyenne	:	12.24	2.83	142,161	
Roughrider	:	1.23	2.45	122,723	
Citation	:	---	1.39	69,946	
Feeley	:	---	.84	41,941	
Warrior	:	2.16	.66	33,307	
Winridge	:	---	.40	19,836	
Archer	:	---	.31	15,447	
Weston	:	---	.28	14,232	
Lancer	:	.34	.24	12,100	
Seed Research, Inc 5210	:	---	.12	5,804	
Sundance	:	1.08	.12	5,804	
Brawny	:	---	.11	5,718	
Baca	:	---	.11	5,389	
Vona	:	---	.10	5,085	
Turkey	:	---	.10	5,060	

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		Acreage for 1984
	1979	1984	
Montana: (cont)	:	:	
Buckskin	:	---	.07 3,487
Winoka	:	2.16	.07 3,373
Sage	:	---	.06 3,120
Hawk	:	---	.06 2,935
Gent	:	.53	.05 2,556
Wings	:	---	.05 2,321
Froid	:	.24	.04 1,796
Yogo	:	.09	.03 1,687
Seed Research, Inc 4578	:	---	.03 1,393
Eagle	:	---	.02 943
Lindon	:	.01	.02 884
Seed Research, Inc 5221	:	---	.01 734
McCall	:	.12	.01 557
Weathermaster 125T	:	---	* 475
Concho	:	.04	---
Crest	:	.21	---
Dekalb 582	:	.04	---
Hiplains	:	.06	---
Itana	:	.22	---
Jeff	:	.04	---
Karmont	:	.12	---
Minter	:	.04	---
Newtork	:	*	---
Rego	:	.05	---
Scoutland	:	.19	---
Trapper	:	.33	---
Wanser	:	.42	---
Unknown Hard Red Winter wheat	:	---	.88 44,105
Total Hard Red Winter wheat	:	52.63	53.16 2,665,716
Newana	:	2.83	9.51 476,946
Fortuna	:	10.66	5.54 277,990
Len	:	---	5.02 251,725
Lew	:	2.34	4.18 209,741
Olaf	:	7.63	3.58 179,732
Prodax	:	.03	2.80 140,414
Solar	:	.19	1.45 72,705
Tioga	:	3.27	1.38 69,016
Butte	:	1.82	1.25 62,881
Pondera	:	---	1.16 58,130
Pro Brand 711	:	---	.82 41,082
Bounty 309	:	1.12	.42 21,058
Westbred Aim	:	---	.41 20,313
Wampum	:	---	.36 18,247
Thatcher	:	1.26	.34 16,826
Marshall	:	---	.30 15,170
Norana	:	1.52	.27 13,630
Weathermaster 70	:	---	.20 10,107

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 :	1984	
Montana: (cont)	:		
Oslo	:	.19	9,748
Marberg	:	.18	8,915
Pro Brand 715	:	.16	7,858
Pro Brand 751	:	.13	6,406
Neepawa	:	.12	6,114
Walera	:	.12	5,987
Ceres	:	.08	4,016
McKay	:	.07	3,322
Leader	:	.06	3,258
Waldron	:	.46	3,178
Alex	:	.06	3,020
Wared	:	2.03	2,985
Red River 68	:	.87	2,592
Marquis	:	.04	2,012
Pioneer Variety 2369	:	.04	1,889
Westbred 906R	:	.02	1,180
Crim	:	.04	199
Borah	:	.16	---
Canthatch	:	.97	---
Centana	:	.11	---
Era	:	.05	---
Kitt	:	.06	---
Manitou	:	.21	---
Profit	:	.04	---
Shinevac	:	.02	---
Weathermaster 90	:	.60	---
Unknown Hard Red Spring wheat	:	1.01	50,846
Total Hard Red Spring wheat	:	38.29	2,079,240
Fieldwin	:	.01	15,978
Lewjain	:	.20	10,161
Nugaines	:	.19	9,723
Daws	:	.17	8,395
McDermid	:	.10	5,142
Owens	:	.10	4,782
Stephens	:	.02	862
Lemhi 66	:	*	484
Fielder	:	.68	---
Gaines	:	.04	---
Luke	:	.05	---
Moro	:	.03	---
Paha	:	.02	---
Total White wheat	:	1.80	55,044
Vic	:	1.63	81,706
Ward	:	.92	46,192
Crosby	:	.47	23,797

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984	
	:-----:			
	: 1979 : 1984	-----		
Montana: (cont)	:	:		
Rolette	:	.93	.43 21,789	
Cando	:	1.16	.22 10,913	
Wells	:	1.02	.14 7,073	
Edmore	:	.06	.11 5,681	
Rugby	:	---	.09 4,616	
Lloyd	:	---	.08 3,898	
Coulter	:	---	.06 3,050	
Calvin	:	.03	.03 1,633	
Leeds	:	---	.01 552	
Wakooma	:	.05	---	
Wascana	:	.03	---	
Unknown Durum wheat	:	---	.08 4,100	
Total Durum wheat	:	5.06	4.29 215,000	
Variety unknown 1/	:	2.22	---	
Total all wheat	:	100.00	100.00 5,015,000	
Nebraska:	:	:		
Centurk 78	:	.04	21.78 696,966	
Brule	:	---	20.17 645,329	
Wings	:	.06	7.92 253,453	
Centurk	:	38.61	7.26 232,351	
Vona	:	.23	5.32 170,102	
Scout 66	:	18.83	5.04 161,385	
Buckskin	:	5.09	4.64 148,346	
Rocky	:	---	4.37 139,717	
Hawk	:	---	3.47 110,969	
Bennett	:	.04	2.94 93,938	
Newton	:	.02	2.27 72,781	
Gage	:	5.24	1.94 62,134	
Archer	:	---	1.35 43,203	
Scout	:	7.08	1.26 40,235	
Lindon	:	.27	1.24 39,808	
TAM W-105	:	---	.99 31,701	
Sage	:	2.96	.97 30,954	
Lancer	:	4.25	.94 30,072	
Warrior	:	3.20	.85 27,335	
Pro Brand 830	:	---	.77 24,704	
Pro Brand 835	:	---	.59 18,879	
Scoutland	:	2.52	.58 18,472	
Homestead	:	2.07	.51 16,449	
Pioneer Variety PL 145	:	---	.36 11,529	
Agate	:	.56	.23 7,311	
Bounty Hybrid 310	:	---	.20 6,438	
Lancota	:	2.99	.20 6,265	
Larned	:	.15	.19 6,111	
Bounty Hybrid 201	:	---	.12 3,957	

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984
	: 1979 : 1984			
Nebraska: (cont)	:			
Trapper	:	.30	.08	2,567
Ottawa	:	.03	.05	1,620
Omaha	:	.07	.04	1,240
HiPlains	:	.30	.03	971
Cheyenne	:	.32	.02	647
Baca	:	.30	.02	532
Wichita	:	.03	*	243
Bison	:	.03	---	---
Caprock	:	.01	---	---
Eagle	:	1.81	---	---
Nebred	:	*	---	---
Parker	:	.15	---	---
Pawnee	:	.37	---	---
Pioneer Hybrid HR 915A	:	.02	---	---
Pioneer Hybrid HR 940	:	.02	---	---
Ranger	:	.11	---	---
Rodco	:	.01	---	---
Satana	:	.06	---	---
Sentinal	:	.98	---	---
Sturdy	:	.09	---	---
TAM W-101	:	.30	---	---
Trison	:	.12	---	---
Triumph	:	.14	---	---
Turkey	:	.16	---	---
W-332	:	.04	---	---
W-335	:	.01	---	---
Unknown Hard Red Winter wheat	:	---	1.29	41,282
Total Hard Red Winter wheat	:	99.99	100.00	3,200,000
Variety unknown 1/	:	*	---	---
Total all wheat	:	100.00	100.00	3,200,000
Nevada:	:			
Dakuru	:	---	7.41	2,000
Unknown Hard Red Spring wheat	:	---	.74	200
Total Hard Red Spring wheat	:	---	8.15	2,200
Twin	:	1.87	36.53	9,864
Fieldwin	:	16.49	20.52	5,540
Stephens	:	.02	15.65	4,226
Gaines	:	10.29	9.61	2,594
Nugaines	:	19.54	4.37	1,180
Fielder	:	30.71	1.28	345
Lemhi 66	:	.17	---	---
McCall	:	.90	---	---
Mirada	:	1.36	---	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984	
	: 1979 : 1984			
Nevada: (cont)	:	:		
Springfield	:	.76	---	
Unknown White Winter wheat	:	---	3.70 1,000	
Total White wheat	:	82.11	91.66 24,749	
Unknown Durum wheat	:	---	.19 51	
Total Durum wheat	:	---	.19 51	
Variety unknown 1/	:	17.89	--- ---	
Total all wheat	:	100.00	100.00 27,000	
New Jersey:	:	:		
Tyler	:	---	16.26 7,807	
Hart	:	4.17	15.15 7,274	
Titan	:	---	11.42 5,481	
Potomac	:	---	10.86 5,211	
Pioneer Variety 2550	:	---	9.30 4,462	
Redcoat	:	22.45	6.15 2,950	
Abe	:	26.73	5.70 2,738	
Arthur	:	---	2.86 1,375	
Pioneer Variety S-76	:	.06	1.69 813	
McNair 1003	:	---	1.05 502	
Severn	:	---	.84 403	
Caldwell	:	---	.80 384	
Pennell	:	1.17	.27 131	
Massey	:	---	.25 121	
Blueboy (Multihead 100)	:	2.71	.07 35	
Hunter	:	---	.07 35	
Arthur 71	:	23.01	---	
Oasis	:	4.40	---	
Ruler	:	1.71	---	
Unknown Soft Red Winter wheat	:	---	17.25 8,279	
Total Soft Red Winter wheat	:	86.41	100.00 48,000	
Variety unknown 1/	:	13.59	--- ---	
Total all wheat	:	100.00	100.00 48,000	
New Mexico:	:	:		
Scout 66	:	16.11	25.27 184,502	
TAM W-105	:	---	15.99 116,706	
Scout	:	24.77	12.76 93,125	
Larned	:	---	7.36 53,700	
Centurk	:	30.22	6.83 49,888	
Vona	:	---	4.88 35,635	
Capitan	:	---	4.65 33,971	
Concho	:	4.11	4.06 29,636	
Blackhull	:	---	2.52 18,364	

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979	: 1984	
	:	:	
New Mexico: (cont)	:	:	
Centurk 78	:	---	1,27 9,241
Bezostaya	:	---	1.19 8,716
Palo Duro	:	.88	1.17 8,538
Agate	:	.86	1.15 8,395
Newton	:	---	.67 4,901
Tascosa	:	---	.63 4,569
Comanche	:	3.95	.50 3,644
Tamex	:	2.00	.49 3,575
Hawk	:	---	.29 2,150
Turkey	:	1.46	.08 571
Kanred	:	---	.07 535
Brule	:	---	* 36
Kaw	:	.36	---
TAM W-101	:	.57	---
TAM W-103	:	.26	---
Unknown Hard Red Winter wheat	:	---	7.79 56,890
Total Hard Red Winter wheat	:	85.55	99.63 727,287
Blueboy	:	---	.37 2,713
Total Soft Red Winter wheat	:	---	.37 2,713
Gaines	:	.04	---
Total White wheat	:	.04	---
Variety unknown 1/	:	14.41	---
Total all wheat	:	100.00	100.00 730,000
New York:	:	:	
Centurk	:	---	.09 154
Franklin	:	---	* 9
Total Hard Red Winter wheat	:	---	.09 163
Sinton	:	---	.69 1,251
Unknown Hard Red Spring wheat	:	---	.03 52
Total Hard Red Spring wheat	:	---	.72 1,303
Hart	:	---	.91 1,636
Pioneer Variety S-76	:	.47	.66 1,186
Redcoat	:	---	.32 567
Tyler	:	---	.31 557
Unknown Soft Red Winter wheat	:	---	.01 21
Total Soft Red Winter wheat	:	.47	2.20 3,967

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	Acreage		for 1984
	1979	1984	
New York: (cont)			
Houser	.37	33.79	60,816
Ticonderoga	38.99	14.91	26,834
Purcell	---	14.59	26,259
Yorkstar	29.37	8.22	14,790
Frederick	1.99	5.96	10,733
Frankenmuth	---	1.99	3,584
Avon	3.10	.95	1,716
Arrow	11.64	.73	1,319
Tecumseh	.18	.33	593
Augusta	---	.07	128
Genesee	1.98	---	---
Ionia	2.24	---	---
Unknown White Winter wheat	---	15.44	27,795
Total White wheat	89.86	96.98	174,567
Variety unknown 1/	9.67	---	---
Total all wheat	100.00	100.00	180,000
North Carolina:			
Coker 747	21.69	52.91	370,365
Pioneer Variety 2550	---	8.35	58,477
McNair 1003	6.72	8.20	57,424
Coker 916	---	7.96	55,730
Coker 762	---	5.92	41,426
Arthur 71	35.30	3.17	22,184
Coker 797	---	2.54	17,812
Tyler	---	2.51	17,573
McNair 1813	2.16	1.47	10,318
Roy	---	.63	4,393
Wheeler	---	.46	3,212
Caldwell	---	.16	1,153
Delta Queen	---	.15	1,083
Hunter	---	.08	577
Southern Belle	---	.06	427
Massey	---	.05	383
Seneca	---	.04	294
Coker 983	---	.02	173
Abe	11.37	---	---
Arthur	.41	---	---
Atlas 66	.03	---	---
Blueboy (Multihead 100)	.06	---	---
Coker 68-15	2.03	---	---
Knox	.41	---	---
Logan	.02	---	---
McNair 4823	1.09	---	---
Oasis	2.79	---	---
Pioneer Variety S-76	3.41	---	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	1979	1984	Acreage for 1984
North Carolina: (cont)	:	:	:
Pioneer Variety S78	4.22	---	---
Unknown Soft Red Winter wheat	---	5.29	36,996
Total Soft Red Winter wheat	91.71	100.00	700,000
Variety unknown 1/	8.29	---	---
Total all wheat	100.00	100.00	700,000
North Dakota:	:	:	:
Roughrider	.81	5.52	486,866
Norstar	---	1.19	105,122
Agassiz	---	.05	4,080
Winalta	.05	.04	3,709
Rose	---	.03	3,044
Winoka	.09	.02	1,370
Centurk	.02	---	---
Froid	.27	---	---
HiPlains	.03	---	---
Minter	.05	---	---
Unknown Hard Red Winter wheat	---	.18	15,810
Total Hard Red Winter wheat	1.32	7.03	620,000
Marshall	---	13.39	1,180,626
Len	.03	12.67	1,117,518
Alex	---	6.09	537,325
Butte	14.74	5.21	459,615
Olaf	18.58	4.93	434,438
Coteau	.40	4.19	369,388
Waldron	14.08	4.10	361,590
Oslo	---	3.40	300,035
Walera	---	1.88	165,547
Solar	1.28	1.25	109,870
Pioneer Variety 2369	---	.72	63,410
Ellar	3.28	.38	33,554
Westbred 906R	---	.38	33,215
Era	1.45	.37	32,906
Wheaton	---	.29	25,364
Pro Brand 715	---	.28	24,879
Erik	---	.16	13,836
Wared	2.28	.13	11,726
Pro Brand 711	---	.13	11,525
Pioneer Variety PR-2360	---	.13	11,221
Apex	---	.11	9,442
Justin	.18	.08	7,237
Lew	.02	.08	6,790
Protor	.18	.07	6,343
James	---	.05	4,223

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984	
	1979 : 1984		:		
	:	:			
North Dakota: (cont)	:	:	:		
Stoa	:	---	.02	1,764	
Kitt	:	1.36	.02	1,507	
Guard	:	---	*	711	
Angus	:	.19	---	---	
Chris	:	.29	---	---	
Eureka	:	*	---	---	
Fortuna	:	.07	---	---	
Glenlea	:	.02	---	---	
Nordak	:	.03	---	---	
Nowesta	:	.08	---	---	
Polk	:	.09	---	---	
Prodax	:	3.25	---	---	
Profit-75	:	.34	---	---	
Sinton	:	.03	---	---	
Thatcher	:	.03	---	---	
World Seeds, Inc 1809	:	.09	---	---	
Unknown Hard Red Spring wheat	:	---	1.30	114,393	
Total Hard Red Spring wheat	:	62.38	61.79	5,450,000	
Vic	:	.02	15.54	1,370,371	
Ward	:	13.91	5.78	509,716	
Rugby	:	6.26	4.29	378,251	
Crosby	:	3.38	1.73	152,916	
Cando	:	4.03	1.27	112,288	
Rolette	:	2.34	.61	54,079	
Lloyd	:	---	.54	47,696	
Calvin	:	.92	.29	25,970	
Wakooma	:	---	.23	20,098	
Botno	:	1.51	.17	15,198	
Leeds	:	1.06	.14	12,396	
Wells	:	.94	.10	8,522	
Langdon	:	.04	.04	3,359	
Macoun	:	---	.02	1,713	
Stewart	:	---	*	655	
Edmore	:	.09	*	457	
Lakota	:	---	*	336	
Coulter	:	.19	---	---	
Wascana	:	.06	---	---	
Unknown Durum wheat	:	---	.41	35,978	
Total Durum wheat	:	34.75	31.18	2,750,000	
Variety unknown 1/	:	1.55	---	---	
Total all wheat	:	100.00	100.00	8,820,000	
	:				

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	Acreage		for 1984
	1979	1984	
Ohio:	:	:	:
Red Chief	:	---	.02
Unknown Hard Red Winter wheat	:	---	.04
Total Hard Red Winter wheat	:	---	.06
Leader	:	---	.19
Total Hard Red Spring wheat	:	---	.19
Titan	:	---	29.54
Hart	:	.02	17.97
Caldwell	:	---	9.03
Pioneer Variety S-76	:	1.99	8.16
Logan	:	17.47	6.71
Arthur	:	21.18	6.07
Arthur 71	:	15.97	4.09
Tyler	:	---	2.71
Pioneer Variety 2550	:	---	1.73
Ruler	:	17.11	1.66
Abe	:	8.97	1.43
HW 3007	:	---	1.34
Auburn	:	---	1.00
Callahan 115	:	---	.88
Pike	:	---	.77
McNair 1003	:	.52	.67
Bailey 4278	:	---	.57
Magnum	:	---	.41
Roland	:	.05	.39
Voris 8088	:	---	.32
Pioneer Variety S78	:	.23	.28
Lucas	:	.72	.23
Beau	:	.94	.21
Oasis	:	1.65	.17
Blazer	:	---	.13
Thorne	:	.46	.13
Scotty	:	---	.12
Reed	:	1.42	.06
Seneca	:	1.81	.05
Fillmore	:	---	.04
Pennoll	:	---	.04
Voris 7070	:	---	.02
Monon	:	1.31	.02
Benhur	:	3.33	---
Butler	:	.13	---
Double Crop	:	.05	---
Downy	:	*	---
Fulton	:	.06	---
Knox 62	:	.05	---
McNair 4823	:	1.30	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 : 1984		
Ohio: (cont)			
Redcoat	.10	---	---
Riley	.05	---	---
Sullivan	.01	---	---
Vermillion	.17	---	---
W-504	.21	---	---
Unknown Soft Red Winter wheat	---	2.66	32,928
Total Soft Red Winter wheat	97.29	99.60	1,235,085
Stewart	---	.15	1,804
Total Durum wheat	---	.15	1,804
Variety unknown 1/	2.71	---	---
Total all wheat	100.00	100.00	1,240,000
Oklahoma:			
TAM W-101	35.92	30.53	2,350,902
Vona	1.83	22.15	1,705,524
TAM W-105	---	12.35	951,100
Triumph 64	12.80	4.69	360,961
Wings	.04	4.62	355,758
Newton	.18	3.32	255,438
Payne	.44	2.85	219,166
Scout	5.63	2.43	187,227
Scout 66	5.16	2.35	181,244
Triumph	2.49	1.43	110,495
Hawk	---	1.33	102,356
Osage	4.28	.90	69,616
Sage	4.90	.79	60,761
Sturdy	2.73	.74	56,789
Danne	3.24	.73	56,219
Centurk 78	---	.65	49,797
Eagle	.71	.57	44,217
Pioneer Variety PL 145	---	.55	42,690
Pro Brand 812	---	.53	40,885
Wichita (Early Colorado)	1.55	.39	29,871
Texred	*	.36	27,788
Rall	.15	.31	24,195
Centurk	2.66	.30	23,268
Duke	---	.30	22,867
Baca	.28	.25	19,333
Chisholm	---	.22	16,735
Trison	.11	.17	12,994
Rocky	---	.16	12,572
Larned	.07	.16	12,473
Sandy	---	.16	12,221
Tut	---	.15	11,434

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :			Acreage for 1984
	: 1979 : 1984			
Oklahoma: (cont)	:	:	:	
Palo Duro	.	.48	.14	10,618
Scoutland	.	.04	.13	9,978
Concho	.	.50	.12	8,892
Brawny	.	---	.11	8,227
Monarch	.	.03	.07	5,571
Tascosa	.	.01	.06	4,430
Pro Brand 835	.	---	.04	2,713
Satanta	.	.15	.03	2,638
Arkan	.	---	.03	2,295
Pioneer Variety 2157	.	---	.03	2,079
Mustang	.	---	.02	1,646
TAM W-106	.	---	.02	1,380
Red Chief	.	*	.01	1,068
Bezostaya	.	---	*	457
Seed Research, Inc 5221	.	---	*	409
HW 1010	.	---	*	392
HW 1030	.	---	*	392
Agent	.	.32	*	388
Tenmarq	.	---	*	343
Citation	.	---	*	253
HR 64 (Garst HR 64)	.	---	*	171
Bounty Hybrid 310	.	---	*	118
Blackhull	.	*	---	---
Buckskin	.	.09	---	---
Caprock	.	.53	---	---
Chanute	.	.02	---	---
Cheyenne	.	.01	---	---
Comanche	.	*	---	---
Crockett	.	.01	---	---
Gage	.	.04	---	---
Golden	.	.03	---	---
Homestead	.	.02	---	---
Improved Triumph	.	8.84	---	---
Kaw	.	.17	---	---
Kiowa	.	*	---	---
Lancota	.	*	---	---
Lindon	.	.12	---	---
Nicoma	.	*	---	---
Parker	.	.08	---	---
Pawnee	.	*	---	---
Pioneer Hybrid HR 940	.	*	---	---
Plainsman V	.	.11	---	---
Pronto	.	.27	---	---
TAM W-103	.	.79	---	---
Turkey	.	*	---	---
Yukon	.	.16	---	---
Unknown Hard Red Winter wheat	---		1.57	120,632
Total Hard Red Winter wheat	:	98.01	98.86	7,611,984

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	1979	1984	
Oklahoma: (cont)			
Plainsman	---	.97	75,058
Unknown Hard Red Spring wheat	---	.03	2,578
Total Hard Red Spring wheat	---	1.01	77,636
Double Crop	---	.08	5,953
Arthur 71	*	.03	1,960
Pike	---	.01	941
Royal	---	.01	899
Arthur	.01	*	627
Ace	.01	---	---
Early Premium	.02	---	---
McNair 1813	.03	---	---
Total Soft Red Winter wheat	.07	.13	10,380
Variety unknown 1/	1.92	---	---
Total all wheat	100.00	100.00	7,700,000
Oregon:			
Wanser	2.26	.25	2,959
Unknown Hard Red Winter wheat	---	*	100
Total Hard Red Winter wheat	2.26	.25	3,059
Anza	.29	.06	733
Borah	---	.01	122
Fortuna	.02	---	---
World Seeds 1616	.14	---	---
Total Hard Red Spring wheat	.45	.07	856
Unknown Soft Red Winter wheat	---	.11	1,353
Total Soft Red Winter wheat	---	.11	1,353
Stephens	29.29	74.02	888,121
Hill 81	---	8.47	101,631
Twin	4.79	3.57	42,820
Daws	.77	3.03	36,315
Yamhill	4.93	2.95	35,427
Adams	.66	.92	11,001
Nugaines	9.90	.65	7,829
Dirkwin	---	.51	6,155
Owens	---	.22	2,636
Waverly	---	.22	2,634
McDermid	9.36	.21	2,461
Goldcoin (Fortyfold)	---	.19	2,248

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 :	1984	
Oregon: (cont)	:	:	
Fieldwin	.5.68	.16	1,944
Fielder	.8.21	.15	1,759
Hyslop	.14.23	.14	1,718
Gaines	.2.63	.03	379
Lewjain	---	.02	279
World Seeds 1	.23	*	96
Federation 67	.34	---	---
Golden	.03	---	---
Luke	.22	---	---
Rew	.11	---	---
Springfield	.1.32	---	---
Unknown White Winter wheat	---	.37	4,456
Jacmar	---	1.47	17,585
Faro	1.50	1.18	14,152
Moro	1.92	1.03	12,332
Tyee	---	.06	738
Crew	---	*	16
Omar	.03	---	---
Paha	1.10	---	---
Total Club wheat	4.55	3.74	44,823
Total White wheat	97.25	99.57	1,194,732
Variety unknown 1/	.04	---	---
Total all wheat	100.00	100.00	1,200,000
Pennsylvania:	
Stinton	---	.04	100
Total Hard Red Spring wheat	---	.04	100
Hart	9.40	26.78	61,590
Tyler	---	24.63	56,642
Titan	---	12.09	27,800
Redcoat	56.15	9.84	22,634
Pioneer Variety 2550	---	5.75	13,226
Pioneer Variety S-76	4.50	4.00	9,190
Pennoll	5.22	1.70	3,911
Abe	8.00	1.06	2,438
Logan	1.34	.80	1,834
Arthur	2.12	.69	1,592
Potomac	2.51	.64	1,465
Thorne	---	.58	1,343
Arthur 71	6.61	.54	1,253
Hunter	---	.46	1,062
Ruler	.50	.43	995
Roland	---	.41	933
McNair 1003	---	.33	748

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		
	:-----:		Acreage for 1984
	: 1979 : 1984		
Pennsylvania: (cont)			
Magnum	.	.26	601
Red Rock	.	.23	524
Wheeler	.	.15	349
Massey	.	.13	299
Dual	.25	.11	262
Tayland	.	.11	253
Pioneer Variety S78	.57	.10	239
Voris B-7140	.	.08	186
Pioneer Variety 2553	.	.06	149
Caldwell	.	.05	120
Redhart	.	.05	120
Auburn	.	.05	117
Nittany (Penn #44)	.	.04	97
Pioneer Variety S-77	.	.03	74
Bailey 4278	.	.03	59
Bearded Beauty	.	.02	40
Seneca	.	.02	40
Blueboy (Multihead 100)	.36	---	---
Fairfield	.10	---	---
Reed	.28	---	---
Unknown Soft Red Winter wheat	---	7.62	17,518
Total Soft Red Winter wheat	97.91	99.87	229,703
Avon	---	.09	198
Total White wheat	---	.09	198
Variety unknown 1/	2.09	---	---
Total all wheat	100.00	100.00	230,000
South Carolina:			
Coker 747	22.40	23.10	92,407
Coker 762	---	22.49	89,952
Florida 301	---	16.86	67,439
Coker 797	---	10.58	42,317
Coker 916	---	7.76	31,047
McNair 1003	1.95	3.50	13,989
Pioneer Variety 2550	---	2.37	9,464
Coker 983	---	1.24	4,976
Arthur 71	13.67	.68	2,708
Hunter	---	.29	1,170
Coker 68-15	18.42	.24	954
Feland	---	.18	710
McNair 1813	4.07	.05	199
Delta Queen	---	.03	131
Abe	1.83	---	---
Blueboy II	2.24	---	---
Coker 65-20	2.05	---	---
Coker 68-19	2.26	---	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		
	:-----: Acreage		
	: 1979 : 1984 : for 1984		
 South Carolina: (cont)			
Georgia 1123	:	2.20	---
Holley	:	5.42	---
McNair 4823	:	.06	---
McNair 701	:	4.56	---
Oasis	:	7.17	---
Pioneer Variety S-76	:	1.25	---
Pioneer Variety S78	:	.50	---
Wakeland	:	.55	---
Unknown Soft Red Winter wheat	:	---	10.63 42,538
Total Soft Red Winter wheat	:	90.60	100.00 400,000
Variety unknown 1/	:	9.40	---
Total all wheat	:	100.00	100.00 400,000
 South Dakota:			
Roughrider	:	1.79	9.42 376,287
Scout 66	:	7.56	8.89 355,286
Rose	:	---	5.12 204,501
Sage	:	4.10	3.89 155,564
Lancer	:	2.83	3.64 145,601
Centurk 78	:	---	2.04 81,382
Dawn	:	---	1.81 72,424
Rita	:	---	1.75 70,075
Brule	:	---	1.10 43,822
Norstar	:	---	1.02 40,624
Buckskin	:	.35	.97 38,591
Gent	:	.64	.86 34,238
Bennett	:	.18	.74 29,567
Baca	:	.87	.68 27,241
Winoka	:	.66	.52 20,721
Rall	:	.78	.36 14,297
Rocky	:	---	.28 11,335
Agate	:	*	.25 10,014
Larned	:	.12	.22 8,881
Newton	:	---	.18 7,233
Eagle	:	1.47	.14 5,623
Gage	:	.55	.13 5,376
TAM W-105	:	---	.09 3,493
Nell	:	---	.08 3,117
Bronze	:	.29	.04 1,755
Hawk	:	---	.04 1,406
Pronto	:	---	.02 729
Redwin	:	---	*
Pioneer Variety PL 145	:	---	*
Vona	:	.08	*
Weston	:	---	*
Centurk	:	1.22	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 :	: 1984 :	
South Dakota: (cont)			
HiPlains	.10	---	---
Hume	.01	---	---
Lancota	.33	---	---
Minter	*	---	---
Scout	.33	---	---
Scoutland	.30	---	---
Trapper	.01	---	---
Unknown Hard Red Winter wheat	---	5.75	229,743
Total Hard Red Winter wheat	24.58	50.06	2,000,000
Minnesota			
Len	.03	9.27	370,488
Butte	5.70	5.86	233,945
Olaf	12.62	4.72	188,379
Oslo	---	2.40	95,886
Alex	---	2.20	87,792
Protor	6.48	2.18	87,016
Centa	---	2.10	84,038
Marshall	---	1.95	77,723
Angus	.06	1.58	63,169
Pioneer Variety 2369	---	1.36	54,507
Eureka	1.28	1.25	50,062
Waldron	3.94	1.02	40,650
Westbred 906R	---	1.01	40,251
James	.11	.90	35,901
Pro Brand 711	---	.60	23,916
Guard	---	.58	23,333
Era	.51	.57	22,848
Chris	2.41	.48	18,982
Weathermaster 99	---	.25	9,970
Erik	---	.16	6,542
Coteau	.32	.16	6,415
Prodax	1.25	.13	5,240
Kitt	.74	.12	4,868
Fortuna	4.46	.12	4,813
World Seeds 1809	9.20	.12	4,716
Bounty 309	1.01	.11	4,414
Pondera	---	.09	3,732
Wheaton	---	.09	3,584
Ellar	1.47	.09	3,442
Walera	---	.06	2,325
Lew	---	.06	2,318
Polk	.41	.05	2,009
Lee	---	.01	465
Nordak	.13	*	340
Buckshot	---	*	273
Bonanza	.20	---	---
Bounty 208	.45	---	---
Glenlea	.13	---	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	Acreage		for 1984
	1979	1984	
South Dakota: (cont)			
Justin	.06	---	---
Nowesta	.36	---	---
Profit-75	.42	---	---
Red River 68	.13	---	---
Selkirk	*	---	---
Sheridan	.05	---	---
Solar	.30	---	---
Tioga	.07	---	---
Wared	.62	---	---
World Seeds 25	.56	---	---
Unknown Hard Red Spring wheat	---	5.90	235,647
Total Hard Red Spring wheat	55.47	47.56	1,900,000
North Dakota:			
Vic	---	1.37	54,817
Edmore	.03	.25	10,040
Rolette	1.49	.16	6,302
Ward	.86	.08	3,213
Botno	.23	.06	2,424
Leeds	.32	.04	1,468
Cando	---	.04	1,440
Crosby	.26	.02	670
Wells	.14	*	280
Calvin	*	---	---
Hercules	.08	---	---
Rugby	.45	---	---
Stewart	.02	---	---
Wascania	.05	---	---
Unknown Durum wheat	---	.36	14,346
Total Durum wheat	3.93	2.38	95,000
Variety unknown 1/	16.02	---	---
Total all wheat	100.00	100.00	3,995,000
Tennessee:			
Triumph	.38	---	---
Unknown Hard Red Winter wheat	---	.34	2,286
Total Hard Red Winter wheat	.38	.34	2,286
Coker 747	2.33	26.79	179,485
Arthur	57.39	22.78	152,625
Caldwell	---	7.87	52,720
McNair 1003	2.17	6.57	44,007
Coker 916	---	6.39	42,845
Arthur 71	8.96	4.92	32,955
Hart	---	2.90	19,448

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State,
variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :			Acreage for 1984	
	:-----:		1979 : 1984		
Tennessee: (cont)	:	:			
Southern Belle	:	---	2.88	19,298	
Pioneer Variety S-76	:	---	2.81	18,853	
Pioneer Variety 2550	:	---	2.26	15,140	
Rosen (Ark 38-1)	:	---	2.12	14,188	
Hunter	:	---	1.32	8,864	
Coker 762	:	---	.77	5,165	
Pike	:	---	.61	4,115	
Abe	:	13.66	.27	1,842	
Tyler	:	---	.26	1,775	
Fillmore	:	---	.25	1,701	
Roy	:	---	.17	1,157	
Double Crop	:	.21	.13	854	
Knox 62	:	---	.09	579	
McNair 1813	:	.29	.07	488	
Wheeler	:	---	.02	101	
Monon	:	.76	---	---	
Oasis	:	.44	---	---	
Pioneer Variety S78	:	.07	---	---	
Sullivan	:	.15	---	---	
Unknown Soft Red Winter wheat	:	---	7.39	49,508	
Total Soft Red Winter wheat	:	86.43	99.66	667,714	
Variety unknown 1/	:	13.19	---	---	
Total all wheat	:	100.00	100.00	670,000	
Texas:	:	:			
TAM W-105	:	---	25.01	1,850,540	
Pro Brand 812	:	---	18.33	1,356,332	
TAM W-101	:	11.05	11.21	829,569	
Vona	:	.07	3.70	274,044	
Centurk	:	6.45	3.43	254,001	
Scout 66	:	4.83	2.78	205,679	
Concho	:	6.79	2.71	200,646	
Scout	:	4.86	2.30	170,477	
Tascosa	:	5.41	2.11	155,983	
Improved Triumph	:	5.17	1.87	138,197	
Sturdy	:	10.45	1.43	106,070	
Triumph	:	5.06	1.30	95,907	
Newton	:	.02	1.27	93,936	
Osage	:	2.23	1.18	87,337	
Caddo	:	6.13	1.07	79,096	
Triumph 64	:	1.32	.90	66,632	
Mit	:	---	.69	51,262	
Hawk	:	---	.69	51,104	
Texred	:	.23	.64	47,218	
Centurk 78	:	---	.64	47,014	
Sage	:	1.07	.50	36,707	

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :			Acreage for 1984	
	:-----:		1984		
	1979	1984			
Texas: (cont)	:	:			
Payne	:	.11	.46	34,168	
Rocky	:	.21	.35	25,652	
Agent	:	2.51	.30	22,388	
Lancota	:	.11	.27	19,628	
Wichita	:	2.52	.24	17,674	
Newest Improved Triumph	:	.35	.21	15,416	
Pro Brand 830	:	---	.18	13,116	
Red Chief	:	.20	.17	12,258	
Palo Duro	:	3.12	.16	11,930	
TAM W-106	:	---	.15	11,423	
Pro Brand 835	:	---	.14	10,019	
Citation	:	---	.10	7,616	
Wings	:	.01	.10	7,599	
TAM W-103	:	.53	.05	3,866	
Maverick	:	.03	.03	1,973	
HW 1010	:	---	.02	1,847	
Eagle	:	.14	.02	1,117	
Danne	:	*	*	10	
Bezostaya	:	.13	---	---	
Blackhull	:	*	---	---	
Caprock	:	.96	---	---	
Cloud	:	.13	---	---	
Comanche	:	.44	---	---	
Crockett	:	.42	---	---	
Fox	:	1.22	---	---	
Homestead	:	.02	---	---	
Kaw	:	*	---	---	
Ponca	:	.11	---	---	
Pronto	:	.02	---	---	
Rosetta	:	.28	---	---	
Super Triumph	:	.11	---	---	
W-335	:	*	---	---	
Warrior	:	*	---	---	
Weathermaster 125	:	.17	---	---	
Weathermaster 135	:	*	---	---	
Yukon	:	.11	---	---	
Unknown Hard Red Winter wheat	:	---	6.95	513,995	
Total Hard Red Winter wheat	:	85.15	93.64	6,929,357	
Nadadores 63	:	1.11	.97	71,467	
Westbred Aim	:	.16	.08	5,657	
DK 22S	:	.01	.04	3,025	
DK 49S	:	*	.01	1,097	
Milam	:	.38	*	296	
Cajeme 71	:	.10	*	53	
DK 33S	:	*	---	---	
Era	:	.25	---	---	
Penjamo 62	:	*	---	---	

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	Acreage		
	1979	1984	for 1984
Texas: (cont)			
Unknown Hard Red Spring wheat	---	.03	2,344
Total Hard Red Spring wheat	2.02	1.13	83,940
Coker 68-15	4.96	2.31	170,612
Coker 747	---	.90	66,828
Coker 762	---	.49	35,939
Coker 916	---	.34	25,169
Coker 797	---	.23	17,001
McNair 1003	---	.15	11,181
Knox 62	.01	.11	8,159
Pioneer Variety S-76	---	.10	7,474
Arthur 71	.10	.04	2,923
Abe	.16	.01	1,088
Arthur	.63	---	---
Blueboy	.15	---	---
Knox	.27	---	---
Unknown Soft Red Winter wheat	---	.53	39,513
Total Soft Red Winter wheat	6.28	5.21	385,887
Arrow	.05	---	---
Total White wheat	.05	---	---
Unknown Durum wheat	---	.01	817
Total Durum wheat	---	.01	817
Variety unknown 1/	6.50	---	---
Total all wheat	100.00	100.00	7,400,000
Utah:			
Hansel	38.14	35.21	94,719
Manning	---	17.76	47,783
Jeff	7.03	10.98	29,537
Cardon	5.44	5.06	13,614
Centurk	---	3.61	9,718
Bridger	2.32	1.78	4,785
Cache	2.20	1.62	4,367
Wichita	---	1.12	3,015
Weston	1.17	.64	1,716
Scout	3.71	.57	1,537
Ute	---	.24	657
Neeley	---	.06	160
Turkey	*	.02	47
Comanche	2.64	---	---
Delmar	2.09	---	---
McCall	4.37	---	---
Ranger	.66	---	---

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984
	: 1979 :	1984	:	
Utah: (cont)	:			
Tendoy	:	.76	--	--
Unknown Hard Red Winter wheat	:	---	.71	1,911
Total Hard Red Winter wheat	:	70.55	79.39	213,566
Fremont	:	1.07	2.38	6,404
Powell	:	---	2.12	5,689
Bannock	:	.72	1.46	3,928
Wynne	:	---	1.43	3,836
Komar	:	6.82	1.03	2,769
Westbred 906R	:	---	.91	2,456
Borah	:	.23	---	---
Moran	:	1.04	---	---
Olaf	:	*	---	---
Unknown Hard Red Spring wheat	:	---	.16	419
Total Hard Red Spring wheat	:	9.88	9.48	25,500
Daws	:	---	2.03	5,457
Nugaines	:	5.71	1.35	3,622
Dirkwin	:	.01	1.31	3,519
Stephens	:	---	1.29	3,465
McDermid	:	.05	1.07	2,880
Owens	:	---	.93	2,510
Fieldwin	:	*	.73	1,963
Twin	:	.70	.55	1,488
Early Baart	:	---	.18	493
Gaines	:	4.27	.16	441
Lewjain	:	---	.12	310
Luke	:	.35	.10	258
Lemhi 66	:	---	.04	104
Lemhi	:	*	.04	97
Fielder	:	1.23	.02	59
Baart & Baart 46	:	.09	---	---
Unknown White Spring wheat	:	---	.08	204
Total White wheat	:	12.43	9.99	26,870
Waid	:	---	.16	422
Unknown Durum wheat	:	---	.98	2,640
Total Durum wheat	:	---	1.14	3,063
Variety unknown 1/	:	7.14	---	---
Total all wheat	:	100.00	100.00	269,000

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984	
	:-----:			
	: 1979 : 1984			
Virginia:				
Tyler	:	---	33.05	
Coker 747	:	1.77	17.13	
Arthur	:	38.22	10.11	
Coker 916	:	---	8.78	
Massey	:	---	6.11	
Wheeler	:	---	5.24	
McNair 1003	:	3.78	3.76	
Pioneer Variety 2550	:	---	3.44	
Feland	:	---	1.89	
Abe	:	16.22	1.70	
Potomac	:	4.53	1.02	
Redcoat	:	2.22	1.02	
McNair 701	:	1.85	.98	
Pioneer Variety S78	:	1.47	.91	
Coker 762	:	---	.84	
Hunter	:	---	.82	
Saluda	:	---	.67	
Pioneer Variety S-76	:	3.33	.17	
Pennoll	:	---	.07	
Severn	:	---	.06	
Delta Queen	:	---	.05	
McNair 1813	:	.63	.03	
Coker 983	:	---	.03	
Seneca	:	.56	.03	
Hart	:	---	.02	
Magnum	:	---	.02	
Anderson	:	.03	---	
Arthur 71	:	13.37	---	
Beau	:	.81	---	
Blueboy	:	1.06	---	
Blueboy II	:	.19	---	
Coker 68-15	:	.12	---	
McNair 4823	:	.03	---	
Oasis	:	.30	---	
Thorne	:	.41	---	
Unknown Soft Red Winter wheat	:	---	2.05	
Total Soft Red Winter wheat	:	90.90	320,000	
Variety unknown 1/	:	9.10	---	
Total all wheat	:	100.00	320,000	
Washington:				
Wanser	:	6.75	7.39	
Weston	:	---	3.00	
Hatton	:	---	2.15	
McCall	:	1.12	1.01	
Centurk	:	*	---	

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	1979	1984	
Washington: (cont)			
Cheyenne	.33	---	---
Kanred	.02	---	---
Kedrick	.02	---	---
Turkey	.08	---	---
Total Hard Red Winter wheat	8.32	13.54	381,967
Wampum	.04	1.48	41,614
Yecora Rojo	---	.65	18,374
Westbred 906R	---	.38	10,605
Ceres	.28	.23	6,508
Westbred 911	---	.15	4,124
McKay	---	.14	3,994
Prostar	.19	.08	2,297
Newana	---	.07	1,859
Prodax	.37	.03	744
Westbred Aim	---	.01	415
Pro Brand 711	.03	*	204
Anza	*	---	---
Borah	.10	---	---
Fortuna	1.49	---	---
Justin	.08	---	---
Kitt	*	---	---
Peal 72	.02	---	---
Prospur	*	---	---
Protor	.06	---	---
Rival	*	---	---
Sawtell	.01	---	---
Spinkota	*	---	---
Thatcher	.06	---	---
Wared	.23	---	---
World Seeds 6	.09	---	---
Unknown Hard Red Spring wheat	---	.50	14,093
Total Hard Red Spring wheat	3.07	3.72	104,832
Daws	16.85	24.38	687,525
Stephens	5.30	22.91	646,024
Luke	3.58	4.34	122,319
Hill 81	---	3.22	90,847
Sprague	4.75	3.06	86,350
Nugaines	10.34	1.80	50,661
Dirkwin	*	1.63	46,017
Lewjain	---	1.43	40,343
Waverly	---	.80	22,567
Urquie	.54	.51	14,394
Fielder	9.29	.38	10,730
Twin	3.63	.30	8,349
McDermid	8.54	.24	6,762

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	: Percent of acreage :		Acreage for 1984
	: 1979 :	: 1984 :	
Washington: (cont)			
World Seeds 13	---	.23	6,489
Owens	---	.21	5,934
Yamhill	*	.12	3,514
Fieldwin	1.15	.02	688
Springfield	.01	.02	567
Druchamp	.04	*	193
Adams	.02	---	---
Baart & Baart 46	.09	---	---
Burt	.13	---	---
Coulee	.06	---	---
Gaines	3.74	---	---
Golden	*	---	---
Hyslop	2.25	---	---
Idaed 59	.03	---	---
Lenore	*	---	---
Marfed	3.56	---	---
Peck	.01	---	---
Requa	*	---	---
Walladay	*	---	---
World Seeds 1	.50	---	---
Unknown White Winter	---	.63	17,689
Unknown White Spring	---	.21	5,922
Tyee	---	9.11	256,982
Moro	8.45	5.58	157,436
Jacmar	.02	1.00	28,216
Crew	---	.32	8,940
Faro	1.10	.27	7,744
Barbee	1.92	---	---
Elgin	.02	---	---
Omar	.42	---	---
Paha	2.23	---	---
Total Club wheat	14.16	16.29	459,318
Total White wheat	88.60	82.74	2,333,201
Variety unknown 1/	*	---	---
Total all wheat	100.00	100.00	2,820,000
West Virginia:			
Pawnee	.11	---	---
Total Hard Red Winter wheat	.11	---	---
Tyler	---	25.59	3,071
Potomac	6.54	14.13	1,696
Arthur	14.95	12.83	1,540
Coker 747	---	5.92	710

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		Acreage for 1984
	1979	1984	
West Virginia: (cont)			
Wheeler	---	4.38	526
Pioneer Variety 2550	---	4.27	512
Redcoat	23.51	4.15	498
Logan	.13	3.44	413
Feland	---	1.90	228
Titan	---	1.48	177
Pioneer Variety S-76	3.42	1.09	131
Hart	---	.80	96
Thorne	12.12	.26	32
Caldwell	---	.16	19
Abe	4.58	---	---
Arthur 71	.43	---	---
Blueboy	2.63	---	---
Dual	5.24	---	---
Pennoll	.60	---	---
Reed	1.27	---	---
Ruler	4.56	---	---
Seneca	1.18	---	---
Unknown Soft Red Winter wheat	---	19.59	2,350
Total Soft Red Winter wheat	81.16	100.00	12,000
Variety unknown 1/	18.73	---	---
Total all wheat	100.00	100.00	12,000
Wisconsin:			
Agate	.60	---	---
Gent	.05	---	---
Minter	.42	---	---
Total Hard Red Winter wheat	1.07	---	---
Butte	1.50	4.16	7,900
Marshall	---	2.08	3,946
Era	8.94	1.91	3,638
Wheaton	---	.84	1,600
Selkirk	.70	.16	308
Chris	2.18	---	---
Ellar	1.34	---	---
Henry	.17	---	---
Olaf	1.08	---	---
Polk	3.09	---	---
Protor	2.12	---	---
Russell	.69	---	---
Weathermaster 90	.63	---	---
Unknown Hard Red Spring wheat	---	1.37	2,608
Total Hard Red Spring wheat	22.44	10.53	20,000

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :			Acreage for 1984
	1979 : 1984		for 1984	
Wisconsin: (cont)	:	:	:	
Argee	:	15.11	57.50	109,244
Pioneer Variety S-76	:	---	13.19	25,053
Caldwell	:	---	5.52	10,493
McNair 701	:	---	2.37	4,508
Hart	:	---	.66	1,251
Dancer	:	---	.64	1,212
Kenosha	:	15.26	.29	546
Titan	:	---	.18	349
Auburn	:	---	.18	339
Racine	:	2.60	.03	48
Abe	:	2.74	---	---
Arthur	:	.42	---	---
Arthur 71	:	.32	---	---
Genoa	:	.40	---	---
Monon	:	.80	---	---
Pioneer Variety S78	:	.06	---	---
Timwin	:	13.24	---	---
Unknown Soft Red Winter wheat	:	---	2.85	5,410
Total Soft Red Winter wheat	:	50.95	83.40	158,453
Frankenmuth	:	---	2.16	4,102
Augusta	:	---	1.64	3,123
Unknown White Winter wheat	:	---	2.27	4,321
Total White Winter wheat	:	---	6.08	11,546
Variety unknown 1/	:	25.54	---	---
Total all wheat	:	100.00	100.00	190,000
Wyoming:	:	:	:	
Buckskin	:	3.16	32.78	106,541
Cheyenne	:	18.37	16.38	53,221
Scout 66	:	25.77	11.55	37,527
Lancer	:	12.33	5.63	18,282
Vona	:	.71	5.34	17,344
Hawk	:	---	4.74	15,396
Centurk	:	10.49	2.85	9,262
Trapper	:	9.52	2.52	8,192
Rocky	:	---	1.60	5,208
Brule	:	---	1.44	4,680
Wings	:	---	1.27	4,131
Baca	:	2.67	1.11	3,605
Agate	:	---	.54	1,756
Roughrider	:	---	.47	1,524
Hail	:	---	.39	1,275
TAM W-105	:	---	.32	1,032
Lancota	:	1.31	.31	1,012

See footnotes at end of table

Continued -

Table 1 -- Estimated percentage of total wheat acreage by State, variety, and class in 1979 and 1984, and planted acres in 1984

State, variety, and class	Percent of acreage :		
	1979	1984	Acreage for 1984
Wyoming: (cont)			
Concho		.30	959
Sandy		.25	809
Dawn		.18	582
Weston		.17	554
Ranger		.11	369
Gent		.07	214
Archer		.03	101
Manning		*	20
Bison	.73	---	---
Gage	.23	---	---
Scout	3.68	---	---
Shoshoni	.20	---	---
W-332	1.19	---	---
Wichita	.46	---	---
Unknown Hard Red Winter wheat	---	1.97	6,403
Total Hard Red Winter wheat	90.82	92.31	300,000
Montana			
Fortuna	.11	1.36	4,426
Coteau	---	.65	2,097
Mida	.15	.58	1,872
Crim	---	.41	1,348
Oslo	---	.38	1,239
McKay	---	.23	751
Butte	.14	.18	601
Hermosillo 77	---	.11	366
Prodax	.82	.11	359
Pilot	.74	.09	300
Olaf	.07	.09	296
Era	.97	---	---
Inia 66	.17	---	---
Marquis	.06	---	---
Nephi	.02	---	---
Selkirk	.18	---	---
Thatcher	.12	---	---
Unknown Hard Red Spring wheat	---	3.24	10,534
Total Hard Red Spring wheat	3.55	7.44	24,190
North Dakota			
Owens	---	.14	466
Baart & Baart 46	---	.08	259
Fielder	.06	.01	46
Dirkwin	---	.01	39
Total White wheat	.06	.25	810
Variety unknown 1/	5.57	---	---
Total all wheat	100.00	100.00	325,000

1/ Includes all wheat for which neither the variety name nor the class for each year was reported. * Less than 0.01 percent of the total wheat acreage.

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984	
	-----:		Acreage for 1984		
	1979	1984			
:	:	:			
4555	.09	---	---		
5411	*	---	---		
A99ar	---	*	1,451		
Abe	1.88	.23	184,935		
Ace	*	*	595		
Adams	.01	.01	11,001		
Agassiz	---	.02	13,629		
Agate	.03	.03	27,476		
Agent	.23	.03	22,776		
Aldura	*	.09	74,166		
Alex	---	.79	628,137		
Anderson	*	*	414		
Angus	.06	.08	63,169		
Anza	.55	.38	302,411		
Apache	.08	.02	14,962		
Apex	---	.01	10,687		
Archer	---	.10	78,908		
Argee	.01	.16	130,276		
Ark	*	*	221		
Arkan	---	.19	148,599		
Arrow	.03	*	1,319		
Arthur	2.50	.63	496,037		
Arthur 71	3.16	.90	713,539		
Atlas 66	*	---	---		
Auburn	---	.30	237,876		
Augusta	---	.14	108,255		
Avon	.02	*	1,914		
B-1	*	---	---		
Baart & Baart 46	*	*	259		
Baca	1.04	1.26	997,178		
Bailey 4278	---	*	7,156		
Bannock	.07	.03	24,542		
Barbee	.10	---	---		
Bearded Beauty	---	*	40		
Beau	.23	.06	49,590		
Benhur	.06	---	---		
Bennett	.01	.19	147,485		
Bezostaya	.01	.01	9,173		
Bintee III	---	*	6,949		
Bison	.08	*	2,320		
Blackhull	*	.02	18,364		
Blazer	---	*	6,493		
Blueboy (Multihead 100)	.02	.01	9,065		
Blueboy II	.02	*	2,378		
Bonanza	.01	---	---		
Borah	.06	.04	31,476		
Botno	.22	.02	17,622		
Bounty 208	.05	---	---		
Bounty 309	.15	.05	37,635		
Bounty Hybrid 100	---	*	7,193		

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :			Acreage for 1984
	: 1979	: 1984	:	
Bounty Hybrid 200	:	---	*	85
Bounty Hybrid 201	:	---	*	4,405
Bounty Hybrid 202	:	---	*	213
Bounty Hybrid 204	:	---	*	83
Bounty Hybrid 301	:	---	*	1,250
Bounty Hybrid 310	:	---	.03	20,079
Brawny	:	---	.02	18,758
Bridger	:	.05	.01	8,522
Bronze	:	.02	*	1,755
Brule	:	---	.96	757,913
Buckshot	:	---	.01	8,316
Buckskin	:	.64	.49	387,470
Burt	:	*	---	---
Butler	:	*	---	---
Butte	:	2.57	1.05	831,677
Cache	:	*	*	4,367
Caddo	:	.50	.10	79,096
Cajeme 71	:	.05	*	5,622
Caldwell	:	---	1.97	1,558,068
Callahan 107	:	*	---	---
Callahan 115	:	---	.05	37,435
Callahan 116	:	---	*	2,791
Callahan 117	:	---	*	860
Callahan 118	:	*	.01	7,924
Callahan 121	:	*	---	---
Calvin	:	.13	.03	27,603
Cando	:	.68	.19	146,571
Canthatch	:	.08	---	---
Capitan	:	---	.04	33,971
Caprock	:	.16	---	---
Cardon	:	.03	.02	13,614
Centa	:	---	.11	84,038
Centana	:	.01	---	---
Centurk	:	6.26	1.25	989,047
Centurk 78	:	*	1.42	1,122,112
Century II 2148	:	---	.05	37,616
Century II 4555	:	---	*	3,787
Ceres	:	.02	.02	18,975
Chanute	:	.12	.02	12,210
Cheney	:	*	.01	11,312
Cheyenne	:	1.16	.26	208,722
Chisholm	:	---	.02	16,735
Chris	:	.18	.02	19,735
Citation	:	---	.10	78,370
Clarkan	:	*	*	1,525
Cloud	:	.06	---	---
Cocorit	:	*	---	---
Coker 65-20	:	.01	---	---
Coker 68-15	:	.51	.31	243,640
Coker 68-19	:	*	---	---

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :		Acreage for 1984
	1979	1984	
Coker 747	.19	1.75	1,386,478
Coker 762	---	.77	608,346
Coker 797	---	.63	496,846
Coker 916	---	.62	489,880
Coker 983	---	.03	20,429
Colano	*	---	---
Colorow	*	*	3,468
Colt	---	*	53
Comanche	.08	.01	8,524
Concho	.66	.30	240,133
Coteau	.07	.49	387,095
Coulee	*	---	---
Coulter	.03	*	3,050
Crane	*	---	---
Crest	.05	---	---
Creston	---	*	1,866
Crew	---	.01	8,956
Crim	*	*	1,547
Crockett	.04	---	---
Crosby	.55	.22	177,383
DK-22S	*	*	3,025
DK-33S	*	---	---
DK-49S	*	*	1,097
Dakuru	---	*	2,000
Dancer	---	*	3,227
Danne	.41	.08	63,036
Dawn	---	.09	73,006
Daws	.98	1.14	906,775
Dekalb 581	*	---	---
Dekalb 582	*	---	---
Delmar	.02	*	3,559
Delta Queen (Coker 75-24)	*	.12	94,605
Dirkwin	*	.08	65,768
Double Crop	.25	.21	163,623
Downy	*	---	---
Druchamp	*	*	193
Dual	*	*	1,052
Duke	---	.08	61,215
Durham	*	---	---
Eagle	3.91	1.03	812,750
Early Baart	*	*	493
Early Premium	.04	---	---
Edmore	.02	.02	16,178
Eklund	*	---	---
Elgin	*	---	---
Ellar	.53	.05	37,168
Embro	*	---	---
Era	2.52	.51	403,462
Erik	---	.06	47,961
Eureka	.06	.06	50,467

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :		Acreage for 1984
	: 1979 :	1984	
FS 401	:	---	*
FS 402	:	---	*
Fairfield	:	*	---
Faro	:	.09	.03
Federation 67	:	*	---
Feland	:	---	.02
Fielder	:	1.11	.05
Fieldwin	:	.38	.09
Fillmore	:	---	.04
Florida 301	:	---	.58
Fortuna	:	1.19	.36
Fox	:	.10	---
Frankenmuth	:	---	.59
Franklin	:	*	*
Frederick	:	.04	.07
Fremont	:	.02	.03
Froid	:	.06	*
Frontiersman	:	---	*
Fulton	:	*	---
Fuzz	:	*	---
Gage	:	.54	.12
Gaines	:	.29	.04
Galgalos	:	---	*
Genesee	:	.11	.03
Genie	:	---	*
Genoa	:	*	---
Gent	:	.09	.06
Georgia 1123	:	.05	.01
Germain's 444	:	---	*
Glenlea	:	.01	*
Goldcoin (Fortyfold)	:	---	*
Golden	:	*	---
Golden 50	:	*	*
Golden Chief	:	*	*
Goldenwest	:	---	*
Guard	:	---	.03
HR 53 (Garst HR 53)	:	---	*
HR 64 (Garst HR 64)	:	---	.03
HW 1010	:	---	.01
HW 1018	:	---	*
HW 1019	:	---	*
HW 1020	:	---	*
HW 1030	:	---	*
HW 3006	:	---	*
HW 3007	:	---	.02
Hail	:	---	.02
Hansel	:	.17	.14
Hart	:	.18	1.58
Hatton	:	---	.08
Hawk	:	---	2.05
			1,622,503

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage		Acreage for 1984
	1979	1984	
Helgar	.02	---	---
Henry	*	---	---
Hercules	*	---	---
Hermosillo 77	---	*	2,323
Hill 81	---	.27	210,633
HiPlains	.03	*	971
Holley	.03	*	6,855
Homestead	.34	.02	16,936
Houser	*	.08	60,816
Hume	*	---	---
Hunter	---	.29	232,072
Hybrid 128	---	*	3,497
Hybrid English 46 (Marsters)	---	*	4,218
Hyslop	.69	.04	29,375
III	.03	---	---
Idaed 59	*	---	---
Improved Triumph	1.28	.17	138,197
Inia 66	.14	.03	23,947
Ionia	.16	.02	13,099
Itana	.02	.01	10,729
Jacmar	*	.06	45,801
James	*	.05	42,048
Jeff	.29	.28	225,476
Joleen	---	*	646
Jori 69	*	---	---
Justin	.03	*	7,237
Kanred	*	*	535
Karmont	*	---	---
Katie	---	*	2,454
Kaw	.03	---	---
Kaw 61	*	---	---
Kedrick	*	---	---
Kenosha	.01	*	546
Kiowa	.01	*	3,650
Kirwin	*	---	---
Kitt	.42	.02	13,915
Klasic	---	*	2,690
Knox	.04	---	---
Knox 62	*	.01	9,109
Komar	.05	.02	16,290
Lakota	---	*	336
Lancer	.45	.27	213,388
Lancota	.35	.04	29,891
Langdon	*	*	3,359
Larned	1.45	1.83	1,450,645
Leader	---	*	5,626
Lee	---	*	465
Leeds	.17	.02	14,416
Lemhi	*	*	268
Lemhi 66	*	*	104

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984	
	-----		1984		
	1979	-----			
Len	:	*	.23	1,826,861	
Lenore	:	*	---	---	
Lew	:	.20	.28	218,849	
Lewjain	:	---	.08	65,100	
Lindon	:	.08	.06	44,278	
Lloyd	:	---	.07	52,708	
Logan	:	.35	.11	87,890	
Lucas	:	.01	*	3,263	
Luke	:	.20	.15	122,577	
Macoun	:	---	*	1,713	
Magnum	:	---	*	6,604	
Mammoth Red	:	*	---	---	
Manitou	:	.02	---	---	
Manning	:	---	.15	115,308	
Marberg	:	---	.01	8,915	
Marfed	:	.18	---	---	
Marquis	:	*	*	2,012	
Marshall	:	---	3.23	2,556,347	
Massey	:	---	.05	41,247	
Maverick	:	*	*	1,973	
McCall	:	.09	.04	29,295	
McDermid	:	.67	.03	22,347	
McKay	:	---	.02	19,122	
McNair 1003	:	.09	.89	702,417	
McNair 1813	:	.12	.06	47,316	
McNair 2203	:	*	---	---	
McNair 4823	:	.05	*	4,201	
McNair 701	:	.01	*	7,629	
Mexicali	:	.02	.09	74,285	
Mida	:	*	*	1,872	
Milam	:	.03	*	296	
Minter	:	.04	.03	21,347	
Mirada	:	*	---	---	
Mit	:	---	.06	51,262	
Monarch	:	.03	.03	19,826	
Monon	:	.09	*	4,659	
Moran	:	.01	*	2,279	
Moro	:	.47	.22	173,095	
Mosida	:	*	---	---	
Mustang	:	---	.03	23,524	
Nadadores 63	:	.09	.09	71,467	
Nebred	:	*	---	---	
Neeley	:	---	.08	62,057	
Neepawa	:	---	*	6,114	
Nell	:	---	*	3,117	
Nelson	:	---	.01	10,764	
Nephi	:	*	---	---	
Newana	:	.24	.60	478,805	
Newest Improved Triumph	:	.03	.02	15,416	
Newton	:	.50	6.05	4,794,787	

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984	
	:		Acreage for 1984		
	1979	1984			
:	:	:			
Newturk	:	*	---	---	
Nicoma	:	*	---	---	
Nittany (Penn #44)	:	---	*	97	
Norana	:	.13	.02	13,630	
Nordak	:	.01	*	340	
Norstar	:	---	.53	420,465	
Nowesta	:	.03	---	---	
Nugaines	:	1.17	.13	101,152	
Oasis	:	.39	.02	16,420	
Olaf	:	4.13	1.05	830,118	
Omaha	:	*	*	1,240	
Omar	:	.03	---	---	
Omega 78	:	*	.03	21,537	
Onas	:	*	---	---	
Onas 53	:	*	---	---	
Osage	:	.60	.20	156,953	
Oslo	:	---	.62	494,329	
Ottawa	:	*	*	2,027	
Owens	:	---	.06	49,983	
Paha	:	.14	---	---	
Palo Duro	:	.31	.04	32,660	
Parker	:	.33	.03	23,364	
Parker 76	:	.05	*	2,880	
Pawnee	:	.04	.01	8,492	
Payne	:	.06	.32	256,547	
Peak 72	:	*	---	---	
Peck	:	*	---	---	
Penjamo 62	:	*	---	---	
Pennoll	:	.02	*	5,331	
Pike	:	---	.81	638,603	
Pilot	:	*	*	1,590	
Pioneer Hybrid HR 915A	:	.02	---	---	
Pioneer Hybrid HR 940	:	*	---	---	
Pioneer Variety 2157	:	---	*	2,079	
Pioneer Variety 2369	:	---	.21	163,558	
Pioneer Variety 2550	:	---	.72	571,030	
Pioneer Variety 2553	:	---	.02	17,106	
Pioneer Variety PL 145	:	---	.50	394,820	
Pioneer Variety PR 2360	:	---	.04	31,583	
Pioneer Variety S-76	:	.25	.68	537,076	
Pioneer Variety S-77	:	.02	*	74	
Pioneer Variety S78	:	.08	.14	110,187	
Plainsman	:	---	.09	75,058	
Plainsman V	:	.05	.05	42,141	
Polk	:	.04	*	2,031	
Ponca	:	*	*	996	
Pondera	:	---	.08	62,105	
Potomac	:	.05	.03	22,845	
Powell	:	---	*	5,689	
:	:	:			

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984	
	-----		1984		
	1979	-----			
Pro Brand 711	:	*	.13	105,049	
Pro Brand 715	:	---	.04	33,716	
Pro Brand 751	:	---	.03	20,458	
Pro Brand 771	:	---	.01	10,115	
Pro Brand 812	:	---	1.77	1,402,682	
Pro Brand 817	:	---	.02	17,380	
Pro Brand 830	:	---	.18	143,689	
Pro Brand 835	:	---	.09	74,280	
Probred	:	.05	*	1,704	
Prodax	:	1.05	.19	152,395	
Produra	:	.12	*	1,226	
Profit-75	:	.11	---	---	
Pronto	:	.03	*	729	
Prospur	:	*	---	---	
Prostar	:	*	*	2,545	
Protor	:	.39	.12	94,460	
Purcell	:	---	.03	26,259	
Quantum 554	:	---	*	2,686	
Quantum 555	:	---	*	1,229	
Quantum 568	:	---	*	315	
Racine	:	*	*	48	
Rall	:	.05	.05	39,153	
Ram	:	---	*	1,597	
Ramona 50	:	.03	*	2,881	
Ranger	:	.07	*	3,205	
Red Chief	:	.02	.02	13,600	
Red River 68	:	.08	*	2,592	
Red Rock	:	---	*	524	
Redcoat	:	.28	.05	36,271	
Redhart	:	*	*	120	
Redwin	:	---	1.21	960,287	
Reed	:	.03	*	703	
Rego	:	*	---	---	
Requa	:	*	---	---	
Rew	:	*	---	---	
Ridit	:	*	---	---	
Riley	:	*	---	---	
Rita	:	---	.09	71,581	
Rival	:	*	---	---	
Rocky	:	.02	.99	781,140	
Rodco	:	*	---	---	
Roland	:	*	.18	146,299	
Rolette	:	.47	.10	82,170	
Rose	:	---	.32	250,628	
Rosen (Ark 38-1)	:	*	.51	404,834	
Rosetta	:	.02	---	---	
Roughrider	:	.32	1.64	1,297,398	
Roy	:	---	*	5,951	
Royal	:	---	*	2,107	
Rugby	:	.89	.48	382,867	

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :			Acreage for 1984	
	:-----:		: 1979 : 1984		
	:-----:	:-----:			
Ruler	:	.35	.03	23,871	
Russell	:	*	---	---	
SW 220	:	---	*	2,253	
SW 230	:	---	*	422	
SW 330	:	---	*	6,087	
Sage	:	3.07	.76	604,079	
Saluda	:	---	*	2,140	
Sandy	:	---	.42	329,163	
Satanta	:	.30	.04	28,816	
Sawtell	:	*	*	675	
Scotty	:	---	.05	40,842	
Scout	:	4.88	1.01	799,039	
Scout 66	:	3.43	2.56	2,025,548	
Scoutland	:	.14	.04	29,406	
Seed Research, Inc 4578	:	---	*	1,393	
Seed Research, Inc 5210	:	---	*	5,804	
Seed Research, Inc 5221	:	---	*	5,024	
Seed Research, Inc 5409	:	---	*	3,363	
Selkirk	:	*	*	308	
Seneca	:	.04	*	1,045	
Sentinel	:	.05	*	54	
Severn	:	---	*	2,551	
Shasta	:	---	*	1,154	
Shawnee	:	*	---	---	
Sheridan	:	*	---	---	
Shinevac	:	*	---	---	
Shoshoni	:	*	---	---	
Siete Cerros 66	:	.03	*	164	
Sinton	:	*	*	1,351	
Solar	:	.37	.25	200,048	
Southern Belle	:	---	.51	403,349	
Spaka	:	*	---	---	
Spinkota	:	*	---	---	
Sprague	:	.24	.13	104,620	
Springfield	:	.05	*	4,020	
Stacy	:	---	.01	10,358	
Stadler	:	*	---	---	
Stephens	:	.95	2.47	1,953,711	
Stewart	:	*	*	2,459	
Stoa	:	---	*	1,764	
Stoddard	:	*	---	---	
Sturdy	:	1.24	.21	165,072	
Sullivan	:	.06	.03	21,062	
Sundance	:	.09	*	5,804	
Super Triumph	:	*	---	---	
Super X	:	*	*	1,135	
TAM W-101	:	5.27	4.25	3,367,913	
TAM W-103	:	.14	*	3,866	
TAM W-105	:	---	6.04	4,786,620	
TAM W-106	:	---	.02	15,441	

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984	
	-----		1984		
	1979	-----			
Tamex	:	---	*	3,575	
Tanori 71	:	*	---	---	
Tascosa	:	.46	.21	165,940	
Tayland	:	---	*	253	
Taylor	:	---	*	1,278	
Tecumseh	:	.34	.02	14,682	
Tejas	:	---	*	1,333	
Tendoy	:	*	---	---	
Tenmarq	:	*	*	343	
Terral 81-17	:	---	*	595	
Texred	:	.02	.09	75,006	
Thatcher	:	.11	.02	16,826	
Thorne	:	.01	*	3,322	
Ticonderoga	:	.09	.03	26,834	
Timwin	:	.01	---	---	
Tioga	:	.28	.09	69,016	
Titan	:	---	.62	491,260	
Trader	:	*	*	5,469	
Trapper	:	.14	.02	19,771	
Trison	:	.31	.08	63,859	
Triumph	:	1.83	.35	275,928	
Triumph 64	:	1.44	.66	521,579	
Turkey	:	.07	.02	14,216	
Tut	:	---	.07	53,124	
Twin	:	.35	.11	83,509	
Tyee	:	---	.33	257,720	
Tyler	:	---	.50	395,543	
Urquie	:	.03	.02	14,509	
Utah Kanred	:	---	*	26	
Ute	:	---	*	657	
VR-20	:	*	---	---	
Vermillion	:	*	---	---	
Vic	:	*	1.91	1,516,650	
Vona	:	.41	4.65	3,687,335	
Voris 7070	:	---	*	205	
Voris 8088	:	---	.02	11,997	
Voris B-7140	:	---	*	186	
Voris B-7340	:	*	---	---	
W-332	:	.02	---	---	
W-335	:	*	*	142	
W-433	:	*	---	---	
W-504	:	*	---	---	
W-M 125T	:	---	*	475	
Waid	:	---	*	422	
Wakeland	:	.02	*	388	
Wakooma	:	*	.03	20,098	
Waldron	:	2.27	.51	407,652	
Walera	:	---	.23	185,468	
Walladay	:	*	---	---	
Wampum	:	*	.08	62,245	

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :			Acreage for 1984
	1979	: 1984	:	
Wandell	*	---	---	
Wanser	.43	.27	212,400	
Ward	2.09	.71	559,121	
Wared	.66	.02	17,523	
Warrior	.50	.16	129,337	
Wascana	.01	---	---	
Waverly	---	.04	27,966	
Weathermaster 125	.01	---	---	
Weathermaster 135	*	.01	9,500	
Weathermaster 209	*	---	---	
Weathermaster 235	*	---	---	
Weathermaster 70	---	.01	10,107	
Weathermaster 85	*	---	---	
Weathermaster 90	.06	---	---	
Weathermaster 99	---	.04	35,093	
Wells	.22	.02	15,875	
Westbred 1000-D	*	*	2,868	
Westbred 881	---	.01	8,261	
Westbred 906R	---	.21	162,934	
Westbred 911	---	.02	19,155	
Westbred Aim	.01	.04	28,809	
Weston	*	.24	187,014	
Wheaton	---	.16	127,923	
Wheeler	---	.10	79,133	
Wichita	.66	.15	118,107	
Winalta	.92	.44	350,489	
Wings	.02	1.24	978,947	
Winoka	.23	.03	26,751	
Winridge	---	.03	19,836	
World Seeds 1	.03	*	96	
World Seeds 13	---	*	6,489	
World Seeds 1616	*	---	---	
World Seeds 1809	.48	*	5,509	
World Seeds 1812	*	---	---	
World Seeds 25	.03	---	---	
World Seeds 6	*	---	---	
Wrangler	---	*	666	
Wynne	---	*	4,311	
Yamhill	.11	.05	40,603	
Yavoros 79	---	*	579	
Yecora Rojo	.26	.48	378,682	
Yogo	*	*	1,687	
Yolo	---	.10	82,015	
Yorkstar	.21	.06	47,345	
Yorkwin	*	---	---	
Yukon	.03	*	290	
Zaragoza 75	*	---	---	

See footnotes at end of table

Continued -

Table 2 -- Estimated percentage of total U. S. wheat acreage by each variety in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :		Acreage for 1984
	: 1979 : 1984		
Unknown Hard Red Winter 1/	:	---	1.83 1,453,008
Unknown Hard Red Spring 1/	:	---	.62 493,902
Unknown Soft Red Winter 1/	:	---	.74 587,755
Unknown White Winter 1/	:	---	.18 143,069
Unknown White Spring 1/	:	---	.06 49,874
Unknown Durum 1/	:	---	.10 81,298
Variety unknown 2/	:	3.13	* 357
Total all wheat	:	100.00	100.00 79,213,000

* Less than 0.01 percent of the total wheat acreage.

1/ Includes all acreage where the class, but no specific variety, was reported.

2/ Includes all acreage where neither the class nor the variety name was reported.

Table 3 -- Estimated percentage of 50 leading wheat varieties ranked in descending order for 1984 with the corresponding percentage in 1979 and the planted acreage in 1984

Variety	Percent of acreage :		Acreage for 1984
	1979	1984	
	:	:	
Newton	.50	6.05	4,794,787
TAM W-105	---	6.04	4,786,620
Vona	.41	4.65	3,687,335
TAM W-101	5.27	4.25	3,367,913
Marshall	---	3.23	2,556,347
Scout 66	3.43	2.56	2,025,548
Stephens	.95	2.47	1,953,711
Len	*	2.31	1,826,861
Hawk	---	2.05	1,622,503
Caldwell	---	1.97	1,558,068
Vic	*	1.91	1,516,650
Larned	1.45	1.83	1,450,645
Pro Brand 812	---	1.77	1,402,682
Coker 747	.19	1.75	1,386,478
Roughrider	.32	1.64	1,297,398
Hart	.18	1.58	1,249,384
Centurk 78	*	1.42	1,122,112
Baca	1.04	1.26	997,178
Centurk	6.26	1.25	989,047
Wings	.02	1.24	978,947
Redwin	---	1.21	960,287
Daws	.98	1.14	906,775
Butte	2.57	1.05	831,677
Olaf	4.13	1.05	830,118
Eagle	3.91	1.03	812,750
Scout	4.88	1.01	799,039
Rocky	.02	.99	781,140
Brule	---	.96	757,913
Arthur 71	3.16	.90	713,539
McNair 1003	.09	.89	702,417
Pike	---	.81	638,603
Alex	---	.79	628,137
Coker 762	---	.77	608,346
Sage	3.07	.76	604,079
Pioneer Variety 2550	---	.72	571,030
Ward	2.09	.71	559,121
Pioneer Variety S-76	.25	.68	537,076
Triumph 64	1.44	.66	521,579
Coker 797	---	.63	496,846
Arthur	2.50	.63	496,037
Oslo	---	.62	494,329
Titan	---	.62	491,260
Coker 916	---	.62	489,880
Newana	.24	.60	478,805
Frankenmuth	---	.59	469,152
Florida 301	---	.58	455,667
Norstar	---	.53	420,465
Waldron	2.27	.51	407,652
Rosen (Ark 38-1)	*	.51	404,834
Era	2.52	.51	403,462

* Less than 0.01 percent of the total wheat acreage.

Table 4 -- Estimated percentage of the total Hard Red Winter wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :		
	Acreage		for 1984
	1979	1984	
Newton	.96	11.21	4,794,787
TAM W-105	---	11.19	4,786,620
Vona	.79	8.62	3,687,335
TAM W-101	10.20	7.87	3,367,913
Scout 66	6.63	4.73	2,025,548
Hawk	---	3.79	1,622,503
Larned	2.79	3.39	1,450,645
Pro Brand 812	---	3.28	1,402,682
Roughrider	.63	3.03	1,297,398
Centurk 78	*	2.62	1,122,112
Baca	2.01	2.33	997,178
Centurk	12.10	2.31	989,047
Wings	.03	2.29	978,947
Redwin	---	2.24	960,287
Eagle	7.56	1.90	812,750
Scout	9.44	1.87	799,039
Rocky	.04	1.83	781,140
Brule	---	1.77	757,913
Sage	5.94	1.41	604,079
Triumph 64	2.79	1.22	521,579
Norstar	---	.98	420,465
Pioneer Variety PL 145	---	.92	394,820
Buckskin	1.23	.91	387,470
Winalta	1.78	.82	350,489
Sandy	---	.77	329,163
Triumph	3.53	.64	275,928
Payne	.11	.60	256,547
Rose	---	.59	250,628
Concho	1.28	.56	240,133
Jeff	.57	.53	225,476
Lancer	.88	.50	213,388
Wanser	.83	.50	212,400
Cheyenne	2.25	.49	208,722
Weston	*	.44	187,014
Tascosa	.88	.39	165,940
Sturdy	2.39	.39	165,072
Osage	1.16	.37	156,953
Arkan	---	.35	148,599
Bennett	.02	.34	147,485
Pro Brand 830	---	.34	143,689
Improved Triumph	2.48	.32	138,197
Warrior	.97	.30	129,337
Wichita	1.27	.28	118,107
Manning	---	.27	115,308
Hansel	.33	.25	107,436
Gage	1.04	.21	91,868
Caddo	.96	.18	79,096
Archer	---	.18	78,908
Citation	---	.18	78,370
Texred	.04	.18	75,006

See footnotes at end of table

Continued -

Table 4 -- Estimated percentage of the total Hard Red Winter wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984	
	:		Acreage for 1984		
	1979	1984			
Pro Brand 835	---	.17	74,280		
Dawn	---	.17	73,006		
Rita	---	.17	71,581		
Trison	.60	.15	63,859		
Danne	.79	.15	63,036		
Neeley	---	.15	62,057		
Duke	---	.14	61,215		
Hatton	---	.14	60,769		
Tut	---	.12	53,124		
Mit	---	.12	51,262		
Gent	.18	.11	46,277		
Lindon	.16	.10	44,278		
Plainsman V	.09	.10	42,141		
Rall	.10	.09	39,153		
Century II 2148	---	.09	37,616		
Capitan	---	.08	33,971		
Palo Duro	.61	.08	32,660		
Lancota	.68	.07	29,891		
Scoutland	.28	.07	29,406		
McCall	.18	.07	29,295		
Satanta	.59	.07	28,816		
Agate	.06	.06	27,476		
Winoka	.44	.06	26,751		
HR 64 (Garst HR 64)	---	.06	24,329		
Mustang	---	.05	23,524		
Parker	.63	.05	23,364		
Agent	.45	.05	22,776		
Minter	.07	.05	21,347		
Bounty Hybrid 310	---	.05	20,079		
Winridge	---	.05	19,836		
Monarch	.06	.05	19,826		
Trapper	.28	.05	19,771		
Brawny	---	.04	18,758		
Blackhull	*	.04	18,364		
Pro Brand 817	---	.04	17,380		
Homestead	.66	.04	16,936		
Chisholm	---	.04	16,735		
TAM W-106	---	.04	15,441		
Newest Improved Triumph	.05	.04	15,416		
Apache	.15	.03	14,962		
Turkey	.13	.03	14,216		
Agassiz	---	.03	13,629		
Cardon	.05	.03	13,614		
Red Chief	.03	.03	13,600		
Hail	---	.03	13,416		
Chanute	.24	.03	12,210		
Cheney	*	.03	11,312		
HW 1010	---	.03	10,800		
Itana	.04	.03	10,729		
Weathermaster 135	*	.02	9,500		

See footnotes at end of table

Continued -

Table 4 -- Estimated percentage of the total Hard Red Winter wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984
	:		Acreage	
	1979	1984	:	
Bezostaya	.02	.02		9,173
Comanche	.15	.02		8,524
Bridger	.10	.02		8,522
Pawnee	.08	.02		8,492
Bounty Hybrid 100	---	.02		7,193
Seed Research, Inc 5210	---	.01		5,804
Sundance	.17	.01		5,804
Trader	.01	.01		5,469
Seed Research, Inc 5221	---	.01		5,024
HR 53 (Garst HR 53)	---	.01		4,410
Bounty Hybrid 201	---	.01		4,405
Cache	.02	.01		4,367
TAM W-103	.27	*		3,866
Century II 4555	---	*		3,787
Kiowa	.03	*		3,650
Frontiersman	---	*		3,614
Tamex	---	*		3,575
Delmar	.03	*		3,559
Colorow	.02	*		3,468
Seed Research, Inc 5409	---	*		3,363
Ranger	.14	*		3,205
Nell	---	*		3,117
Parker 76	.10	*		2,880
Quantum 554	---	*		2,686
Bison	.16	*		2,320
Pioneer Variety 2157	---	*		2,079
Ottawa	*	*		2,027
Maverick	*	*		1,973
Froid	.11	*		1,796
Bronze	.03	*		1,755
Yogo	.01	*		1,687
Ram	---	*		1,597
Seed Research, Inc 4578	---	*		1,393
Tejas	---	*		1,333
Bounty Hybrid 301	---	*		1,250
Omaha	*	*		1,240
Quantum 555	---	*		1,229
Ponca	.02	*		996
HiPlains	.05	*		971
Golden Chief	*	*		853
Pronto	.05	*		729
Wrangler	---	*		666
Ute	---	*		657
Joleen	---	*		646
HW 1030	---	*		580
HW 1019	---	*		569
Kanred	*	*		535
W-M 125T	---	*		475
Goldenwest	---	*		438
Tenmarq	.01	*		343

See footnotes at end of table

Continued -

Table 4 -- Estimated percentage of the total Hard Red Winter wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984	
	1979 : 1984		Acreage for 1984		
	1979	1984			
Quantum 568	---	*	315		
Yukon	.05	*	290		
HW 1020	---	*	282		
Ark	.02	*	221		
Bounty Hybrid 202	---	*	213		
Golden 50	*	*	177		
W-335	.01	*	142		
Franklin	.01	*	138		
HW 1018	---	*	135		
Bounty Hybrid 200	---	*	85		
Bounty Hybrid 204	---	*	83		
Sentinel	.09	*	54		
Colt	---	*	53		
Utah Kanred	---	*	26		
4555	.17	---	---		
5411	*	---	---		
Caprock	.32	---	---		
Cloud	.12	---	---		
Crest	.09	---	---		
Crockett	.07	---	---		
Dekalb 581	.02	---	---		
Dekalb 582	*	---	---		
Eklund	*	---	---		
Fox	.19	---	---		
Helgar	.04	---	---		
Hume	*	---	---		
III	.06	---	---		
Karmont	.02	---	---		
Kaw	.07	---	---		
Kaw 61	.02	---	---		
Kedrick	*	---	---		
Kirwin	*	---	---		
Mosida	.01	---	---		
Nebred	*	---	---		
Newturk	*	---	---		
Nicoma	*	---	---		
Pioneer Hybrid HR 915A	.04	---	---		
Pioneer Hybrid HR 940	*	---	---		
Rego	*	---	---		
Ridit	*	---	---		
Rodco	.01	---	---		
Rosetta	.04	---	---		
Shawnee	.02	---	---		
Shoshoni	*	---	---		
Spaka	*	---	---		
Super Triumph	.02	---	---		
Tendoy	*	---	---		
W-332	.05	---	---		

See footnotes at end of table

Continued -

Table 4 -- Estimated percentage of the total Hard Red Winter wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984
	-----		-----	
	: 1979	: 1984		
Weathermaster 125	:	.03	---	---
Weathermaster 209	:	*	---	---
Weathermaster 235	:	*	---	---
Unknown Hard Red Winter 1/	:	---	3.40	1,453,008
Variety unknown 2/	:	3.16	---	---
Total Hard Red Winter	:	100.00	100.00	42,788,622

* Less than 0.01 percent of the total Hard Red Winter wheat acreage

1/ Includes all acreage where the class, but no specific variety, was reported.

2/ Includes all acreage where neither the class nor the variety name was reported.

Table 5 -- Estimated percentage of the total Hard Red Spring wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :			Acreage for 1984
	:		1984	
	1979	:		
Marshall	---		19.57	2,556,347
Len	.03		13.98	1,826,861
Butte	12.37		6.37	831,677
Olaf	19.83		6.35	830,118
Alex	---		4.81	628,137
Oslo	---		3.78	494,329
Newana	1.14		3.66	478,805
Waldron	10.91		3.12	407,652
Era	12.13		3.09	403,462
Coteau	.34		2.96	387,095
Yecora Rojo	1.25		2.90	378,682
Anza	2.63		2.31	302,411
Fortuna	5.74		2.21	288,331
Lew	.95		1.68	218,849
Solar	1.80		1.53	200,048
Walera	---		1.42	185,468
Pioneer Variety 2369	---		1.25	163,558
Westbred 906R	---		1.25	162,934
Prodax	5.04		1.17	152,395
Wheaton	---		.98	127,923
Pro Brand 711	*		.80	105,049
Protor	1.86		.72	94,460
Centa	---		.64	84,038
Yolo	---		.63	82,015
Plainsman	---		.57	75,058
Nadadores 63	.43		.55	71,467
Tioga	1.33		.53	69,016
Angus	.31		.48	63,169
Wampum	*		.48	62,245
Pondera	---		.48	62,105
Eureka	.30		.39	50,467
Erik	---		.37	47,961
James	.03		.32	42,048
Bounty 309	.70		.29	37,635
Ellar	2.55		.28	37,168
Weathermaster 99	---		.27	35,093
Pro Brand 715	---		.26	33,716
Pioneer Variety PR 2360	---		.24	31,583
Borah	.29		.24	31,476
Westbred Aim	.07		.22	28,809
Bannock	.33		.19	24,542
Guard	---		.18	24,146
Inia 66	.67		.18	23,947
Fremont	.12		.18	23,516
Pro Brand 751	---		.16	20,458
Chris	.87		.15	19,735
Westbred 911	---		.15	19,155
McKay	---		.15	19,122
Ceres	.10		.15	18,975
Wared	3.19		.13	17,523

See footnotes at end of table

Continued -

Table 5 -- Estimated percentage of the total Hard Red Spring wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :		Acreage for 1984
	1979	1984	
Thatcher	.55	.13	16,826
Komar	.23	.12	16,290
Kitt	2.03	.11	13,915
Norana	.61	.10	13,630
Apex	---	.08	10,687
Pro Brand 771	---	.08	10,115
Weathermaster 70	---	.08	10,107
Marberg	---	.07	8,915
Buckshot	---	.06	8,316
Justin	.15	.06	7,237
Neepawa	---	.05	6,114
Powell	---	.04	5,689
Leader	---	.04	5,626
Cajeme 71	.25	.04	5,622
World Seeds 1809	2.32	.04	5,509
Glenlea	.06	.04	4,706
Wynne	---	.03	4,311
DK-22S	*	.02	3,025
Red River 68	.39	.02	2,592
Prostar	.05	.02	2,545
Hermosillo 77	---	.02	2,323
Moran	.07	.02	2,279
Polk	.17	.02	2,031
Marquis	*	.02	2,012
Dakuru	---	.02	2,000
Mida	*	.01	1,872
Stoa	---	.01	1,764
Probred	.24	.01	1,704
Pilot	.04	.01	1,590
Crim	.02	.01	1,547
A99ar	---	.01	1,451
Sinton	.03	.01	1,351
Shasta	---	*	1,154
Germain's 444	---	*	1,142
Super X	.01	*	1,135
DK-49S	*	*	1,097
Sawtell	.02	*	675
Lee	---	*	465
Nordak	.05	*	340
Selkirk	*	*	308
Milam	.15	*	296
Bonanza	.06	---	---
Bounty 208	.22	---	---
Canthatch	.39	---	---
Centana	.05	---	---
Colano	.03	---	---
DK-33S	*	---	---
Durham	*	---	---
Embros	.02	---	---
Henry	*	---	---

See footnotes at end of table

Continued -

Table 5 -- Estimated percentage of the total Hard Red Spring wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :		Acreage for 1984
	1979	1984	
Manitou	.08	---	---
Nephi	*	---	---
Nowesta	.14	---	---
Peak 72	.01	---	---
Penjamo 62	*	---	---
Profit-75	.53	---	---
Prospur	*	---	---
Rival	*	---	---
Russell	*	---	---
Sheridan	.01	---	---
Shinevac	*	---	---
Spinkota	*	---	---
Tanori 71	.04	---	---
W-433	.01	---	---
Weathermaster 85	.01	---	---
Weathermaster 90	.28	---	---
World Seeds 1616	.01	---	---
World Seeds 1812	*	---	---
World Seeds 25	.13	---	---
World Seeds 6	.02	---	---
Zaragoza 75	*	---	---
Unknown Hard Red Spring 1/	---	3.78	493,902
Variety unknown 2/	3.14	---	---
Total Hard Red Spring	100.00	100.00	13,064,994

* Less than 0.01 percent of the total Hard Red Spring wheat acreage

1/ Includes all acreage where the class, but no specific variety, was reported.

2/ Includes all acreage where neither the class nor the variety name was reported.

Table 6 -- Estimated percentage of the total Soft Red Winter wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :		Acreage for 1984
	: 1979 :	1984	
:	:	:	:
Caldwell	:	---	10.71 1,558,068
Coker 747	:	1.55	9.53 1,386,478
Hart	:	1.50	8.59 1,249,384
Arthur 71	:	26.38	4.90 713,539
McNair 1003	:	.72	4.83 702,417
Pike	:	---	4.39 638,603
Coker 762	:	---	4.18 608,346
Pioneer Variety 2550	:	---	3.92 571,030
Pioneer Variety S-76	:	2.05	3.69 537,076
Coker 797	:	---	3.41 496,846
Arthur	:	20.84	3.41 496,037
Titan	:	---	3.38 491,260
Coker 916	:	---	3.37 489,880
Florida 301	:	---	3.13 455,667
Rosen (Ark 38-1)	:	.06	2.78 404,834
Southern Belle	:	---	2.77 403,349
Tyler	:	---	2.72 395,543
Coker 68-15	:	4.21	1.67 243,640
Auburn	:	---	1.63 237,876
Hunter	:	---	1.59 232,072
Abe	:	15.72	1.27 184,935
Double Crop	:	2.10	1.12 163,623
Roland	:	.03	1.01 146,299
Argee	:	.10	.90 130,276
Pioneer Variety S78	:	.64	.76 110,187
Delta Queen	:	.06	.65 94,605
Logan	:	2.90	.60 87,890
Wheeler	:	---	.54 79,133
Beau	:	1.89	.34 49,590
McNair 1813	:	1.02	.33 47,316
Massey	:	---	.28 41,247
Scotty	:	---	.28 40,842
Callahan 115	:	---	.26 37,435
Redcoat	:	2.32	.25 36,271
Fillmore	:	---	.23 33,151
Ruler	:	2.95	.16 23,871
Potomac	:	.43	.16 22,845
Omega 78	:	*	.15 21,537
Sullivan	:	.49	.14 21,062
Coker 983	:	---	.14 20,429
HW 3007	:	---	.12 18,042
Pioneer Variety 2553	:	---	.12 17,106
Oasis	:	3.24	.11 16,420
Feland	:	---	.10 14,746
Voris 8088	:	---	.08 11,997
Georgia 1123	:	.41	.08 11,628
Nelson	:	---	.07 10,764
Stacy	:	---	.07 10,358
Knox 62	:	.06	.06 9,109
Blueboy (Multihead 100)	:	.19	.06 9,065

See footnotes at end of table

Continued -

Table 6 -- Estimated percentage of the total Soft Red Winter wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :			Acreage for 1984	
	: 1979 : 1984		:		
	:	:			
Callahan 118	:	.03	.05	7,924	
McNair 701	:	.12	.05	7,629	
Bailey 4278	:	---	.05	7,156	
Bintee III	:	---	.05	6,949	
Holley	:	.29	.05	6,855	
Magnum	:	---	.05	6,604	
Blazer	:	---	.04	6,493	
SW 330	:	---	.04	6,087	
Roy	:	---	.04	5,951	
FS 402	:	---	.04	5,782	
Pennoll	:	.18	.04	5,331	
Monon	:	.78	.03	4,659	
FS 401	:	---	.03	4,433	
Hybrid English 46 (Marsters)	:	---	.03	4,218	
McNair 4823	:	.42	.03	4,201	
Thorne	:	.11	.02	3,322	
Lucas	:	.11	.02	3,263	
Dancer	:	---	.02	3,227	
Callahan 116	:	---	.02	2,791	
HW 3006	:	---	.02	2,761	
Severn	:	---	.02	2,551	
Katie	:	---	.02	2,454	
Blueboy II	:	.14	.02	2,378	
SW 220	:	---	.02	2,253	
Saluda	:	---	.01	2,140	
Royal	:	---	.01	2,107	
Clarkan	:	.01	.01	1,525	
Taylor	:	---	*	1,278	
Dual	:	.03	*	1,052	
Seneca	:	.30	*	1,045	
Genie	:	---	*	996	
Callahan 117	:	---	*	860	
Reed	:	.23	*	703	
Ace	:	*	*	595	
Terral 81-17	:	---	*	595	
Kenosha	:	.10	*	546	
Red Rock	:	---	*	524	
SW 230	:	---	*	422	
Anderson	:	*	*	414	
Wakeland	:	.13	*	388	
Tayland	:	---	*	253	
Voris 7070	:	---	*	205	
Voris B-7140	:	---	*	186	
Redhart	:	*	*	120	
Nittany (Penn #44)	:	---	*	97	
Pioneer Variety S-77	:	.16	*	74	
Racine	:	.02	*	48	
Bearded Beauty	:	---	*	40	
Atlas 66	:	*	---	---	
B-1	:	.07	---	---	

See footnotes at end of table

Continued -

Table 6 -- Estimated percentage of the total Soft Red Winter wheat by variety in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :		Acreage for 1984	
	:-----:			
	: 1979	: 1984		
Benhur	.	.53	---	
Butler	.	.02	---	
Callahan 107	.	.03	---	
Callahan 121	.	*	---	
Coker 65-20	.	.10	---	
Coker 68-19	.	.05	---	
Downy	.	.04	---	
Early Premium	.	.31	---	
Fairfield	.	*	---	
Fulton	.	*	---	
Fuzz	.	.01	---	
Genoa	.	*	---	
Knox	.	.30	---	
Mammoth Red	.	*	---	
McNair 2203	.	*	---	
Riley	.	*	---	
Stadler	.	*	---	
Stoddard	.	.07	---	
Timwin	.	.10	---	
VR-20	.	*	---	
Vermillion	.	.03	---	
Voris B-7340	.	.01	---	
W-504	.	.06	---	
Unknown Soft Red Winter 1/	---	4.04	587,755	
Variety unknown 2/	.	3.15	---	
Total Soft Red Winter	:	100.00	100.00 14,552,964	

* Less than 0.01 percent of the total Soft Red Winter wheat acreage

1/ Includes all acreage where the class, but no specific variety, was reported.

2/ Includes all acreage where neither the class nor the variety name was reported.

Table 7 -- Estimated percentage of the total White wheat by variety
in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :		Acreage for 1984
	: 1979 :	: 1984 :	
Stephens	.978	35.38	1,953,711
Daws	10.13	16.42	906,775
Frankenmuth	---	8.49	469,152
Tyee	---	4.67	257,720
Hill 81	---	3.81	210,633
Moro	4.89	3.13	173,095
Luke	2.06	2.22	122,577
Augusta	---	1.96	108,255
Sprague	2.51	1.89	104,620
Nugaines	12.09	1.83	101,152
Twin	3.66	1.51	83,509
Fieldwin	3.93	1.29	71,335
Dirkwin	*	1.19	65,768
Lewjain	---	1.18	65,100
Houser	*	1.10	60,816
Frederick	.45	.97	53,382
Owens	---	.91	49,983
Yorkstar	2.14	.86	47,345
Jacmar	.01	.83	45,801
Fielder	11.51	.78	43,190
Yamhill	1.10	.74	40,603
Hyslop	7.18	.53	29,375
Waverly	---	.51	27,966
Gaines	3.03	.51	27,983
Ticonderoga	.96	.49	26,834
Purcell	---	.48	26,259
McDermid	6.99	.40	22,347
Faro	.90	.40	21,896
Genesee	1.11	.39	21,506
Tecumseh	3.50	.27	14,682
Urquie	.29	.26	14,509
Ionia	1.70	.24	13,099
Adams	.15	.20	11,001
Crew	---	.16	8,956
World Seeds 13	---	.12	6,489
Springfield	.52	.07	4,020
Hybrid 128	---	.06	3,497
Ramona 50	.27	.05	2,881
Klasic	---	.05	2,690
Goldcoin (Fortyfold)	---	.04	2,248
Avon	.19	.03	1,914
Creston	---	.03	1,866
Arrow	.33	.02	1,319
Early Baart	*	*	493
Galgalos	---	*	446
Lemhi	*	*	268
Baart & Baart 46	.05	*	259
Druchamp	.02	*	193
Siete Cerros 66	.28	*	164
Lemhi 66	*	*	104

See footnotes at end of table

Continued -

Table 7 -- Estimated percentage of the total White wheat by variety
in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :		Acreage for 1984
	: 1979 :	1984	
World Seeds 1	.31	*	96
Barbee	1.01	---	---
Burt	.08	---	---
Coulee	.03	---	---
Elgin	.01	---	---
Federation 67	.07	---	---
Golden	.01	---	---
Idaed 59	.02	---	---
Lenore	*	---	---
Marfed	1.88	---	---
Mirada	*	---	---
Omar	.26	---	---
Onas	.10	---	---
Onas 53	.02	---	---
Paha	1.42	---	---
Peck	*	---	---
Requa	*	---	---
Rew	.02	---	---
Walladay	*	---	---
Yorkwin	.08	---	---
Unknown White Winter 1/	---	2.59	143,069
Unknown White Spring 1/	---	.90	49,874
Variety Unknown 2/	2.90	---	---
Total White wheat	100.00	100.00	5,522,780

* Less than 0.01 percent of the total White wheat acreage.

1/ Includes all acreage where the class, but no specific variety,
was reported.

2/ Includes all acreage where neither the class nor the variety
name was reported.

Table 8 -- Estimated percentage of the total Club wheat by variety
in 1979 and 1984, and planted acreage in 1984

Variety	: Percent of acreage :		
	:-----:		Acreage
	: 1979 : 1984 : for 1984		
Tyee	:	---	48.68
Moro	:	55.64	32.69
Jacmar	:	*	8.65
Faro	:	10.20	4.14
Crew	:	---	1.69
Hybrid 128	:	---	.66
Barbee	:	11.53	---
Elgin	:	*	---
Omar	:	2.97	---
Paha	:	16.21	---
Unknown Club wheat 1/	:	---	3.49
Variety Unknown 2/	:	3.17	---
Total Club wheat	:	100.00	100.00
			529,461

* Less than 0.01 percent of the total Club wheat acreage.

1/ Includes all acreage where the class, but no specific variety,
was reported.

2/ Includes all acreage where neither the class nor the variety
name was reported.

Table 9 -- Estimated percentage of the total Durum wheat by variety
in 1979 and 1984, and planted acreage in 1984

Variety	Percent of acreage :		
	Acreage		for 1984
	1979	1984	
Vic	.04	46.19	1,516,650
Ward	35.79	17.03	559,121
Rugby	15.22	11.66	382,867
Crosby	9.41	5.40	177,383
Cando	11.68	4.46	146,571
Rolette	8.12	2.50	82,170
Mexicali	.42	2.26	74,285
Aldura	.02	2.26	74,166
Lloyd	---	1.61	52,708
Calvin	2.23	.84	27,603
Wakooma	.07	.61	20,098
Botno	3.78	.54	17,622
Edmore	.32	.49	16,178
Wells	3.79	.48	15,875
Leeds	2.83	.44	14,416
Westbred 881	---	.25	8,261
Langdon	.09	.10	3,359
Coulter	.45	.09	3,050
Westbred 1000-D	.03	.09	2,868
Stewart	.02	.07	2,459
Macoun	---	.05	1,713
Produra	2.07	.04	1,226
Yavoros 79	---	.02	579
Waid	---	.01	422
Lakota	---	.01	336
Cocorit	.12	---	---
Crane	.02	---	---
Hercules	.07	---	---
Jori 69	.04	---	---
Wandell	*	---	---
Wascana	.21	---	---
Unknown Durum 1/	---	2.48	81,298
Variety Unknown 2/	3.16	---	---
Total Durum wheat	100.00	100.00	3,283,284

* Less than 0.01 percent of the total Durum wheat acreage.

1/ Includes all acreage where the class, but no specific variety, was reported.

2/ Includes all acreage where neither the class nor the variety name was reported.

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/
	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	
Alabama											
10	---		---		19,000	100.00	---		---		19,000
20	---		---		93,000	100.00	---		---		93,000
21	---		---		25,000	100.00	---		---		25,000
30	---		---		47,000	100.00	---		---		47,000
40	---		---		55,000	100.00	---		---		55,000
50	---		---		83,000	100.00	---		---		83,000
60	---		---		16,000	100.00	---		---		16,000
70	---		---		35,000	100.00	---		---		35,000
80	---		---		46,000	100.00	---		---		46,000
90	---		---		61,000	100.00	---		---		61,000
Total	---		---		480,000	100.00	---		---		480,000
Arizona											
20	---		2,700	43.55	---		---		3,500	56.45	6,200
50	---		23,200	27.29	---		---		61,800	72.71	85,000
70	---		29,600	74.00	---		---		10,400	26.00	40,000
90	---		7,500	54.35	---		---		6,300	45.65	13,800
Total	---		63,000	43.45	---		---		82,000	56.55	145,000
Arkansas											
10	1,038	17.30	---		4,962	82.70	---		---		6,000
20	---		---		5,000	100.00	---		---		5,000
30	---		---		476,503	99.27	3,497	.73	---		480,000
40	---		---		38,000	100.00	---		---		38,000
50	---		---		49,000	100.00	---		---		49,000
60	146	.02	---		656,854	99.98	---		---		657,000
70	1,495	1.85	---		79,505	98.15	---		---		81,000
80	---		---		9,000	100.00	---		---		9,000
90	---		---		175,000	100.00	---		---		175,000
Total	2,679	.18	---		1,493,824	99.59	3,497	.23	---		1,500,000
California											
20	---		2,396	16.52	---		11,904	82.10	200	1.38	14,500
30	---		217	4.25	---		4,583	89.86	300	5.88	5,100
40	655	1.30	47,599	94.44	655	1.30	491	.97	1,000	1.98	50,400
50	345	.13	252,761	97.22	---		1,895	.73	5,000	1.92	260,000
51	2,519	.75	317,749	94.57	---		4,733	1.41	11,000	3.27	336,000
60	3,000	100.00	---		---		---		---		3,000
80	---		117,183	58.30	---		1,317	.66	82,500	41.04	201,000
Total	6,519	.75	737,905	84.82	655	.08	24,923	2.86	100,000	11.49	870,000

See footnote at end of table

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984 - Continued

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/ :
	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	
Colorado											
10	81,000	83.08	16,500	16.92	---		---		---		97,500
20	727,324	99.48	2,897	.40	---		879	.12	---		731,100
60	2,339,727	99.93	1,400	.06	137	.01	137	.01	---		2,341,400
70	73,801	96.72	927	1.21	---		1,572	2.06	---		76,300
80	---		38,174	77.91	---		10,276	20.97	550	1.12	49,000
90	576,000	99.36	2,384	.41	---		1,316	.23	---		579,700
Total	3,797,852	98.01	62,282	1.61	137	*	14,180	.37	550	.01	3,875,000
Delaware											
20	---		---		6,200	100.00	---		---		6,200
50	---		---		17,300	100.00	---		---		17,300
80	---		---		26,500	100.00	---		---		26,500
Total	---		---		50,000	100.00	---		---		50,000
Georgia											
10	---		---		16,500	100.00	---		---		16,500
20	---		---		19,500	100.00	---		---		19,500
30	---		---		24,000	100.00	---		---		24,000
40	---		---		75,500	100.00	---		---		75,500
50	---		---		230,500	100.00	---		---		230,500
60	---		---		174,500	100.00	---		---		174,500
70	---		---		216,500	100.00	---		---		216,500
80	---		---		170,500	100.00	---		---		170,500
90	---		---		72,500	100.00	---		---		72,500
Total	---		---		1,000,000	100.00	---		---		1,000,000
Idaho											
10	21,405	5.35	1,439	.36	---		377,156	94.29	---		400,000
70	13,146	13.15	12,771	12.77	---		74,082	74.08	---		100,000
80	16,687	5.75	41,420	14.28	---		231,893	79.96	---		290,000
90	319,503	42.04	169,561	22.31	---		270,936	35.65	---		760,000
Total	370,741	23.92	225,191	14.53	---		954,067	61.55	---		1,550,000
Illinois											
10	11,505	23.82	---		36,795	76.18	---		---		48,300
20	806	1.40	---		56,372	98.21	222	.39	---		57,400
30	7,328	4.76	---		146,672	95.24	---		---		154,000
40	7,997	9.69	---		74,503	90.31	---		---		82,500
50	816	1.80	---		44,584	98.20	---		---		45,400
60	2,849	.76	---		372,351	99.24	---		---		375,200
70	3,345	.85	---		391,555	99.15	---		---		394,900
80	625	.16	---		387,375	99.84	---		---		388,000
90	---		---		254,300	100.00	---		---		254,300
Total	35,271	1.96	---		1,764,507	98.03	222	.01	---		1,800,000

See footnote at end of table

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984 - Continued

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/
	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	
Indiana					69,300	100.00					69,300
10	---		---		128,000	100.00					128,000
20	---		---		203,500	100.00					203,500
30	---		---		107,400	100.00					107,400
40	---		---		208,500	100.00					208,500
50	---		---		113,700	100.00					113,700
60	---		---		254,300	100.00					254,300
70	---		---		48,800	100.00					48,800
80	---		---		30,705	84.12					36,500
90	5,795	15.88	---								
Total	5,795	.50	---		1,164,205	99.50	---		---		1,170,000
Iowa											
10	1,899	63.30	1,101	36.70	---		---		---		3,000
20	---		2,500	100.00	---		---		---		2,500
30	1,368	85.55	53	3.31	178	11.13	---		---		1,600
40	11,586	97.36	314	2.64	---		---		---		11,900
50	1,662	79.11	187	8.90	252	11.99	---		---		2,100
60	3,357	63.34	56	1.06	1,887	35.60	---		---		5,300
70	29,645	97.51	98	.32	658	2.16	---		---		30,400
80	13,526	66.96	167	.83	6,507	32.21	---		---		20,200
90	9,118	27.63	---		23,882	72.37	---		---		33,000
Total	72,161	65.60	4,476	4.07	33,364	30.33	---		---		110,000
Kansas											
10	1,373,000	100.00	---		---		---		---		1,373,000
20	1,456,000	100.00	---		---		---		---		1,456,000
30	2,354,000	100.00	---		---		---		---		2,354,000
40	1,543,000	100.00	---		---		---		---		1,543,000
50	1,792,398	99.97	602	.03	---		---		---		1,793,000
60	2,846,744	99.96	1,256	.04	---		---		---		2,848,000
70	504,419	99.30	3,581	.70	---		---		---		508,000
80	521,698	97.88	11,302	2.12	---		---		---		533,000
90	850,409	95.34	41,591	4.66	---		---		---		892,000
Total	13,241,667	99.56	---		58,333	.44	---		---		13,300,000
Kentucky											
10	828	.42	---		196,672	99.58	---		---		197,500
20	540	.20	---		264,460	99.80	---		---		265,000
30	6,918	5.65	---		115,582	94.35	---		---		122,500
40	1,970	12.71	---		13,530	87.29	---		---		15,500
50	7,155	11.73	---		53,845	88.27	---		---		61,000
60	1,854	21.81	---		6,646	78.19	---		---		8,500
Total	19,265	2.88	---		650,735	97.12	---		---		670,000

See footnote at end of table

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984 - Continued

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/
	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	
Louisiana											
10	---		---		34,000	100.00	---		---		34,000
20	---		---		16,000	100.00	---		---		16,000
30	---		---		160,000	100.00	---		---		160,000
40	---		---		18,000	100.00	---		---		18,000
50	---		---		95,000	100.00	---		---		95,000
60	---		---		15,000	100.00	---		---		15,000
70	6,143	12.54	---		42,857	87.46	---		---		49,000
80	---		---		9,500	100.00	---		---		9,500
90	---		---		3,500	100.00	---		---		3,500
Total	6,143	1.54	---		393,857	98.46	---		---		400,000
Maryland											
10	---		---		400	100.00	---		---		400
20	---		---		40,200	100.00	---		---		40,200
30	---		---		66,900	100.00	---		---		66,900
80	---		---		8,600	100.00	---		---		8,600
90	---		---		30,900	100.00	---		---		30,900
Total	---		---		147,000	100.00	---		---		147,000
Michigan											
10	---		---		---		1,700	100.00	---		1,700
20	---		---		---		7,700	100.00	---		7,700
30	---		---		1,102	8.10	12,498	91.90	---		13,600
40	---		---		---		12,000	100.00	---		12,000
50	---		---		2,315	2.57	87,685	97.43	---		90,000
60	---		---		14,472	7.06	190,528	92.94	---		205,000
70	---		---		19,763	23.25	65,237	76.75	---		85,000
80	---		---		53,047	18.29	236,953	81.71	---		290,000
90	---		---		105,127	53.91	89,873	46.09	---		195,000
Total	---		---		195,826	21.76	704,174	78.24	---		900,000
Minnesota											
10	203,200	12.96	1,340,500	85.50	---		---		24,100	1.54	1,567,800
20	3,200	11.99	23,400	87.64	---		---		100	.37	26,700
40	90,000	11.75	668,100	87.22	---		---		7,900	1.03	766,000
50	69,800	51.55	64,800	47.86	---		---		800	.59	135,400
60	5,200	52.53	4,600	46.46	---		---		100	1.01	9,900
70	6,200	8.84	63,500	90.58	---		---		400	.57	70,100
80	9,100	24.33	27,700	74.06	---		---		600	1.60	37,400
90	13,300	61.29	7,400	34.10	---		---		1,000	4.61	21,700
Total	400,000	15.18	2,200,000	83.49	---		---		35,000	1.33	2,635,000

See footnote at end of table

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984 - Continued

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/
	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	
Mississippi											
10	---		---		144,000	100.00	---		---		144,000
20	---		---		100,000	100.00	---		---		100,000
30	---		---		54,000	100.00	---		---		54,000
40	---		---		175,000	100.00	---		---		175,000
50	---		---		40,200	100.00	---		---		40,200
60	---		---		114,500	100.00	---		---		114,500
70	---		---		59,000	100.00	---		---		59,000
80	---		---		45,000	100.00	---		---		45,000
90	---		---		38,300	100.00	---		---		38,300
Total	---		---		770,000	100.00	---		---		770,000
Missouri											
10	107,133	34.78	---		200,867	65.22	---		---		308,000
20	12,454	5.02	---		235,546	94.98	---		---		248,000
30	---		---		307,000	100.00	---		---		307,000
40	25,113	8.78	---		260,887	91.22	---		---		286,000
50	3,184	1.19	---		264,816	98.81	---		---		268,000
60	---		---		199,000	100.00	---		---		199,000
70	25,514	12.76	---		174,486	87.24	---		---		200,000
80	1,130	2.40	---		45,870	97.60	---		---		47,000
90	---		---		487,000	100.00	---		---		487,000
Total	174,529	7.43	---		2,175,471	92.57	---		---		2,350,000
Montana											
10	1,074	4.33	2,960	11.94	---		20,766	83.73	---		24,800
20	1,250,071	57.73	863,300	39.87	---		929	.04	50,900	2.35	2,165,200
30	358,500	24.30	956,600	64.83	---		---		160,400	10.87	1,475,500
50	480,300	82.77	98,558	16.98	---		342	.06	1,100	.19	580,300
70	31,142	43.92	8,522	12.02	---		31,236	44.06	---		70,900
80	293,729	87.08	41,800	12.39	---		1,771	.53	---		337,300
90	250,900	69.50	107,500	29.78	---		---		2,600	.72	361,000
Total	2,665,716	53.15	2,079,240	41.46	---		55,044	1.10	215,000	4.29	5,015,000
Nebraska											
10	990,000	100.00	---		---		---		---		990,000
20	27,000	100.00	---		---		---		---		27,000
30	23,000	100.00	---		---		---		---		23,000
50	153,000	100.00	---		---		---		---		153,000
60	286,000	100.00	---		---		---		---		286,000
70	790,000	100.00	---		---		---		---		790,000
80	360,000	100.00	---		---		---		---		360,000
90	571,000	100.00	---		---		---		---		571,000
Total	3,200,000	100.00	---		---		---		---		3,200,000

See footnote at end of table

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984 - Continued

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/
	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	
Nevada											
10	---		---		---		23,349	99.78	51	.22	23,400
30	---		2,000	66.67	---		1,000	33.33	---		3,000
80	---		200	33.33	---		400	66.67	---		600
Total	---		2,200	8.15	---		24,749	91.66	51	.19	27,000
New Jersey											
20	---		---		9,300	100.00	---		---		9,300
50	---		---		15,950	100.00	---		---		15,950
80	---		---		22,750	100.00	---		---		22,750
Total	---		---		48,000	100.00	---		---		48,000
New Mexico											
10	17,000	100.00	---		---		---		---		17,000
30	671,887	99.60	---		2,713	.40	---		---		674,600
70	4,400	100.00	---		---		---		---		4,400
90	34,000	100.00	---		---		---		---		34,000
76 Total	727,287	99.63	---		2,713	.37	---		---		730,000
New York											
20	---		249	10.82	100	4.35	1,952	84.83	---		2,300
30	---		---		---		1,000	100.00	---		1,000
40	9	.01	520	.37	1,186	.84	138,785	98.78	---		140,500
50	---		464	2.22	---		20,436	97.78	---		20,900
60	---		5	.31	---		1,595	99.69	---		1,600
70	---		65	2.17	---		2,935	97.83	---		3,000
80	---		---		578	11.80	4,322	88.20	---		4,900
90	154	11.85	---		---		1,146	88.15	---		1,300
91	---		---		2,104	46.76	2,396	53.24	---		4,500
Total	163	.09	1,303	.72	3,968	2.20	174,567	96.98	---		180,000
North Carolina											
10	---		---		9,100	100.00	---		---		9,100
20	---		---		3,900	100.00	---		---		3,900
40	---		---		79,000	100.00	---		---		79,000
50	---		---		65,000	100.00	---		---		65,000
60	---		---		110,000	100.00	---		---		110,000
70	---		---		150,000	100.00	---		---		150,000
80	---		---		155,000	100.00	---		---		155,000
90	---		---		128,000	100.00	---		---		128,000
Total	---		---		700,000	100.00	---		---		700,000

See footnote at end of table

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984 - Continued

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/
	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	
North Dakota											
10	35,000	2.56	530,000	38.83	---	---	---	---	800,000	58.61	1,365,000
20	35,000	3.74	320,000	34.22	---	---	---	---	580,000	62.03	935,000
30	42,000	2.59	980,000	60.42	---	---	---	---	600,000	36.99	1,622,000
40	21,000	3.13	440,000	65.57	---	---	---	---	210,000	31.30	671,000
50	55,000	5.88	630,000	67.38	---	---	---	---	250,000	26.74	935,000
60	165,000	17.22	720,000	75.16	---	---	---	---	73,000	7.62	958,000
70	100,000	12.84	590,000	75.74	---	---	---	---	89,000	11.42	779,000
80	37,000	6.07	550,000	90.16	---	---	---	---	23,000	3.77	610,000
90	130,000	13.76	690,000	73.02	---	---	---	---	125,000	13.23	945,000
Total	620,000	7.03	5,450,000	61.79	---	---	---	---	2,750,000	31.18	8,820,000
Ohio											
10	574	.15	---	---	385,426	99.85	---	---	---	---	386,000
20	---	---	562	.29	191,438	99.71	---	---	---	---	192,000
30	---	---	---	---	71,000	100.00	---	---	---	---	71,000
40	---	---	1,806	.84	213,380	98.79	---	---	814	.38	216,000
50	---	---	---	---	219,000	100.00	---	---	---	---	219,000
60	---	---	---	---	18,000	100.00	---	---	---	---	18,000
70	---	---	---	---	75,010	98.70	---	---	990	1.30	76,000
80	169	.38	---	---	44,831	99.62	---	---	---	---	45,000
90	---	---	---	---	17,000	100.00	---	---	---	---	17,000
Total	743	.06	2,368	.19	1,235,085	99.60	---	---	1,804	.15	1,240,000
Oklahoma											
10	1,077,422	99.76	2,578	.24	---	---	---	---	---	---	1,080,000
20	1,218,000	100.00	---	---	---	---	---	---	---	---	1,218,000
30	1,490,000	100.00	---	---	---	---	---	---	---	---	1,490,000
40	2,204,043	96.67	75,058	3.29	899	.04	---	---	---	---	2,280,000
50	970,000	100.00	---	---	---	---	---	---	---	---	970,000
60	223,000	100.00	---	---	---	---	---	---	---	---	223,000
70	263,472	98.68	---	---	3,528	1.32	---	---	---	---	267,000
80	109,000	100.00	---	---	5,953	9.45	---	---	---	---	109,000
90	57,047	90.55	---	---	5,953	9.45	---	---	---	---	63,000
Total	7,611,984	98.86	77,636	1.01	10,380	.13	---	---	---	---	7,700,000
Oregon											
10	103	.05	---	---	---	---	228,297	99.95	---	---	228,400
20	---	---	---	---	984	.19	506,016	99.81	---	---	507,000
30	2,857	.82	---	---	---	---	347,643	99.18	---	---	350,500
70	100	1.04	---	---	---	---	9,500	98.96	---	---	9,600
80	---	---	856	.82	369	.35	103,275	98.83	---	---	104,500
Total	3,060	.26	856	.07	1,353	.11	1,194,731	99.56	---	---	1,200,000

See footnote at end of table

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984 - Continued

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/
	Acreage	Percent:	Acreage	Percent:	Acreage	Percent:	Acreage	Percent:	Acreage	Percent:	
Pennsylvania											
10	---		---		6,800	100.00	---		---		6,800
20	---		---		5,000	100.00	---		---		5,000
30	---		---		200	100.00	---		---		200
40	---		---		13,500	100.00	---		---		13,500
50	---		---		47,602	99.59	198	.41	---		47,800
60	---		---		29,300	100.00	---		---		29,300
70	---		---		6,400	100.00	---		---		6,400
80	---		100	.17	60,300	99.83	---		---		60,400
90	---		---		60,600	100.00	---		---		60,600
Total	---		100	.04	229,702	99.87	198	.09	---		230,000
South Carolina											
10	---		---		23,900	100.00	---		---		23,900
20	---		---		13,100	100.00	---		---		13,100
30	---		---		123,100	100.00	---		---		123,100
40	---		---		30,200	100.00	---		---		30,200
50	---		---		125,200	100.00	---		---		125,200
80	---		---		84,500	100.00	---		---		84,500
Total	---		---		400,000	100.00	---		---		400,000
South Dakota											
10	240,000	55.11	184,000	42.25	---		---		11,500	2.64	435,500
20	280,000	26.74	731,000	69.82	---		---		36,000	3.44	1,047,000
30	64,000	10.32	518,100	83.55	---		---		38,000	6.13	620,100
40	422,000	87.99	57,000	11.88	---		---		600	.13	479,600
50	450,000	64.27	246,600	35.22	---		---		3,600	.51	700,200
60	13,000	9.86	114,500	86.87	---		---		4,300	3.26	131,800
70	130,000	99.24	900	.69	---		---		100	.08	131,000
80	370,000	96.45	13,300	3.47	---		---		300	.08	383,600
90	31,000	46.83	34,600	52.27	---		---		600	.91	66,200
	2,000,000	50.06	1,900,000	47.56	---		---		95,000	2.38	3,995,000
Tennessee											
10	---		---		194,500	100.00	---		---		194,500
20	1,629	.86	---		187,371	99.14	---		---		189,000
30	---		---		84,200	100.00	---		---		84,200
40	231	.24	---		97,969	99.76	---		---		98,200
50	---		---		60,600	100.00	---		---		60,600
60	426	.98	---		43,074	99.02	---		---		43,500
Total	2,286	.34	---		667,714	99.66	---		---		670,000

See footnote at end of table

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984 - Continued

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/
	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	
Texas											
11	2,736,148	99.50	---		13,852	.50	---		---		2,750,000
12	558,867	99.80	---		1,133	.20	---		---		560,000
21	893,105	99.79	494	.06	1,401	.16	---		---		895,000
22	924,026	99.36	---		5,974	.64	---		---		930,000
30	352,094	97.80	---		7,906	2.20	---		---		360,000
40	1,008,314	78.77	987	.08	270,700	21.15	---		---		1,280,000
51	73,180	52.27	---		66,820	47.73	---		---		140,000
52	20,824	69.41	---		9,176	30.59	---		---		30,000
60	13,862	92.41	946	6.31	---		---		192	1.28	15,000
70	157,084	82.68	32,193	16.94	723	.38	---		---		190,000
81	141,259	91.13	9,177	5.92	3,940	2.54	---		625	.40	155,000
82	5,975	66.39	3,025	33.61	---		---		---		9,000
90	8,972	59.81	3,668	24.45	2,360	15.73	---		---		15,000
96	35,648	50.93	32,449	46.36	1,903	2.72	---		---		70,000
97	---		1,000	100.00	---		---		---		1,000
Total	6,929,358	93.64	83,939	1.13	385,888	5.21	---		817	.01	7,400,000
Utah											
10	118,982	73.17	17,972	11.05	---		22,842	14.05	2,804	1.72	162,600
50	53,185	89.54	2,867	4.83	---		3,089	5.20	259	.44	59,400
60	37,597	89.52	3,800	9.05	---		603	1.44	---		42,000
70	3,802	76.06	861	17.22	---		336	6.72	---		5,000
Total	213,566	79.39	25,500	9.48	---		26,870	9.99	3,063	1.14	269,000
Virginia											
20	---		---		35,200	100.00	---		---		35,200
40	---		---		3,500	100.00	---		---		3,500
50	---		---		54,000	100.00	---		---		54,000
60	---		---		96,600	100.00	---		---		96,600
70	---		---		3,700	100.00	---		---		3,700
80	---		---		45,000	100.00	---		---		45,000
90	---		---		82,000	100.00	---		---		82,000
Total	---		---		320,000	100.00	---		---		320,000
Washington											
10	---		6,000	22.22	---		21,000	77.78	---		27,000
20	195,546	59.98	43,551	13.36	---		86,903	26.66	---		326,000
30	---		809	.46	---		173,691	99.54	---		174,500
50	177,176	12.38	54,390	3.80	---		1,199,934	83.82	---		1,431,500
90	9,245	1.07	82	.01	---		851,673	98.92	---		861,000
Total	381,967	13.54	104,832	3.72	---		2,333,201	82.74	---		2,820,000

See footnote at end of table

Table 10 -- Estimated planted acreage and percentage of the total wheat planted acreage occupied by each of the classes of wheat grown in each Crop Reporting District and State in 1984 - Continued

State and District	Hard Red Winter		Hard Red Spring		Soft Red Winter		White		Durum		Total Acreage 1/
	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	Acreage	Percent	
West Virginia											
20	---		---		900	100.00	---		---		900
40	---		---		1,700	100.00	---		---		1,700
60	---		---		9,400	100.00	---		---		9,400
Total	---		---		12,000	100.00	---		---		12,000
Wisconsin											
10	---		1,600	24.62	4,900	75.38	---		---		6,500
20	---		500	23.81	1,600	76.19	---		---		2,100
30	---		1,200	26.67	3,300	73.33	---		---		4,500
40	---		2,500	35.21	4,600	64.79	---		---		7,100
50	---		900	13.24	5,141	75.60	759	11.16	---		6,800
60	---		5,300	9.41	48,224	85.66	2,776	4.93	---		56,300
70	---		600	20.00	2,400	80.00	---		---		3,000
80	---		4,100	7.41	43,431	78.54	7,769	14.05	---		55,300
90	---		3,300	6.82	44,858	92.68	242	.50	---		48,400
Total	---		20,000	10.53	158,454	83.40	11,546	6.08	---		190,000
Wyoming											
10	900	18.37	3,915	79.90	---		85	1.73	---		4,900
20	56,000	79.77	14,200	20.23	---		---		---		70,200
30	300	30.00	441	44.10	---		259	25.90	---		1,000
40	3,500	92.11	300	7.89	---		---		---		3,800
50	239,300	97.63	5,334	2.18	---		466	.19	---		245,100
Total	300,000	92.31	24,190	7.44	---		810	.25	---		325,000

* Less than 0.01 percent

1/ Some district class acreages may not add to the district total due to rounding

Table 11 -- Estimated percentage of the total wheat acreage by State and class in 1979 and 1984

State and class	Percent of acreage	
	1979	1984
Alabama:	:	:
Soft Red Winter	: 100.00	100.00
Arizona:	:	:
Hard Red Winter	: 5.78	---
Hard Red Spring	: 26.84	43.45
Soft Red Winter	: .50	---
White	: 12.19	---
Durum	: 54.69	56.55
Arkansas:	:	:
Hard Red Winter	: ---	.18
Soft Red Winter	: 100.00	99.59
White	: ---	.23
California:	:	:
Hard Red Winter	: ---	.75
Hard Red Spring	: 89.56	84.82
Soft Red Winter	: ---	.08
White	: 5.32	2.86
Durum	: 5.12	11.49
Colorado:	:	:
Hard Red Winter	: 98.61	98.01
Hard Red Spring	: .45	1.61
Soft Red Winter	: ---	*
White	: .94	.37
Durum	: ---	.01
Delaware:	:	:
Soft Red Winter	: 100.00	100.00
Georgia:	:	:
Soft Red Winter	: 100.00	100.00
Idaho:	:	:
Hard Red Winter	: 20.07	23.92
Hard Red Spring	: 10.55	14.53
White	: 69.38	61.55
Illinois:	:	:
Hard Red Winter	: 9.98	1.96
Soft Red Winter	: 90.02	98.03
White	: ---	.01
Indiana:	:	:
Hard Red Winter	: .11	.50
Soft Red Winter	: 99.82	99.50
White	: .07	---

* Less than 0.01 percent of Colorado's wheat.

Continued -

Table 11 -- Estimated percentage of the total wheat acreage by State and class in 1979 and 1984

State and class	Percent of acreage	
	1979	1984
Iowa:	:	:
Hard Red Winter	100.00	65.60
Hard Red Spring	---	4.07
Soft Red Winter	---	30.33
Kansas:	:	:
Hard Red Winter	99.53	99.56
Hard Red Spring	.02	---
Soft Red Winter	.45	.44
Kentucky:	:	:
Hard Red Winter	.08	2.88
Soft Red Winter	99.92	97.12
Louisiana:	:	:
Hard Red Winter	---	1.54
Soft Red Winter	100.00	98.46
Maryland:	:	:
Soft Red Winter	100.00	100.00
Michigan:	:	:
Hard Red Spring	.02	---
Soft Red Winter	21.48	21.76
White	78.50	78.24
Minnesota:	:	:
Hard Red Winter	2.04	15.18
Hard Red Spring	95.62	83.49
Soft Red Winter	.23	---
Durum	2.11	1.33
Mississippi:	:	:
Soft Red Winter	100.00	100.00
Missouri:	:	:
Hard Red Winter	9.86	7.43
Soft Red Winter	90.14	92.57
Montana:	:	:
Hard Red Winter	48.54	53.15
Hard Red Spring	44.45	41.46
White	1.84	1.10
Durum	5.17	4.29
Nebraska:	:	:
Hard Red Winter	100.00	100.00

Continued -

Table 11 -- Estimated percentage of the total wheat acreage by State and class in 1979 and 1984

State and class	Percent of acreage	
	1979	1984
Nevada:		
Hard Red Winter	1.10	---
Hard Red Spring	---	8.15
White	98.90	91.66
Durum	---	.19
New Jersey:		
Soft Red Winter	100.00	100.00
New Mexico:		
Hard Red Winter	99.96	99.63
Soft Red Winter	---	.37
White	.04	---
New York:		
Hard Red Winter	---	.09
Hard Red Spring	---	.72
Soft Red Winter	.52	2.20
White	99.48	96.98
North Carolina:		
Soft Red Winter	100.00	100.00
North Dakota:		
Hard Red Winter	1.34	7.03
Hard Red Spring	63.38	61.79
Durum	35.28	31.18
Ohio:		
Hard Red Winter	---	.06
Hard Red Spring	---	.19
Soft Red Winter	100.00	99.60
Durum	---	.15
Oklahoma:		
Hard Red Winter	99.93	98.86
Hard Red Spring	---	1.01
Soft Red Winter	.07	.13
Oregon:		
Hard Red Winter	2.26	.26
Hard Red Spring	.45	.07
Soft Red Winter	---	.11
White	97.29	99.56
Pennsylvania:		
Hard Red Spring	---	.04
Soft Red Winter	100.00	99.87
White	---	.09

Continued -

Table 11 -- Estimated percentage of the total wheat acreage by State and class in 1979 and 1984

State and class	: Percent of acreage	
	: 1979	: 1984
South Carolina:	:	
Soft Red Winter	: 100.00	100.00
South Dakota:	:	
Hard Red Winter	: 29.27	50.06
Hard Red Spring	: 66.05	47.56
Durum	: 4.68	2.38
Tennessee:	:	
Hard Red Winter	: .44	.34
Soft Red Winter	: 99.56	99.66
Texas:	:	
Hard Red Winter	: 91.07	93.64
Hard Red Spring	: 2.16	1.13
Soft Red Winter	: 6.72	5.21
White	: .05	---
Durum	: ---	.01
Utah:	:	
Hard Red Winter	: 75.98	79.39
Hard Red Spring	: 10.64	9.48
White	: 13.38	9.99
Durum	: ---	1.14
Virginia:	:	
Soft Red Winter	: 100.00	100.00
Washington:	:	
Hard Red Winter	: 8.32	13.54
Hard Red Spring	: 3.07	3.72
White	: 88.60	82.74
West Virginia:	:	
Hard Red Winter	: .13	---
Soft Red Winter	: 99.87	100.00
Wisconsin:	:	
Hard Red Winter	: 1.44	---
Hard Red Spring	: 30.13	10.53
Soft Red Winter	: 68.43	83.40
White	: ---	6.08
Wyoming:	:	
Hard Red Winter	: 96.18	92.31
Hard Red Spring	: 3.75	7.44
White	: .06	.25
	:	

Table 12 -- Estimated percentage of the total U.S. wheat acreage by class in 1979 and 1984, and planted acreage in 1984

Class	: Percent of acreage :		
	-----: Acreage		
	: 1979 : 1984 : for 1984		
Hard Red Winter	:	51.71	54.02 42,788,755
Hard Red Spring	:	20.80	16.49 13,065,009
Soft Red Winter	:	11.99	18.37 14,553,173
White	:	9.66	6.97 5,522,780
Durum	:	5.84	4.14 3,283,283
Total all wheat	:	100.00	100.00 79,213,000

Table 13 -- Estimated planted acreage of privately developed varieties in 1984

Variety	:	Acreage
Hawk	:	1,622,503
Pro Brand 812	:	1,402,682
Coker 747	:	1,386,478
Wings	:	978,947
Rocky	:	781,140
McNair 1003	:	702,417
Coker 762	:	608,346
Pioneer Variety 2550	:	571,030
Pioneer Variety S-76	:	537,076
Triumph 64	:	521,579
Coker 797	:	496,846
Oslo	:	494,329
Coker 916	:	489,880
Pioneer Variety PL 145	:	394,820
Triumph	:	275,928
Coker 68-15	:	243,640
Hunter	:	232,072
Solar	:	200,048
Walera	:	185,468
Pioneer Variety 2369	:	163,558
Westbred 906R	:	162,934
Prodax	:	152,395
Pro Brand 830	:	143,689
Improved Triumph	:	138,197
Pioneer Variety S78	:	110,187
Pro Brand 711	:	105,049
Delta Queen (Coker 75-24)	:	94,605
Protor	:	94,460
Archer	:	78,908
Citation	:	78,370
Plainsman	:	75,058
Texred	:	75,006
Pro Brand 835	:	74,280
Aldura	:	74,166
Tut	:	53,124
Erik	:	47,961
McNair 1813	:	47,316
Jacmar	:	45,801
Plainsman V	:	42,141
Bounty 309	:	37,635
Century II 2148	:	37,616
Callahan 115	:	37,435
Weathermaster 99	:	35,093
Pro Brand 715	:	33,716
Palo Duro	:	32,660
Pioneer Variety PR 2360	:	31,583
Satanta	:	28,816
Westbred Aim	:	28,809
	:	

Continued -

Table 13 -- Estimated planted acreage of privately developed varieties in 1984

Variety	:	Acreage
HR 64 (Garst HR 64)	:	24,329
Mustang	:	23,524
Pro Brand 751	:	20,458
Coker 983	:	20,429
Bounty Hybrid 310	:	20,079
Winridge	:	19,836
Monarch	:	19,826
Westbred 911	:	19,155
Brawny	:	18,758
Blackhull	:	18,364
HW 3007	:	18,042
Pro Brand 817	:	17,380
Pioneer Variety 2553	:	17,106
Newest Improved Triumph	:	15,416
Feland	:	14,746
Red Chief	:	13,600
Chanute	:	12,210
Voris 8088	:	11,997
HW 1010	:	10,800
Pro Brand 771	:	10,115
Weathermaster 70	:	10,107
Weathermaster 135	:	9,500
Buckshot	:	8,316
Westbred 881	:	8,261
Callahan 118	:	7,924
McNair 701	:	7,629
Bounty Hybrid 100	:	7,193
Bailey 4278	:	7,156
Bintee III	:	6,949
Magnum	:	6,604
Blazer	:	6,493
World Seeds 13	:	6,489
SW 330	:	6,087
Seed Research, Inc 5210	:	5,804
FS 402	:	5,782
World Seeds 1809	:	5,509
Seed Research, Inc 5221	:	5,024
FS 401	:	4,433
HR 53 (Garst HR 53)	:	4,410
Bounty Hybrid 201	:	4,405
Hybrid English (Marsters)	:	4,218
McNair 4823	:	4,201
Century II 4555	:	3,787
Frontiersman	:	3,614
Seed Research, Inc 5409	:	3,363
Dancer	:	3,227
DK-22S	:	3,025
Westbred 1000-D	:	2,868
	:	

Continued -

Table 13 -- Estimated planted acreage of privately developed varieties in 1984

Variety	Acreage
Callahan 116	2,791
HW 3006	2,761
Klasic	2,690
Quantum 554	2,686
Red River 68	2,592
Prostar	2,545
Katie	2,454
SW 220	2,253
Pioneer Variety 2157	2,079
Maverick	1,973
Probred	1,704
Ram	1,597
Clarkan	1,525
A99ar	1,451
Seed Research, Inc 4578	1,393
Tejas	1,333
Bounty Hybrid 301	1,250
Quantum 555	1,229
Produra	1,226
Germain's 444	1,142
DK-49S	1,097
Genie	996
Callahan 117	860
Golden Chief	853
Pronto	729
Wrangler	666
Joleen	646
Terral 81-17	595
HW 1030	580
HW 1019	569
W-M 125T	475
SW 230	422
Wakeland	388
Nordak	340
Quantum 568	315
Yukon	290
HW 1020	282
Bounty Hybrid 202	213
Voris 7070	205
Voris B-7140	186
Golden 50	177
W-335	142
HW 1018	135
Redhart	120
World Seeds 1	96
Bounty Hybrid 200	85
Bounty Hybrid 204	83
Pioneer Variety S-77	74
Bearded Beauty	40