

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07),mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

UPLAND SPOT PRICE QUOTATIONS							TRANSACTIONS REPORTED	
Growth Areas	Color 41, Leaf 4, Staple 34			Color 31, Leaf 3, Staple 36			Bales	
	Basis Points		Cents/Pound	Basis Points		Cents/Pound	Today	Season
Southeast	-100	Jul-25	65.05	450	Jul-25	70.55	0	0
North Delta	-150	Jul-25	64.55	325	Jul-25	69.30	0	75
South Delta	-150	Jul-25	64.55	275	Jul-25	68.80	0	150
East TX-South TX	-475	Jul-25	61.30	250	Jul-25	68.55	0	350
West TX-KS-OK	-450	Jul-25	61.55	100	Jul-25	67.05	0	1,200
Desert SW	-500	Jul-25	61.05	100	Jul-25	67.05	0	0
SJ Valley	-450	Jul-25	61.55	790	Jul-25	73.95	0	0
Average	-325	Jul-25	62.80	327	Jul-25	69.32	0	1,775
Previous day	-325	Jul-25	62.88	327	Jul-25	69.40		
	AMERICAN PIMA SPOT PRICE QUOTATIONS						TRANSACTIONS REPORTED	
	Color 01, Leaf 1, Staple 48		Color 02, Leaf 2, Staple 46		Color 02, Leaf 2, Staple 48		Today	Season
	151.25		149.00		150.75		0	0
ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER					7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		-	
Month	Cents per pound						ADJ. WORLD PRICE	
	Today	Previous		Change	Season high 12/17/2024 67.83		CC ADJUSTMENT	
Jul-25	66.05	66.13	↓	-0.08			FC ADJUSTMENT	
Oct-25	68.11	68.09	↑	0.02			LOAN DEFICIT PMT.	
Dec-25	68.53	68.69	↓	-0.16			PIMA COMPETITIVENESS PAYMENT	
Mar-26	69.95	70.11	↓	-0.16				
May-26	70.96	71.11	↓	-0.15	Season low 02/07/2025 61.74			
Jul-26	71.68	71.70	↓	-0.02				
Oct-26	69.68	69.52	↑	0.16				
Dec-26	69.08	68.89	↑	0.19				
Mar-27	70.05	69.86	↑	0.19				
May-27	70.65							

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous	Uniformity
Southeast						
North Delta						
South Delta						
East TX-South TX						
West TX-KS-OK						
Desert SW						
SJ Valley						
American Pima						

SOUTHEAST DIFFERENCES								03-Jun-25
Color	Leaf	Staple						
		32	33	34	35	36	37	38
11 & 21	1 & 2	-225	-50	175	500	600	650	675
	3	-225	-50	175	475	575	625	650
	4	-225	-125	100	425	500	525	525
	5	-475	-325	-225	25	100	100	100
	6	-600	-450	-400	-225	-175	-175	-175
	7	-725	-575	-550	-350	-300	-300	-300
31	1 & 2	-225	-100	100	475	575	600	625
	3	-225	-100	100	475	550	575	600
	4	-225	-125	100	425	475	500	500
	5	-475	-325	-225	25	75	75	75
	6	-600	-450	-400	-275	-225	-225	-225
	7	-725	-575	-550	-400	-350	-350	-350
41	1 & 2	-275	-150	75	400	450	450	475
	3	-275	-150	75	375	425	425	450
	4	-275	-200	65.05	225	400	400	425
	5	-550	-450	-300	-175	-100	-100	-100
	6	-675	-550	-525	-450	-400	-400	-400
	7	-775	-675	-650	-600	-550	-550	-550
51	1 & 2	-475	-350	-175	-125	-75	-75	-75
	3	-550	-375	-250	-175	-100	-100	-100
	4	-575	-375	-300	-250	-200	-200	-200
	5	-775	-650	-525	-475	-425	-425	-425
	6	-850	-675	-625	-625	-575	-575	-575
	7	-925	-800	-775	-775	-725	-725	-725
61	1-5	-775	-700	-625	-600	-575	-575	-575
	6	-950	-875	-825	-800	-775	-775	-775
	7	-1075	-950	-900	-875	-850	-850	-850
12 & 22	1 & 2	-275	-100	50	200	275	275	300
	3	-275	-100	50	175	250	250	275
	4	-275	-125	0	150	225	225	250
	5	-525	-425	-300	-100	-50	-50	-50
	6	-650	-525	-525	-450	-400	-400	-400
	7	-750	-650	-650	-600	-550	-550	-550
32	1 & 2	-325	-175	-25	0	75	75	75
	3	-350	-200	-50	0	50	50	50
	4	-450	-200	-150	-100	-25	-25	-25
	5	-625	-450	-400	-375	-325	-325	-325
	6	-700	-550	-550	-525	-475	-475	-475
	7	-800	-675	-675	-650	-600	-600	-600
42	1-3	-550	-350	-200	-175	-125	-125	-125
	4	-575	-375	-275	-275	-225	-225	-225
	5	-775	-650	-425	-375	-350	-350	-350
	6	-825	-675	-625	-625	-600	-600	-600
	7	-925	-800	-775	-750	-725	-725	-725
52	1-4	-825	-700	-575	-500	-500	-500	-500
	5	-850	-850	-675	-650	-650	-650	-650
	6	-925	-900	-850	-825	-825	-825	-825
	7	-1075	-1000	-950	-925	-925	-925	-925
62	1-5	-950	-875	-825	-825	-825	-825	-825
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000

Color	Leaf	Staple						
		32	33	34	35	36	37	38
33	1 & 2	-900	-850	-800	-750	-725	-725	-725
	3	-900	-850	-800	-750	-725	-725	-725
	4	-925	-900	-850	-775	-750	-750	-750
	5	-950	-900	-850	-825	-825	-825	-825
	6	-1000	-925	-875	-850	-850	-850	-850
	7	-1125	-1000	-950	-925	-925	-925	-925
43	1-3	-900	-850	-800	-750	-725	-725	-725
	4	-925	-900	-850	-775	-750	-750	-750
	5	-950	-900	-850	-825	-825	-825	-825
	6	-1000	-925	-875	-850	-850	-850	-850
	7	-1125	-1000	-950	-925	-925	-925	-925
53	1-4	-1000	-900	-850	-800	-800	-800	-800
	5	-1125	-1075	-975	-975	-975	-975	-975
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100
63	1-5	-1125	-1075	-975	-975	-975	-975	-975
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100

Mike		Strength		Uniformity		Extraneous Matter		
Range	Diff.	(Grams per Tex)		Unit	Diff.	Type	- Level 1	- Level 2
25-26	-1075	Range	Diff.	77.9 & Below	-125	Prep	-200	-800
27-29	-675			78.0 - 78.9	-110	Bark	-550	-800
30-32	-525	22.0 - 23.9	-675	79.0 - 79.9	-100	Grass	-550	-800
33-34	-400	24.0 - 24.9	-625	80.0 - 80.9	0	Seed Coat	-550	-550
Base 35-36	0	25.0 - 25.9	-600	Base 81.0 - 81.9	0	Plastic	-4000	-4000
37-42	0	26.0 - 26.9	-300	82.0 - 82.9	0	All Other	-550	-550
Base 43-49	0	Base 27.0 - 28.9	0	83.0 - 83.9	20			
50-52	-200	29.0 - 29.9	0	84.0 - 84.9	30			
53 & Above	-375	30.0 - 30.9	25	85.0 - 85.9	40			
		31.0 - 32.9	50	86.0 & Above	50			
		33.0 & Above	50					

Color	Leaf	Staple						
		32	33	34	35	36	37	38
11 & 21	1 & 2	-225	-75	175	250	500	575	575
	3	-225	-75	150	200	475	525	525
	4	-275	-200	75	100	225	250	250
	5	-450	-325	-175	-100	-100	-75	-75
	6	-500	-475	-450	-400	-400	-400	-400
	7	-600	-575	-550	-500	-500	-500	-500
31	1 & 2	-225	-100	125	225	500	525	525
	3	-225	-100	125	200	475	500	500
	4	-275	-250	75	100	175	225	225
	5	-450	-325	-225	-150	-125	-100	-100
	6	-500	-475	-450	-400	-400	-400	-400
	7	-600	-575	-550	-500	-500	-500	-500
41	1 & 2	-350	-250	50	100	350	350	375
	3	-350	-250	25	50	325	350	375
	4	-375	-275	64.55	0	175	200	200
	5	-625	-500	-325	-225	-175	-175	-175
	6	-675	-600	-500	-425	-425	-425	-425
	7	-800	-775	-650	-550	-550	-550	-550
51	1 & 2	-675	-475	-350	-250	-250	-250	-250
	3	-725	-475	-375	-275	-275	-275	-275
	4	-750	-500	-400	-350	-350	-350	-350
	5	-825	-725	-650	-575	-550	-550	-550
	6	-950	-925	-775	-700	-700	-700	-700
	7	-1000	-975	-825	-775	-775	-775	-775
61	1-5	-850	-750	-650	-575	-575	-575	-575
	6	-950	-950	-775	-750	-750	-750	-750
	7	-1025	-1000	-875	-850	-850	-850	-850
12 & 22	1 & 2	-275	-125	50	100	250	275	275
	3	-275	-125	25	50	200	250	250
	4	-300	-250	0	0	175	200	200
	5	-600	-475	-300	-200	-175	-150	-150
	6	-725	-650	-525	-425	-400	-400	-400
	7	-775	-750	-625	-550	-525	-525	-525
32	1 & 2	-400	-250	-100	0	50	50	50
	3	-400	-250	-100	-25	25	25	25
	4	-425	-275	-200	-100	-75	-75	-75
	5	-700	-525	-350	-325	-300	-300	-300
	6	-800	-750	-575	-525	-500	-500	-500
	7	-900	-850	-675	-625	-625	-625	-625
42	1-3	-550	-425	-325	-225	-200	-200	-200
	4	-575	-450	-350	-300	-250	-250	-250
	5	-725	-575	-425	-375	-325	-325	-325
	6	-850	-750	-600	-575	-525	-525	-525
	7	-900	-850	-700	-650	-650	-650	-650
52	1-4	-750	-575	-525	-500	-500	-500	-500
	5	-825	-725	-650	-600	-600	-600	-600
	6	-975	-875	-800	-775	-775	-775	-775
	7	-1000	-975	-900	-875	-875	-875	-875
62	1-5	-1025	-925	-850	-825	-825	-825	-825
	6	-1175	-1075	-950	-925	-925	-925	-925

Color	Leaf	Staple						
		32	33	34	35	36	37	38
33	1 & 2	-900	-675	-500	-475	-475	-475	-475
	3	-900	-675	-500	-475	-475	-475	-475
	4	-925	-700	-525	-500	-500	-500	-500
	5	-950	-850	-775	-750	-750	-750	-750
	6	-1050	-950	-875	-850	-850	-850	-850
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000
43	1-3	-900	-675	-500	-475	-475	-475	-475
	4	-925	-700	-525	-500	-500	-500	-500
	5	-950	-850	-775	-750	-750	-750	-750
	6	-1050	-950	-875	-850	-850	-850	-850
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000
53	1-4	-1000	-900	-825	-800	-800	-800	-800
	5	-1075	-1000	-925	-900	-900	-900	-900
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075

Mike		Strength		Uniformity		Extraneous Matter		
Range	Diff.	(Grams per Tex)		Unit	Diff.	Type	- Level 1	- Level 2
25-26	-1000	Range	Diff.	77.9 & Below	-90	Prep	-200	-800
27-29	-650	22.0 - 23.9	-800	78.0 - 78.9	-80	Bark	-375	-785
30-32	-525	24.0 - 24.9	-700	79.0 - 79.9	-70	Grass	-375	-785
33-34	-425	25.0 - 25.9	-650	80.0 - 80.9	0	Seed Coat	-375	-785
Base 35-36	0	26.0 - 26.9	-300	Base 81.0 - 81.9	0	Plastic	-4000	-4000
37-42	25	Base 27.0 - 28.9	0	82.0 - 82.9	0	All Other	-375	-785
Base 43-49	0	29.0 - 29.9	0	83.0 - 83.9	30			
50-52	-225	30.0 - 30.9	25	84.0 - 84.9	40			
53 & Above	-375	31.0 - 32.9	50	85.0 - 85.9	50			
		33.0 & Above	50	86.0 & Above	60			

Color	Leaf	Staple						
		32	33	34	35	36	37	38
11 & 21	1 & 2	-225	-75	175	300	450	550	550
	3	-225	-75	150	250	425	500	500
	4	-275	-200	75	150	275	300	300
	5	-450	-325	-175	-100	-100	-75	-75
	6	-500	-475	-450	-400	-400	-400	-400
	7	-600	-575	-550	-500	-500	-500	-500
31	1 & 2	-225	-100	125	275	425	450	450
	3	-225	-100	125	250	425	450	450
	4	-275	-250	75	150	250	275	275
	5	-550	-425	-225	-150	-125	-100	-100
	6	-600	-575	-450	-400	-400	-400	-400
	7	-700	-675	-550	-500	-500	-500	-500
41	1 & 2	-350	-250	50	150	300	300	325
	3	-350	-250	25	100	275	300	325
	4	-375	-275	64.55	50	225	250	250
	5	-625	-500	-325	-200	-150	-150	-150
	6	-675	-600	-500	-425	-425	-425	-425
	7	-800	-775	-650	-550	-550	-550	-550
51	1 & 2	-675	-475	-350	-250	-250	-250	-250
	3	-725	-475	-375	-275	-275	-275	-275
	4	-750	-500	-400	-350	-350	-350	-350
	5	-825	-725	-650	-575	-550	-550	-550
	6	-925	-825	-775	-700	-700	-700	-700
	7	-1100	-1075	-925	-800	-800	-800	-800
61	1-5	-850	-750	-650	-575	-575	-575	-575
	6	-925	-850	-775	-750	-750	-750	-750
	7	-1125	-1100	-975	-850	-850	-850	-850
12 & 22	1 & 2	-275	-125	50	100	275	300	300
	3	-275	-125	25	50	225	275	275
	4	-300	-250	0	0	175	200	200
	5	-600	-475	-300	-200	-175	-150	-150
	6	-725	-650	-525	-425	-400	-400	-400
	7	-775	-750	-625	-550	-525	-525	-525
32	1 & 2	-400	-250	-100	0	50	50	50
	3	-400	-250	-100	-25	25	25	25
	4	-425	-275	-200	-100	-75	-75	-75
	5	-700	-525	-350	-325	-300	-300	-300
	6	-800	-750	-575	-525	-500	-500	-500
	7	-900	-850	-675	-625	-625	-625	-625
42	1-3	-550	-425	-325	-225	-200	-200	-200
	4	-575	-450	-350	-300	-250	-250	-250
	5	-725	-575	-425	-375	-325	-325	-325
	6	-850	-750	-600	-525	-500	-500	-500
	7	-900	-850	-700	-650	-650	-650	-650
52	1-4	-750	-575	-525	-500	-500	-500	-500
	5	-875	-725	-650	-600	-600	-600	-600
	6	-925	-875	-800	-775	-775	-775	-775
	7	-1025	-975	-900	-875	-875	-875	-875
62	1-5	-1025	-925	-850	-825	-825	-825	-825
	6	-1175	-1075	-950	-925	-925	-925	-925

Color	Leaf	Staple						
		32	33	34	35	36	37	38
33	1 & 2	-900	-675	-475	-450	-450	-450	-450
	3	-900	-675	-475	-450	-450	-450	-450
	4	-925	-700	-525	-500	-500	-500	0
	5	-950	-850	-775	-750	-750	-750	-750
	6	-1050	-950	-875	-850	-850	-850	-850
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000
43	1-3	-900	-675	-475	-450	-450	-450	-450
	4	-925	-700	-525	-500	-500	-500	-500
	5	-950	-850	-775	-750	-750	-750	-750
	6	-1050	-950	-875	-850	-850	-850	-850
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000
53	1-4	-1000	-900	-825	-800	-800	-800	-800
	5	-1075	-1000	-925	-900	-900	-900	-900
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075

Mike		Strength		Uniformity		Extraneous Matter		
Range	Diff.	(Grams per Tex)		Unit	Diff.	Type	- Level 1	- Level 2
25-26	-1100	Range	Diff.	77.9 & Below	-90	Prep	-200	-800
27-29	-750			78.0 - 78.9	-80	Bark	-375	-785
30-32	-525	22.0 - 23.9	-800	79.0 - 79.9	-70	Grass	-375	-785
33-34	-425	24.0 - 24.9	-700	80.0 - 80.9	0	Seed Coat	-375	-785
Base 35-36	0	25.0 - 25.9	-650	Base 81.0 - 81.9	0	Plastic	-4000	-4000
37-42	25	26.0 - 26.9	-300	82.0 - 82.9	0	All Other	-375	-785
Base 43-49	0	Base 27.0 - 28.9	0	83.0 - 83.9	30			
50-52	-225	29.0 - 29.9	0	84.0 - 84.9	40			
53 & Above	-375	30.0 - 30.9	25	85.0 - 85.9	50			
		31.0 - 32.9	50	86.0 & Above	60			
		33.0 & Above	50					

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-500	-450	-275	175	500	850	925	975
	3	-550	-500	-300	125	475	825	900	950
	4	-625	-500	-300	25	150	375	400	450
	5	-650	-525	-450	-100	25	150	275	275
	6	-750	-600	-575	-300	-275	-150	-50	-50
	7	-825	-700	-675	-375	-350	-225	-150	-150
31	1 & 2	-575	-500	-300	100	450	750	825	875
	3	-600	-525	-325	75	425	725	825	875
	4	-675	-575	-325	0	150	325	400	450
	5	-700	-575	-475	-100	0	75	200	200
	6	-775	-625	-600	-300	-275	-175	-125	-125
	7	-850	-725	-700	-375	-350	-250	-225	-225
41	1 & 2	-675	-500	-325	50	175	450	550	625
	3	-725	-525	-325	25	175	310	410	485
	4	-750	-600	-450	61.30	110	185	260	335
	5	-900	-675	-600	-225	-90	35	85	110
	6	-975	-775	-725	-375	-350	-250	-250	-250
	7	-1075	-875	-825	-475	-425	-350	-350	-350
51	1 & 2	-850	-700	-575	-150	-100	50	75	75
	3	-875	-750	-600	-175	-100	50	50	75
	4	-925	-775	-625	-250	-175	-50	-50	-25
	5	-950	-825	-750	-325	-250	-225	-200	-175
	6	-1050	-850	-825	-425	-400	-300	-300	-300
	7	-1150	-875	-850	-500	-475	-350	-350	-350
61	1-5	-1025	-875	-800	-375	-350	-225	-225	-225
	6	-1175	-975	-925	-550	-500	-375	-375	-375
	7	-1275	-1075	-1025	-650	-600	-475	-475	-475
12 & 22	1 & 2	-650	-450	-275	50	325	475	550	550
	3	-700	-500	-325	50	275	425	475	475
	4	-725	-500	-325	-25	110	325	375	375
	5	-800	-675	-600	-225	-115	150	275	275
	6	-950	-750	-725	-375	-350	-200	-75	-75
	7	-1075	-875	-825	-475	-425	-300	-225	-225
32	1 & 2	-825	-725	-550	-150	25	100	225	225
	3	-850	-725	-575	-175	-50	50	175	200
	4	-900	-750	-625	-200	-75	-50	0	25
	5	-1000	-875	-825	-375	-300	-125	-50	-50
	6	-1150	-950	-925	-550	-500	-425	-375	-375
	7	-1300	-1075	-1050	-650	-600	-525	-475	-475
42	1-3	-900	-800	-700	-225	-50	-25	25	50
	4	-975	-850	-750	-275	-75	-75	-50	0
	5	-1125	-975	-875	-475	-375	-325	-300	-250
	6	-1300	-1025	-950	-600	-550	-550	-475	-475
	7	-1425	-1150	-1075	-725	-650	-600	-550	-550
52	1-4	-1175	-975	-875	-525	-500	-400	-350	-325
	5	-1225	-1050	-925	-550	-550	-525	-450	-425
	6	-1425	-1225	-1125	-725	-700	-625	-575	-575
	7	-1525	-1350	-1250	-850	-825	-700	-650	-650
62	1-5	-1275	-1125	-1100	-650	-625	-550	-500	-500
	6	-1475	-1300	-1275	-850	-825	-725	-675	-675

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1200	-1050	-975	-525	-450	-325	-225	-225
	3	-1225	-1075	-1000	-550	-475	-350	-250	-250
	4	-1275	-1150	-1025	-575	-500	-400	-300	-300
	5	-1400	-1250	-1150	-700	-625	-525	-425	-425
	6	-1525	-1325	-1200	-800	-725	-625	-525	-525
	7	-1625	-1425	-1325	-925	-850	-750	-650	-650
33	1 & 2	-1275	-1100	-1000	-530	-475	-375	-275	-275
	3	-1275	-1100	-1000	-555	-500	-400	-275	-275
	4	-1350	-1175	-1050	-605	-550	-450	-325	-325
	5	-1500	-1275	-1175	-730	-675	-575	-450	-450
	6	-1575	-1350	-1250	-855	-800	-700	-575	-575
	7	-1675	-1475	-1350	-980	-925	-825	-700	-700
43	1-3	-1325	-1175	-1050	-605	-550	-450	-325	-325
	4	-1400	-1250	-1100	-630	-575	-475	-350	-350
	5	-1525	-1350	-1200	-760	-700	-600	-475	-475
	6	-1625	-1425	-1300	-880	-850	-750	-625	-625
	7	-1725	-1525	-1400	-980	-950	-850	-725	-725
53	1-4	-1450	-1350	-1225	-755	-750	-700	-575	-575
	5	-1550	-1425	-1325	-830	-825	-775	-650	-650
	6	-1650	-1525	-1425	-1005	-950	-900	-775	-775
	7	-1750	-1625	-1550	-1105	-1050	-975	-850	-850
63	1-5	-1650	-1500	-1375	-955	-875	-800	-675	-675
	6	-1750	-1625	-1475	-1075	-1000	-925	-800	-800
34	1 & 2	-1400	-1275	-1200	-750	-725	-650	-575	-575
	3	-1400	-1275	-1200	-750	-725	-650	-575	-575
	4	-1525	-1400	-1300	-850	-825	-750	-675	-675
	5	-1625	-1500	-1425	-975	-950	-875	-800	-800
	6	-1800	-1675	-1600	-1150	-1125	-1050	-975	-975
44	1-3	-1500	-1375	-1300	-850	-825	-750	-675	-675
	4	-1575	-1475	-1350	-900	-875	-800	-725	-725
	5	-1650	-1550	-1450	-1000	-975	-900	-825	-825
	6	-1825	-1700	-1625	-1175	-1150	-1075	-1000	-1000
54	1-4	-1600	-1500	-1425	-925	-925	-850	-800	-800
	5	-1700	-1600	-1500	-1025	-1000	-925	-875	-875

Mike		Strength		Uniformity		Extraneous Matter		
Range	Diff.	(Grams per Tex)		Unit	Diff.	Type	- Level 1	- Level 2
24 & Below	-1850	Range	Diff.	77.9 & Below	-90	Prep	-300	-500
25-26	-1850			78.0 - 78.9	-75	Bark	-475	-550
27-29	-1300	22.0 - 23.9	-460	79.0 - 79.9	-10	Grass	-950	-1000
30-32	-825	24.0 - 24.9	-435	80.0 - 80.9	0	Seed Coat	-375	-785
33-34	-625	25.0 - 25.9	-385	Base 81.0 - 81.9	0	Plastic	-4000	-4000
Base 35-36	0	26.0 - 26.9	-360	82.0 - 82.9	0	All Other	-375	-785
37-42	0	Base 27.0 - 28.9	0	83.0 - 83.9	0			
Base 43-49	0	29.0 - 29.9	10	84.0 - 84.9	0			
50-52	-375	30.0 - 30.9	40	85.0 - 85.9	0			
53 & Above	-450	31.0 - 32.9	45	86.0 & Above	0			
		33.0 & Above	50					

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-475	-325	-125	225	350	575	725	775
	3	-575	-400	-200	125	250	550	680	730
	4	-625	-450	-325	100	200	350	375	375
	5	-650	-450	-325	75	175	325	350	350
	6	-775	-575	-475	-175	-150	-100	-100	-100
	7	-850	-625	-550	-250	-225	-175	-175	-175
31	1 & 2	-725	-500	-300	175	300	550	700	725
	3	-775	-525	-325	100	250	550	675	700
	4	-800	-550	-400	100	150	275	350	350
	5	-825	-600	-450	0	100	225	250	250
	6	-925	-675	-500	-225	-225	-200	-200	-200
	7	-1025	-725	-575	-275	-275	-250	-250	-250
41	1 & 2	-825	-575	-325	50	100	225	300	325
	3	-850	-600	-350	25	75	200	275	300
	4	-900	-625	-500	61.55	50	50	125	150
	5	-950	-675	-525	-175	-150	-100	-75	-25
	6	-1050	-800	-675	-425	-425	-300	-300	-300
	7	-1150	-875	-750	-475	-475	-400	-400	-400
51	1 & 2	-900	-700	-575	-125	-75	-75	-75	-75
	3	-950	-700	-575	-125	-75	-75	-75	-75
	4	-975	-700	-650	-225	-200	-200	-175	-175
	5	-975	-725	-700	-325	-325	-250	-225	-225
	6	-1075	-825	-800	-525	-500	-400	-375	-375
	7	-1175	-925	-900	-625	-600	-525	-500	-500
61	1-5	-975	-775	-750	-375	-350	-250	-250	-250
	6	-1150	-900	-875	-625	-550	-450	-450	-450
	7	-1250	-1050	-1000	-700	-625	-550	-550	-550
12 & 22	1 & 2	-625	-425	-175	175	225	300	425	425
	3	-650	-450	-225	100	150	250	325	325
	4	-750	-500	-400	0	100	225	275	275
	5	-850	-625	-500	-75	0	75	75	75
	6	-925	-725	-625	-350	-350	-250	-200	-200
	7	-1050	-825	-725	-425	-425	-325	-275	-275
32	1 & 2	-850	-575	-325	-50	25	25	50	75
	3	-925	-650	-375	-125	25	25	25	25
	4	-975	-725	-575	-150	25	25	25	25
	5	-1125	-925	-775	-400	-250	-225	-200	-200
	6	-1225	-975	-900	-550	-450	-425	-375	-375
	7	-1300	-1050	-925	-625	-525	-500	-450	-450
42	1-3	-950	-700	-525	-175	-125	-50	0	0
	4	-1025	-800	-575	-225	-150	-75	-25	0
	5	-1175	-1000	-775	-425	-275	-275	-250	-225
	6	-1425	-1100	-900	-575	-475	-450	-425	-400
	7	-1450	-1150	-1000	-675	-550	-525	-500	-500
52	1-4	-1200	-925	-850	-525	-450	-400	-350	-350
	5	-1275	-1025	-925	-550	-475	-425	-375	-375
	6	-1525	-1250	-1150	-725	-625	-575	-525	-525
	7	-1600	-1350	-1250	-800	-725	-675	-650	-650
62	1-5	-1325	-1100	-1025	-650	-600	-550	-500	-500
	6	-1550	-1300	-1225	-900	-825	-775	-700	-700

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1025	-800	-725	-400	-350	-325	-275	-275
	3	-1125	-850	-775	-425	-375	-350	-300	-300
	4	-1175	-950	-875	-475	-425	-400	-350	-350
	5	-1275	-1025	-975	-600	-550	-500	-450	-450
	6	-1425	-1150	-1100	-725	-625	-575	-525	-525
	7	-1500	-1250	-1175	-775	-725	-675	-625	-625
33	1 & 2	-1200	-900	-800	-450	-425	-400	-350	-350
	3	-1200	-900	-800	-450	-425	-400	-350	-350
	4	-1300	-1000	-925	-525	-500	-450	-400	-400
	5	-1425	-1100	-1025	-675	-625	-550	-500	-500
	6	-1525	-1225	-1200	-775	-725	-650	-600	-600
	7	-1600	-1325	-1250	-900	-825	-750	-700	-700
43	1-3	-1275	-1025	-950	-525	-500	-450	-400	-400
	4	-1350	-1100	-1000	-600	-550	-450	-400	-400
	5	-1450	-1175	-1075	-725	-675	-575	-525	-525
	6	-1575	-1300	-1225	-850	-800	-725	-675	-675
	7	-1650	-1400	-1300	-925	-875	-800	-750	-750
53	1-4	-1450	-1275	-1150	-700	-675	-550	-500	-500
	5	-1525	-1300	-1200	-800	-750	-600	-550	-550
	6	-1700	-1450	-1350	-950	-875	-725	-675	-675
	7	-1750	-1525	-1450	-1075	-1000	-875	-825	-825
63	1-5	-1675	-1425	-1300	-850	-825	-775	-725	-725
	6	-1775	-1550	-1400	-1050	-1000	-950	-900	-900
34	1 & 2	-1375	-1125	-1025	-625	-625	-575	-525	-525
	3	-1375	-1125	-1025	-625	-625	-575	-525	-525
	4	-1500	-1250	-1125	-725	-725	-675	-625	-625
	5	-1575	-1325	-1225	-850	-850	-800	-750	-750
	6	-1750	-1500	-1400	-1075	-1050	-1000	-950	-950
44	1-3	-1500	-1250	-1150	-725	-725	-675	-650	-650
	4	-1575	-1350	-1200	-775	-775	-725	-700	-700
	5	-1650	-1400	-1275	-875	-875	-825	-800	-800
	6	-1825	-1575	-1475	-1125	-1100	-1050	-1025	-1025
54	1-4	-1600	-1375	-1275	-850	-850	-800	-775	-775
	5	-1675	-1425	-1300	-975	-975	-925	-900	-900

Mike		Strength		Uniformity		Extraneous Matter		
Range	Diff.	(Grams per Tex)		Unit	Diff.	Type	- Level 1	- Level 2
24 & Below	-1825	Range	Diff.	77.9 & Below	-70	Prep	-300	-500
25-26	-1825	19.0 - 21.9	-525	78.0 - 78.9	-55	Bark	-350	-550
27-29	-1200	22.0 - 23.9	-450	79.0 - 79.9	-40	Grass	-650	-700
30-32	-675	24.0 - 24.9	-400	80.0 - 80.9	0	Seed Coat	-375	-785
33-34	-500	25.0 - 25.9	-275	Base 81.0 - 81.9	0	Plastic	-4000	-4000
Base 35-36	0	26.0 - 26.9	-250	82.0 - 82.9	0	All Other	-375	-785
37-42	0	Base 27.0 - 28.9	0	83.0 - 83.9	0			
Base 43-49	0	29.0 - 29.9	10	84.0 - 84.9	0			
50-52	-475	30.0 - 30.9	10	85.0 - 85.9	0			
53 & Above	-500	31.0 - 32.9	15	86.0 & Above	0			
		33.0 & Above	25					

Color	Leaf	Staple					
		33	34	35	36	37	38
11 & 21	1 & 2	-125	150	475	750	785	825
	3	-125	125	400	700	725	750
	4	-325	25	250	360	420	445
	5	-400	-200	-25	75	160	160
	6	-475	-375	-150	-110	-55	-55
	7	-675	-400	-225	-165	-125	-125
31	1 & 2	-200	125	425	675	725	750
	3	-200	100	325	600	625	650
	4	-375	0	150	310	370	420
	5	-425	-225	-100	-25	70	70
	6	-500	-400	-185	-145	-65	-65
	7	-700	-425	-275	-220	-140	-140
41	1 & 2	-600	0	25	160	170	270
	3	-600	0	10	135	145	245
	4	-650	61.05	0	85	120	170
	5	-675	-525	-425	-340	-280	-280
	6	-825	-700	-525	-490	-440	-440
	7	-975	-850	-700	-670	-635	-635
51	1 & 2	-725	-550	-350	-340	-330	-330
	3	-725	-550	-350	-340	-330	-330
	4	-750	-625	-475	-425	-365	-365
	5	-850	-800	-675	-650	-600	-600
	6	-1000	-900	-775	-775	-725	-725
	7	-1200	-1100	-975	-975	-950	-950
12 & 22	1 & 2	-500	25	175	260	345	345
	3	-500	25	150	210	295	295
	4	-600	-25	150	210	295	295
	5	-625	-450	-150	-150	-75	-75
	6	-775	-650	-350	-350	-275	-275
	7	-950	-825	-600	-600	-525	-525
32	1 & 2	-600	-225	0	110	120	120
	3	-600	-225	0	110	120	120
	4	-650	-450	-100	10	20	20
	5	-700	-700	-450	-450	-450	-450
	6	-900	-825	-575	-575	-575	-575
	7	-1050	-1000	-825	-825	-825	-825
42	1-3	-700	-525	-250	-175	-175	-175
	4	-725	-600	-350	-275	-275	-275
	5	-800	-775	-550	-525	-525	-525
	6	-975	-900	-675	-675	-675	-675
	7	-1175	-1075	-925	-925	-925	-925
52	1-4	-925	-800	-600	-550	-550	-550
	5	-975	-875	-700	-700	-700	-700
	6	-1075	-975	-800	-800	-800	-800
	7	-1325	-1225	-1100	-1075	-1075	-1075

Color	Leaf	Staple					
		33	34	35	36	37	38
33	1 & 2	-800	-725	-650	-575	-575	-575
	3	-800	-725	-650	-575	-575	-575
	4	-900	-825	-700	-650	-650	-650
	5	-1000	-900	-725	-700	-700	-700
	6	-1100	-1000	-975	-975	-975	-975
	7	-1200	-1125	-1100	-1100	-1100	-1100
43	1-3	-800	-725	-650	-575	-575	-575
	4	-900	-825	-700	-650	-650	-650
	5	-1000	-900	-725	-700	-700	-700
	6	-1100	-1000	-975	-975	-975	-975
	7	-1200	-1125	-1100	-1100	-1100	-1100
53	1-4	-1050	-950	-875	-875	-875	-875
	5	-1100	-1000	-925	-925	-925	-925
	6	-1200	-1100	-1025	-1025	-1025	-1025
	7	-1450	-1350	-1350	-1350	-1350	-1350

Mike		Strength		Uniformity		Extraneous Matter		
Range	Diff.	(Grams per Tex)		Unit	Diff.	Type	- Level 1	- Level 2
24 & Below	-1350	Range	Diff.	77.9 & Below	-100	Prep	-50	-800
25-26	-1150			78.0 - 78.9	-90	Bark	-600	-800
27-29	-1050	22.0 - 23.9	-525	79.0 - 79.9	-80	Grass	-600	-800
30-32	-700	24.0 - 24.9	-300	80.0 - 80.9	0	Seed Coat	-600	-800
33-34	-500	25.0 - 25.9	-275	Base 81.0 - 81.9	0	Plastic	-4000	-4000
Base 35-36	0	26.0 - 26.9	-200	82.0 - 82.9	0	All Other	-600	-800
37-42	25	Base 27.0 - 28.9	0	83.0 - 83.9	30			
Base 43-49	0	29.0 - 29.9	0	84.0 - 84.9	40			
50-52	-325	30.0 - 30.9	10	85.0 - 85.9	50			
53 & Above	-525	31.0 - 32.9	35	86.0 & Above	60			
		33.0 & Above	75					

Color	Leaf	Staple				
		34	35	36	37	38
11 & 21	1 & 2	415	1040	1390	1540	1765
	3	365	990	1340	1465	1665
	4	75	350	400	500	500
	5	-125	75	130	190	190
	6	-400	-200	-150	-100	-100
	7	-625	-525	-475	-425	-425
31	1 & 2	315	940	1290	1415	1590
	3	265	890	1240	1365	1540
	4	50	300	330	410	410
	5	-200	0	55	115	115
	6	-500	-325	-275	-225	-225
	7	-675	-575	-525	-475	-475
41	1 & 2	100	350	430	440	440
	3	50	250	330	340	340
	4	61.55	200	280	290	290
	5	-425	-200	-195	-185	-185
	6	-625	-450	-450	-450	-450
	7	-825	-725	-725	-725	-725
51	1 & 2	-675	-225	-175	-175	-175
	3	-700	-250	-200	-200	-200
	4	-750	-300	-275	-275	-275
	5	-775	-375	-325	-325	-325
	6	-900	-800	-800	-800	-800
	7	-1050	-1000	-1000	-1000	-1000
12 & 22	1 & 2	125	575	830	965	1140
	3	50	500	780	890	1040
	4	-75	325	375	440	440
	5	-250	-50	0	50	50
	6	-525	-400	-350	-300	-300
	7	-775	-700	-650	-600	-600
32	1 & 2	0	250	325	375	475
	3	-50	200	275	325	425
	4	-200	25	50	100	100
	5	-525	-275	-275	-275	-275
	6	-675	-475	-475	-475	-475
	7	-850	-750	-750	-750	-750
42	1-3	-450	-100	-75	-75	-75
	4	-500	-175	-150	-150	-150
	5	-675	-350	-300	-300	-300
	6	-800	-775	-775	-775	-775
	7	-1000	-950	-950	-950	-950
52	1-4	-825	-775	-775	-775	-775
	5	-875	-825	-825	-825	-825
	6	-1025	-1025	-1025	-1025	-1025
	7	-1225	-1225	-1225	-1225	-1225

Color	Leaf	Staple				
		34	35	36	37	38
33	1 & 2	-500	-500	-500	-500	-500
	3	-500	-500	-500	-500	-500
	4	-600	-600	-600	-600	-600
	5	-800	-800	-800	-800	-800
	6	-1075	-1075	-1075	-1075	-1075
	7	-1225	-1225	-1225	-1225	-1225
43	1-3	-875	-875	-875	-875	-875
	4	-925	-925	-925	-925	-925
	5	-1075	-1075	-1075	-1075	-1075
	6	-1225	-1225	-1225	-1225	-1225
	7	-1425	-1425	-1425	-1425	-1425

Mike	
Range	Diff.
27-29	-1600
30-32	-1000
33-34	-500
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-500

Strength	
(Grams per Tex)	
Range	Diff.
24.0 - 24.9	-500
25.0 - 25.9	-400
26.0 - 26.9	-300
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	75
31.0 - 32.9	125
33.0 & Above	250

Uniformity	
Unit	Diff.
77.9 & Below	-60
78.0 - 78.9	-50
79.0 - 79.9	-40
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	50
83.0 - 83.9	80
84.0 - 84.9	90
85.0 - 85.9	100
86.0 & Above	110

Extraneous Matter		
Type	- Level 1	- Level 2
Prep	-50	-800
Bark	-350	-925
Grass	-350	-925
Seed Coat	-350	-925
Plastic	-4000	-4000
All Other	-350	-925

AMERICAN PIMA SPOT QUOTATIONS							
Color	Leaf	Staple				<div>This is a TEST REPORT. This format becomes official on August 1, 2025. The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on March 6, 2025.</div>	
		44	46	48	50		
1	1	143.75	149.50	151.25	151.25		
	2	143.50	149.25	151.00	151.00		
	3	136.75	144.50	145.50	145.50		
	4						
	5						
	6						
2	1	143.50	149.25	151.00	151.00	Mike	
	2	143.25	149.00	150.75	150.75	Range	Diff.
	3	136.50	144.25	145.25	145.25	26 & below	-2000
	4	126.50	134.75	135.75	135.75	27-29	-1500
	5					30-32	-1000
	6					33-34	-500
3	1	135.25	143.00	144.00	144.00	35 & Above	0
	2	132.75	140.50	141.50	141.50	Strength	
	3	130.50	138.25	139.25	139.25	(Grams per Tex)	
	4	121.50	129.25	130.25	130.25	Range	Diff.
	5	105.50	112.75	113.75	113.75	34.9 & below	-1650
	6					35.0 – 35.9	-1400
4	1	116.50	124.25	126.00	126.00	36.0 – 36.9	-1150
	2	116.25	124.00	125.25	125.25	37.0 – 37.9	-800
	3	115.00	122.75	123.75	123.75	38.0 – 38.9	0
	4	110.00	117.75	118.75	118.75	39.0 – 39.9	0
	5	98.75	106.50	107.50	107.50	40.0 & Above	0
	6					Extraneous Matter	
5	1					Type - Level	Diff.
	2	93.25	103.25	103.25	103.25	Prep - Level 1	-810
	3	93.25	102.75	103.00	103.00	Prep - Level 2	-1095
	4	93.25	97.25	97.25	97.25	Other - Level 1	-715
	5	93.00	97.00	97.00	97.00	Other - Level 2	-1035
	6					Plastic - Level 1	-4000
6	1					Plastic - Level 2	-4000
	2	85.50	88.50	88.50	88.50		
	3	85.50	88.50	88.50	88.50		
	4	85.50	88.50	88.50	88.50		
	5	85.25	88.25	88.25	88.25		
	6	84.75	87.75	87.75	87.75		

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-488	-290	-121	213	488	731	821	877
	3	-563	-315	-138	174	434	699	774	824
	4	-625	-345	-246	68	232	355	396	406
	5	-650	-470	-358	-132	11	83	132	132
	6	-763	-555	-488	-364	-257	-212	-183	-183
	7	-838	-650	-604	-471	-382	-334	-311	-311
31	1 & 2	-650	-335	-183	152	441	681	749	791
	3	-688	-345	-192	127	402	652	716	759
	4	-738	-380	-288	57	204	306	361	376
	5	-763	-530	-404	-171	-39	22	73	73
	6	-850	-600	-517	-389	-298	-260	-234	-234
	7	-938	-695	-633	-486	-411	-371	-349	-349
41	1 & 2	-750	-410	-317	54	186	338	366	405
	3	-788	-420	-321	32	148	286	321	360
	4	-825	-450	-392	62.8	91	200	235	260
	5	-925	-630	-542	-329	-209	-146	-126	-115
	6	-1013	-720	-663	-521	-436	-391	-384	-384
	7	-1113	-825	-796	-654	-575	-542	-537	-537
51	1 & 2	-875	-645	-529	-339	-196	-159	-154	-154
	3	-913	-690	-538	-364	-214	-174	-172	-169
	4	-950	-710	-567	-421	-300	-264	-252	-249
	5	-963	-795	-733	-579	-464	-425	-411	-407
	6	-1063	-880	-842	-704	-643	-607	-596	-596
	7	-1163	-965	-967	-829	-771	-736	-729	-729
61	1-5	-1000	-825	-750	-535	-490	-440	-440	-440
	6	-1163	-940	-895	-710	-670	-620	-620	-620
	7	-1263	-1070	-1015	-820	-760	-715	-715	-715
12 & 22	1 & 2	-638	-340	-217	75	243	381	448	476
	3	-675	-355	-233	46	193	334	394	419
	4	-738	-375	-325	-18	119	244	287	291
	5	-825	-605	-517	-271	-116	-46	-4	-4
	6	-938	-715	-658	-496	-393	-336	-293	-293
	7	-1063	-800	-775	-629	-550	-496	-461	-461
32	1 & 2	-838	-485	-358	-93	43	105	135	153
	3	-888	-505	-375	-118	18	80	106	124
	4	-938	-555	-433	-221	-61	-20	-4	-1
	5	-1063	-765	-633	-443	-329	-286	-271	-271
	6	-1188	-845	-796	-614	-511	-482	-468	-468
	7	-1300	-945	-900	-736	-657	-636	-621	-621
42	1-3	-925	-630	-521	-318	-164	-121	-107	-104
	4	-1000	-675	-554	-368	-232	-186	-175	-164
	5	-1150	-840	-708	-518	-382	-346	-339	-329
	6	-1363	-930	-833	-671	-600	-582	-568	-564
	7	-1438	-1005	-958	-807	-732	-718	-707	-707
52	1-4	-1188	-845	-750	-614	-546	-518	-504	-500
	5	-1250	-925	-854	-689	-629	-618	-600	-596
	6	-1475	-1060	-1000	-843	-789	-771	-757	-757
	7	-1563	-1160	-1129	-979	-936	-907	-896	-896
62	1-5	-1300	-1045	-970	-765	-740	-715	-695	-695
	6	-1513	-1215	-1140	-930	-900	-870	-845	-845

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1113	-925	-850	-463	-400	-325	-250	-250
	3	-1175	-963	-888	-488	-425	-350	-275	-275
	4	-1225	-1050	-950	-525	-463	-400	-325	-325
	5	-1338	-1138	-1063	-650	-588	-513	-438	-438
	6	-1475	-1238	-1150	-763	-675	-600	-525	-525
	7	-1563	-1338	-1250	-850	-788	-713	-638	-638
33	1 & 2	-1238	-940	-800	-569	-532	-500	-479	-479
	3	-1238	-940	-800	-572	-536	-504	-479	-479
	4	-1325	-990	-863	-636	-589	-557	-532	-461
	5	-1463	-1045	-967	-786	-736	-707	-682	-682
	6	-1550	-1135	-1063	-904	-875	-850	-825	-825
	7	-1638	-1265	-1167	-1033	-1000	-975	-950	-950
43	1-3	-1300	-980	-833	-644	-607	-571	-546	-546
	4	-1375	-1025	-883	-697	-646	-607	-582	-582
	5	-1488	-1075	-979	-837	-786	-754	-729	-729
	6	-1600	-1165	-1075	-940	-914	-889	-864	-864
	7	-1688	-1290	-1183	-1065	-1039	-1014	-989	-989
53	1-4	-1450	-1125	-1021	-818	-783	-754	-725	-725
	5	-1538	-1200	-1117	-909	-879	-846	-817	-817
	6	-1675	-1325	-1213	-1018	-975	-942	-913	-913
	7	-1750	-1390	-1350	-1147	-1117	-1083	-1054	-1054
63	1-5	-1663	-1300	-1220	-996	-965	-940	-905	-905
	6	-1763	-1395	-1305	-1085	-1050	-1025	-990	-990
34	1 & 2	-1388	-1200	-1113	-688	-675	-613	-550	-550
	3	-1388	-1200	-1113	-688	-675	-613	-550	-550
	4	-1513	-1325	-1213	-788	-775	-713	-650	-650
	5	-1600	-1413	-1325	-913	-900	-838	-775	-775
	6	-1775	-1588	-1500	-1113	-1088	-1025	-963	-963
44	1-3	-1500	-1313	-1225	-788	-775	-713	-663	-663
	4	-1575	-1413	-1275	-838	-825	-763	-713	-713
	5	-1650	-1475	-1363	-938	-925	-863	-813	-813
	6	-1825	-1638	-1550	-1150	-1125	-1063	-1013	-1013
54	1-4	-1600	-1438	-1350	-888	-888	-825	-788	-788
	5	-1688	-1513	-1400	-1000	-988	-925	-888	-888

Mike		Strength		Uniformity		Extraneous Matter		
Range	Diff.	(Grams per Tex)		Unit	Diff.	Type	- Level 1	- Level 2
24 & Below	-1675	Range	Diff.	77.9 & Below	-90	Prep	-186	-715
25-26	-1334			78.0 - 78.9	-78	Bark	-440	-743
27-29	-1033	22.0 - 23.9	-619	79.0 - 79.9	-59	Grass	-550	-828
30-32	-683	24.0 - 24.9	-523	80.0 - 80.9	0	Seed Coat	-429	-774
33-34	-483	25.0 - 25.9	-463	Base 81.0 - 81.9	0	Plastic	-4000	-4000
Base 35-36	0	26.0 - 26.9	-288		8	All Other	-429	-774
37-42	15	Base 27.0 - 28.9		83.0 - 83.9	28			
Base 43-49	0	29.0 - 29.9	3	84.0 - 84.9	35			
50-52	-333	30.0 - 30.9	30	85.0 - 85.9	42			
53 & Above	-434	31.0 - 32.9	53	86.0 & Above	49			
		33.0 & Above	79					



Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-130	180	420	650	729
	3	-150	140	365	620	688
	4	-255	65	230	367	399
	5	-365	-125	20	110	162
21	1 & 2	-130	180	420	650	729
	3	-150	140	365	620	688
	4	-255	65	230	367	399
	5	-365	-125	20	110	162
31	1 & 2	-200	125	380	602	667
	3	-210	100	340	575	635
	4	-295	55	200	319	374
	5	-410	-155	-25	45	99
41	1 & 2	-330	45	165	322	359
	3	-335	30	142	274	316
	4	-415	0	82	184	226
	5	-550	-310	-210	-133	-106
51	1 & 2	-540	-270	-180	-138	-131
	3	-550	-295	-195	-148	-146
	4	-580	-360	-290	-245	-228
	5	-735	-525	-460	-420	-400
12	1 & 2	-235	70	205	314	376
	3	-255	50	160	269	321
22	1 & 2	-235	70	205	314	376
	3	-255	50	160	269	321
32	1 & 2	-380	-110	10	72	104
	3	-400	-135	-10	52	79
Strength	25.0 - 25.9	-437				

Source: USDA, AMS Cotton and Tobacco Market News
Memphis, Tennessee | 901-384-3016 |cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>