

D  
751  
12900  
(2.1)  
75

ALBERT R. MANN  
LIBRARY  
ITHACA, N. Y. 14850  
JAN 15 1976



# **crop production**

## **1975 ANNUAL SUMMARY**

- ACREAGE
- YIELD
- PRODUCTION

**CrPr 2-1(76)**

**January 15, 1976**

**CROP REPORTING BOARD**

**STATISTICAL REPORTING SERVICE • U.S. DEPARTMENT OF AGRICULTURE • WASHINGTON, D.C.**

INDEX NUMBERS OF CROP PRODUCTION  
UNITED STATES, 1966-75 (1967=100)

YEAR	PRODUCTION							
	ALL 1/	FEED GRAINS	HAY AND FORAGE	FOOD GRAINS	SUGAR CROPS	COTTON	TOBACCO	OIL CROPS
1966	95	89	96	88	100	130	96	97
1967	100	100	100	100	100	100	100	100
1968	103	95	99	105	113	148	87	114
1969	104	99	101	98	115	137	91	116
1970	101	89	100	91	114	139	97	117
1971	112	116	106	107	117	145	86	121
1972	113	112	105	102	128	187	88	131
1973	120	115	109	113	112	175	88	155
1974	110	93	104	120	105	155	101	127
1975	122	113	108	141	130	112	111	151

1/ INCLUDES HAY SEEDS, PASTURE SEEDS AND COVER-CROP SEEDS, AND SOME MISCELLANEOUS CROP PRODUCTION NOT INCLUDED IN SEPARATE GROUPS OF CROPS SHOWN.

The CROP PRODUCTION report contains State and National estimates with related information on selected agricultural commodities. These data were prepared and adopted by the Crop Reporting Board which consists of commodity statisticians from the Statistical Reporting Service's field offices and Washington headquarters.

A P P R O V E D:



ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

B. M. Graham, Chairman,  
M. L. Koehn, Secretary,  
J. W. Kirkbride, J. R. Kendall,  
J. L. Aschwege, D. J. Fedewa,  
D. A. Brown, J. R. Gibson III,  
E. A. Finch, R. H. Hettinger,  
W. G. Hamlin, D. G. Loos,  
E. S. Lippert, D. A. Martin,  
C. E. Lund, H. M. Nishimoto,  
J. C. McCall, H. K. Rowley,  
N. V. Perkins, H. J. Tippett,  
C. D. Spillman, D. H. Von Steen.

UNITED STATES CROP SUMMARY  
(DOMESTIC UNITS)

CROP AND UNIT	AREA HARVESTED			YIELD PER ACRE			PRODUCTION			
	1973	1974	1975	1973	1974	1975	1973	1974	1975	
	1,000 ACRES						1,000			
CORN FOR GRAIN 1/	BU	61,894	65,357	66,905	91.2	71.4	86.2	5,646,806	4,663,631	5,766,991
WHITE CORN (10 STATES)	BU	509	611	631	81.5	64.3	67.6	41,465	39,295	42,646
CORN FOR SILAGE	TON	8,921	10,623	9,713	12.6	10.4	11.7	112,620	110,537	113,356
CORN FOR FORAGE		581	758	602						
SORGHUM FOR GRAIN	BU	15,853	13,876	15,484	58.7	45.3	49.0	930,012	629,222	758,454
SORGHUM FOR SILAGE	TON 2/	842	719	729	11.4	9.7	10.0	9,606	6,972	7,259
SORGHUM FOR FORAGE		2,156	2,179	1,607						
OATS	BU	14,065	13,206	13,650	47.4	46.5	48.1	666,867	613,777	656,862
BARLEY	"	10,452	8,168	8,711	40.3	37.2	44.0	421,527	304,112	382,980
ALL WHEAT	"	53,869	65,613	69,656	31.7	27.4	30.6	1,705,167	1,796,187	2,133,803
WINTER	"	38,474	47,043	51,544	33.1	29.6	32.0	1,272,744	1,390,144	1,651,209
DURUM	"	2,884	4,099	4,670	27.2	19.8	26.4	78,455	81,245	123,182
OTHER SPRING	"	12,511	14,471	13,442	28.3	22.4	26.7	353,968	324,798	359,412
RICE	CWT 3/	2,170.2	2,536.0	2,802.0	4,274	4,432	4,555	92,765	112,594	127,624
RYE	BU	1,033	897	814	25.4	21.5	22.0	26,263	19,293	17,875
SOYBEANS FOR BEANS	"	55,796	52,368	53,606	27.7	23.2	28.4	1,547,165	1,214,802	1,521,370
FLAXSEED	"	1,692	1,673	1,500	9.5	8.1	9.7	16,091	13,541	14,557
PEANUTS HARVESTED										
FOR NUTS	LB	1,495.7	1,472.1	1,500.2	2,323	2,491	2,577	3,473,837	3,667,604	3,866,615
POPCORN	"	148.8	188.7	221.1	2,495	2,036	2,333	371,280	384,200	515,770
COTTON LINT	BALE 3/	11,970.2	12,566.6	9,060.3	520	441	441	12,974.0	11,540.1	8,326.6
COTTON SEED	TON							5,016	4,556.9	3,260.4
ALL HAY	"	62,099	60,571	61,863	2.17	2.10	2.15	134,751	127,143	132,917
ALFALFA HAY	"	27,787	26,817	27,057	2.85	2.78	2.87	79,144	74,672	77,761
ALL OTHER HAY	"	34,312	33,754	34,806	1.62	1.55	1.58	55,607	52,471	55,156
DRY EDIBLE BEANS	CWT 3/	1,367.7	1,541.7	1,447.1	1,198	1,320	1,188	16,389	20,343	17,196
DRY EDIBLE PEAS	" 3/	136.4	213.0	188.5	1,221	1,515	1,449	1,665	3,228	2,731
POTATOES										
WINTER	CWT	14.0	13.7	14.3	204	214	202	2,855	2,933	2,887
SPRING	"	98.9	103.4	84.5	214	242	237	21,213	25,032	19,994
SUMMER	"	125.1	133.3	115.5	172	191	180	21,478	25,421	20,824
FALL	"	1,066.6	1,140.4	1,042.7	238	253	261	253,866	288,674	271,942
TOTAL	"	1,304.6	1,390.8	1,257.0	230	246	251	299,410	342,060	315,647
SWEET POTATOES		113.2	121.7	119.4	111	114	114	12,534	13,921	13,642
TOBACCO	LB	886.6	962.6	1,083.5	1,965	2,067	2,016	1,742,105	1,989,728	2,184,075
SUGARBEETS	TON	1,217.5	1,212.6	1,515.8	20.1	18.2	19.3	24,499	22,123	29,270
SUGARCANE FOR										
SUGAR AND SEED	"	741.0	734.1	773.4	34.9	33.8	36.8	25,827	24,812	28,499
PEPPERMINT FOR OIL	LB	58.7	61.0	67.9	54	54	55	3,173	3,302	3,720
SPEARMINT FOR OIL	"	24.9	26.1	27.7	54	56	62	1,348	1,455	1,704
TARO	"	.5	.5	.5	18,400	19,200	16,200	8,478	8,835	7,466
COFFEE	"	2.5	2.5	2.0	1,200	620	900	3,040	1,540	1,800
HOPS	"	31.4	32.4	32.1	1,744	1,759	1,742	54,769	56,979	55,913
CRANBERRIES	BBL	22.8	23.1	23.0	92.1	96.8	90.8	2,014.3	2,122.0	2,088.4
APPLES, COM'L	LB							6,225,000	6,484,000	7,171,700
PEACHES	"							2,604,900	2,892,700	2,818,000
PEARS	TON							723.6	737.1	753.9
GRAPES	"							4,193.2	4,185.5	4,338.4
SWEET CHERRIES	"							153.6	143.6	153.6
TART CHERRIES	"							87.0	132.3	123.1
PLUMS (CALIF)	"							97.0	145.0	126.0
DRIED PRUNES (CALIF)	"							205.0	142.0	150.0
PRUNES AND PLUMS,										
OTHER STATES	"							66.6	67.2	69.2
APRICOTS	"							157.7	93.6	169.5
AVOCADOS 4/	"							73.3	123.9	
DATES	"							23.6	23.8	23.7
FIGS	"							41.9	44.2	35.0
NECTARINES	"							85.5	115.0	116.1
OLIVES	"							70.0	58.5	65.5
PERSIMMONS	"							2.0	2.5	2.1
POMEGRANATES	"							3.8	5.9	6.0
BANANAS	LB							7,295	6,600	6,100
PAPAYAS	"							32,824	37,224	40,052
ALMONDS	TON							134.0	189.0	159.0
FILBERTS	"							12.3	6.7	10.5
PECANS	LB							275,700	137,100	250,200
WALNUTS	TON							175.0	156.5	196.2

UNITED STATES CROP SUMMARY CONTINUED

CROP AND UNIT	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES						1,000		
CITRUS FRUITS							1972-73	1973-74	1974-75
ORANGES BOX							224,660	216,210	237,910
GRAPEFRUIT "							65,640	65,500	61,370
LEMONS "							22,200	17,800	29,400
LIMES "							1,100	1,050	1,100
TANGELOS "							3,100	3,700	4,700
TANGERINES "							5,130	4,840	5,250
TEMPLES "							5,100	5,300	5,300

PRINCIPAL CROPS 5/ 310,805 318,948 324,808

1/ INCLUDES WHITE CORN. 2/ GREEN WEIGHT. 3/ YIELD IN POUNDS. 4/ YEAR OF BLOOM. 5/ CROP ACREAGES INCLUDED ARE CORN, SORGHUM, OATS, BARLEY, WHEAT, RICE, RYE, SOYBEANS, FLAXSEED, PEANUTS, POPCORN, COTTON, ALL HAY, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES, SWEETPOTATOES, TOBACCO, SUGARCANE, SUGARBEETS.

UNITED STATES CROP SUMMARY  
(METRIC UNITS)

CROP	AREA HARVESTED			YIELD PER HECTARE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 HECTARES			QUINTALS			1,000 METRIC TONS		
CORN FOR GRAIN	25,048	26,449	27,076	57.3	44.8	54.1	143,435	118,462	146,488
WHITE CORN	206	247	255	51.1	40.4	42.5	1,053	998	1,083
CORN FOR SILAGE	3,610	4,299	3,931	283.0	233.3	261.6	102,167	100,277	102,817
CORN FOR FORAGE	235	307	244						
SORGHUM FOR GRAIN	6,416	5,615	6,266	36.8	28.5	30.7	23,623	15,983	19,266
SORGHUM FOR SILAGE	341	291	295	255.5	217.4	223.2	8,714	6,325	6,585
SORGHUM FOR FORAGE	873	882	650						
OATS	5,692	5,344	5,524	17.0	16.7	17.3	9,680	8,909	9,534
BARLEY	4,230	3,306	3,525	21.7	20.0	23.7	9,178	6,621	8,338
ALL WHEAT	21,800	26,553	28,189	21.3	18.4	20.6	46,407	48,885	58,073
WINTER	15,570	19,038	20,859	22.2	19.9	21.5	34,638	37,834	44,939
DURUM	1,167	1,659	1,890	18.3	13.3	17.7	2,135	2,211	3,352
OTHER SPRING	5,063	5,856	5,440	19.0	15.1	18.0	9,633	8,840	9,782
RICE	878.3	1,026.3	1,133.9	47.9	49.7	51.1	4,208	5,098	5,789
RYE	418	363	329	16.0	13.5	13.8	667	490	454
SOYBEANS FOR BEANS	22,580	21,193	21,694	18.6	15.6	19.1	42,107	33,061	41,405
FLAXSEED	685	677	607	6.0	5.1	6.1	409	344	370
PEANUTS HARVESTED									
FOR NUTS	605.3	595.7	607.1	26.0	27.9	28.9	1,576	1,664	1,754
POPCORN	60.2	76.4	89.5	27.9	22.8	26.1	168	174	234
COTTON LINT	4,844.2	5,085.6	3,666.6	5.8	4.9	4.9	2,824.7	2,512.5	1,812.9
COTTON SEED							4,550	4,134.0	2,957.8
ALL HAY	25,131	24,513	25,036	48.6	47.1	48.2	122,244	115,342	120,581
ALFALFA HAY	11,245	10,853	10,950	63.8	62.4	64.4	71,798	67,741	70,544
ALL OTHER HAY	13,886	13,660	14,086	36.3	34.8	35.5	50,446	47,601	50,037
DRY EDIBLE BEANS	553.5	623.9	585.6	13.4	14.8	13.3	743	923	780
DRY EDIBLE PEAS	55.2	86.2	76.3	3.8	16.9	16.3	76	146	124
POTATOES									
WINTER	5.7	5.5	5.8	226	242	226	129	133	131
SPRING	40.0	41.8	34.2	241	272	265	962	1,135	907
SUMMER	50.6	53.9	46.7	192	214	202	974	1,153	945
FALL	431.6	461.5	422.0	267	284	292	11,515	13,094	12,335
TOTAL	527.9	562.7	508.7	257	276	281	13,580	15,515	14,318
SWEETPOTATOES	45.8	49.3	48.3	124	128	128	569	631	619
TOBACCO	358.8	389.6	438.5	22.0	23.2	22.6	790	903	991

UNITED STATES CROP SUMMARY CONTINUED  
(METRIC UNITS)

CROP	AREA HARVESTED			YIELD PER HECTARE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 HECTARES			QUINTALS			1,000 METRIC TONS		
SUGARBEETS	492.7	490.7	613.4	451	409	433	22,225	20,070	26,553
SUGARCANE FOR SUGAR AND SEED	299.9	297.1	313.0	781	758	826	23,430	22,509	25,854
PEPPERMINT FOR OIL	23.8	24.7	27.5	.6	.6	.6	1.4	1.5	1.7
SPERMINT FOR OIL	10.1	10.6	11.2	.6	.7	.7	.6	.7	.8
TARO	.2	.2	.2	190	200	170	3.8	4.0	3.4
COFFEE	1.0	1.0	.8	14.0	7.0	10.0	1.4	.7	.8
HOPS	12.7	13.1	13.0	19.5	19.7	19.5	24.8	25.8	25.4
CRANBERRIES	9.2	9.3	9.3	99.3	104	102	91.4	96.3	94.7
APPLES, COM'L							2,824	2,941	3,253
PEACHES							1,182	1,312	1,278
PEARS							656.4	668.7	683.9
GRAPES							3,804.0	3,797.0	3,935.7
SWEET CHERRIES							139.3	130.3	139.3
TART CHERRIES							78.9	120.0	111.7
PLUMS (CALIF)							88.0	129.7	114.3
DRIED PRUNES (CALIF)							186.0	128.8	136.1
PRUNES AND PLUMS OTHER STATES							60.4	61.0	62.8
APRICOTS							143.1	84.9	153.8
AVOCADOS							66.5	112.4	
DATES							21.4	21.6	21.5
FIGS							38.0	40.1	31.8
NECTARINES							77.6	104.3	105.3
OLIVES							63.5	53.1	59.4
PERSIMMONS							1.8	2.3	1.9
POMEGRANATES							3.4	5.4	5.4
BANANAS							3.3	3.0	2.8
PAPAYAS							14.9	16.9	18.2
ALMONDS							121.6	171.5	144.2
FILBERTS							11.2	6.1	9.5
PECANS							125	62	104
WALNUTS							158.8	142.0	178.0
CITRUS FRUITS							1972-73	1973-74	1974-75
ORANGES							8,833	8,515	9,294
GRAPEFRUIT							2,428	2,442	2,264
LEMONS							766	613	1,014
LIMES							39.9	38.1	39.9
TANGELOS							127	151	192
TANGERINES							202	191	207
TEMPLES							209	217	217
PRINCIPAL CROPS	125,780	129,076	131,447						

## 1975 CROP PRODUCTION LARGEST OF RECORD

Total crop production reached a new high in 1975, exceeding the 1973 record and rebounding sharply from the low 1974 level. Increased acres harvested primarily accounted for the new record production, as only soybeans of the major crops had a record yield.

The "ALL CROPS" production index (1967=100) of 122 for 1975 was 12 points (11 percent) above the 1974 level and 2 points (2 percent) above the 1973 record. All crop groupings except cotton exceeded last year's levels. Food grains and sugar crops were the major groups setting records.

### ACREAGES OF PRINCIPAL CROPS UP

Acreage of principal crops planted or grown in 1975 totaled 333 million acres, up 1 percent from 1974. Major increases occurred in winter wheat, durum wheat, rice and soybeans.

Acreage of principal crops harvested in 1975 totaled 325 million acres, 2 percent above 1974. Producers harvested more acres of corn for grain, sorghum for grain, oats, barley, winter wheat, durum wheat, rice, popcorn, soybeans, sugarbeets, sugarcane, tobacco and hay.

### 1975 CROP SEASON

Weather again played a dominant role in the 1975 crop production as periods of either too hot and dry or too cool and wet occurred in major growing areas. However, despite these interruptions, growers in many areas were able to harvest record crops. Extremely wet conditions early in the spring caused much concern to farmers, as they were having difficulty for the second year in a row with spring fieldwork. The excellent fall in 1974 permitted many growers in the North Central States to get much of their plowing for corn and soybeans finished before freeze-up. When the weather finally broke, crops were planted at a record pace as farmers worked long hours to finish up. Crops in the North Central States made excellent growth, while cold and wet conditions plagued some Southern States. Hot, dry July weather caused much stress on crops in the west North Central States, except in the Red River Valley of North Dakota and Minnesota where extensive flooding occurred in late June - early July. Rains fell over much of the Corn Belt just in time to relieve severe stress conditions and favorable weather allowed crops to mature rapidly. A late frost and excellent drying conditions enabled both early and late planted crops to be harvested with high quality. The 1975 harvest of most row crops got off to an early start and finished ahead of both 1974 and normal.

Fall seeded small grains moved into the 1974-75 winter season in generally good condition in most major growing areas. However, inadequate moisture and snowcover in some areas as well as spotty stands in parts of the Northern Plains and the Northwest were of concern. Winter wheat came through the winter with no severe problems, except for the dry areas of Colorado and western Kansas. By May 1 winter wheat prospects were generally fair to good. However, growth and development were lagging behind normal because of subnormal temperatures during the spring growing season. Prospects in Kansas, the Nation's top wheat producing State, varied considerably but overall prospects were good with development 1 to 2 weeks later than normal. Harvest of the crop got off to a slow start and was behind normal in the southern Great Plains on June 1. A late maturing crop plus rain and humid weather delayed small grain harvest over much of the Nation's midsection during June. This resulted in only 29 percent of the U.S. crop being harvested by July 1, trailing the progress of 51 percent a year earlier and the normal 40 percent. By late August over 95 percent of the Nation's winter wheat crop had been harvested, somewhat behind the normal progress.

Rain, snow and poor drying conditions restricted field activity except in some Southern States during most of March. Field preparations for planting and seeding the 1975 crops were behind schedule in most States although plowing for corn and soybeans, including fall plowing, was ahead of normal across the heart of the Corn Belt from Iowa to Ohio. Heavy rains caused considerable flooding in the South Central States and left fields too wet and soft for heavy machinery. In contrast, row crop planting progressed ahead of normal in much of Texas and southern Louisiana. Farmers throughout the Nation had difficulty keeping up-to-date with their spring field activities in April as rain and subnormal temperatures limited drying for any length of time. Plowing and field preparations, seeding small grains and planting row crops were behind the 1974 and normal levels in most States. Oat seeding in Illinois, Indiana and Ohio was nearing completion ahead of normal and plowing was also advanced in all three States. Elsewhere in the North Central States, oat seeding was far behind normal and was barely underway in Minnesota and North Dakota by May 1. Iowa farmers were plagued with wet soil conditions and weren't able to do much of any fieldwork until the last week of April. By May 4, only 7 percent of the intended corn acreage had been planted in this region, much behind the excellent pace in 1974 of 27 percent and normal 16 percent. Fieldwork continued fairly steady in the South Atlantic States. However, subnormal temperatures kept soil temperatures below normal for good seed germination and heavy rains caused flooding from southern South Carolina to northern Florida. In the South Central States, cool temperatures slowed growth and development of small grains in nearly all areas except southern Texas. Land preparations and seeding were behind normal in most Western States as late snow storms and cool temperatures limited field activity.

Corn planting, off to a slow start, accelerated in the first full week of May and moved ahead of both the 1974 and average pace at mid-month. By June 1, 1975, 96 percent of the U.S. corn acreage was in the ground, ahead of the 83 percent of 1974 and the usual 89 percent. Corn planting in the North Central States was 97 percent finished. Iowa was through and Illinois was virtually complete. Corn planting in the Southern States was nearly complete by June 1. Soybean planting also moved ahead of both the 1974 and average pace at mid-May. The U.S. crop as of June 1 was 67 percent in the ground, ahead of both the 1974 rate of 42 percent and the usual 53 percent. North Central States were 80 percent completed. In Illinois, 87 percent was in, compared with the slow pace of 16 percent in 1974. South Atlantic States were near normal in planting progress, while South Central States were behind 1974 and average as a result of wet weather. Sorghum planting at 66 percent complete continued ahead of both the 1974 and usual pace on June 1. Excessive rain in most growing areas delayed cotton plantings and progress remained far behind schedule through mid-May. Favorable weather during the latter part of May allowed rapid planting progress in most areas except Oklahoma and Texas. Planting on June 1 was virtually complete in the Western States, while planting in the 11 major Southern States was 83 percent complete, 4 percent behind 1974 and 5 percent below normal.

Row crops were generally in good condition through June. Corn in the North Central States was in good to excellent condition and development was considerably ahead of 1974 and normal progress. Moisture supplies were adequate to surplus in the major producing areas during much of June. Height of corn averaged considerably above last year and normal in many Corn Belt States. In the North Central States, soybean growth and development were favored by continued above normal temperatures. Planting was virtually complete by the end of June except for Kansas, Michigan, Missouri and some second cropped acreage in other areas. Soybean planting was 92 percent complete in the South Atlantic States and 88 percent finished in the South Central States by late June. Soybean stands and condition in the South were mostly good although emergence was slow where soil moisture was short. Sorghum condition on July 1 was considered mostly good. Planting progressed slowly during the month in several States, but adequate moisture in much of the major producing area favored good emergence and growth. Cotton development showed improvement and ranged from fair to excellent condition by July 1.

Extreme dryness or wetness was the norm rather than the exception for July. Hot, dry weather over much of the Corn Belt, particularly the western areas, caused noticeable stress to the corn crop and reduced production prospects. By August 1, corn in most States was in fair to good condition and crop progress continued ahead of 1974, except in Kansas and Nebraska. Illinois, with the aid of localized thundershowers, maintained a good to excellent crop. In the South and East, frequent rain showers during the latter half of July were very beneficial to the corn crop. Dry weather also plagued soybeans in Iowa, but development of the crop remained ahead of 1974 and normal during the month. In Illinois, the percent of plants setting pods was 70 percent compared with 17 percent in 1974 and average 35 percent. Hot, dry conditions in much of the Great Plains caused much stress to row crops, while wet and cool weather prevailed in much of the Southeast and Atlantic Coast States.

August weather was highly variable and above normal temperatures continued to push development of crops toward maturity. The month began by bringing unwanted rain to the deep South and much needed rain to some North Central States. Soil moisture supplies were replenished in many States and by late August were the best in several weeks in most of the northern producing area. Corn and soybean development was much ahead of 1974 and normal by September 1, while cotton progress continued near the 1974 level in most States. Also, a larger than normal portion of the corn acreage was considered free from frost. Cooler temperatures during most of September slowed crop development over much of the eastern half of the Nation. In spite of the weather, however, harvest of corn for grain continued ahead of normal. Frost in late September in northern areas of the North Central States aided drying and combining of corn and soybeans. Cooler than normal weather caused unfavorable growing conditions in the Delta States and extreme temperature changes in west Texas near mid-September resulted in premature defoliation of cotton.

Warm, dry weather during October favored row crop harvesting in the Plains and Corn Belt States, but rains frequently interrupted harvest from southeast Texas northward into the North Atlantic States and eastward into parts of Georgia, the Carolinas and Virginia. By November, harvest of corn, soybeans, and sorghum was much ahead of the pace in 1974 and normal. Cotton picking made good progress in some States and was slow in others. November weather was also nearly ideal for harvesting. By December 1, nearly all row crops had been harvested in the North Central States and sorghum harvesting was virtually complete in the Plains States. Cotton harvesting varied considerably from State to State, but continued to trail the usual pace. Some small acreages of late soybeans still remained to be harvested on January 1 in Georgia, Mississippi, North Carolina, Oklahoma and South Carolina, otherwise corn and soybean harvesting was generally complete. Cotton harvesting made excellent progress until late December. Harvest in the 11 major Southern States was nearly 98% finished, ahead of both 1974 and normal. Harvest remained active in Georgia, Mississippi, Oklahoma, and Texas in early January, but was nearly complete in Arizona and California.

CORN: Production of corn for grain in 1975 is estimated at a record 5,767 million bushels, 24 percent above last year and 2 percent above 1973, the previous record. The record crop was the result of larger acreage and improved yields over 1974 and increased acreage over 1973. The U. S. yield averaged 86.2 bushels per acre, up nearly 15 bushels from last year but down 5 bushels from 1973. Record yields occurred in 10 States, the most notable being Illinois which exceeded its previous record by 6 bushels per acre. An additional two States equaled existing record yields.

Acres harvested for grain in 1975 are estimated at 66.9 million acres, 2 percent above last year and 8 percent above 1973, and the largest acreage harvested since 1960.

Corn cut for silage is estimated at 9.7 million acres, 9 percent below last year but 9 percent above 1973. Silage production totaled 113.3 million tons, 3 percent above 1974. Average yield per acre of 11.7 tons compares with 10.4 tons in 1974.

Growers planted 77.9 million acres, a slight increase from the 77.8 million planted last year. Acres harvested for all purposes totaled 77.2 million, putting abandonment at 0.9 percent compared with 1.4 in 1974.

Planting in the Corn Belt States got off to a slow start but progressed rapidly after mid-May. By June 1, 97 percent of the acreage was planted compared with the slow 1974 pace of 81 percent and normal of 89 percent. Planting progress was equal to or ahead of normal on June 1 in the South Atlantic and South Central States. A cool, wet spring in the Western States delayed plantings and some acreage still remained to be planted at mid-June.

On July 1, much of the Nation's corn crop was in good to excellent condition. Soil moisture was generally adequate to surplus over much of the Corn Belt and hot, humid weather promoted development ahead of normal. Crop conditions began to change, however, as hot, dry weather during July through mid-August over much of the mid-West, particularly the Western and Northern Corn Belt, caused noticeable stress and reduced earlier production prospects. These areas showed the greatest effects of the extended dry period, and crop condition was extremely variable within States. Long-awaited rains helped relieve stress, but generally occurred too late to improve crop condition. Illinois, Indiana, and Ohio received timely rainfall and along with favorable temperatures during August helped maintain the crop in good to excellent condition.

Weather during the fall was near perfect for field drying the corn crop and as a result harvest progress continued far ahead of 1974 and average. By November 23, the U. S. crop was 98 percent harvested, compared with 86 percent in 1974 and 84 percent average. Harvest in the South Atlantic and South Central regions was generally behind last year.

WHITE CORN: Production of white corn varieties in the 10 States surveyed is estimated at 42.6 million bushels, 9 percent above last year's production of 39.3 million bushels. Acreage harvested as grain totaled 631,000 acres, up 3 percent from 1974. Yields averaged 67.6 bushels per acre, compared with 64.3 bushels last year.

Estimates of white corn acreage and production are included in the estimates of all corn and corn for grain in this publication.

SORGHUM: Production of sorghum for grain in 1975 is estimated at 758 million bushels, up 21 percent from the 1974 output but down 18 percent from the 1973 record production of 930 million bushels. Producers harvested 15.5 million acres of grain compared with 13.9 million acres the previous year and 15.9 million in 1973. Yield per harvested acre averaged 49.0 bushels, 3.7 bushels more than last year but 9.7 bushels less than the 1973 yield.

Sorghum for silage production totaled 7.3 million tons in 1975, up 4 percent from 1974 but 24 percent below 1973. There were 729 thousand acres cut for silage, 1 percent more than 1974 but 13 percent less than 1973. Average yield per acre was 10.0 tons compared with 9.7 and 11.4 tons for 1974 and 1973, respectively.

Sorghum for forage was produced on 1.6 million acres compared with 2.2 million acres during 1974. Texas, Kansas, and Oklahoma accounted for nearly three-fourths of the total acreage utilized for forage in 1975.

Producers planted 18.3 million acres of sorghum for all purposes and harvested 17.8 million acres for grain, silage and forage during 1975. Abandonment of seeded acres averaged 2.5 percent compared with 5.1 percent in 1974.

Sorghum planting in the 7 major producing States was 85 percent complete in mid-June, ahead of the 1974 plantings of 81 percent and the normal pace of 84 percent. Sorghum prospects were generally favorable until July when hot weather and short moisture conditions occurred throughout most of the major growing areas. Grain yield expectations declined each month from the first report issued in the August Crop Report to the current level.

OATS: The 1975 production of oats is estimated at 657 million bushels, 7 percent more than the 1974 output but slightly less than the 1973 crop. The increased 1975 output was influenced by more acres being harvested for grain with higher average yield. Acres abandoned and used for purposes other than grain accounted for 21.5 percent of the planted acreage compared with 26.5 percent for the 1974 acreage. Yield per harvested acre averaged 48.1 bushels compared with 46.5 bushels last year.

Oat plantings were off to a slow start due to unfavorable spring conditions but once farmers were able to get in the fields, rapid progress was made and seeding was completed near normal dates. Prospects in the important North Central States were good to excellent early in the season but delined each forecast month as unusually dry and hot temperatures prevailed during July and most of August. Even with declining prospects during the season, yields in the North Central States, except Iowa and Wisconsin, were better than the 1974 drought-stricken crop.

Harvest started in late May and early June in the Southern States and continued to move northward. By August 1, harvest was active in South Dakota, Minnesota, Wisconsin, and Illinois and was just getting a good start in North Dakota.

BARLEY: The 1975 production of barley totaled 383 million bushels, 26 percent above the 1974 crop but 9 percent below 1973. The improvement of the 1975 crop over last year's poor crop was influenced by increased acres harvested for grain and higher average yield.

Acreage harvested for grain is estimated at 8.7 million acres, 7 percent above the 8.2 million acres harvested in 1974 but 17 percent below 1973. Yield per acre averaged 44.0 bushels, up nearly 7 bushels from last year, and the third highest yield of record.

The 1975 spring barley crop got off to a slow start as plantings were delayed in the major producing States due to cool, wet weather. The crop continued to develop behind normal during the growing season but was benefited by favorable rainfall in most areas. Extensive flooding in the Red River Valley of Minnesota and North Dakota in late June resulted in sizable loss of acreage. Harvest was nearly complete in the major States by September 1, slightly ahead of normal. However, in Montana only 25 percent of the crop was harvested by September 1 and in the northern portion some fields still remained unharvested by November 1. Favorable weather aided by adequate soil moisture benefited the barley crop in California. Harvest was a little late but progressed normally with fair weather.

ALL WHEAT: Production of all wheat in 1975 totaled a record high 2,134 million bushels, 19 percent above the previous high of 1,796 million bushels set in 1974 and 25 percent above the 1973 output. Average yield per harvested acre of the 1975 crop, at 30.6 bushels, is well above the relatively low 1974 yield of 27.4 but below the 31.7 bushel average realized in 1973. Wheat was harvested from 69.7 million acres--6 percent above a year earlier and 29 percent above 1973.

WINTER WHEAT: The 1975 winter wheat crop totaled a record high 1,651 million bushels, 19 percent above production a year earlier and 30 percent above 1973. The current crop is the third consecutive record high production as a result of increasing acreage and good yields. The increased production was harvested from 51.5 million acres--the largest acreage since 1949, 10 percent more than in 1974, and 34 percent above the 1973 acreage. Yield per harvested acre of the 1975 crop averaged 32.0 bushels for the Nation, well above the weather plagued 1974 crop average of 29.6 bushels, but less than the 33.1 bushels realized in 1973.

Planted acreage, at 56.2 million, was 7 percent above the 1974 acreage and the largest since 1953. Percent harvested, at 92, was up from a year earlier and the highest since 1961.

Conditions from planting through harvest of the 1975 winter wheat crop were near normal for the Nation. As usual, however, localized areas suffered from dry weather--especially western Kansas, Colorado and parts of Nebraska. There were also some localized disease problems, weather too cool and wet for good growth and too much rain at harvest time.

Winter wheat prospects were generally bright on December 1, 1974 as the crop went into the winter. However, inadequate moisture and snow cover in some areas as well as spotty stands in sections of the Northern Plains and the Northwest were of some concern. The crop came through the winter with no severe problems except for the dry areas of Colorado and western Kansas.

By May 1, winter wheat prospects were generally fair to good. However, growth and development was lagging behind normal because of subnormal temperatures during the spring growing season. Prospects in Kansas, the Nation's top wheat producing State, varied considerably but overall prospects were good with development 1 to 2 weeks later than normal. Dry conditions continued to persist in the western part of the State. In south central and central Kansas, soil borne mosaic had been common in many fields although visible effects had declined.

Harvest of the crop got off to a slow start and was behind normal in the southern Great Plains on June 1. About 9 percent of the Texas crop and very little of the Oklahoma crop was harvested by then. Elsewhere in the Great Plains and the Pacific Northwest, crop maturity was a week or more behind normal, with moisture adequate and temperatures continuing cool. The eastern wheat States were reporting improved prospects but some armyworm and disease problems.

A late maturing crop plus rain and humid weather delayed small grain harvest over much of the Nation's midsection during June. This resulted in only 29 percent of the U. S. crop being harvested by July 1, trailing the progress of 51 percent a year earlier and normal of 40 percent. By the end of August over 95 percent of the Nation's winter wheat crop had been harvested, somewhat behind usual progress. In Montana and the Pacific Northwest, the only area with acreage left to be harvested, progress was considerably behind normal due to late maturity and wet harvest weather.

DURUM WHEAT: The Nation's durum wheat production in 1975 totaled a record high 123 million bushels. This is 52 percent above the late planted, drought plagued 1974 output and 57 percent above the 1973 crop when acreage was much lower. Both acreage and yield of the 1975 crop were up sharply from a year earlier. Acreage harvested, at 4.7 million, was up 14 percent from 1974 and 62 percent above 1973. The U.S. average yield at 26.4 bushels per harvested acre was well above last year's average 19.8 bushels but below the 27.2 bushels in 1973.

Seeding of durum wheat in the major areas got off to a late start due to cool, wet weather but made rapid progress during late May and was completed by early June. Cool damp weather delayed crop development during June in all major producing areas. Torrential rains at the end of the month caused severe flooding in the southern part of the Red River Valley in North Dakota and Minnesota. Hot dry weather hit the Dakotas during July but weather was favorable elsewhere.

Combining of the crop began and progressed at a normal pace until about mid-August when it was delayed by cool, wet weather. Much of the North Dakota crop laid in the swath for several weeks, resulting in some quality deterioration.

The durum wheat program is being expanded to recognize the new production in the Southwest beginning in 1975. The expansion was largely prompted by the introduction of new varieties and has been particularly significant in Arizona. The 1975 estimate for California shown in this report includes total California production. Previously, estimates of durum wheat acreage, yield and production were for Minnesota, Montana, North Dakota, South Dakota and the Tulalake area of California. Estimates for Arizona and New Mexico will begin with the 1976 crop and will appear initially in the Prospective Planting Report to be issued January 21, 1976. Durum wheat produced in Arizona and New Mexico in 1975 was included in the total winter wheat estimates for those States.

SPRING WHEAT OTHER THAN DURUM: Production of spring wheat other than durum in 1975 totaled 359 million bushels, 11 percent above the weather plagued 1974 crop and 2 percent above the 1973 crop. The increase in production over a year earlier is the result of higher yields on fewer acres harvested. Acreage harvested in 1975 is estimated at 13.4 million, 7 percent below the previous year but 7 percent above the 1973 acreage. Planted acres for 1975 totaled 14.1 million, off 5 percent from the previous year. In North Dakota, the leading State, planted acres were down 5 percent and harvested acres were off 8 percent.

Seeding of spring wheat got off to a slow start as cool damp weather delayed progress. Conditions improved in late May and by early June the crop was seeded. By July 1, development was behind normal in the major producing States as cool damp weather during June slowed growth. Only 7 percent of the crop in North Dakota was in the heading to flowering stage on July 1, well behind the normal 22 percent. The wet June weather was followed by a month of hot, dry weather in the Dakotas and Minnesota causing stress on the crop. July conditions in Montana, however, were favorable.

Torrential rains during late June caused severe flooding in the southern part of the Red River Valley in North Dakota and Minnesota. As a result large acreages of spring wheat in the affected areas were completely lost or damaged.

Spring wheat harvest was well behind normal as of September 1 as a result of wet, cool weather. However, harvest made good progress during September and was virtually complete by October 1 in the Dakotas and Minnesota. Montana experienced some harvest delays because of continued wet weather and was 85 percent complete.

RICE: Production of rice in 1975 is estimated at a record high 127.6 million cwt. reflecting a sharp increase in acreage over the previous year and a better than average yield. The 1975 crop is 14 percent above 1974 output and 38 percent above 1973. The acreage harvested in 1975 totaled a record large 2.8 million acres, up 10 percent from a year earlier and 29 percent above 1973. Yield per harvested acre at 4,555 pounds exceeded last year's average of 4,432 and the relatively low 1973 average of 4,274 pounds.

Estimates of production by length of grain classes and the change from the preceding year are: long grain, 63.1 million cwt., up 5 percent; medium grain, 51.9 million cwt., up 26 percent; and short grain, 12.6 million cwt., up 14 percent.

Conditions for rice production were generally favorable for the 1975 crop except for some planting problems caused by excessive rain in much of the rice producing area and wet harvest conditions in Louisiana. In Arkansas, the leading rice producing State, the 1975 crop year was reasonably favorable. Planting conditions were good but temperatures during the growing season were extremely high at times, causing a reduction of pollination. Harvest weather in Arkansas was nearly ideal.

Harvest of the Louisiana crop was slowed by frequent rains, causing considerable lodging with some rotting and sprouting of grain. Wet, cool spring weather in Texas delayed planting and hampered seed germination. In many areas rain and cloudy weather during the critical heading of the first crop held down yield. Harvest of the first crop was later than normal. Conditions during the growing and harvest season for the second crop varied but were generally favorable in most areas.

In California, 1975 was somewhat of an unusual year for rice production. Planting was delayed by cool spring temperatures with completion 10 days to 2 weeks late. Early summer temperatures generally held on the cool side but from mid-August through September temperatures were above normal. Conditions were apparently ideal for heavy fall as yields were good. Harvest weather was favorable

RYE: The 1975 rye crop totaled 17.9 million bushels, 7 percent below production the previous year and 32 percent below the 1973 crop. Rye was harvested from 814,000 acres, 9 percent less than a year earlier and the smallest of record. Yield per acre, at 22.0 bushels, was 0.5 bushel above the low 1974 average but well below the more normal 25.4 bushel outturn in 1973.

Farmers seeded rye on 3.2 million acres for the 1975 crop, 1 percent below 1974 and 11 percent below the 1973 crop. Twenty-six percent of the 1975 crop was harvested for grain compared with 28 percent in 1974 and 29 percent in 1973.

At seeding time for the 1975 crop, moisture was short in the major grain producing area of the Northern Great Plains. This resulted in poor stands and restricted fall growth. Dry weather also prevailed in this area during the spring and summer growing season resulting in a low yielding crop. Average yield in the Dakotas and Minnesota was 4.5 to 11 bushels lower than the good yields realized in 1973. In Georgia, the leading southern producing State, yield was 3 bushels below a year earlier.

SOYBEANS: The 1975 soybean crop totaled 1,521 million bushels, the second largest crop of record. Increased acreage and higher yields from last year resulted in the increased production. The 1975 production is 25 percent more than last year but 2 percent less than the 1973 record crop of 1,547 million bushels. U.S. yield averaged 28.4 bushels per acre, the highest of record and compares with 23.2 bushels last year and 27.7 bushels for 1973.

Farmers planted 54.6 million acres, an increase of 2 percent from the 1974 crop but 4 percent less than the record 1973 crop. Planting of the crop was completed earlier than normal this year. Exceptions were Mississippi and Louisiana, where spring floods delayed planting. Growing conditions were good to excellent in most States except Iowa where dry conditions prevailed during the summer. Conditions improved during September in most States.

Weather conditions allowed harvest to progress faster than normal and three-fourths of the U.S. soybean crop had been harvested by November 1 compared with 68 percent last year and 65 percent average. By the end of November 95 percent of the crop was harvested, still slightly ahead of last year and normal.

FLAXSEED: Flaxseed production for 1975 is estimated at 14.6 million bushels, up 8 percent from last year's short crop. Growers planted 1.6 million acres, down 8 percent from 1974 and 7 percent below 1973 plantings. There were 1.5 million acres harvested in 1975, 10 percent below 1974 and 11 percent less than 1973. Flaxseed yield averaged 9.7 bushels per acre, 20 percent above last season's poor yield of 8.1 bushels. The average yield in 1973 was 9.5 bushels. Abandonment in both 1975 and 1974 was higher than normal because of unfavorable weather conditions. Also, some flaxseed acreage was lost during 1975 in the Red River Valley due to extensive flooding in late June- early July.

PEANUTS: Peanut production is estimated at 3,867 million pounds, a record high and 5 percent above the previous record set in 1974. Harvested acreage totaled 1,500,200 acres, 28,100 more than last year. The average yield of 2,577 pounds is 86 pounds higher than the 1974 yield. Georgia, the largest producing State, has the highest average yield -- 3,320 pounds, up 100 pounds from a year ago.

The Virginia-North Carolina crop totaled 662 million pounds, 3 percent less than 1974 production. Most of the production decrease occurred in Virginia where yields were 95 pounds below a year ago. For the area, the average yield of 2,471 pounds is 48 pounds less than 1974. Heavy rains accompanied by low land flooding occurred in mid-July and late September throughout the two-State area causing some acreage abandonment and lower yields.

The Southeastern crop totaled a record 2,483 million pounds, 6 percent above the previous record set last year. The average yield of 3,094 pounds is 137 pounds higher than the 1974 yield. Although this year's crop was slow in maturing, fall weather was favorable for a late harvest.

In the Southwest, 1975 production is estimated at nearly 722 million pounds, up 12 percent from last year's production but 3 percent below the record 1973 production. Yields for the area averaged 1,679 pounds, up 107 pounds from a year ago. Favorable weather conditions during the growing and harvest seasons aided crop development and harvesting progress.

POPCORN: Production of popcorn in 1975 totaled 516 million pounds of shelled corn. This is 34 percent above a year earlier and 39 percent above the 1973 crop. The increase in production over a year earlier is the result of a larger acreage and higher average yield. Yellow varieties accounted for about 89 percent of total 1975 production, down from 92 percent for the previous crop but the same as in 1973.

Starting with this report, popcorn yield and production data will be published in terms of shelled corn rather than on an ear corn basis. This is in accordance with the rapid trend to field shelling in harvesting (combining) the crop. Eighty-two percent of the 1975 crop was field shelled, up from 77 percent a year earlier and 66 percent in 1973.

Weather conditions for popcorn production were generally favorable but not ideal. Planting was completed on schedule and early season moisture was mostly adequate. However, dry weather during July and August reduced potential yield. Harvest weather was favorable and quality of the crop is good.

COTTON: All cotton is forecast at 8,326,600 bales, 28 percent below 1974 and 36 percent below the 1973 crop. Expected production consists of 8,270,800 bales of Upland cotton and 55,800 bales of American-Pima. Cottonseed production, based on a three year average lint-seed ratio, is forecast at 3.3 million tons, 28 percent below 1974.

Growers expect to harvest 9.1 million acres for the 1975 crop, 28 percent below 1974 and 24 percent below 1973. Average lint yield per harvested acre is forecast at 441 pounds, the same as 1974 and 79 pounds below 1973. Planted acreage totaled 9.7 million acres, 29 percent below 1974. Acreage abandoned was 7 percent compared with 8 percent for 1974.

In Texas and Oklahoma, Upland cotton growers expect to harvest 2.6 million bales, 7 percent below last year. In Texas, extreme temperature variations in September sharply lowered yield prospects and quality suffered. The Oklahoma crop suffered heavy insect damage.

In the Delta States--Mississippi, Arkansas, Louisiana, Tennessee, and Missouri--a cotton crop of 2.5 million bales is forecast, 30 percent below last year. The crop was late and growing conditions were unfavorable much of the season. Insects were numerous. Fall weather was beneficial and harvest progressed rapidly.

Production in the Southeastern States--Georgia, Alabama, South Carolina, and North Carolina--is forecast to total 596,000 bales, 56 percent below 1974. Growing conditions varied throughout the season and occasionally slowed development and maturity. Insects were troublesome and difficult to control. Harvest progress was slowed by wet conditions.

The California, Arizona, and New Mexico Upland crop is forecast at 2.6 million bales, down 31 percent from 1974. The crop was late but growing conditions were good. Harvest progressed rapidly.

The Bureau of the Census reports 7,618,365 bales ginned to January 1 compared with 10,598,365 bales ginned to the same date a year earlier and 11,601,087 bales to January 1, 1974.

HAY: All hay production for 1975 totaled 132.9 million tons, the second largest crop of record. The 1975 production is 5 percent more than last year's small crop of 127.1 million tons but 1 percent less than the record 1973 crop of 134.8 million tons. Acres harvested and average yield both increased from last year.

Alfalfa hay production totaled 77.8 million tons, an increase of 4 percent from last year but 2 percent less than the 1973 crop. Acres harvested showed a 1 percent increase to 27.1 million acres. Yield per acre at 2.87 tons per acre is up from last year's 2.78 tons and 1973 at 2.85. Most States have yields equal to or exceeding last year's level. Wisconsin and California, the two leading States produced slightly less than last year. Minnesota, Iowa, and Nebraska, the next ranked States produced more alfalfa hay.

All other hay production totaled nearly 55.2 million tons, an increase of 5 percent from last year but 1 percent less than 1973. The acreage harvested is up 3 percent and yield per acre of 1.58 tons compares with 1.55 tons last year.

DRY EDIBLE BEANS: Production of dry edible beans in 1975 is estimated at 17.2 million cwt., down 15 percent from the record high 20.3 million cwt. produced in 1974, but 5 percent more than the 1973 crop. Growers planted nearly 1.50 million acres this year, 8 percent less than in 1974. Abandoned acreage amounted to 3.3 percent leaving almost 1.45 million acres for harvest, 6 percent below the 1974 harvested total.

Production of Navy Pea Beans was down 42 percent from 1974. Of the other major classes, Great Northerns and Red Kidneys were down 34 and 3 percent, respectively from a year earlier, while Pintos were up 34 percent and Pinks were 12 percent higher than 1974.

Wet weather in Michigan, the largest producing State, was responsible for only 40 percent of the crop being planted by mid-June compared with an average of 52 percent. Hot weather in late July through early August resulted in a light pod set. Heavy rains in late August reduced quality by causing discoloration and mold. Early harvesting was delayed by frequent rains but conditions were favorable after late September.

Early planting progressed on schedule in New York, North Dakota, and Montana but cool, wet weather delayed late seeding operations in most other areas. Cool spring weather also delayed development in Washington and Idaho.

New York's harvest went smoothly after a slow start. Harvesting in Washington and Idaho was later than usual as wet weather kept some growers out of their fields. Wyoming's harvest was slightly behind normal this year and California's late harvest was slowed by damp nights.

DRY EDIBLE PEAS: Production of dry peas (excluding Austrian Winter and Wrinkled seed peas) in 1975 is 2,731,000 cwt., 15 percent below 1974 but 64 percent above 1973.

Alaska pea production (including other smooth green kinds) was 2,245,000 cwt. down 11 percent from the 2,536,000 cwt. produced last year. Production of "Canadian" peas (including First and Best and other smooth white and yellow peas) totaled 486,000 cwt. compared with 692,000 cwt. produced in 1974.

The production in 1975 was harvested from 188,500 acres, 24,500 acres less than 1974 but 52,100 acres more than 1973. Yields averaged 1,449 pounds per acre compared with 1,515 in 1974 and 1,221 in 1973.

Wrinkled pea production (not included in all dry peas) was 931,000 cwt. in 1975 compared with 1,033,000 cwt. in 1974 and 912,000 cwt. in 1973.

Planting in Washington was about a month late, ending about the first of June. Soil moisture was good but severe heat in early July stressed the plants and pods did not fill properly. Idaho and Oregon also experienced a reduced yield from 1974.

POTATOES: Production from the 1975 potato crop totaled 315.6 million cwt., 8 percent below the record production of 342.1 million cwt. set in 1974. Harvested acreage totaled 1.26 million acres compared with 1.39 million acres harvested in 1974 and 1.30 million in 1973. The average yield was a record high 251 cwt. per acre, up 2 percent from the previous record of 246 cwt. set in 1974.

The winter crop production of 2.89 million cwt. in 1975 is 2 percent below the 1974 production of 2.93 million cwt. Reduced yields in California accounted for the slightly smaller production. Average yields for the two States declined from 214 cwt. per acre in 1974 to 202 in 1975.

Spring production for 1975 at 20.0 million cwt. is 20 percent below the 25.0 million cwt. harvested in 1974 and 6 percent below the 21.2 million cwt. produced in 1973. A reduction in harvested acreage, 84.5 thousand compared with 103.4 thousand acres harvested in 1974, accounts for most of the decline in production. Yields declined 5 cwt. from 1974 to an average of 237 cwt. per acre in 1975. Production was lower in all States in 1975. California, the leading Spring State, accounted for a substantial portion of the reduction with a decline of 3.2 million cwt. from 1974.

The summer production totaled 20.8 million cwt., down 18 percent from the 1974 crop of 25.4 million cwt. Decreases occurred in both harvested acreage and average yield per acre in 1975. Harvested acreage at 115.5 thousand acres, was off 13 percent from the 133.3 thousand acres harvested in 1974. Yields averaged 180 cwt. per acre, 6 percent below the 191 cwt. average for 1974. Excessive moisture in several eastern States during the growing and harvest season reduced yields and adversely affected quality of the crop.

The 1975 fall potato crop is estimated at 271.9 million cwt., 6 percent below the 288.7 million cwt. harvested in 1974 but 7 percent above 1973. The 1975 crop was harvested from 1.04 million acres, 9 percent less than 1974 and 2 percent below the 1973 acreage. The average yield is estimated at a record 261 cwt. per acre, 8 cwt. above the 1974 yield. The largest increase in average yield from a year ago occurred in western States.

In the eight eastern States, production is estimated at 48.0 million cwt., down 20 percent from the 1974 crop of 60.3 million cwt. Most of the reduction occurred in Maine as a result of reduced acreage and yield.

The eight central States, with estimated production of 53.9 million cwt., harvested 17 percent fewer fall potatoes than the 65.4 million cwt. harvested in 1974. Harvested acreage declines in Minnesota and North Dakota account for most of the production decline in the central States.

Production in the nine western States, at 170.0 million cwt., increased 4 percent from the 163.0 million cwt. harvested in 1974. Increases in acreage and yields in both Washington and Oregon account for most of this production increase.

SWEETPOTATOES: Production of sweetpotatoes in 1975 totaled 13.6 million cwt., 2 percent below the 13.9 million cwt. produced in 1974. The 1975 crop was produced from 119.4 thousand acres, a 2 percent decrease from the 121.7 thousand acres harvested in 1974. The average yield for 1975 equals the record 114 cwt. per acre set in 1974.

Excessive moisture in Louisiana during the growing season resulted in lower yields and reduced quality. In North Carolina, yields averaged above a year ago and in combination with the increase in harvested acreage resulted in a production of 4.6 million cwt., up 19 percent from the 3.9 million harvested in 1974.

TOBACCO: All tobacco production for 1975 is estimated at 2,184 million pounds, 10 percent above the 1974 crop of 1,990 million pounds. The higher poundage results largely from a 14 percent increase in flue-cured and 4 percent gain in burley.

Acreage for harvest totaled 1,083,460 acres, up 13 percent from the 962,620 acres harvested in 1974. Flue-cured acreage increased 16 percent, fire-cured 11 percent, and burley 7 percent. Acreage utilized for cigar filler and cigar wrapper was below 1974.

Flue-cured production is placed at 1,413 million pounds, up 14 percent from the 1974 poundage of 1,241 million pounds. The higher production can be attributed to a 16 percent increase in harvested acreage. The 1975 crop was harvested from 717,200 acres and yielded 1,970 pounds per acre compared with 2,014 pounds the previous year.

Burley production is estimated at 638.3 million pounds, up 4 percent from the 1974 crop of 612.6 million pounds. The higher production in 1975 results from a 7 percent increase in acreage. Yield per acre is indicated at 2,292 pounds, down from the 2,350 pound average in 1974.

Southern Maryland output of 24.2 million pounds is 20 percent below the 30.2 million pounds produced last year. Lower yields and a 4 percent reduction in acreage harvested contributed to the lower production.

Fire-cured poundage is expected to total 37.0 million pounds, up from the 31.9 million pounds produced in 1974. Acreage for 1975 was up 11 percent but yield at 1,576 pounds per acre was down 5 percent from 1974.

Dark Air-cured types are expected to total 15.0 million pounds, up 20 percent from the 12.5 million pounds produced in 1974. The increase in production reflects a 14 percent increase in acreage and a higher average yield per acre.

Cigar filler types are estimated at 25.0 million pounds, 14 percent below the 1974 output. Less acreage for harvest and lower average yield are responsible for the decline in output.

Cigar binder production is placed at 23.4 million pounds, up 12 percent from the previous year. Acreage for harvest at 12.5 million acres is 15 percent above the previous year. The 1975 average yield of 1,880 pounds per acre compares with 1,934 pounds last year.

Cigar wrapper tobacco is expected to total 8.0 million pounds, 27 percent below 1974. Less acreage for harvest and lower average yield are responsible for the decline in output.

Louisiana Perique production is placed at 60,000 pounds. The crop was harvested from 150 acres with an average yield of 400 pounds per acre.

SUGAR: The 1975 production of raw sugar from sugarcane and sugarbeets is estimated at 6.68 million tons, up 23 percent from the 5.43 million tons produced in 1974. Sugar (raw) from sugarbeets is expected to total 3.84 million tons, 32 percent above the 1974 production. Raw sugar from cane in Florida, Louisiana, and Texas is estimated at 1.73 million tons, 18 percent above the 1974 output of 1.47 million tons. Hawaii's raw sugar production is set at 1.10 million tons, up 6 percent from the previous year.

Sugarcane production for sugar in 1975 is expected to total 27.5 million tons, 16 percent more than the 23.7 million ton crop of 1974. Yield per acre is 37.4 tons compared with 34.4 tons in 1974.

The 1975 crop was harvested from 735,500 acres, 7 percent more than 1974. Florida harvested 286,700 acres, an 11 percent increase, while Hawaii, at 105,600 acres, harvested 10 percent more and Texas at 35,200 acres harvested was up 27 percent. Louisiana harvested 308,000 acres the same as in 1974.

Sugarbeet production is estimated at a record 29.3 million tons, up 32 percent from 1974 and 3 percent above the previous record of 28.4 million tons in 1972. The increase in 1975 production from a year earlier is due primarily to a 25 percent increase in acreage although average yield was also above 1974.

Plantings in Michigan, Oregon, Idaho, Montana and Wyoming were delayed by cool wet weather and yields in Idaho and Wyoming were reduced from a year earlier. Considerable acreage was drowned out by heavy rains in Minnesota and North Dakota during late June and early July. Harvest conditions were good, with weather mostly clear and frost free through October.

MINT FOR OIL: Production of peppermint oil in 1975 was 3.7 million pounds, 13 percent more than in 1974. Acreage harvested increased 11 percent to 67,900 acres for the largest acreage since 1970. Yield per acre increased from 54 pounds in 1974 to 55 in 1975.

In Oregon, the largest producing State, a cool summer with much rain followed by poor harvest conditions limited yield to 56 pounds.

Spearmint production was 1.7 million pounds, up 17 percent from a year earlier. Acreage harvested increased 6 percent to 27,700 acres and yield per acre increased 6 pounds to 62 pounds. Cool, wet weather early in the season slowed growth of Washington's spearmint, but with improved growing conditions, yields were average or better.

TARO: Hawaiian taro (used primarily for poi) amounted to 7.5 million pounds in 1975. This is 15 percent less than the 1974 crop and 12 percent less than 1973.

COFFEE: The 1975-76 Hawaiian coffee crop is estimated at 1.8 million pounds (Parchment basis), 17 percent above the previous season but 41 percent below the 1973-74 season

HOPS: U. S. 1975 production of hops totaled 55.9 million pounds, a decrease of 2 percent from 1974 but 2 percent above 1973. Harvested acreage at 32,100 acres, decreased 300 acres from 1974 and the average yield, at 1,742, dropped 17 pounds.

Washington production, accounting for two-thirds of the total crop, was off 3 percent from 1974. Cool spring weather delayed early growth of hops, but hot, dry weather in early July spurred development. Record amounts of rainfall in mid-August fell just as harvest was beginning. Late rains and hot September weather caused rapid ripening and some deterioration. Idaho's production was off 12 percent but California and Oregon respectively had 2 and 12 percent larger crops than in 1974.

CITRUS: The 1974-75 citrus crop is 9 percent above the previous season and 5 percent above the previous record set in 1972-73. Orange production at 237.9 million boxes (10.2 million tons) is up 10 percent from the 1973-74 season. Grapefruit production at 61.4 million boxes (2.5 million tons) is 6 percent below the previous season and 7 percent less than the 1972-73 crop. Other citrus fruits with 1974-75 season production above the previous season are: lemons 65 percent, tangelos 27 percent, tangerines 8 percent, and limes 5 percent.

AREA HARVESTED, UNITED STATES, 1966-75

YEAR	CORN FOR GRAIN	SORGHUM FOR GRAIN	OATS	BARLEY	FEED GRAIN 1/	WHEAT		
						WINTER	DURUM	OTHER SPRING
1,000 ACRES								
1966	57,002	12,813	17,877	10,250	97,942	38,616	2,423	8,574
1967	60,694	14,988	16,110	9,230	101,022	45,039	2,754	10,560
1968	55,980	13,890	17,708	9,732	97,310	41,929	3,621	9,215
1969	54,574	13,437	17,971	9,557	95,539	36,303	3,420	7,423
1970	57,358	13,568	18,638	9,725	99,289	32,702	2,105	8,757
1971	64,047	16,301	15,772	10,151	106,271	32,359	2,864	12,451
1972	57,421	13,368	13,525	9,707	94,021	34,840	2,550	9,894
1973	61,894	15,853	14,065	10,452	102,264	38,474	2,884	12,511
1974	65,357	13,876	13,206	8,168	100,607	47,043	4,099	14,471
1975	66,905	15,484	13,650	8,711	104,750	51,544	4,670	13,442

YEAR	RICE	RYE	FOOD GRAINS 2/	SOYBEANS FOR BEANS	FLAXSEED	CORN		SORGHUM	
						FOR SILAGE	FOR FORAGE	FOR SILAGE	FOR FORAGE
1,000 ACRES									
1966	1,967.2	1,276	52,856	36,546	2,576	7,934	931	1,089	2,064
1967	1,970.1	1,063	61,386	39,805	1,975	8,363	977	1,036	2,327
1968	2,353.4	996	58,114	41,391	2,092	7,879	746	908	2,504
1969	2,128.4	1,291	50,565	41,337	2,605	7,892	597	798	2,600
1970	1,814.7	1,427	46,806	42,249	2,848	8,065	654	741	2,167
1971	1,817.9	1,754	51,246	42,701	1,545	8,770	706	1,008	2,717
1972	1,817.9	1,084	50,186	45,698	1,151	8,279	537	850	2,510
1973	2,170.2	1,033	57,072	55,796	1,692	8,921	581	842	2,156
1974	2,536.0	897	69,046	52,368	1,673	10,623	758	719	2,179
1975	2,802.0	814	73,272	53,606	1,500	9,713	602	729	1,607

YEAR	PEANUTS FOR NUTS	POPCORN	COTTON	ALL HAY	DRY EDIBLE BEANS	DRY EDIBLE PEAS
1966	1,420.7	207.1	9,552.6	64,356	1,486	175
1967	1,403.5	161.9	7,997.3	63,303	1,205	176
1968	1,438.4	185.3	10,159.3	60,922	1,424	181
1969	1,455.7	182.6	11,051.1	59,716	1,469	232
1970	1,467.0	136.5	11,155.0	61,492	1,409	256.9
1971	1,454.5	173.7	11,470.9	61,405	1,316	202.7
1972	1,486.4	157.0	12,983.8	59,821	1,402	135.1
1973	1,495.7	148.8	11,970.2	62,099	1,367.7	136.4
1974	1,472.1	188.7	12,566.6	60,571	1,541.7	213.0
1975	1,500.2	221.1	9,060.3	61,863	1,447.1	188.5

YEAR	TARO	COFFEE	HOPS	PEPPERMINT	SPEARMINT
1966	.4	3.7	32.2	58.3	16.6
1967	.4	3.5	29.8	64.8	21.1
1968	.4	3.2	28.4	74.6	24.3
1969	.4	2.9	27.0	80.4	33.3
1970	.5	2.7	27.7	78.4	32.6
1971	.5	2.4	28.9	64.7	30.9
1972	.5	2.4	29.7	57.1	24.6
1973	.5	2.5	31.4	58.7	24.9
1974	.5	2.5	32.4	61.0	26.1
1975	.5	2.0	32.1	67.9	27.7

SEE FOOTNOTES AT END OF TABLE.

AREA HARVESTED, UNITED STATES, 1966-75 CONTINUED

YEAR	SUGAR- BEETS	SUGARCANE		POTATOES	SWEET- POTATOES	TOBACCO	PRINCIPAL CROPS	
		FOR SUGAR & SEED	FOR				PLANTED 3/	HARVESTED 4/
1,000 ACRES								
1966	1,161.1	625.2	1,462.6	154.4	971.9	293,062	283,511	
1967	1,122.1	627.6	1,459.9	139.5	959.8	305,781	295,447	
1968	1,410.1	605.8	1,383.3	135.2	879.3	299,384	289,668	
1969	1,540.5	535.6	1,415.5	136.9	918.3	291,153	280,586	
1970	1,418.6	583.9	1,421.3	127.8	898.3	293,312	283,185	
1971	1,341.9	648.1	1,391.3	113.6	837.6	306,153	295,319	
1972	1,328.7	701.8	1,253.8	114.4	842.4	295,183	283,458	
1973	1,217.5	741.0	1,304.6	113.2	886.6	319,528	310,805	
1974	1,212.6	734.1	1,390.8	121.7	962.6	329,513	318,948	
1975	1,515.8	773.4	1,257.0	119.4	1,083.5	333,260	324,808	

1/ CORN FOR GRAIN, OATS, BARLEY AND SORGHUM FOR GRAIN.

2/ WHEAT, RYE AND RICE.

3/ CROP ACREAGES INCLUDED ARE PLANTED FOR CORN, SORGHUM, OATS, BARLEY, DURUM AND OTHER SPRING WHEAT, RICE, SOYBEANS, FLAXSEED, PEANUTS, POPCORN, COTTON, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES, SWEET-POTATOES, AND SUGARBEETS; HARVESTED ACREAGE FOR WINTER WHEAT, RYE, ALL HAY, TOBACCO AND SUGARCANE.

4/ CROP ACREAGES INCLUDED ARE CORN, SORGHUM, OATS, BARLEY, WHEAT, RICE, RYE, SOYBEANS, FLAXSEED, PEANUTS, POPCORN, COTTON, ALL HAY, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES, SWEETPOTATOES, TOBACCO, SUGARCANE, AND SUGARBEETS.

BEARING AREA OF FRUIT, 1966-75

YEAR	CITRUS	MAJOR	MINOR	TREE	TOTAL FRUITS
	FRUIT 1/	DECIDUOUS FRUITS 2/	FRUITS 3/	NUTS 4/	AND TREE NUTS
1,000 ACRES					
1966	881.1	1,624.4	84.3	280.3	2,870.1
1967	951.7	1,606.1	83.5	287.3	2,928.6
1968	1,001.5	1,602.1	81.9	298.3	2,983.8
1969	1,074.6	1,601.4	81.3	315.3	3,072.6
1970	1,122.4	1,576.5	81.4	340.8	3,121.1
1971	1,185.7	1,543.0	82.8	363.0	3,174.5
1972	1,157.8	1,531.7	84.7	381.4	3,155.6
1973	1,180.6	1,535.3	88.1	396.7	3,200.7
1974	1,188.7	1,560.7	89.2	416.5	3,255.1
1975	1,187.5	1,615.1	93.9	435.8	3,332.3

1/ ORANGES, TANGERINES, TEMPLES, TANGELOS, GRAPEFRUIT, LEMONS, AND LIMES.

2/ COMMERCIAL APPLES, PEACHES, PEARS, GRAPES, CHERRIES, PLUMS, PRUNES, AND APRICOTS.

3/ FIGS, NECTARINES, OLIVES, AVOCADOS, DATES, PERSIMMONS, AND POMEGRANATES.

4/ WALNUTS, ALMONDS, AND FILBERTS.

CROP YIELDS PER ACRE HARVESTED, UNITED STATES, 1966-75

YEAR	CORN FOR GRAIN	SORGHUM FOR GRAIN	OATS	BARLEY	FEED GRAINS	ALL WHEAT	RICE
	BUSHELS				POUNDS	BUSHELS	POUNDS
1966	73.1	55.8	44.9	38.3	3,246	26.3	4,322
1967	80.1	50.4	49.3	40.5	3,542	25.8	4,537
1968	79.5	52.6	53.7	43.8	3,504	28.4	4,425
1969	85.9	54.3	53.7	44.7	3,713	30.6	4,318
1970	72.4	50.4	49.2	42.8	3,224	31.0	4,618
1971	88.1	53.7	55.9	45.7	3,909	33.9	4,718
1972	97.1	60.5	51.2	43.6	4,253	32.7	4,700
1973	91.2	58.7	47.4	40.3	4,008	31.7	4,274
1974	71.4	45.3	46.5	37.2	3,286	27.4	4,432
1975	86.2	49.0	48.1	44.0	3,865	30.6	4,555

YEAR	RYE	SOYBEANS FOR BEANS	FLAXSEED	PEANUTS FOR NUTS	POPCORN 1/	COTTON	ALL HAY
		BUSHELS			POUNDS		TONS
1966	21.8	25.4	9.1	1,700	2,418	480	1.88
1967	22.5	24.5	10.1	1,765	2,687	447	1.98
1968	23.1	26.7	12.9	1,770	2,517	516	2.04
1969	23.4	27.4	13.4	1,742	2,996	434	2.11
1970	25.8	26.7	10.4	2,031	2,447	438	2.06
1971	28.1	27.5	11.8	2,066	3,246	438	2.10
1972	26.9	27.8	12.1	2,203	3,339	507	2.15
1973	25.4	27.7	9.5	2,323	2,495	520	2.17
1974	21.5	23.2	8.1	2,491	2,036	441	2.10
1975	22.0	28.4	9.7	2,577	2,333	441	2.15

YEAR	DRY EDIBLE BEANS	DRY EDIBLE PEAS	POTATOES	SWEET-POTATOES	TOBACCO	SUGAR-BEETS
	POUNDS		CWT		POUNDS	TONS
1966	1,343	1,447	210	89	1,939	17.5
1967	1,263	1,456	209	97	2,050	17.1
1968	1,224	1,507	214	99	1,945	18.0
1969	1,287	1,610	221	105	1,964	18.0
1970	1,235	1,290	229	105	2,122	18.6
1971	1,209	1,939	230	103	2,035	20.2
1972	1,292	1,557	236	109	2,076	21.4
1973	1,198	1,221	230	111	1,965	20.1
1974	1,320	1,515	246	114	2,067	18.2
1975	1,188	1,449	251	114	2,016	19.3

YEAR	TARO	COFFEE	HOPS	PEPPERMINT	SPEARMINT
	POUNDS				
1966	22,500	2,200	1,726	56	63
1967	20,400	1,600	1,661	71	77
1968	21,800	1,800	1,540	55	58
1969	20,500	1,400	1,547	59	59
1970	18,200	1,600	1,656	64	65
1971	18,400	1,200	1,718	58	65
1972	19,600	1,500	1,728	53	61
1973	18,400	1,200	1,744	54	54
1974	19,200	620	1,759	54	56
1975	16,200	900	1,742	55	62

1/ SHELLED CORN BASIS; PRIOR TO 1973, EAR CORN BASIS.

CROP PRODUCTION, UNITED STATES, 1966-75

YEAR	CORN FOR GRAIN	SORGHUM FOR GRAIN	OATS	BARLEY	FEED GRAINS 1/	RYE
	1,000 BUSHELS			1,000 TONS		1,000 BUSHELS
1966	4,167,608	714,992	803,324	392,108	158,977	27,791
1967	4,860,372	755,344	793,800	373,745	178,911	23,949
1968	4,449,542	731,277	950,689	426,151	170,502	22,971
1969	4,687,057	729,919	965,863	427,055	177,379	30,204
1970	4,151,938	683,571	917,159	416,139	160,056	36,840
1971	5,641,112	875,752	881,277	463,601	207,698	49,288
1972	5,573,320	809,264	691,973	423,461	199,947	29,183
1973	5,646,806	930,012	666,867	421,527	204,938	26,263
1974	4,663,631	629,222	613,777	304,112	165,319	19,293
1975	5,766,991	758,454	656,862	382,980	202,415	17,875

YEAR	WHEAT				RICE	FOOD GRAINS 2/	SOYBEANS
	WINTER	DURUM	OTHER SPRING	ALL			
	1,000 BUSHELS				1,000 CWT	1,000 TONS	1,000 BUSHELS
1966	1,057,371	62,638	184,880	1,304,889	85,020	44,176	928,481
1967	1,194,119	66,443	247,036	1,507,598	89,379	50,368	976,439
1968	1,217,555	99,644	239,436	1,556,635	104,142	52,549	1,106,958
1969	1,131,439	108,403	202,837	1,442,679	91,904	48,721	1,133,120
1970	1,091,744	52,771	207,043	1,351,558	83,805	45,769	1,127,100
1971	1,144,164	91,805	381,820	1,617,789	85,768	54,202	1,175,989
1972	1,185,225	72,912	286,799	1,544,936	85,439	51,437	1,270,630
1973	1,272,744	78,455	353,968	1,705,167	92,765	56,528	1,547,165
1974	1,390,144	81,245	324,798	1,796,187	112,394	60,046	1,214,802
1975	1,651,209	123,182	359,412	2,133,803	127,624	70,896	1,521,370

YEAR	FLAXSEED	COTTON		ALL HAY	CORN FOR SILAGE	SORGHUM FOR SILAGE
		LINT 3/	SEED			
	1,000 BUSHELS	1,000 BALES	1,000 TONS		1,000 TONS	
1966	23,390	9,556.8	3,960	120,930	89,683	11,851
1967	20,036	7,443.4	3,210	125,134	94,783	10,236
1968	26,983	10,925.7	4,640	124,244	93,652	9,749
1969	34,929	9,990.2	4,068	126,026	99,161	9,360
1970	29,548	10,192.1	4,068	126,971	93,777	7,206
1971	18,198	10,477.0	4,240	129,119	108,667	10,968
1972	13,909	13,704.1	5,393	128,614	108,520	10,055
1973	16,091	12,974.0	5,016	134,751	112,620	9,606
1974	13,541	11,540.1	4,556.9	127,143	110,537	6,972
1975	14,557	8,326.6	3,260.4	132,917	113,336	7,259

YEAR	TARO	COFFEE	HOPS	PEPPERMINT	SPEARMINT
1966	8,990	8,040	55,568	3,291	1,050
1967	8,155	5,440	49,498	4,599	1,632
1968	9,140	5,700	43,733	4,137	1,414
1969	8,605	4,130	41,763	4,750	1,980
1970	8,555	4,300	45,863	5,007	2,126
1971	8,840	2,930	49,663	3,746	2,008
1972	9,020	3,640	51,309	3,004	1,511
1973	8,478	3,040	54,769	3,173	1,348
1974	8,835	1,540	56,979	3,302	1,455
1975	7,466	1,800	55,913	3,720	1,704

SEE FOOTNOTES AT END OF TABLE.

CROP PRODUCTION, UNITED STATES, 1966-75 CONTINUED

YEAR	DRY	DRY	PEANUTS			
	EDIBLE	EDIBLE	HARVESTED	POPCORN <u>4/</u>	POTATOES	SWEETPOTATOES
	BEANS	PEAS	FOR NUTS			
	1,000 CWT		1,000 POUNDS		1,000 CWT	
1966	19,964	2,532	2,415,731	500,793	307,242	13,669
1967	15,215	2,563	2,477,255	434,942	305,766	13,486
1968	17,435	2,727	2,546,591	466,348	295,401	13,378
1969	18,913	3,736	2,535,394	547,115	312,418	14,370
1970	17,399	3,315	2,979,465	333,974	325,752	13,409
1971	15,917	3,930	3,005,118	563,850	319,354	11,718
1972	18,118	2,103	3,274,761	524,111	295,955	12,453
1973	16,389	1,665	3,473,837	371,280	299,410	12,534
1974	20,343	3,228	3,667,604	384,200	342,060	13,921
1975	17,196	2,731	3,866,615	515,770	315,647	13,642

YEAR	TOBACCO	SUGARBEETS	SUGARCANE	PECANS	ALMONDS	WALNUTS	FILBERTS	TREE
		SUGAR AND	SEED					NUTS
	1,000 POUNDS	1,000 TONS				1,000 TONS		5/
1966	1,884,627	20,342	24,515	80.8	85.1	96.0	12.2	274.1
1967	1,967,911	19,197	26,651	116.0	76.6	76.4	7.5	276.5
1968	1,710,348	25,363	24,825	96.3	74.5	95.6	7.6	274.0
1969	1,803,272	27,736	22,615	113.1	122.0	105.5	7.4	348.0
1970	1,906,453	26,427	23,996	77.6	124.0	111.8	9.3	322.7
1971	1,704,884	27,096	24,172	123.6	134.0	136.4	11.4	405.4
1972	1,749,085	28,410	28,332	91.6	125.0	116.8	10.2	343.6
1973	1,742,105	24,499	25,827	137.9	134.0	175.0	12.3	459.2
1974	1,989,728	22,123	24,812	68.6	189.0	156.5	6.7	420.8
1975	2,184,075	29,270	28,499	115.1	159.0	196.2	10.5	480.8

CROP YEAR	ORANGES	GRAPE-	LEMONS	LIMES	TANGELOS	TEMPLES	CITRUS	
	(INCLUDING)	FRUIT					FRUITS	
<u>6/</u>	TANGERINES							
	7/							
		1,000 BOXES				1,000 TONS		
1965-66	139,650	46,695	15,770	415	1,200	4,500	8,767	
1966-67	187,810	55,676	17,910	420	1,700	5,000	11,436	
1967-68	128,080	44,058	16,850	720	1,700	4,500	8,328	
1968-69	188,090	54,170	15,810	700	1,800	4,500	11,213	
1969-70	189,640	53,910	15,120	725	2,500	5,200	11,344	
1970-71	194,790	60,560	16,450	880	2,700	5,000	11,935	
1971-72	196,480	64,140	16,680	1,100	3,600	5,300	12,160	
1972-73	229,790	65,640	22,200	1,100	3,100	5,100	13,894	
1973-74	221,050	65,500	17,800	1,050	3,700	5,300	13,412	
1974-75	243,160	61,370	29,400	1,100	4,700	5,300	14,582	

SEE FOOTNOTES AT END OF TABLE.

CROP PRODUCTION, UNITED STATES, 1966-75 CONTINUED

YEAR	APPLES	PEACHES	PEARS	GRAPES	OTHER TREE FRUIT 8/
	MILLION POUNDS			1,000 TONS	
1966	5,761.4	3,389.2	748.2	3,733.6	1,197
1967	5,405.5	2,682.9	452.8	3,062.2	1,113
1968	5,446.4	3,568.0	617.7	3,549.0	1,212
1969	6,709.4	3,642.0	711.6	3,897.5	1,298
1970	6,257.4	2,987.8	538.8	3,119.3	1,470
1971	6,080.6	2,862.9	706.9	3,996.7	1,225
1972	5,870.0	2,408.5	608.3	2,569.7	968
1973	6,225.0	2,604.9	723.6	4,193.2	1,477
1974	6,484.0	2,892.7	737.1	4,185.5	1,399
1975	7,171.7	2,818.0	753.9	4,338.4	1,350

YEAR	CRANBERRIES	STRAWBERRIES	TOTAL FRUIT 9/
	1,000 BARRELS	1,000 TONS	
1966	1,571.6	232	19,333
1967	1,404.3	237	20,416
1968	1,466.8	263	18,550
1969	1,823.1	243	22,631
1970	1,844.6	248	21,451
1971	1,639.8	260	22,677
1972	1,976.0	229	20,773
1973	2,014.3	239	25,043
1974	2,122.0	267	24,795
1975	2,088.4	271	26,394

1/ CORN FOR GRAIN, OATS, BARLEY AND SORGHUM FOR GRAIN.

2/ WHEAT, RYE AND RICE.

3/ 480 POUND NET WEIGHT BALES.

4/ SHELLED CORN BASIS; PRIOR TO 1973, EAR CORN BASIS.

5/ PECANS, ALMONDS, WALNUTS AND FILBERTS.

6/ CROP YEAR BEGINS WITH BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH COMPLETION OF HARVEST THE FOLLOWING YEAR. MOST CITRUS FRUIT IS MARKETED DURING THE YEAR FOLLOWING BLOOM.

7/ TANGERINE ESTIMATES SHOWN SEPARATELY ON PAGE B-43.

8/ INCLUDES CHERRIES, PLUMS, PRUNES (FRESH BASIS), APRICOTS, FIGS, DATES, PERSIMMONS, POMEGRANATES, NECTARINES, OLIVES, AND EXCEPT FOR CURRENT YEAR, AVOCADOS.

9/ CITRUS FRUITS, DECIDUOUS FRUITS, CRANBERRIES AND STRAWBERRIES. FOR 1966, INCLUDES SOME QUANTITIES NOT HARVESTED FOR ECONOMIC REASONS AND EXCESS CULLAGE OF HARVESTED FRUIT, EXCEPT CALIFORNIA CLINGSTONE PEACHES WHICH INCLUDE CULLS AND CANNERY DIVERSIONS.

AREA HARVESTED, PRINCIPAL CROPS BY STATES, 1975 WITH COMPARISONS 1/

STATE	1973	1974	1975
1,000 ACRES			
ALA	3,104	3,345	3,551
ARIZ	1,098	1,211	1,208
ARK	7,517	7,531	8,007
CALIF	5,911	6,284	6,416
COLO	5,826	5,762	5,695
CONN	146	152	154
DEL	465	495	502
FLA	1,249	1,340	1,382
GA	4,544	4,896	4,873
HAW	116	101	112
IDAHO	4,078	4,277	4,291
ILL	21,769	22,270	22,825
IND	11,642	12,192	12,260
IOWA	23,606	24,057	24,164
KANS	20,731	21,467	21,661
KY	4,259	4,635	4,700
LA	3,600	3,951	3,660
MAINE	448	438	422
MD	1,383	1,502	1,530
MASS	151	153	153
MICH	5,785	6,188	6,272
MINN	19,746	20,256	20,033
MISS	5,223	5,438	5,558
MO	12,302	12,872	13,240
MONT	8,935	8,949	9,094
NEBR	17,298	17,548	17,707
NEV	479	492	503
N H	108	108	110
N J	390	417	423
N MEX	1,204	966	1,243
N Y	3,872	4,057	4,078
N C	4,522	4,755	4,748
N DAK	19,107	19,436	18,963
OHIO	9,745	10,661	10,730
OKLA	9,521	10,162	10,381
OREG	2,476	2,664	2,640
PA	4,329	4,465	4,476
R I	17	17	17
S C	2,599	2,781	2,741
S DAK	15,140	15,669	15,395
TENN	4,256	4,462	4,606
TEX	21,935	19,581	23,145
UTAH	1,114	1,147	1,155
VT	566	574	580
VA	2,700	2,834	2,854
WASH	4,431	4,772	4,819
W VA	764	755	759
WIS	8,843	9,148	9,164
WYO	1,755	1,713	1,808
U S	310,805	318,946	324,808

1/ CROP ACREAGES INCLUDED ARE CORN, SORGHUM, OATS, BARLEY, WHEAT, RICE, RYE, SOYBEANS, FLAXSEED, PEANUTS, POPCORN, COTTON, ALL HAY, DRY EDIBLE BEANS, DRY EDIBLE PEAS, POTATOES, SWEETPOTATOES, TOBACCO, SUGARCANE AND SUGARBEETS.

AREA PLANTED 1973-75

STATE	ALL CORN			WHITE CORN 1/			ALL SORGHUM		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES								
ALA	694	715	750		46	70	65	70	80
ARIZ	23	21	22				150	160	180
ARK	34	36	50				189	175	230
CALIF	412	416	420				312	234	230
COLO	763	750	800				480	448	510
CONN	50	50	52						
DEL	200	204	204						
FLA	400	452	464						
GA	1,840	2,000	2,020		125	125	60	65	80
IDAHO	110	100	103						
ILL	9,830	10,400	11,000	50	50	45	77	120	80
IND	5,400	5,760	5,850	43	40	42	40	31	26
IOWA	11,970	13,100	13,100	23	15	23	36	34	40
KANS	1,900	2,260	1,950	60	47	55	4,650	4,100	4,100
KY	1,160	1,290	1,330	125	130	130	30	42	36
LA	85	95	80				40	42	41
MAINE	37	40	44						
MD	600	630	645						
MASS	35	35	36						
MICH	2,100	2,310	2,300						
MINN	6,200	6,940	7,000						
MISS	200	205	195				85	85	75
MO	2,800	3,110	3,000	65	70	57	500	520	580
MONT	92	99	90						
NEBR	6,480	6,800	6,480	17			2,220	2,170	2,050
NEV	3	3	3						
N H	19	19	20						
N J	120	127	131						
N MEX	60	77	100				403	343	353
N Y	1,000	1,100	1,130						
N C	1,550	1,720	1,700				110	110	110
N DAK	544	533	500						
OHIO	3,300	3,950	3,750	4					
OKLA	128	124	120				1,160	930	970
OREG	43	42	45						
PA	1,490	1,530	1,550						
R I	4	4	4						
S C	500	600	620				31	32	32
S DAK	3,870	3,800	3,570				400	385	395
TENN	720	760	780	101	91	99	62	52	51
TEX	750	900	1,200	50	45	50	8,100	7,500	8,000
UTAH	90	95	100						
VT	88	88	94						
VA	734	750	745				31	28	26
WASH	112	79	80						
W VA	100	107	104						
WIS	3,200	3,490	3,500						
WYO	72	71	71						
U S	71,912	77,787	77,902	538	659	696	19,231	17,676	18,275

SEE FOOTNOTES AT END OF TABLE, PAGE B-14.

AREA PLANTED 1973-75

STATE	OATS 2/			BARLEY 2/			ALL WHEAT		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES								
ALA	84	100	110				140	185	185
ARIZ				145	120	130	236	250	325
ARK	110	110	100				305	470	630
CALIF	366	344	365	1,070	1,020	1,220	627	816	1,075
COLO	130	115	120	289	252	280	2,544	2,834	2,773
CONN									
DEL				29	30	31	29	35	37
FLA	32	33	31				55	52	40
GA	198	230	240	15	12	10	165	215	160
IDAHO	81	81	85	835	720	775	1,200	1,550	1,480
ILL	550	540	570	18	18	15	1,390	1,790	1,790
IND	359	275	320	13	13	12	740	1,440	1,560
IOWA	1,850	1,800	1,830				40	66	79
KANS	140	270	190	90	60	60	10,800	12,000	12,800
KY	50	42	42	67	60	48	241	460	450
LA	24	24	20				60	80	70
MAINE	44	45	49						
MD	31	31	28	110	110	113	125	158	170
MASS									
MICH	350	370	400	24	21	23	585	950	1,030
MINN	2,690	2,150	2,100	903	804	950	2,056	2,860	3,117
MISS	70	80	85				135	195	231
MO	90	250	180	17	16	14	980	1,450	1,660
MONT	510	420	400	2,100	1,400	1,360	4,235	5,020	5,130
NEBR	545	660	690	34	30	38	2,800	3,000	3,200
NEV	8	8	10	18	16	16	16	20	22
N H									
N J	9	10	11	39	40	40	50	60	63
N MEX				35	28	36	390	429	463
N Y	370	390	405	13	13	13	151	220	200
N C	160	160	165	74	70	70	230	310	345
N DAK	2,120	1,670	1,500	2,860	2,110	2,130	8,940	10,500	10,627
OHIO	600	530	540	15	15	15	755	1,580	1,820
OKLA	350	320	270	270	150	110	6,000	7,000	7,400
OREG	140	125	140	270	215	200	1,100	1,278	1,260
PA	405	420	405	172	170	170	276	360	360
R I									
S C	150	160	150	29	30	28	120	180	170
S DAK	2,480	2,500	2,530	671	560	600	2,518	3,255	3,240
TENN	120	123	120	29	28	26	207	395	405
TEX	2,100	1,800	1,400	150	90	110	4,600	5,600	6,500
UTAH	23	21	22	147	144	144	285	319	302
VT									
VA	90	85	80	117	125	123	195	300	330
WASH	112	113	115	380	325	420	3,345	3,280	3,180
W VA	30	22	30	11	11	11	17	21	21
WIS	1,500	1,470	1,470	22	20	37	29	83	100
WYO	76	70	68	148	148	148	266	288	295
U S	19,147	17,967	17,386	11,229	8,994	9,526	58,978	71,354	75,095

SEE FOOTNOTES AT END OF TABLE, PAGE B-14.

AREA PLANTED 1973-75    CONTINUED

STATE	WINTER WHEAT <sup>3/</sup>			DURUM WHEAT			OTHER SPRING WHEAT		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES								
ALA	140	185	185						
ARIZ	236	250	325						
ARK	305	470	630						
CALIF	625	813	1,060	2	3	15			
COLO	2,520	2,800	2,750				24	34	23
CONN									
DEL	29	35	37						
FLA	55	52	40						
GA	165	215	160						
IDAHO	900	1,060	990				300	490	490
ILL	1,390	1,790	1,790						
IND	740	1,440	1,560						
IOWA	40	66	79						
KANS	10,800	12,000	12,800						
KY	241	460	450						
LA	60	80	70						
MAINE									
MD	125	158	170						
MASS									
MICH	585	950	1,030						
MINN	36	44	62	60	86	105	1,960	2,730	2,950
MISS	135	195	231						
MO	980	1,450	1,660						
MONT	2,200	2,750	3,100	185	270	380	1,850	2,000	1,650
NEBR	2,800	3,000	3,200						
NEV	9	11	12				7	9	10
N H									
N J	50	60	63						
N MEX	390	429	463						
N Y	151	220	200						
N C	230	310	345						
N DAK	80	130	147	2,590	3,600	4,080	6,270	6,770	6,400
OHIO	755	1,580	1,820						
OKLA	6,000	7,000	7,400						
OREG	1,020	1,120	1,150				80	158	110
PA	276	360	360						
R I									
S C	120	180	170						
S DAK	793	990	950	115	215	240	1,610	2,050	2,050
TENN	207	395	405						
TEX	4,600	5,600	6,500						
UTAH	235	259	250				50	60	52
VT									
VA	195	300	330						
WASH	2,730	2,800	2,850				615	480	330
W VA	17	21	21						
WIS	17	61	78				12	22	22
WYO	250	265	270				16	23	25
U S	43,232	52,354	56,163	2,952	4,174	4,820	12,794	14,826	14,112

SEE FOOTNOTES AT END OF TABLE, PAGE B-14.

AREA PLANTED 1973-75 CONTINUED

STATE	RICE			RYE <u>3/</u>			SOYBEANS		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES								
ALA							1,000	1,050	1,350
ARK	534.0	730.0	885.0				4,700	4,400	4,750
CALIF	403.0	470.0	530.0						
COLO				71	35	21			
DEL				52	50	54	180	203	207
FLA							262	285	305
GA				446	400	480	970	1,030	1,290
ILL				85	83	78	9,000	8,570	8,250
IND				55	51	48	4,310	3,960	3,650
IOWA				16	22	25	7,800	7,200	7,000
KANS				155	100	80	1,240	1,070	1,100
KY				35	50	60	1,180	1,200	1,250
LA	624.0	661.0	660.0				1,620	1,800	1,900
MD				78	80	80	278	313	323
MICH				165	150	165	700	640	615
MINN				100	80	100	4,420	4,040	3,620
MISS	62.0	114.0	175.0				2,830	2,605	3,230
MO	5.3	15.0	18.0				4,800	4,450	4,550
NEBR				186	130	130	1,230	1,210	1,250
N J				71	75	77	70	74	81
N Y				130	130	127	11	11	10
N C				115	115	125	1,500	1,475	1,500
N DAK				116	116	135	220	182	180
OHIO				50	80	90	3,620	3,230	3,120
OKLA				315	280	210	210	230	245
OREG				60	60	58			
PA				79	85	85	58	47	45
S C				142	130	130	1,300	1,290	1,420
S DAK				260	229	140	400	370	340
TENN				27	30	24	1,640	1,620	1,950
TEX	553.0	565.0	550.0	350	250	250	450	275	395
VA				200	200	205	430	447	451
WASH				32	50	40			
WIS				23	35	40	246	230	200
WYO				25	24	24			
U S	2,181.3	2,555.0	2,818.0	3,545	3,200	3,166	56,675	53,507	54,577

SEE FOOTNOTES AT END OF TABLE, PAGE B-14.

AREA PLANTED 1973-75 CONTINUED

STATE	FLAXSEED			PEANUTS			POPCORN 4/		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES								
ALA				204.0	204.0	206.0			
FLA				68.0	66.0	63.0			
GA				520.0	519.0	524.0			
ILL							12.0	13.3	14.6
IND							38.0	37.0	42.0
IOWA							37.0	49.0	43.0
KANS							9.9	12.3	16.0
KY							6.7	13.2	21.2
MICH							3.5	3.8	3.7
MINN	235	280	260						
MISS				9.5	5.0	9.5			
MO							4.3	9.8	14.3
MONT	15	23	15						
NEBR							26.0	40.0	47.0
N MEX				7.8	7.7	8.8			
N C				168.0	168.0	168.0			
N DAK	963	886	797						
OHIO							14.0	16.0	19.8
OKLA				123.0	121.0	122.0			
S C				15.9	15.9	16.0			
S DAK	520	530	480						
TEX	9	40	60	311.0	309.0	310.0			
VA				103.0	104.0	104.0			
OTHER STATES							2.9	4.1	5.0
U S	1,742	1,759	1,612	1,530.2	1,519.6	1,531.3	154.3	198.5	226.6

SEE FOOTNOTES AT END OF TABLE, PAGE B-14.

AREA PLANTED 1973-75 CONTINUED

STATE	ALL COTTON <u>5/</u>			DRY EDIBLE BEANS <u>6/ 7/</u>			DRY EDIBLE PEAS		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES								
ALA	525.0	600	440						
ARIZ	310.0	426.7	299.0						
ARK	1,045.0	1,200	800						
CALIF	950.2	1,250.3	900.2	161.0	227.0	154.0			
COLO				193.0	185.0	210.0			
FLA	12.6	12.5	4.5						
GA	386.0	423	160						
IDAHO				100.0	130.0	143.0	50.0	90.0	72.0
ILL	0	.8							
KANS				9.0	10.0	13.0			
KY	.9	5.1	.6						
LA	530.0	650	320						
MICH				570.0	590.0	520.0			
MINN				38.0	98.0	53.0	8.0	2.0	
MISS	1,370.0	1,780	1,175						
MO	241.0	370	235						
MONT				9.0	11.0	12.0			
NEBR				108.0	115.0	124.0			
NEV	1.9	1.8	1.0						
N MEX	149.7	165.6	113.1						
N Y				40.0	44.0	49.0			
N C	186.0	158	55						
N DAK				102.0	134.0	127.0			
OKLA	547.0	570	370						
OREG							3.6	6.0	3.5
S C	330.0	310	107						
TENN	460.0	540	335						
TEX	5,431.7	5,233.9	4,374.5						
UTAH				15.0	14.0	15.0			
VA	2.7	1.7	.8						
WASH				19.0	28.0	35.0	85.0	122.0	121.0
WYO				23.0	27.0	29.0			
OTHER STATES				3/7.7	3/11.4	3/12.2			
U S	12,479.7	13,699.4	9,690.7	1,394.7	1,624.4	1,496.2	146.6	220.0	196.5

AMERICAN-PIMA COTTON

STATE	1973	1974	1975
ARIZ	34.0	34.7	30.0
CALIF	.2	.3	.2
N MEX	18.7	14.6	13.1
TEX	31.7	33.9	24.5
U S	84.6	83.5	67.8

SEE FOOTNOTES AT END OF TABLE, PAGE B-14.

AREA PLANTED, 1973-75 CONTINUED

STATE	POTATOES 8/			SWEETPOTATOES			SUGARBEETS		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES								
ALA	19.0	23.0	19.6	4.5	5.5	5.8			
ARIZ	9.9	8.6	6.2				14.4	11.1	18.0
ARK				1.5	1.7	1.5			
CALIF	69.6	70.5	59.3	6.4	6.7	7.2	280.1	234.0	330.9
COLO	37.7	41.2	40.4				122.8	128.6	163.0
CONN	2.7	2.6	2.5						
DEL	7.0	7.0	6.5						
FLA	30.2	31.3	27.6						
GA				8.0	8.5	8.0			
IDAHO	325.0	345.0	325.0				154.9	93.5	168.6
ILL	1.9	2.1	2.1						
IND	7.0	6.9	7.1						
IOWA	3.0	3.4	3.2						
KANS							34.8	35.9	46.0
LA	2.7	3.0	3.1	36.0	36.0	31.0			
MAINE	138.0	142.0	122.0						
MD	2.0	2.0	1.8	2.2	2.2	2.2			
MASS	4.1	4.0	3.7						
MICH	41.4	43.7	37.7				89.1	82.4	93.6
MINN	93.5	98.6	78.2				132.1	189.4	226.0
MISS	2.0	2.0	2.0	9.5	9.0	9.5			
MONT	7.0	7.2	7.7				45.9	44.7	48.8
NEBR	7.4	8.0	7.9				79.4	82.5	98.0
NEV 9/		8.5	12.5						
N H	.7	.7	.4						
N J	9.6	9.0	7.4	1.6	1.8	2.0			
N MEX	3.2	4.5	3.7				.8	.5	.9
N Y	54.0	55.4	48.5						
N C	14.7	17.8	16.6	25.0	30.0	33.0			
N DAK	133.0	139.0	118.0				80.1	143.2	136.6
OHIO	12.6	13.1	12.3				31.1	33.5	39.9
OREG	44.0	50.7	53.0				19.3	11.8	18.0
PA	31.0	33.0	31.0						
R I	4.3	4.4	4.2						
S C				2.0	2.5	2.3			
S DAK	5.8	5.6	5.2						
TENN	4.2	6.0	5.0	3.2	3.0	3.0			
TEX	19.4	18.3	14.3	10.0	11.0	10.5	23.3	22.6	37.2
UTAH	5.1	6.4	5.9				19.3	17.7	23.2
VT	1.0	1.0	.9						
VA	31.9	31.5	27.0	7.8	7.7	6.9			
WASH	84.0	100.0	107.0				96.9	65.2	84.0
W VA	3.6	4.2	3.7						
WIS	48.5	53.0	52.0						
WYO	6.4	6.8	7.0				55.8	54.9	58.2
U S	1,328.1	1,421.0	1,299.2	117.7	125.6	122.9	1,280.1	1,251.5	1,590.9

- 1/ INCLUDED IN ALL CORN.
- 2/ INCLUDES PLANTED IN PRECEDING FALL.
- 3/ SEEDED IN PRECEDING FALL.
- 4/ OTHER STATES ARE ALA, COLO, AND TENN.
- 5/ INCLUDES ACREAGES PLANTED FOR UPLAND AND AMERICAN-PIMA.
- 6/ CALIF TOTAL INCLUDES LIMA BEANS SHOWN ON PAGE B-15.
- 7/ OTHER STATES ARE ILL AND IND.
- 8/ FOR PLANTED POTATOES BY SEASONAL GROUPS AND GEOGRAPHIC AREAS WITHIN STATES SEE PAGE B-15.
- 9/ 1974 FIRST YEAR POTATOES ESTIMATED.

AREA PLANTED, POTATOES 1973-75

SEASONAL GROUP :	1973 :	1974 :	1975 :	SEASONAL GROUP :	1973 :	1974 :	1975 :
AND :	1973 :	1974 :	1975 :	AND :	1973 :	1974 :	1975 :
STATE :	STATE :	STATE :	STATE :	STATE :	STATE :	STATE :	STATE :
1,000 ACRES				1,000 ACRES			
<u>WINTER:</u>							
CALIF :	4.9	4.4	4.9	::TENN :	4.2	6.0	5.0
FLA :	9.1	9.5	9.5	::TEX :	12.3	10.5	8.7
TOTAL :	14.0	13.9	14.4	::VA :	31.9	31.5	27.0
				::W VA :	3.6	4.2	3.7
<u>SPRING:</u>				:: TOTAL :	129.2	136.3	120.6
ALA :	11.0	12.5	10.6				
ARIZ :	9.9	8.6	6.2	:: <u>FALL:</u>			
CALIF :	34.7	35.5	27.6	:: CALIF :	20.5	20.7	18.6
FLA-HASTINGS :	19.0	19.0	16.2	:: COLO :	31.0	34.5	33.0
FLA-OTHER :	2.1	2.8	1.9	:: CONN :	2.7	2.6	2.5
LA :	2.7	3.0	3.1	:: IDAHO-10 SW CO :	36.0	39.0	33.0
MISS :	2.0	2.0	2.0	:: IDAHO-OTHER :	289.0	306.0	292.0
N C :	11.4	13.1	12.2	:: IND :	5.7	5.8	6.3
TEX :	7.1	7.8	5.6	:: MAINE :	138.0	142.0	122.0
TOTAL :	99.9	104.3	85.4	:: MASS :	4.1	4.0	3.7
				:: MICH :	33.0	35.0	30.0
<u>SUMMER:</u>				:: MINN :	86.0	90.0	70.0
ALA :	8.0	10.5	9.0	:: MONT :	7.0	7.2	7.7
CALIF :	9.5	9.9	8.2	:: NEBR :	4.7	5.2	5.2
COLO :	6.7	6.7	7.4	:: NEV <u>1/</u> :		8.5	12.5
DEL :	7.0	7.0	6.5	:: N H :	.7	.7	.4
ILL :	1.9	2.1	2.1	:: N Y-LONG IS :	25.0	27.0	23.5
IND :	1.3	1.1	.8	:: N Y-UPSTATE :	29.0	28.4	25.0
IOWA :	3.0	3.4	3.2	:: N DAK :	133.0	139.0	118.0
MD :	2.0	2.0	1.8	:: OHIO :	9.5	10.0	9.2
MICH :	8.4	8.7	7.7	:: OREG-MALHEUR CO :	14.5	12.9	9.6
MINN :	7.5	8.6	8.2	:: OREG-OTHER :	29.5	37.8	43.4
NEBR :	2.7	2.8	2.7	:: PA :	31.0	33.0	31.0
N J :	9.6	9.0	7.4	:: R I :	4.3	4.4	4.2
N MEX :	3.2	4.5	3.7	:: S DAK :	5.8	5.6	5.2
N C :	3.3	4.7	4.4	:: UTAH :	5.1	6.4	5.9
OHIO :	3.1	3.1	3.1	:: VT :	1.0	1.0	.9
				:: WASH :	84.0	100.0	107.0
				:: WIS :	48.5	53.0	52.0
				:: WYO :	6.4	6.8	7.0
				:: TOTAL :	1,085.0	1,166.5	1,078.8
				:: U S :	1,328.1	1,421.0	1,299.2

1/ 1974 FIRST YEAR ESTIMATE.

AREA PLANTED, DRY EDIBLE LIMA BEANS, 1973-75

CROP AND STATE :	1973 :	1974 :	1975 :
	1,000 ACRES		
LARGE LIMA-CALIF :	31.0	33.0	24.0
BABY LIMA-CALIF :	20.0	28.0	20.0

CORN FOR GRAIN

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ALA	610	650	660	46.0	46.0	53.0	28,060	29,900	34,980
ARIZ	9	10	12	32.0	34.0	33.0	288	340	396
ARK	21	23	38	35.0	44.0	50.0	735	1,012	1,900
CALIF	235	241	254	105.0	107.0	109.0	24,675	25,787	27,686
COLO	438	490	530	102.0	101.0	93.0	44,676	49,490	49,290
DEL	186	194	190	85.0	64.0	91.0	15,810	12,416	17,290
FLA	340	398	394	43.0	48.0	45.0	14,620	19,104	17,730
GA	1,670	1,880	1,880	48.0	56.0	55.0	80,160	105,280	103,400
IDAHO	28	28	25	89.0	86.0	83.0	2,492	2,408	2,075
ILL	9,530	9,900	10,710	103.0	83.0	116.0	981,590	821,700	1,242,360
IND	5,240	5,460	5,630	102.0	71.0	98.0	534,480	387,660	551,740
IOWA	11,280	12,000	12,130	107.0	80.0	90.0	1,206,960	960,000	1,091,700
KANS	1,540	1,730	1,640	100.0	76.0	84.0	154,000	131,480	137,760
KY	1,010	1,120	1,140	85.0	85.0	77.0	85,850	95,200	87,780
LA	65	72	60	42.0	51.0	52.0	2,730	3,672	3,120
MD	500	535	550	85.0	84.0	91.0	42,500	44,940	50,050
MICH	1,690	1,810	1,910	79.0	61.0	80.0	133,510	110,410	152,800
MINN	5,520	5,900	5,820	93.0	61.0	70.0	513,360	359,900	407,400
MISS	148	144	145	39.0	41.0	41.0	5,772	5,904	5,945
MO	2,600	2,710	2,700	88.0	55.0	63.0	228,800	149,050	170,100
MONT	11	13	10	73.0	70.0	73.0	803	910	730
NEBR	5,900	5,700	5,920	94.0	68.0	85.0	554,600	387,600	503,200
N J	75	87	83	79.0	89.0	81.0	5,925	7,743	6,723
N MEX.	25	41	70	70.0	77.0	100.0	1,750	3,157	7,000
N Y	360	440	466	77.0	80.0	85.0	27,720	35,200	39,610
N C	1,400	1,570	1,540	82.0	74.0	67.0	114,800	116,180	103,180
N D	180	149	132	56.0	49.0	51.0	10,080	7,301	6,732
OHIO	3,040	3,650	3,490	79.0	73.0	92.0	240,160	266,450	321,080
OKLA	87	91	85	90.0	88.0	80.0	7,830	8,008	6,800
OREG	9	9	11	90.0	92.0	85.0	810	828	935
PA	1,040	1,100	1,080	78.0	81.0	82.0	81,120	89,100	88,560
S C	430	539	550	55.0	58.0	63.0	23,650	31,262	34,650
S DAK	2,710	2,330	2,250	54.0	33.0	37.0	146,340	76,890	83,250
TENN	533	570	615	66.0	61.0	60.0	35,178	34,770	36,900
TEX	640	800	1,100	95.0	92.0	103.0	60,800	73,600	113,300
UTAH	13	14	15	110.0	120.0	110.0	1,430	1,680	1,650
VA	550	570	565	84.0	76.0	86.0	46,200	43,320	48,590
WASH	53	30	32	106.0	99.0	102.0	5,618	2,970	3,264
W VA	63	66	65	83.0	76.0	85.0	5,229	5,016	5,525
WIS	2,090	2,270	2,390	83.0	68.0	83.0	173,470	154,360	198,370
WYO	25	23	18	89.0	71.0	80.0	2,225	1,633	1,440
U S	61,894	65,357	66,905	91.2	71.4	86.2	5,646,806	4,663,631	5,766,991

## CORN FOR SILAGE

STATE	ARFA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			TONS			1,000 TONS		
ALA	42	32	48	11.0	12.0	10.0	462	384	480
ARTZ	10	9	7	18.0	19.0	19.0	180	152	133
ARK	10	9	9	13.0	7.0	9.0	130	63	81
CALIF	173	171	162	19.0	18.5	19.0	3,287	3,163	3,078
COLO	300	237	244	18.5	19.0	18.0	5,550	4,503	4,446
CONN	47	50	52	15.5	14.0	16.0	729	700	832
DEL	11	9	12	11.5	12.0	11.5	127	96	138
FLA	13	16	18	11.0	10.5	11.0	143	168	198
GA	90	86	80	13.0	13.5	12.5	1,170	1,161	1,000
IDAHO	79	68	75	19.5	19.0	19.0	1,541	1,292	1,425
ILL	257	340	255	14.5	11.5	16.5	3,727	3,910	4,207
IND	133	225	185	15.2	11.5	15.5	2,022	2,588	2,868
IOWA	630	920	880	15.5	11.5	13.5	9,765	10,580	11,880
KANS	305	430	260	15.0	9.0	11.0	4,575	3,870	2,860
KY	130	140	165	15.5	15.5	14.5	2,015	2,170	2,393
LA	12	14	15	11.0	12.0	11.5	132	168	173
MAINE	37	41	44	12.0	12.5	13.0	444	500	572
MD	93	89	88	14.0	14.0	15.0	1,302	1,246	1,320
MASS	34	35	35	14.0	15.5	14.5	476	542	522
MICH	385	452	370	12.0	9.5	12.0	4,620	4,294	4,440
MINN	624	944	1,070	12.9	9.7	9.3	8,050	9,157	9,951
MISS	43	45	38	10.0	11.0	12.0	430	506	456
MO	140	250	220	12.0	10.0	10.0	1,680	2,500	2,200
MONT	73	73	68	17.0	15.0	17.0	1,241	1,168	1,156
NEBR	525	870	490	14.5	7.5	12.0	7,613	6,525	5,880
NEV	3	3	3	16.5	17.0	15.5	50	51	47
N H	19	14	20	13.0	16.0	15.5	247	304	310
N J	42	37	45	14.2	16.0	15.0	596	592	675
N MEX	30	29	24	17.0	15.0	16.5	510	420	396
N Y	610	627	633	12.5	13.0	13.5	7,625	8,151	8,546
N C	120	125	130	15.0	14.0	13.0	1,800	1,750	1,690
N DAK	305	331	294	5.1	5.6	5.4	1,556	1,854	1,588
OHIO	220	253	225	12.0	9.0	12.5	2,640	2,277	2,813
OKLA	31	24	27	15.0	13.0	13.5	465	312	365
OREG	31	31	32	19.5	19.0	21.0	605	589	672
PA	425	400	440	14.0	14.0	14.0	5,950	5,600	6,160
R J	4	4	4	13.0	14.0	15.0	52	56	60
S C	45	38	50	13.0	12.0	14.5	585	456	725
S DAK	1,060	1,350	1,200	6.3	4.7	4.8	6,678	6,345	5,760
TENN	170	171	145	13.5	13.5	13.5	2,295	2,309	1,958
TEX	96	75	70	17.0	13.0	15.5	1,632	975	1,085
UTAH	74	78	80	17.5	17.0	18.0	1,295	1,326	1,440
VT	80	89	94	12.0	12.5	12.5	960	1,100	1,175
VA	176	172	173	15.0	14.0	15.0	2,640	2,408	2,595
WASH	58	48	47	20.0	19.5	19.5	1,160	936	916
W VA	35	37	35	15.5	13.5	14.0	543	500	504
WIS	1,050	1,090	1,000	10.2	9.4	10.5	10,710	10,246	10,500
WYO	41	41	46	15.0	14.0	14.5	615	574	667
U S	8,921	10,623	9,713	12.6	10.4	11.7	112,620	110,537	113,336

SORGHUM FOR GRAIN

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			HUSHELS			1,000 HUSHELS		
ALA	31	33	40	35.0	32.0	34.0	1,085	1,056	1,360
ARIZ	140	147	165	72.0	81.0	68.0	10,080	11,907	11,220
ARK	149	140	200	45.0	48.0	49.0	6,705	6,720	9,800
CALIF	287	210	207	70.0	72.0	72.0	20,090	15,120	14,904
COLO	285	250	290	35.0	29.0	26.0	9,975	7,250	7,540
GA	34	35	47	35.0	35.0	36.0	1,190	1,260	1,692
ILL	60	72	60	61.0	47.0	68.0	3,660	3,384	4,080
IND	25	19	18	71.0	55.0	64.0	1,775	990	1,152
IOWA	22	19	26	73.0	46.0	62.0	1,606	874	1,612
KANS	3,900	3,320	3,430	56.0	40.0	42.0	218,400	132,800	144,060
KY	17	26	21	68.0	66.0	65.0	1,156	1,716	1,365
LA	26	30	28	33.0	40.0	33.0	858	1,200	924
MISS	30	41	38	35.0	32.0	35.0	1,050	1,312	1,330
MO	440	440	490	70.0	51.0	54.0	30,800	22,440	26,460
NEBR	2,000	1,900	1,880	68.0	33.0	55.0	136,000	62,700	103,400
N MEX	363	220	310	54.0	50.0	50.0	19,602	11,000	15,500
N C	74	80	80	58.0	52.0	51.0	4,292	4,160	4,080
OKLA	696	600	660	44.0	38.0	38.0	30,624	22,800	25,080
S C	15	15	17	37.0	38.0	35.0	555	570	595
S DAK	262	234	237	43.0	24.0	26.0	11,266	5,616	6,162
TENN	33	31	26	51.0	59.0	48.0	1,683	1,929	1,248
TEX	6,950	6,000	7,200	60.0	52.0	52.0	417,000	312,000	374,400
VA	14	14	14	40.0	37.0	35.0	560	518	490
U S	15,853	13,876	15,484	58.7	45.3	49.0	930,012	629,222	758,454

SORGHUM FOR SILAGE

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
				TONS 1/			1,000 TONS 1/		
ALA	12	14	19	10.0	11.5	10.5	120	161	200
ARIZ	5	5	8	14.0	14.0	16.0	70	84	128
ARK	25	12	14	12.5	10.0	10.5	313	120	147
CALIF	11	9	11	17.0	17.0	18.0	187	153	198
COLO	29	20	20	8.5	8.0	8.0	247	160	160
GA	17	18	22	11.5	11.0	13.0	196	198	286
ILL	9	15	14	12.0	11.0	12.0	108	165	168
IND	13	10	7	12.0	11.5	12.0	156	115	84
IOWA	11	9	11	13.5	7.5	11.5	149	60	127
KANS	300	265	260	12.0	9.6	9.0	3,600	2,544	2,340
KY	8	9	9	12.0	12.5	12.0	96	113	108
LA	8	7	8	11.0	11.0	11.0	88	77	88
MISS	44	30	28	12.5	12.0	13.0	550	360	364
MO	25	25	29	12.0	10.5	10.5	300	263	305
NEBR	90	90	65	11.0	6.5	9.5	990	585	618
N MEX	6	2	2	14.0	12.0	11.0	84	24	22
N C	26	22	24	13.5	12.0	12.0	351	264	288
OKLA	56	33	35	12.5	13.0	11.0	700	429	385
S C	11	12	11	10.5	10.5	10.0	115	126	110
S DAK	42	47	57	6.4	5.4	4.6	269	254	262
TENN	16	14	9	10.5	10.5	11.0	168	147	99
TEXAS	65	40	56	9.5	11.5	12.0	618	460	672
VA	13	11	10	10.0	10.0	10.0	130	110	100
U S	842	719	729	11.4	9.7	10.0	9,606	6,972	7,259

1/ GREEN WEIGHT.

CORN AND SORGHUM FOR FORAGE

STATE	CORN FOR FORAGE 1/			SORGHUM FOR FORAGE 2/		
	AREA HARVESTED			AREA HARVESTED		
	1973	1974	1975	1973	1974	1975
	1,000 ACRES					
ALA	35	25	29	19	21	16
ARIZ	3	2	2	2	2	3
ARK	2	2	2	11	14	11
CALIF	4	4	4	11	13	8
COLO	7	8	8	147	135	160
DEL	1	1	1			
FLA	37	23	38			
GA	36	18	10	7	8	8
IDAHO	2	3	2			
ILL	13	50	15	6	8	5
IND	16	17	17			
IOWA	30	30	30	2	3	2
KANS	15	40	10	350	390	310
KY	10	10	10	4	5	4
LA	2	5	2	4	3	4
MD	5	4	5			
MICH	13	20	10			
MINN	25	49	42			
MISS	5	6	5	10	12	8
MO	20	40	45	25	30	49
MONT	6	10	10			
NEBR	30	100	20	65	100	55
N J	2	2	2			
N MEX	3	4	4	30	57	31
N Y	10	13	11			
N C	20	15	15	8	5	4
N DAK	54	40	41			
OHIO	10	12	10			
OKLA	3	2	2	343	247	211
OREG	2	1	1			
PA	15	10	10			
S C	15	17	11	3	2	2
S DAK	70	90	80	84	87	90
TENN	11	8	10	10	5	9
TEX	7	7	12	1,012	1,030	616
UTAH	2	2	3			
VA	4	5	4	3	2	1
WASH	1	1	1			
W VA	1	2	2			
WIS	28	55	60			
WYO	6	5	6			
U S	581	758	602	2,156	2,179	1,607

1/ INCLUDES CORN HOGGED, GRAZED AND THAT CUT AND FED WITHOUT REMOVING EARS.

2/ INCLUDES SORGHUM GRAZED AND THAT CUT AND FED WITHOUT REMOVING HEAD.

## OATS

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHELLS			1,000 BUSHELLS		
ALA	20*	24	33	37.0	34.0	34.0	740	816	1,122
ARK	67*	74	60	55.0	51.0	50.0	3,685	3,774	3,000
CALIF	110*	100	113	42.0	50.0	53.0	4,620	5,000	5,989
COLO	46*	31	48	42.0	46.0	47.0	1,932	1,426	2,256
FLA	11*	12	12	38.0	35.0	41.0	418	420	492
GA	70*	95	90	50.0	44.0	45.0	3,500	4,180	4,050
IDAHO	60*	57	64	50.0	50.0	54.0	3,000	2,850	3,456
ILL	430*	480	490	46.0	51.0	54.0	19,780	24,480	26,460
IND	261*	215	250	48.0	50.0	52.0	12,528	10,750	13,000
IOWA	1,325*	1,500	1,540	51.5	55.0	51.0	68,238	82,500	78,540
KANS	100*	215	150	40.0	31.0	40.0	4,000	6,665	6,000
KY	12*	10	10	42.0	37.0	41.0	504	370	410
LA	8*	11	8	43.0	39.0	33.0	344	429	264
MAINE	34	40	42	46.0	62.0	54.0	1,564	2,480	2,268
MD	26*	26	24	52.0	53.0	55.0	1,352	1,378	1,320
MICH	330*	350	370	50.0	55.0	56.0	16,500	19,250	20,720
MINN	2,550*	2,020	2,000	56.0	48.0	50.5	142,800	96,960	101,000
MISS	20*	20	27	40.0	44.0	40.0	800	880	1,080
MO	41*	140	100	34.0	31.0	39.0	1,394	4,340	3,900
MONT	270*	245	250	38.0	36.0	43.0	10,260	8,820	10,750
NEBR	430*	535	570	49.0	47.0	49.0	21,070	25,145	27,930
NEV	2	2	3	43.0	50.0	55.0	86	100	165
N J	6*	7	7	43.0	49.0	43.0	258	343	301
N Y	325*	360	350	55.0	59.0	57.0	17,875	21,240	19,950
N C	75*	85	85	50.0	53.0	50.0	3,750	4,505	4,250
N DAK	1,800*	1,400	1,370	41.0	29.0	41.0	73,800	40,600	56,170
OHIO	540*	490	500	48.0	60.0	61.0	25,920	29,400	30,500
OKLA	194*	140	120	41.0	28.0	33.0	7,954	3,920	3,960
OREG	90*	75	80	55.0	56.0	50.0	4,950	4,200	4,000
PA	375*	395	375	47.0	51.0	51.0	17,625	20,145	19,125
S C	68*	77	73	42.0	42.0	44.0	2,856	3,234	3,212
S DAK	2,140*	2,080	2,230	47.0	39.0	44.0	100,580	81,120	98,120
TENN	29*	30	30	40.0	37.0	40.0	1,160	1,110	1,200
TEX	650*	300	650	41.0	27.0	30.0	26,650	8,100	19,500
UTAH	14	12	13	54.0	53.0	56.0	756	636	728
VA	46*	42	40	42.0	44.0	42.0	1,932	1,848	1,680
WASH	50*	49	55	48.0	51.0	54.0	2,400	2,499	2,970
W VA	18*	17	18	46.0	47.0	43.0	828	799	774
WIS	1,370*	1,400	1,350	41.0	61.0	55.0	56,170	85,400	74,250
WYO	52*	45	50	44.0	37.0	40.0	2,288	1,665	2,000
U S	14,065	13,206	13,650	47.4	46.5	48.1	666,867	613,777	656,862

BARLEY

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ARIZ	120	100	115	75.0	71.0	75.0	9,000	7,100	8,625
CALIF	940	877	1,060	51.0	52.0	57.0	47,940	45,604	60,420
COLO	268	200	265	46.0	50.0	53.0	12,328	10,000	14,045
DEL	22	22	23	43.0	36.0	41.0	946	792	943
GA	14	9	8	40.0	40.0	38.0	560	360	304
IDAHO	820	695	755	53.0	46.0	50.0	43,460	31,970	37,750
ILL	14	15	14	35.0	36.0	42.0	490	540	588
IND	11	12	10	42.0	43.0	42.0	462	516	420
KANS	80	50	55	41.0	31.0	35.0	3,290	1,550	1,925
KY	55	48	34	35.0	38.0	37.0	1,925	1,824	1,258
MD	96	100	100	43.0	45.0	43.0	4,128	4,500	4,300
MICH	23	20	22	39.0	51.0	48.0	897	1,020	1,056
MINN	894	778	850	45.0	38.0	37.5	40,230	29,564	31,875
MO	13	11	11	33.0	27.0	36.0	429	297	396
MONT	2,000	1,280	1,300	30.0	29.0	39.0	60,000	37,120	50,700
NEBR	30	27	35	36.0	35.0	36.0	1,080	945	1,260
NEV	15	14	14	50.0	50.0	50.0	750	700	700
N J	17	19	18	49.0	52.0	48.0	833	988	864
N MEX	26	20	28	60.0	47.0	58.0	1,560	940	1,624
N Y	12	12	12	40.0	44.0	42.0	480	528	504
N C	62	60	60	46.0	46.0	45.0	2,852	2,760	2,700
N DAK	2,770	2,010	1,990	37.0	26.5	38.0	102,490	53,265	75,620
OHIO	12	13	12	39.0	46.0	47.0	468	598	564
OKLA	235	120	93	33.0	28.0	30.0	7,755	3,360	2,790
OREG	230	190	177	41.0	46.0	50.0	9,430	8,740	8,850
PA	155	158	155	44.0	55.0	50.0	6,820	8,690	7,750
S C	24	24	23	39.0	40.0	38.0	936	960	874
S DAK	631	512	570	35.0	25.0	31.0	22,085	12,800	17,670
TENN	14	15	14	30.0	31.0	31.0	420	465	434
TEX	90	50	70	39.0	27.0	34.0	3,510	1,350	2,380
UTAH	135	131	135	57.0	55.0	60.0	7,695	7,205	8,100
VA	98	105	104	47.0	50.0	47.0	4,606	5,250	4,888
WASH	365	310	400	39.0	45.0	53.0	14,235	13,950	21,200
W VA	10	10	10	43.0	50.0	46.0	430	500	460
WIS	21	19	35	37.0	47.0	43.0	777	893	1,505
WYO	130	132	134	48.0	49.0	57.0	6,240	6,468	7,638
U S	10,452	8,168	8,711	40.3	37.2	44.0	421,527	304,112	382,980

## ALL WHEAT

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHELS			1,000 BUSHELS		
ALA	88	130	135	23.0	23.0	24.0	2,024	2,990	3,240
ARIZ	216	235	320	70.0	66.0	71.0	15,120	15,510	22,720
ARK	217	400	520	28.0	26.0	30.0	6,076	10,400	15,600
CALIF	572	750	1,001	54.0	52.0	62.2	30,880	38,994	62,227
COLO	2,419	2,652	2,260	24.5	25.5	22.5	59,294	67,725	50,950
DEL	26	32	34	35.0	35.0	34.0	910	1,120	1,156
FLA	30	30	20	22.0	20.0	26.0	660	600	520
GA	120	160	135	27.0	23.0	27.0	3,240	3,680	3,645
IDAHO	1,075	1,440	1,350	45.0	43.0	44.5	48,395	61,860	60,050
ILL	1,300	1,730	1,730	30.0	30.0	39.0	39,000	51,900	67,470
IND	703	1,390	1,500	35.0	36.0	43.0	24,605	50,040	64,500
IOWA	34 <sup>x</sup>	62	75	32.0	30.0	34.0	1,088	1,860	2,550
KANS	10,400	11,600	12,100	37.0	27.5	29.0	384,800	319,000	350,900
KY	164	390	352	33.0	31.5	34.0	5,412	12,285	11,968
LA	18	30	25	22.0	20.0	16.0	396	600	400
MD	116	148	156	34.0	36.0	34.0	3,944	5,328	5,304
MICH	568	940	1,020	35.0	40.0	38.0	19,880	37,600	38,760
MINN	2,010	2,794	2,844	38.9	28.9	30.9	78,152	80,862	87,839
MISS	100	162	185	27.0	24.0	24.0	2,700	3,888	4,440
MO	850 <sup>x</sup>	1,310	1,470	30.0	29.0	33.0	25,500	37,990	48,510
MONT	4,052	4,857	4,975	23.9	24.7	31.3	96,714	120,108	155,925
NEBR	2,680	2,900	3,070	35.0	34.0	32.0	93,800	98,600	98,240
NEV	14	18	20	57.1	52.6	58.8	800	946	1,175
N J	38	54	54	36.0	41.0	36.0	1,368	2,214	1,944
N MEX	289	162	387	29.5	18.0	26.0	8,526	2,916	10,062
N Y	140	210	190	36.0	40.0	39.0	5,040	8,400	7,410
N C	180	275	300	35.0	36.0	31.0	6,300	9,900	9,300
N DAK	8,773	10,316	10,213	27.5	20.4	25.9	241,586	210,752	264,392
OHIO	720	1,540	1,770	32.0	42.0	42.0	23,040	64,680	74,340
OKLA	5,260	6,400	6,700	30.0	21.0	24.0	157,800	134,400	160,800
OREG	1,012	1,210	1,215	35.8	43.8	46.4	36,216	52,950	56,370
PA	264	350	345	28.0	36.0	33.0	7,392	12,600	11,385
S C	101	158	155	25.0	25.0	27.0	2,525	3,950	4,185
S DAK	2,348	3,095	3,003	25.6	18.4	21.1	60,110	57,020	63,294
TENN	144	325	310	31.0	29.0	31.0	4,464	9,425	9,610
TEX	3,400	3,300	5,700	29.0	16.0	23.0	98,600	52,800	131,100
UTAH	254	295	282	24.9	27.1	25.4	6,331	7,982	7,164
VA	175	275	292	37.0	37.0	31.0	6,475	10,175	9,052
WASH	2,720	3,130	3,060	32.8	39.0	47.4	89,200	122,220	145,140
W VA	12	17	17	31.0	33.0	32.0	372	561	544
WIS	27	78	93	33.0	36.6	30.3	890	2,853	2,820
WYO	240	263	273	23.1	24.7	24.9	5,542	6,503	6,802
U S	53,869	65,613	69,656	31.7	27.4	30.6	1,705,167	1,796,187	2,133,803

## WINTER WHEAT

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ALA	88	130	135	23.0	23.0	24.0	2,024	2,990	3,240
ARIZ	216	235	320	70.0	66.0	71.0	15,120	15,510	22,720
ARK	217	400	520	28.0	26.0	30.0	6,076	10,400	15,600
CALIF	570	747	986	54.0	52.0	62.0	30,780	38,844	61,132
COLO	2,400	2,630	2,240	24.5	25.5	22.5	58,800	67,065	50,400
DEL	26	32	34	35.0	35.0	34.0	910	1,120	1,156
FLA	30	30	20	22.0	20.0	26.0	660	600	520
GA	120	160	135	27.0	23.0	27.0	3,240	3,680	3,645
IDAHO	780	970	880	42.0	41.0	41.0	32,760	39,770	36,080
ILL	1,300	1,730	1,730	30.0	30.0	39.0	39,000	51,900	67,470
IND	703	1,390	1,500	35.0	36.0	43.0	24,605	50,040	64,500
IOWA	34	62	75	32.0	30.0	34.0	1,088	1,860	2,550
KANS	10,400	11,600	12,100	37.0	27.5	29.0	384,800	319,000	350,900
KY	164	390	352	33.0	31.5	34.0	5,412	12,285	11,968
LA	18	30	25	22.0	20.0	16.0	396	600	400
MD	116	148	156	34.0	36.0	34.0	3,944	5,328	5,304
MICH	568	940	1,020	35.0	40.0	38.0	19,880	37,600	38,760
MINN	32	40	57	37.0	27.0	23.0	1,184	1,080	1,311
MISS	100	162	185	27.0	24.0	24.0	2,700	3,888	4,440
MO	850	1,310	1,470	30.0	29.0	33.0	25,500	37,990	48,510
MONT	2,080	2,650	3,000	26.5	29.5	35.0	55,120	78,175	105,000
NEBR	2,680	2,900	3,070	35.0	34.0	32.0	93,800	98,600	98,240
NEV	8	10	11	70.0	65.0	70.0	560	650	770
N J	38	54	54	36.0	41.0	36.0	1,368	2,214	1,944
N MEX	289	162	387	29.5	18.0	26.0	8,526	2,916	10,062
N Y	140	210	190	36.0	40.0	39.0	5,040	8,400	7,410
N C	180	275	300	35.0	36.0	31.0	6,300	9,900	9,300
N DAK	73	116	123	32.0	29.5	25.5	2,336	3,422	3,137
OHIO	720	1,540	1,770	32.0	42.0	42.0	23,040	64,680	74,340
OKLA	5,260	6,400	6,700	30.0	21.0	24.0	157,800	134,400	160,800
OREG	940	1,060	1,110	36.0	45.0	47.0	33,840	47,700	52,170
PA	264	350	345	28.0	36.0	33.0	7,392	12,600	11,385
S C	101	158	155	25.0	25.0	27.0	2,525	3,950	4,185
S DAK	666	900	770	32.0	27.0	30.0	21,312	24,300	23,100
TENN	144	325	310	31.0	29.0	31.0	4,464	9,425	9,610
TEX	3,400	3,300	5,700	29.0	16.0	23.0	98,600	52,800	131,100
UTAH	207	243	238	24.0	26.0	24.0	4,968	6,318	5,712
VA	175	275	292	37.0	37.0	31.0	6,475	10,175	9,052
WASH	2,120	2,660	2,740	35.0	41.0	49.0	74,200	109,060	134,260
W VA	12	17	17	31.0	33.0	32.0	372	561	544
WIS	16	57	72	35.0	39.0	31.0	560	2,223	2,232
WYO	229	245	250	23.0	25.0	25.0	5,267	6,125	6,250
U S	38,474	47,043	51,544	33.1	29.6	32.0	1,272,744	1,390,144	1,651,209

DURUM WHEAT

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
CALIF	2	3	15	50.0	50.0	73.0	100	150	1,095
MINN	58	84	87	36.0	28.0	32.5	2,088	2,352	2,828
MONT	182	267	375	22.0	19.0	27.0	4,004	5,073	10,125
N DAK	2,530	3,540	3,960	27.5	20.0	26.5	69,575	70,800	104,940
S DAK	112	205	233	24.0	14.0	18.0	2,688	2,870	4,194
U S	2,884	4,099	4,670	27.2	19.8	26.4	78,455	81,245	123,182

SPRING WHEAT OTHER THAN DURUM

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
COLO	19	22	20	26.0	30.0	27.5	494	660	550
IDAHO	295	470	470	53.0	47.0	51.0	15,635	22,090	23,970
MINN	1,920	2,670	2,700	39.0	29.0	31.0	74,880	77,430	83,700
MONT	1,790	1,940	1,600	21.0	19.0	25.5	37,590	36,860	40,800
NEV	6	8	9	40.0	37.0	45.0	240	296	405
N DAK	6,170	6,660	6,130	27.5	20.5	25.5	169,675	136,530	156,315
OREG	72	150	105	33.0	35.0	40.0	2,376	5,250	4,200
S DAK	1,570	1,990	2,000	23.0	15.0	18.0	36,110	29,850	36,000
UTAH	47	52	44	29.0	32.0	33.0	1,363	1,664	1,452
WASH	600	470	320	25.0	28.0	34.0	15,000	13,160	10,880
WIS	11	21	21	30.0	30.0	28.0	330	630	588
WYO	11	18	23	25.0	21.0	24.0	275	378	552
U S	12,511	14,471	13,442	28.3	22.4	26.7	353,968	324,798	359,412

WHEAT: PRODUCTION BY CLASSES, FOR THE UNITED STATES

YEAR	WINTER		SPRING		WHITE	TOTAL
	HARD	SOFT	HARD	DURUM		
	RED	RED	RED	RED	(WINTER & SPRING)	
	1,000 BUSHEL					
1973	957,107	159,056	328,102	78,455	182,447	1,705,167
1974	878,980	288,461	292,924	81,245	254,577	1,796,187
1975	1,056,432	341,808	327,834	123,182	284,547	2,133,803

ALL RICE

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			POUNDS			1,000 CWT		
ARK	533.0	725.0	482.0	4,770	4,535	4,540	25,424	32,879	40,053
CALIF	401.0	467.0	525.0	5,616	5,380	5,730	22,521	25,110	30,083
LA	620.0	660.0	658.0	3,451	3,650	3,410	21,394	24,090	25,064
MISS	62.0	108.0	171.0	4,306	4,100	3,900	2,670	4,513	6,665
MO	5.2	14.0	18.0	4,346	3,886	4,210	226	544	753
TEX	549.0	562.0	548.0	3,740	4,494	4,560	20,530	25,253	24,996
U S	2,170.2	2,536.0	2,802.0	4,274	4,432	4,555	42,765	112,374	127,624

LONG GRAIN RICE

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			POUNDS			1,000 CWT		
ARK	385.0	573.0	648.0	4,700	4,400	4,450	18,095	25,212	28,836
CALIF									
LA	158.0	220.0	159.0	3,525	3,700	3,775	5,570	8,140	6,002
MISS	60.0	107.0	168.0	4,325	4,180	3,900	2,595	4,473	6,552
MO	3.4	9.0	13.3	4,250	3,775	4,200	145	340	559
TEX	452.0	473.0	453.0	3,850	4,625	4,660	17,402	21,876	21,110
U S	1,058.4	1,382.0	1,441.3	4,139	4,345	4,375	43,807	60,041	63,059

MEDIUM GRAIN RICE

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			POUNDS			1,000 CWT		
ARK	142.0	140.0	199.0	4,900	4,975	4,700	6,958	6,965	9,353
CALIF	233.0	271.0	338.0	5,700	5,440	5,740	13,281	14,742	19,401
LA	462.0	440.0	499.0	3,425	3,625	3,820	15,824	15,950	19,062
MISS	2.0	1.0	2.0	3,750	3,950	3,450	75	40	69
MO	1.8	4.6	4.2	4,525	4,100	4,225	81	189	177
TEX	97.0	89.0	95.0	3,225	3,800	4,090	3,128	3,382	3,886
U S	937.8	945.6	1,137.2	4,196	4,364	4,568	39,347	41,268	51,948

SHORT GRAIN RICE

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			POUNDS			1,000 CWT		
ARK	6.0	12.0	35.0	6,175	5,850	5,325	371	702	1,864
CALIF	168.0	196.0	187.0	5,500	5,290	5,715	9,240	10,368	10,687
LA									
MISS			1.0			4,400			44
MO		.4	.5		3,800	4,450		15	22
TEX									
U S	174.0	208.4	223.5	5,524	5,319	5,645	9,611	11,085	12,617

RYE

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
COLO	15 x	6	4	19.0	19.0	22.0	285	114	88
DEL	9 x	9	9	22.0	22.0	22.0	198	198	198
GA	115 x	115	105	14.0	18.0	15.0	1,610	2,070	1,575
ILL	21 x	19	17	22.0	19.0	22.0	462	361	374
IND	13 x	9	9	23.0	24.0	26.0	299	216	234
IOWA	4 x	5	5	26.0	23.0	24.0	104	115	120
KANS	40 x	20	15	21.0	19.0	21.0	840	380	315
KY	2 x	3	4	23.0	21.0	25.0	46	63	100
MD	12 x	11	11	23.0	23.0	26.0	276	253	286
MICH	33 x	25	28	25.0	25.0	25.0	825	625	700
MINN	90 x	72	89	35.0	25.0	25.0	3,150	1,800	2,225
MO	14 x	10	11	18.0	17.0	22.0	252	170	242
NEBR	78 x	55	55	20.0	20.0	20.0	1,560	1,100	1,100
N J	8 x	9	7	24.0	27.0	25.0	192	243	175
N Y	16 x	13	12	30.0	32.0	30.0	480	416	360
N C	20 x	20	20	19.0	20.0	18.0	380	400	360
N DAK	103 x	106	119	29.5	26.0	25.0	3,039	2,756	2,975
OHIO	8 x	6	7	26.0	28.0	28.0	208	168	196
OKLA	62 x	45	36	21.5	17.0	19.0	1,333	765	684
OREG	9 x	10	11	24.0	30.0	27.0	216	300	297
PA	15 x	16	16	27.0	32.0	29.0	405	512	464
S C	34	39	33	18.0	20.0	18.0	612	780	594
S DAK	234	202	102	34.0	21.0	23.0	7,956	4,242	2,346
TENN	2 x	3	2	19.0	18.0	17.0	38	54	34
TEX	35 x	25	40	18.5	8.0	19.0	648	200	760
VA	15 x	16	14	24.0	26.0	23.0	360	416	322
WASH	8 x	10	10	15.0	20.0	26.0	120	200	260
WIS	9 x	10	15	21.0	24.0	21.0	189	240	315
WYO	9 x	8	8	20.0	17.0	22.0	180	136	176
U S	1,033	897	814	25.4	21.5	22.0	26,263	19,293	17,875

SOYBEANS FOR BEANS

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ALA	970	1,020	1,310	21.0	23.0	24.0	20,370	23,460	31,440
ARK	4,650	4,300	4,700	25.0	19.0	24.0	116,250	81,700	112,800
DEL	178	199	204	28.0	26.0	25.0	4,984	5,148	5,100
FLA	254	279	295	24.0	27.0	24.0	6,096	7,533	7,080
GA	950	1,010	1,260	21.0	25.5	25.0	19,950	25,755	31,500
ILL	8,930	8,440	8,220	31.5	24.0	35.5	281,295	202,560	291,810
IND	4,290	3,890	3,630	31.5	25.0	33.0	135,135	97,250	119,790
IOWA	7,750	7,110	6,970	34.0	28.0	34.0	263,500	199,080	236,980
KANS	1,200	1,030	1,080	22.0	19.5	20.5	26,400	20,085	22,140
KY	1,140	1,170	1,200	25.5	24.0	26.5	29,070	28,080	31,800
LA	1,580	1,760	1,820	22.0	25.0	24.0	34,760	44,000	43,680
MD	275	310	318	31.0	29.5	28.0	8,525	9,835	8,904
MICH	693	630	610	24.0	21.0	25.5	16,632	13,230	15,555
MINN	4,390	4,000	3,570	29.0	21.0	26.0	127,310	84,000	92,820
MISS	2,750	2,500	3,120	22.0	18.5	22.0	60,500	46,250	68,640
MO	4,700	4,350	4,470	27.0	21.5	25.5	126,900	93,525	113,985
NEBR	1,210	1,190	1,230	30.0	23.5	27.0	36,300	27,965	33,210
N J	67	72	79	21.0	29.0	26.0	1,407	2,088	2,054
N Y	11	11	10	23.0	23.0	24.0	253	253	240
N C	1,450	1,420	1,420	24.0	21.5	23.0	34,800	30,530	32,660
N DAK	218	179	149	23.5	16.0	19.5	5,123	2,864	2,906
OHIO	3,590	3,190	3,100	25.0	25.0	32.5	89,750	79,750	100,750
OKLA	200	219	237	23.0	23.0	23.0	4,600	5,037	5,451
PA	55	44	43	26.0	26.0	28.0	1,430	1,144	1,204
S C	1,250	1,250	1,380	19.0	14.5	22.0	23,750	23,125	30,360
S DAK	396	369	337	24.0	20.0	25.0	9,504	7,360	8,425
TENN	1,570	1,520	1,850	23.5	21.0	24.5	36,895	31,920	45,325
TEX	425	261	370	20.0	30.0	24.5	8,500	7,830	9,065
VA	413	430	433	27.0	23.5	25.0	11,151	10,105	10,825
WIS	241	217	191	25.0	20.0	25.5	6,025	4,340	4,871
U S	55,796	52,358	53,606	27.7	23.2	28.4	1,547,165	1,214,802	1,521,370

FLAXSEED

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
MINN	231	275	230	13.5	11.5	11.5	3,119	3,163	2,645
MONT	13	19	14	8.0	9.0	8.0	104	171	112
N DAK	933	836	752	8.0	7.5	9.5	7,464	6,270	7,144
S DAK	507	509	464	10.5	7.0	9.0	5,324	3,563	4,176
TEXAS	8	34	40	10.0	11.0	12.0	80	374	480
U S	1,692	1,673	1,500	9.5	8.1	9.7	16,091	13,541	14,557

PEANUTS HARVESTED FOR NUTS

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			POUNDS			1,000 POUNDS		
ALA	200.0	201.0	203.0	2,000	2,360	2,650	400,000	474,360	537,950
FLA	55.0	55.0	55.0	2,735	3,100	3,200	150,425	170,500	176,000
GA	512.0	516.0	520.0	2,625	3,220	3,320	1,344,000	1,661,520	1,726,400
MISS	9.5	5.0	9.0	1,750	1,200	1,700	16,625	6,000	15,300
N MEX	7.7	7.6	8.7	2,460	1,715	2,200	18,942	13,034	19,140
N C	166.0	166.0	166.0	2,810	2,315	2,300	466,460	384,290	381,800
OKLA	118.0	114.0	115.0	2,150	1,910	2,050	253,700	217,740	235,750
S C	15.5	15.5	15.5	1,940	2,000	1,750	30,070	31,000	27,125
TEX	309.0	288.0	306.0	1,525	1,435	1,525	471,225	413,280	466,650
VA	103.0	104.0	102.0	3,130	2,845	2,750	322,390	295,880	280,500
U S	1,495.7	1,472.1	1,500.2	2,323	2,491	2,577	3,473,837	3,667,604	3,866,615

WHITE CORN 1/

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			BUSHELS			1,000 BUSHELS		
ALA		40	60	44.0	47.0		1,760	2,820	
GA		112	100	54.0	50.0		6,048	5,000	
ILL	49	49	44	75.0	70.0	90.0	3,675	3,430	3,960
IND	41	37	40	75.0	63.0	80.0	3,075	2,331	3,200
IOWA	22	13	22	95.0	70.0	75.0	2,090	910	1,650
KANS	59	45	54	85.0	47.0	68.0	5,015	2,115	3,672
KY	120	124	123	79.0	85.0	75.0	9,480	10,540	9,225
MO	64	67	55	91.0	50.0	69.0	5,824	3,350	3,795
NEBR	16			81.0			1,296		
OHIO	3			70.0			210		
TENN	90	81	85	72.0	61.0	60.0	6,480	4,941	5,100
TEX	45	43	48	96.0	90.0	88.0	4,320	3,870	4,224
8 COMPARABLE STATES	490	459	471	81.5	68.6	73.9	39,959	31,487	34,826
10 STATES	509	611	631	81.5	64.3	67.6	41,465	39,295	42,646

1/ INCLUDED IN "ALL CORN" ON PAGE B-8 AND CORN FOR GRAIN ON PAGE B-16.

POPCORN

STATE	AREA HARVESTED			YIELD PER ACRE 1/			PRODUCTION 1/		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			POUNDS			1,000 POUNDS		
ILL	11.8	11.2	14.3	2,180	1,870	2,150	25,670	20,970	30,750
IND	37.0	35.0	41.0	2,520	1,900	2,350	93,090	66,430	96,350
IOWA	35.0	47.0	42.0	2,400	1,570	1,850	84,000	73,800	77,700
KANS	9.4	12.2	15.0	3,800	3,000	3,000	35,720	36,600	45,000
KY	6.5	13.0	20.9	1,820	2,030	2,000	11,860	26,330	41,800
MICH	3.4	3.6	3.7	2,400	1,480	1,870	8,160	5,310	6,920
MO	4.2	9.2	14.1	2,360	1,270	1,925	9,910	11,670	27,140
NEBR	25.0	38.0	46.0	2,660	2,660	2,950	66,500	101,080	135,700
OHIO	13.7	15.8	19.3	2,070	2,150	2,300	28,390	34,030	44,390
OTHER STS 2/	2.8	3.7	4.8	2,850	2,160	2,088	7,980	7,980	10,020
U S	148.8	188.7	221.1	2,495	2,036	2,333	371,280	384,200	515,770

1/ SHELLED CORN BASIS.

2/ ALA, COLO AND TENN.

COTTON

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION 480-LB. NET WEIGHT BALES 1/		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			POUNDS			1,000 BALES		
<u>UPLAND</u>									
ALA	510	585	400	423	429	378	449	522	315
ARIZ	276	392	268	1,063	1,218	1,003	611	995	560
ARK	975	1,130	780	513	374	431	1,041	880	700
CALIF	942	1,238	875	891	1,006	1,064	1,749	2,595	1,940
FLA	11.5	12.1	3.7	522	503	324	12.5	12.7	2.5
GA	375	410	155	499	490	434	390	419	140
ILL	0	.5	0	0	288	0	0	.3	0
KY	.3	4.5	.6	486	280	320	.3	2.6	.4
LA	520	635	310	481	423	542	521	560	350
MISS	1,340	1,710	1,125	651	448	448	1,816	1,595	1,050
MO	173	330	210	501	335	446	180	230	195
NEV	1.9	1.7	1.0	477	586	672	1.9	2.1	1.4
N MEX	127	140	90	514	509	373	136	148	70
N C	173	145	52	455	440	425	164	133	46
OKLA	526	547	305	390	272	291	427	310	185
S C	294	292	103	473	450	443	290	274	95
TENN	440	510	315	472	290	335	432	308	220
TEX	5,200	4,400	4,000	431	269	288	4,673	2,462	2,400
VA	2.4	1.5	.7	440	384	343	2.2	1.2	.5
<u>U S UPLAND</u>	11,887.1	12,484.3	8,994.0	521	440	441	12,895.9	11,449.9	8,270.8
<u>AMER-PIMA</u>									
ARIZ	34.0	34.7	30.0	597	729	600	42.3	52.7	37.5
CALIF	.2	.3	.2	480	683	720	.2	.4	.3
N MEX	17.7	14.5	12.1	265	417	238	9.8	12.6	6.0
TEX	31.2	32.8	24.0	397	359	240	25.8	24.5	12.0
<u>U S</u>									
AMER-PIMA	83.1	82.3	66.3	451	526	404	78.1	90.2	55.8
<u>U S ALL</u>									
COTTON	11,970.2	12,566.6	9,060.3	520	441	441	12,974.0	11,540.1	8,326.6

1/ PRODUCTION GINNED AND TO BE GINNED.

COTTONSEED

STATE	PRODUCTION		
	1973	1974	1975
	1,000 TONS		
ALA	169	200	123
ARIZ	290	439	257.5
ARK	386	350	271
CALIF	730	1,020	786.1
FLA	5	5.3	1.0
GA	146	150	51
ILL	0	.1	0
KY	0	1.1	.2
LA	196	210	134
MISS	676	600	394
MO	75	98	81
NEV	1	.9	.7
N MEX	60	60	28.3
N C	59	44	16
OKLA	164	125	74
S C	111	100	35
TENN	159	125	87
TEX	1,788	1,028	920.4
VA	1	.5	.2
<u>U S</u>	5,016	4,556.9	3,260.4

## ALL HAY

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			TONS			1,000 TONS		
ALA	543	580	630	1.80	1.80	1.80	977	1,044	1,134
ARIZ	260	255	255	5.84	5.93	6.25	1,518	1,511	1,593
ARK	855	700	790	1.81	1.67	1.84	1,546	1,170	1,452
CALIF	1,725	1,670	1,650	4.56	4.61	4.63	7,865	7,695	7,642
COLO	1,532	1,385	1,460	2.03	1.89	1.91	3,106	2,618	2,793
CONN	91	95	95	2.08	1.82	2.05	189	173	195
DEL	25	24	23	2.16	2.13	2.04	54	51	47
FLA	188	197	207	1.95	2.10	1.95	367	414	404
GA	466	455	470	2.50	2.35	2.50	1,165	1,069	1,175
IDAHO	1,400	1,335	1,330	2.95	3.32	3.34	4,130	4,427	4,441
ILL	1,180	1,180	1,270	2.78	2.71	2.80	3,277	3,196	3,555
IND	886	895	945	2.39	2.25	2.39	2,121	2,017	2,258
IOWA	2,480	2,350	2,450	3.00	2.80	2.82	7,450	6,591	6,897
KANS	2,450	2,320	2,280	2.37	1.82	2.08	5,796	4,229	4,743
KY	1,538	1,497	1,528	2.00	2.00	1.89	3,081	2,996	2,890
LA	360	355	360	2.07	2.12	2.16	745	752	777
MAINE	215	218	214	1.75	1.70	1.65	376	371	354
MD	256	251	251	2.36	2.47	2.46	604	621	617
MASS	112	112	112	2.25	2.15	2.19	252	241	245
MICH	1,360	1,240	1,300	2.50	2.34	2.53	3,394	2,906	3,290
MINN	3,150	3,060	3,210	2.54	2.45	2.49	8,007	7,496	8,005
MISS	650	643	648	1.86	1.75	1.81	1,208	1,128	1,172
MO	3,250	3,200	3,400	1.83	1.72	1.67	5,948	5,491	5,683
MONT	2,450	2,390	2,400	1.67	1.78	1.84	4,100	4,261	4,409
NEBR	4,050	3,850	4,050	1.85	1.63	1.64	7,476	6,270	6,643
NEV	443	445	449	2.01	2.05	1.97	891	913	885
N H	88	88	90	1.95	1.91	1.97	172	168	177
N J	124	119	119	2.45	2.28	2.56	304	271	305
N MEX	276	265	272	3.63	3.45	3.54	1,001	915	963
N Y	2,295	2,275	2,300	2.27	2.34	2.22	5,204	5,333	5,114
N C	325	325	325	1.64	1.63	1.64	533	530	533
N DAK	3,660	3,700	3,540	1.12	1.24	1.42	4,109	4,580	5,025
OHIO	1,540	1,435	1,535	2.20	2.20	2.36	3,386	3,151	3,620
OKLA	1,710	1,580	1,755	2.28	1.95	2.13	3,892	3,087	3,730
OREG	1,029	1,070	1,040	2.20	2.33	2.31	2,266	2,491	2,398
PA	1,942	1,947	1,970	2.26	2.20	2.23	4,380	4,292	4,399
R I	9	9	9	2.00	1.89	1.89	18	17	17
S C	225	220	225	2.05	2.00	2.20	461	440	495
S DAK	4,650	4,760	4,770	1.20	1.09	1.20	5,577	5,189	5,719
TENN	1,224	1,193	1,200	1.51	1.52	1.52	1,850	1,818	1,822
TEX	2,400	2,300	2,250	2.42	2.22	2.33	5,808	5,106	5,245
UTAH	584	578	584	2.84	2.93	2.86	1,660	1,695	1,670
VT	485	485	485	1.87	1.74	1.61	907	844	782
VA	975	970	985	1.87	1.79	1.80	1,823	1,737	1,771
WASH	903	890	877	2.45	2.90	2.73	2,215	2,577	2,391
W VA	620	600	605	1.67	1.68	1.66	1,034	1,007	1,002
WIS	3,950	3,950	3,970	2.69	2.68	2.67	10,622	10,600	10,602
WYO	1,170	1,110	1,180	1.61	1.48	1.56	1,886	1,644	1,838
U S	62,099	60,571	61,863	2.17	2.10	2.15	134,751	127,143	132,917

## ALFALFA AND ALFALFA MIXTURES FOR HAY

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			TONS			1,000 TONS		
ARIZ	219	215	215	6.50	6.60	7.00	1,424	1,419	1,505
ARK	65	50	60	2.50	2.60	2.90	163	130	174
CALIF	1,190	1,150	1,120	5.80	5.90	5.90	6,902	6,785	6,608
COLO	798	735	745	2.65	2.50	2.50	2,115	1,838	1,863
CONN	21	24	21	2.65	2.05	2.25	56	49	47
DEL	7	7	7	3.10	3.05	3.00	22	21	21
IDAHO	1,110	1,050	1,030	3.25	3.70	3.70	3,608	3,885	3,811
ILL	780	740	740	3.15	3.10	3.30	2,457	2,294	2,442
IND	410	395	420	2.85	2.70	3.00	1,169	1,067	1,260
IOWA	1,940	1,810	1,810	3.20	3.00	3.05	6,208	5,430	5,521
KANS	1,210	1,070	980	3.15	2.55	2.85	3,812	2,729	2,793
KY	188	197	188	3.10	3.00	2.90	583	591	545
LA	12	10	10	2.65	2.65	2.35	32	27	24
MAINE	18	19	20	2.30	2.25	2.20	41	41	44
MD	66	67	67	3.10	3.50	3.30	205	235	221
MASS	28	29	29	2.55	2.60	2.60	71	75	75
MICH	1,080	1,000	1,000	2.65	2.45	2.75	2,862	2,450	2,750
MINN	2,210	2,080	2,200	2.90	2.85	2.95	6,409	5,928	6,490
MISS	14	13	13	2.20	1.90	2.25	31	25	29
MO	650	530	530	2.75	2.55	2.60	1,788	1,352	1,378
MONT	1,220	1,220	1,230	2.10	2.15	2.30	2,562	2,623	2,829
NERR	1,770	1,700	1,730	3.00	2.55	2.70	5,310	4,335	4,671
NEV	175	180	176	3.25	3.45	3.40	569	621	598
N H	20	19	19	2.80	2.30	2.60	56	44	49
N J	56	55	55	3.00	2.70	3.10	168	149	171
N MEX	205	197	201	4.40	4.30	4.30	902	847	864
N Y	945	925	930	2.65	2.70	2.70	2,504	2,498	2,511
N C	13	13	13	2.65	2.35	2.60	34	31	34
N DAK	1,580	1,600	1,650	1.35	1.55	1.90	2,133	2,480	3,135
OHIO	470	470	525	2.65	2.70	2.95	1,246	1,269	1,549
OKLA	580	530	515	3.30	2.95	3.15	1,914	1,564	1,622
OREG	407	420	420	3.20	3.30	3.20	1,302	1,386	1,344
PA	812	812	820	2.75	2.70	2.70	2,233	2,192	2,214
R I	3	3	3	2.40	2.20	2.35	7	7	7
S DAK	2,530	2,510	2,560	1.45	1.35	1.50	3,669	3,389	3,840
TENN	84	83	90	2.35	2.50	2.35	197	208	212
TEX	220	220	200	4.60	4.30	4.70	1,012	946	940
UTAH	460	460	460	3.15	3.30	3.20	1,449	1,518	1,472
VT	98	98	100	2.35	1.90	1.85	230	186	185
VA	75	80	80	2.70	2.80	2.90	203	224	232
WASH	518	497	500	3.05	3.80	3.50	1,580	1,889	1,750
W VA	90	90	85	2.35	2.40	2.30	212	216	196
WIS	2,970	3,000	3,020	2.90	2.90	2.85	8,613	8,700	8,607
WYO	470	445	470	2.30	2.20	2.40	1,081	979	1,128
U S	27,787	26,817	27,057	2.85	2.78	2.87	79,144	74,672	77,761

## ALL OTHER HAY

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			TONS			1,000 TONS		
ALA	543	580	630	1.80	1.80	1.80	977	1,044	1,134
ARIZ	41	40	40	2.30	2.30	2.20	94	92	88
ARK	790	650	730	1.75	1.60	1.75	1,383	1,040	1,278
CALIF	535	520	530	1.80	1.75	1.95	963	910	1,034
COLO	734	650	715	1.35	1.20	1.30	991	780	930
CONN	70	71	74	1.90	1.75	2.00	133	124	148
DEL	18	17	16	1.80	1.75	1.65	32	30	26
FLA	188	197	207	1.95	2.10	1.95	367	414	404
GA	466	455	470	2.50	2.35	2.50	1,165	1,069	1,175
IDAHO	290	285	300	1.80	1.90	2.10	522	542	630
ILL	400	440	530	2.05	2.05	2.10	820	902	1,113
IND	476	500	525	2.00	1.90	1.90	952	950	998
IOWA	540	540	640	2.30	2.15	2.15	1,242	1,161	1,376
KANS	1,240	1,250	1,300	1.60	1.20	1.50	1,984	1,500	1,950
KY	1,350	1,300	1,340	1.85	1.85	1.75	2,498	2,405	2,345
LA	348	345	350	2.05	2.10	2.15	713	725	753
MAINE	197	200	194	1.70	1.65	1.60	335	330	310
MD	190	184	184	2.10	2.10	2.15	399	386	396
MASS	84	83	83	2.15	2.00	2.05	181	166	170
MICH	280	240	300	1.90	1.90	1.80	532	456	540
MINN	940	980	1,010	1.70	1.60	1.50	1,598	1,568	1,515
MISS	636	630	635	1.85	1.75	1.80	1,177	1,103	1,143
MO	2,600	2,670	2,870	1.60	1.55	1.50	4,160	4,139	4,305
MONT	1,230	1,170	1,170	1.25	1.40	1.35	1,538	1,638	1,580
NEBR	2,280	2,150	2,320	.95	.90	.85	2,166	1,935	1,972
NEV	268	265	273	1.20	1.10	1.05	322	292	287
N H	68	69	71	1.70	1.80	1.80	116	124	128
N J	68	64	64	2.00	1.90	2.10	136	122	134
N MEX	71	69	71	1.40	1.00	1.40	99	68	99
N Y	1,350	1,350	1,370	2.00	2.10	1.90	2,700	2,835	2,603
N C	312	312	312	1.60	1.60	1.60	499	499	499
N DAK	2,080	2,100	1,890	.95	1.00	1.00	1,976	2,100	1,890
OHIO	1,070	965	1,010	2.00	1.95	2.05	2,140	1,882	2,071
OKLA	1,130	1,050	1,240	1.75	1.45	1.70	1,978	1,523	2,108
OREG	622	650	620	1.55	1.70	1.70	964	1,105	1,054
PA	1,130	1,135	1,150	1.90	1.85	1.90	2,147	2,100	2,185
R I	6	6	6	1.75	1.60	1.70	11	10	10
S C	225	220	225	2.05	2.00	2.20	461	440	495
S DAK	2,120	2,250	2,210	.90	.80	.85	1,908	1,800	1,879
TENN	1,140	1,110	1,110	1.45	1.45	1.45	1,653	1,610	1,610
TEX	2,180	2,080	2,050	2.20	2.00	2.10	4,796	4,160	4,305
UTAH	124	119	124	1.70	1.50	1.60	211	177	198
VT	387	387	385	1.75	1.70	1.55	677	658	597
VA	900	890	905	1.80	1.70	1.70	1,620	1,513	1,539
WASH	385	393	377	1.65	1.75	1.70	635	688	641
W VA	530	510	520	1.55	1.55	1.55	821	791	806
WIS	980	950	950	2.05	2.00	2.10	2,009	1,900	1,995
WYO	700	665	710	1.15	1.00	1.00	805	665	710
U S	34,312	33,754	34,806	1.62	1.55	1.58	55,607	52,471	55,156

DRY EDIBLE PEAS 1/

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			POUNDS			1,000 CWT.		
IDAHO	48.0	89.0	69.0	1,300	1,500	1,390	624	1,335	959
MINN 2/	4.0	1.0		1,300	1,300		52	13	
OREG	3.4	6.0	2.5	970	1,500	1,400	33	90	35
WASH	81.0	117.0	117.0	1,180	1,530	1,485	956	1,790	1,737
U S	136.4	213.0	188.5	1,221	1,515	1,449	1,665	3,228	2,731

1/ EXCLUDES BOTH WRINKLED SEED PEAS AND AUSTRIAN WINTER PEAS.

2/ ESTIMATES DISCONTINUED AFTER 1974.

DRY EDIBLE PEAS, PRODUCTION BY COMMERCIAL CLASSES 1/

STATE	ALASKA AND OTHER SMOOTH GREEN KINDS			WHT. CANADA, FIRST & BEST, OTHER YELLOW & WHITE KINDS			TOTAL		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 CWT								
IDAHO	599	1,226	899	25	109	60	624	1,335	959
MINN 2/				52	13		52	13	
OREG	5	19	8	28	71	27	33	90	35
WASH	662	1,291	1,338	294	499	399	956	1,790	1,737
U S	1,266	2,536	2,245	399	692	486	1,665	3,228	2,731

1/ EXCLUDES BOTH WRINKLED SEED PEAS AND AUSTRIAN WINTER PEAS.

2/ ESTIMATES DISCONTINUED AFTER 1974.

WRINKLED SEED PEAS

STATE	PRODUCTION		
	1973	1974	1975
	1,000 CWT		
IDAHO	473	720	637
WASH & OREG	439	313	294
TOTAL	912	1,033	931

DRY EDIBLE BEANS 1/

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			POUNDS			1,000 CWT		
CALIF									
LARGF LIMA	31.0	33.0	24.0	1,720	2,030	1,700	533	670	408
BABY LIMA	20.0	28.0	20.0	1,490	2,050	2,080	378	574	416
OTHER	110.0	166.0	110.0	1,634	1,655	1,620	1,797	2,747	1,782
TOTAL CALIF	161.0	227.0	154.0	1,682	1,758	1,692	2,708	3,991	2,606
COLO	188.0	180.0	205.0	770	850	880	1,448	1,530	1,804
IDAHO	99.0	129.0	141.0	2,140	1,940	1,830	2,119	2,503	2,580
KANS	8.0	10.0	13.0	1,100	1,300	1,170	88	130	152
MICH	560.0	575.0	500.0	950	1,200	900	5,320	6,902	4,500
MINN	37.0	87.0	48.0	1,600	800	800	592	696	384
MONT	9.0	11.0	11.0	1,800	1,400	1,600	162	154	176
NEBR	104.0	110.0	118.0	1,600	1,950	1,600	1,664	2,145	1,888
N Y	39.0	42.0	47.0	950	1,230	1,130	371	517	531
N DAK	100.0	94.0	122.0	1,050	650	970	1,050	611	1,183
UTAH	15.0	14.0	15.0	450	330	420	68	46	63
WASH	18.0	26.0	33.0	1,800	1,910	2,070	324	497	683
WYO	22.0	26.0	28.0	1,780	1,850	1,660	392	481	465
OTHER STS 2/	7.7	10.7	12.1	1,080	1,310	1,496	83	140	181
U S	1,367.7	1,541.7	1,447.1	1,198	1,320	1,188	16,389	20,343	17,196

1/ EXCLUDES BEANS GROWN FOR GARDEN SEED.

2/ ILLINOIS AND INDIANA.



POTATOES BY SEASONAL GROUPS

SEASONAL GROUP AND STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			CWT			1,000 CWT		
<u>WINTER:</u>									
CALIF	4.9	4.4	4.9	220	265	215	1,078	1,166	1,054
FLA	9.1	9.3	9.4	195	190	195	1,775	1,767	1,833
TOTAL	14.0	13.7	14.3	204	214	202	2,853	2,933	2,887
<u>SPRING</u>									
ALA	11.0	12.5	10.6	118	145	130	1,298	1,813	1,378
ARIZ	9.9	8.6	6.2	210	260	245	2,079	2,236	1,519
CALIF	34.7	35.5	27.6	325	385	380	11,278	13,668	10,488
FLA-HASTINGS	19.0	18.8	16.2	180	175	195	3,420	3,290	3,159
-OTHER	2.1	2.8	1.9	150	170	185	315	476	352
LA	2.3	2.8	2.6	83	90	70	191	252	182
MISS	2.0	2.0	1.9	85	95	90	170	190	171
N C	11.2	13.0	12.0	145	165	160	1,624	2,145	1,920
TEX	6.7	7.4	5.5	125	130	150	838	962	825
TOTAL	98.9	103.4	84.5	214	242	237	21,213	25,032	19,994
<u>SUMMER</u>									
ALA	8.0	10.5	9.0	125	145	150	1,000	1,523	1,350
CALIF	9.5	9.9	8.2	320	350	370	3,040	3,465	3,034
COLO	6.5	6.6	7.2	220	275	260	1,430	1,815	1,872
DEL	6.8	6.8	5.7	195	225	165	1,326	1,530	941
ILL	1.8	1.6	2.0	155	155	190	279	248	380
IND	1.0	1.1	.8	130	190	180	130	209	144
IOWA	2.6	3.3	3.1	175	200	200	455	660	620
MD	2.0	2.0	1.8	160	147	170	320	294	306
MICH	8.0	8.4	7.4	140	190	190	1,120	1,596	1,406
MINN	7.4	8.5	8.1	250	250	260	1,850	2,125	2,106
NEBR	2.4	2.6	2.5	170	150	160	408	390	400
N J	9.3	9.0	7.0	185	270	195	1,721	2,430	1,365
N MEX	3.2	4.2	3.5	260	200	200	832	840	700
N C	3.0	4.5	4.0	120	135	120	360	608	480
OHIO	2.8	2.9	2.9	150	190	165	420	551	479
TENN	4.2	6.0	5.0	80	90	85	336	540	425
TEX	12.0	10.2	8.6	245	220	250	2,940	2,244	2,150
VA	31.0	31.0	25.0	105	130	96	3,255	4,030	2,400
W VA	3.6	4.2	3.7	71	77	72	256	323	266
TOTAL	125.1	133.3	115.5	172	191	180	21,478	25,421	20,824

POTATOES BY SEASONAL GROUPS CONTINUED

SEASONAL GROUP AND STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			CWT.			1,000 CWT.		
FALL:									
CALIF	20.5	20.7	18.4	305	310	335	6,253	6,417	6,164
COLO	30.5	34.0	32.5	270	260	265	8,235	8,840	8,613
CONN	2.6	2.6	2.4	220	230	230	572	598	552
IDAHO-10 S W CO.	36.0	39.0	33.0	320	295	305	11,520	11,505	10,065
-OTHER CO.	287.0	303.0	289.0	235	230	225	67,445	69,690	65,025
IND	5.5	5.3	6.0	225	220	250	1,238	1,166	1,500
MAINE	137.0	140.0	122.0	210	260	220	28,770	36,400	26,840
MASS	3.7	4.0	3.5	160	200	205	592	800	718
MICH	32.0	34.0	29.0	235	245	230	7,520	8,330	6,670
MINN	82.0	85.0	57.0	160	180	170	13,120	15,300	9,690
MONT	6.8	7.0	7.6	215	250	230	1,462	1,750	1,748
NEBR	4.4	4.8	4.9	230	240	230	1,012	1,152	1,127
NEV 1/		8.5	12.5		375	330		3,188	4,125
N H	.6	.7	.4	170	205	230	102	144	92
N Y-LONG IS.	25.0	27.0	23.3	215	250	260	5,375	6,750	6,058
-UPSTATE	29.0	26.8	24.0	230	260	240	6,670	6,968	5,760
N DAK	132.0	135.0	110.0	145	170	160	19,140	22,950	17,600
OHIO	9.0	9.5	8.7	200	220	220	1,800	2,090	1,914
OREG-MALHEUR CO.	13.5	12.8	9.5	370	305	335	4,995	3,904	3,183
-OTHER CO.	28.4	37.2	42.6	385	365	460	10,934	13,578	19,596
PA	30.0	32.0	29.0	210	230	235	6,300	7,360	6,815
R I	4.3	4.4	4.2	185	235	235	796	1,034	987
S DAK	5.7	5.3	5.2	135	70	115	770	371	598
UTAH	5.0	6.3	5.8	220	235	260	1,100	1,481	1,508
VT	1.0	1.0	.9	150	220	235	150	220	212
WASH	82.0	98.0	105.0	430	420	460	35,260	41,160	48,300
WIS	47.0	50.0	49.5	245	280	300	11,515	14,000	14,850
WYO	6.1	6.5	6.8	200	235	240	1,220	1,528	1,632
TOTAL FALL	1,066.6	1,140.4	1,042.7	238	253	261	253,866	288,674	271,942
U S	1,304.6	1,390.8	1,257.0	230	246	251	299,410	342,060	315,647

1/ 1974 FIRST YEAR ESTIMATE.

POTATOES

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			CWT.			1,000 CWT.		
ALA	19.0	23.0	19.6	121	145	139	2,298	3,336	2,728
ARIZ	9.9	8.6	6.2	210	260	245	2,079	2,236	1,519
CALIF	69.6	70.5	59.1	311	351	351	21,649	24,716	20,740
COLO	37.0	40.6	39.7	261	262	264	9,665	10,655	10,485
CONN	2.6	2.6	2.4	220	230	230	572	598	552
DEL	6.8	6.8	5.7	195	225	165	1,326	1,530	941
FLA	30.2	30.9	27.5	182	179	194	5,510	5,533	5,344
IDAHO	323.0	342.0	322.0	244	237	233	78,965	81,195	75,090
ILL	1.8	1.6	2.0	155	155	190	279	248	380
IND	6.5	6.4	6.8	210	215	242	1,368	1,375	1,644
IOWA	2.6	3.3	3.1	175	200	200	455	660	620
LA	2.3	2.8	2.6	83	90	70	191	252	182
MAINE	137.0	140.0	122.0	210	260	220	28,770	36,400	26,840
MD	2.0	2.0	1.8	160	147	170	320	294	306
MASS	3.7	4.0	3.5	160	200	205	592	800	718
MICH	40.0	42.4	36.4	216	234	222	8,640	9,926	8,076
MINN	89.4	93.5	65.1	167	186	181	14,970	17,425	11,796
MISS	2.0	2.0	1.9	85	95	90	170	190	171
MONT	6.8	7.0	7.6	215	250	230	1,462	1,750	1,748
NEBR	6.8	7.4	7.4	209	208	206	1,420	1,542	1,527
NEV		8.5	12.5		375	330		3,188	4,125
N H	.6	.7	.4	170	205	230	102	144	92
N J	9.3	9.0	7.0	185	270	195	1,721	2,430	1,365
N MEX	3.2	4.2	3.5	260	200	200	832	840	700
N Y	54.0	53.8	47.3	223	255	250	12,045	13,718	11,818
N C	14.2	17.5	16.0	140	157	150	1,984	2,753	2,400
N D	132.0	135.0	110.0	145	170	160	19,140	22,950	17,600
OHIO	11.8	12.4	11.6	188	213	206	2,220	2,641	2,393
OREG	41.9	50.0	52.1	380	350	437	15,929	17,482	22,779
PA	30.0	32.0	29.0	210	230	235	6,300	7,360	6,815
R I	4.3	4.4	4.2	185	235	235	796	1,034	987
S DAK	5.7	5.3	5.2	135	70	115	770	371	598
TENN	4.2	6.0	5.0	80	90	85	336	540	425
TEX	18.7	17.6	14.1	202	182	211	3,778	3,206	2,975
UTAH	5.0	6.3	5.8	220	235	260	1,100	1,481	1,508
VT	1.0	1.0	.9	150	220	235	150	220	212
VA	31.0	31.0	25.0	105	130	96	3,255	4,030	2,400
WASH	82.0	98.0	105.0	430	420	460	35,260	41,160	48,300
W VA	3.6	4.2	3.7	71	77	72	256	323	266
WIS	47.0	50.0	49.5	245	280	300	11,515	14,000	14,850
WYO	6.1	6.5	6.8	200	235	240	1,220	1,528	1,632
TOTAL	1,304.6	1,390.8	1,257.0	230	246	251	299,410	342,060	315,647

1/ 1974 FIRST YEAR ESTIMATE.

## SWEETPOTATOES

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			CWT			1,000 CWT		
ALA	4.5	5.5	5.8	85	100	90	383	550	522
ARK	1.5	1.7	1.5	75	75	80	113	128	120
CALIF	6.4	6.7	7.2	145	165	160	928	1,106	1,152
GA	7.5	8.0	7.5	80	95	100	600	760	750
LA	33.0	35.0	30.0	90	105	85	2,970	3,675	2,550
MD	2.1	2.1	2.1	140	140	155	294	294	326
MISS	9.5	9.0	9.5	110	100	97	1,045	900	922
N J	1.6	1.9	2.0	105	120	110	168	216	220
N C	25.0	29.0	32.0	145	135	145	3,625	3,915	4,640
S C	2.0	2.5	2.3	80	91	87	160	229	200
TENN	3.2	3.0	3.0	100	100	105	320	300	315
TEXAS	9.5	10.0	10.0	90	85	95	855	850	950
VA	7.4	7.4	6.5	145	135	150	1,073	999	975
U S	113.2	121.7	119.4	111	114	114	12,534	13,921	13,642

## ALL TOBACCO

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	ACRES			POUNDS			1,000 POUNDS		
ALA	530	630	700	1,675	1,810	1,800	888	1,140	1,260
CONN	5,050	4,800	4,500	1,341	1,649	1,429	6,772	7,915	6,430
FLA	13,700	13,270	14,490	1,752	2,095	2,061	23,999	27,805	29,865
GA	60,530	72,280	75,130	1,618	2,233	2,010	97,913	161,402	150,978
IND	5,600	7,000	7,500	1,890	2,380	2,200	10,584	16,660	16,500
KY	161,750	189,050	201,900	1,984	2,391	2,307	320,869	452,008	465,706
LA	200	160	150	750	780	400	150	125	60
MD	25,000	24,000	23,000	1,260	1,260	1,050	31,500	30,240	24,150
MASS	1,510	1,460	1,420	1,299	1,657	1,442	1,962	2,419	2,048
MO	1,900	2,400	2,700	1,985	2,395	2,300	3,772	5,748	6,210
N C	383,500	398,000	479,000	2,117	1,983	1,990	811,915	789,220	953,125
OHIO	9,600	11,000	11,300	1,651	2,103	2,212	15,852	23,130	25,000
PA	13,000	13,000	12,500	1,700	2,000	1,750	22,100	26,000	21,875
S C	67,000	80,000	90,000	1,980	2,150	2,100	132,660	172,000	189,000
TENN	51,420	56,540	61,640	1,969	1,962	2,023	101,271	110,945	124,678
VA	74,400	77,880	84,730	1,857	1,818	1,688	138,138	141,577	143,030
W VA	1,700	1,750	1,800	1,645	1,670	1,650	2,797	2,923	2,970
WIS	10,200	9,400	11,000	1,859	1,965	1,926	18,963	18,471	21,190
U S	886,590	962,620	1,083,460	1,965	2,067	2,016	1,742,105	1,989,728	2,184,075

TOBACCO BY CLASS AND TYPE

CLASS AND TYPE	TYPE NO.	AREA HARVESTED					YIELD PER ACRE					PRODUCTION				
		1973	1974	1975	1973	1974	1975	1973	1974	1975	1973	1974	1975	1973	1974	1975
		ACRES					POUNDS					1,000 POUNDS				
CLASS 1, FLUE-CURED																
N C	11	149,000	152,000	179,000	1,905	1,790	1,710	283,845	272,080	306,090						
VA	11	60,000	62,000	68,000	1,855	1,805	1,650	111,300	111,910	112,200						
TOTAL OLD AND MIDDLE BELTS	11	209,000	214,000	247,000	1,891	1,794	1,693	395,145	383,990	418,290						
EASTERN N C BELTS	12	180,000	188,000	229,000	2,255	2,110	2,145	405,900	396,680	491,205						
N C	13	47,000	50,000	62,000	2,210	2,030	2,165	103,870	101,500	134,230						
S C	13	67,000	80,000	90,000	1,980	2,150	2,100	132,660	172,000	189,000						
TOTAL N C BORDER AND S C BELT	13	114,000	130,000	152,000	2,075	2,104	2,127	236,530	273,500	323,230						
ALA	14	530	630	700	1,675	1,810	1,800	888	1,140	1,260						
FLA	14	11,600	11,700	13,500	1,810	2,145	2,100	20,996	25,997	28,350						
GA	14	60,000	72,000	75,000	1,620	2,310	2,010	97,200	160,920	150,750						
TOTAL GA-FLA	14	72,130	84,330	89,200	1,651	2,219	2,022	119,084	187,157	180,360						
TOTAL ALL FLUE-CURED TYPES	11-14	575,130	616,330	717,200	2,011	2,014	1,970	1,156,659	1,241,327	1,413,085						
CLASS 2, FIRE-CURED																
VA BELT	21	4,700	5,000	5,000	1,205	1,185	1,070	5,664	5,925	5,350						
KY	22	4,900	4,650	5,000	1,560	1,660	1,800	7,644	7,719	9,000						
TENN	22	8,800	8,500	9,900	1,765	1,580	1,700	15,532	13,430	16,830						
TOTAL EASTERN DISTRICT	22	13,700	13,150	14,900	1,692	1,608	1,734	23,176	21,149	25,830						
KY	23	2,500	2,600	3,150	1,570	1,610	1,650	3,925	4,186	5,198						
TENN	23	420	440	440	1,475	1,380	1,450	620	607	638						
TOTAL WESTERN DISTRICT	23	2,920	3,040	3,590	1,557	1,577	1,626	4,545	4,793	5,836						
TOTAL ALL FIRE-CURED TYPES	21-23	21,320	21,190	23,490	1,566	1,504	1,576	33,385	31,867	37,016						
CLASS 3, AIR-CURED																
3A LIGHT AIR-CURED																
IND	31	5,600	7,000	7,500	1,890	2,380	2,200	10,584	16,660	16,500						
KY	31	148,000	176,000	187,000	2,020	2,445	2,350	298,960	430,320	439,450						
MO	31	1,900	2,400	2,700	1,985	2,395	2,300	3,772	5,748	6,210						
N C	31	7,500	8,000	9,000	2,440	2,370	2,400	18,300	18,960	21,600						
OHIO	31	7,400	9,000	9,500	1,720	2,230	2,300	12,728	20,070	21,850						
TENN	31	41,000	46,400	50,000	2,025	2,050	2,100	83,025	95,120	105,000						
VA	31	9,000	10,200	11,000	2,250	2,240	2,250	20,250	22,848	24,750						
W VA	31	1,700	1,750	1,800	1,645	1,670	1,650	2,797	2,923	2,970						
TOTAL BURLEY BELT	31	222,100	260,750	278,500	2,028	2,350	2,292	450,416	612,649	638,330						
SO MD BELT	32	25,000	24,000	23,000	1,260	1,260	1,050	31,500	30,240	24,150						
TOTAL ALL LIGHT AIR-CURED TYPES	31-32	247,100	284,750	301,500	1,950	2,258	2,197	481,916	642,889	662,480						

TOBACCO BY CLASS AND TYPE CONTINUED

CLASS AND TYPE	TYPE NO.	AREA HARVESTED				YIELD PER ACRE				PRODUCTION								
		1973	1974	1975	1973	1974	1975	1973	1974	1975	1973	1974	1975					
		ACRES				POUNDS				1,000 POUNDS								
3B DARK AIR-CURED																		
KY	35	4,100	3,650	4,300	1,600	1,620	1,750	6,560	5,913	7,525								
TENN	35	1,200	1,200	1,300	1,745	1,490	1,700	2,094	1,788	2,210								
TOTAL ONE SUCKER BELT	35	5,300	4,850	5,600	1,633	1,588	1,738	8,654	7,701	9,735								
GREEN RIVER BELT (KY)	36	2,250	2,150	2,450	1,680	1,800	1,850	3,780	3,870	4,533								
VA SUN-CURED BELT	37	700	680	730	1,320	1,315	1,000	924	894	730								
TOTAL ALL DARK AIR-CURED TYPES	35-37	8,250	7,680	8,780	1,619	1,623	1,708	13,358	12,465	14,998								
CLASS 4, CIGAR FILLER																		
PA SEEDLEAF	41	13,000	13,000	12,500	1,700	2,000	1,750	22,100	26,000	21,875								
OHIO MIAMI VALLEY TYPES	42-44	2,200	2,000	1,800	1,420	1,530	1,750	3,124	3,060	3,150								
TOTAL CIGAR FILLER TYPES	41-44	15,200	15,000	14,300	1,659	1,937	1,750	25,224	29,060	25,025								
CLASS 5, CIGAR BINDER																		
CONN-CONN VALLEY BROADLEAF	51	1,350	1,300	1,300	1,700	1,700	1,500	2,295	2,210	1,950								
MASS-CONN VALLEY HAVANA SEED	52	210	160	170	1,850	2,040	1,750	389	326	298								
TOTAL CONN VALLEY BINDER	51-52	1,560	1,460	1,470	1,721	1,737	1,529	2,684	2,536	2,248								
S WIS.	54	4,900	4,700	5,600	1,950	2,060	2,000	9,555	9,682	11,200								
N WIS.	55	5,300	4,700	5,400	1,775	1,870	1,850	9,408	8,789	9,990								
TOTAL WIS BINDER	54-55	10,200	9,400	11,000	1,859	1,965	1,926	18,963	18,471	21,190								
TOTAL CIGAR BINDER TYPES	51-55	11,760	10,860	12,470	1,841	1,934	1,880	21,647	21,007	23,438								
CLASS 6, CIGAR WRAPPER																		
CONN	61	3,700	3,500	3,200	1,210	1,630	1,400	4,477	5,705	4,480								
MASS	61	1,300	1,300	1,250	1,210	1,610	1,400	1,573	2,093	1,750								
TOTAL CONN VALLEY SHADE-GROWN	61	5,000	4,800	4,450	1,210	1,625	1,400	6,050	7,798	6,230								
FLA	62	2,100	1,570	990	1,430	1,725	1,530	3,003	2,708	1,515								
GA	62	530	280	130	1,345	1,720	1,750	713	482	228								
TOTAL GA-FLA SHADE-GROWN 1/	62	2,630	1,850	1,120	1,413	1,724	1,556	3,716	3,190	1,743								
TOTAL CIGAR WRAPPER TYPES	61-62	7,630	6,650	5,570	1,280	1,652	1,431	9,766	10,988	7,973								
TOTAL ALL CIGAR TYPES	41-62	34,590	32,510	32,340	1,637	1,878	1,745	56,637	61,055	56,436								
CLASS 7, MISCELLANEOUS																		
LA PERIQUE	72	200	160	150	750	780	400	150	125	60								
U S	ALL	886,590	962,620	1,083,460	1,965	2,067	2,016	1,742,105	1,989,728	2,184,075								

1/ INCLUDES FIRE-CURED WRAPPER.

MINT FOR OIL

CROP AND STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			LBS OF OIL			1,000 LBS		
PEPPERMINT:									
IDAHO	4.5	4.6	5.8	56	62	49	252	285	284
IND	5.8	6.4	7.0	32	30	40	186	192	280
OREG	36.5	35.5	40.0	60	56	56	2,190	1,988	2,240
WASH	7.3	8.5	8.3	55	66	80	402	561	664
WIS	4.6	6.0	6.8	31	46	37	143	276	252
U S	58.7	61.0	67.9	54	54	55	3,173	3,302	3,720
SPEARMINT:									
IDAHO	2.9	2.9	3.1	56	60	45	162	174	140
IND	6.2	5.5	5.7	33	24	37	205	132	211
MICH	3.5	3.6	3.6	28	28	33	98	101	119
WASH	10.4	11.8	13.2	79	80	87	822	944	1,148
WIS	1.9	2.3	2.1	32	45	41	61	104	86
U S	24.9	26.1	27.7	54	56	62	1,348	1,455	1,704

SUGARBEETS

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			TONS			1,000 TONS		
ARIZ 1/	13.0	10.4	17.0	21.8	23.8	21.5	283	247	366
CALIF 1/	262.6	230.0	326.0	24.6	25.9	26.0	6,447	5,948	8,476
COLO	113.7	125.7	155.0	16.3	19.0	17.2	1,851	2,261	2,660
IDAHO	144.3	90.8	158.4	20.2	20.3	18.6	2,921	1,845	2,939
KANS	34.0	35.1	43.0	17.8	17.2	15.5	605	602	667
MICH	86.7	80.4	91.4	17.6	17.0	19.2	1,524	1,364	1,755
MINN	131.2	182.7	195.0	16.5	11.6	14.2	2,169	2,116	2,767
MONT	44.6	43.9	48.5	19.8	18.7	16.8	883	820	813
NEBR	74.4	75.5	96.0	19.9	18.3	18.5	1,482	1,382	1,776
N MEX	.8	.4	.9	18.7	19.8	18.3	15	8	16
N DAK	79.3	139.9	131.2	16.2	11.2	14.0	1,284	1,562	1,837
OHIO	29.6	32.7	39.2	12.7	15.9	20.2	375	519	792
OREG	18.4	11.6	17.9	25.9	23.0	23.6	477	267	422
TEX	20.7	19.7	33.7	19.3	17.7	13.0	400	349	438
UTAH	18.4	17.0	22.5	17.5	17.4	15.7	322	246	354
WASH	91.7	63.3	82.4	27.0	24.5	26.0	2,476	1,554	2,142
WYO	54.1	53.5	57.7	18.2	18.4	18.2	985	983	1,050
U S	1,217.5	1,212.6	1,515.8	20.1	18.2	19.3	24,499	22,123	29,270

1/ RELATES TO YEAR OF HARVEST.

SUGARCANE FOR SUGAR AND SEED

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	1,000 ACRES			TONS			1,000 TONS		
FOR SUGAR									
FLA	257.6	258.4	286.7	31.4	27.8	33.2	8,089	7,184	9,518
HAW	108.2	95.8	105.6	89.1	94.8	96.8	9,645	9,081	10,222
LA	319.0	308.0	308.0	20.6	21.3	21.5	6,570	6,558	6,622
TEX	18.2	27.7	35.2	34.1	32.4	32.8	620	898	1,155
U S	703.0	689.9	735.5	35.5	34.4	37.4	24,924	23,721	27,517
FOR SEED									
FLA	8.0	14.9	10.3	31.4	27.8	33.2	251	414	342
HAW	7.6	5.5	6.4	24.3	29.3	28.3	185	161	181
LA	22.0	23.0	21.0	20.6	21.3	21.5	453	490	452
TEX	.4	.8	.2	34.1	32.4	32.8	14	26	7
U S	38.0	44.2	37.9	23.8	24.7	25.9	903	1,091	982
FOR SUGAR AND SEED									
FLA	265.6	273.3	297.0	31.4	27.8	33.2	8,340	7,598	9,860
HAW	115.8	101.3	112.0	84.9	91.2	92.9	9,830	9,242	10,403
LA	341.0	331.0	329.0	20.6	21.3	21.5	7,023	7,048	7,074
TEX	18.6	28.5	35.4	34.1	32.4	32.8	634	924	1,162
U S	741.0	734.1	773.4	34.9	33.8	36.8	25,827	24,812	28,499

SUGAR AND MOLASSES PRODUCTION 1/

SOURCE AND STATE	SUGAR						MOLASSES <u>2/</u>		
	RAW VALUE			REFINED BASIS			1973	1974	1975
	1973	1974	1975	1973	1974	1975	1,000 GALLONS		
	1,000 TONS						1,000 GALLONS		
SUGARCANE									
FLA	824	803	<u>3/</u>	770	750	<u>3/</u>	62,498	53,479	<u>3/</u>
LA	558	594	<u>3/</u>	522	555	<u>3/</u>	43,807	41,957	<u>3/</u>
TEX	38	74	<u>3/</u>	36	69	<u>3/</u>	6,055	6,642	<u>3/</u>
MAINLAND TOTAL	1,420	1,471	1,734	1,328	1,374	1,621	112,360	102,078	119,240
HAW	1,129	1,041	1,104	1,055	973	1,032	<u>4/53,567</u>	<u>4/52,163</u>	<u>4/52,320</u>
U S	2,549	2,512	2,838	2,383	2,347	2,653	165,927	154,241	171,560
SUGARBEETS									
U S	3,200	2,916	3,840	2,990	2,725	3,600			
CANE & BEETS									
U S	5,749	5,428	6,678	5,373	5,072	6,253			

1/ BASED LARGELY ON DATA FROM ASCS. 2/ BLACKSTRAP (80° BRIX) HIGH TEST MOLASSES FROM FROZEN CANE AND EDIBLE. 3/ SEPARATE ESTIMATES NOT AVAILABLE. 4/ 85° BRIX.

## CITRUS FRUIT 1/

CROP AND STATE	PRODUCTION BOXES			PRODUCTION TON EQUIVALENT		
	1972-73	1973-74	1974-75	1972-73	1973-74	1974-75
	1,000 UNITS 2/			1,000 UNITS		
ORANGES, EARLY MID. & NAVEL 3/						
ARIZ	1,060	450	920	40	17	35
CALIF	18,700	21,900	28,000	701	821	1,050
FLA	90,000	92,100	96,600	4,050	4,145	4,347
TEX	5,300	4,200	2,930	225	179	125
U S	115,060	118,650	128,450	5,016	5,162	5,557
ORANGES, VALENCIA						
ARIZ	4,000	2,960	4,050	150	111	152
CALIF	23,400	18,500	27,100	878	694	1,016
FLA	79,700	73,700	76,700	3,587	3,317	3,452
TEX	2,500	2,400	1,610	106	102	68
U S	109,600	97,560	109,460	4,721	4,224	4,688
ALL ORANGES						
ARIZ	5,060	3,410	4,970	190	128	187
CALIF	42,100	40,400	55,100	1,579	1,515	2,066
FLA	169,700	165,800	173,300	7,637	7,462	7,799
TEX	7,800	6,600	4,540	331	281	193
U S	224,660	216,210	237,910	9,737	9,386	10,245
TEMPLES						
FLA	5,100	5,300	5,300	230	239	239
GRAPEFRUIT, WHITE SEEDLESS						
FLA	23,500	25,900	25,900	999	1,101	1,101
GRAPEFRUIT, PINK SEEDLESS						
FLA	11,700	12,200	11,500	497	519	489
GRAPEFRUIT, OTHER						
FLA	10,200	10,000	7,200	434	425	306
ALL GRAPEFRUIT						
ARIZ	2,640	2,050	2,770	84	66	89
CALIF						
DESERT	3,000	2,360	3,750	96	76	120
OTHER AREAS	2,800	2,290	2,950	94	77	99
TOTAL	5,800	4,650	6,700	190	153	219
FLA	45,400	48,100	44,600	1,930	2,045	1,896
TEX	11,800	10,700	7,300	472	428	292
U S	65,640	65,500	61,370	2,676	2,692	2,496
TANGERINES						
ARIZ	530	680	610	20	26	23
CALIF	1,600	1,360	1,540	60	51	58
FLA	3,000	2,800	3,100	143	133	147
U S	5,130	4,840	5,250	223	210	228
LEMONS						
ARIZ	4,600	2,900	7,200	175	110	274
CALIF	17,600	14,900	22,200	669	566	844
U S	22,200	17,800	29,400	844	676	1,118
LIMES						
FLA	1,100	1,050	1,100	44	42	44
TANGELOS						
FLA	3,100	3,700	4,700	140	167	212

1/ THE CROP YEAR BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH YEAR HARVEST IS COMPLETED.  
2/ NET LBS. PER BOX: ORANGES-CALIF & ARIZ-75, FLA-90, TEX-85; GRAPEFRUIT-CALIF DESERT & ARIZ-64, CALIF OTHER-67, FLA-85, TEX-80; LEMONS-76; LIMES-80; TANGELOS & TEMPLES-90; TANGERINES-CALIF & ARIZ-75, FLA-95. 3/ NAVEL AND MISCELLANEOUS VARIETIES IN CALIFORNIA AND ARIZONA. EARLY AND MIDSEASON VARIETIES IN FLORIDA AND TEXAS, INCLUDING SMALL QUANTITIES OF TANGERINES IN TEXAS.

HOPS

STATE	AREA HARVESTED			YIELD PER ACRE			PRODUCTION 1/		
	1973	1974	1975	1973	1974	1975	1973	1974	1975 2/
	1,000 ACRES			POUNDS			1,000 POUNDS		
CALIF	1.5	1.5	1.5	1,500	1,670	1,700	2,250	2,505	2,550
IDAHO	4.0	4.1	3.7	1,750	1,700	1,660	7,000	6,970	6,142
OREG	5.3	5.5	5.6	1,670	1,550	1,700	8,851	8,525	9,520
WASH	20.6	21.3	21.3	1,780	1,830	1,770	36,668	38,979	37,701
U S	31.4	32.4	32.1	1,744	1,759	1,742	54,769	56,979	55,913

1/ TOTAL PRODUCTION INCLUDES HOPS LOST BY FIRE: 1974 - OREG 31,100, WASH 19,900; 1975 - WASH 176,000.

2/ QUANTITIES AVAILABLE FOR MARKET WILL BE GOVERNED BY REGULATIONS ISSUED UNDER FEDERAL MARKET ORDER 991.

TARO

STATE	AREA HARVESTED 1/			YIELD PER ACRE			UTILIZED PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	ACRES			1,000 POUNDS					
HAW	460	460	460	18.4	19.2	16.2	8,478	8,835	7,466

1/ AVERAGE DURING THE YEAR.

COFFEE

STATE	AREA HARVESTED			YIELD PER ACRE			UTILIZED PRODUCTION		
	1973-74	1974-75	1975-76	1973-74	1974-75	1975-76	1973-74	1974-75	1975-76
	ACRES			1,000 POUNDS					
HAW	2,500	2,500	2,000	1.2	.62	.90	3,040	1,540	1,800

ALASKA

CROP AND PRODUCT UNIT	AREA HARVESTED			YIELD PER ACRE			PRODUCTION		
	1973	1974	1975	1973	1974	1975	1973	1974	1975
	ACRES			1,000					
OATS-BU	600	400	400	42.0	25.0	42.0	25.2	10.0	16.8
BARLEY-BU	3,100	1,100	1,500	32.5	34.5	47.0	100.8	38.0	70.0
ALL SILAGE-TON	2,900	2,800	2,800	4.41	4.46	5.43	12.8	12.5	15.2
ALL HAY-TON	11,600	12,600	14,400	1.28	1.25	1.49	14.8	15.8	21.4
POTATOES-CWT	500	570	550	205	159	217	102.5	90.5	119.5

I N D E X

	TABLE <u>PAGE</u>
Area Harv. (Current) .....	B- 7
Area Harv. (Historical) .....	B- 1
Alaska .....	B-44
Barley .....	B-21
Beans (by States) .....	B-33
Beans (by Classes) .....	B-34
Citrus Fruits .....	B-43
Corn and Sorghum for Forage .....	B-19
Corn for Grain .....	B-16
Corn for Silage .....	B-17
Corn, White .....	B-28
Cotton .....	B-29
Cottonseed ..	B-29
Flaxseed .....	B-27
Hawaii .....	B-44
Hay, All .....	B-30
Hay, Alfalfa .....	B-31
Hay, All Other .....	B-32
Hops .....	B-44
Mint for Oil .....	B-41
Oats .....	B-20
Peanuts .....	B-28
Peas (by States) .....	B-33
Peas (by Classes) .....	B-33
Planted Acreage .....	B- 8
Popcorn .....	B-28
Potatoes .....	B-35
Production (Historical) .....	B- 4
Production Index .....	A- 2
Rice .....	B-25
Rye .....	B-26
Sorghum for Grain .....	B-18
Sorghum for Forage .....	B-19
Sorghum for Silage .....	B-18
Soybeans (for Beans) .....	B-27
Sugar and Molasses .....	B-42
Sugarbeets .....	B-41
Sugarcane .....	B-42
Sweetpotatoes .....	B-38
Tobacco (by States) .....	B-38
Tobacco (by Types) .....	B-39
Wheat, All .....	B-22
Wheat, Winter.....	B-23
Wheat, Spring .....	B-24
Wheat, Durum .....	B-24
Wheat (by Classes) .....	B-24
Yield, Historical .....	B- 3