



1 9 4 2

A N N U A L S U M M A R Y

- - - - -

ACREAGE, YIELD, AND PRODUCTION

of

PRINCIPAL CROPS

By States

- - - - -

With Comparisons

- - - - -

Washington, D. C.
December, 1942

INDEX

	Page		Page
U. S. Summary, by commodities ...	1-3	Peaches.....	56
Comments.....	4-16	Peanuts.....	45
Acreage Harv. (Total all crops) ..	17	Peanut Hay.....	38
Alfalfa Hay.....	34	Pears.....	56
Alfalfa Seed.....	42	Peas (Dry).....	44
Alsike Cloverseed.....	41	Pecans.....	60
Apples.....	55	Planted Acreage.....	18-19
Barley.....	27	Plums and Prunes.....	58
Beans (Dry).....	44	Popcorn.....	40
Beet Sugar.....	52	Potatoes.....	53-54
Broomcorn.....	40	Red Cloverseed.....	41
Buckwheat.....	29	Rice.....	27
Cherries.....	57	Rye.....	28
Citrus Fruits.....	59	Sorgo Sirup.....	51
Clover & Timothy Hay.....	35	Soybeans.....	46
Corn (All).....	20	Soybean Hay.....	39
Corn Utilization.....	21-22	Sugar Beets.....	52
Cowpeas (Acreage).....	47	Sugarcane Sirup.....	51
Cowpeas (For peas).....	47	Sugarcane Sugar.....	52
Cowpeas (For hay).....	38	Sweetclover Hay.....	40
Cranberries.....	48	Sweetclover Seed.....	43
Flaxseed.....	28	Sweetpotatoes.....	54
Grain Hay.....	36	Sweet Sorghum Forage.....	30
Grapes.....	57	Grain.....	29
Hay (All).....	31	Silage.....	30
Tame.....	32	Timothy Seed.....	42
Wild.....	33	Tobacco by States.....	48
Hops.....	48	by Types.....	49-50
Lespedeza Hay.....	39	Velvet Beans.....	44
Lespedeza Seed.....	43	Wheat (All)	23
Maple Sirup.....	51	Winter.....	24
Maple Sugar.....	51	Spring.....	25
Misc. Fruits & Nuts.....	50	Durum.....	25
Misc. Hay.....	37	Wheat, by Classes.....	24
Oats.....	26		

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF AGRICULTURAL ECONOMICS
CROP REPORTING BOARD
WASHINGTON, D. C.

December 24, 1942

E R R A T A

In the Annual Crop Summary issued at 3:00 P.M. (E.W.T.), December 18, 1942, certain incorrect estimates were published concerning the 1942 production of corn for all purposes in Minnesota, and the 1942 yield per acre and production of sugar beets in Idaho. Corrections are as follows:

- (1) On page 20, change the production of corn, all, for 1942 in Minnesota from 207,100 to 207,190 thousand bushels. No change is necessary for the U. S. total.
- (2) On page 52, change the 1942 yield per acre of sugar beets in Idaho from 12.5 to 13.5 tons and the 1942 production from 938 to 1,066 thousand tons. Change U. S. yield per acre and production for the same year from 12.2 and 11,927 to 12.3 and 12,005, respectively. These changes for the U. S. should also be made on the summary (page 1) and in the comments concerning sugar beets on page 16.

It is suggested that the above changes be made in your copy of this report.

CROP REPORTING BOARD

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF AGRICULTURAL ECONOMICS
WASHINGTON, D. C.

Release:-
December 18, 1942,
3:00 P.M. (E.W.T.)

CROP PRODUCTION: ANNUAL SUMMARY, 1942

The Crop Reporting Board of the U. S. Department of Agriculture makes the following REPORT OF CROP ACREAGE and PRODUCTION, for the United States, from reports and data furnished by crop correspondents, field statisticians, and cooperating State agencies.

CROP	ACREAGE HARVESTED (in thousands)			Unit	PRODUCTION (in thousands)		
	Average 1930-39	1941	1942		Average 1930-39	1941	1942
Corn, all.....	98,049	86,186	89,484	Bushels	2,307,452	2,677,517	3,175,154
Wheat, all.....	55,743	55,642	49,464	"	745,575	943,127	981,327
Winter.....	39,160	39,485	35,666	"	570,001	670,709	703,253
All spring.....	16,583	16,157	13,798	"	175,574	272,418	278,074
Durum.....	2,767	2,524	2,109	"	27,297	41,653	44,660
Other spring.....	13,816	13,633	11,689	"	148,277	230,765	233,414
Oats.....	36,653	37,965	37,899	"	1,016,061	1,180,663	1,358,730
Barley.....	10,732	14,220	16,782	"	226,460	362,082	426,150
Rye.....	3,298	3,570	3,837	"	37,870	45,364	57,341
Buckwheat.....	459	337	378	"	7,365	6,038	6,687
Flaxseed.....	1,780	3,275	4,402	"	11,252	32,285	40,660
Rice.....	943	1,214	1,477	"	45,712	51,323	66,363
Popcorn.....	71	94	93	Pounds	86,853	121,823	153,275
All sorghums for grain..	4,083	5,982	5,896	Bushels	52,747	111,784	107,245
All sorghums for forage	7,208	10,276	7,880	Tons ²	8,803	16,572	13,603
All sorghums for silage	530	1,358	1,035	" ³	2,459	8,774	6,881
Cotton, lint.....	31,223	22,236	22,660	Bales	13,246	10,744	12,982
Cottonseed.....	---	---	---	Tons	5,890	4,788	5,790
Hay, all.....	67,893	71,776	72,744	"	78,733	94,238	105,328
Hay, all tame.....	56,102	59,317	60,211	"	69,650	82,736	92,245
Hay, wild.....	11,791	12,459	12,533	"	9,083	11,502	13,083
Alfalfa seed.....	616	804	624	Bushels	1,101	1,049	974
Red clover seed.....	922	1,383	1,149	"	1,057	1,469	1,082
Alsike clover seed.....	151	117	87	"	314	313	256
Sweetclover seed.....	313	346	249	"	887	787	725
Lespedeza seed.....	361	839	848	Pounds	65,786	178,700	179,700
Timothy seed.....	487	375	435	Bushels	1,755	1,274	1,624
Beans, dry edible.....	1,724	2,023	1,970	Bags ⁴	13,510	18,503	19,608
Peas, dry field.....	234	276	474	"	2,471	3,700	7,160
Soybeans for beans.....	2,103	5,881	10,762	Bushels	36,385	105,587	209,559
Cowpeas for peas.....	1,194	1,476	1,273	"	6,411	8,063	7,067
Peanuts picked and threshed.....	1,504	1,914	3,690	Pounds	1,067,438	1,476,845	2,504,440
Velvetbeans ⁵	1,910	2,165	1,884	Tons	771	929	750
Potatoes.....	3,296	2,711	2,711	Bushels	370,045	355,602	371,150
Sweetpotatoes.....	882	746	707	"	73,208	62,144	65,380
Tobacco.....	1,676	1,308	1,380	Pounds	1,398,796	1,262,885	1,417,188

Short-time average. ² Dry weight. ³ Green weight.

⁴ Bags of 100 pounds (uncleaned). ⁵ All purposes.

NOTE: - The 10 year averages shown in this summary are revised on the basis of the 1940 Census of Agriculture, except for corn, hay, potatoes, and sweetpotatoes.

CROP	ACREAGE HARVESTED (in thousands)			PRODUCTION (in thousands)			
	Average 1930-39	1941	1942	Unit	Average 1930-39	1941	1942
Sorgo sirup.....	267	176	220	Gallons	15,397	10,568	13,670
Sugarcane for sugar.....							
and seed.....	258	289	329	Tons	4,728	5,471	6,487
Sugarcane sirup.....	135	116	119	Gallons	20,774	18,764	18,610
Sugar beets.....	815	754	979	Tons	9,284	10,311	11,927
Maple sugar.....	1 11,830	1 9,785	1 9,812	Pounds	1,066	387	654
Maple sirup.....	1 11,830	1 9,785	1 9,812	Gallons	2,671	1,997	2,905
Broomcorn.....	319	250	214	Tons	41	46	35
Hops.....	30	35	35	Pounds	2 34,655	40,380	34,896
Apples, commercial crop ³ ..	----	----	----	Bushels	2 4123,832	2 122,256	2 127,653
Peaches, total.....	----	----	----	"	2 54,706	2 74,364	2 65,345
Pears, total.....	----	----	----	"	2 27,253	2 29,530	2 31,212
Grapes, total ⁵	----	----	----	Tons	2 2,246	2,728	2,532
Cherries (12 States).....	----	----	----		2 141	2 161	2 200
Plums (2 States).....	----	----	----	"	2 70	2 78	2 77
Prunes, used fresh (3 States).....	----	----	----	"	47	45	51
Prunes, canned (2 States)	----	----	----	"	21	39	30
Prunes, dried (3 States)..<	----	----	----	"	232	185	181
Oranges (5 States).....	----	----	----	Boxes	60,179	84,534	84,144
Grapefruit (4 States).....	----	----	----	"	24,383	40,294	45,533
Lemons (Calif.).....	----	----	----	"	8,815	11,753	13,650
Cranberries (5 States).....	----	----	----	Barrels	604	725	78
Pecans (12 States).....	----	----	----	Pounds	81,166	121,488	78,100
Commercial truck crops:....	2,935	3,339	3,627	----	----	----	----
For market (23 crops)....	1,709	1,696	1,682	----	----	----	----
For processing (11 crops).....	1,226	1,643	1,945	----	----	----	----
Total, 52 crops ⁶	334,887	334,131	339,848	----	----	----	----

CROP	YIELD PER ACRE			
	Unit	Average 1930-39	1941	1942
Corn, all.....	Bushels	23.5	31.1	35.5
Wheat, all.....	"	13.3	16.9	19.8
Winter.....	"	14.4	17.0	19.7
All spring.....	"	10.4	16.9	20.2
Durum.....	"	9.3	16.5	21.2
Other spring.....	"	10.6	16.9	20.0
Oats.....	"	27.4	31.1	35.9
Barley.....	"	20.7	25.5	25.4
Rye.....	"	11.1	12.7	14.9
Buckwheat.....	"	16.1	17.9	17.7
Flaxseed.....	"	6.4	9.9	9.2
Rice.....	"	48.4	42.3	44.9
Popcorn.....	Pounds	4 1,242	1,290	1,640
All sorghums for grain.....	Bushels	12.6	18.7	18.2
All sorghums for forage....	Tons ⁷	1.22	1.61	1.73
All sorghums for silage....	" ⁸	4.91	6.46	6.65
Cotton, lint.....	Pounds	205.4	231.9	275.1

1 1,000 trees tapped. 2 Includes some quantities not harvested. 3 See footnote on table by States. 4 Short-time average. 5 Production includes all grapes for fresh fruit, juice, wine, and raisins. 6 Excluding crops not harvested, minor crops, duplicated seed acreages, strawberries and other fruits. 7 Dry weight. 8 Green weight.

	YIELD PER ACRE			
	Unit	Average 1930-39	1941	1942
Hay, all.....	Tons	1.16	1.31	1.45
Hay, all tame.....	"	1.24	1.39	1.53
Hay, wild.....	"	.76	.92	1.04
Alfalfa seed.....	Bushels	1.82	1.30	1.56
Red clover seed.....	"	1.17	1.06	.94
Alsike clover seed.....	"	2.12	2.68	2.94
Sweetclover seed.....	"	2.96	2.28	2.91
Cespedeza seed.....	Pounds	163.8	213.0	212.0
Timothy seed.....	Bushels	3.34	3.39	3.73
Beans, dry edible.....	Pounds	789	915	995
Peas, dry field.....	"	1,060	1,341	1,510
Soybeans for beans.....	Bushels	16.1	18.0	19.5
Cowpeas for peas.....	"	5.4	5.5	5.6
Peanuts picked and threshed.....	Pounds	708	772	679
Velvetbeans 1.....	"	806	858	796
Potatoes.....	Bushels	112.6	131.2	136.9
Sweetpotatoes.....	"	83.0	83.3	92.4
Tobacco.....	Pounds	834	965	1,027
Sorgho sirup.....	Gallons	57.1	60.0	62.2
Sugarcane for sugar and seed.....	Tons	18.0	19.0	19.7
Sugarcane sirup.....	Gallons	153.5	161.8	156.4
Sugar beets.....	Tons	11.4	13.7	12.2
Maple sugar and sirup.....	Pounds	2 1.89	2 1.67	2 2.44
Broomcorn.....	"	256	370	330
Ops.....	"	1,166	1,160	1,006

All purposes.
Total equivalent sugar per tree.

APPROVED:

Ernest B. Hill

ACTING SECRETARY OF AGRICULTURE.

Crop Reporting Board:

Paul L. Koenig, Acting Chairman,
R. L. Gastineau, Secretary.
Joseph A. Becker, G. C. Edler,
John B. Shepard, G. A. Scott,
R. K. Smith, D. A. McCandliss,
R. Royston, Ben U. Kienholz,
John A. Hicks, Stuart L. Bryan.

ACREAGE AND PRODUCTION OF CROPS

1942

The final checkup of acreages harvested and yields obtained has now confirmed earlier predictions of a 1942 harvest far above any in the past. Although estimates of a number of crops have been reduced by new information on acreages harvested and by allowances for losses from frost, storms and harvesting difficulties, the total volume of crops produced is expected to be 14 percent larger than production last year and nearly 12 percent larger than in 1937, the banner year of the past. The totals for the various groups of crops show a well-balanced harvest that includes record crops of food grains, feed grains, hay and forage, oil seeds, beans and peas, fruits and commercial vegetables. Sugar and sirup crops are only a little below the top record, and cotton, tobacco and potatoes show about average production. The list of individual crops showing definitely less than average production is significantly short, for it includes few except sweetpotatoes, wild pecans, certain hay crop seeds, broomcorn, and melons. With some local exceptions, such shortages of important crops as may now exist are attributed more to the unprecedented wartime demand, or to interrupted transportation, than to light production.

Although the acreage in crops was increased about 2 percent this year, the exceptionally high level of production comes primarily from increased crop yields per acre. These yields average 36 percent higher than yields during the fairly typical "predrought" decade of 1923-32, and 14 and 13 percent higher than the yield averages of 1940 and 1941, each of which topped previous peaks by about 1 percent. The outstandingly high yields of 1942 were made possible by a combination of unusually favorable weather, progressive improvement of plant materials and equipment and technique on the farms, and a war-time demand that called for maximum effort and insured a market for practically everything that farmers could produce. Furthermore the record production of feed and forage crops this season results, in part, from the demand created by the presence of record numbers of cattle, hogs, sheep and poultry on the farms, accumulated as a result of six favorable crop years in succession. The record production of feed and forage, in turn, gives assurance that the currently heavy production of livestock and livestock products will continue at close to record levels for some time, if weather conditions permit.

A review of statistics on the individual crops gives the impression that unusually favorable weather explains about half of the 36 percent increase of crop yields over the pre-drought level. Reports on the "condition" of various crops at harvest time, which serve as a measure of weather influences and related factors such as insect pests and diseases, this year showed conditions averaging 19 percent better than during the pre-drought period and nearly 10 percent better than in 1941. Pastures, although heavily stocked, also responded to the well distributed rainfall and mild temperatures, and their condition during the season from May 1 to October 1 averaged 14 percent better than in the pre-drought period and better than in any season since 1919. Growing conditions were above average in nearly all States, but were especially good in the Great Plains area. In this area, crops and ranges were benefitted by the subsoil moisture remaining from the exceptionally heavy rainfall of 1941 and were helped along by the above-normal rainfall of 1942. The heavier-than-average rainfall of this year also should assure a good start for grass and grain in 1943. Although conditions in 1942 were favorable for nearly all crops and in nearly all States, the factors affecting individual crops carry varying implications regarding future production.

The big yield of wheat, averaging 19.8 bushels per acre, or 3 bushels more than in any previous year, in a small part was made possible by the increased use of rust-resistant varieties, but the major factor appears to have been the adequate and in some respects exceptional moisture supply of 1941 and 1942 in the area from North Dakota and Montana southward to Texas and New Mexico.

In some "marginal" areas, the wheat crop was worth more than the land on which it was grown. The total crop from the 50 million acres harvested was 981 million bushels, a quantity exceeded only in 1915. The corn crop, estimated at 3,175 million bushels, is being harvested from less than 60 million acres; it is 100 million bushels larger than the 1920 crop, the next largest produced. The 1942 yield of 75.5 bushels is equal to almost a ton of shelled corn per acre; it is 3.8 bushels larger than the yield in any previous year and 50 percent above the 1920-39 average. Yields in central Corn Belt States, ranging up to 61.5 bushels per acre in Iowa this year, were of course dependent on favorable weather, but State averages as high as 50 bushels were unknown until the recent adoption of hybrid seed corn which promises much for the future. In the northern Plains States, corn yields in 1942 appear very high when compared with averages for recent years, but they were not significantly above yields obtained in favorable seasons 20 years or more ago.

Oats is less extensively grown than in "horse and buggy days," but because of the near-record yield of 36.9 bushels per acre shows a production of 1,759 million bushels, which is more than in any other year since 1925. With the wheat acreage limited and moisture conditions favorable, the acreage sown in barley this year was increased materially. As a result of the increased acreage and a favorable season, production increased to 496 million bushels which is 18 percent above 1941 production and 60 percent above production in any previous season. Adding to these crops the record crop of rice, large crops of rye and grain sorghums and a fair crop of buckwheat, total grain production was nearly 157 million tons, or about 12 million tons more than ever before.

Hay crop production exceeded 105 million tons for the first time. The hay crop, together with the large crop of sorghum forage will provide the huge total of 120 million tons of roughage. Even allowing for liberal feeding, there should be a large carryover supply of hay in mows and stacks next spring. Cotton, grown on restricted acreage because of the large supply on hand, was well cultivated and well fertilized and, with conditions favorable in all State, the average yield was 265 pounds per acre, which slightly exceeds previous records. The expected production of nearly 13 million bales will be about an average crop even though the acreage was 23 percent less than the 1921-40 average and the second lowest since 1895. Tobacco, also grown on a restricted acreage, was set closely and well fertilized. Tobacco yield was the second highest yield on record, resulting in production of about 1,417 million pounds, about the average crop.

Total production of principal hay seeds is somewhat less than in any of the last 5 years, but larger than in years previous to 1938. There is an abundance of timothy seed and a good supply of lespedeza. Production of alfalfa and clover seeds was less than during the last few years. However, allowing for quantities carried over, supplies appear adequate to meet prospective 1943 domestic and export requirements, except for northern-grown alfalfa.

Fruit production appears at least nominally the largest on record, but production has been high with only small yearly changes during the last 6 years. Allowing for oranges and other citrus fruits still to be picked, the 1942 crops of all major fruits appear above the 10-year average, with the exception of prunes and apricots.

Commercial vegetable production in 1942 was much higher than in previous years. Acreage in principal crops for canning and processing was increased 18 percent over the unusually high acreage grown in 1941. Production increased 13 percent to establish new records for the principal canning vegetables, including corn, tomatoes, peas, string beans and lima beans. Production of kraut and canned beets were reduced by restrictions on cans and production of cucumber pickles was restricted by labor problems. The aggregate acreage of vegetables grown for shipment to market was from 1 to 6 percent less than in any of the last 8 years, but production was about 4 percent higher than in any previous season. New high production records were established for carrots, celery, lettuce, onions and tomatoes, but both the cantaloup and watermelon crops were among the smallest in a dozen years or more.

NOTE: The estimates for all crops for 1941 and 1942 have been revised on the basis of the 1940 Census of Agriculture. Similar revisions have been made also for the period, 1930-39, excepting corn, hay, potatoes and sweetpotatoes. In the following discussions of individual crops, the term "average" relates to the 10-year period, 1930 to 1939, inclusive.

CORN: The 1942 corn crop set an all-time high for total production, amounting to 3,175,154,000 bushels — 105 million bushels larger than the previous record of 3,070,604,000 bushels set in 1920. Production in 1942 was 19 percent above the 2,677,517,000 bushels produced in 1941 and about 38 percent above the average of 2,307,452,000 bushels. These estimates relate to corn harvested for all purposes — grain, silage, forage, hogging, and grazing. Production of corn for grain totalled 2,884,744,000 bushels, or about 91 percent of the total crop, compared with 2,435,307,000 bushels in 1941.

The bumper 1942 crop was harvested from only 39,484,000 acres. Although this acreage was the largest harvested since 1938, it was approximately $8\frac{1}{2}$ million acres below average. The estimated planted acreage in 1942 was 91,011,000 acres, about 45 percent of which was planted with hybrid seed. In the Corn Belt, about 75 percent of the corn acreage was in hybrids.

The 1942 yield per harvested acre of 35.5 bushels exceeds the record 1906 yield of 31.7 bushels. Record-breaking yields were produced in Iowa, Indiana, Ohio, Illinois, Michigan, and Wisconsin. Yields were well above average in most States.

The size of the 1942 corn crop is remarkable in view of the adverse conditions affecting the crop during the season. In many important northern sections, planting was delayed from 1 week to as much as 3 weeks and continued rains during June delayed cultivation, resulting in fields being more weedy than usual by the time corn was "laid by." An early June drought cut prospects in the South Central States but beneficial rains in late June brought relief. Spotted damage resulted in other sections from blight, corn borers, floods, and light drought in other sections. In late September freezing temperatures stopped plant growth at least a week earlier than usual, resulting in considerable soft corn and a reduction in quality of silage and forage in parts of the extreme Northern States. Before these freezing temperatures came, however, corn made excellent progress and was not far behind schedule. Dry weather following the freeze was ideal for drying out the crop. Harvest started slowly, and was further delayed by wet weather in November, but a large part of the crop had been cribbed by December 1.

Acreage harvested for silage in 1942 was 3,912,000 acres, compared with 4,091,000 acres in 1941. Silage production for 1942 was estimated at 33,927,000 tons, compared with 34,119,000 tons produced last year.

WHEAT: Wheat production in 1942 was 981,327,000 bushels, 4 percent larger than last year's crop of 943,127,000 bushels. Although the second largest crop on record, it was produced on a harvested acreage 11 percent less than average. The harvested acreage of 49,464,000 acres, is 11 percent less than the 55,642,000 acres harvested last year. The yield of 19.8 bushels per acre sets a new yield record, and compares with 16.9 last year, which then was the highest on record. This phenomenal combination of moderate acreage and near-record production resulted from the widespread, unusually favorable climatic conditions extending from winter wheat planting time in the fall of 1941 clear through the 1942 harvest. Exceptions to the optimum conditions were a wet harvest season in the North Central soft red winter wheat States from Missouri eastward through Pennsylvania, and relatively heavy greenbug damage in Oklahoma and Texas.

WINTER WHEAT production was 703,253,000 bushels, harvested from 35,666,000 acres at the record harvested yield of 19.7 bushels per acre. The 1941

crop was 370,709,000 bushels harvested from 39,485,000 acres, at a yield of 17.0 bushels per acre. There was ample moisture at seeding time last fall to bring the crop up to a good stand,-- even too much to permit planting the full intended acreage in some North Central and Southwestern States. Because of the heavy fall rains, a large acreage of volunteer wheat appeared in the Southwest, where considerable shattered and lodged wheat went down at harvesting time last summer. The volunteer acreage actually harvested and the production from it is included in the estimates. Greenbugs took toll from the yields in localized areas in Oklahoma, Texas and Kansas. The season was very unfavorable in Missouri and Illinois, with heavy winter loss of acreage and low yields because of wet weather at harvest. Loss at harvest was also suffered in Indiana, Ohio and Pennsylvania. Such adverse conditions were less prevalent than usual, and were outweighed by bumper crop conditions over the greater part of winter wheat producing territory. There was practically no damage from rust in spite of the heavy straw and relatively high humidity. The abandonment and diversion to hay and pasture was unusually low, amounting to 7.0 percent of the planted acreage, compared with 13.5 last year.

ALL SPRING WHEAT: In the principal spring wheat States the spring opened with ample soil moisture⁷⁵⁰ the growing season was favored by moderate temperature and timely rains. Yield prospects increased progressively as the season advanced as one hazard after another was eliminated. Of equal importance was the prolonged favorable harvest season that kept harvesting losses low, in spite of heavy straw.

DURUM WHEAT production of 44,060,000 bushels was the highest since 1930. The harvested acreage was less than half what it was then, but the yield of 21.2 bushels per acre set a new highmark. Last year's production was 41,653,000 bushels, on 2,534,000 harvested acres, at a yield of 16.5 bushels per acre. The durum wheat yield of 21.2 bushels per acre is one of the outstanding records of the season, particularly the 22.0 bushel yield in North Dakota.

OTHER SPRING WHEAT production is estimated at 235,414,000 bushels, a little over last year's 230,765,000-bushel crop. The yield of 20.0 bushels per acre was record breaking. The previous record of 16.9 bushels was made last year and the average is 10.6 bushels. The acreage was 11,689,000 acres, a considerable reduction from the 13,633,000 acres harvested last year, and the 13,816,000-acre average. Last year's yields and average yields both were exceeded in all principal spring wheat States, except Idaho. Abandonment was very low in most States.

OATS: The Nation's harvest of oats in 1942 is 1,358,730,000 bushels. This is 15 percent above last year's production of 1,180,663,000 bushels, 34 percent above the average of 1,016,061,000 bushels and the highest production since 1925. Ample moisture and moderate temperatures in most States were favorable for high yields. Only because of these high yields was production sufficient to maintain the oat-rations for the increased livestock numbers now on farms. This year's yield at 35.9 bushels per acre is the highest since 1915. It is 4.8 bushels above a year ago, largely because of exceptional yields in the heavy producing regions extending from Eastern South Dakota to and including Michigan and Northwestern Illinois. This year's yield per acre is 31 percent above the average of 27.4 bushels, and only four States - Texas, Oklahoma, Georgia and South Carolina - have yields below average.

The 1942 harvested acreage was slightly less than last year's, but 3 percent above the average. Minor changes occurred by States in the North Central Region under the impact of the war. The acreage harvested in Texas was about one third of average because of insect damage.

BARLEY: Production of barley in 1942 was 426,150,000 bushels,-- a new high mark. Unusually high yields harvested from the largest acreage on record resulted in a total crop which exceeded the bumper 1941 crop of 362,082,000 bushels (the previous record) by 18 percent and the average of 226,460,000 bushels by 88 percent.

The 1942 season was generally favorable for barley, although yields in most States except those along the northern border of the United States were below yields of 1941. Production in the Dakotas was the largest on record. There was considerable delay in harvesting the crop in the Northern Plains States, and quality was damaged by rust, scab and wet weather. Yields were much below those of 1941 in Iowa, Nebraska, and Kansas, where a combination of adverse factors resulted in lowering yields in an otherwise favorable season for small grains. Yields were well above average in Minnesota and California. The acreage of barley harvested in 1942 amounted to 16,782,000 acres compared with 14,220,000 acres harvested in 1941.

RYE: Production of 57,341,000 bushels of rye is a fourth more than the 45,364,000 bushels harvested in 1941 and a half more than the average of 37,870,000 bushels. The 1942 crop is the largest since 1924, when 58,445,000 bushels were produced. Acreage harvested for grain of 3,837,000 acres is 7.5 percent larger than in 1941, and 16 percent larger than the average of 3,298,000 acres. Because of the very favorable growing season, a larger than usual proportion of the total planted acreage was harvested for grain. The average yield per acre of 14.9 bushels is 2.2 bushels above the 1941 yield and 3.8 bushels above average. This yield was equaled in 1922, but never has been exceeded in the 77 years of record. Yields are higher than last year in the principal producing States of Wisconsin, Michigan, Minnesota, the Dakotas, and Nebraska, and higher than average in every rye-producing State except Illinois.

BUCKWHEAT: The buckwheat crop of 6,687,000 bushels is below average, but 11 percent above 1941. Higher prices encouraged planting a larger acreage in surplus States and there was some increase because of plantings on land too wet to plant the other intended crops. There was some loss of acreage because of wet fields at harvest time and some damage to late planted fields by the September freeze. For the crop that matured and was harvested, it was a very favorable year with the yield of 17.7 bushels per acre well above the 16.1 bushel average.

FLAXSEED: Flaxseed production for 1942 of 40,660,000 bushels was 26 percent above the 1941 crop of 32,285,000 bushels, and 261 percent above average. Both acreage and production set new records; the largest flaxseed crop was produced in 1902, when 36,080,000 bushels were harvested from 3,878,000 acres. In 1942, acreage for harvest is placed at 4,402,000 acres, compared with 3,275,000 acres in 1941 and the ten-year average of 1,780,000 acres. The yield per acre of 9.2 bushels is less than last year's figure of 9.9 bushels, but well above the average of 6.4 bushels. Yields this year in important producing States were cut sharply in some fields by an unusually severe epidemic of stem rust. Yields were below last year in Minnesota, Iowa and Kansas, but equal to or above last year in South Dakota, North Dakota, Nebraska, Montana, Texas, Arizona and California.

RICE: A record rice crop of 66,363,000 bushels was produced in 1942. It is nearly 30 percent larger than the 1941 crop and 45 percent above average. The acreage harvested--1,477,000 acres--was the largest on record, 22 percent larger than in 1941 and 57 percent above the average. Yield per acre of 44.9 bushels was above the 42.3 bushels produced in 1941 but below the 48.4 average. The Southern Rice Belt produced 54,771,000 bushels, compared with 42,908,000 bushels in 1941 and the average of 37,537,000 bushels. Abandonment was light in Arkansas and Louisiana, where conditions were generally favorable, but was heavy in Texas because of two hurricanes in August, which damaged portions of the rice area, and unfavorable harvesting weather during most of the ensuing months. Production in California was 11,592,000 bushels, compared with 8,415,000 in 1941 and the average of 8,176,000 bushels. Expansion of acreage in 1942 brought considerable low-yielding acreage into production in California, where 207,000 acres of rice were grown, compared with 153,000 in 1941 and the average of 118,000 acres.

HAY: The 105 million tons of hay made in 1942 is the largest crop ever produced in the United States. It is 7 million tons more than the next largest crop, made in 1916, and 11 million tons more than the 1941 crop.

Included in the total are record crops of 36½ million tons of alfalfa, 7 million tons of lespedeza and 1½ million tons of peanut vine hay. The clover-timothy hay crop of 28 million tons is larger than usual, but not a record. The large acreage of soybeans harvested for beans reduced the crop of soybean hay to less than 4 million tons.

The 72,744,000 acres of hay harvested in 1942 was only a million more than in 1941. However, for alfalfa, lespedeza and peanut vine hay the 1942 acreages were the largest of record. Because of rains, more than usual difficulties were experienced in harvesting early cuttings, but later cuttings were generally better than usual. The 1942 U. S. average yields per acre were very high for alfalfa, clover-timothy, and wild hay and quite good for most other kinds. The average for all kinds, including wild hay, was 1.45 tons per acre, compared with 1.31 tons in 1941.

SORGHUMS: Production of all sorghums for grain in 1942 was 107,245,000 bushels, about 4 percent less than in 1941, but more than double the average. Both acreage and yield were slightly less than in 1941. All sorghums for silage totaled 6,881,000 tons, coming from 1,035,000 acres, compared with 8,774,000 tons in 1941, coming from 1,358,000 acres, and with the average of 2,459,000 tons. All sorghums for forage amounted in 1942 to 13,603,000 tons from 7,880,000 acres, well below the 16,572,000 tons from 10,276,000 acres in 1941, but more than 54 percent above average. The reduction from 1941 in production of sorghums for silage and forage is attributed to reduction of planted acreage of all sorghums (excluding sirup) to 15,889,000 acres, about 14 percent below the 18,506,000 planted acres in 1941. Since the above figures include 9,755,000 acres of grain sorghums planted in 1942, and 9,466,000 acres in 1941, the reduction occurred in sweet sorghum acreage planted. Expansion in recent years in the acreage of sorghums appears to have been checked in 1942 by demands of "war crops" for a portion of that acreage.

A new method of reporting sorghums is instituted at this time in which the segregation is made on the basis of all sorghums (excluding sirup) harvested for grain, for silage and for forage, together with planted acres of grain sorghums and of all sorghums, excluding sirup. Formerly the segregation was on the basis of grain sorghums and sweet sorghums.

DRY BEANS: With production above average in every important State, the 1942 bean crop of 19,608,000 bags (uncleaned) tops the previous record of 18,503,000 bags harvested in 1941 by more than 1 million bags. It exceeds the 10-year average by 6 million bags. The equivalent 1942 cleaned production is expected to be about 18,179,000 bags, compared with 17,047,000 bags of cleaned beans produced in 1941. Michigan is the largest producer this year with 5,482,000 bags (cleaned), but California is a close second with 4,649,000 bags. Nebraska, Wyoming, Colorado, and New Mexico, together, have about 4,219,000 bags (cleaned). The acreage of beans is on a high level because of the war. The 1,970,000 acres harvested in 1942 was smaller than the 2,023,000 acres harvested in 1941, but was 14 percent larger than the 10-year average of 1,724,000 acres. Although planted relatively late, the crop was favored by moderate temperatures and precipitation in July and August. A cold wave with freezing temperatures ended the growing season abruptly in mid-September, except in California, but very good yields were obtained. The U. S. yield was 995 pounds per acre, compared with 915 pounds in 1941 and a 10-year average of 789 pounds.

DRY PEAS: The 1942 dry pea crop of 7,160,000 bags is nearly twice as large as last year's production of 3,700,000 bags. It is almost three times the average. The large yield of 1,510 pounds per acre--169 pounds above 1941 and 450 pounds above average--contributed about half a million bags to the increase, but the major factor was increased acreage. Because of war needs, the dry pea acreage planted in 1942 in the Palouse country of Washington and Idaho was increased by one-half over 1941. In 1942 this region harvested three-fourths of the U. S. total of 474,000 acres and produced four-fifths of the total crop. Oregon, Montana, and Colorado, also harvested larger crops of dry peas than in 1941. These figures do not include Austrian winter seed peas.

SOYBEANS: The soybean production of 209,559,000 bushels in 1942 is double the 1941 crop and nearly six times the average. The large crop for 1942 results from a very large increase in acres harvested for beans together, accompanied by exceptional yields. The yield is 19.5 bushels per acre, compared with 18.0 last year and the average of 16.1 bushels. Soybean yields were exceptionally high in the five principal producing States of Ohio, Indiana, Illinois, Iowa, and Missouri. Yields in all the soybean States except Minnesota were above average and generally above 1941. The one exception to an otherwise favorable year was an early freeze in much of the soybean area. This freeze lowered the quality of late beans and reduced yields to below earlier expectations.

The acreage harvested for beans (10,762,000 acres) is 83 percent above last year's total of 5,881,000 acres and is 5 times the average. The increased acreage for beans was made possible by an increase of 35 percent over 1941 in total planted acreage, and by the higher percentage harvested for beans. The percentage of total equivalent solid acres harvested for beans increased from 52 percent in 1941 to 70 percent in 1942. The greatest increase in acreage occurred in the main producing States of the Middle West and in the Delta Section of the South Central States. In the South Atlantic and South Central States, soybean production this year broke all previous records. These States produced over 17 million bushels of soybeans, compared with about 7 million bushels last year, and the 10-year average of about 3 million bushels. This season's large crop is the result of better-than-average yields on the largest acreages ever planted to this crop in the South. The demand for the beans as a war crop was the principal factor contributing to the very large increase in total acreage harvested for beans.

COWPEAS: The total acreage of cowpeas for all purposes in 1942 is estimated at 4,794,000 acres, about 11 percent less than the 5,389,000 acres harvested last year, but 13 percent above average. Much of this crop is grown for hay and considerable quantities of green cowpeas are picked for immediate family use. This year, 7,067,000 bushels of mature cowpeas were picked. The total is about 12 percent less than the 8,063,000 bushels picked in 1941. Yields per acre this year are about average.

PEANUTS: The after-harvest estimate of peanuts picked and threshed from the 1942 crop is 2,504,440,000 pounds, 70 percent larger than last year's crop of 43 percent above the previous record established in 1940. Production is above 1941 by 32 percent in the Virginia-Carolina area, 46 percent in the Southeast and 237 percent in the Southwest.

Acreage picked and threshed is placed at 3,690,000 acres, an increase of 93 percent above 1941, but 12 percent less than the August 1 preliminary estimate based on farmers' intentions. Acreage utilized for purposes other than picking and threshing (mostly hogged) is estimated at 1,441,000 acres, the largest on record and 33 percent above last year.

Growing conditions varied in all areas. In the Southeast, growers were hampered by poor germination of seed. Also, excessive rain in July, which resulted in grassy fields that in many cases could be harvested only by hogging. Early growing conditions were generally favorable in the Virginia-Carolina and Southwest areas, but excessive autumn rains delayed digging and threshing operations and caused some acreage abandonment. In all producing areas, harvesting and movement from farms have progressed more slowly than usual.

VELVET BEANS: Production of velvet beans in 1942 is estimated at 750,000 tons, much below last year and slightly below average. This crop is grown in the Southeastern States largely as a fall and winter grazing crop. Acreage was less than last year in every State. The United States total is 1,884,000 acres, compared with 2,165,000 in 1941.

TOBACCO: Tobacco production for 1942 of all types combined totaled 1,417,188,000 pounds, 12 percent more than in 1941 and 1 percent larger than average. There was a 6 percent increase from 1941 in acreage harvested and a 6 percent higher yield per acre. Acreage harvested was relatively small, 17.7 percent below the 1930-39 average, but the yield per acre of 1,027 pounds was above average and the second highest on record.

Production of flue-cured tobacco (824,115,000 pounds) was the fourth largest on record. This type was grown on 791,900 acres. The yield per acre of 1,041 pounds is 237 pounds above average and 16 pounds higher than the previous yield record set in 1940. Production of fire-cured tobacco was 72,831,000 pounds, compared with 70,182,000 pounds last year and the average of 125,844,000 pounds.

Burley production for 1942 of (331,005,000 pounds) is 2 percent less than the 1941 crop of 337,792,000 pounds but slightly more than average. Acreage harvested increased about 3 percent from 1941 but yield per acre is estimated at about 4 percent less. Above average rainfall during August and September resulted in a comparatively low cured weight per plant.

The Southern Maryland tobacco crop amounted to 30,020,000 pounds. This was grown on 39,500 acres and represents a slight decrease from 1941 when 40,300 acres produced a crop of 30,225,000 pounds. The dark air-cured types produced a crop of 32,450,000 pounds, the third lowest on record. Acreage harvested was the same as the record low 1941 crop of 32,600 acres.

All cigar classes produced smaller crops this year. Total cigar tobacco production is estimated at 126,667,000 pounds, compared with 143,632,000 pounds in 1941 and the average of 123,059,000 pounds. Acreage harvested decreased 10 percent from last year, and the yield per acre was slightly lower.

ALFALFA SEED: Production of alfalfa seed in 1942 is the smallest in 10 years. It is estimated at 974,500 bushels of thresher-run seed, compared with 1,049,300 bushels in 1941 and the 10-year (1930-39) average of 1,101,310 bushels. Declines were largest in East Central and Northern States, but were offset in part by marked increases in Southern producing States. Acreage (624,500 acres) harvested this year is 22 percent smaller than in 1941 (804,200 acres) but 1 percent larger than the average of 616,180 acres. Early frosts curtailed acreage that otherwise would have been harvested for seed, particularly in Montana and the Dakotas, and also reduced yields in these States. The U. S. yield of 1.56 bushels in 1942 compares with 1.30 bushels in 1941 and the average of 1.82 bushels.

RED CLOVER SEED: Production of red clover seed in 1942, estimated at 1,081,900 bushels, is 26 percent smaller than the 1941 crop of 1,469,300 bushels, but is 2 percent above average (1,056,870 bushels). Reductions in acreage harvested and in yields of this seed resulted from the plowing up of meadows for soybeans, corn and other crops, thin stands in some States because of drought in 1941, and rains during pollination and harvesting. Acreage (1,148,800) harvested this year is 17 percent below that of 1941 (1,382,700) but 25 percent above the average of 921,900 acres. Yield per acre of .94 bushel this year compares with 1.06 in 1941 and the average of 1.17 bushels.

ALSIKE CLOVER SEED: The 1942 crop of alsike clover seed is one of the smallest ever produced. Estimated at 255,700 bushels, it is 18 percent smaller than the 1941 crop (312,600 bushels) and 19 percent less than the average (314,280 bushels). Acreage (87,100) harvested this year is the lowest on record and compares with 116,700 acres in 1941 and the average of 150,850 acres. Yield per acre (2.94 bushels) this year is the highest on record and is 10 percent above the 1941 yield of 2.68 bushels and 39 percent above average (2.12 bushels).

SWEET CLOVER SEED: Production (724,800 bushels) of sweetclover seed in 1942 is the smallest in 8 years and compares with 786,700 bushels in 1941

and the average of 887,170 bushels. The 8-percent decline in production from last year is attributed to a marked reduction in acreage in the more important producing States. Acres harvested in 1942 total 248,800, compared with 345,500 in 1941 and the average of 313,020 acres. Yield per acre this year was 2.91 bushels compared with 2.28 bushels in 1941 and the average of 2.96 bushels.

LESPEDEZA SEED: Production of lespedeza seed in 1942, estimated at 179,700,000 pounds, is slightly larger than in 1941 (178,700,000 pounds) but is nearly 2-3/4 times the average of 65,780,300 pounds. Had it not been for early heavy frosts, acreage harvested for seed this year (847,600 acres) would have been very much larger than in 1941 (836,900). The average is 360,620 acres. Yield of 212 pounds per acre this year is 1 pound less than in 1941, but 48 pounds above average.

TIMOTHY SEED: Production of timothy seed in 1942 (1,623,500 bushels) is the largest in five years, and compares with 1,273,900 bushels in 1941 and the average of 1,755,280 bushels. Acreage harvested this year (435,400 acres), although 16 percent above that of 1941 (375,300 acres) is 11 percent below average (487,110 acres). Yield per acre of 3.73 bushels this year compares with 3.39 in 1941 and the average of 3.34.

COMMERCIAL APPLES: Commercial apple production is estimated at 127,655,000 bushels compared with 122,256,000 bushels in 1941, and the average of 123,832,000 bushels. In the North Atlantic area, production was larger than last year in all States, and was above average in all States except New Jersey, where it was 5 percent below average. In the South Atlantic region, all States except North Carolina and Georgia produced larger crops than in 1941. In the North Central region as a whole, production was 2 percent above last season, though varying somewhat between States. Largest increases over last year in that area occurred in Michigan, Iowa, Nebraska and Kansas. The largest declines occurred in Indiana, Illinois, and Missouri. In western commercial apple areas, the Washington crop was about 2 percent larger, the Colorado crop 6 percent larger, and the Oregon crop 8 percent larger than last season. Commercial crops in other western States were below 1941, with largest declines in Montana, Idaho, and California. In some localities, especially in the Eastern States and in the northwest, growers had considerable difficulty in obtaining harvest labor.

PEACHES: Peach production in 1942 was 65,345,000 bushels, 12 percent less than the near record crop of last year but 19 percent above average. All important North Atlantic States produced larger-than-average crops, though production in New York and Pennsylvania was slightly below last year. In the North Central group, crops were less than average in all States except Michigan, largely because of spring freeze damage. Production in the 10 early southern States this season was well above average; however, except for Florida and Louisiana, the 1942 crop in these States was materially less than in 1941. In Kentucky and Tennessee, where low temperatures in January and April severely damaged trees and buds, the 1942 crop was extremely short. Both Maryland and Virginia produced large crops--Virginia, the largest of record. In the West, peach production was well above average in all important States except Utah, and was above last year in all States except Colorado, New Mexico, and Utah. The California crop, which usually comprises about two-fifths of the total United States production, is next to the largest on record, being exceeded only by the crop of 1930.

PEARS: Pear production for 1942 was 31,212,000 bushels; compared with 29,530,000 bushels for 1941 and the average of 27,253,000 bushels. In the three Pacific Coast States, Bartlett production was 15,896,000 bushels--2 percent more than last year and 17 percent above the average. Production of all other pears (fall and winter varieties) in these States was 5,136,000 bushels--8 percent larger than last year's crop and 2 percent above average. New York produced 46 percent more than last year, but 4 percent less than average.

The Michigan crop was 3 percent smaller than last year's bumper production, but 17 percent above average. In most other sections of the country, pear production was above last season. The largest increases came in the South Atlantic area, where the crop was 22 percent larger than in 1941.

GRAPES: The 1942 grape crop is estimated at 2,531,520 tons -- 7 percent less than the 2,728,730 tons produced in 1941, but 13 percent above the average of 2,246,271 tons. California production was 2,300,000 tons, of which 537,000 tons were wine varieties, 1,326,000 tons raisin types, and 437,000 tons table varieties. The California crops of all three types were smaller than last season, but were above average. California dried raisin production is estimated at 263,000 tons, compared with only 209,000 tons in 1941 and the average of 215,600 tons. The large raisin pack should assure normal supplies for civilians, even though the armed forces and Lend-Lease are taking large quantities. In New York, Pennsylvania, Ohio, and Michigan production was materially larger than last year's short crops -- nearly 50 percent larger for the four States combined.

CITRUS FRUITS: The 1942-43 U. S. crop of early and midseason oranges and tangerines, mainly for marketing from October 1 to May 1, is now placed at 41,100,000 boxes. The 1941-42 production of these varieties was 43,029,000 boxes, and the 1940-41 crop was 41,803,000 boxes. Harvest of Valencia oranges does not start until March in Florida and April in California and only a preliminary forecast of production is possible in December. The Florida crop may total 15,000,000 boxes compared with 12,000,000 in 1941-42; the California crop 28,044,000 boxes, compared with 29,505,000. The grapefruit crop is now indicated to be 45,533,000 boxes--13 percent larger than the 1941-42 output of 40,294,000 boxes and 6 percent above the 1940-41 production of 42,883,000 boxes.

With oranges and grapefruit now moving to market in volume, it is apparent that a materially larger proportion of this season's crop is moving to market by rail than during the past few seasons, with the average loading per car running well above other years. In Florida, a prolonged fall drought, though largely relieved by early-December rains, has reduced the early and midseason orange crop in non-irrigated groves. Production is still expected to be large--16,500,000 boxes, compared with 15,200,000 boxes produced last season, but somewhat less than expected earlier this fall, largely because of the adverse effects of the dry weather on fruit growth. Florida tangerine production is indicated to be 3,500,000 boxes, compared with 2,100,000 boxes last season.

Production of California early and midseason oranges--the navel and miscellaneous varieties, is indicated to be 17,160,000 boxes, compared with last season's (1941-42) crop of 22,027,000 boxes. Carlots of navels were beginning to move in volume from central California by the end of November. The fall drought in Florida reduced grapefruit prospects below earlier expectations, especially in non-irrigated groves, causing losses from dropping of fruit as well as from curtailed fruit growth. Some of the "drops", however, are being utilized by canners. The seedless crop is now placed at 8,000,000 boxes, compared with 7,000,000 last season. "Other" varieties (consisting mostly of Duncan) are expected to total 15,600,000 boxes, compared with 12,300,000 boxes in 1941. The 1942-43 Texas grapefruit crop is indicated to be 16,600,000 boxes. The 1941-42 crop was 14,500,000 boxes. The California lemon crop is expected to be 13,650,000 boxes in 1942-43, compared with 11,753,000 boxes produced in 1941-42. Florida lime production for the 1942-43 season (harvest of which started last April) was 175,000 boxes. For 1941-42, the Florida lime crop totalled 150,000 boxes.

APRICOTS, FIGS

AND OLIVES: Total production of apricots in California, Washington, and Utah was 233,220 tons, compared with 213,000 tons in 1941 and the average of 250,260 tons. Production in each of these States was larger than for last season. Production of dried figs in California is estimated at 29,000

tons (dry basis) -- 13 percent less than in 1941, and 25 percent more than average. Most of the important varieties for drying, especially Calimyrnas, were of better quality than last season. California figs for canning and fresh consumption totalled 17,000 tons -- 11 percent less than in 1941, but nearly double the 10-year average. Olive production in California is indicated to be 58,000 tons, 4 percent more than last season, and nearly $2\frac{1}{2}$ times the average crop.

ALMONDS, WALNUTS AND FILBERTS: California almond production was 22,000 tons in 1943, a new high record. The 1941 crop was only 6,000 tons; the average crop 13,800 tons. Production of walnuts in California and Oregon was 60,600 tons, compared with 70,000 tons in 1941 and the average of 47,810 tons. Walnuts matured later than usual this year in both California and Oregon. The Oregon filbert crop is estimated at 3,900 tons, compared with 4,900 tons in 1941. Washington filbert production totalled 670 tons, compared with 850 tons in 1941.

CRANBERRIES: Cranberry production in 1942 was 787,200 barrels -- the largest crop of record, except for the 1937 crop of 877,300 barrels. Production in all five commercial States was above last year -- for all States combined, 9 percent larger. Cranberry harvest was completed without serious losses from frost in all States except New Jersey, where the fruit was damaged in some of the smaller bogs.

CHERRIES: Production of all cherries in the 12 commercial States in 1942 was 199,840 tons -- 24 percent larger than the 161,480 tons produced in 1941, and 41 percent above the average of 141,234 tons. Sweet cherry production was 90,360 tons and sour cherry production was 109,480 tons. Last year, 80,080 tons of sweets were produced and 81,400 tons of sour. The cherry crop in New York and Michigan was the largest of record. In Pennsylvania wet weather caused considerable damage; production, however, was well above average. In Washington, the sweet cherry crop was 25,900 tons, 5 percent more than last year and the sour cherry crop was 5,800 tons, 16 percent above 1941. Oregon sweet cherry production, at 18,900 tons, was the same as in 1941. Oregon sour cherry production, however, was 57 percent more than last year, totalling 2,200 tons. California's sweet cherry production this year (32,000 tons) was its second largest on record, exceeded only by 1939 production.

PLUMS AND PRUNES: Production of plums in Michigan and California for 1942 is estimated at 77,300^{tons} -- 1 percent less than last year, but 10 percent more than average. Production of prunes for fresh use in Idaho, Washington, and Oregon, at 50,700 tons, was 12 percent more than last season and 7 percent more than average. Idaho produced 15 percent less prunes for fresh use, but Washington produced 31 percent more and Oregon 38 percent more than in 1941. Prunes canned in Washington and Oregon totalled 29,800 tons -- 23 percent less than in 1941, but 39 percent more than average. Dried prune production in California, Washington, and Oregon (dry basis) is placed at 181,200 tons compared with 184,900 tons in 1941 and the average of 231,820 tons. California produced 174,000 tons of dried prunes compared with 178,000 tons last year. With large quantities of dried prunes "earmarked" for Lend-lease and the armed forces, civilian supplies will be curtailed.

PECANS: Pecan production for 1942 was 78,100,000 pounds -- 35 percent less than in 1941 and 4 percent less than the average. Production of improved pecans was only 11 percent less than last season, but the crop of seedling and wild pecans was less than half as large as last season's production, largely because of near-failure in most parts of Oklahoma and Texas.

POTATOES: Production of potatoes in 1942 totalled 371,150,000 bushels, well above the 1941 crop of 355,602,000 bushels, but below the 1940 production of 378,103,000 bushels. Unusually favorable growing conditions in the western potato States featured the 1942 potato season. With fair to good growing conditions

in all other regions, the average U. S. yield of 176.9 bushels per acre set a new record. Potato yields averaged 131.2 bushels in 1941 and 132.0 bushels in 1940. The 1942 potato crop was harvested from 2,711,100 acres--approximately the same as 1941 but substantially below the average.

In the 10 Western surplus States, production in 1942 of 93,356,000 bushels was 12 million bushels larger than in 1941. The 1942 acreage for these States was 432,800 acres and the yield 215.7 bushels, compared with 414,000 acres harvested in 1941 and a yield of 196.0 bushels per acre. Abundant water supplies in most of the western area during the growing season, plus generally favorable weather for maturing and harvesting the crop, were largely responsible for the excellent yields. Conditions were not so favorable in the 3 Eastern surplus States where serious blight damage in New York and Pennsylvania and lack of rain in Maine reduced 1942 production to 87,109,000 bushels, compared with 92,161,000 bushels for 1941. In the 5 Central surplus States, early season vine growth was excellent, but heavy blight damage reduced yields. Production (66,763,000 bushels) was slightly less than the 67,221,000 bushels harvested in 1941.

For the 18 surplus Late States 1942 production was 247,228,000 bushels--about 3 percent above the 1941 production of 240,542,000 bushels. Production in the 12 Other Late States was 39,826,000 bushels in 1942. This was slightly larger than the 1941 crop of 38,204,000 bushels but was about the average for recent years.

Above-average yields in all these States has held production up despite rather general declines in acreage.

In the 7 Intermediate States, 1942 production was also slightly above that for 1941--30,765,000 bushels against 29,658,000 bushels--but was below average because of a material drop in acreage. The 1942 yield of 118.1 bushels per acre for this group compares with 114.6 bushels in 1941. In the early States, acreage, yield, and production in 1942 were all above 1941 and the 10-year average. Production of 53,331,000 bushels this year from 505,000 acres compares with 47,198,000 bushels from 495,600 acres in 1941. Except for a substantial decrease in Alabama and moderate decreases in Louisiana and Texas, production in all early States was larger than in 1941.

SWEETPOTATOES: The 1942 sweetpotato crop of 65,380,000 bushels was 5 percent larger than the 1941 crop of 62,114,000 bushels. Except for Alabama and Louisiana, growing conditions were unusually favorable in most commercial areas, especially in the important Atlantic seaboard States. The U. S. average yield of 92.4 bushels per acre was 9.1 bushels above 1941, and the highest since 1929. The 1942 production was harvested from only 707,400 acres, compared with 745,700 acres for 1941. Acreage reductions were general in all major sweetpotato States except South Carolina and Mississippi. Production in the South Atlantic States totaled 29,400,000 bushels in 1942 compared with 24,104,000 in 1941. In the South Central States, production dropped from 32,753,000 bushels in 1941 to 29,855,000 bushels in 1942.

HOPS: Hops production in 1942 in Washington, Oregon, and California totaled 34,896,000 pounds, from 34,700 acres. Production in 1941 was 40,380,000 pounds, from 34,800 acres. Average production is 34,655,300 pounds on 29,720 acres. Production turned out significantly less than expectations earlier in the season because of various factors, including extremely hot weather in Washington in August, mildew infestation in Oregon, and the heavy "dry-away" in California. The dry-away also was somewhat heavier than usual in Washington and Oregon.

BROOMCORN: With the smallest acreage of broomcorn on record, the 1942 production of 35,400 tons is 76 percent of the 1941 crop of 46,300 tons

and 87 percent of the average of 40,710 tons. Wet weather at planting time in a few States, particularly Illinois, and expected scarcity of labor at harvest were chiefly responsible for the large decrease in acreage. This year's harvested acreage was 214,000 acres, compared with 250,000 in 1941 and the average of 318,800. Yield per acre of 330.4 pounds in 1942, although 11 percent below the record 1941 yield of 370.2 pounds, exceeded that of any year since 1928, and compares with the average of 256.2 pounds.

POPCORN: The 1942 popcorn crop in 11 principal commercial States is estimated at 153,275,000 pounds of ear corn, compared with 121,823,000 pounds produced in 1941 and the 6-year (1935-39) average of 86,853,000 pounds. The increase over last year was obtained from higher yields in all States except California. The acreage harvested was slightly smaller than last year, but considerably above average. Abandonment of planted acreage was somewhat higher than last year. Some late planted popcorn was damaged by frost. On the whole, however, quality and yields were good.

SUGAR BEETS: A 1942 sugar beet crop of 11,927,000 tons is indicated by preliminary reports from sugar beet factories. This total would be about 16 percent more than the 1941 crop, and only 3 percent less than the record crop of 1940. The harvested acreage of 979,000 acres establishes a new record and the yield of 12.2 tons per acre is above average but below that of both 1940 and 1941. Yield per acre this year failed to measure up to prospects earlier in the season.

Growers were handicapped throughout the season by inadequate labor supply. All operations, from planting through harvest, spread over a longer time than desirable. However, a generally favorable growing season was followed by fairly open weather during harvest. Acreage abandonment was 6.7 percent, compared with 5.0 percent last year and the average of 7.7 percent.

Factory reports point to production in 1942 of 1,664,000 tons of sugar, equivalent to 1,780,000 tons raw value, compared with 1,484,000 tons, 1,588,000 tons raw value, last year.

SUGARCANE: The Louisiana and Florida sugarcane crop to be used in the production of sugar is estimated at 6,015,000 tons, compared with 4,887,000 tons last year and the average production of 4,361,000 tons. This year's expected outturn of 537,000 tons of 96° raw sugar will be the second highest on record. Last year 419,000 tons were made. The average is 355,000 tons.

The growing season in Louisiana was generally favorable. Yield per acre of sugarcane averaged 18.5 tons per acre, compared with 17.5 in 1941. There was no freeze damage to December 1, but harvest has been slow because of labor shortage, and low temperatures in December could cause some abandonment. Yield per acre in Florida is not measuring up to earlier expectations because of dry weather in the Everglades.

mbp

CROP REPORTING BOARD.

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT
ANNUAL SUMMARY
December, 1942BUREAU OF AGRICULTURAL ECONOMICS
CROP REPORTING BOARDWashington, D. C.,
December 18, 1942
3:00 P.M. (E.W.T.)

TOTAL HARVESTED ACREAGE OF PRINCIPAL CROPS

State	Total Harvested Acreage of 52 crops (excluding duplications) 1/		
	Average 1930-39	1941	1942
	Acres	Acres	Acres
Me.	1,338,100	1,211,400	1,231,600
N.H.	417,070	379,100	379,300
Vt.	1,096,630	1,010,300	1,026,900
Mass.	448,430	438,200	437,600
R.I.	56,570	48,600	50,000
Conn.	414,790	366,200	369,600
N.Y.	6,687,770	6,546,300	6,574,200
N.J.	738,500	756,000	793,200
Pa.	6,317,150	5,878,100	5,853,400
Ohio	10,234,830	9,906,500	10,359,500
Ind.	10,384,550	10,080,900	10,433,400
Ill.	19,052,750	18,756,300	19,236,600
Mich.	7,736,300	7,675,600	7,922,700
Wis.	10,005,370	9,981,300	9,991,400
Minn.	18,675,500	18,728,700	18,568,500
Iowa	21,586,290	20,443,900	21,530,300
Mo.	12,748,810	11,943,000	12,121,100
N.Dak.	16,035,220	17,665,000	17,952,200
S.Dak.	12,284,700	14,458,600	15,148,200
Nebr.	19,522,000	18,418,800	19,320,400
Kans.	21,533,790	22,307,700	21,996,800
Del.	371,600	365,500	375,900
Md.	1,668,890	1,597,200	1,620,800
Va.	3,727,920	3,647,700	3,851,400
W.Va.	1,507,990	1,391,500	1,422,800
N.C.	6,208,070	6,172,900	6,457,200
S.C.	4,799,500	4,799,900	4,897,300
Ga.	8,690,410	8,516,100	8,423,000
Fla.	1,221,710	1,185,700	1,244,700
Ky.	5,308,640	5,176,900	5,496,500
Tenn.	6,255,170	6,301,300	6,566,700
Ala.	7,123,240	6,771,300	6,748,300
Miss.	6,959,500	7,171,600	7,126,300
Ark.	6,469,000	6,566,300	6,659,000
La.	4,210,820	4,032,000	4,123,500
Okla.	13,539,500	13,350,200	12,763,600
Tex.	28,251,310	26,389,200	26,512,600
Mont.	6,044,170	6,607,500	6,932,700
Idaho	2,855,800	3,014,000	3,083,700
Wyo.	1,797,700	1,775,700	1,674,200
Colo.	5,542,390	6,255,000	6,003,300
N.Mex.	1,344,370	1,580,800	1,692,100
Ariz.	598,990	782,500	789,300
Utah	1,024,090	1,114,000	1,123,000
Nev.	339,420	460,100	463,600
Wash.	3,605,010	3,681,000	3,697,500
Oreg.	2,610,080	2,573,100	2,591,500
Calif.	5,295,800	5,851,100	6,210,800
U.S.	334,886,520	334,130,600	339,848,200

1/ Includes corn (all), wheat (all), oats, barley, rye, buckwheat, flaxseed, rice, sorghums (grain and sweet), cotton, tame hay (all), wild hay, timothy seed, sweetclover seed, dry edible beans, soybeans for beans, cowpeas for peas, peanuts picked and threshed, dry field peas, sorgo for sirup, sugarcane, sugar beets, potatoes, sweetpotatoes, tobacco, broomcorn, artichokes, asparagus, snap beans, lima beans, beets, cabbage, cantaloups, carrots, cauliflower, celery, sweet corn, cucumbers, eggplant, lettuce, onions, green peas, peppers, pimientos, spinach, tomatoes, and watermelons. The acreages of red clover seed, alsike clover seed, lespedeza seed, and alfalfa seed are assumed to be included in the tame hay acreage.

UNITED STATES DEPARTMENT OF AGRICULTURE		Washington, D. C.,
CROP REPORT	BUREAU OF AGRICULTURAL ECONOMICS	December 18, 1942
ANNUAL SUMMARY	CROP REPORTING BOARD	3:00 P.M. (E.S.T.)
December 1942		

PLANTED ACREAGE OF SPRING SOWN CROPS, 1941 AND 1942

State:	Corn, all		Oats		Barley		Potatoes		All sorghums 1/	
	1941	1942	1941	1942	1941	1942	1941	1942	1941	1942
	Thous. acres	Thous. acres	Thous. acres	Thous. acres	Thous. acres	Thous. acres	Thous. acres	Thous. acres	Thous. acres	Thous. acres
Maine	16	16	119	114	5	4	151	156	--	--
N.H.	15	15	14	15	--	--	6.6	6.8	--	--
Vt.	69	70	80	82	5	5	12.0	11.6	--	--
Mass.	41	41	15	16	--	--	17.8	19.0	--	--
R.I.	8	8	3	4	--	--	4.6	5.0	--	--
Conn.	47	49	13	13	--	--	15.4	15.9	--	--
N.Y.	680	696	918	927	136	116	187	195	--	--
N.J.	183	187	51	55	9	10	55	56	--	--
Pa.	1,295	1,308	903	903	142	152	167	167	--	--
Ohio	3,262	3,327	1,224	1,300	43	60	87	90	--	--
Ind.	3,934	4,017	1,449	1,521	85	111	50	49	22	28
Ill.	7,721	8,050	3,720	3,608	168	205	36	36	32	34
Mich.	1,509	1,645	1,402	1,542	210	233	190	180	--	--
Wis.	2,250	2,470	2,355	2,436	556	523	158	158	10	9
Minn.	4,468	4,825	4,424	4,159	1,674	1,774	225	215	48	34
Iowa	9,096	9,763	5,675	5,336	271	214	54	55	104	74
Mo.	3,967	4,403	2,440	2,540	252	297	39	40	320	346
N.Dak.	1,154	1,235	1,910	2,142	1,905	2,457	155	147	167	104
S.Dak.	3,018	3,169	2,248	2,360	1,877	2,496	31	33	1,323	1,002
Nebr.	6,822	7,318	1,972	1,393	2,090	2,341	76	76	1,503	830
Kans.	2,624	3,254	1,728	1,970	1,478	1,803	24	24	3,548	3,186
Del.	134	133	5	5	6	8	3.9	3.9	--	--
Md.	455	457	37	41	80	88	20.0	19.6	--	--
Va.	1,293	1,332	141	159	78	84	76	72	3	3
W.Va.	399	417	97	102	11	12	32	34	--	--
N.C.	2,418	2,309	318	353	30	48	80	84	14	15
S.C.	1,670	1,478	646	811	11	13	26	28	14	19
Ca.	4,040	3,539	649	762	5	7	25	27	38	37
Fla.	725	711	16	24	--	--	30.6	28	--	--
Ky.	2,630	2,767	121	109	115	180	44	48	31	32
Tenn.	2,750	2,926	159	180	91	133	42	44	43	46
Ala.	3,320	3,172	249	238	--	--	54	53	36	32
Miss.	3,093	2,909	305	337	--	--	23	27	34	32
Ark.	2,174	2,108	337	388	12	12	42	47	97	89
La.	1,548	1,424	102	125	--	--	43	42	9	9
Okla.	1,850	2,016	1,541	1,618	605	787	30.8	34	2,048	1,965
Tex.	5,079	5,538	1,916	1,897	392	549	62	58	7,215	6,512
Mont.	182	198	463	580	228	435	15	16	12	8
Idaho	56	53	213	224	323	450	124	136	--	--
Wyo.	160	170	155	136	95	114	16	14	28	20
Colo.	1,008	1,068	201	207	742	976	70	76	1,009	720
N.Mex.	215	219	43	41	25	35	4.0	4.0	531	506
Ariz.	41	38	10	11	57	83	2.1	2.7	60	50
Utah	29	25	50	48	123	157	11.2	12.6	--	--
Nev.	4	4	11	12	23	24	1.8	2.3	--	--
Wash.	35	33	267	320	165	337	42	40	--	--
Oreg.	62	53	434	425	250	380	35	36	--	--
Calif.	82	78	423	466	1,400	1,820	71	69	207	147
U.S.	87,631	91,011	41,582	42,656	15,722	19,433	2,767.8	2,793.4	18,506	15,389

1/ Grain and sweet sorghums for all uses except sirup.

mjd

PLANNED ACREAGE OF SPRING SOWN CROPS, 1941 AND 1942

State	All spring wheat		Durum wheat		Other spring wheat		Flaxseed	
	1941	1942	1941	1942	1941	1942	1941	1942
	Thousand acres	Thousand acres	Thousand acres	Thousand acres	Thousand acres	Thousand acres	Thousand acres	Thousand acres
Maine	2	2	--	--	2	2	--	--
N.Y.	4	4	--	--	4	4	--	--
Pa.	10	9	--	--	10	9	--	--
Ohio	1	1	--	--	1	1	--	--
Ind.	6	6	--	--	6	6	--	--
Ill.	12	10	--	--	12	10	29	18
Mich.	12	10	--	--	12	10	8	8
Wis.	43	41	--	--	43	41	12	99
Min.	1,314	983	78	56	1,233	927	1,456	1,674
Iowa	41	16	--	--	41	16	308	240
Mo.	--	--	--	--	--	--	5	6
N.Dak.	2,383	7,478	2,050	1,742	6,303	5,736	801	1,426
S.Dak.	2,352	2,525	470	357	2,382	2,168	243	382
Nebr.	145	86	--	--	143	86	5	4
Kans.	27	19	--	--	27	18	152	280
Okla.	--	--	--	--	--	--	22	32
Tex.	--	--	--	--	--	--	34	20
Mont.	2,440	1,952	--	--	2,440	1,952	161	352
Idaho	338	267	--	--	338	267	3	2
Wyo.	94	76	--	--	94	76	--	--
Colo.	230	193	--	--	230	193	--	--
N.Mex.	23	22	--	--	23	22	--	--
Ariz.	--	--	--	--	--	--	14	17
Utah	70	62	--	--	70	62	--	--
Nev.	13	13	--	--	13	13	--	--
Wash.	492	320	--	--	492	320	2	2
Oreg.	141	100	--	--	141	100	2	2
Calif.	--	--	--	--	--	--	213	207
U.S.	13,631	14,194	2,598	2,155	14,063	12,039	3,470	4,691

State	Grain sorghums		Beans, dry edible		Sugar beets	
	1941	1942	1941	1942	1941	1942
	Thousand acres	Thousand acres	Thousand acres	Thousand acres	Thousand acres	Thousand acres
Maine	--	--	9	9	--	--
Vt.	--	--	2	2	--	--
N.Y.	--	--	170	158	41	51
Ohio	--	--	--	--	--	--
Ill.	8	8	--	--	--	--
Mich.	--	--	791	633	100	137
Wis.	--	--	5	3	--	--
Minn.	10	9	4	5	--	--
Iowa	27	24	--	--	--	--
Mo.	201	223	--	--	--	--
N.Dak.	24	20	--	--	--	--
S.Dak.	475	451	--	--	--	--
Nebr.	393	208	29	38	63	86
Kans.	1,558	1,574	1	1	--	--
Ark.	51	51	--	--	--	--
La.	4	5	--	--	--	--
Okla.	1,247	1,372	--	--	--	--
Tex.	4,311	4,828	--	--	--	--
Mont.	--	--	21	26	66	80
Idaho	--	--	136	141	62	83
Wyo.	--	--	62	80	40	49
Colo.	501	400	340	350	135	195
N.Mex.	389	385	270	275	--	--
Ariz.	60	50	15	14	--	--
Utah	--	--	5	6	42	48
Wash.	--	--	5	5	--	--
Oreg.	--	--	1	3	--	--
Calif.	207	147	339	386	1/ 137	1/ 183
Other States	--	--	--	--	108	137
U.S.	9,466	9,755	2,255	2,135	794	1,049

1/ Includes acreage planted in fall for harvest in succeeding spring.

UNITED STATES DEPARTMENT OF AGRICULTURE
CROP REPORT
ANNUAL SUMMARY
December 1942

BUREAU OF AGRICULTURAL ECONOMICS
CROP REPORTING BOARD

Washington, D. C.,
December 18, 1942
3:00 P.M. (E.M.T.)

CORN, ALL 1/									
Acreage harvested			Yield per acre			Production			
Average:			Average:			Average:			
State	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Bushels			Thousand bushels		
Me.	12	16	16	38.6	41.0	42.0	483	656	672
N.H.	15	15	15	41.2	42.0	42.0	621	630	630
Vt.	74	69	70	40.0	38.0	40.0	2,942	2,622	2,800
Mass.	38	41	41	41.1	41.0	44.0	1,582	1,681	1,804
R.I.	9	8	8	39.7	39.0	41.0	358	312	328
Conn.	52	47	49	38.5	42.0	42.0	1,983	1,974	2,058
N.Y.	654	676	690	34.2	40.0	40.0	22,403	27,040	27,600
N.J.	192	133	186	33.4	41.0	45.0	7,363	7,503	8,370
Pa.	1,351	1,282	1,295	40.2	41.5	43.0	53,662	53,203	55,685
Ohio	3,603	3,252	3,317	38.8	49.5	56.0	139,956	160,974	185,752
Ind.	4,436	3,934	4,013	36.2	45.0	54.0	160,373	177,030	216,702
Ill.	8,837	7,721	7,953	36.2	53.0	54.5	321,945	409,213	433,438
Mich.	1,537	1,501	1,621	30.9	32.0	43.0	47,868	48,032	69,703
Wis.	2,299	2,250	2,408	32.4	40.0	43.0	74,644	90,000	103,544
Minn.	4,693	4,410	4,763	30.6	44.0	43.5	143,410	194,040	207,190
Iowa	10,736	9,069	9,704	37.2	51.0	61.5	399,184	462,519	596,796
Mo.	5,204	3,904	4,138	20.6	29.0	35.5	107,141	113,216	146,899
N.Dak.	1,172	1,115	1,160	14.0	23.0	25.0	16,368	25,645	29,000
S.Dak.	3,645	2,703	3,081	11.2	18.5	33.5	41,768	50,006	103,214
Nebr.	8,528	6,708	7,245	14.6	23.5	33.5	133,822	157,638	242,708
Kans.	4,609	2,488	3,160	12.2	23.0	28.5	59,550	57,224	90,060
Del.	143	133	132	27.7	30.0	31.0	3,964	3,990	4,092
Md.	510	450	454	31.6	35.0	36.0	16,173	15,750	16,344
Va.	1,462	1,267	1,318	22.2	26.0	27.0	32,418	32,942	35,586
W.Va.	506	397	413	24.7	31.0	34.0	12,610	12,307	14,042
N.C.	2,376	2,392	2,296	18.3	22.0	20.5	43,507	52,624	47,068
S.C.	1,694	1,653	1,471	13.5	13.5	14.5	22,831	22,316	21,330
Ca.	4,198	4,000	3,560	9.7	10.5	11.0	40,904	42,000	39,160
Fla.	759	720	706	8.9	9.5	10.5	6,775	6,840	7,413
Ky.	2,879	2,610	2,740	22.4	28.0	30.0	64,557	73,080	82,200
Tenn.	2,853	2,730	2,812	21.2	25.5	27.0	60,618	69,615	75,924
Ala.	3,288	3,305	3,140	12.4	15.5	14.0	40,973	51,228	43,960
Miss.	2,660	3,015	2,894	14.5	17.0	17.0	38,537	51,255	49,198
Ark.	2,122	2,148	2,062	14.4	19.0	18.0	30,567	40,812	37,116
La.	1,479	1,484	1,395	14.4	15.0	17.5	21,360	22,260	24,412
Okla.	2,362	1,783	1,926	13.1	17.5	18.5	31,131	31,202	35,631
Tex.	4,931	4,925	5,418	15.4	15.0	14.5	75,964	73,875	78,561
Mont.	137	178	190	9.9	20.0	20.0	1,396	3,560	3,800
Idaho	35	55	52	35.2	45.0	47.0	1,239	2,475	2,444
Wyo.	203	152	122	10.0	16.0	16.5	2,068	2,432	2,013
Colo.	1,305	951	1,018	10.0	15.8	18.8	13,419	15,026	19,138
N.Mex.	200	195	205	13.3	17.0	18.5	2,677	3,315	3,792
Ariz.	32	41	36	15.2	11.0	11.0	482	451	396
Utah	20	28	24	24.0	29.0	33.0	469	812	792
Nev.	2	4	4	26.7	30.0	30.0	56	120	120
Wash.	33	35	33	34.4	41.0	41.0	1,141	1,435	1,353
Oreg.	62	61	52	30.2	33.0	33.5	1,872	2,013	1,742
Calif.	71	82	73	32.8	32.0	33.0	2,317	2,624	2,574
U.S.	98,049	86,186	89,484	23.5	31.1	35.5	2,307,452	2,677,517	3,175,154

1/ This table covers corn for all purposes, including hogged and siloed corn, and that cut and fed without removing the ears, as well as that husked and snapped for grain. The yield for grain, with an allowance for varying yields of corn for other purposes, is applied to the total acreage to obtain an equivalent production expressed in terms of grain.

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT
ANNUAL SUMMARY
December 1942Bureau of Agricultural Economics
CROP REPORTING BOARDWashington, D. C.,
December 18, 1942
3:00 P.M. (E.M.T.)

CORN UTILIZATION, 1942

State	For grain			For silage			Hogging down grazing & forage
	Acreage harvested	Yield :		Acreage harvested	Yield :		
		per	Production:		per	Production	
		acre			acre		
	Thousand acres	Bu.	Thousand bushels	Thousand acres	Tons	Thousand tons	Thousand acres
Me.	4	42.0	168	9	10.5	94	3
N.H.	3	42.0	126	10	11.0	110	2
Vt.	5	40.0	200	61	10.0	610	4
Mass.	7	44.0	308	28	11.0	308	6
R.I.	1	41.0	41	6	9.5	57	1
Conn.	9	42.0	378	36	11.5	414	4
N.Y.	172	40.0	6,880	442	10.0	4,420	76
N.J.	136	45.0	6,120	43	10.0	430	7
Pa.	1,038	43.0	44,204	243	10.0	2,430	24
Ohio	3,101	56.0	173,656	110	10.3	1,133	106
Ind.	3,853	54.0	208,062	56	9.5	532	104
Ill.	7,667	54.5	417,852	159	10.0	1,590	127
Mich.	1,313	44.0	57,772	211	9.5	2,004	97
Wis.	1,252	45.0	56,340	1,060	8.1	8,586	96
Minn.	3,691	46.0	169,786	596	6.5	5,066	476
Iowa	9,219	61.5	566,933	136	10.5	1,428	349
Mo.	3,973	36.0	143,033	41	6.5	266	124
N.Dak.	458	28.0	12,824	104	4.0	416	598
S.Dak.	2,588	34.5	89,286	68	7.0	476	425
Nebr.	6,847	34.0	232,798	36	4.7	169	362
Kans.	2,907	28.5	82,850	63	5.5	346	190
Del.	128	31.0	3,968	3	8.8	26	1
Md.	424	36.0	15,264	25	10.5	262	5
Va.	1,213	27.0	32,751	43	9.5	408	62
W.Va.	392	34.0	13,328	13	11.0	143	8
N.C.	2,237	20.5	45,754	16	8.7	139	55
S.C.	1,437	14.5	20,236	5	5.0	25	29
Ga.	3,390	11.0	37,290	10	4.5	45	160
Fla.	604	10.5	6,342	4	6.5	26	98
Ky.	2,684	30.0	80,520	17	10.0	170	39
Tenn.	2,728	27.0	73,656	19	8.5	162	65
Ala.	3,074	14.0	43,036	6	4.5	27	60
Miss.	2,836	17.0	48,212	6	5.5	33	52
Ark.	2,000	18.0	36,000	2	5.0	10	60
La.	1,367	17.5	23,922	3	5.0	15	25
Okla.	1,856	18.5	33,966	13	1.0	52	77
Tex.	5,174	14.5	75,023	27	4.5	122	217
Mont.	67	23.0	1,541	6	3.5	21	117
Idaho	37	48.0	1,776	9	10.0	90	6
Wyo.	48	17.5	840	7	5.0	35	67
Colo.	733	19.5	14,294	87	6.5	566	198
N.Mex.	172	19.0	3,268	6	6.0	36	27
Ariz.	26	12.0	312	4	8.0	32	6
Utah	7	35.0	245	10	9.0	90	7
Nev.	2	30.0	60	1	9.0	9	1
Wash.	13	45.0	585	13	9.5	124	7
Oreg.	27	34.5	932	14	8.0	112	11
Calif.	41	36.0	1,476	25	10.5	262	12
U.S.	80,921	35.6	2,884,744	3,912	8.67	33,927	4,651

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT

ANNUAL SUMMARY

December 1942

Bureau of Agricultural Economics

CROP REPORTING BOARD

Washington, D. C.,

December 18, 1942

3:00 P.M. (E.W.T.)

CORN UTILIZATION, 1941

State	For grain			For silage			Hogging
	Acreage	Yield	Production	Acreage	Yield	Production	down
	harvested	per		harvested	per		grazing
	Thousand	Bu.		Thousand	Tons		Thousand
	acres	acres	bushels	acres	acres	tons	acres
Me.	4	41.0	164	9	11.0	99	3
N.H.	3	42.0	126	10	11.5	115	2
Vt.	5	38.0	190	59	10.5	620	5
Mass.	7	41.0	287	28	10.5	294	6
R.I.	1	39.0	39	6	9.5	57	1
Conn.	8	42.0	336	35	12.0	420	4
N.Y.	162	40.0	6,490	442	10.0	4,420	72
N.J.	128	41.0	5,248	46	9.5	437	9
Pa.	1,018	41.5	42,247	236	9.5	2,261	26
Ohio	3,032	40.5	122,806	115	9.8	1,127	55
Ind.	3,796	45.0	170,820	67	8.5	570	71
Ill.	7,451	53.0	394,903	162	10.5	1,701	108
Mich.	1,185	33.0	39,105	233	8.0	1,864	83
Wis.	1,147	41.0	47,027	1,013	8.2	8,307	90
Minn.	3,440	46.0	158,240	618	8.5	5,253	352
Iowa	8,616	51.0	439,416	172	10.0	1,720	281
Mo.	3,743	29.5	110,418	35	6.8	238	126
N.Dak.	535	25.0	13,375	134	3.4	456	446
S.Dak.	1,973	20.0	39,430	81	4.3	348	649
Nebr.	6,238	24.5	152,831	101	4.3	434	369
Kans.	2,264	23.5	53,204	75	4.5	338	149
Del.	129	30.0	3,870	3	8.5	26	1
Md.	420	35.0	14,700	26	9.5	247	4
Va.	1,195	26.0	31,070	50	9.0	450	22
W.Va.	331	31.0	11,811	12	10.5	126	4
N.C.	2,339	22.0	51,458	17	8.6	146	36
S.C.	1,607	13.5	21,694	5	4.5	22	41
Ga.	3,888	10.5	40,824	8	4.3	34	104
Fla.	636	9.5	6,042	4	6.0	24	80
Ky.	2,553	28.0	71,484	18	9.0	162	39
Tenn.	2,668	25.5	68,034	16	7.4	118	46
Ala.	3,245	15.5	50,298	7	4.5	32	53
Miss.	2,973	17.0	50,541	3	5.7	17	39
Ark.	2,105	19.0	39,995	2	5.0	10	41
La.	1,451	15.9	21,765	3	4.5	14	30
Okla.	1,715	17.5	30,012	13	4.0	52	55
Tex.	4,777	15.0	71,655	30	4.5	135	118
Mont.	63	22.5	1,418	8	3.5	28	107
Idaho	41	46.0	11,886	8	11.0	88	6
Wyo.	68	17.0	1,156	8	6.0	48	76
Calo.	713	16.9	12,050	95	6.0	570	143
N.Mex.	176	17.5	3,080	4	7.0	28	15
Ariz.	30	12.0	360	4	8.0	32	7
Utah	8	30.0	240	11	10.5	116	9
Nev.	2	30.0	60	1	10.0	10	1
Wash.	14	44.0	616	14	10.5	147	7
Oreg.	33	34.5	1,138	17	7.8	133	11
Calif.	45	35.0	1,575	25	9.0	225	12
U.S.	78,081	31.2	2,435,307	4,091	8.34	34,119	4,014

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT
ANNUAL SUMMARY

BUREAU OF AGRICULTURAL ECONOMICS
CROP REPORTING BOARD

Washington, D. C.,

December 18, 1942

December 1942

3:00 P.m. (E.W.T.)

ALL WHEAT

State	Acreage harvested			Yield per acre			Production		
	Average:			Average:			Average:		
	1930-39:	1941	1942	1930-39:	1941	1942	1930-39:	1941	1942
	Thousand acres			Bushels			Thousand bushels		
Maine	5	2	2	20.0	18.0	20.0	93	36	40
N.Y.	262	296	291	21.7	22.5	26.9	5,727	6,646	7,559
N.J.	55	55	50	22.2	22.0	23.5	1,230	1,210	1,175
Pa.	975	867	806	19.7	19.5	19.0	19,252	16,897	15,301
Ohio	2,037	1,959	1,724	20.2	25.0	21.0	40,958	48,978	36,205
Ind.	1,730	1,476	1,108	17.5	23.5	12.5	30,250	34,665	13,865
Ill.	2,064	1,716	981	17.9	20.0	13.1	37,118	34,320	12,818
Mich.	829	741	681	20.7	22.0	22.5	16,966	16,286	15,322
Wis.	109	79	78	16.4	17.2	22.0	1,780	1,362	1,717
Minn.	1,658	1,471	1,112	13.3	13.7	20.8	22,132	20,104	23,170
Iowa	421	181	211	17.4	12.9	22.5	7,411	2,341	4,749
Mo.	1,934	1,356	695	14.4	13.5	13.0	27,653	18,036	9,035
N.Dak.	7,392	8,155	7,321	8.1	17.8	20.5	62,839	144,799	149,844
S.Dak.	2,378	2,864	2,630	7.6	12.3	17.2	20,956	35,358	45,274
Nebr.	3,211	2,354	2,947	13.0	15.4	23.7	42,962	36,222	69,908
Kans.	10,768	11,790	10,610	11.8	14.7	19.5	131,893	173,352	206,775
Del.	84	65	60	17.4	20.5	21.5	1,465	1,332	1,290
Md.	427	345	307	10.1	21.0	19.5	8,183	7,245	5,986
Va.	597	511	470	14.5	15.0	16.0	8,633	7,665	7,520
W.Va.	138	105	94	15.1	15.5	15.5	2,073	1,628	1,457
N.C.	444	474	517	11.1	15.5	15.5	4,903	7,347	8,014
S.C.	139	241	307	10.0	13.0	11.0	1,366	3,172	3,377
Ga.	141	191	241	9.3	11.5	10.5	1,275	2,196	2,530
Ky.	387	375	371	14.0	19.0	14.0	5,456	7,125	5,104
Tenn.	392	361	361	11.3	15.0	14.5	4,388	5,415	5,234
Ala.	6	7	13	10.2	13.0	13.0	57	91	169
Miss.	---	11	7	---	27.0	23.0	---	297	161
Ark.	61	30	22	9.3	10.5	11.0	561	315	242
Okla.	4,046	4,543	3,477	11.6	10.7	16.5	47,981	48,610	57,370
Tex.	3,129	2,614	2,875	9.5	10.4	16.5	31,360	27,186	47,438
Mont.	3,236	3,703	3,267	9.9	18.4	22.6	32,610	68,239	73,783
Idaho	1,047	954	795	23.0	22.2	26.1	24,222	27,850	20,770
Wyo.	209	236	202	10.8	20.4	21.2	2,300	4,805	4,288
Colo.	991	1,368	1,269	11.9	18.3	21.9	12,186	25,036	27,849
N.Mex.	252	173	278	9.6	15.8	17.3	2,742	2,755	4,813
Ariz.	39	27	23	23.0	14.5	25.0	888	392	575
Utah	257	266	227	20.1	25.4	22.1	5,207	7,027	5,010
Nev.	16	18	17	24.8	27.3	28.5	385	491	484
Wash.	2,184	2,098	1,777	20.4	29.1	31.0	44,362	61,142	55,148
Ore.	938	820	714	19.8	28.7	27.9	18,620	23,538	19,953
Calif.	755	752	536	18.5	15.5	18.5	14,136	11,656	9,916
U.S.	55,743	55,642	49,464	13.3	16.9	19.8	745,575	943,127	981,327

UNITED STATES DEPARTMENT OF AGRICULTURE
CROP REPORT
ANNUAL SUMMARY
December 1942

BUREAU OF AGRICULTURAL STATISTICS
CROP REPORTING BOARD

Washington, D. C.,
December 18, 1942
3:00 P.M. (E.W.T.)

WINTER WHEAT									
Acreage harvested			Yield per acre			Production			
State	Average:		Average:			Average:			
	1930-39:	1941	1942	1930-39:	1941	1942	1930-39:	1941	1942
	Thousand acres			Bushels			Thousand bushels		
N.Y.	254	292	277	21.8	22.5	27.0	5,600	6,570	7,479
N.J.	55	55	50	22.2	22.0	23.5	1,230	1,210	1,175
Pa.	964	857	797	19.7	19.5	19.0	19,029	16,712	15,143
Ohio	2,029	1,958	1,723	20.2	25.0	21.0	40,813	48,950	36,183
Ind.	1,719	1,470	1,102	17.5	23.5	12.5	30,083	34,545	13,775
Ill.	2,004	1,704	971	18.0	20.0	13.0	36,095	34,080	12,623
Mich.	811	730	672	20.8	22.0	22.5	16,674	16,060	15,120
Wis.	36	38	38	17.0	17.5	21.5	624	665	817
Minn.	173	182	160	18.0	14.0	22.5	3,140	2,548	3,600
Iowa	387	140	195	17.9	13.5	23.0	6,944	1,890	4,485
Mo.	1,929	1,336	695	14.4	13.5	13.0	27,594	18,036	9,035
S.Dak.	117	150	188	11.1	11.0	20.0	1,367	1,650	3,760
Nebr.	2,954	2,221	2,865	13.6	15.5	24.0	41,059	34,426	68,760
Kans.	10,754	11,775	10,598	11.8	14.7	19.5	131,782	173,092	206,661
Del.	84	65	60	17.4	20.5	21.5	1,465	1,332	1,290
Md.	427	345	307	19.1	21.0	19.5	8,183	7,245	5,986
Va.	597	511	470	14.5	15.0	16.0	8,633	7,665	7,520
W.Va.	138	105	94	15.1	15.5	15.5	2,073	1,628	1,457
N.C.	444	474	517	11.1	15.5	15.5	4,903	7,347	8,014
S.C.	139	244	307	10.0	15.0	11.0	1,366	3,172	3,377
Ga.	141	191	241	9.3	11.5	10.5	1,273	2,196	2,530
Ky.	387	375	371	14.0	19.0	14.0	5,456	7,125	5,194
Tenn.	392	361	361	11.3	15.0	14.5	4,388	5,415	5,234
Ala.	6	7	13	10.2	12.0	13.0	57	91	169
Miss.	-	11	7	-	27.0	23.0	-	297	161
Ark.	61	30	22	9.3	10.5	11.0	561	315	242
Okla.	4,046	4,543	3,477	11.6	10.7	16.5	47,981	48,610	57,370
Tex.	3,129	2,614	2,875	9.5	10.4	16.5	31,360	27,186	47,438
Mont.	703	1,322	1,362	13.4	21.0	25.5	10,055	27,762	34,731
Idaho	627	629	535	20.9	28.0	24.0	13,216	17,612	12,840
Wyo.	92	147	132	10.2	23.0	24.0	952	3,381	3,168
Colo.	702	1,164	1,106	11.6	15.6	22.6	8,441	21,650	24,996
N.Mex.	229	151	257	9.2	16.0	17.5	2,437	2,416	4,498
Ariz.	39	27	23	23.0	14.5	25.0	888	392	575
Utah	182	198	167	16.9	24.5	18.5	3,100	4,851	3,090
Nev.	3	5	4	25.8	28.0	30.0	74	140	120
Wash.	1,018	1,611	1,465	24.0	31.0	32.0	24,562	49,941	46,880
Oreg.	632	695	626	19.5	30.0	28.5	12,404	20,850	17,841
Calif.	755	752	536	18.5	15.5	18.5	14,136	11,656	9,916
U.S.	39,160	39,485	35,666	14.4	17.0	19.7	570,001	670,709	703,253

WHEAT (Production by classes) for the United States						
Winter			Spring		White	
Year	Hard	Soft	Hard	Durum 1/	(Winter & Spring)	Total
	Red	Red	Red			
	Thousand bushels		Thousand bushels		Thousand bushels	
1940	329,797	206,265	159,720	34,304	83,135	813,221
1941	394,996	209,398	207,463	42,660	88,610	943,127
1942	482,791	160,285	215,321	45,505	77,425	981,327

1/ Includes durum wheat in States for which estimates are not shown separately.

mbp

OTHER SPRING WHEAT

State	Acreage harvested			Yield per acre			Production		
	Average:			Average:			Average:		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Bushels			Thousand bushels		
Mo.	5	2	2	20.0	13.0	20.0	35	66	40
N.Y.	7	4	4	17.3	12.0	20.0	127	76	80
Pa.	11	10	9	18.0	13.5	17.5	203	135	158
Ohio	3	1	1	17.4	23.0	22.0	144	38	22
Ind.	11	6	6	14.8	20.0	15.0	167	120	90
Ill.	60	12	10	15.8	20.0	13.5	1,023	240	125
Mich.	18	11	9	13.4	20.5	22.5	232	226	202
Wis.	72	41	40	13.0	17.0	22.5	1,156	697	900
Minn.	1,532	1,212	837	12.7	13.5	20.8	17,610	16,362	18,398
Iowa	34	41	10	13.4	11.0	16.6	467	451	264
N. Dak.	5,502	6,164	5,600	7.6	12.0	20.0	42,403	110,952	112,130
S. Dak.	1,037	2,258	2,100	7.3	12.0	17.0	14,025	27,096	35,700
Nebr.	257	133	32	7.3	12.5	14.0	1,903	1,736	1,148
Kans.	14	24	12	7.1	10.0	9.6	114	240	114
Mont.	2,533	2,331	1,905	3.9	17.0	20.5	23,564	40,477	30,052
Idaho	420	325	260	25.9	31.5	30.5	11,005	10,258	7,930
Wyo.	117	89	70	11.5	16.0	16.0	1,340	1,424	1,120
Colo.	232	204	163	13.0	16.6	17.5	3,745	3,336	2,852
N. Mex.	23	22	21	13.0	14.5	15.0	304	319	315
Utah	75	63	60	27.2	32.0	32.0	2,107	2,176	1,920
Nev.	13	13	13	24.5	27.0	23.0	312	351	364
Wash.	1,166	437	312	16.8	23.0	23.5	19,300	11,201	3,268
Oreg.	306	125	83	20.3	21.5	24.0	6,216	2,692	2,112
U. S.	13,816	13,033	11,639	10.6	16.9	20.0	143,277	250,765	233,414

DURUM WHEAT

	Thousand acres			Bushels			Thousand bushels		
Minn.	102	77	55	13.2	15.5	21.5	1,382	1,194	1,192
N. Dak.	2,000	1,991	1,712	9.2	17.0	22.0	20,351	33,347	37,664
S. Dak.	574	456	342	3.0	14.5	17.0	5,564	6,612	5,314
3 States	2,767	2,524	2,109	9.3	15.5	21.2	27,297	41,653	44,660

OATS

	: Acreage harvested			: Yield per acre			: Production		
State	: Average:			: Average:			: Average:		
	: 1930-39:	1941	: 1942:	: 1930-39:	1941	: 1942:	: 1930-39:	1941	: 1942:
	Thousand acres			Bushels			Thousand bushels		
Me.	114	108	103	36.6	37.0	39.0	4,194	3,996	4,017
N.H.	8	6	7	37.4	40.0	39.0	280	240	277
Vt.	57	47	53	31.3	32.0	37.0	1,786	1,504	1,961
Mass.	5	6	6	32.9	34.0	33.0	175	204	198
R.I.	2	1	1	31.3	32.0	34.0	57	32	34
Conn.	6	4	4	29.6	36.0	34.0	171	144	136
N.Y.	833	855	880	28.6	30.0	38.0	23,821	25,650	33,440
N.J.	46	42	43	29.5	34.0	30.0	1,352	1,428	1,290
Pa.	914	876	867	28.4	34.5	30.0	25,910	30,222	26,010
Ohio	1,788	1,181	1,264	30.7	43.5	41.0	42,758	51,374	51,824
Ind.	1,560	1,375	1,444	25.9	41.0	37.0	41,073	56,375	53,428
Ill.	3,783	3,569	3,533	30.4	43.0	40.0	116,910	153,467	141,320
Mich.	1,325	1,350	1,498	29.6	34.0	45.0	39,313	45,900	67,410
Wis.	2,446	2,293	2,339	30.5	33.0	43.0	74,711	75,669	100,577
Minn.	4,229	4,297	4,082	31.2	27.0	43.5	133,279	116,019	177,567
Iowa	5,831	5,437	5,165	31.4	32.5	39.0	185,711	176,702	201,435
Mo.	1,674	2,076	2,201	22.4	25.5	27.0	37,850	52,938	59,427
N.Dak.	1,458	1,808	2,025	18.5	33.0	37.0	28,639	59,664	74,925
S.Dak.	1,527	2,112	2,260	21.2	26.0	40.0	37,490	54,912	90,400
Nebr.	1,921	1,840	1,766	20.3	29.5	33.0	42,040	54,280	58,278
Kans.	1,467	1,619	1,813	23.7	24.0	25.5	34,899	38,856	46,232
Del.	3	3	4	29.6	31.0	33.0	83	93	132
Md.	44	32	37	28.4	32.0	30.0	1,252	1,024	1,110
Va.	112	105	130	20.2	25.0	27.0	2,281	2,625	3,510
W.Va.	100	74	77	20.3	24.0	24.0	2,018	1,776	1,848
N.C.	223	252	272	20.9	26.0	25.0	4,675	6,552	6,800
S.C.	439	562	641	21.2	22.0	21.0	9,331	12,764	13,461
Ga.	376	513	564	18.8	20.5	18.0	7,094	10,516	10,152
Fla.	8	11	12	14.0	14.5	14.0	118	160	168
Ky.	106	89	80	16.4	21.0	22.0	1,738	1,869	1,760
Tenn.	97	108	135	16.5	23.0	23.0	1,622	2,484	3,108
Ala.	107	192	240	18.2	21.5	20.0	1,983	4,128	4,800
Miss.	64	282	300	23.6	36.0	30.0	1,721	10,152	9,000
Ark.	179	253	304	20.5	23.5	26.0	3,792	5,946	7,904
La.	40	91	105	25.2	30.5	30.0	1,051	2,776	3,150
Okla.	1,331	1,400	1,260	20.2	18.5	19.0	27,024	25,900	27,940
Tex.	1,520	1,519	590	24.2	25.0	19.0	37,521	27,975	11,210
Mont.	266	404	521	23.0	36.0	39.0	6,287	14,544	20,319
Idaho	147	177	195	36.8	40.0	40.5	5,413	7,080	7,898
Wyo.	111	125	122	24.9	31.0	30.0	2,744	3,875	3,660
Colo.	154	177	181	26.7	33.1	31.2	4,134	5,859	5,647
N.Mex.	25	34	33	23.3	27.0	28.0	570	918	924
Ariz.	8	8	8	26.6	32.0	31.5	225	256	252
Utah	37	43	42	36.2	44.0	39.0	1,343	1,892	1,638
Nev.	3	7	8	34.8	41.0	40.0	109	287	320
Wash.	163	169	210	47.0	45.0	48.0	7,668	7,605	10,080
Oreg.	273	296	296	31.1	29.5	34.0	8,483	8,732	10,064
Calif.	119	137	178	27.6	27.0	32.0	3,363	3,699	5,696
U. S.	36,653	37,965	37,899	27.4	31.1	35.9	1,016,061	1,180,663	1,358,730

BARLEY									
Acres harvested			Yield per acre			Production			
State	Average	1941	1942	Average	1941	1942	Average	1941	1942
	1930-39			1930-39			1930-39		
	Thousand acres			Bushels			Thousand bushels		
Maine	4	5	4	28.1	27.0	28.0	115	135	112
Vt.	5	5	5	27.2	27.0	30.0	123	135	150
N.Y.	156	117	110	24.6	25.0	30.0	3,842	2,935	3,300
N.J.	2	8	9	27.3	27.0	30.0	50	213	270
Pa.	38	139	149	28.0	27.0	27.5	1,925	3,753	4,098
Ohio	46	40	53	23.0	23.5	25.5	1,064	1,140	1,428
Ind.	23	77	94	20.6	22.0	24.0	612	2,133	2,256
Ill.	202	147	154	24.6	31.5	22.5	5,022	4,630	3,465
Mich.	319	207	221	23.6	31.5	33.0	5,154	6,320	7,293
Wis.	737	543	429	27.2	31.0	32.0	21,329	16,673	13,648
Minn.	1,953	1,635	1,703	22.0	27.0	29.5	43,706	43,675	50,327
Iowa	472	266	703	23.8	27.5	23.5	11,756	7,315	4,813
Mo.	70	139	170	18.4	20.0	17.0	1,321	5,730	2,890
N.Dak.	1,610	1,817	2,526	14.4	25.0	29.0	24,406	45,425	67,454
S.Dak.	1,547	1,629	2,523	15.1	22.5	25.5	23,163	38,323	59,364
Nebr.	720	1,913	2,068	16.5	25.5	18.5	12,333	42,632	38,258
Kans.	365	1,323	1,373	13.2	20.0	13.3	5,442	26,320	17,186
Del.	1/2	6	7	1/30.5	30.0	32.0	1/46	180	224
Md.	53	78	86	22.6	23.0	27.5	1,056	2,028	2,365
Va.	44	75	80	25.2	24.0	26.5	1,023	1,600	2,120
W.Va.	5	11	12	24.9	23.5	26.0	133	253	312
N.C.	14	27	42	18.6	23.5	23.0	270	654	966
S.C.	3	10	12	16.9	18.5	16.5	52	185	198
Ga.	—	5	7	—	17.0	16.0	—	35	112
Ky.	21	90	135	22.1	23.0	27.0	461	2,540	3,105
Tenn.	31	80	110	17.9	20.0	20.0	563	1,300	2,200
Ark.	1/3	11	11	1/15.5	15.0	16.0	1/104	165	176
Okla.	152	512	625	15.3	18.0	17.0	2,424	9,213	10,625
Tex.	151	326	392	15.5	27.0	16.5	2,415	8,775	4,818
Mont.	134	215	411	12.7	28.0	30.0	3,667	6,020	12,330
Idaho	143	300	120	35.3	33.0	34.0	4,808	11,400	14,280
Wyo.	73	89	100	22.4	29.0	26.5	1,612	2,381	2,650
Colo.	403	650	673	19.8	25.2	23.5	8,111	16,632	15,616
N.Mex.	9	21	29	21.2	29.0	32.0	183	609	812
Ariz.	26	44	58	31.0	32.0	32.0	803	1,402	1,856
Utch	57	118	147	39.6	43.0	36.0	2,307	5,310	5,586
Nev.	3	21	23	36.3	39.0	36.0	287	319	828
Wash.	31	146	514	32.4	37.0	40.0	1,983	5,402	12,560
Ore.	110	309	510	28.2	32.0	32.3	3,150	6,608	10,075
Calif.	1,159	1,042	1,511	26.5	34.5	29.0	30,540	25,529	43,819
U.S.	10,452	14,220	15,732	20.7	25.5	25.4	226,460	332,082	426,150
1/	Short-time average.								

RICE									
Ark.	165	312	365	50.3	51.3	51.0	8,380	10,918	15,515
La.	456	344	356	40.7	37.5	40.5	18,567	20,400	25,758
Tex.	305	305	339	51.5	36.0	42.0	10,590	11,300	15,498
Calif.	118	155	207	39.6	55.0	53.0	8,176	8,315	11,592
U.S.	943	1,214	1,477	48.4	42.3	44.9	45,712	51,323	53,363

njd

UNITED STATES DEPARTMENT OF AGRICULTURE
CROP REPORT
ANNUAL SUMMARY
December 1942

Bureau of Agricultural Economics
CROP REPORTING BOARD

Washington, D. C.,
December 18, 1942
3:00 P.M. (E.V.T.)

RYE									
Acreage harvested			Yield per acre			Production			
State	Average: 1930-39	1941	1942	Average: 1930-39	1941	1942	Average: 1930-39	1941	1942
	Thousand acres			Bushels			Thousand bushels		
N.Y.	22	17	22	16.3	17.0	18.5	353	289	407
N.J.	22	16	15	17.2	16.5	18.5	375	264	278
Pa.	99	57	58	14.2	14.0	14.5	1,388	798	841
Ohio	63	72	97	14.5	18.5	17.0	935	1,332	1,649
Ind.	122	130	144	11.8	15.5	13.5	1,445	2,015	1,944
Ill.	87	58	49	12.2	13.0	11.0	1,077	754	539
Mich.	146	58	80	12.1	13.5	14.5	1,778	783	1,160
Wis.	247	142	135	11.0	11.5	12.0	2,773	1,633	1,620
Minn.	414	290	223	13.4	11.5	15.0	5,788	3,335	3,545
Iowa	81	19	23	14.5	13.5	16.0	1,264	256	368
Mo.	36	34	45	10.5	12.5	11.0	387	425	495
N.Dak.	754	910	919	9.1	14.5	17.5	7,510	13,195	16,082
S.Dak.	420	653	816	10.5	11.5	17.0	5,149	7,510	13,872
Nebr.	503	372	439	9.3	12.0	13.5	2,990	4,464	5,926
Kans.	43	89	117	10.6	11.0	11.0	464	979	1,287
Del.	8	9	11	12.5	13.5	14.0	96	122	154
Md.	19	15	21	13.6	14.0	14.0	255	210	294
Va.	52	39	45	11.7	11.5	13.0	618	448	585
W.Va.	10	4	5	11.8	10.5	12.5	121	42	62
N.C.	63	46	43	8.0	10.0	9.5	502	460	456
S.C.	12	27	29	8.4	8.5	8.5	98	230	246
Ga.	19	25	20	6.4	7.5	7.0	123	188	140
Ky.	17	17	20	11.0	14.0	12.5	186	238	250
Tenn.	33	45	42	8.0	10.0	9.5	268	450	399
Okla.	35	156	125	8.2	9.0	9.5	308	1,224	1,188
Tex.	5	17	20	9.8	13.0	12.0	50	221	240
Mont.	39	45	48	9.2	12.0	15.0	382	540	720
Idaho	6	7	7	12.1	15.5	16.0	70	108	112
Wyo.	21	28	19	6.6	13.0	10.0	142	364	190
Colo.	40	94	100	7.3	11.0	12.5	303	1,034	1,250
N.Mex.	1/ 2	10	15	1/8.9	16.0	12.5	1/ 21	160	186
Utah	2	5	8	7.8	15.0	11.0	16	75	88
Wash.	19	30	32	8.6	15.0	13.0	159	450	416
Oreg.	30	44	30	12.5	14.5	14.0	383	638	420
Calif.	9	10	10	12.2	13.0	13.0	105	130	130
U.S.	3,298	3,570	3,837	11.1	12.7	14.9	37,870	45,364	57,341

1/ Short-time average.

FLAXSEED									
Ill.	—	29	18	—	14.0	13.0	—	406	234
Mich.	8	8	8	8.9	9.5	9.5	66	76	76
Wis.	5	12	9	10.4	12.0	12.0	56	144	108
Minn.	714	1,599	1,595	8.2	10.5	10.0	5,887	14,690	15,970
Iowa	26	305	235	9.2	13.0	12.0	239	3,965	3,600
Mo.	4	5	6	4.6	7.5	7.5	16	38	45
N.Dak.	641	741	1,312	4.3	6.4	7.0	2,848	4,742	9,184
S.Dak.	163	227	352	4.7	10.0	10.0	791	2,270	3,600
Nebr.	5	4	4	1/5.4	9.5	10.0	25	38	40
Kans.	55	143	255	6.1	8.0	7.0	339	1,144	1,785
Okla.	1/ 2	20	26	1/8.9	7.0	6.5	1/ 20	140	169
Tex.	—	15	18	—	7.0	11.5	—	105	207
Mont.	116	148	340	3.7	6.0	7.5	412	888	2,550
Idaho	1/ 4	3	2	1/9.2	10.0	7.0	1/ 38	30	1
Ariz.	—	14	16	—	21.0	23.0	—	294	368
Wash.	1/ 4	2	2	1/10.8	12.0	15.0	1/ 41	24	50
Oreg.	1/ 3	2	2	1/11.0	12.0	12.5	1/ 33	24	25
Calif.	1/ 46	198	202	1/17.1	16.5	17.5	1/ 745	3,267	3,535
U.S.	1,780	3,275	4,402	6.4	9.9	9.2	11,252	32,285	40,660

1/ Short-time average.

UNITED STATES DEPARTMENT OF AGRICULTURE		Washington, D. C.,
BUREAU OF AGRICULTURAL ECONOMICS		December 18, 1942
CROP REPORT	CROP REPORTING BOARD	3:00 P.M. (E.W.T.)
ANNUAL SUMMARY		
December 1942		

BUCKWHEAT									
Acreage harvested			Yield per acre			Production			
State	Average:		Average:			Average:			
	1930-39:	1941	1942	1930-39:	1941	1942	1930-39:	1941	1942
	Thousand acres			Bushels			Thousand bushels		
Me.	11	7	7	16.8	15.0	17.0	185	105	119
Vt.	2	1	1	20.2	17.0	19.0	35	17	19
N.Y.	147	106	122	17.1	19.0	18.5	2,505	2,014	2,257
Pa.	140	112	110	18.0	20.0	19.5	2,495	2,240	2,145
Ohio	20	9	12	16.6	17.5	18.0	330	158	216
Ind.	15	5	7	13.7	12.5	13.0	205	62	91
Ill.	6	2	6	14.6	15.0	13.0	98	30	78
Mich.	22	16	26	12.3	14.5	17.0	290	232	442
Wis.	15	15	14	11.6	14.5	15.0	170	218	210
Minn.	21	22	30	9.9	11.5	14.0	201	253	420
Iowa	5	2	2	13.1	16.0	16.0	66	32	32
Mo.	1	1	1	11.0	9.0	10.0	11	9	10
N. Dak.	6	3	6	6.2	14.0	10.5	43	42	63
S. Dak.	4	1	1	7.3	8.0	14.0	30	8	14
Md.	6	5	5	18.8	20.0	19.5	107	100	98
Va.	11	9	8	13.6	16.0	16.0	141	144	128
W. Va.	19	12	11	16.9	19.5	19.0	319	234	209
N. C.	4	5	5	14.3	16.5	17.0	57	82	85
Ky.	2	2	2	10.0	14.0	11.0	20	28	22
Tenn.	2	2	2	12.1	15.0	14.5	24	30	29
U.S.	459	337	378	16.1	17.9	17.7	7,365	6,038	6,687

ALL SORGHUMS FOR GRAIN									
Acreage harvested			Yield per acre			Production			
State	Average:		Average:			Average:			
	1930-39:	1941	1942	1930-39:	1941	1942	1930-39:	1941	1942
	Thousand acres			Bushels			Thousand bushels		
Ill.	1/2	2	2	1/21.7	24.5	32.5	1/38	49	65
Iowa	1/4	4	1	1/21.2	22.0	20.0	1/32	88	20
Mo.	51	49	84	13.4	18.9	20.0	755	926	1680
N. Dak.	-	-	2	-	-	12.0	-	-	24
S. Dak.	1/48	250	199	1/7.8	10.4	13.3	1/400	2,610	2,649
Nebr.	63	226	133	11.2	15.7	14.6	677	3,553	1,936
Kans.	795	1,275	1,082	9.8	17.2	16.8	8,656	21,885	18,124
Ark.	12	8	8	11.4	15.8	14.8	142	126	118
La.	3	1	1	15.2	13.5	18.0	39	14	18
Okla.	806	667	821	9.2	12.0	12.9	7,652	7,982	10,614
Tex.	1,957	2,839	3,004	13.8	20.4	19.9	27,678	57,976	59,675
Colo.	80	170	127	8.5	13.2	13.7	693	2,237	1,744
New Mex.	152	241	254	11.7	22.9	16.0	1,870	5,522	4,060
Ariz.	24	46	34	29.0	32.0	35.0	698	1,472	1,190
Calif.	108	204	144	32.6	36.0	37.0	3,557	7,344	5,328
U.S.	4,083	5,982	5,896	12.6	18.7	18.2	52,747	111,784	107,245

1/ Short-time average.

ALL SORGHUMS FOR SILAGE

State	Acreage harvested			Yield per acre			Production		
	Average:			Average:			Average:		
	1930-39:	1941	1942	1930-39:	1941	1942	1930-39:	1941	1942
	Thousand acres			Tons 1/			Thousand tons 1/		
Ind.	2/ 2	17	22	2/ 9.3	10.5	12.0	2/ 22	178	264
Ill.	2/ 7	23	23	2/ 8.9	11.6	10.7	2/ 69	266	246
Wis.	2/ 6	7	7	2/ 7.0	5.2	8.0	2/ 42	36	56
Minn.	2/ 10	21	17	2/ 7.2	8.9	8.2	2/ 68	186	140
Iowa	2/ 18	49	37	2/ 8.6	11.3	11.5	2/ 177	552	425
Mo.	2/ 28	33	42	2/ 6.4	8.6	8.9	2/ 171	284	374
N. Dak.	2/ 4	11	3	2/ 2.1	3.0	3.7	2/ 10	33	11
S. Dak.	2/ 14	44	24	2/ 1.8	1.8	3.8	2/ 26	81	90
Nebr.	2/ 52	209	83	2/ 3.7	5.4	5.4	2/ 230	1,124	446
Kans.	196	573	413	2/ 4.6	6.9	7.0	2/ 848	3,969	2,899
S. C.	2	2	3	2/ 5.4	4.5	5.0	2/ 10	9	15
Ga.	3	3	7	2/ 4.7	5.0	5.0	2/ 12	15	35
Tenn.	4	4	7	2/ 7.2	8.0	8.0	2/ 27	32	56
Ala.	4	4	6	2/ 5.9	8.0	7.0	2/ 26	32	42
Miss.	8	12	13	2/ 7.4	9.0	9.2	2/ 56	108	120
Ark.	2	5	9	2/ 5.3	6.0	5.8	2/ 12	30	52
La.	1	1	1	2/ 5.9	6.5	7.0	2/ 6	6	7
Okla.	24	51	83	2/ 3.8	5.1	4.8	2/ 87	260	396
Tex.	172	244	198	2/ 4.5	5.4	4.9	2/ 704	1,318	965
Colo.	2/ 6	5	10	2/ 1.8	3.6	5.0	2/ 10	18	50
N. Mex.	2/ 8	30	16	2/ 2.7	4.6	4.4	2/ 23	137	70
Ariz.	9	7	8	2/ 9.5	10.0	11.0	2/ 82	70	88
Calif.	2	3	3	2/ 10.1	10.0	11.5	2/ 12	30	34
U. S.	530	1,358	1,035	2/ 4.91	6.45	6.65	2/ 2,452	8,774	6,881

1/ Green weight. 2/ Short-time average.

ALL SORGHUMS FOR FORAGE

Ind.	2/ 1	5	5	2/ 2.30	2.60	3.00	2/ 3	13	15
Ill.	2/ 8	7	8	2/ 2.38	2.29	2.88	2/ 19	16	23
Wis.	2/ 3	3	2	2/ 2.20	1.60	2.50	2/ 6	5	5
Minn.	15	27	14	2/ 2.03	3.63	3.00	2/ 34	98	12
Iowa	41	49	33	2/ 2.92	3.59	3.39	2/ 112	176	112
Mo.	239	235	211	2/ 1.74	2.38	2.42	2/ 431	559	511
N. Dak.	44	153	90	2/ 1.35	1.48	1.46	2/ 61	227	131
S. Dak.	318	962	644	2/ 1.15	1.31	1.72	2/ 345	1,261	1,109
Nebr.	460	1,000	559	2/ 1.41	1.86	1.97	2/ 648	1,856	1,101
Kans.	1,241	1,464	1,391	2/ 1.60	2.14	2.26	2/ 1,912	3,140	3,138
Va.	4	3	3	2/ 1.58	1.80	2.05	2/ 7	5	6
N. C.	22	14	15	2/ 1.62	2.15	2.10	2/ 35	30	32
S. C.	20	12	16	2/ 1.39	1.30	1.35	2/ 27	16	22
Ga.	41	35	30	2/ 1.23	1.30	1.35	2/ 50	46	40
Ky.	47	31	31	2/ 2.30	2.50	3.00	2/ 108	78	93
Tenn.	58	39	38	2/ 1.96	2.20	2.25	2/ 112	86	86
Ala.	33	32	25	2/ 1.40	1.70	1.40	2/ 46	54	35
Miss.	29	22	19	2/ 1.62	1.50	1.50	2/ 46	33	28
Ark.	118	82	70	2/ 1.33	1.50	1.47	2/ 158	123	103
La.	9	7	7	2/ 1.52	1.43	1.43	2/ 14	10	10
Calif.	977	1,191	951	2/ 1.06	1.53	1.65	2/ 1,027	1,828	1,569
Tex.	2,888	3,882	2,993	2/ 1.07	1.48	1.54	2/ 3,108	5,752	4,603
Mont.	6	12	8	2/ .96	1.20	1.20	2/ 6	14	10
Wyo.	11	25	19	2/ .93	.50	.90	2/ 10	12	17
Colo.	348	742	482	2/ .83	1.03	1.12	2/ 288	764	542
N. Mex.	222	236	210	2/ .80	1.50	1.00	2/ 181	355	210
Ariz.	6	6	6	2/ 1.86	2.50	1.70	2/ 11	15	10
U. S.	7,208	10,276	7,880	2/ 1.22	1.61	1.73	2/ 8,803	16,572	13,603

1/ Dry weight. 2/ Short-time average.

CPOP REPORT
ANNUAL SUMMARY
December 1992

BUREAU OF AGRICULTURAL ECONOMICS
CROP REPORTING BOARD

Washington, D. C.,
December 18, 1942
3:00 P.M. (E.W.T.)

ALL HAY

	: Acreage harvested :			: Yield per acre :			: Production :		
State	:Average:			:Average:			:Average:		
	:1930-39:	1941	:1942	:1930-39:	1941	:1942	:1930-39:	1941	:1942
	Tnc and acres			Tons			Thousand tons		
Me.	396	897	916	0.87	0.77	0.98	864	692	901
N. H.	334	751	350	1.00	.99	1.24	386	348	433
Vt.	936	873	883	1.16	1.05	1.33	1,089	919	1,170
Mass.	377	363	362	1.33	1.29	1.61	501	470	582
R.I.	42	75	36	1.22	1.20	1.39	51	42	50
Conn.	334	283	285	1.30	1.49	1.57	423	421	448
N.Y.	4,033	3,905	3,891	1.20	1.12	1.54	4,877	4,361	5,975
N.J.	235	240	251	1.50	1.48	1.59	352	355	398
Pa.	2,476	2,351	2,248	1.13	1.23	1.48	2,922	2,779	3,319
Ohio	2,627	2,432	2,327	1.14	1.37	1.57	2,990	3,329	3,663
Ind.	1,898	1,937	1,877	1.15	1.30	1.50	2,177	2,520	2,814
Ill.	2,753	2,775	2,689	1.23	1.33	1.47	3,359	3,696	3,960
Mich.	2,615	2,628	2,603	1.19	1.26	1.52	3,120	3,308	3,949
Wis.	3,591	4,142	3,952	1.36	1.71	1.93	4,906	7,082	7,638
Minn.	4,331	4,565	4,255	1.18	1.52	1.63	5,116	6,945	6,922
Iowa	3,318	3,785	3,633	1.32	1.49	1.35	4,361	5,656	6,329
Mo.	2,835	3,313	3,429	.90	1.06	1.33	2,535	3,528	4,559
N.Dak.	2,706	2,763	2,626	.79	1.14	1.24	2,187	3,137	3,252
S.Dak.	2,535	2,867	2,749	.63	.72	1.09	1,678	2,089	3,009
Nebr.	3,955	3,585	3,820	.88	1.01	1.16	3,512	3,619	4,425
Kans.	1,804	1,384	1,578	1.12	1.58	1.77	2,020	2,186	2,797
Del.	65	71	67	1.31	1.30	1.31	85	92	88
Md.	390	422	417	1.20	1.13	1.34	470	475	557
Va.	985	1,239	1,293	.93	1.02	1.16	932	1,269	1,499
W.Va.	682	749	768	.95	1.14	1.25	650	854	963
N.C.	934	1,149	1,160	.82	.93	1.04	770	1,072	1,204
S.C.	553	642	747	.74	.74	.74	412	478	550
Ca.	906	1,298	1,667	.55	.57	.50	495	746	832
Fla.	93	111	148	.55	.58	.53	51	64	78
Ky.	1,314	1,519	1,614	1.02	1.19	1.34	1,360	1,808	2,170
Tenn.	1,574	1,974	2,014	.90	1.11	1.18	1,432	2,196	2,377
Ala.	755	1,075	1,243	.73	.80	.67	.554	856	829
Miss.	720	1,033	990	1.15	1.23	1.15	843	1,269	1,125
Ark.	950	1,495	1,470	.99	1.10	1.12	943	1,648	1,642
La.	292	367	340	1.16	1.25	1.23	338	459	418
Okla.	1,045	1,220	1,453	1.04	1.40	1.36	1,096	1,709	1,990
Tex.	1,086	1,337	1,753	.94	1.16	.94	1,019	1,551	1,661
Mont.	1,978	1,771	1,980	1.08	1.34	1.39	2,140	2,373	2,759
Idaho	1,136	1,137	1,128	2.04	2.10	2.03	2,314	2,393	2,293
Wyo.	1,022	1,004	950	1.04	1.33	1.19	1,062	1,333	1,126
Colo.	1,472	1,460	1,422	1.39	1.61	1.59	2,054	2,350	2,260
N.Mex.	155	221	215	1.80	2.18	2.09	278	482	450
Ariz.	213	265	254	2.48	2.37	2.41	527	629	613
Utah	579	569	579	1.87	2.14	2.03	1,088	1,216	1,174
Nev.	307	408	409	1.54	1.63	1.56	476	666	636
Wash.	965	952	954	1.78	2.07	2.06	1,715	1,969	1,966
Oreg.	1,103	1,045	1,067	1.60	1.84	1.75	1,760	1,923	1,868
Calif.	1,781	1,829	1,832	2.50	2.65	2.79	4,445	4,846	5,107
U. S.	67,893	71,776	72,744	1.16	1.31	1.45	78,733	94,238	105,326

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT BUREAU OF AGRICULTURAL ECONOMICS Washington, D. C.,
 ANNUAL SUMMARY CROP REPORTING BOARD December 18, 1942
 December 1942 3:00 P.M. (E.W.T.)

ALL TAME HAY									
Acreage harvested			Yield per acre 1/			Production			
State	Average:		Average:			Average:			
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Tons			Thousand tons		
Me.	990	390	910	0.87	0.77	0.93	857	686	894
N.H.	377	342	342	1.01	1.00	1.24	380	341	425
Vt.	928	863	875	1.16	1.05	1.33	1,082	910	1,161
Mass.	369	352	352	1.33	1.31	1.62	494	461	572
R.I.	41	34	35	1.23	1.21	1.40	50	41	49
Conn.	315	275	279	1.31	1.50	1.58	414	413	441
N.Y.	4,038	3,350	3,336	1.20	1.12	1.54	4,336	4,317	5,920
N.J.	222	226	236	1.51	1.49	1.61	335	337	379
Pa.	2,462	2,235	2,233	1.13	1.24	1.48	2,911	2,765	3,303
Ohio	2,623	2,427	2,322	1.11	1.37	1.58	2,937	3,325	3,659
Ind.	1,380	1,932	1,872	1.15	1.30	1.50	2,170	2,514	2,809
Ill.	2,716	2,756	2,671	1.23	1.34	1.43	3,345	3,680	3,942
Mich.	2,580	2,605	2,580	1.30	1.26	1.52	3,092	3,286	3,926
Wis.	3,301	3,992	3,352	1.39	1.73	1.95	4,629	6,902	7,513
Minn.	2,706	3,225	2,995	1.34	1.70	1.83	3,645	5,471	5,473
Iowa	3,147	3,665	3,583	1.34	1.51	1.37	4,195	5,518	6,709
Mo.	2,699	3,164	3,279	.99	1.07	1.33	2,403	3,372	4,349
N.Dak.	1,211	1,067	876	.91	1.44	1.51	1,083	1,537	1,327
S.Dak.	985	682	637	.32	1.12	1.57	801	766	1,003
Nebr.	1,466	970	1,022	1.32	1.57	1.87	1,947	1,527	1,907
Kans.	1,031	811	988	1.32	1.92	2.03	1,351	1,556	2,059
Del.	63	70	66	1.31	1.30	1.32	84	91	87
Md.	337	419	413	1.20	1.13	1.34	467	472	553
Va.	975	1,225	1,262	.94	1.03	1.16	924	1,257	1,489
W.Va.	671	725	748	.96	1.15	1.26	642	835	946
N.C.	907	1,132	1,144	.31	.93	1.03	744	1,052	1,184
S.C.	534	635	740	.74	.74	.73	398	471	543
Ga.	836	1,275	1,640	.54	.57	.49	430	725	809
Fla.	91	107	144	.54	.57	.52	50	61	75
Ky.	1,294	1,499	1,594	1.02	1.20	1.35	1,342	1,792	2,150
Tenn.	1,539	1,934	1,974	.91	1.12	1.18	1,405	2,162	2,339
Ala.	714	1,036	1,204	.72	.80	.66	521	325	796
Miss.	656	968	925	1.17	1.25	1.16	778	1,207	1,073
Ark.	789	1,351	1,330	1.00	1.10	1.12	792	1,482	1,488
La.	270	344	317	1.18	1.24	1.24	317	428	393
Okla.	546	812	1,009	1.23	1.53	1.39	674	1,240	1,406
Tex.	836	1,145	1,558	.96	1.13	.92	793	1,330	1,441
Mont.	1,464	1,136	1,250	1.20	1.59	1.59	1,739	1,801	1,993
Idaho	1,048	996	1,001	2.13	2.23	2.14	2,231	2,224	2,141
Wyo.	747	548	535	1.17	1.52	1.44	878	831	773
Colo.	1,118	1,068	1,022	1.54	1.90	1.80	1,728	1,919	1,840
N.Mex.	131	200	195	1.39	2.34	2.22	262	467	432
Ariz.	202	260	250	2.56	2.40	2.44	516	624	610
Utah	516	498	508	1.98	2.27	2.13	1,024	1,131	1,082
Nev.	186	189	190	1.90	2.13	2.19	355	403	417
Wash.	936	907	903	1.80	2.11	2.10	1,630	1,917	1,906
Oreg.	377	830	841	1.75	2.02	1.93	1,536	1,676	1,619
Calif.	1,630	1,645	1,648	2.64	2.79	2.94	4,276	4,588	4,840
U. S.	56,102	59,317	60,211	1.24	1.39	1.53	69,650	82,736	92,245

1/ Yields per acre computed from sums of acreages and productions by kinds of hay.
 mbp

WILD HAY 1/

	Acreage harvested			Yield per acre			Production		
State	Average:			Average:			Average:		
	1930-39:	1941:	1942:	1930-39:	1941:	1942:	1930-39:	1941:	1942:
	Thousand acres			Tons			Thousand tons		
Me.	7	7	6	0.93	0.85	1.10	6	6	7
N.H.	7	9	8	.90	.80	1.00	6	7	8
Vt.	8	10	8	.91	.95	1.15	8	9	9
Mass.	8	11	10	.92	.85	1.05	7	9	10
R.I.	1	1	1	.86	.80	.90	1	1	1
Conn.	9	8	6	1.07	1.05	1.10	9	8	7
N.Y.	45	55	55	.89	.80	1.00	41	44	55
N.J.	13	14	15	1.24	1.30	1.25	16	18	19
Pa.	13.	16	15	.78	.90	1.10	10	14	16
Ohio	5	5	5	.72	.85	.85	3	4	4
Ind.	8	5	5	.87	1.15	1.00	7	6	5
Ill.	18	19	18	.80	.85	1.00	14	16	18
Mich.	35	23	23	.80	.95	1.00	28	22	23
Wis.	290	150	100	.97	1.20	1.25	277	180	125
Minn.	1,624	1,340	1,260	.90	1.10	1.15	1,470	1,474	1,449
Iowa	171	130	100	.97	1.15	1.20	165	138	120
Mo.	136	149	150	.96	1.05	1.40	132	156	210
N.Dak.	1,496	1,716	1,750	.71	.95	1.10	1,104	1,630	1,925
S.Dak.	1,600	2,205	2,112	.52	.60	.95	877	1,323	2,006
Nebr.	2,488	2,615	2,798	.62	.80	.90	1,565	2,092	2,518
Kans.	772	573	590	.85	1.10	1.25	658	630	738
Del.	1	1	1	1.04	1.00	1.00	1	1	1
Md.	4	3	4	.87	.90	.90	3	3	4
Va.	10	14	11	.76	.85	.95	8	12	10
W.Va.	11	24	20	.76	.80	.85	8	19	17
N.C.	26	17	16	.95	1.20	1.25	26	20	20
S.C.	18	7	7	.76	.95	.95	14	7	7
Ga.	19	23	27	.78	.90	.85	15	21	23
Fla.	2	4	4	.66	.70	.65	1	3	3
Ky.	20	20	20	.92	.80	1.00	18	16	20
Tenn.	35	40	40	.76	.85	.95	26	34	38
Ala.	41	39	39	.80	.80	.85	33	31	33
Miss.	64	65	55	.99	.95	.95	65	62	52
Ark.	160	144	140	.95	1.15	1.10	152	166	154
La.	21	23	23	1.00	1.35	1.10	21	31	25
Okla.	499	408	449	.85	1.15	1.30	423	469	584
Tex.	250	192	200	.90	1.15	1.10	226	221	220
Mont.	514	635	730	.77	.90	1.05	402	572	766
Idaho	88	141	127	.94	1.20	1.20	84	169	152
Wyo.	275	456	415	.66	1.10	.85	184	502	353
Colo.	354	392	400	.92	1.10	1.05	325	431	420
N.Mex.	23	21	20	.71	.70	.90	17	15	18
Ariz.	11	5	4	.96	1.00	.80	10	5	3
Utah	62	71	71	1.02	1.20	1.30	64	85	92
Nev.	121	219	219	.99	1.20	1.00	122	263	219
Wash.	30	45	46	1.18	1.15	1.30	35	52	60
Oreg.	226	215	226	.99	1.15	1.10	224	247	249
Calif.	151	184	184	1.09	1.40	1.45	169	258	267
U. S.	11,791	12,459	12,533	.76	.92	1.04	9,083	11,502	13,083

1/ Includes prairie, marsh, and salt grasses.

ALFALFA HAY									
Acreage harvested			Yield per acre			Production			
State	Average:		Average:			Average:			
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Tons			Thousand tons		
Me.	6	6	6	1.52	1.30	1.40	9	8	8
N.H.	3	4	5	1.94	1.60	2.25	6	6	11
Vt.	11	16	19	2.19	1.80	2.30	25	29	44
Mass.	6	13	15	2.27	2.10	2.40	15	27	36
R.I.	1	1	1	2.30	2.20	2.30	2	2	2
Conn.	13	20	24	2.78	2.40	2.70	37	48	65
N.Y.	277	428	505	1.86	1.75	2.05	513	749	1,035
N.J.	41	62	66	2.16	2.05	2.20	89	127	145
Pa.	172	281	289	1.87	1.80	2.05	322	506	592
Ohio	384	486	515	1.83	1.90	2.15	719	923	1,107
Ind.	340	476	571	1.69	1.75	2.00	578	833	1,142
Ill.	377	582	588	2.05	2.35	2.40	767	1,368	1,411
Mich.	930	1,295	1,334	1.52	1.40	1.70	1,422	1,813	2,268
Wis.	762	1,255	1,167	1.88	2.15	2.45	1,459	2,698	2,859
Minn.	928	1,322	1,441	1.73	2.10	2.20	1,659	2,776	3,170
Iowa	746	1,055	1,129	2.02	2.30	2.65	1,504	2,426	2,992
Mo.	186	328	331	1.94	2.60	2.85	357	853	943
N.Dak.	178	131	179	1.02	1.50	1.70	185	196	304
S.Dak.	467	211	270	.91	1.25	1.80	431	264	486
Nebr.	1,043	632	777	1.45	1.75	2.05	1,533	1,106	1,593
Kans.	658	580	748	1.50	2.15	2.30	972	1,247	1,720
Del.	6	4	4	2.35	2.15	2.40	14	9	10
Md.	31	39	40	1.94	1.80	2.05	61	70	82
Va.	55	54	60	1.70	1.90	2.20	95	103	132
W.Va.	18	43	47	1.78	2.10	2.25	34	90	106
N.C.	7	7	7	1.78	1.80	2.00	12	13	14
S.C.	2	2	3	1.67	1.30	1.20	3	3	4
Ga.	5	5	5	1.74	1.90	1.75	9	10	9
Ky.	135	182	206	1.56	1.80	2.10	217	328	433
Tenn.	43	84	100	1.59	1.90	2.05	70	160	205
Ala.	4	5	5	1.38	1.80	1.50	5	9	8
Miss.	47	65	66	2.18	2.30	2.30	105	150	152
Ark.	68	90	90	1.84	2.30	2.25	125	207	202
La.	18	35	28	2.06	2.10	2.10	38	74	59
Okla.	240	298	298	1.70	2.25	2.25	407	670	670
Tex.	74	146	124	2.26	2.50	2.80	167	365	347
Mont.	671	650	696	1.58	1.85	1.80	1,061	1,202	1,253
Idaho	779	780	788	2.42	2.45	2.35	1,886	1,911	1,852
Wyo.	371	324	308	1.47	1.75	1.65	545	567	508
Colo.	677	646	652	1.37	2.15	2.10	1,265	1,389	1,369
N.Mex.	89	140	133	2.37	2.70	2.70	211	378	359
Ariz.	155	186	184	2.88	2.55	2.70	446	474	497
Utah	469	444	453	2.04	2.35	2.20	962	1,043	997
Nev.	137	137	138	2.15	2.40	2.50	296	329	345
Wash.	236	330	320	2.51	2.60	2.56	593	858	819
Oreg.	256	303	297	2.50	2.55	2.50	640	773	742
Calif.	746	780	819	4.09	4.10	4.20	3,038	3,193	3,440
U. S.	12,867	14,963	15,851	1.93	2.16	2.31	24,907	32,388	36,547

mbp

CLOVER AND TIMOTHY HAY 1/

	Acres harvested			Yield per acre			Production		
State	Average:			Average:			Average:		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Tons			Thousand tons		
Me.	528	458	476	0.97	0.85	1.10	513	389	524
N.H.	208	158	164	1.14	1.05	1.35	237	166	221
Vt.	694	428	517	1.21	1.15	1.40	838	561	724
Mass.	264	207	213	1.44	1.45	1.75	379	300	373
R.I.	22	15	16	1.34	1.35	1.45	30	20	23
Conn.	170	134	134	1.38	1.55	1.65	236	208	221
N.Y.	3,203	2,619	2,645	1.19	1.10	1.55	3,802	2,881	4,100
N.J.	146	112	104	1.35	1.23	1.30	198	140	135
Pa.	2,149	1,732	1,732	1.14	1.15	1.40	2,438	1,992	2,425
Ohio	1,966	1,568	1,540	1.07	1.20	1.40	1,945	1,906	2,156
Ind.	1,027	863	837	.96	1.10	1.25	966	949	1,046
Ill.	1,164	1,145	1,202	1.08	1.15	1.30	1,251	1,317	1,563
Mich.	1,420	1,119	1,074	1.03	1.15	1.35	1,449	1,287	1,450
Wis.	2,035	2,404	2,452	1.24	1.55	1.75	2,568	3,726	4,291
Minn.	888	840	890	1.22	1.50	1.55	1,073	1,260	1,380
Iowa	1,712	1,945	2,042	1.09	1.15	1.50	1,864	2,237	3,063
Mo.	1,595	899	900	.77	.85	1.10	1,214	764	990
N.Dak.	23	7	5	.91	1.45	1.55	21	10	8
S.Dak.	28	10	11	.76	1.05	1.30	21	10	14
Nebr.	48	6	9	.94	1.15	1.35	48	6	12
Kans.	96	27	29	.93	1.25	1.35	93	34	39
Del.	40	34	28	1.20	1.25	1.20	48	42	34
Md.	299	291	271	1.12	1.00	1.27	336	291	325
Va.	451	392	768	.98	1.05	1.15	446	412	423
W.Va.	426	349	366	.95	1.10	1.25	402	384	458
N.C.	64	58	57	.90	.95	1.10	58	55	63
Ga.	4	4	4	.95	.80	.85	4	3	3
Ky.	378	297	279	.93	1.05	1.30	354	312	335
Tenn.	241	163	156	.90	1.10	1.15	216	179	179
Ala.	5	5	5	.82	.90	.85	4	4	4
Miss.	5	7	7	1.24	1.25	1.10	6	9	8
Ark.	49	16	16	.88	1.15	1.15	43	18	18
La.	--	12	14	--	1.00	1.10	--	12	15
Mont.	228	167	184	1.28	1.60	1.65	294	267	304
Idaho	136	127	119	1.36	1.55	1.40	187	197	167
Wyo.	105	91	108	1.04	1.45	1.40	110	132	151
Colo.	151	156	156	1.32	1.50	1.50	199	234	234
N.Mex.	7	9	11	1.26	1.45	1.30	9	13	14
Utah	21	20	21	1.41	1.80	1.70	29	36	36
Nev.	22	23	23	1.25	1.60	1.50	28	37	34
Wash.	191	189	195	2.08	2.15	2.25	397	406	459
Oreg.	109	102	110	1.56	1.90	1.85	170	194	204
Calif.	36	37	37	1.52	1.90	1.90	58	70	70
U.S.	22,363	19,324	19,527	1.10	1.21	1.45	24,587	23,470	28,276

1/ Excludes sweetclover and lespedeza hay.

GRAINS CUT GREEN FOR HAY									
Acreage harvested			Yield per acre			Production			
State	Average:		Average:			Average:			
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Tons			Thousand tons		
Me.	6	11	9	1.92	1.75	2.00	11	19	18
N.H.	7	8	8	1.88	1.80	1.90	14	14	15
Vt.	29	33	29	1.78	1.80	2.00	52	59	58
Mass.	8	9	9	2.07	1.90	2.10	17	17	19
R.I.	2	2	2	1.76	1.75	1.85	3	4	4
Conn.	10	9	8	1.75	1.90	1.30	17	17	14
N.Y.	48	70	40	1.58	1.40	1.30	75	98	72
N.J.	9	8	8	1.52	1.60	1.70	13	13	14
Pa.	18	28	28	1.15	1.35	1.35	20	38	38
Ohio	40	44	26	.81	1.15	1.20	32	51	31
Ind.	53	81	49	.75	.90	.95	38	73	47
Ill.	58	58	19	.73	1.00	1.05	40	58	20
Mich.	32	28	18	.85	.95	1.10	26	27	20
Wis.	163	74	36	1.03	1.30	1.35	153	96	49
Minn.	160	80	30	.84	1.30	1.35	109	104	40
Iowa	149	255	51	.96	1.05	1.20	121	268	61
Mo.	182	412	194	.66	.75	.90	115	309	175
N.Dak.	574	99	99	.78	1.35	1.35	413	134	134
S.Dak.	319	102	45	.62	.80	1.00	183	82	45
Nebr.	161	141	72	.72	1.00	1.00	95	141	72
Kans.	71	34	30	.82	1.10	1.15	54	37	34
Del.	1	2	2	1.34	1.80	1.50	2	4	3
Md.	5	6	6	1.48	1.45	1.70	7	9	10
Va.	33	40	37	.81	.85	1.20	27	34	44
W.Va.	25	28	25	.77	1.00	1.00	19	28	25
N.C.	57	72	67	.98	.95	1.05	56	68	70
S.C.	22	20	22	.74	.80	.75	17	16	16
Ga.	32	31	39	.73	.65	.60	23	20	23
Ky.	63	35	32	.80	.75	.85	48	26	27
Tenn.	64	53	46	.69	.60	.80	43	32	37
Ala.	15	17	17	.80	.85	.70	12	14	12
Miss.	5	8	8	.92	1.05	1.15	5	8	9
Ark.	78	80	70	.69	.60	1.00	54	48	70
La.	2	3	3	.89	1.05	1.10	2	3	3
Okla.	75	53	40	.79	.90	.80	58	48	32
Tex.	101	55	44	.86	.90	.80	87	50	36
Mont.	400	155	155	.62	1.00	1.10	225	155	170
Idaho	105	54	54	1.21	1.30	1.40	126	70	74
Wyo.	87	55	35	.66	1.00	.95	58	55	35
Colo.	128	86	64	.88	1.10	1.10	112	95	70
N.Mex.	18	20	21	1.16	1.50	1.25	21	30	28
Ariz.	40	64	53	1.47	2.00	1.70	58	128	92
Utah	9	7	7	1.11	1.30	1.30	10	9	9
Nev.	4	7	7	1.10	1.20	1.30	5	8	8
Wash.	389	263	237	1.32	1.65	1.65	509	434	390
Oreg.	352	197	217	1.30	1.40	1.30	460	276	282
Calif.	710	721	625	1.39	1.60	1.70	981	1,154	1,064
U.S.	4,916	3,718	2,803	.96	1.21	1.33	4,623	4,481	3,718

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT
ANNUAL SUMMARY
December 1942Bureau of Agricultural Economics
CROP REPORTING BOARDWashington, D. C.,
December 18, 1942
3:00 P.M. (E.W.T.)

MISCELLANEOUS TAME HAY

State	Acreage Harvested			Yield per acre			Production		
	Average:			Average:			Average:		
	1930-39:	1941:	1942:	1930-39:	1941:	1942:	1930-39:	1941:	1942:
	Thousand acres			Tons			Thousand tons		
Mo.	450	415	419	0.72	0.65	0.62	325	270	344
N.H.	159	172	165	.73	.90	1.08	123	155	178
Vt.	193	326	310	.87	.80	1.08	167	261	335
Mass.	91	123	115	.92	.95	1.25	83	117	144
R.I.	16	16	16	.97	.95	1.25	16	15	20
Conn.	122	112	113	1.02	1.25	1.25	125	140	141
N.Y.	502	730	642	.88	.80	1.10	441	584	706
N.J.	13	22	24	1.30	1.25	1.30	24	28	31
Pa.	98	144	130	.92	1.05	1.20	90	151	156
Ohio	41	56	51	.92	1.17	1.20	38	62	61
Ind.	39	30	30	.88	.95	1.15	33	28	34
Ill.	280	313	263	.64	.60	.65	179	188	171
Mich.	127	117	119	.86	.90	1.15	103	105	137
Wis.	154	120	120	1.15	1.25	1.45	173	150	174
Minn.	519	598	503	1.04	1.30	1.40	550	777	711
Iowa	85	49	40	1.14	1.30	1.50	97	64	60
Ne.	205	144	158	.80	.85	1.10	167	122	174
N.Dak.	209	480	418	1.02	1.40	1.50	229	672	627
S.Dak.	128	310	273	.85	1.15	1.50	128	356	410
Nebr.	178	163	130	1.30	1.50	1.50	237	244	195
Kans.	158	92	90	1.19	1.50	1.60	192	138	144
Del.	2	2	2	1.18	1.15	1.15	3	2	2
Md.	13	15	15	1.01	1.00	1.10	14	15	16
Va.	94	84	87	.82	.90	1.00	78	76	87
W.Va.	160	217	228	.82	1.00	1.10	133	217	251
N.C.	99	53	60	.91	.95	1.05	90	50	63
S.C.	30	13	12	.64	.95	.90	19	12	11
Ga.	92	43	38	.84	.90	.70	77	39	27
Fla.	23	10	10	.80	.90	.75	18	9	8
Ky.	213	165	165	.76	.90	1.00	163	143	165
Tenn.	266	137	132	.77	.90	1.00	200	123	132
Ala.	128	140	126	.93	1.00	.95	120	140	120
Miss.	136	109	111	1.13	1.25	1.10	155	136	122
Ark.	142	128	129	1.02	1.20	1.25	146	154	161
La.	65	54	49	1.24	1.25	1.20	80	68	59
Okla.	134	306	290	.98	1.25	1.30	134	382	377
Tex.	331	536	525	1.07	1.25	1.15	350	670	604
Mont.	117	89	135	.96	1.10	1.20	115	93	162
Idaho	28	35	40	1.13	1.30	1.15	32	46	46
Wyo.	174	69	72	.83	.95	.90	153	66	65
Colo.	147	166	133	.91	1.10	1.10	135	133	146
N.Mex.	17	31	30	1.20	1.50	1.10	20	46	33
Ar.	7	10	13	1.72	2.20	1.80	12	22	23
Utah	18	27	27	1.32	1.60	1.50	24	43	40
Nev.	22	22	22	1.15	1.30	1.30	26	29	29
Wash.	119	125	156	1.52	1.75	1.65	181	219	257
Oreg.	160	228	217	1.66	1.90	1.80	266	433	391
Calif.	138	107	107	1.44	1.55	1.55	138	166	166
U.S.	6,652	7,453	7,065	.97	1.10	1.21	6,466	8,219	8,516

UNITED STATES DEPARTMENT OF AGRICULTURE
CROP REPORT
ANNUAL SUMMARY
December 1942

Bureau of Agricultural Economics
CROP REPORTING BOARD

Washington, D. C.,
December 18, 1942
3:00 P.M. (E.W.T.)

COWPEAS FOR HAY

COWPEAS GRAZED
OR PLOWED UNDER

State	Acreage harvested			Yield per acre			Production					
	Av.			Av.			Av.			Av.		
	1930-	1941	1942	1930-	1941	1942	1930-	1941	1942	1930-	1941	1942
	39			39			39			39		
	Thousand acres			Tons			Thousand tons			Thousand acres		
N.J.	1	2	2	1.37	1.50	1.40	2	3	3	--	--	--
Pa.	1/1	1	11	1.49	1.55	1.65	1/2	2	2	--	--	--
Ind.	20	9	8	1.22	1.20	1.20	25	11	10	3	4	3
Ill.	130	118	80	1.00	.75	1.10	129	88	88	1/18	21	15
Mo.	71	70	35	.96	1.05	1.40	68	74	49	8	32	18
Kans.	4	8	12	.97	.95	1.35	4	8	16	2	13	43
Del.	1	1	1	1.11	1.25	1.30	1	1	1	--	--	--
Md.	7	5	4	1.25	1.35	1.50	9	7	6	1/2	2	3
Va.	71	34	20	.98	1.05	1.15	70	36	23	16	13	26
W.Va.	2	1	1	1.36	1.50	1.40	2	2	1	--	--	--
N.C.	159	143	148	.79	.80	.85	127	114	126	52	165	147
S.C.	423	454	500	.74	.70	.70	318	318	350	96	192	208
Ga.	203	323	288	.66	.55	.65	139	213	187	97	131	149
Fla.	13	13	12	.67	.55	.65	9	7	8	16	26	30
Ky.	49	41	35	1.11	1.35	1.35	56	55	47	8	7	7
Tenn.	162	103	93	.35	1.00	1.05	138	108	98	22	30	27
Ala.	88	114	148	.78	.80	.75	70	91	111	68	85	79
Miss.	127	157	144	.98	1.05	1.00	127	165	144	111	187	149
Ark.	226	174	98	.92	1.00	.95	208	174	93	173	269	170
La.	67	38	30	1.06	.30	.90	70	30	27	77	128	103
Okla.	34	53	58	.76	.90	.95	26	48	55	61	106	107
Tex.	93	84	96	.63	.75	.70	58	63	67	273	546	423
U.S.	1,961	1,956	1,814	.84	.83	.83	1,660	1,618	1,512	1,101	1,957	1,707
1/ Short-time average.												

PEANUTS FOR HAY

State	Acreage harvested			Yield per acre			Production		
	Average:			Average:			Average:		
	1930-39:	1941	1942	1930-39:	1941	1942	1930-39:	1941	1942
	Thousand acres			Tons			Thousand tons		
Virginia	114	113	108	0.47	0.60	0.65	54	68	70
North Carolina	218	206	175	.54	.65	.65	117	134	114
Tennessee	11	7	10	.61	.75	.85	6	5	8
Total (Va.-N.C. Area)	342	326	293	.52	.63	.66	177	207	192
South Carolina	12	16	58	.54	.52	.51	7	8	30
Georgia	482	640	1,037	.35	.40	.35	170	256	363
Florida	60	84	122	.41	.53	.48	25	45	59
Alabama	245	302	513	.49	.50	.45	121	151	231
Mississippi	25	20	45	.72	.80	.60	18	16	27
Total (S.E. Area)	824	1,062	1,775	.41	.45	.40	340	476	710
Arkansas	31	30	48	.73	.90	.75	22	27	36
Louisiana	17	18	28	.74	.70	.70	12	13	20
Oklahoma	44	74	270	.67	.85	.80	30	63	216
Texas	271	312	756	.56	.55	.50	127	172	378
Total (S.W. Area)	323	434	1,102	.60	.63	.59	191	275	650
United States	1,489	1,822	3,170	.47	.53	.49	709	958	1,552

SOYBEANS FOR HAY

SOYBEANS GRAZED

Acreage harvested			Yield per acre			Production			OR PLOWED UNDER			
State	Av.		Av.			Av.			Av.			
	1930-	1941	1942	1930-	1941	1942	1930-	1941	1942	1930-	1941	1942
	39			39			39			39		
	Thousand acres			Tons			Thousand tons			Thousand acres		
N.Y.	4	3	4	1.54	1.60	1.80	6	5	7	1/1	2	6
N.J.	6	20	32	1.44	1.30	1.60	9	26	51	1/6	8	5
Pa.	26	49	53	1.48	1.55	1.70	39	76	90	4	13	20
Ohio	163	221	158	1.31	1.55	1.65	223	343	261	18	28	29
Ind.	352	370	259	1.34	1.35	1.50	480	500	328	74	49	52
Ill.	630	420	347	1.40	1.30	1.40	898	546	486	1/112	55	79
Mich.	24	23	19	1.31	1.25	1.60	34	29	30	--	26	35
Wis.	136	105	53	1.43	1.70	1.85	202	178	98	1/15	26	24
Minn.	--	178	41	--	1.60	1.50	--	285	62	--	12	199
Iowa	397	297	286	1.37	1.50	1.70	547	446	486	33	49	44
Mo.	293	250	126	1.08	1.15	1.40	311	288	176	40	193	144
S.Dak.	--	4	2	--	1.00	1.30	--	4	3	--	1	3
Nebr.	6	6	4	1.04	1.10	1.15	6	7	5	--	6	11
Kans.	32	26	20	1.02	1.60	1.65	33	42	33	1/3	10	58
Del.	12	17	18	1.26	1.30	1.30	15	22	23	1/5	6	6
Md.	28	40	47	1.32	1.40	1.60	37	56	75	4	11	10
Va.	81	95	72	1.09	1.20	1.40	89	114	101	25	57	53
W.Va.	39	50	34	1.31	1.50	1.55	51	75	53	1/4	5	4
N.C.	166	203	183	.97	1.12	1.20	162	233	226	103	134	122
S.C.	22	40	33	.82	.95	.95	18	38	31	22	44	47
Ga.	60	106	81	.86	.95	.88	52	90	71	28	54	43
Ky.	89	132	133	1.22	1.60	1.60	109	211	213	22	55	23
Tenn.	138	140	133	.98	1.35	1.35	134	189	180	76	159	162
Ala.	164	313	250	.92	.95	.85	151	297	212	33	31	25
Miss.	214	295	236	1.18	1.25	1.15	255	369	271	119	277	257
Ark.	118	139	143	.98	1.15	1.20	118	160	172	87	193	148
La.	65	110	90	1.16	1.20	1.25	75	132	112	120	297	238
Okla.	10	8	16	.81	.95	1.20	8	8	19	4	8	9
Tex.	1/9	12	13	1/62	.80	.75	1/6	10	10	1/20	4	12
U.S.	3,304	3,677	2,891	1.22	1.30	1.36	4,098	4,779	3,945	949	1,833	1,748
1/ Short-time average.												

1/ Short-time average.

LESPEDeza HAY

	Acreage harvested			Yield per acre			Production		
State	Average:			Average:			Average:		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Tons			Thousand tons		
Ohio	--	11	12	--	1.25	1.35	--	14	16
Ind.	--	85	100	--	1.15	1.20	--	98	120
Ill.	2/ 95	90	150	2/.92	.90	1.15	2/100	81	172
Mo.	2/ 258	1,033	1,500	2/.95	.90	1.30	2/266	930	1,800
Kans.	--	30	45	--	1.10	1.25	--	33	56
Del.	--	10	11	--	1.10	1.25	--	11	14
Md.	--	23	30	--	1.05	1.30	--	24	39
Va.	2/ 84	399	519	2/.94	1.00	1.15	2/ 90	399	597
W.Va.	--	37	47	--	1.05	1.10	--	39	52
N.C.	137	385	442	.93	1.00	1.15	128	385	508
S.C.	2/ 36	90	112	2/.73	.85	.90	2/ 26	76	101
Ga.	2/ 18	118	148	2/.87	.80	.85	2/ 16	94	126
Ky.	362	647	744	1.06	1.10	1.25	395	712	930
Tenn.	614	1,242	1,304	.95	1.10	1.15	597	1,366	1,500
Ala.	25	140	140	.83	.85	.70	21	119	98
Miss.	95	300	300	1.11	1.15	1.10	107	345	530
Ark.	73	694	736	.93	1.00	1.00	72	694	736
La.	33	74	75	1.10	1.30	1.30	37	96	98
Okla.	--	20	37	--	1.05	1.00	--	21	37
U.S.	1,696	5,428	6,452	.99	1.02	1.14	1,709	5,537	7,530

1/ Additional quantities, produced in other States and other years, included in miscellaneous tame hay. 2/ Short-time average.

UNITED STATES DEPARTMENT OF AGRICULTURE
CROP REPORT BUREAU OF AGRICULTURAL ECONOMICS
ANNUAL SUMMARY CROP REPORTING BOARD

Washington, D. C.,
December 18, 1942
3:00 P.M. (E.W.T.)

SWEETCLOVER HAY									
State	Acreage harvested			Yield per acre			Production		
	Average:			Average:			Average:		
	1930-39:	1941	1942	1930-39:	1941	1942	1930-39:	1941	1942
	Thousand acres			Tons			Thousand tons		
Ohio	25	21	20	1.06	1.35	1.35	27	26	27
Ind.	21	18	18	1.05	1.20	1.20	22	22	22
Ill.	18	30	22	1.20	1.15	1.40	21	34	31
Mich.	47	23	16	1.12	1.10	1.30	52	25	21
Wis.	52	34	24	1.45	1.60	1.75	74	54	42
Minn.	190	207	85	1.18	1.30	1.30	222	269	110
Iowa	58	64	35	1.07	1.20	1.35	63	77	47
Mo.	12	28	35	1.02	1.15	1.20	13	32	42
N.Dak.	227	350	175	1.04	1.50	1.45	236	525	254
S.Dak.	43	45	36	.86	1.10	1.25	38	50	45
Nebr.	31	23	30	.88	1.00	1.00	28	23	30
Kans.	10	14	14	.96	1.20	1.20	10	17	17
Va.	--	14	11	--	1.10	1.10	--	15	12
Miss.	--	7	8	--	1.25	1.20	--	9	10
Mont.	48	75	80	.90	1.05	1.30	44	79	104
Wyo.	11	9	12	1.16	1.25	1.35	12	11	16
Colo.	16	14	17	1.05	1.30	1.25	17	18	21
U.S.	815	976	638	1.09	1.32	1.33	884	1,286	851

POPCORN 1/									
State	Acreage harvested			Yield per acre 2/			Production 2/		
	Average:			Average:			Average:		
	1935-39:	1941	1942	1935-39:	1941	1942	1935-39:	1941	1942
	Acres			Pounds			Thousand pounds		
Ohio	8,300	8,300	9,000	1,555	1,750	2,100	12,652	14,525	18,900
Ind.	7,400	12,000	12,000	1,920	1,500	1,900	13,740	18,000	22,800
Ill.	9,000	9,400	9,900	1,490	1,625	1,750	13,202	15,275	17,325
Mich.	3,360	2,825	2,550	1,232	1,100	1,650	4,093	3,108	4,208
Iowa	22,140	40,200	34,600	1,088	1,300	1,600	24,464	52,260	55,360
Mo.	3/ 2,300	3,500	11,500	3/1,253	700	1,600	3/2,920	5,950	18,400
Nebr.	5,220	2,300	2,900	612	1,200	1,300	3,032	2,760	3,770
Kans.	4,548	3,000	3,700	652	1,050	1,225	3,154	3,150	4,902
Ky.	880	1,500	2,000	890	800	1,200	792	1,200	2,400
Tex.	6,890	4,350	3,000	1,270	900	1,200	8,298	3,915	3,600
Calif.	3/2,038	2,100	2,300	3/1,000	800	700	3/2,079	1,680	1,610
U.S.	70,788	94,475	93,450	1,242	1,290	1,640	86,853	121,823	153,275

1/ In principal commercial producing States.

2/ Of ear corn; 70 pounds to the bushel. 3/ Short-time average.

BROOMCORN									
State	Acreage harvested			Yield per acre			Production		
	Average:			Average:			Average:		
	1930-39:	1941	1942	1930-39:	1941	1942	1930-39:	1941	1942
	Thousand acres			Pounds			Tons		
Ill.	38	26	15	490	600	395	9,360	7,800	2,900
Kans.	32	19	12	184	325	320	3,110	3,100	1,900
Okla.	124	60	62	238	340	325	14,420	10,200	11,900
Tex.	25	23	21	287	365	315	3,660	4,200	3,300
Colo.	50	62	59	177	290	290	4,510	9,000	8,600
N. Mex.	48	60	45	226	400	300	5,580	12,000	6,800
U.S.	319	250	214	256.2	370.2	330.4	40,710	46,300	35,400

mjd

RED CLOVER SEED

State	Acreage harvested			Yield per acre			Production		
	:Average:			:Average:			:Average:		
	:1930-39:	1941	1942	:1930-39:	1941	1942	:1930-39:	1941	1942
	Acres			Bushels			Bushels		
N.Y.	6,770	13,000	9,600	1.26	1.20	1.00	8,460	15,600	9,600
Pa.	19,500	31,000	13,000	.98	1.00	1.10	18,720	31,000	14,300
Ohio	117,100	225,000	169,000	.96	.95	.85	111,200	214,000	144,000
Ind.	167,000	244,000	134,000	.93	.90	.70	152,500	220,000	94,000
Ill.	178,700	180,000	209,000	.97	.80	.70	177,200	144,000	146,000
Mich.	82,400	140,000	77,000	1.05	1.10	.95	87,300	154,000	73,000
Wis.	58,600	185,000	120,000	1.19	1.10	.90	70,600	204,000	108,000
Minn.	31,450	50,000	56,000	1.38	.90	1.00	43,520	45,000	56,000
Iowa	102,030	104,000	185,000	.79	.80	.80	86,620	83,000	148,000
Mo.	46,600	81,000	90,000	.97	1.00	1.10	46,930	81,000	99,000
Kans.	11,200	14,000	16,300	.80	.80	1.00	8,760	11,200	16,800
Md.	20,150	29,000	14,000	1.30	.80	.80	23,630	23,000	11,200
Va.	9,100	19,000	5,000	1/1.09	1.10	.80	10,370	21,000	4,000
Ky. 2/	9,200	18,000	18,200	1.47	1.30	1.65	13,300	23,000	30,000
Idaho	23,700	35,000	16,200	4.56	4.40	4.60	123,500	154,000	84,000
Nash.	1/3,200	3,000	2,000	1/2.95	3.50	3.50	1/9,520	10,500	7,000
Oreg.	19,390	11,700	12,000	2.36	3.00	3.10	45,900	35,000	37,000
U. S.	921,900	1,382,700	1,148,800	1.17	1.06	.94	1,056,870	1,469,300	1,031,900

1/ Short-time average.

2/ Includes a small percentage of alsike clover seed.

ALSIKE CLOVER SEED

State	Acreage harvested			Yield per acre			Production		
	:Average:			:Average:			:Average:		
	:1930-39:	1941	1942	:1930-39:	1941	1942	:1930-39:	1941	1942
	Acres			Bushels			Bushels		
N.Y.	1,330	1,500	1,000	1.68	1.80	1.80	2,250	2,700	1,800
Ohio	43,400	21,000	14,100	1.62	1.85	2.05	66,300	39,000	29,000
Ind.	9,200	6,000	3,000	1.32	1.20	1.10	11,160	7,200	3,300
Ill.	14,450	9,000	8,000	1.46	1.40	2.00	20,380	12,600	16,000
Mich.	15,800	10,000	5,000	1.66	2.10	2.00	25,640	21,000	10,000
Wis.	14,590	16,000	4,000	1.81	2.50	2.50	27,440	40,000	10,000
Minn.	29,390	23,000	22,000	2.69	2.10	2.40	80,600	48,000	53,000
Iowa	4,920	3,200	5,400	1.50	1.20	1.10	7,670	3,800	5,900
Mo.	1,400	1,800	1,400	1.36	1.30	1.20	1,920	2,300	1,700
Idaho	3,300	5,200	5,200	5.58	5.00	5.00	17,920	26,000	26,000
Oreg.	13,070	20,000	18,000	3.97	5.50	5.50	53,000	110,000	99,000
U. S.	150,850	116,700	87,100	2.12	2.68	2.94	314,280	312,600	255,700

m
b
p

UNITED STATES DEPARTMENT OF AGRICULTURE		
CROP REPORT	BUREAU OF AGRICULTURAL ECONOMICS	Washington, D. C.,
ANNUAL SUMMARY	CROP REPORTING BOARD	December 18, 1942
December 1942		3:00 P.M. (E.W.T.)

ALFALFA SEED

Acreage harvested			Yield per acre			Production			
State	Average		Average			Average			
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Acres			Bushels			Bushels		
Ohio	15,000	29,000	9,000	1.16	.90	.75	16,790	26,000	6,800
Ind.	6,450	16,800	3,000	.94	.85	.85	5,800	14,300	1,700
Mich.	64,400	84,000	38,000	1.28	.85	.75	69,020	71,000	28,000
Wis.	28,770	28,000	9,000	1.07	1.10	.80	30,820	31,000	7,200
Minn.	68,530	72,000	48,000	1.37	.80	.90	92,680	58,000	43,000
Iowa	10,230	24,000	7,900	1.40	.90	1.00	13,470	22,000	7,900
N. Dak.	16,290	15,000	9,000	.91	1.00	.80	15,120	15,000	7,200
S. Dak.	29,370	16,000	18,400	1.00	1.50	1.10	30,200	24,000	20,000
Nebr.	56,900	76,000	65,000	1.78	1.20	1.25	77,740	91,000	81,000
Kans.	70,200	125,000	112,000	1.74	1.20	1.20	122,320	150,000	134,000
Okla.	43,200	85,000	76,000	2.20	1.40	1.75	89,150	119,000	133,000
Tex.	3,920	9,000	8,000	2.78	1.80	4.00	11,170	16,200	32,000
Mont.	34,200	67,000	74,000	2.00	1.75	1.30	72,590	117,000	96,000
Idaho	46,600	70,000	15,000	2.56	1.45	1.70	115,030	44,000	26,000
Wyo.	16,050	22,000	22,000	2.12	1.90	1.60	34,570	42,000	35,000
Colo.	22,700	9,500	16,200	2.41	1.40	1.60	55,400	13,300	26,000
N. Mex.	4,260	5,300	8,500	3.41	1.60	3.70	13,550	8,500	26,000
Ariz.	23,200	34,000	36,000	4.68	2.50	4.00	103,400	85,000	144,000
Utah	32,700	30,000	27,000	1.80	1.50	1.50	60,560	45,000	40,000
Wash.	--	3,000	3,500	--	2.00	3.50	--	6,000	12,200
Oreg.	5,470	6,000	5,000	2.63	1.50	1.50	14,200	9,000	7,500
Calif.	16,650	17,600	15,000	3.36	2.40	4.00	56,110	42,000	60,000
U.S.	616,180	804,200	624,500	1.82	1.30	1.56	1,101,310	1,049,300	974,500

TIMOTHY SEED

Acreage harvested			Yield per acre			Production			
State	Average:		Average:			Average			
	1930-39:	1941	1942	1930-39:	1941	1942	1930-39	1941	1942
	Acres			Bushels			Bushels		
Pa.	4,890	4,500	5,600	2.82	2.65	2.95	13,900	11,900	16,500
Ohio	35,400	43,000	53,000	3.19	3.25	3.35	120,070	140,000	178,000
Ind.	13,460	13,800	13,800	2.98	3.00	3.00	42,850	41,000	41,000
Ill.	60,280	40,000	34,000	2.52	2.30	2.80	162,260	112,000	95,000
Wis.	10,240	15,000	20,000	3.19	3.40	4.00	33,900	51,000	80,000
Minn.	35,290	28,000	39,000	3.69	3.50	4.10	131,670	98,000	160,000
Iowa	242,900	183,000	210,000	3.62	3.75	4.10	971,210	686,000	861,000
Mo.	82,400	48,000	60,000	3.03	2.80	3.20	274,030	134,000	192,000
U.S.	487,110	375,300	435,400	3.34	3.39	3.73	1,755,280	1,273,900	1,623,500

UNITED STATES DEPARTMENT OF AGRICULTURE

Top Report

ANNUAL SUMMARY

Bureau of Agricultural Economics

CROP REPORTING BOARD

Washington, D. C.,

December 18, 1942

3:00 P.M. (E.W.T.)

December 1942

LESPEDEZA SEED

Acreage harvested			Yield per acre			Production		
Average:			Average:			Average:		
State	1930-39:	1941 : 1942	1930-39:	1941 : 1942	1930-39:	1941 : 1942	1930-39:	1941 : 1942
	Acres		Pounds				Thousand pounds	
nd.	---	28,000 25,000	---	230 190	---	---	6,400 4,800	
ll.	1/21,000	24,000 12,000	1/175	190 150	1/	3,900	4,600 1,800	
o.	1/67,333	248,000 180,000	1/159	230 165	1/11,903		57,000 29,700	
ans.	---	46,000 48,000	---	200 190	---	---	9,200 9,100	
a.	1/17,889	27,000 34,000	1/228	250 270	1/	3,757	6,800 9,200	
.C.	92,300	150,000 185,000	159	190 210	15,377		28,500 38,800	
.C.	---	30,000 42,000	---	185 215	---	---	5,600 9,000	
a.	---	27,000 40,000	---	200 210	---	---	5,400 8,400	
y.	83,100	82,000 92,000	174	215 265	16,540		17,600 24,400	
enn.	89,200	114,000 122,000	163	230 250	16,790		26,200 30,500	
la.	---	15,000 16,000	---	130 200	---	---	2,700 3,200	
ss.	3,590	20,000 18,000	104	150 185	587		3,000 3,300	
ck.	---	18,000 22,000	---	240 275	---	---	4,300 6,000	
a.	3,710	9,900 11,600	106	140 150	396		1,400 1,500	
.S.	360,620	838,900 847,600	163.8	213.0 212.0	65,786		178,700 179,700	

/ Short-time average.

SWEETCLOVER SEED

Acreage harvested			Yield per acre			Production		
Average:			Average:			Average:		
State	1930-39:	1941 : 1942	1930-39:	1941 : 1942	1930-39:	1941 : 1942	1930-39:	1941 : 1942
	Acres		Bushels				Bushels	
io	9,600	3,000 9,000	2.31	2.50 2.70	20,940		20,000 24,000	
nd.	5,040	5,900 5,900	2.26	2.80 1.90	10,480		16,500 11,200	
ll.	21,500	33,000 17,000	2.17	2.00 1.90	45,800		66,000 32,000	
ch.	---	4,000 5,000	---	2.60 3.30	---	---	10,400 16,500	
is.	3,230	3,300 2,600	3.14	3.30 3.20	10,230		10,900 8,300	
inn.	124,200	147,000 88,000	3.75	2.10 3.60	413,100		309,000 317,000	
owa	22,000	29,000 14,800	2.58	2.05 2.10	49,320		59,000 31,000	
p.	5,600	10,600 7,000	2.24	2.40 2.50	13,170		25,000 17,500	
.Dak.	35,900	15,000 15,000	2.68	2.90 2.30	95,060		44,000 34,000	
.Dak.	28,220	16,900 10,000	2.36	2.20 2.80	68,480		37,000 28,000	
ebr.	19,800	20,000 21,000	2.53	1.90 2.50	50,540		38,000 52,000	
ans.	20,800	42,000 36,000	2.57	2.60 2.50	54,980		109,000 90,000	
ont.	4,920	3,000 5,400	2.42	4.00 4.00	12,470		12,000 22,000	
yo.	3,210	1,300 3,000	3.36	3.00 3.10	10,700		3,900 9,300	
olo.	5,100	6,500 9,100	4.02	4.00 3.50	20,500		26,000 32,000	
.S.	313,020	345,500 248,800	2.96	2.28 2.91	887,170		786,700 724,800	

BEANS, DRY EDIBLE 1/

	Acreage harvested			Yield per acre			Production 2/			Equivalent
State:	Average:			Average:			Average:			cleaned production
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942	1942
	Thousand acres			Lb.			Thousand bags 3/			Thous. bags 3/
Maine	8	9	8	950	1,140	1,040	81	103	83	77
Vt.	3	2	2	611	720	620	18	14	12	11
N.Y.	143	167	145	797	870	990	1,144	1,453	1,436	1,350
Mich.	549	684	563	763	770	1,070	4,082	5,267	6,024	5,482
Wis.	5	5	3	408	630	630	19	32	19	15
Minn.	5	4	5	363	560	570	16	22	28	21
Nebr.	14	27	35	844	1,600	1,600	129	432	560	521
Kans.	5	1	1	4/ 375	350	480	22	4	5	5
Mont.	23	20	25	1,130	1,420	1,350	249	284	338	308
Idaho	115	118	135	1,346	1,600	1,500	1,525	1,888	2,025	1,802
Wyo.	41	60	77	1,124	1,400	1,275	475	840	932	884
Colo.	310	379	307	388	581	620	1,254	1,621	1,903	1,789
N.Mex.	161	234	251	296	528	430	483	1,236	1,079	1,025
Ariz.	10	13	13	441	460	525	42	60	68	63
Utah	4/ 3	5	6	4/ 599	760	900	4/ 22	38	54	49
Wash.	1	5	5	4/ 980	1,200	1,120	8	60	56	53
Oreg.	2	1	3	658	1,020	1,400	11	10	42	35
Calif.	326	389	386	1,205	1,321	1,268	3,939	5,139	4,891	4,649
U.S.	1,724	2,023	1,970	789.1	914.6	995.3	13,510	18,503	19,608	18,139

1/ Includes beans grown for seed. 2/ Uncleaned.
3/ Bags of 100 pounds. 4/ Short-time average.

PEAS, DRY FIELD 1/

	Acreage harvested			Yield per acre			Production		
State:	Average:			Average:			Average:		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Pounds			Thousand bags 2/		
Mich.	13	6	4	684	750	930	82	45	37
Wis.	15	14	7	738	660	750	110	92	52
Mont.	25	27	40	998	1,260	1,230	244	340	492
Idaho	74	65	124	1,119	1,320	1,250	820	858	1,550
Colo.	15	24	27	726	900	1,000	110	216	270
Wash.	91	130	247	1,158	1,500	1,700	1,088	1,950	4,199
Oreg.	3/ 3	10	25	3/ 1,058	1,922	2,238	3/ 29	199	560
U.S.	274	276	474	1,060	1,341	1,510	2,471	3,700	7,160

1/ In principal commercial producing States. Includes peas grown for seed.
2/ Bags of 100 pounds. 3/ Short-time average.

VELVETBEANS 1/

	Total acreage			Yield per acre			Production		
State:	Average:			Average:			Average:		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Pounds			Thousand tons		
S.C.	80	85	82	997	1,100	1,075	40	47	44
Ga.	1,071	1,188	1,009	823	850	810	442	505	409
Fla.	189	218	197	598	600	540	56	65	53
Ala.	437	474	414	779	950	800	171	225	166
Miss.	77	103	93	1,030	940	980	39	48	46
La.	56	97	89	779	800	710	22	39	32
U.S.	1,910	2,165	1,884	806.0	858.2	796.2	771	929	750

1/ The figures refer to the yield and entire production of velvetbeans in the hull, whether grazed or harvested otherwise.

SOYBEAN ACREAGE (for all purposes)

State	Grown alone			Interplanted			Equivalent solid 1/		
	Average			Average			Average		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres								
N.Y.	6	17	34	--	--	--	6	17	34
N.J.	11	37	60	--	--	--	11	37	60
Pa.	33	77	108	--	--	--	33	77	108
Ohio	318	923	1,440	--	--	--	318	923	1,440
Ind.	737	1,234	1,728	--	--	--	733	1,234	1,728
Ill.	1,681	2,813	3,940	--	--	--	1,681	2,813	3,940
Mich.	43	149	274	--	--	--	43	149	274
Wis.	124	168	150	--	--	--	124	163	160
Minn.	2/ 89	270	413	--	--	--	2/ 89	270	413
Iowa	636	1,288	2,202	--	--	--	636	1,288	2,202
Mo.	464	580	700	44	100	140	486	630	770
S. Dak.	--	8	19	--	--	--	--	8	19
Nebr.	5	32	55	--	--	--	5	32	55
Kans.	41	83	290	--	--	--	41	83	290
Del.	33	53	66	--	--	--	33	53	66
Md.	42	71	100	--	--	--	42	71	100
Va.	110	140	196	51	86	87	136	183	240
W. Va.	43	57	40	--	--	--	43	57	40
N. C.	250	371	434	314	414	352	407	578	610
S. C.	24	48	49	60	97	87	54	96	92
Ga.	68	131	106	70	90	60	103	176	136
Ky.	120	193	234	14	22	28	127	209	238
Tenn.	162	175	224	142	288	292	233	319	370
Ala.	194	350	298	35	35	30	212	368	313
Miss.	196	455	500	275	376	353	343	643	676
Ark.	146	236	330	168	425	400	230	448	530
La.	46	149	155	309	550	517	200	424	413
Okla.	16	16	32	3	3	3	17	18	34
Tex.	2/ 27	17	46	2/ 8	4	7	2/ 31	19	50
U.S.	5,622	10,146	14,222	1,491	2,490	2,356	6,376	11,391	15,401

1/ Acres grown alone plus approximately one-half the interplanted acres.
2/ Short-time average.

SOYBEANS (for beans)

State	Acreage harvested 1/			Yield per acre			Production		
	Average			Average			Average		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Bushels			Thousand bushels		
N.Y.	2/ 4	12	24	2/14.5	15.0	16.0	2/ 55	180	384
N.J.	--	9	23	--	13.0	18.0	--	117	414
Pa.	2/ 5	15	35	2/16.2	15.0	17.0	2/ 78	225	595
Ohio	139	674	1,253	18.0	19.5	23.0	2,748	13,143	28,819
Ind.	303	815	1,417	16.6	17.0	21.0	5,264	13,855	29,757
Ill.	978	2,338	3,514	19.2	21.0	21.0	19,710	49,098	73,794
Mich.	16	100	220	13.2	14.0	17.0	236	1,400	3,740
Wis.	4	37	85	12.5	15.0	13.0	48	555	1,079
Minn.	2/ 11	80	273	2/14.5	15.0	13.0	2/168	1,200	3,549
Iowa	214	942	1,872	16.8	17.0	21.0	3,804	16,014	39,312
Mo.	107	187	500	9.0	11.5	15.0	926	2,150	7,500
S. Dak.	--	3	14	--	12.0	15.0	--	36	210
Nebr.	--	20	40	--	11.0	14.0	--	220	560
Kans.	8	47	212	7.4	12.0	12.0	62	564	2,544
Del.	18	30	42	12.8	11.5	16.0	230	345	672
Md.	8	20	43	12.7	12.0	15.5	101	240	666
Va.	27	51	115	12.2	12.5	15.5	335	638	1,782
W. Va.	1	2	2	11.6	13.0	12.5	16	26	25
N. C.	133	176	300	11.3	10.0	13.0	1,507	1,760	3,900
S. C.	8	12	12	6.5	7.5	8.0	53	90	96
Ga.	11	16	12	5.6	6.8	7.2	60	109	86
Ky.	12	42	82	10.8	13.5	13.0	128	567	1,066
Tenn.	20	20	75	7.4	9.0	12.0	147	180	900
Ala.	10	24	38	5.8	6.0	6.0	57	141	228
Miss.	26	71	203	8.2	10.5	14.0	215	746	2,843
Ark.	32	116	239	10.5	15.0	15.0	363	1,740	3,586
La.	12	17	85	11.8	11.5	13.5	148	196	1,148
Okla.	3	2	9	6.8	8.0	9.0	20	16	81
Tex.	2/ 2	3	25	2/ 8.0	11.0	9.0	2/ 18	33	225
U.S.	2,103	5,881	10,762	16.1	18.0	19.5	36,395	105,587	209,559

1/ Equivalent solid acreage. (Acreage grown alone, with an allowance for acreage grown with other crops).
2/ Short-time average.

PEANUTS PICKED AND THRESHED

	Acreage harvested 1/			Yield per acre			Production		
State	Average			Average			Average		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Pounds			Thousand pounds		
Va.	140	134	155	1,342	1,265	1,300	146,390	169,510	201,500
N.C.	232	229	267	1,062	1,160	1,400	246,869	265,640	373,800
Tenn.	11	7	10	676	775	750	7,390	5,425	7,500
Total	383	370	432	1,044	1,191	1,319	400,648	440,575	582,800
S.C.	14	17	60	666	510	675	8,962	8,670	40,500
Ga.	506	650	1,080	654	750	625	330,416	487,500	675,000
Fla.	64	87	130	558	710	630	35,702	61,770	81,900
Ala.	252	315	540	630	800	700	160,606	252,000	378,000
Miss.	28	27	60	512	520	510	14,458	14,040	30,300
Total	862	1,096	1,870	636	752	645	550,144	823,980	1,206,000
Ark.	20	19	45	435	375	400	8,570	7,125	18,000
La.	11	9	28	434	380	380	4,804	2,925	10,620
Okla.	37	83	295	462	500	600	16,814	46,200	177,000
Tex.	191	352	1,020	463	470	500	86,453	156,040	510,000
Total	259	448	1,388	459	474	516	116,646	212,290	715,620
U.S.	1,504	1,914	3,690	708.2	571.6	678.7	1,067,438	1,476,845	2,504,440

1/ Equivalent solid acreage. (Acreage grown alone, with an allowance for acreage grown with other crops).

PEANUT ACREAGE (For all Purposes)

	Grown alone			Interplanted			Equivalent solid 1/		
State	Average			Average			Average		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Thousand acres			Thousand acres		
Va.	141	137	160	5	0	0	143	137	160
N.C.	248	242	286	5	4	2	250	244	287
Tenn.	11	7	10	0	0	0	11	7	10
Total	400	386	456	8	4	2	404	388	457
S.C.	18	24	79	4	4	4	20	26	81
Ga.	598	770	1,348	596	620	500	896	1,080	1,598
Fla.	135	202	265	29	306	290	284	355	410
Ala.	367	460	810	206	122	128	470	521	874
Miss.	36	35	75	6	4	6	39	37	78
Total	1,154	1,491	2,577	1,110	1,056	928	1,710	2,019	3,041
Ark.	54	49	86	4	4	4	56	51	88
La.	33	28	54	3	2	4	35	29	56
Okla.	55	109	340	2	2	6	56	110	343
Tex.	287	328	1,134	12	12	24	293	404	1,146
Total	430	584	1,614	21	20	58	441	594	1,633
U.S.	1,984	2,461	4,647	1,140	1,080	968	2,554	3,001	5,131

1/ Acres grown alone plus approximately one-half the interplanted acres. Equivalent solid production may be obtained by multiplying by yield per acre of peanuts picked and threshed.

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT

Bureau of Agricultural Economics

Washington, D. C.

ANNUAL SUMMARY

CROP REPORTING BOARD

December 18, 1942

December 1942

3:00 P.M. (E.W.T.)

COWPEA ACREAGE (for all purposes)

Grown alone			Interplanted			Equivalent solid 1/			
State	Average		Average			Average			
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Thousand acres			Thousand acres		
N.J.	1	2	2	--	--	--	1	2	2
Pa.	2/ 1	1	1	--	--	--	2/ 1	1	1
Ind.	33	27	18	--	--	--	33	27	18
Ill.	203	231	149	--	--	--	203	231	149
Mo.	91	115	65	--	--	--	91	115	65
Kans.	8	23	60	--	--	--	8	23	60
Del.	2	1	1	--	--	--	2	1	1
Md.	9	8	8	--	--	--	9	8	.8
Va.	90	50	48	14	21	20	97	60	58.
W.Va.	2	1	1	--	--	--	2	1	1
N.C.	102	210	189	213	395	383	269	408	381
S.C.	342	480	576	716	750	735	700	855	944
Ga.	269	504	474	495	420	349	516	714	648
Fla.	26	33	33	22	19	23	39	44	47
Ky.	61	51	48	5	5	6	63	54	51
Tenn.	188	135	113	46	76	70	211	173	148
Ala.	180	235	207	285	266	274	323	368	344
Miss.	184	340	272	299	364	291	344	522	418.
Ark.	327	390	242	308	288	170	481	534	327
La.	82	147	115	239	168	144	201	251	187
Okla.	104	152	175	44	50	38	126	177	194
Tex.	384	642	610	271	396	265	519	840	742
U.S.	2,750	3,778	3,407	2,956	3,218	2,768	4,241	5,389	4,794

1/ Acres grown alone plus approximately one-half the interplanted acres.

2/ Short-time average.

COWPEAS FOR PEAS

Acreage harvested 1/				Yield per acre			Production		
State	Average :			Average :			Average :		
	1930-39	1941	1942	1930-39	1941	1942	1930-39	1941	1942
	Thousand acres			Bushels			Thousand bushels		
Ind.	10	14	7	5.6	5.5	6.0	58	77	42
Ill.	67	92	54	5.7	5.0	6.0	390	460	324
Mo.	12	13	12	6.2	5.5	7.0	77	72	84
Kans.	1	2	5	6.1	8.5	8.0	6	17	40
Md.	1	1	1	8.0	9.0	8.5	9	9	8
Va.	15	13	12	5.5	5.5	7.0	82	72	84
N.C.	68	100	86	5.4	4.5	4.5	365	450	387
S.C.	205	209	236	4.7	4.5	5.0	933	940	1,180
Ga.	182	255	211	5.2	4.5	4.5	928	1,148	950
Fla.	7	5	5	8.4	9.0	9.0	62	45	45
Ky.	8	6	9	5.5	6.0	5.5	44	36	50
Tenn.	36	35	28	5.1	6.0	6.0	184	210	168
Ala.	145	169	117	5.5	5.5	6.0	795	930	702
Miss.	111	178	125	5.6	6.0	6.5	614	1,068	812
Ark.	93	91	59	5.3	6.0	5.5	496	546	324
La.	57	65	54	3.8	3.0	4.5	215	195	243
Okla.	24	18	29	5.7	6.0	6.0	145	108	174
Tex.	150	210	223	6.8	8.0	6.5	1,005	1,680	1,450
U.S.	1,194	1,476	1,273	5.4	5.5	5.6	3,411	8,063	7,067

1/ Equivalent solid acreage. (Acreage grown alone, with an allowance for acreage grown with other crops).

TORACCO

State	Acreage harvested			Yield per acre			Production		
	: Average :			: Average :			: Average :		
	: 1930-39 :	1941	1942	: 1930-39 :	1941	1942	: 1930-39 :	1941	1942
	Acres			Pounds			Thousand pounds		
Mass.	5,810	5,900	5,400	1,450	1,653	1,679	8,366	9,781	9,065
Conn.	16,710	16,600	15,300	1,366	1,379	1,370	22,753	22,890	20,958
N.Y.	920	1,200	1,000	1,260	1,425	1,475	1,113	1,710	1,475
Pa.	29,630	35,700	34,300	1,290	1,630	1,431	37,649	53,182	49,100
Ohio	34,880	24,200	22,100	922	1,046	1,084	32,019	25,311	23,948
Ind.	12,250	8,400	8,700	807	1,004	974	9,908	8,431	8,478
Wis.	22,170	22,200	19,200	1,344	1,425	1,521	29,213	31,640	29,200
Minn.	800	600	500	1,125	1,175	1,200	928	705	720
Mo.	6,110	5,400	5,100	893	1,000	1,050	5,538	5,400	5,355
Kans.	1/362	300	300	1/850	1,000	950	1/303	300	285
Md.	37,090	40,300	39,500	723	750	760	26,901	30,225	30,020
Va.	136,840	98,100	107,300	733	903	993	99,922	88,572	106,520
W.Va.	4,320	2,900	2,000	694	900	950	2,987	2,610	2,850
N.C.	647,070	594,200	546,000	811	930	1,073	529,356	459,490	535,700
S.C.	100,500	81,000	90,000	837	860	1,075	85,684	69,630	96,750
Ga.	77,960	65,100	58,300	850	851	870	68,500	55,430	59,860
Fla.	12,940	15,200	16,000	847	770	893	10,919	11,711	14,288
Ky.	399,830	301,200	506,200	792	977	930	316,383	294,130	234,773
Tenn.	129,600	89,000	91,000	851	970	902	110,125	86,545	87,500
Ala.	1/467	400	300	1/773	762	783	1/355	305	235
La.	420	200	200	433	283	500	181	57	100
U.S.	1,676,280	1,308,100	1,330,300	834	965	1,027	1,398,796	1,262,035	1,417,188

1/ Short-time average

HOPS

State	Acreage harvested			Yield per acre			Production		
	: Average :			: Average :			: Average :		
	: 1930-39 :	1941	1942	: 1930-39 :	1941	1942	: 1930-39 :	1941	1942
	Acres			Pounds			Thousand pounds		
Wash.	4,350	7,200	7,600	1,771	1,850	1,551	7,737	15,320	11,788
Oreg.	19,540	2/30,000	19,300	955	840	680	18,188	13,800	13,124
Calif.	5,330	7,600	7,800	1,505	1,350	1,280	8,701	10,230	9,984
U.S.	29,720	34,800	34,700	1,166	1,160	1,006	34,655	40,330	34,896

1/ For some States in certain years, production includes some quantities not available for marketing because of economic conditions and the marketing agreement allotments.

2/ Excludes approximately 400 acres not harvested because of rain and wind damage.

CRANBERRIES

State	Production		
	: Average :		
	: 1930-39 :	1941	1942
	Barrels		
Mass.	412,400	500,000	525,000
N.J.	105,700	80,000	105,000
Wis.	68,600	99,000	107,000
Wash.	12,330	36,000	40,000
Oreg.	4,650	10,200	10,200
U.S.	603,680	725,200	787,200

tld

TOBACCO BY CLASS AND TYPE, 1941 AND 1942

Class and type	Acres harvested		Yield per acre		Average		Production	
	Type : No. :	Average : 1930-39 :	1941 :	Average : 1930-39 :	1941 :	Average : 1930-39 :	1941 :	1942 :
			Acres	Pounds			Thousand pounds	
CLASS 1, FLUE-CURED:								
Virginia	11	96,950	73,000	82,000	692	880	67,051	79,950
North Carolina	11	249,100	193,000	212,000	762	835	191,420	203,520
Total Old Belt	11	346,050	266,000	294,000	741	847	258,470	283,470
Total Eastern North Carolina Belt	12	328,400	242,000	266,000	834	935	275,660	300,580
North Carolina	13	62,330	53,000	61,000	882	960	56,014	73,200
South Carolina	13	100,500	81,000	90,000	837	860	85,684	96,750
Total South Carolina Belt	13	162,830	134,000	151,000	854	900	141,698	169,950
Georgia	14	77,120	64,000	68,000	848	850	67,648	59,160
Florida	14	10,260	11,300	12,700	786	725	8,230	10,795
Alabama	14	1/ 300	300	200	1/ 743	750	1/ 216	160
Total Georgia-Florida Belt	14	87,470	75,600	80,900	840	831	75,943	70,115
Total All Flue-cured Types	11-14	924,750	717,600	791,900	804	905	751,773	824,115
CLASS 2, FIRE-CURED:								
Total Virginia Belt	21	26,690	13,700	13,700	765	860	20,238	13,358
Kentucky	22	33,600	14,500	14,500	775	950	26,012	13,773
Tennessee	22	56,360	28,000	28,000	834	950	45,934	26,600
Total Hopkinsville-Clarksville Belt	22	89,960	42,500	42,500	813	950	72,946	40,375
Kentucky	23	28,880	15,500	15,500	769	950	22,884	14,725
Tennessee	23	7,530	3,200	3,400	808	975	6,099	3,400
Total Paducah-Mayfield Belt	23	37,390	18,700	18,900	778	954	28,982	17,845
Total Henderson Stewing Belt (Ky.)	24	4,260	200	200	808	900	3,677	180
Total All Fire-cured Types	21-24	158,700	75,100	75,300	798	935	125,844	70,182
CLASS 3, AIR-CURED:								
3A Light Air-cured								
Ohio	31	14,850	11,600	12,300	824	960	12,294	11,136
Indiana	31	11,010	8,200	8,500	802	1,005	8,855	8,241
Missouri	31	6,110	5,400	5,100	893	1,000	5,538	5,355
Kansas	31	1/ 362	300	300	1/ 830	1,000	1/ 303	300
Virginia	31	9,640	8,800	8,800	1,032	1,175	9,940	10,560
West Virginia	31	4,320	2,900	3,000	694	900	2,987	2,610
North Carolina	31	7,240	6,200	7,000	862	1,075	6,262	6,665
Kentucky	31	239,200	245,000	250,000	798	980	229,120	240,100
Tennessee	31	62,050	54,000	56,000	867	980	54,040	52,920
Alabama	31	1/ 167	100	100	1/ 833	900	1/ 139	80
Total Burley Belt	31	404,760	342,300	351,100	810	986	328,670	337,792
Total Southern Maryland Belt	32	37,090	40,300	39,500	723	750	26,901	30,225
Total All Light Air-cured	31-32	441,850	382,600	390,600	804	961	355,571	368,017
3B Dark Air-cured								
Indiana	35	1,240	200	200	836	950	1,053	190
Kentucky	35	18,660	12,000	12,000	824	975	15,428	11,700

TOBACCO BY CLASS AND TYPE, 1941 AND 1942 - Continued

Class and type	Type : No.	Acres		Pounds		Yield per acre		Average		Production	
		Harvested		1941		1942		1930-39		1941	
		1930-39	1941	1930-39	1941	1930-39	1941	1930-39	1941	1942	
CLASS 4, CIGAR FILLER:											
Pennsylvania Seedleaf	41	29,360	35,400	34,000	1,290	1,630	1,430	37,286	57,702	48,620	
Total Miami Valley (Ohio)	42-44	19,790	12,600	9,800	994	1,125	1,220	19,435	14,175	11,956	
Georgia	45	300	(2)	(2)	996	--	--	311	--	--	
Florida	45	420	(2)	(2)	1,024	--	--	443	--	--	
Total Georgia-Florida sun-grown	45	720	(2)	(2)	1,007	--	--	754	--	--	
Total Cigar Filler Types	41-45	49,870	48,000	43,800	1,174	1,497	1,333	57,555	71,877	60,576	
CLASS 5, CIGAR BINDER:											
Massachusetts	51	200	100	100	1,561	1,680	1,650	310	168	165	
Connecticut	51	8,460	7,900	7,400	1,552	1,600	1,590	13,031	12,640	11,766	
Total Connecticut Valley broadleaf	51	8,660	8,000	7,500	1,552	1,601	1,591	13,341	12,808	11,931	
Massachusetts	52	4,520	4,900	4,500	1,565	1,780	1,800	6,970	8,722	8,100	
Connecticut	52	3,170	2,800	2,600	1,524	1,680	1,660	4,783	4,704	4,316	
Total Connecticut Valley Havana seed	52	7,690	7,700	7,100	1,549	1,744	1,749	11,753	13,426	12,416	
New York	53	920	1,200	1,000	1,260	1,425	1,475	1,113	1,710	1,475	
Pennsylvania	53	270	300	300	1,400	1,600	1,600	363	480	480	
Total New York and Pa. Havana seed	53	1,190	1,500	1,300	1,296	1,450	1,504	1,476	2,190	1,955	
Total Southern Wisconsin	54	13,390	11,000	9,200	1,357	1,400	1,500	17,831	15,400	13,800	
Wisconsin	55	8,790	11,200	10,000	1,327	1,450	1,540	11,382	16,240	15,400	
Minnesota	55	800	600	600	1,125	1,175	1,200	928	705	720	
Total Northern Wisconsin	55	9,590	11,800	10,600	1,316	1,436	1,521	12,311	16,945	16,120	
Georgia	56	1,100	400	200	1,101	1,000	800	1,102	400	160	
Florida	56	1,375	600	500	1,105	750	1,050	1,394	450	525	
Total Georgia-Florida sun-grown	56	1,475	1,000	700	1,104	850	979	1,496	850	685	
Total Cigar Binder Types	51-56	40,700	41,000	35,400	1,428	1,503	1,563	56,910	61,619	56,907	
CLASS 6, CIGAR WRAPPER:											
Massachusetts	61	1,090	900	800	1,000	990	1,000	1,087	891	800	
Connecticut	61	5,080	5,900	5,300	979	940	920	4,938	5,546	4,876	
Total Connecticut Valley shade-grown	61	6,170	6,800	6,100	982	947	930	6,025	6,437	5,676	
Georgia	62	500	700	600	1,004	900	900	501	630	540	
Florida	62	2,110	3,300	2,800	978	930	1,060	2,008	3,069	2,968	
Total Georgia-Florida shade-grown	62	2,610	4,000	3,400	982	925	1,032	2,589	3,692	3,508	
Total Cigar Wrapper Types	61-62	8,780	10,800	9,500	981	939	967	8,614	10,136	9,184	
Total All Cigar Types	41-62	99,350	99,800	89,700	1,252	1,439	1,412	125,059	143,632	126,667	
CLASS 7, MISCELLANEOUS:											
Louisiana Perique	72	420	200	200	433	285	500	181	57	100	
UNITED STATES 3/											
All	All	1,676,280	1,308,100	1,380,300	834	965	1,027	1,398,796	1,262,885	1,417,188	
1/ Short-time average. 2/ Not grown since 1939. 3/ Average (1930-39) includes Eastern Ohio, type 71. Estimates of this type have been discontinued.											
tld											

MAPLE PRODUCTS									
Trees tapped			Sugar made 1/			Sirup made 1/			
State	Average:	1941	1942	Average:	1941	1942	Average:	1941	1942
	1930-39:			1930-39:			1930-39:		
	Thousand trees			Thousand pounds			Thousand gallons		
Maine	190	135	128	13	4	8	26	18	27
N.F.	370	247	254	70	16	44	70	49	66
Vt.	5,190	4,040	4,000	431	190	320	1,031	759	1,310
Mass.	235	202	200	63	21	28	58	58	64
N.Y.	3,228	3,080	3,111	316	99	177	748	604	933
Pa.	659	450	441	103	36	40	207	112	128
Ohio	1,091	854	854	24	4	5	311	254	177
Mich.	495	474	488	22	12	19	121	96	102
Wis.	317	261	298	6	1	2	74	34	80
Md.	54	42	38	18	4	11	25	13	18
10 States	11,850	9,785	9,812	1,066	387	654	2,671	1,997	2,905

1/ Does not include maple products produced on nonfarm lands in Somerset County, Maine.

SORGO SIRUP									
Acres harvested for sirup			Yield per acre			Production			
State	Average:	1941	1942	Average:	1941	1942	Average:	1941	1942
	1930-39:			1930-39:			1930-39:		
	Thousand acres			Gallons			Thousand gallons		
Ind.	3	3	3	68	82	83	179	246	264
Ill.	2	2	2	57	60	60	102	120	120
Wis.	1/ 1	--	1	1/58	--	66	1/ 58	--	66
Iowa	2	3	4	90	115	100	230	345	400
Mo.	12	7	9	46	49	49	543	343	441
Kans.	2	1	2	40	33	45	99	33	90
Va.	5	2	6	63	65	65	299	130	390
W.Va.	4	2	3	60	70	75	215	140	225
N.C.	20	9	15	65	58	71	1,290	522	1,065
S.C.	12	10	14	50	42	50	610	420	700
Ga.	27	14	20	57	51	61	1,531	714	1,220
Ky.	23	12	14	56	55	70	1,302	630	980
Tenn.	28	16	18	56	59	63	1,586	944	1,134
Ala.	42	34	31	63	60	57	2,675	2,040	1,767
Miss.	33	25	24	71	86	75	2,385	2,150	1,800
Ark.	27	16	21	44	50	55	1,191	800	1,155
La.	2	2	2/ 12	49	48	66	93	96	792
Okla.	6	5	6	35	43	35	225	215	210
Tex.	17	13	15	48	50	57	805	650	855
U.S.	267	176	220	57.1	60.0	62.2	15,397	10,568	13,674

1/ Short-time average. 2/ Includes approximately 8,000 acres being grown for sirup intended for conversion into industrial alcohol.

SUGARCANE SIRUP									
S.C.	5	5	5	98	100	97	475	500	485
Ga.	34	27	30	131	132	130	4,552	3,564	3,900
Fla.	12	10	11	160	160	160	1,853	1,600	1,760
Ala.	26	24	23	116	115	115	2,994	2,760	2,645
Miss.	24	19	20	147	165	165	3,583	3,135	3,300
Ark.	1	1	1	108	125	95	108	125	95
La.	25	24	24	248	260	240	6,182	6,240	5,760
Tex.	8	6	5	124	140	133	1,028	840	665
U.S.	135	116	112	153.5	161.8	156.4	20,774	18,764	18,610

SUGAR BEETS AND BEET SUGAR												
Sugar Beets (in States where grown)												
Acreage harvested: Yield per acre : Production												
Beet sugar												
Production 1/												
State	Avg. :			Avg. :			Avg. :			Avg. :		
	1930-	1941	1942:	1930-	1941:	1942:	1930-	1941	1942	1930-	1941:	1942
	39	:	:	39	:	:	39	:	:	39	:	:
	Thous. acres			Short tons			Thous. short tons			Thous. short tons		
Ohio	35	38	48	8.3	11.0	12.5	277	419	600	33	46	56
Mich.	106	94	118	8.2	10.8	9.5	865	1,016	1,121	128	158	177
Nebr.	59	60	81	12.6	15.4	12.1	871	927	978	113	121	118
Mont.	32	64	77	12.2	12.4	12.3	751	793	947	108	118	142
Idaho	54	60	79	11.7	13.7	13.5	649	823	1066	93	107	115
Wyo.	46	39	46	12.1	13.6	10.9	558	530	501	92	79	71
Colo.	175	132	184	12.2	14.8	12.5	2,141	1,949	2,300	323	299	334
Utah	48	40	46	12.5	14.4	12.4	614	575	570	90	82	81
Calif.	119	125	172	13.5	16.0	13.6	1,634	1,999	2,339	267	313	350
Other												
States	101	102	128	9.1	12.5	12.4	924	1,280	1,583	115	161	210
U.S.	815	754	979	11.4	13.7	12.3	9,284	10,311	12,005	1,363	1,484	1,604
1/ Includes some sugar manufactured from beets and beet molasses originating in other States.												

SUGARCANE FOR SUGAR AND SEED												
For sugar												
Acreage harvested				Yield of cane per acre				Production				
: Average :				: Average :				: Average :				
: 1930-39 :				: 1941 : 1942 :				: 1930-39 : 1941 : 1942 :				
Thousand acres				Short tons				Thousand short tons				
La.	220.8	225	270	17.0	17.5	18.5	3,841	5,933	4,995			
Fla.	16.1	31	32.9	31.8	30.6	31.0	520	949	1,020			
Total	236.9	256	302.9	18.0	19.1	19.9	4,361	6,882	6,015			
For seed												
La.	30.3	32	25	17.0	17.5	17.8	345	560	446			
Fla.	.6	.7	.7	33.5	34.0	38.0	22	24	27			
Total	30.9	32.7	25.7	17.5	17.9	18.4	367	584	472			
For sugar and seed												
La.	241.1	257	295	17.0	17.5	18.4	4,186	6,493	5,441			
Fla.	16.7	31.7	33.6	31.9	30.7	31.2	542	973	1,047			
Total	257.8	288.7	328.6	18.0	19.0	19.7	4,728	7,466	6,488			
Products of cane ground for sugar												
Sugar per ton of cane				Sugar produced				Molasses 1/in-				
: 26° equivalent :				: 26° equivalent :				: including blackstrap :				
: Average :				: Average :				: Average :				
: 1930-39 :				: 1941 : 1942 :				: 1930-39 : 1941 : 1942 :				
Pounds		Thousand short tons		Thousand short tons		Thousand gallons		Thousand gallons		Thousand gallons		
La.	159	164	168	308	323	420	24,540	26,295	32,967			
Fla.	175	203	230	47	96	117	3,333	5,152	6,290			
Total	161	171	179	355	419	537	27,873	31,447	39,257			

1/ Edible molasses not produced in Florida.

SUGAR BEET PULP PRODUCTION												
Average												
: 1930-39 :				: 1941 :				: 1942 :				
Thousand short tons				Thousand short tons				Thousand short tons				
Molasses pulp	148			181				186				
Dried pulp	90			101				139				
Moist pulp	1,499			1,556				1,912				

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT
ANNUAL SUMMARY
December 1942

BUREAU OF AGRICULTURAL ECONOMICS
CROP REPORTING BOARD

Washington, D. C.,
December 18, 1942
3:00 P.M. (E.W.T.)

POTATOES 1/

GROUP	Acreage harvested			Yield per acre			Production		
and	Average:			Average:			Average:		
STATE	1930-39:	1941:	1942:	1930-39:	1941:	1942:	1930-39:	1941:	1942:
	Thousand acres			Bushels			Thousand bushels		
SURPLUS LATE POTATO STATES:									
Maine	158	151	156	263	285	270	44,016	43,035	42,120
New York	252	187	189	126	148	145	29,236	27,676	27,405
Pennsylvania	207	165	157	120	130	112	24,924	21,450	17,584
Eastern	607	503	502	161.6	183.2	173.5	98,226	92,161	87,109
Michigan	280	182	169	95	110	98	26,606	20,020	16,562
Wisconsin	256	158	150	85	91	67	21,830	14,378	10,050
Minnesota	307	206	204	76	78	95	23,038	16,068	19,380
North Dakota	135	143	133	73	105	135	9,852	15,015	17,955
South Dakota	47	29	32	53	60	98	2,300	1,740	2,816
Central	1,021	718	638	82.3	93.6	97.0	33,574	27,221	26,763
Nebraska	102	74	74	81	130	174	8,030	9,320	12,376
Montana	20	14	15	90	110	115	1,774	1,540	1,725
Idaho	114	122	133	224	225	230	25,505	27,450	30,590
Wyoming	26	15	13	83	150	190	2,179	2,250	2,470
Colorado	99	67	74	143	187	230	14,151	12,529	17,020
Utah	13.4	11.2	12.5	152	170	185	2,021	1,904	2,312
Nevada	2.5	1.8	2.3	144	240	210	358	432	483
Washington	49	42	39	170	210	200	8,344	8,820	7,800
Oregon	45	35	36	151	205	200	6,752	7,175	7,200
California 2/	30.5	32	34	238	295	320	7,365	9,440	10,880
Western	501.9	414.0	432.8	153.5	196.0	215.7	76,492	61,160	63,356
TOTAL 18	2,129.8	1,635.0	1,622.3	121.8	147.1	152.3	258,389	240,542	247,228
EARLY LATE POTATO STATES:									
New Hampshire	9.6	6.6	6.8	156	155	160	1,437	1,023	1,088
Vermont	16.7	12.0	11.6	136	145	127	2,277	1,740	1,477
Massachusetts	15.9	17.8	19.0	140	140	150	2,204	2,492	2,850
Rhode Island	3.6	4.6	5.0	177	200	195	634	920	975
Connecticut	16.2	15.4	15.9	163	180	185	2,635	2,772	2,942
New England	61.9	56.4	58.3	149.3	158.6	160.0	9,237	8,947	9,328
West Virginia	35	32	34	79	112	112	2,844	3,584	3,808
Ohio	129	87	85	98	122	108	12,652	10,614	9,180
Indiana	61	50	48	87	115	135	5,279	5,750	6,480
Illinois	46	36	36	76	90	98	3,448	3,240	3,528
Iowa	73	54	55	77	102	120	5,542	5,508	6,600
Central	345	259	258	86.7	110.8	114.7	29,271	23,696	29,596
New Mexico	5.8	4.0	4.0	72	72	85	421	238	340
Arizona	2.5	2.1	2.5	84	130	225	207	273	562
Southwestern	8.3	6.1	6.5	75.7	22.0	138.3	629	561	902
TOTAL 12	415.2	321.5	322.8	95.9	118.8	123.4	39,637	38,204	39,820
30 LATE STATES	2,545.0	1,956.5	1,945.6	117.5	142.5	147.5	298,027	278,746	287,054
INTERMEDIATE POTATO STATES:									
New Jersey	49	55	56	168	188	181	8,262	10,340	10,136
Delaware	5.2	3.9	3.9	87	77	86	455	300	335
Maryland	30	20.0	19.6	100	96	103	2,997	1,920	2,019
Virginia	94	74	71	112	92	102	10,661	6,808	7,242
Kentucky	48	44	48	75	70	95	3,609	3,080	4,560
Missouri	57	39	39	77	120	107	4,352	4,690	4,170
Kansas	35	23	23	78	110	100	2,754	2,530	2,300
TOTAL 7	318.3	258.9	260.5	104.1	114.6	118.1	33,089	29,658	30,765
37 LATE AND INTERMEDIATE	2,863.3	2,215.4	2,206.1	116.0	139.2	144.1	331,116	308,404	317,819

POTATOES 1/ (Continued)

GROUP and STATE	Acreage harvested			Yield per acre			Production		
	Average:			Average:			Average:		
	1930-39:	1941:	1942:	1930-39:	1941:	1942:	1930-39:	1941:	1942:
	Thousand acres			Bushels			Thousand bushels		
EARLY POTATO STATES:-									
North Carolina	81	80	84	100	83	107	8,182	6,640	9,988
South Carolina	21	26	28	115	98	111	2,475	2,548	3,108
Georgia	16	25	37	56	52	66	1,096	1,300	1,782
Florida	28	30.1	28	111	111	147	3,120	3,341	4,116
Tennessee	42	42	44	68	62	81	2,870	2,604	3,564
Alabama	36	54	53	87	104	74	3,179	5,616	3,922
Mississippi	16	23	27	71	60	71	1,135	1,380	1,917
Arkansas	42	42	47	73	72	77	3,047	3,024	3,619
Louisiana	41	43	42	61	61	60	2,502	2,623	2,520
Oklahoma	37	30.5	33	71	65	68	2,600	1,982	2,244
Texas	52	61	57	64	99	93	3,312	6,039	5,301
California 3/	20.2	39	35	250	259	350	5,411	10,101	12,250
TOTAL 12	432.3	495.6	505	89.5	95.2	105.6	38,929	47,198	53,331
TOTAL U. S.	3,295.6	2,711.0	2,711.0	112.6	131.2	136.9	370,045	355,602	371,151

1/Except for California, the estimates shown for each State under a particular group cover the entire crop, whether commercial or noncommercial, early or late.
 2/Estimates shown for California, under the surplus late States do not include the early commercial crop. 3/Estimates shown for California under the early States cover the early commercial crop only.

SWEET POTATOES

State	Acreage harvested			Yield per acre			Production		
	Average:			Average:			Average:		
	1930-39:	1941:	1942:	1930-39:	1941:	1942:	1930-39:	1941:	1942:
	Thousand acres			Bushels			Thousand bushels		
N. J.	15	15	16	141	120	170	2,152	1,800	2,720
Ind.	4	1.7	1.3	102	130	110	419	221	143
Ill.	6	3.0	3.6	85	94	95	532	282	342
Iowa	3	2	2	86	115	95	256	230	190
Mo.	12	8	9	79	108	95	926	864	855
Kans.	4	3.0	2.5	88	130	150	400	390	375
Del.	6	3	3	123	115	165	804	345	495
Md.	8	8	8	132	130	180	1,071	1,040	1,440
Va.	37	33	31	111	90	125	4,061	2,970	3,875
N. C.	87	80	74	96	86	115	8,354	6,880	8,510
S. C.	63	55	62	85	80	95	5,401	4,400	5,890
Ga.	118	105	100	72	69	80	8,510	7,245	8,000
Fla.	21	18	17	66	68	70	1,400	1,224	1,190
Ky.	23	16	18	83	84	92	1,904	1,344	1,656
Tenn.	57	51	40	88	88	90	5,019	4,488	3,600
Ala.	97	79	77	80	75	78	7,773	5,925	6,056
Miss.	82	68	68	87	95	95	7,222	6,460	6,460
Ark.	42	23	20	73	92	85	3,016	2,116	1,700
La.	99	90	88	70	65	66	6,884	5,940	5,806
Okla.	19	12	10	61	90	80	1,173	1,080	890
Tex.	66	60	45	71	90	85	4,726	5,400	3,825
Calif.	11	12	12	108	125	125	1,204	1,500	1,500
U. S.	882	745.7	707.4	83.0	83.3	92.4	73,208	62,144	65,380

APPLES, COMMERCIAL CROP 1/

Area and State	Production 2/		
	Average 1924-39	1941	1942
<u>Thousand bushels</u>			
Eastern States:			
North Atlantic:			
Maine	578	581	730
New Hampshire	700	659	961
Vermont	508	664	731
Massachusetts	2,488	2,488	3,400
Rhode Island	270	250	332
Connecticut	1,357	1,412	1,922
New York	16,183	16,702	17,500
New Jersey	7,404	2,632	3,239
Pennsylvania	9,090	8,643	10,031
<u>Total North Atlantic</u>	<u>34,539</u>	<u>33,631</u>	<u>38,846</u>
South Atlantic:			
Delaware	1,156	913	940
Maryland	1,911	1,905	2,211
Virginia	11,085	11,800	13,908
West Virginia	4,317	4,238	4,686
North Carolina	1,009	1,505	1,086
Georgia	418	525	427
<u>Total South Atlantic</u>	<u>19,896</u>	<u>20,936</u>	<u>23,258</u>
<u>Total Eastern States</u>	<u>54,435</u>	<u>54,567</u>	<u>62,104</u>
Central States:			
North Central:			
Ohio	4,958	6,000	6,364
Indiana	1,576	3/2,230	1,392
Illinois	3,071	3,410	2,970
Michigan	7,839	3/8,000	9,234
Wisconsin	610	810	737
Minnesota	208	220	168
Iowa	303	74	302
Missouri	1,501	1,504	1,075
Nebraska	338	34	118
Kansas	794	406	754
<u>Total North Central</u>	<u>21,297</u>	<u>22,688</u>	<u>23,134</u>
South Central:			
Kentucky	264	519	179
Tennessee	356	846	354
Arkansas	771	964	616
<u>Total South Central</u>	<u>1,391</u>	<u>2,329</u>	<u>1,149</u>
<u>Total Central States</u>	<u>22,688</u>	<u>25,017</u>	<u>24,283</u>
Western States:			
Montana	361	382	173
Idaho	3,650	3/2,442	2,139
Colorado	1,553	3/1,510	1,595
New Mexico	713	639	752
Utah	388	472	307
Washington	28,758	27,000	27,552
Oregon	3,414	2,471	2,660
California	7,872	7,706	6,090
<u>Total Western States</u>	<u>46,709</u>	<u>42,672</u>	<u>41,268</u>
<u>Total 36 States</u>	<u>123,832</u>	<u>122,256</u>	<u>127,655</u>

1/ Estimates of the commercial crop refer to the production of apples in the commercial apple areas of each State and include fruit produced for sale to commercial processors as well as for sale for fresh consumption. 2/ For some States in certain years, production includes some quantities unharvested on account of market conditions or scarcity of harvest labor. In 1941 and 1942, estimates of such quantities were as follows (1,000 bu.): 1941 - N.Y., 489; Mich., 155; Va., 500; Mont., 63; Wash., 270; Calif., 300; 1942 - N.H., 70; Mass., 300; R.I., 50; Conn., 300; N.Y., 1,100; N.J., 400; Pa., 600; Del., 120; Md., 250; Va., 1,100; W.Va., 450; Ohio, 500; Mich., 700; Idaho, 40; N.Mex., 50; Wash., 900; Oreg., 160. 3/ Includes the following quantities harvested but not utilized due to excessive cullage (1,000 bu.): Ind., 136; Mich., 150; Idaho, 290; Colo., 150.

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT

Bureau of Agricultural Economics

Washington, D. C.,

ANNUAL SUMMARY

CROP REPORTING BOARD

December 18, 1942

December 1942

3:00 P.M. (E.W.T.)

PEARS				PEACHES			
Production 1/				Production 1/			
State	Average	1941	1942	State	Average	1941	1942
	1930-39				1930-39		
	Thousand bushels				Thousand bushels		
Me.	10	8	10	N.H.	18	14	15
N.H.	12	9	12	Mass.	87	48	51
Vt.	6	3	4	R.I.	24	21	16
Mass.	71	48	50	Conn.	153	126	163
R.I.	10	7	6	N.Y.	1,470	1,649	1,615
Conn.	56	77	96	N.J.	1,106	1,135	1,228
N.Y.	1,284	848	1,234	Pa.	1,656	1,845	1,771
N.J.	71	44	71	Ohio	858	1,148	678
Pa.	609	350	491	Ind.	555	688	112
Ohio	592	792	422	Ill.	1,446	2,340	925
Ind.	306	224	201	Mich.	1,837	3,864	2,150
Ill.	505	515	450	Iowa	86	40	22
Mich.	1,015	1,284	1,245	Mo.	711	1,120	512
Iowa	105	52	71	Nebr.	31	4	14
Mo.	322	365	415	Kans.	105	44	37
Nebr.	32	13	28	Del.	719	530	396
Kans.	136	98	144	Md.	372	563	476
Del.	12	6	8	Va.	899	2/1,860	1,936
Md.	80	53	54	W.Va.	235	530	570
Va.	304	435	528	N.C.	1,938	3,167	2,463
W.Va.	60	92	145	S.C.	1,424	2/4,095	3,500
N.C.	278	405	440	Ga.	5,177	2/7,100	6,177
S.C.	113	145	187	Fla.	66	90	123
Ga.	291	400	507	Ky.	537	1,626	183
Fla.	102	156	189	Tenn.	1,226	2,270	466
Ky.	182	320	292	Ala.	1,448	2,464	1,595
Tenn.	228	563	415	Miss.	847	1,394	974
Ala.	276	397	400	Ark.	1,742	3,042	2,337
Miss.	289	462	519	La.	269	334	335
Ark.	153	201	202	Okla.	393	742	477
La.	123	171	239	Tex.	1,201	2,475	1,610
Okla.	101	256	227	Idaho	149	249	279
Tex.	345	376	508	Colo.	1,222	1,516	1,490
Idaho	62	64	48	N.Mex.	71	152	110
Colo.	220	175	177	Ariz.	68	57	50
N.Mex.	40	52	53	Utah	453	754	340
Ariz.	12	11	9	Nev.	5	5	2
Utah	93	153	82	Wash., all	5,537	3/6,954	6,723
Nev.	4	4	1	Bartlett	3,766	5,200	5,063
Wash., all	5,537	3/6,954	6,723	Other	1,771	3/1,754	1,660
Bartlett	3,766	5,200	5,063	Oreg., all	3,307	3/4,050	4,475
Other	1,771	3/1,754	1,660	Bartlett	1,294	1,774	1,915
Oreg., all	3,307	3/4,050	4,475	Other	2,013	3/2,276	2,560
Bartlett	1,294	1,774	1,915	Calif., all	9,842	9,292	9,834
Other	2,013	3/2,276	2,560	Bartlett	8,576	8,584	8,913
Calif., all	9,842	9,292	9,834	Other	1,267	708	916
Bartlett	8,576	8,584	8,913	U.S.	27,253	29,570	31,212
Other	1,267	708	916	U.S.	54,706	74,364	55,345

1/ For some States in certain years, production includes some quantities unharvested on account of market conditions or scarcity of harvest labor. For pears in 1941 and 1942, estimates of such quantities were as follows (1,000 bu.): 1941, Pa., 10; Oreg., Other, 50; 1942, Oreg., Other, 125; Calif., Bartlett, 83. For peaches in 1941 and 1942, estimates of such quantities were as follows (1,000 bu.): 1941, Ill., 168; N.C., 300; S.C., 600; Ga., 640; 1942, Calif., Clingstone, 167.

2/ Includes the following quantities harvested but not utilized due to excessive cullage (1,000 bu.): Va., 100; S.C., 300; Ga., 320.

3/ Includes the following quantities harvested but not utilized due to excessive cullage (1,000 bu.): Wash., Other, 84; Oreg., Other, 80. 4/ Mainly for canning.

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT

ANNUAL SUMMARY

December 1942

Bureau of Agricultural Economics

CROP REPORTING BOARD

Washington, D. C.,

December 18, 1942

3:00 P.M. (E.W.T.)

CHERRIES								
Production 1/								
Sweet varieties			Sour varieties			All varieties		
State	1941	1942	1941	1942	Average 1930-39	1941	1942	
	Tons		Tons			Tons		
N.Y.	2,500	2,800	14,500	27,000	20,465	17,000	29,800	
Pa.	2,100	1,900	7,300	7,400	7,704	9,400	9,300	
Ohio	1,040	1,030	4,340	4,050	4,550	5,380	5,080	
Mich.	3,300	3,900	27,700	49,700	33,930	31,500	53,300	
Wis.	--	--	15,600	2,800	8,311	15,600	8,200	
Mont.	60	110	300	190	436	360	300	
Idaho	1,590	1,400	550	410	2,623	2,140	1,810	
Colo.	490	220	2,210	2,830	3,332	3,300	3,050	
Utah	3,900	2,300	1,900	1,100	3,008	5,800	3,300	
Wash.	24,700	25,900	2/5,000	5,800	18,750	2/29,700	31,700	
Oreg.	2/18,900	18,900	2/1,400	2,200	15,385	2/20,300	21,100	
Calif.	21,000	32,000	--	--	22,740	21,000	32,000	
12 States	80,080	90,360	81,400	109,480	141,234	161,480	199,840	

1/ For some States in certain years, production includes some quantities unharvested on account of market conditions or scarcity of harvest labor. In 1941 and 1942, estimates of such quantities were as follows (tons): 1941, Washington Sour, 1,000; Oregon Sour, 100; 1942, California Sweet, 5,000.

2/ Includes the following quantities harvested but not utilized due to excessive cullage resulting from rain damage and other causes (tons): Washington Sour, 500; Oregon Sweet, 800; Sour, 100.

GRAPES								
Production 1/				Production 1/				
State	Average	1941	1942	State	Average	1941	1942	
	1930-39				1930-39			
	Tons				Tons			
Me.	29	20	30	Ga.	1,397	1,820	2,130	
N.H.	75	40	50	Fla.	705	550	620	
Vt.	37	30	40	Ky.	1,815	2,410	1,990	
Mass.	545	310	320	Tenn.	2,006	2,090	2,660	
R.I.	253	230	210	Ala.	1,239	1,440	1,370	
Conn.	1,712	1,100	1,120	Miss.	274	270	240	
N.Y.	70,860	47,600	69,600	Ark.	9,610	10,700	8,400	
N.J.	2,800	2,500	2,600	La.	46	30	30	
Pa.	20,320	12,500	21,500	Okla.	3,020	3,100	3,100	
Ohio	27,550	14,800	22,400	Tex.	2,340	2,400	2,200	
Ind.	3,970	2,800	2,800	Idaho	544	500	450	
Ill.	5,660	4,300	4,300	Colo.	479	420	480	
Mich.	53,910	26,700	35,400	N.Mex.	1,031	390	890	
Wis.	411	470	500	Ariz.	1,146	770	680	
Minn.	252	250	260	Utah	932	800	680	
Iowa	4,700	3,400	3,200	Nev.	107	150	140	
Mo.	8,850	7,700	7,200	Wash.	6,000	12,800	14,900	
Nebr.	2,180	600	1,800	Oreg.	2,230	1,700	1,800	
Kans.	3,290	2,100	2,900	Calif. all	1,990,800	2,547,000	2,300,000	
Del.	1,790	1,300	1,200	Wine var.	487,700	549,000	537,000	
Md.	573	290	300	Raisin var.	1,157,200	1,516,000	1,326,000	
Va.	2,090	1,700	1,900	Dried 2/	215,600	209,000	263,000	
W.Va.	1,300	880	1,350	Not dried	294,800	680,000	274,000	
N.C.	5,970	5,800	6,400	Table var.	345,900	482,000	437,000	
S.C.	1,373	1,230	1,390	U.S.	2,246,221	2,728,330	2,531,530	

1/ For some States in certain years, production includes some quantities unharvested on account of market conditions.

2/ Dried basis: 1 ton of dried raisins equivalent to about 4 tons of fresh grapes.

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT

ANNUAL SUMMARY

December 1942

Bureau of Agricultural Economics

CROP REPORTING BOARD

Washington, D. C.,

December 18, 1942

3:00 P.M. (E.W.T.)

PLUMS AND PRUNES:

Crop and State	Average 1930-39	Production ^{1/}	
		1941	1942
		<u>Tons</u>	
		<u>Fresh Basis</u>	
PLUMS:			
Michigan	5,370	6,900	5,300
California	64,600	71,000	72,000
2 States	69,970	77,900	77,300
PRUNES:			
Idaho	17,640	21,000	17,800
Washington, all	31,190	2/ 22,300	24,600
Eastern Washington	13,150	2/ 14,800	17,200
Western Washington	18,040	7,500	7,400
Oregon, all	110,490	2/ 69,400	76,300
Eastern Oregon	12,630	15,400	13,300
Western Oregon	97,870	2/ 54,000	61,000
3 States	159,320	112,700	118,700
California		(See table below)	

1/ For some States in certain years, production includes some quantities unharvested on account of market conditions or scarcity of harvest labor. In 1941 and 1942, estimates of such quantities were as follows (tons): 1941-Plums, California, 5,000; Prunes, Eastern Oregon, 500; 1942-Plums, California, 6,000; Prunes, Western Washington, 1,800; Western Oregon, 13,000.

2/ Includes the following quantities harvested but not utilized due to excessive cullage (tons): Eastern Washington, 500; Western Oregon, 2,800.

QUANTITIES OF PRUNES USED FRESH, CANNED, AND DRIED ^{1/}

State	Average 1930-39		
		1941	1942
		<u>Tons</u>	
		<u>Fresh Basis</u>	
USED FRESH:			
Idaho 2/	16,990	21,000	17,800
Washington	13,680	10,600	13,900
Oregon	16,680	13,800	19,000
3 States	47,350	45,400	50,700
CANNED: 3/			
Washington	5,120	9,300	8,100
Oregon	16,260	29,600	21,700
2 States	21,380	38,900	29,800
		<u>Dry Basis ^{4/}</u>	
DRIED:			
Washington	2,940	400	200
Oregon	21,780	6,500	7,000
California	207,100	178,000	174,000
3 States	231,820	184,900	181,200

1/ These estimates include quantities sold and used on the farm for household consumption.

2/ Includes small quantities of prunes canned and dried.

3/ Includes small quantities for cold packing.

4/ The drying ratio in Washington and Oregon ranges from 3 to 4 pounds of fresh fruit to 1 pound dried; in California, the drying ratio is approximately 2½ pounds fresh to 1 pound dried. In some years, in addition to the dried prunes produced in California, additional quantities of prunes remained unharvested on account of market conditions or scarcity of harvest labor. In 1941, the equivalent of 10,000 tons of dried prunes was not harvested; in 1942, 1,000 tons.

CITRUS FRUITS

CROP AND STATE	Average 1930-39	1939	1940	1941	Indicated 1942
	Production 1/				
	Thousand boxes				

ORANGES:

California, all.....	37,198	44,425	50,695	51,532	45,204
Valencias.....	21,395	26,904	31,223	29,505	28,044
Navels and Misc. ...	15,803	17,521	19,472	22,027	17,160
Florida, all.....	21,290	28,000	31,300	29,300	35,000
Early and midseason 3/	12,521	15,600	16,200	15,200	16,500
Valencias 3/	8,321	10,000	12,400	12,000	15,000
Tangerines.....	2,350	2,400	2,700	2,100	3,500
Texas	1,157	2,360	2,650	2,850	2,900
Arizona.....	259	595	528	660	700
Louisiana.....	275	228	253	192	340
5 States 4/.....	60,172	75,608	85,426	84,534	84,144

GRAPEFRUIT:

Florida, all.....	14,760	15,900	21,600	19,200	23,600
Seedless..... 3/	5,250	6,500	8,200	7,000	8,000
Other..... 3/	10,323	9,400	16,400	12,200	15,600
Texas.....	6,350	14,400	13,650	14,500	16,600
Arizona.....	1,505	2,900	2,650	3,450	2,655
California, all.....	1,768	1,992	1,983	3,144	2,678
Desert Valleys.....	739	1,087	960	1,343	1,320
Other.....	979	905	1,023	1,801	1,358
4 States 4/.....	24,383	35,192	42,883	40,294	45,533

LEMONS:

California.. 4/.....	8,815	11,983	17,236	11,753	13,650
----------------------	-------	--------	--------	--------	--------

LIMES:

Florida.....	37	95	80	150	175
--------------	----	----	----	-----	-----

- 1/ Estimates of production include fruit consumed on farms, sold locally, and used for manufacturing purposes, as well as that shipped. Fruit ripened on the trees but destroyed by freezing or storms prior to picking is not included. For some States in certain years, production also includes some quantities donated to charity, unharvested, and/or eliminated on account of market conditions. In 1940 and 1941, estimates of such quantities were as follows (1,000 boxes): 1940: Oranges, California Valencias, 579; Navels and miscellaneous, 743; Grapefruit, California Desert Valleys, 2; Other, 2; Lemons, 502; 1941: Oranges, California Valencias, 391; Navels and miscellaneous, 354; Grapefruit, California Desert Valleys, 4.
- 2/ The indicated production for 1942 is based on reported prospects on December 1. The estimates cover the crop from the bloom of the year shown. In California the picking season usually extends from about October 1 to December 31 of the following year. In other States the season begins about September 1, except for Florida limes, harvest of which usually starts about April 1.
- 3/ Short-time average.
- 4/ Net content of boxes varies. In California and Arizona the approximate average for oranges is 70 lb. net and grapefruit 60 lb.; in Florida and other States, oranges 90 lb. and grapefruit 80 lb.; California lemons, about 76 lb. net.

MISCELLANEOUS FRUITS AND NUTS

CROP and STATE	Production ^{1/}		
	Average 1930-39	1941	1942
	T o n s		
APRICOTS:			
California	239,400	198,000	213,000
Washington	8,560	14,600	17,100
Utah	2,300	1,300	3,100
3 States	250,260	213,900	233,200
FIGS:			
California:			
Dried	^{2/} 23,160	^{2/} 33,500	^{2/} 29,000
Not dried	8,790	19,000	17,000
Texas, not dried	1,398	1,400	1,110
OLIVES:			
California	24,500	56,000	58,000
ALMONDS:			
California	13,800	6,000	22,000
WALNUTS, "ENGLISH":			
California	44,730	63,000	57,000
Oregon	3,080	7,000	3,600
2 States	47,810	70,000	60,600
FILBERTS:			
Oregon	1,355	4,900	3,900
Washington	^{3/} 242	850	670
2 States	1,597	5,750	4,570
AVOCADOS:			
California	5,765	18,600	21,500
Florida	1,494	1,250	2,100
2 States	7,259	19,850	23,600

B o x e s ^{4/}

PINEAPPLES:			
Florida	11,250	12,000	5,000
^{1/} For some States in certain years, production includes some quantities unharvested on account of market conditions or scarcity of harvest labor. In 1942, estimates of such quantities were as follows (tons): Apricots, California, 5,000; Walnuts, Oregon, 500.			
^{2/} Dry basis.	^{3/} Short-time average.	^{4/} Boxes of approximately 70 pounds, net weight.	

PECANS

State	Production								
	Improved varieties ^{1/}			Wild or seedling varieties			All varieties		
	Average:			Average:			Average:		
	1930-39:	1941:	1942:	1930-39:	1941:	1942:	1930-39:	1941:	1942:
	Thousand pounds								
Ill.	^{2/} 9	27	10	316	860	490	320	887	500
Mo.	20	88	20	907	1,652	580	927	1,740	600
N.C.	1,395	3,000	2,300	290	290	300	1,685	3,290	2,600
S.C.	1,312	2,670	2,700	227	399	400	1,539	3,069	3,100
Ga.	11,906	22,549	22,300	2,220	3,671	4,200	14,126	26,220	26,500
Fla.	1,327	2,616	2,700	806	2,056	1,900	2,133	4,672	4,600
Ala.	4,081	9,971	7,900	1,043	2,189	2,000	5,124	12,160	9,900
Miss.	2,963	3,927	3,100	2,436	2,963	2,300	5,398	6,890	5,400
Ark.	346	682	900	3,198	3,578	2,500	3,544	4,260	3,400
La.	1,931	1,400	1,900	5,868	4,200	4,500	7,800	5,600	6,400
Okla.	433	1,224	400	13,867	29,376	5,100	14,300	30,600	5,500
Tex.	1,090	2,873	1,400	23,180	19,227	8,200	24,270	22,100	9,600
12 States	26,808	51,027	45,630	54,358	70,461	32,470	81,166	121,483	78,100

^{1/} Budded, grafted, or topworked varieties. ^{2/} Short-time average.

UNITED STATES DEPARTMENT OF AGRICULTURE

CROP REPORT
ANNUAL SUMMARYBUREAU OF AGRICULTURAL ECONOMICS
CROP REPORTING BOARDWashington, D. C.,
December 18, 1942
3:00 P.M. (E.W.T.)

December 1942

CITRUS FRUITS

CROP	Production 1/					Indicated
AND	Average					
STATE	1930-39	1939	1940	1941	1942 2/	
Thousand boxes						
ORANGES:						
California, all.....	37,198	44,425	50,695	51,532	45,204	
Valencias.....	21,395	26,904	31,223	29,505	28,044	
Navels and Misc. ...	15,803	17,521	19,472	22,027	17,160	
Florida, all.....	21,290	28,000	31,300	29,300	35,000	
Early and midseason 3/	12,521	15,600	16,200	15,200	16,500	
Valencias 3/	8,321	10,000	12,400	12,000	15,000	
Tangerines.....	2,350	2,400	2,700	2,100	3,500	
Texas	1,157	2,360	2,650	2,850	2,900	
Arizona.....	259	595	528	660	700	
Louisiana.....	275	228	253	192	340	
5 States 4/.....	60,179	75,608	85,426	84,534	84,144	

GRAPEFRUIT:

Florida, all.....	14,760	15,900	24,600	19,200	23,600
Seedless..... 3/	5,250	6,500	8,200	7,000	8,000
Other..... 3/	10,393	9,400	16,400	12,200	15,600
Texas.....	6,350	14,400	13,650	14,500	16,600
Arizona.....	1,505	2,900	2,650	3,450	2,655
California, all.....	1,768	1,992	1,983	3,144	2,678
Desert Valleys.....	799	1,087	960	1,343	1,320
Other.....	979	905	1,023	1,801	1,358
4 States 4/.....	24,383	35,192	42,883	40,294	45,533

LEMONS:

California.. 4/.....	9,815	11,983	17,236	11,753	13,650
----------------------	-------	--------	--------	--------	--------

LIMES:

Florida.....	37	95	80	150	175
--------------	----	----	----	-----	-----

1/ Estimates of production include fruit consumed on farms, sold locally, and used for manufacturing purposes, as well as that shipped. Fruit ripened on the tree but destroyed by freezing or storms prior to picking is not included. For some States in certain years, production also includes some quantities donated to charity, unharvested, and/or eliminated on account of market conditions. In 1940 and 1941, estimates of such quantities were as follows (1,000 boxes): 1940: Oranges, California Valencias, 579; Navels and miscellaneous, 743; Grapefruit, California Desert Valleys, 2; Other, 2; Lemons, 502; 1941: Oranges, California Valencias, 391; Navels and miscellaneous, 354; Grapefruit, California Desert Valleys, 4.

2/ The indicated production for 1942 is based on reported prospects on December 1. The estimates cover the crop from the bloom of the year shown. In California the picking season usually extends from about October 1 to December 31 of the following year. In other States the season begins about September 1, except for Florida limes, harvest of which usually starts about April 1.

3/ Short-time average.

4/ Net content of boxes varies. In California and Arizona the approximate average for oranges is 70 lb. net and grapefruit 60 lb.; in Florida and other States, oranges 90 lb. and grapefruit 80 lb.; California lemons, about 76 lb. net.

MISCELLANEOUS FRUITS AND NUTS

CROP and STATE	Production 1/		
	Average 1930-39	1941	1942
	T o n s		
APRICOTS:			
California	239,400	198,000	213,000
Washington	8,560	14,600	17,100
Utah	2,300	1,300	3,100
3 States	250,260	213,900	233,200
FIGS:			
California:			
Dried	2/ 23,160	2/ 33,500	2/ 29,000
Not dried	8,790	19,000	17,000
Texas, not dried	1,398	1,400	1,110
OLIVES:			
California	24,500	56,000	58,000
ALMONDS:			
California	13,800	6,000	22,000
WALNUTS, "ENGLISH":			
California	44,730	63,000	57,000
Oregon	3,080	7,000	3,600
2 States	47,810	70,000	60,600
PILBERTS:			
Oregon	1,355	4,900	3,900
Washington	3/ 242	850	670
2 States	1,573	5,750	4,570
AVOCADOS:			
California	5,765	19,600	21,500
Florida	1,494	1,250	2,100
2 States	7,259	19,850	23,600

B o x e s 4/

PINEAPPLES:

Florida	11,250	12,000	5,000
---------	--------	--------	-------

1/ For some States in certain years, production includes some quantities unharvested on account of market conditions or scarcity of harvest labor. In 1942, estimates of such quantities were as follows (tons): Apricots, California, 5,000; Walnuts, Oregon, 500.

2/ Dry basis. 3/ Short-time average. 4/ Boxes of approximately 70 pounds, net weight.

PECANS

State	Production								
	Improved varieties 1/			Wild or seedling varieties			All varieties		
	Average:			Average:			Average:		
	1930-39:	1941:	1942:	1930-39:	1941:	1942:	1930-39:	1941:	1942:
	thousand pounds								
Ill.	2/ 9	27	10	316	860	490	320	887	500
Mo.	20	88	20	907	1,652	580	927	1,740	600
N.C.	1,395	3,000	2,300	290	290	300	1,685	3,290	2,600
S.C.	1,312	2,670	2,700	227	399	400	1,539	3,069	3,100
Ga.	11,906	22,549	22,300	2,220	3,671	4,200	14,126	26,220	26,500
Fla.	1,327	2,616	2,700	806	2,056	1,900	2,133	4,672	4,600
Ala.	4,081	9,971	7,900	1,043	2,189	2,000	5,124	12,160	9,900
Miss.	2,963	3,927	3,100	2,436	2,963	2,300	5,398	6,890	5,400
Ark.	346	682	900	3,198	3,578	2,500	3,544	4,260	3,400
La.	1,931	1,400	1,900	5,868	4,200	4,500	7,800	5,600	6,400
Okla.	433	1,224	400	13,867	29,376	5,100	14,300	30,600	5,500
Tex.	1,090	2,373	1,400	23,180	19,227	8,200	24,270	22,100	9,600
12 States	26,808	51,027	45,630	54,358	70,461	32,470	81,166	121,483	78,100

1/ Budded, grafted, or topworked varieties. 2/ Short-time average.