



Quality of Cotton Classed by Classing Office

Volume 60, No. 25

18-Jan-19

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**
For The Week Ending January 17, 2019

Classing Office	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Abilene	37	75,297	40	769,407
Corpus Christi	15	11,463	55	1,733,419
Dumas	19	13,544	40	1,371,732
Florence	27	24,128	53	1,200,837
Lamesa	26	56,660	36	729,598
Lubbock	66	215,692	72	3,000,945
Macon	74	123,375	79	2,258,192
Memphis	16	27,643	81	2,935,106
Rayville	6	5,765	21	505,948
Visalia	19	38,897	33	443,669
United States	305	592,464	510	14,948,853
Percent tenderable		56.8		66.3
AMERICAN PIMA				
Visalia	19	44,879	24	595,903
United States	19	44,879	24	595,903
United States all cotton	321	637,343	523	15,544,756

* Data Withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 17, 2019

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	6.0	2.8	1.6	17.0	*	0.4	0.1	0.1	7.3	5.4
	4	3.9	2.5	0.2	10.6	-	0.7	0.2	0.2	5.6	3.9
	5	0.5	0.2	-	0.7	-	0.1	-	*	0.6	0.4
	6	*	*	-	*	-	*	-	*	*	*
	7	-	*	-	*	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	10.5	5.5	1.8	28.4	*	1.2	0.3	0.4	13.4
31	1-2	11.2	9.1	0.7	5.7	0.2	1.7	1.5	1.8	8.9	10.1
	3	25.7	25.3	1.3	11.6	5.3	13.4	7.3	14.0	22.0	26.1
	4	7.3	7.8	0.1	3.4	2.5	6.6	3.0	7.0	14.3	11.1
	5	0.9	0.8	*	0.2	0.1	0.4	0.2	0.6	2.2	1.7
	6	*	*	-	*	-	*	*	*	0.1	0.1
	7	-	*	-	*	-	-	-	-	-	*
	7	-	*	-	*	-	-	-	-	-	*
	Total	-----	45.0	43.0	2.1	20.9	8.2	22.1	12.0	23.6	47.5
41	1-2	1.9	2.3	1.0	1.7	1.6	0.9	2.1	1.8	0.2	1.0
	3	9.7	15.3	1.2	5.6	22.9	17.4	22.5	23.8	2.3	7.9
	4	7.7	12.8	0.3	2.7	33.5	33.2	21.6	23.7	4.3	10.0
	5	3.7	4.4	*	0.4	9.5	10.7	4.2	5.4	3.0	4.9
	6	1.0	0.8	-	*	0.6	0.7	0.6	0.4	0.6	1.4
	7	0.1	0.1	-	*	*	*	*	*	0.2	0.4
	7	0.1	0.1	-	*	*	*	*	*	0.2	0.4
	Total	-----	24.1	35.8	2.5	10.4	68.1	63.1	51.1	55.0	10.7
51	1-2	*	*	1.7	0.4	0.1	*	0.4	0.1	*	*
	3	0.2	0.3	10.0	2.1	1.1	0.4	7.6	1.5	*	*
	4	0.3	0.7	5.4	1.4	3.2	1.9	7.2	2.3	*	0.1
	5	0.3	0.7	0.3	0.3	1.8	1.7	2.6	1.3	*	0.2
	6	0.2	0.3	*	*	0.3	0.3	0.4	0.2	*	0.2
	7	0.1	0.1	*	*	*	*	0.1	*	0.1	0.2
	7	0.1	0.1	*	*	*	*	0.1	*	0.1	0.2
	Total	-----	1.1	2.2	17.5	4.2	6.5	4.3	18.4	5.4	0.1
61	1-2	-	-	0.1	*	-	-	-	*	-	-
	3	*	*	0.8	0.1	*	*	0.1	*	-	-
	4	-	-	0.6	0.1	-	*	0.8	*	-	-
	5	-	*	0.2	*	-	*	0.5	*	-	-
	6	-	*	*	*	-	*	0.1	*	-	*
	7	-	*	*	*	-	*	-	*	-	-
	7	-	*	*	*	-	*	-	*	-	-
	Total	-----	*	*	1.8	0.3	*	*	1.5	0.1	-
71	1-2	-	-	-	*	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	*	*	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	*	-	-	*	*	-	-
	Total	-----	-	-	-	*	-	*	*	*	-
12 & 22	1-2	0.5	0.2	2.0	4.2	-	*	*	*	0.6	0.5
	3	0.6	0.4	1.9	4.0	-	*	*	*	1.8	1.0
	4	0.1	0.1	0.1	0.7	-	*	*	*	0.4	0.2
	5	*	*	-	*	-	-	-	*	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	1.2	0.7	4.0	8.9	-	*	*	*	2.8
32	1-2	1.0	0.5	*	1.1	*	*	0.1	0.1	0.6	0.5
	3	3.5	2.0	0.3	3.2	0.7	0.4	1.0	1.0	6.2	3.1
	4	1.4	1.2	0.1	1.6	0.5	0.4	0.7	0.5	6.4	2.6
	5	0.3	0.3	*	0.2	0.1	*	0.1	0.1	1.6	0.7
	6	0.1	*	-	*	-	*	-	*	0.1	0.1
	7	*	*	-	*	-	-	-	-	*	*
	7	*	*	-	*	-	-	-	-	*	*
	Total	-----	6.4	4.1	0.5	6.0	1.4	0.9	1.9	1.8	14.9
42	1-2	0.3	0.2	0.4	0.5	*	*	0.2	0.4	*	0.1
	3	1.4	1.5	1.2	2.8	2.2	1.1	2.9	4.5	0.4	0.8
	4	2.0	1.7	0.7	2.4	5.0	3.2	3.3	4.0	1.0	1.1
	5	1.4	0.9	0.1	0.6	1.7	1.4	1.0	0.8	1.3	0.8
	6	0.7	0.3	-	0.1	0.2	0.1	0.1	0.1	0.6	0.3
	7	0.3	0.1	-	*	*	*	*	*	0.1	0.1
	7	0.3	0.1	-	*	*	*	*	*	0.1	0.1
	Total	-----	6.0	4.6	2.4	6.4	9.2	5.9	7.7	9.8	3.4
52	1-2	*	*	0.6	0.2	*	*	*	0.1	*	*
	3	0.1	0.2	6.4	1.7	0.5	0.1	0.8	0.9	*	*
	4	0.1	0.3	10.4	2.4	0.9	0.6	1.3	1.1	*	*
	5	0.3	0.3	4.5	0.9	0.9	0.7	0.3	0.4	*	*
	6	0.2	0.1	0.5	0.2	0.3	0.2	0.1	0.1	*	*
	7	0.1	*	*	*	0.1	*	*	*	*	*
	7	0.1	*	*	*	0.1	*	*	*	*	*
	Total	-----	0.9	0.9	22.3	5.5	2.7	1.5	2.5	2.5	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 17, 2019

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	0.5	*	-	*	-	*	-	*
	3	-	0.1	1.9	0.3	-	*	*	*	-	*
	4	*	*	2.3	0.6	-	*	0.2	*	-	*
	5	*	*	1.3	0.3	*	*	0.3	*	-	*
	6	-	*	0.4	*	*	*	*	*	-	*
	7	-	*	0.1	*	-	*	*	*	-	*
Total	-----	*	0.1	6.3	1.3	*	*	0.6	0.1	-	*
13 & 23	1-2	*	*	0.6	0.4	-	-	-	*	*	*
	3	0.1	0.1	2.4	0.5	*	*	*	*	0.1	0.1
	4	*	0.1	0.3	0.2	-	*	-	*	0.1	0.1
	5	*	*	-	*	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.1	0.2	3.3	1.2	*	*	*	*	0.2	0.2
33	1-2	0.2	*	*	0.1	*	*	*	*	*	*
	3	1.1	0.4	0.5	0.4	0.2	*	0.2	0.1	0.9	0.4
	4	0.5	0.4	0.1	0.3	0.2	*	0.2	0.1	1.9	0.7
	5	0.2	0.2	*	0.1	*	*	*	*	1.0	0.4
	6	*	*	-	*	-	-	-	*	0.2	0.1
	7	-	*	-	*	-	-	-	*	*	*
Total	-----	2.0	1.0	0.7	0.9	0.3	0.1	0.4	0.2	3.9	1.7
43	1-2	*	*	0.1	*	*	*	*	*	*	*
	3	0.4	0.2	0.7	0.4	0.5	0.1	0.6	0.2	0.1	0.1
	4	0.6	0.3	0.4	0.5	1.3	0.3	1.2	0.4	0.4	0.2
	5	0.5	0.2	*	0.2	0.5	0.2	0.5	0.1	0.7	0.2
	6	0.2	0.1	-	0.1	0.1	*	0.1	*	0.4	0.1
	7	*	*	-	*	*	*	-	*	0.1	0.1
Total	-----	1.7	0.8	1.2	1.3	2.4	0.6	2.4	0.8	1.7	0.7
53	1-2	*	*	0.1	*	*	*	*	*	-	*
	3	0.1	0.1	1.6	0.4	0.1	*	0.1	0.1	*	*
	4	0.1	0.1	8.7	0.8	0.2	0.1	0.4	0.1	*	*
	5	0.1	*	5.3	0.6	0.2	0.1	0.2	0.1	*	*
	6	0.1	*	0.8	0.2	0.2	*	*	*	-	*
	7	*	*	*	*	0.1	*	*	*	*	*
Total	-----	0.4	0.2	16.5	2.1	0.8	0.2	0.8	0.3	*	0.1
63	1-2	-	*	-	*	-	-	-	*	-	-
	3	-	*	0.1	0.1	-	*	*	*	-	-
	4	*	*	3.0	0.6	-	*	*	*	-	-
	5	*	*	6.2	0.5	*	*	-	*	-	-
	6	-	*	2.4	0.2	-	*	-	*	-	-
	7	-	-	0.6	*	-	-	-	*	-	-
		*	*	12.3	1.5	*	*	*	*	-	-
24 - 54	1-7	0.3	0.5	1.4	0.4	0.3	0.1	0.5	0.1	1.2	0.3
25 - 35	1-7	-	*	-	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	0.1	3.1	0.4	*	*	0.1	*	*	*
All Colors	8 2/	0.2	0.1	0.3	0.1	*	*	*	*	*	*
EXTRANEIOUS MATTER											
Bark - Level 1		24.2	14.2	6.2	1.4	6.0	1.3	0.5	2.5	18.0	11.0
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	*	0.7	0.1	0.2	-	0.1	*	*
Grass - Level 2		-	-	-	-	-	*	-	-	-	-
Prep - Level 1		*	*	-	*	3.4	0.7	0.1	*	-	*
Prep - Level 2		-	-	-	-	-	*	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		*	*	-	*	-	-	-	*	-	-
30		*	*	0.7	0.2	-	-	-	*	*	*
31		0.1	0.1	2.0	0.8	-	-	*	*	0.1	*
32		0.7	0.8	1.8	2.3	*	*	0.4	0.1	0.4	0.4
33		3.6	3.2	6.9	5.8	0.3	0.2	3.9	1.2	3.9	2.8
34		9.3	8.1	17.6	12.4	2.3	1.9	11.9	6.4	16.3	11.1
35		20.1	15.6	26.4	18.5	9.6	6.7	21.3	17.7	28.0	24.0
36		27.1	24.6	19.0	22.3	15.7	13.6	25.0	24.3	24.4	26.1
37		26.5	28.3	20.7	21.8	28.2	28.6	28.9	28.2	17.6	23.2
38 & longer		12.7	19.4	4.9	15.8	43.8	48.9	8.5	22.2	9.4	12.4
Average staple		36.0	36.3	35.3	35.8	37.2	37.4	35.9	36.4	35.7	36.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 17, 2019

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 4.8	Pct. 4.3	Pct. 0.1	Pct. 0.8	Pct. *	Pct. 0.5	Pct. *	Pct. 0.6	Pct. 13.9	Pct. 25.7
	3	7.4	5.3	0.2	1.5	0.5	0.5	0.2	1.1	6.2	7.0
	4	1.6	0.8	*	0.1	0.1	*	0.4	0.1	0.3	0.2
	5	0.1	*	-	*	-	*	0.1	*	*	*
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	13.9	10.4	0.2	2.5	0.7	1.0	0.8	1.8	20.5
31	1-2	8.6	9.6	0.6	2.8	0.2	0.9	1.5	2.6	14.1	12.5
	3	25.2	26.4	4.3	19.2	4.3	5.6	6.0	14.5	20.3	16.0
	4	13.6	12.0	2.3	9.3	3.7	3.1	6.6	5.8	4.7	2.9
	5	3.1	2.0	0.1	0.6	0.4	0.3	1.7	0.4	0.8	0.3
	6	0.3	0.1	-	*	*	*	0.3	*	0.1	*
	7	*	*	-	*	-	-	-	-	-	*
	Total	-----	50.8	50.0	7.3	31.8	8.6	9.9	16.1	23.4	40.1
41	1-2	0.6	1.2	1.7	1.3	0.6	1.6	2.1	1.9	2.7	3.9
	3	4.1	9.1	17.2	17.1	17.8	18.0	10.5	18.0	10.6	12.6
	4	5.7	11.2	16.6	21.2	27.7	26.0	11.8	18.0	10.2	6.7
	5	3.8	5.4	2.3	4.6	7.0	7.8	8.6	3.9	5.2	1.6
	6	1.5	1.4	0.1	0.3	0.5	0.6	2.3	0.3	1.7	0.3
	7	0.5	0.3	*	*	*	*	*	*	0.4	0.1
	Total	-----	16.2	28.5	37.9	44.5	53.6	54.0	35.2	42.1	30.8
51	1-2	-	*	0.8	0.1	0.2	0.1	1.1	0.5	*	0.1
	3	*	*	9.6	1.5	2.2	1.5	5.0	2.4	0.6	1.1
	4	*	0.1	12.3	2.8	5.8	4.7	4.1	2.0	1.6	1.2
	5	*	0.2	3.7	1.4	3.7	3.5	1.9	0.5	1.3	0.5
	6	*	0.1	0.4	0.3	0.4	0.5	0.8	0.1	0.7	0.1
	7	*	0.1	*	*	*	*	0.2	*	0.2	*
	Total	-----	0.1	0.5	26.8	6.1	12.4	10.2	13.1	5.6	4.4
61	1-2	-	-	*	*	-	-	-	*	-	-
	3	-	-	0.4	*	-	*	0.3	0.1	-	*
	4	*	*	1.2	0.1	-	*	0.1	*	*	*
	5	-	-	0.7	*	-	*	-	*	-	-
	6	-	-	0.1	*	-	*	-	*	-	-
	7	-	*	*	*	-	*	-	-	-	-
	Total	-----	*	*	2.4	0.1	-	*	0.5	0.1	*
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	*	*	-	-	-	-	-
12 & 22	1-2	0.5	0.3	*	*	*	*	-	0.1	0.1	0.9
	3	1.3	0.6	*	0.1	0.1	*	*	0.2	0.1	0.6
	4	0.4	0.2	*	*	*	*	0.1	*	-	0.1
	5	*	*	-	*	-	*	*	*	-	*
	6	*	*	-	-	-	-	0.1	*	-	-
	7	-	*	-	-	-	-	-	-	-	-
	Total	-----	2.2	1.2	*	0.1	0.1	0.1	0.2	0.4	0.2
32	1-2	1.4	0.6	0.2	0.2	*	0.2	*	0.2	0.1	0.2
	3	4.2	2.4	1.0	1.7	0.8	0.9	1.1	1.3	0.4	1.2
	4	2.9	1.8	0.7	1.0	1.2	0.5	1.8	0.8	0.1	0.3
	5	0.8	0.5	0.1	0.1	0.3	0.1	0.6	0.2	*	0.1
	6	0.1	0.1	-	*	*	*	0.1	*	-	*
	7	*	*	-	-	-	*	*	*	-	*
	Total	-----	9.4	5.4	1.8	3.1	2.3	1.7	3.6	2.5	0.6
42	1-2	0.1	0.1	0.3	0.2	*	0.5	0.2	0.4	0.1	0.1
	3	0.7	0.7	3.4	2.4	3.0	6.6	1.7	5.1	0.6	0.8
	4	0.8	1.0	4.6	3.6	8.9	8.8	5.1	5.9	0.9	1.0
	5	0.4	0.5	1.2	1.0	3.8	2.5	5.6	1.6	0.5	0.3
	6	0.2	0.2	0.1	0.1	0.4	0.2	2.5	0.2	0.2	0.1
	7	*	*	*	*	*	*	0.2	*	*	*
	Total	-----	2.2	2.5	9.6	7.3	16.2	18.6	15.3	13.1	2.3
52	1-2	*	*	0.1	*	-	*	0.2	0.2	*	*
	3	*	*	1.4	0.3	0.2	0.3	2.6	2.0	0.2	0.1
	4	*	*	3.2	1.0	1.3	1.3	3.5	2.8	0.4	0.3
	5	*	*	1.7	0.6	0.9	0.9	1.3	1.1	0.1	0.2
	6	*	*	0.3	0.1	0.2	0.2	0.1	0.2	0.2	0.1
	7	*	*	*	*	*	*	0.1	*	0.1	*
	Total	-----	*	0.1	6.8	2.0	2.6	2.7	7.8	6.3	1.0

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 17, 2019

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season								
Color 62	1-2	-	*	*	*	-	-	*	*	-	*
	3	*	*	0.2	*	-	*	0.4	0.2	-	*
	4	-	*	0.5	*	-	*	0.5	0.3	*	*
	5	-	*	0.6	*	-	*	0.1	0.1	-	*
	6	-	*	0.2	*	-	*	-	*	-	-
	7	-	-	*	*	-	*	-	*	-	-
Total	-----	*	*	1.6	0.1	-	*	1.0	0.7	*	*
13 & 23	1-2	0.1	*	*	*	-	*	-	*	-	*
	3	0.4	0.1	*	*	-	*	-	*	-	0.1
	4	0.1	*	*	*	*	*	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.7	0.1	*	*	*	*	-	*	-	0.1
33	1-2	0.1	*	0.1	*	-	*	0.1	*	-	*
	3	1.2	0.3	0.3	0.2	*	*	0.2	0.1	*	*
	4	1.2	0.3	0.2	0.1	0.1	*	0.2	*	*	*
	5	0.4	0.1	0.1	*	0.1	*	0.1	*	*	*
	6	0.1	*	*	*	*	*	0.2	*	-	*
	7	*	*	-	-	-	*	-	-	-	*
Total	-----	3.0	0.8	0.6	0.4	0.2	0.1	0.8	0.2	*	0.1
43	1-2	*	*	*	*	*	*	0.2	0.1	*	*
	3	0.1	*	0.7	0.4	0.4	0.4	0.9	0.5	*	*
	4	0.2	0.1	1.2	0.6	1.2	0.6	0.7	0.8	*	0.1
	5	0.2	0.1	0.5	0.2	0.9	0.2	0.3	0.3	*	*
	6	0.1	*	0.1	*	0.1	*	0.4	0.1	-	*
	7	*	*	*	*	-	*	*	*	-	*
Total	-----	0.6	0.3	2.4	1.2	2.6	1.3	2.5	1.7	0.1	0.2
53	1-2	-	*	*	*	-	*	*	*	-	-
	3	-	*	0.3	0.1	*	*	0.5	0.4	-	*
	4	*	*	0.6	0.2	0.2	0.1	0.6	0.7	*	*
	5	*	*	0.4	0.1	0.2	0.1	0.5	0.5	-	*
	6	*	*	0.1	*	0.1	*	0.1	0.1	-	*
	7	*	*	*	*	-	*	0.1	*	-	*
Total	-----	*	*	1.4	0.4	0.4	0.3	1.8	1.7	*	*
63	1-2	-	-	*	*	-	-	0.1	*	-	-
	3	-	-	0.1	*	-	*	0.2	0.1	-	-
	4	-	*	0.1	*	*	*	0.1	0.1	-	-
	5	-	*	0.2	*	-	*	0.1	0.1	-	-
	6	-	-	0.1	*	-	*	-	*	-	-
	7	-	-	*	*	-	*	-	*	-	-
		-	*	0.4	*	*	*	0.4	0.4	-	-
24 - 54	1-7	0.5	0.1	0.6	0.2	0.4	0.1	0.7	0.2	*	*
25 - 35	1-7	-	*	*	*	-	*	-	*	-	-
81 - 85 1/	1-7	*	*	0.1	*	*	*	0.2	*	*	*
All Colors	8 2/	0.2	0.1	*	*	*	*	*	*	0.1	*
EXTRANEIOUS MATTER											
Bark - Level 1		13.0	8.9	14.3	13.9	2.4	1.1	44.3	4.7	2.9	0.9
Bark - Level 2		-	-	-	*	-	-	-	-	-	-
Grass - Level 1		*	*	*	*	*	0.1	0.1	0.1	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	0.1	0.1	*	*	-	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	-	*	-	*	-	*	-	-
Other - Level 2		-	*	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	*	-	*	-	-
31		*	*	*	*	-	*	0.1	0.1	-	*
32		0.4	0.3	0.5	0.1	-	*	1.0	0.4	-	*
33		2.5	1.9	3.4	1.1	-	0.1	1.8	1.6	*	0.1
34		10.9	8.5	10.3	5.7	0.4	0.9	10.8	4.4	0.4	1.3
35		24.6	21.3	19.7	13.7	5.3	6.3	30.0	12.4	3.9	5.5
36		25.6	27.6	22.7	18.7	27.7	19.8	26.9	18.6	10.6	13.9
37		24.0	26.5	28.2	30.2	43.1	39.5	14.5	25.9	25.7	27.8
38 & longer		12.0	13.9	15.2	30.5	23.5	33.5	14.9	36.6	59.3	51.4
Average staple		36.0	36.1	36.1	36.7	36.9	37.1	35.9	36.9	37.8	37.7

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 17, 2019

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	*	-	-	-	-	-	-	-	-
18	-	-	-	*	-	-	-	-	-	-
19	-	*	-	*	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	-
21	-	*	0.1	0.1	-	-	-	-	-	-
22	*	*	0.3	0.2	-	-	-	*	*	*
23	*	*	1.3	0.4	-	-	0.1	*	*	*
24	0.1	0.1	6.1	1.1	*	*	0.7	0.2	0.1	*
25	0.4	0.3	15.3	2.2	0.2	0.1	4.4	0.9	0.4	0.2
26	1.6	1.1	20.3	4.1	1.1	0.4	11.4	3.4	1.4	1.1
27	5.7	3.5	19.1	7.0	3.9	2.1	17.7	7.2	4.7	3.9
28	14.1	10.7	16.4	12.0	11.4	7.5	22.3	14.2	12.8	10.8
29	22.4	20.1	14.1	19.1	24.8	20.8	20.8	22.0	21.4	19.0
30	21.6	22.8	4.8	21.0	29.9	31.8	12.3	22.6	20.3	21.9
31	16.9	18.9	1.5	16.8	20.1	22.9	6.7	15.1	17.5	20.4
32	10.1	12.3	0.6	9.1	6.5	9.4	2.5	8.2	11.4	13.5
33	5.4	6.9	0.1	4.0	1.7	3.5	0.7	4.0	5.4	5.9
34	1.3	2.4	*	1.8	0.4	1.1	0.2	1.6	2.7	2.2
35	0.4	0.7	-	0.7	0.1	0.3	*	0.4	1.5	0.8
36 & above	0.1	0.2	-	0.3	-	*	*	0.1	0.5	0.3
Average	29.8	30.1	26.9	29.5	29.7	30.1	28.2	29.6	30.0	30.2
MIKE										
24 & below	*	*	-	*	-	-	-	*	0.4	0.1
25	*	0.1	-	*	-	*	-	-	1.4	0.5
26	*	0.1	-	*	-	*	-	*	1.5	0.7
27	0.2	0.1	-	*	-	*	-	*	1.9	0.8
28	0.5	0.2	-	*	-	*	*	*	2.1	0.9
29	0.7	0.2	-	*	-	*	*	*	2.8	1.1
30	0.8	0.4	-	0.1	-	*	*	*	2.9	1.2
31	1.1	0.6	*	0.1	-	*	*	*	3.2	1.5
32	2.1	0.9	0.1	0.2	-	*	*	*	3.5	1.8
33	2.1	1.2	0.1	0.2	-	*	*	*	3.9	2.3
34	2.1	1.6	0.1	0.3	-	*	0.1	0.1	4.1	2.7
35	2.3	1.9	0.1	0.3	0.1	*	0.2	0.2	4.8	3.4
36	2.9	2.3	0.6	0.4	0.1	*	0.5	0.3	5.1	4.2
37	3.4	3.1	0.4	0.6	0.3	0.1	0.9	0.5	4.5	4.9
38	4.5	3.9	0.4	1.0	0.6	0.3	1.5	0.9	4.9	5.4
39	5.2	4.8	0.8	1.4	1.0	0.5	2.4	1.7	5.5	6.3
40	6.8	6.1	1.1	1.9	1.8	0.9	4.0	2.8	6.4	7.3
41	7.9	7.5	1.1	2.7	4.1	1.7	6.0	4.5	6.9	7.9
42	8.0	8.4	3.9	3.9	8.1	2.8	8.7	6.5	7.0	8.2
43	8.2	9.0	4.1	5.5	11.3	4.2	11.8	8.6	6.9	8.5
44	8.8	9.6	5.9	7.3	12.7	6.3	12.5	10.9	5.9	7.4
45	8.3	9.7	7.9	9.1	14.4	9.3	13.6	13.1	3.8	6.7
46	7.3	8.6	10.5	10.7	10.0	13.5	12.3	14.3	3.1	5.5
47	5.2	7.1	15.0	11.3	8.3	16.7	9.7	13.0	2.2	3.9
48	4.0	5.0	16.2	10.8	8.6	16.8	6.1	9.8	2.2	2.9
49	3.1	3.3	11.3	9.1	6.4	13.1	4.9	6.0	1.7	2.0
50	2.2	2.0	8.8	7.2	4.3	7.4	3.3	3.6	0.9	1.1
51	1.4	1.2	5.5	5.6	3.4	3.5	1.2	1.8	0.5	0.6
52	0.6	0.5	2.2	4.1	2.9	1.6	0.4	0.9	0.2	0.2
53	0.1	0.2	1.4	2.9	1.1	0.8	*	0.3	*	*
54	*	0.1	0.8	1.9	0.5	0.3	-	0.1	-	*
55	*	*	0.7	0.9	*	*	-	*	-	*
56	-	*	0.6	0.3	*	*	-	*	-	*
57	-	-	0.3	0.1	*	*	-	*	-	-
58	-	-	0.1	*	-	-	-	*	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
Average	42	43	47	47	46	47	45	45	38	40

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 17, 2019

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season								
STRENGTH 1/	Pct.									
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	*	*	-	*	-	-	-	-	-	-
21	-	-	*	*	-	-	-	-	-	-
22	*	*	*	*	-	-	0.1	*	-	-
23	*	*	*	*	-	*	0.1	*	-	-
24	*	*	0.3	0.1	*	*	0.2	0.2	-	*
25	0.2	0.1	2.1	0.9	0.2	0.1	0.7	0.5	*	*
26	0.9	0.5	7.4	4.1	1.6	0.7	1.1	1.6	*	*
27	3.2	1.9	16.5	11.4	9.4	4.1	3.4	4.1	0.4	0.5
28	8.5	5.9	23.1	21.2	28.7	14.1	12.6	8.2	2.4	2.4
29	15.5	12.6	23.0	27.0	30.3	27.6	41.8	18.1	6.6	7.4
30	21.0	18.7	15.2	20.0	18.8	26.4	26.5	27.7	13.4	13.6
31	21.2	22.0	7.5	9.7	8.9	15.3	10.2	20.8	17.2	16.7
32	15.3	19.4	3.5	3.8	2.0	7.5	1.3	11.5	20.4	16.4
33	8.8	11.8	1.1	1.3	0.1	3.1	1.8	4.9	14.2	14.1
34	3.6	5.0	0.3	0.4	*	0.8	0.2	1.8	12.0	9.3
35	1.4	1.6	0.1	0.1	*	0.2	*	0.5	7.9	6.2
36 & above	0.4	0.6	*	*	*	*	-	0.2	5.4	13.4
Average	30.5	30.9	28.5	28.9	28.9	29.7	29.3	30.1	32.1	32.3
MIKE										
24 & below	0.3	0.1	-	-	-	-	-	-	*	*
25	0.7	0.3	-	*	-	*	*	*	0.1	*
26	1.1	0.4	-	*	-	*	0.1	*	0.1	0.1
27	1.3	0.5	-	*	-	*	0.1	*	0.2	0.1
28	1.5	0.6	-	*	-	*	0.2	*	0.1	0.1
29	2.0	0.8	-	*	-	*	0.6	*	*	0.1
30	2.5	1.1	*	*	-	*	0.3	*	0.1	0.2
31	3.0	1.4	*	0.1	-	*	0.5	*	0.2	0.2
32	3.7	1.9	0.1	0.2	*	*	0.2	*	0.1	0.3
33	4.2	2.4	0.2	0.4	*	*	0.2	*	0.3	0.5
34	4.7	3.0	0.3	0.7	*	0.1	0.3	*	0.4	0.7
35	4.9	3.6	0.5	1.1	0.1	0.1	0.8	0.1	0.7	0.9
36	5.0	4.2	1.0	1.5	0.3	0.2	0.1	0.1	0.8	1.2
37	5.1	4.9	1.9	2.3	0.7	0.4	0.7	0.2	0.9	1.6
38	5.5	5.6	2.8	3.5	0.9	0.7	0.3	0.3	1.7	2.0
39	5.6	6.2	4.5	5.4	1.5	1.1	1.2	0.6	1.8	2.7
40	5.8	6.7	6.6	7.9	1.7	1.7	2.7	0.8	2.7	3.4
41	5.8	7.0	8.9	10.5	3.0	2.8	3.3	1.4	4.4	4.8
42	5.8	7.2	12.0	12.9	4.3	4.5	3.9	2.4	7.7	6.3
43	5.5	7.0	13.0	13.5	6.6	6.3	7.2	3.4	9.9	7.8
44	5.1	6.7	13.0	12.3	10.6	8.6	10.1	4.5	11.8	9.0
45	4.4	6.3	12.3	10.1	15.3	10.6	11.8	7.0	12.5	9.8
46	4.1	5.7	9.5	7.2	14.2	11.7	12.2	9.7	13.0	10.8
47	3.5	4.9	6.3	4.8	10.5	11.7	16.9	13.3	8.7	10.3
48	2.9	3.8	3.6	2.9	9.0	11.0	11.2	15.6	8.3	8.8
49	2.3	2.9	2.2	1.6	7.2	9.3	6.9	14.9	5.4	6.6
50	1.6	2.1	0.9	0.7	6.2	7.4	4.0	11.9	3.7	5.0
51	1.0	1.3	0.3	0.3	5.0	5.3	2.9	7.3	2.3	3.5
52	0.6	0.8	0.1	0.1	2.7	3.4	1.0	4.0	1.0	1.9
53	0.2	0.4	*	*	0.2	1.9	0.4	1.8	0.4	0.8
54	0.1	0.2	*	*	*	0.9	-	0.5	0.3	0.3
55	*	0.1	*	*	-	0.3	-	0.1	*	0.1
56	*	*	-	*	-	*	-	*	*	0.1
57	*	*	-	*	-	*	-	*	-	0.1
58	-	*	-	*	-	*	-	-	-	*
59	-	-	-	*	-	-	-	-	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
Average	39	41	43	43	46	46	45	48	45	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 17, 2019

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	*	-	-	-	*	0.4	0.1
25 - 26	0.1	0.2	-	*	-	*	-	*	3.0	1.2
27 - 29	1.4	0.6	-	0.1	-	*	*	*	6.8	2.8
30 - 32	4.1	1.9	0.1	0.3	-	*	0.1	*	9.6	4.6
33 - 34	4.2	2.8	0.2	0.4	-	*	0.1	0.1	7.9	5.0
35 - 36	5.1	4.2	0.6	0.8	0.1	0.1	0.7	0.5	9.9	7.6
37 - 42	35.9	33.9	7.7	11.5	16.0	6.3	23.4	16.9	35.1	39.9
43 - 49	44.9	52.3	71.0	63.7	71.7	80.0	70.8	75.8	25.8	37.0
50 - 52	4.2	3.7	16.5	16.9	10.6	12.5	5.0	6.3	1.6	1.9
53 & above	0.1	0.4	3.9	6.2	1.6	1.1	*	0.4	*	*
Average	42	43	47	47	46	47	45	45	38	40
HVI TRASH 1/										
00	-	-	-	*	-	-	-	-	-	*
01	3.7	2.2	1.2	7.8	0.2	0.2	0.3	0.3	4.8	3.9
02	21.3	16.6	9.8	25.9	3.6	4.8	6.0	6.2	16.6	17.9
03	25.6	25.0	14.9	24.9	15.5	15.8	20.4	20.5	21.6	23.7
04	18.3	20.8	16.5	17.5	23.6	22.9	25.7	26.2	20.1	19.5
05	11.4	14.0	14.6	10.6	22.9	22.0	20.8	20.9	14.4	13.3
06	6.9	8.7	11.6	6.0	16.1	16.2	13.4	12.9	9.3	8.4
07	4.4	5.2	9.1	3.3	9.3	9.6	7.1	6.9	5.6	5.2
08	2.9	3.1	7.0	1.8	4.8	4.9	3.3	3.4	3.4	3.2
09	1.8	1.8	5.0	1.0	2.1	2.2	1.4	1.5	1.8	1.9
10	1.2	1.1	3.6	0.5	1.0	0.9	0.8	0.7	1.1	1.2
11	0.8	0.6	2.5	0.3	0.4	0.3	0.4	0.3	0.6	0.8
12	0.5	0.4	1.7	0.2	0.2	0.1	0.2	0.1	0.4	0.5
13	0.3	0.2	1.1	0.1	0.1	*	0.1	*	0.2	0.3
14	0.2	0.1	0.5	0.1	0.1	*	*	*	0.1	0.2
15	0.2	0.1	0.3	*	*	*	*	*	0.1	0.1
16	0.1	*	0.1	*	*	*	*	*	*	*
17	0.1	*	0.1	*	*	*	*	*	-	*
18 & above	0.2	*	0.3	*	-	*	*	*	-	*
Average	0.41	0.42	0.56	0.35	0.50	0.50	0.47	0.46	0.42	0.42
UNIFORMITY 2/										
72.4 & below	-	*	*	*	-	-	-	-	-	-
72.5-73.4	*	*	0.1	*	-	-	-	-	-	-
73.5-74.4	*	*	0.1	*	-	-	*	*	*	*
74.5-75.4	*	*	0.7	0.2	-	-	*	*	*	*
75.5-76.4	0.2	0.1	2.7	0.8	-	-	0.2	0.1	0.3	0.2
76.5-77.4	1.1	0.8	9.1	2.1	-	-	1.8	0.4	1.8	0.9
77.5-78.4	5.3	3.7	20.4	4.6	0.6	0.7	7.8	2.0	6.2	3.5
78.5-79.4	19.4	13.8	28.5	8.9	5.0	3.6	23.8	9.8	18.7	12.2
79.5-80.4	34.3	30.6	26.1	16.7	20.4	17.6	32.4	29.0	30.2	29.0
80.5-81.4	30.3	32.5	9.4	25.0	40.2	38.8	22.1	35.3	28.6	33.3
81.5-82.4	8.4	14.9	2.5	24.6	25.1	30.0	9.3	18.8	11.4	16.2
82.5-83.4	0.8	3.0	0.4	14.0	7.2	8.1	2.2	4.1	2.4	4.1
83.5-84.4	0.1	0.4	*	2.8	1.3	1.2	0.3	0.5	0.3	0.5
84.5-85.4	*	*	-	0.2	0.1	0.1	*	*	*	*
85.5-86.4	*	*	-	*	-	-	-	*	-	-
86.5-87.4	*	*	-	-	-	-	-	*	-	-
87.5-88.4	*	*	-	-	-	-	-	-	-	-
88.5-89.4	-	*	-	-	-	-	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-
Average	80.1	80.4	79.0	80.9	81.1	81.2	80.0	80.7	80.2	80.5
Tenderable 3/	62.1	72.5	22.5	55.3	71.3	77.7	75.4	77.8	54.8	70.8
SAMPLES CLASSED										
Week	75,297		11,463		13,544		24,128		56,660	
Season		769,407		1,733,419		1,371,732		1,200,837		729,598

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending January 17, 2019

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.3	0.1	-	-	-	-	-	-	*	*
25 - 26	1.8	0.7	-	*	-	*	0.1	*	0.2	0.1
27 - 29	4.8	1.8	-	*	-	*	0.8	*	0.3	0.2
30 - 32	9.1	4.4	0.1	0.3	*	*	1.0	*	0.5	0.6
33 - 34	8.9	5.3	0.6	1.1	*	0.1	0.5	*	0.7	1.2
35 - 36	9.9	7.9	1.6	2.6	0.3	0.4	0.9	0.1	1.5	2.1
37 - 42	33.8	37.6	36.6	42.4	12.0	11.2	12.1	5.7	19.2	20.9
43 - 49	27.9	37.4	59.9	52.4	73.5	69.2	76.4	68.4	69.7	63.0
50 - 52	3.2	4.2	1.3	1.2	13.9	16.1	7.9	23.2	7.1	10.4
53 & above	0.3	0.6	*	*	0.2	3.1	0.4	2.4	0.7	1.4
Average	39	41	43	43	46	46	45	48	45	45
HVI TRASH 1/										
00	-	*	-	-	-	-	-	-	-	*
01	2.4	2.3	0.2	0.4	*	0.3	0.4	0.6	7.4	15.1
02	17.6	17.0	5.4	7.4	1.7	4.6	6.5	9.4	26.0	32.8
03	24.8	24.0	17.4	20.5	11.4	14.1	13.4	22.5	23.0	24.2
04	20.5	20.4	24.7	25.2	23.2	21.5	15.8	24.6	16.4	13.4
05	13.7	14.4	21.7	20.5	25.2	21.7	14.9	18.8	10.2	7.1
06	8.7	9.1	14.5	12.9	18.2	16.7	13.9	11.6	6.4	3.6
07	5.1	5.5	8.1	7.0	10.5	10.6	10.4	6.3	4.1	1.8
08	3.0	3.1	4.1	3.4	5.5	5.7	9.2	3.2	2.7	0.9
09	1.7	1.8	2.0	1.5	2.4	2.8	5.7	1.5	1.8	0.5
10	1.0	1.0	1.0	0.7	1.0	1.3	4.2	0.7	1.0	0.3
11	0.6	0.6	0.5	0.3	0.5	0.5	2.7	0.4	0.5	0.2
12	0.4	0.3	0.2	0.1	0.2	0.2	1.5	0.2	0.3	0.1
13	0.2	0.2	0.1	0.1	0.1	0.1	0.8	0.1	0.2	0.1
14	0.1	0.1	0.1	*	*	*	0.3	0.1	0.1	*
15	0.1	0.1	*	*	*	*	0.2	*	*	*
16	0.1	*	*	*	*	*	-	-	*	*
17	*	*	*	*	*	*	-	-	*	*
18 & above	0.1	*	*	*	-	*	-	-	-	*
Average	0.42	0.42	0.49	0.46	0.52	0.51	0.58	0.45	0.37	0.30
UNIFORMITY 2/										
72.4 & below	*	*	-	-	-	-	*	*	-	-
72.5-73.4	*	*	-	-	-	-	-	*	-	-
73.5-74.4	*	*	-	-	-	-	*	*	-	-
74.5-75.4	*	*	-	-	-	-	0.1	0.1	-	*
75.5-76.4	0.2	0.1	*	*	-	*	0.3	0.2	*	*
76.5-77.4	0.9	0.4	0.4	0.1	*	*	0.2	0.7	*	*
77.5-78.4	3.5	1.8	2.4	0.8	0.2	0.2	1.8	2.6	0.1	0.3
78.5-79.4	10.5	7.3	9.6	4.7	0.8	1.4	4.6	9.5	1.4	1.9
79.5-80.4	24.7	21.2	28.1	20.9	11.5	8.0	15.1	22.5	9.8	8.5
80.5-81.4	33.8	34.0	36.5	40.7	40.7	25.4	41.7	34.5	30.7	25.2
81.5-82.4	20.4	25.6	18.4	25.2	38.5	36.4	31.9	22.2	37.7	34.7
82.5-83.4	5.3	8.3	4.2	6.5	7.0	23.5	3.6	6.3	14.2	17.5
83.5-84.4	0.7	1.3	0.4	1.0	1.2	4.8	0.7	1.2	4.9	7.8
84.5-85.4	0.1	0.1	*	0.1	0.1	0.3	-	0.2	1.1	3.8
85.5-86.4	*	*	-	*	-	*	-	*	*	0.2
86.5-87.4	-	-	-	*	-	*	-	*	*	*
87.5-88.4	-	-	-	-	-	*	-	*	-	-
88.5-89.4	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	80.7	81.0	80.7	81.0	81.4	81.8	81.0	80.8	81.7	81.9
Tenderable 3/	59.1	71.7	60.6	73.4	64.0	62.1	35.0	55.0	82.2	81.4
SAMPLES CLASSED										
Week	215,692		123,375		27,643		5,765		38,897	
Season		3,000,945		2,258,192		2,935,106		505,948		443,669

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending January 17, 2019

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA		
		Week	Season		Week	Season	
01	1	19.9	19.4	MIKE	-	*	
	2	23.5	22.1	24 & below	*	*	
	3	0.5	0.4	25-26	0.8	0.3	
	4	-	*	30-32	1.1	0.7	
	5	-	-	33-34	3.6	1.4	
	6	-	-	35-36	8.9	4.4	
	7	-	-	37-42	54.9	54.1	
	Total -----		43.9	41.9	43-49	30.7	39.0
02	1	7.5	6.4	50-52	*	*	
	2	37.0	38.6	53 & above	*	*	
	3	6.7	7.3	Average	40	41	
	4	0.2	0.1	ALL RANGE MIKE	-	*	
	5	*	*	24 & below	-	*	
	6	-	-	25	-	*	
	7	-	-	26	*	*	
	Total -----		51.5	52.4	27	0.2	0.1
03	1	*	0.1	28	0.3	0.1	
	2	1.8	2.6	29	0.3	0.1	
	3	1.9	2.2	30	0.2	0.2	
	4	0.5	0.3	31	0.5	0.2	
	5	*	*	32	0.4	0.3	
	6	-	*	33	1.5	0.5	
	7	-	-	34	2.1	0.9	
	Total -----		4.3	5.2	35	2.9	1.6
04	1	*	*	36	6.0	2.8	
	2	*	0.2	37	6.6	4.1	
	3	0.2	0.2	38	8.1	6.1	
	4	0.1	*	39	8.6	8.4	
	5	*	*	40	9.6	10.6	
	6	-	*	41	10.4	11.6	
	7	-	*	42	11.6	13.4	
	Total -----		0.4	0.5	43	10.9	14.2
05	1	-	*	44	9.6	12.2	
	2	-	*	45	5.9	7.6	
	3	-	*	46	3.0	3.6	
	4	*	*	47	1.0	1.1	
	5	-	*	48	0.2	0.3	
	6	-	*	49	*	*	
	7	-	-	50	*	*	
	Total -----		*	0.1	51	-	*
06	1	-	*	52	-	*	
	2	-	*	53	-	*	
	3	-	*	54	-	*	
	4	-	*	55	*	*	
	5	-	-	56	-	-	
	6	-	-	57	-	-	
	7	-	-	58	-	-	
	Total -----		-	*	59	-	-
07	1	-	-	60 & above	-	-	
	2	-	-	Average	40	41	
	3	-	*	Strength	-	-	
	4	-	*	17 & below	-	-	
	5	-	*	18	-	-	
	6	-	-	19	-	-	
	7	-	-	20	-	-	
	Total -----		-	*	21	-	-
STAPLE	40 & shorter	-	-	22	-	-	
	42	*	*	23	-	-	
	44	0.2	0.2	24	-	-	
	46	3.6	4.9	25	-	-	
	48 & longer	96.1	94.9	26	-	-	
	Average	49.2	49.2	27	-	-	
	UNIFORMITY	72.4 & below	-	-	28	-	-
		72.5-73.4	-	-	29	-	-
73.5-74.4		-	-	30	-	-	
74.5-75.4		-	-	31	-	*	
75.5-76.4		-	-	32	-	*	
76.5-77.4		-	-	33	*	*	
77.5-78.4		-	-	34	*	*	
78.5-79.4		-	-	35	*	*	
79.5-80.4		-	*	36	0.1	0.1	
80.5-81.4		-	*	37	1.5	0.4	
81.5-82.4		*	*	38	2.8	1.2	
82.5-83.4		0.3	0.4	39	4.1	2.9	
83.5-84.4		2.4	2.0	40	4.2	4.1	
84.5-85.4		19.2	12.6	41	4.9	3.8	
85.5-86.4		46.5	41.3	42	7.0	6.6	
86.5-87.4		28.4	38.8	43	15.2	13.6	
87.5-88.4		3.1	4.6	44	20.2	21.4	
88.5-89.4		0.2	0.3	45 & above	40.1	46.0	
89.5 & above		*	*	Average	43.6	44.0	
Average			86.0	86.3	EXTRANEIOUS MATTER	-	-
SAMPLES CLASSED	Week	44,879		Bark	0.4	*	
	Season		595,903	Grass	0.1	0.1	
				Spindle Twist	0.2	0.1	
				Preparation	-	*	

* Less than 0.05 percent.



Cotton and Tobacco Program
 3275 Appling Road, Memphis, TN 38133
 (901) 384-3016

Extraneous Matter By Classing Office

18-Jan-19

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Week ending Thursday, January 17, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	24.2%	-	-	-	-	-	*	-	-	-	-	-	24.2%	-	75,297
Corpus Christi	-	-	6.2%	-	*	-	21.8%	-	-	-	-	-	-	-	28.0%	-	11,463
Dumas	3.4%	-	6.0%	-	0.1%	-	0.1%	-	*	-	-	-	-	-	9.6%	-	13,544
Florence	0.1%	-	0.5%	-	-	-	0.2%	-	-	-	-	-	-	-	0.8%	-	24,128
Lamesa	-	-	18.0%	-	*	-	*	-	-	-	-	-	-	-	18.0%	-	56,660
Lubbock	-	-	13.0%	-	*	-	*	-	*	-	-	-	-	*	13.1%	-	215,692
Macon	0.1%	-	14.3%	-	*	-	3.8%	-	*	-	-	-	-	-	18.2%	-	123,375
Memphis	*	-	2.4%	-	*	-	*	-	-	-	-	-	-	-	2.5%	-	27,643
Rayville	-	-	44.3%	-	0.1%	-	0.1%	-	-	-	-	-	-	-	44.4%	-	5,765
Visalia	*	-	2.9%	-	-	-	-	-	-	-	*	-	-	-	3.0%	-	38,897
United States	0.1%	-	13.5%	-	*	-	1.2%	-	*	-	*	-	*	-	14.9%	*	592,464

* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Season ending Thursday, January 17, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	14.2%	-	*	-	*	-	*	-	-	-	*	-	14.3%	-	769,407
Corpus Christi	*	-	1.4%	-	0.7%	-	3.7%	-	*	-	-	-	*	-	5.9%	-	1,733,419
Dumas	0.7%	*	1.3%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	2.3%	*	1,371,732
Florence	*	-	2.5%	-	0.1%	-	*	-	*	-	-	-	*	-	2.5%	-	1,200,837
Lamesa	*	-	11.0%	-	*	-	*	-	-	-	-	-	*	-	11.0%	-	729,598
Lubbock	*	-	8.9%	-	*	-	*	-	*	-	-	-	*	*	8.9%	*	3,000,945
Macon	0.1%	-	13.9%	*	*	-	0.5%	-	*	-	-	-	*	-	14.5%	*	2,258,192
Memphis	*	-	1.1%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	1.2%	-	2,935,106
Rayville	*	-	4.7%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	5.0%	-	505,948
Visalia	*	-	0.9%	-	*	-	0.8%	-	-	-	*	-	-	-	1.7%	-	443,669
United States	0.1%	*	6.0%	*	0.1%	*	0.6%	-	*	-	*	-	*	*	6.8%	*	14,948,853

* Less than 0.05 percent.