



## Quality of Cotton Classed by Classing Office

Volume 60, No. 21

21-Dec-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**  
*For The Week Ending December 20, 2018*

Classing Office	Week		Season	
	Gins	Bales	Gins	Bales
<b>UPLAND</b>				
Abilene	38	92,803	39	484,632
Corpus Christi	24	17,699	54	1,691,337
Dumas	31	59,031	40	1,269,785
Florence	49	70,880	53	1,091,501
Lamesa	32	79,603	35	505,270
Lubbock	71	301,193	72	2,002,291
Macon	77	176,564	79	1,814,105
Memphis	59	97,896	81	2,751,531
Rayville	14	21,198	21	467,788
Visalia	25	42,989	32	303,622
<b>United States</b>	<b>420</b>	<b>959,856</b>	<b>506</b>	<b>12,381,862</b>
Percent tenderable		67.1		67.3
<b>AMERICAN PIMA</b>				
Visalia	19	49,658	23	431,585
<b>United States</b>	<b>19</b>	<b>49,658</b>	<b>23</b>	<b>431,585</b>
<b>United States all cotton</b>	<b>436</b>	<b>1,009,514</b>	<b>520</b>	<b>12,813,447</b>

\* Data Withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP\_CN100

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending December 20, 2018**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct. 1.8	Pct. 2.0	Pct. 2.2	Pct. 17.4	Pct. 0.1	Pct. 0.4	Pct. *	Pct. 0.1	Pct. 7.0	Pct. 5.0	
	3	1.8	2.1	2.8	10.9	0.1	0.8	0.2	0.2	5.3	3.3	
	4	0.2	0.2	0.1	0.7	*	0.1	*	*	0.7	0.4	
	5	*	*	-	*	-	*	-	*	*	*	
	6	*	*	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>3.9</b>	<b>4.2</b>	<b>5.1</b>	<b>29.0</b>	<b>0.1</b>	<b>1.2</b>	<b>0.2</b>	<b>0.4</b>	<b>13.0</b>	<b>8.8</b>
	31	1-2	10.0	7.9	0.5	5.8	1.1	1.8	0.9	1.9	11.7	9.8
3		28.6	24.4	2.2	11.9	8.8	13.9	8.3	14.7	28.3	26.0	
4		8.4	7.7	0.2	3.5	3.2	6.9	4.6	7.3	11.5	10.9	
5		0.9	0.7	-	0.2	0.1	0.4	0.5	0.6	1.8	1.7	
6		*	*	-	*	*	*	*	*	0.1	0.1	
7		*	*	-	*	-	-	-	-	*	*	
<b>Total</b>		-----	<b>48.0</b>	<b>40.9</b>	<b>2.9</b>	<b>21.4</b>	<b>13.2</b>	<b>23.0</b>	<b>14.3</b>	<b>24.6</b>	<b>53.5</b>	<b>48.5</b>
41		1-2	2.2	2.6	2.1	1.7	1.7	0.9	1.5	1.8	0.8	1.2
	3	15.2	17.6	8.1	5.7	24.2	17.0	26.2	24.2	5.2	9.6	
	4	11.7	14.6	1.8	2.8	34.1	33.1	28.7	23.4	6.8	12.2	
	5	4.0	4.6	0.1	0.4	7.8	10.9	7.0	5.2	3.2	5.8	
	6	0.8	0.8	-	*	0.7	0.8	0.7	0.3	0.9	1.7	
	7	0.1	0.1	-	*	*	*	*	*	0.3	0.4	
	<b>Total</b>	-----	<b>34.1</b>	<b>40.2</b>	<b>12.1</b>	<b>10.6</b>	<b>68.6</b>	<b>62.7</b>	<b>64.1</b>	<b>54.9</b>	<b>17.1</b>	<b>31.0</b>
	51	1-2	*	0.1	1.8	0.4	*	*	0.2	0.1	-	*
3		0.2	0.4	7.1	1.9	1.2	0.3	2.4	1.3	*	*	
4		0.8	0.8	3.5	1.3	3.6	1.7	4.4	1.9	*	0.1	
5		0.9	0.8	0.4	0.3	1.7	1.6	2.9	1.1	0.1	0.2	
6		0.3	0.3	0.1	*	0.3	0.3	0.7	0.2	0.1	0.3	
7		0.1	0.1	*	*	*	*	*	*	0.1	0.2	
<b>Total</b>		-----	<b>2.2</b>	<b>2.5</b>	<b>12.9</b>	<b>3.9</b>	<b>6.9</b>	<b>3.9</b>	<b>10.6</b>	<b>4.6</b>	<b>0.3</b>	<b>0.9</b>
61		1-2	-	-	0.1	*	-	-	*	*	-	-
	3	-	-	0.6	0.1	-	-	*	*	-	-	
	4	-	-	0.6	0.1	*	*	*	*	-	-	
	5	-	-	0.3	*	-	-	*	*	-	-	
	6	-	-	0.1	*	-	*	-	-	-	*	
	7	-	*	*	*	-	-	*	*	-	-	
	<b>Total</b>	-----	<b>-</b>	<b>*</b>	<b>1.6</b>	<b>0.2</b>	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>*</b>	<b>-</b>	<b>*</b>
	71	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	-	*	-	-	-	-	-	-	
4		-	-	*	*	-	-	-	-	-	-	
5		-	-	0.1	*	-	-	-	-	-	-	
6		-	-	*	*	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		-----	<b>-</b>	<b>-</b>	<b>0.1</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
12 & 22		1-2	0.2	0.2	1.2	4.3	*	*	*	*	0.7	0.4
	3	0.3	0.4	2.7	4.0	*	*	*	*	1.5	0.7	
	4	0.1	0.1	0.4	0.7	*	*	*	*	0.3	0.2	
	5	*	*	-	*	-	-	-	*	*	*	
	6	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>0.5</b>	<b>0.7</b>	<b>4.2</b>	<b>9.1</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>2.5</b>	<b>1.3</b>
	32	1-2	0.6	0.3	0.4	1.1	*	*	*	0.1	0.6	0.4
3		2.0	1.5	1.4	3.3	0.4	0.4	0.7	1.0	3.7	2.1	
4		1.4	1.1	0.4	1.6	0.4	0.4	0.6	0.5	3.1	1.8	
5		0.3	0.3	*	0.2	0.1	*	0.1	*	0.7	0.4	
6		*	*	-	*	*	*	*	*	*	*	
7		-	*	-	*	-	-	-	-	-	*	
<b>Total</b>		-----	<b>4.4</b>	<b>3.3</b>	<b>2.2</b>	<b>6.2</b>	<b>1.0</b>	<b>0.9</b>	<b>1.5</b>	<b>1.8</b>	<b>8.2</b>	<b>4.8</b>
42		1-2	0.3	0.2	0.5	0.5	*	*	0.1	0.4	0.1	0.1
	3	1.5	1.4	2.9	2.9	1.4	1.1	1.8	4.8	0.4	0.8	
	4	1.6	1.6	3.4	2.4	3.5	3.2	2.4	4.0	0.9	1.1	
	5	0.7	0.8	0.4	0.6	1.4	1.5	0.8	0.7	0.9	0.7	
	6	0.2	0.2	*	0.1	0.2	0.1	0.2	0.1	0.4	0.3	
	7	*	*	*	*	*	*	*	*	0.1	0.1	
	<b>Total</b>	-----	<b>4.3</b>	<b>4.2</b>	<b>7.3</b>	<b>6.5</b>	<b>6.4</b>	<b>5.9</b>	<b>5.3</b>	<b>10.0</b>	<b>2.8</b>	<b>3.0</b>
	52	1-2	*	0.1	1.0	0.2	-	*	*	0.1	*	*
3		0.1	0.2	5.8	1.6	0.1	0.1	0.5	0.9	0.1	*	
4		0.2	0.3	7.3	2.1	0.6	0.6	0.8	1.0	*	*	
5		0.2	0.3	2.1	0.8	0.5	0.7	0.4	0.4	*	*	
6		0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	*	*	
7		*	*	*	*	*	*	*	*	*	*	
<b>Total</b>		-----	<b>0.6</b>	<b>1.0</b>	<b>16.3</b>	<b>4.9</b>	<b>1.3</b>	<b>1.5</b>	<b>1.8</b>	<b>2.5</b>	<b>0.1</b>	<b>0.1</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending December 20, 2018**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	0.2	*	*	*	*	*	*	*
	3	-	0.1	2.4	0.3	*	*	*	*	*	*
	4	*	*	3.7	0.5	*	*	0.1	*	-	*
	5	-	-	1.7	0.2	*	*	*	*	-	*
	6	*	*	0.2	*	-	*	*	*	-	*
	7	*	*	*	*	-	*	-	-	-	-
<b>Total</b>	-----	*	<b>0.1</b>	<b>8.2</b>	<b>1.1</b>	<b>0.1</b>	*	<b>0.1</b>	<b>0.1</b>	*	*
13 & 23	1-2	*	*	0.2	0.4	-	-	-	*	*	*
	3	*	0.1	0.9	0.5	-	-	*	*	0.1	0.1
	4	*	0.1	0.2	0.2	-	-	-	*	0.1	0.1
	5	*	*	-	*	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	<b>0.1</b>	<b>0.2</b>	<b>1.4</b>	<b>1.1</b>	-	-	*	*	<b>0.2</b>	<b>0.2</b>
33	1-2	0.1	*	0.8	0.1	*	*	*	*	*	*
	3	0.4	0.3	2.1	0.4	0.1	*	0.1	0.1	0.4	0.3
	4	0.4	0.4	0.6	0.3	0.1	*	0.1	*	0.6	0.4
	5	0.2	0.2	*	0.1	*	*	*	*	0.4	0.2
	6	0.1	*	-	*	-	-	*	*	0.1	*
	7	*	*	-	*	-	-	-	*	*	*
<b>Total</b>	-----	<b>1.1</b>	<b>0.9</b>	<b>3.5</b>	<b>0.9</b>	<b>0.2</b>	<b>0.1</b>	<b>0.3</b>	<b>0.1</b>	<b>1.4</b>	<b>0.9</b>
43	1-2	-	*	0.1	*	*	*	*	*	*	*
	3	0.1	0.1	1.8	0.4	0.3	0.1	0.3	0.2	*	*
	4	0.2	0.2	2.5	0.5	0.9	0.2	0.6	0.3	0.1	0.1
	5	0.2	0.2	1.0	0.2	0.4	0.1	0.3	0.1	0.2	0.1
	6	0.1	0.1	0.1	0.1	*	*	0.1	*	0.1	0.1
	7	*	*	-	*	*	*	*	*	0.1	*
<b>Total</b>	-----	<b>0.6</b>	<b>0.6</b>	<b>5.4</b>	<b>1.3</b>	<b>1.6</b>	<b>0.5</b>	<b>1.2</b>	<b>0.7</b>	<b>0.5</b>	<b>0.4</b>
53	1-2	-	*	0.1	*	-	-	*	*	-	*
	3	*	*	1.6	0.4	0.1	*	0.1	0.1	*	*
	4	*	*	3.3	0.7	0.2	0.1	0.1	0.1	*	*
	5	*	*	2.3	0.5	0.1	0.1	0.1	*	*	*
	6	*	*	0.4	0.1	*	*	*	*	*	*
	7	*	*	0.1	*	*	*	*	*	*	*
<b>Total</b>	-----	<b>0.1</b>	<b>0.1</b>	<b>7.8</b>	<b>1.9</b>	<b>0.4</b>	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>	*	*
63	1-2	-	*	*	*	-	-	-	*	-	-
	3	-	*	0.8	0.1	*	*	*	*	-	-
	4	-	*	1.8	0.5	*	*	*	*	-	-
	5	-	*	2.5	0.4	-	*	*	*	-	-
	6	*	*	0.8	0.1	-	*	-	*	-	-
	7	-	-	*	*	-	-	-	-	-	-
		*	*	<b>6.0</b>	<b>1.2</b>	*	*	*	*	-	-
24 - 54	1-7	0.3	0.7	2.0	0.4	0.2	0.1	0.1	*	0.3	0.1
25 - 35	1-7	-	0.1	-	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	0.1	0.9	0.3	*	*	0.1	*	*	*
All Colors	8 2/	<b>0.1</b>	<b>0.1</b>	*	*	*	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		14.8	10.3	3.1	1.4	2.2	1.1	3.3	2.3	12.6	9.2
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		*	*	*	0.7	0.1	0.2	0.1	0.1	-	*
Grass - Level 2		-	-	-	-	-	*	-	-	-	-
Prep - Level 1		*	*	*	*	0.8	0.5	*	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	*	*	-	*	*	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		-	*	*	*	-	-	-	*	-	-
30		*	*	0.6	0.2	-	-	*	*	-	*
31		0.1	0.1	3.4	0.8	-	-	*	*	*	*
32		1.1	0.9	5.6	2.3	*	*	0.1	0.1	0.3	0.4
33		3.0	3.1	5.1	5.8	0.1	0.2	1.3	1.0	2.5	2.4
34		7.5	7.6	11.8	12.3	0.9	2.0	7.5	6.0	10.7	9.8
35		15.8	14.5	16.2	18.3	5.9	6.7	20.1	17.6	26.7	23.1
36		25.2	24.0	19.7	22.4	13.1	13.8	24.7	24.4	26.4	26.5
37		28.7	28.8	28.4	21.9	29.5	28.6	30.2	27.8	23.7	24.4
38 & longer		18.5	21.0	9.2	16.0	50.6	48.8	15.9	23.1	9.8	13.3
<b>Average staple</b>		<b>36.3</b>	<b>36.4</b>	<b>35.5</b>	<b>35.9</b>	<b>37.5</b>	<b>37.4</b>	<b>36.3</b>	<b>36.5</b>	<b>35.9</b>	<b>36.0</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending December 20, 2018**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	7.0	3.4	0.1	1.0	0.1	0.5	0.1	0.7	24.0	30.9
	4	7.5	4.3	0.2	1.9	0.2	0.5	0.4	1.2	5.0	7.6
	5	0.9	0.7	*	0.2	*	*	*	0.1	0.1	0.3
	6	*	*	-	*	-	*	-	*	-	*
	7	*	*	-	*	-	*	-	*	-	*
	<b>Total</b>	-----	<b>15.3</b>	<b>8.4</b>	<b>0.3</b>	<b>3.0</b>	<b>0.3</b>	<b>1.1</b>	<b>0.5</b>	<b>1.9</b>	<b>29.2</b>
31	1-2	13.9	8.7	1.1	3.3	0.3	0.9	1.4	2.7	15.4	11.6
	3	29.5	25.5	6.3	22.6	2.3	5.6	6.9	15.2	18.4	13.6
	4	11.2	11.9	2.5	10.9	1.3	3.1	2.4	6.0	3.9	2.0
	5	1.5	1.9	0.1	0.7	0.1	0.3	0.2	0.4	0.4	0.1
	6	0.1	0.1	*	*	*	*	-	*	*	*
	7	*	*	-	*	-	-	-	-	-	*
	<b>Total</b>	-----	<b>56.2</b>	<b>48.1</b>	<b>10.0</b>	<b>37.5</b>	<b>4.0</b>	<b>9.9</b>	<b>10.9</b>	<b>24.3</b>	<b>38.0</b>
41	1-2	1.1	1.3	2.0	1.1	3.1	1.6	3.1	1.9	4.1	4.0
	3	6.7	10.9	24.7	16.4	20.9	18.1	23.1	18.0	13.4	12.3
	4	7.1	13.6	29.0	21.0	30.2	25.7	19.2	18.1	7.9	5.6
	5	4.0	6.2	6.5	4.6	8.4	7.8	2.3	4.0	1.4	1.0
	6	1.4	1.5	0.4	0.2	0.7	0.6	*	0.2	0.1	0.1
	7	0.3	0.3	*	*	*	*	-	*	*	*
	<b>Total</b>	-----	<b>20.6</b>	<b>33.7</b>	<b>62.6</b>	<b>43.4</b>	<b>63.4</b>	<b>53.8</b>	<b>47.7</b>	<b>42.2</b>	<b>27.0</b>
51	1-2	-	*	0.1	*	0.1	0.1	1.5	0.4	*	0.1
	3	*	*	1.8	0.6	3.0	1.5	7.0	2.2	0.5	1.1
	4	*	0.2	3.8	1.6	7.2	4.6	4.2	1.9	0.9	1.2
	5	0.1	0.2	1.8	1.0	5.1	3.3	0.6	0.5	0.3	0.4
	6	0.1	0.2	0.3	0.2	1.0	0.5	*	0.1	*	*
	7	*	0.1	*	*	0.1	*	-	*	*	*
	<b>Total</b>	-----	<b>0.2</b>	<b>0.7</b>	<b>7.8</b>	<b>3.5</b>	<b>16.4</b>	<b>9.9</b>	<b>13.3</b>	<b>5.1</b>	<b>1.8</b>
61	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	*	*	*	*	0.2	*	*	*
	4	-	-	*	*	*	*	0.2	*	-	-
	5	-	-	-	*	*	*	*	*	-	-
	6	-	-	*	*	*	*	-	*	-	-
	7	-	*	*	*	*	*	-	-	-	-
	<b>Total</b>	-----	-	*	*	*	*	*	<b>0.5</b>	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	*	-	-	-	-	-
12 & 22	1-2	0.5	0.2	*	*	-	*	-	0.1	0.1	1.3
	3	0.7	0.5	*	0.1	*	*	-	0.3	0.1	0.8
	4	0.2	0.2	*	*	-	*	-	0.1	*	0.2
	5	*	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>1.4</b>	<b>1.0</b>	<b>0.1</b>	<b>0.1</b>	<b>*</b>	<b>0.1</b>	<b>-</b>	<b>0.4</b>	<b>0.3</b>
32	1-2	0.8	0.4	0.3	0.3	0.1	0.2	0.1	0.2	0.2	0.3
	3	2.1	1.8	0.8	1.9	0.7	0.9	0.6	1.3	0.5	1.3
	4	1.2	1.7	0.4	1.0	0.3	0.5	0.2	0.7	0.1	0.3
	5	0.3	0.5	0.1	0.1	*	*	*	0.1	*	0.1
	6	0.1	*	*	*	*	*	-	*	*	*
	7	*	*	-	-	-	*	-	-	-	*
	<b>Total</b>	-----	<b>4.4</b>	<b>4.5</b>	<b>1.6</b>	<b>3.3</b>	<b>1.2</b>	<b>1.6</b>	<b>0.9</b>	<b>2.3</b>	<b>0.8</b>
42	1-2	0.1	0.1	0.2	0.1	0.3	0.6	0.4	0.4	0.1	0.1
	3	0.3	0.8	3.5	2.1	3.0	6.9	4.5	5.2	0.7	0.9
	4	0.4	1.1	5.3	3.1	5.3	8.9	3.0	5.9	0.9	1.0
	5	0.2	0.6	1.5	0.9	2.0	2.5	0.6	1.4	0.4	0.2
	6	0.1	0.1	0.1	0.1	0.2	0.2	*	0.1	0.1	*
	7	*	*	*	*	*	*	-	*	*	*
	<b>Total</b>	-----	<b>1.1</b>	<b>2.8</b>	<b>10.6</b>	<b>6.2</b>	<b>10.8</b>	<b>19.1</b>	<b>8.5</b>	<b>13.1</b>	<b>2.2</b>
52	1-2	-	*	*	*	*	*	0.2	0.2	*	*
	3	*	*	0.4	0.2	0.1	0.4	2.9	1.8	0.1	0.1
	4	*	*	1.5	0.6	0.5	1.3	4.3	2.7	0.1	0.4
	5	*	*	1.0	0.4	0.6	0.9	1.6	1.2	0.1	0.2
	6	*	*	0.2	0.1	0.2	0.2	0.2	0.2	0.1	*
	7	-	*	*	*	*	*	-	*	*	*
	<b>Total</b>	-----	<b>*</b>	<b>0.1</b>	<b>3.1</b>	<b>1.3</b>	<b>1.3</b>	<b>2.7</b>	<b>9.2</b>	<b>6.1</b>	<b>0.4</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending December 20, 2018**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	*	-	-	-	-	0.1	*	*	*
	3	-	*	*	*	*	*	1.1	0.2	*	*
	4	-	-	*	*	*	*	1.5	0.2	-	-
	5	-	*	*	*	*	*	0.4	0.1	-	*
	6	-	*	*	*	*	*	*	*	-	-
	7	-	-	*	*	*	*	*	*	-	-
<b>Total</b>	-----	-	*	*	*	*	*	<b>3.1</b>	<b>0.5</b>	*	*
13 & 23	1-2	*	*	*	*	-	*	-	*	*	*
	3	0.1	*	*	*	-	*	-	*	*	0.1
	4	*	*	*	*	-	*	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	<b>0.1</b>	*	*	*	-	*	-	*	*	<b>0.1</b>
33	1-2	*	*	0.1	*	*	*	*	*	*	*
	3	0.1	0.1	0.2	0.2	0.1	*	0.1	0.1	*	*
	4	0.2	0.2	0.1	0.1	0.1	*	*	*	*	*
	5	0.1	0.1	*	*	*	*	-	*	-	*
	6	*	*	*	*	*	*	-	*	-	*
	7	*	*	-	-	-	*	-	-	-	*
<b>Total</b>	-----	<b>0.5</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	<b>0.1</b>
43	1-2	*	*	*	*	*	*	0.1	*	-	*
	3	*	*	0.8	0.3	0.6	0.4	1.1	0.5	*	*
	4	0.1	0.1	1.2	0.4	0.8	0.6	1.0	0.8	0.1	0.1
	5	*	0.1	0.3	0.1	0.4	0.2	0.3	0.3	0.1	*
	6	*	*	*	*	*	*	*	*	0.1	*
	7	*	*	*	*	*	*	-	*	-	*
<b>Total</b>	-----	<b>0.1</b>	<b>0.2</b>	<b>2.3</b>	<b>0.8</b>	<b>1.8</b>	<b>1.3</b>	<b>2.5</b>	<b>1.6</b>	<b>0.2</b>	<b>0.2</b>
53	1-2	-	-	*	*	-	*	*	*	-	-
	3	-	*	0.1	*	*	*	0.4	0.3	-	*
	4	*	*	0.4	0.1	0.1	0.1	0.8	0.7	-	*
	5	*	*	0.2	0.1	0.1	0.1	0.3	0.5	*	*
	6	-	*	*	*	*	*	*	0.1	*	*
	7	-	*	*	*	*	*	-	*	*	*
<b>Total</b>	-----	*	*	<b>0.7</b>	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>1.5</b>	<b>1.6</b>	<b>0.1</b>	*
63	1-2	-	-	-	-	-	*	*	*	-	-
	3	-	-	*	*	-	*	0.1	0.1	-	-
	4	-	*	*	*	-	*	0.1	0.1	-	-
	5	-	*	*	*	-	*	0.1	0.1	-	-
	6	-	-	*	*	-	*	*	*	-	-
	7	-	-	*	*	-	*	*	*	-	-
		-	*	*	*	-	*	<b>0.3</b>	<b>0.4</b>	-	-
24 - 54	1-7	0.1	*	0.3	0.1	0.1	*	0.7	0.2	-	*
25 - 35	1-7	-	-	*	*	*	*	*	*	-	-
81 - 85 1/	1-7	*	*	*	*	*	*	0.1	*	*	*
All Colors	8 2/	<b>0.1</b>	<b>0.1</b>	*	*	*	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		5.9	8.7	19.2	12.7	2.4	1.0	7.7	3.2	0.8	0.5
Bark - Level 2		-	-	-	*	-	-	-	-	-	-
Grass - Level 1		*	*	*	0.1	0.1	0.1	0.4	0.1	*	0.1
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	0.1	*	*	*	-	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	-	*	*	*	*	*	-	-
Other - Level 2		-	*	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	*	*	*	-	-
31		*	*	*	*	*	*	0.2	0.1	-	*
32		0.3	0.2	0.1	0.1	*	*	0.5	0.4	*	*
33		1.7	1.6	1.4	0.9	0.1	0.1	2.9	1.5	0.1	0.2
34		8.2	7.4	6.9	5.0	1.1	0.9	8.8	4.2	1.0	1.4
35		20.6	19.7	15.4	13.1	8.1	6.3	12.7	11.7	5.3	5.7
36		27.2	27.7	19.0	18.4	23.0	19.7	22.4	17.9	11.1	14.3
37		28.2	27.8	31.0	30.4	37.1	39.3	20.9	26.3	21.4	28.0
38 & longer		13.8	15.5	26.3	32.1	30.6	33.7	31.5	37.9	61.1	50.5
<b>Average staple</b>		<b>36.2</b>	<b>36.2</b>	<b>36.6</b>	<b>36.8</b>	<b>37.0</b>	<b>37.1</b>	<b>36.7</b>	<b>37.0</b>	<b>38.0</b>	<b>37.7</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending December 20, 2018**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	*	-	-	-	-	-	-	-	-
18	-	-	-	*	-	-	-	-	-	-
19	-	*	-	*	-	-	-	-	-	-
20	-	*	*	*	-	-	-	-	-	-
21	-	*	0.2	0.1	-	-	-	-	-	-
22	*	*	0.9	0.2	-	-	-	-	*	*
23	*	*	1.3	0.4	-	-	*	*	*	*
24	0.1	0.1	2.1	1.0	*	*	0.2	0.1	*	*
25	0.2	0.3	6.7	2.0	0.1	*	1.2	0.7	0.2	0.2
26	1.0	1.0	11.4	3.8	0.5	0.4	4.2	2.8	1.1	1.0
27	3.7	3.0	14.0	6.7	3.3	2.0	8.6	6.3	3.4	3.6
28	11.9	9.5	18.4	11.8	10.4	7.2	16.1	13.3	7.4	10.4
29	19.7	19.0	16.5	19.3	26.4	20.5	22.0	22.1	17.8	19.0
30	21.9	23.1	13.9	21.4	30.6	32.0	21.3	23.5	21.4	21.8
31	18.8	19.8	10.5	17.2	18.1	23.2	14.5	15.9	22.0	20.9
32	12.5	12.7	3.6	9.3	6.9	9.6	7.5	8.7	16.1	14.2
33	7.6	7.5	0.5	4.1	2.7	3.6	3.0	4.3	7.1	6.1
34	1.9	2.8	0.1	1.8	0.9	1.2	1.1	1.8	2.4	2.1
35	0.4	0.8	*	0.7	0.2	0.3	0.3	0.5	0.8	0.6
36 & above	0.4	0.3	-	0.3	*	*	0.1	0.1	0.2	0.2
<b>Average</b>	<b>30.1</b>	<b>30.3</b>	<b>28.1</b>	<b>29.6</b>	<b>29.8</b>	<b>30.1</b>	<b>29.4</b>	<b>29.7</b>	<b>30.4</b>	<b>30.2</b>
MIKE										
24 & below	*	*	*	*	-	-	*	*	0.2	0.1
25	0.2	0.1	*	*	-	-	-	-	0.6	0.2
26	0.2	0.1	0.1	*	-	-	-	*	0.8	0.3
27	0.1	0.1	*	*	-	-	-	*	1.0	0.4
28	0.2	0.2	0.2	*	*	*	-	*	1.1	0.5
29	0.1	0.1	0.5	*	*	*	*	*	1.5	0.6
30	0.3	0.2	0.8	0.1	*	*	*	*	1.5	0.7
31	0.6	0.4	0.7	0.1	*	*	*	*	1.8	0.9
32	1.0	0.6	0.2	0.2	-	*	*	*	2.4	1.3
33	1.3	0.9	0.4	0.2	*	*	*	*	3.4	1.8
34	1.8	1.3	0.3	0.3	0.1	*	0.1	0.1	2.9	2.1
35	2.2	1.6	0.9	0.4	0.1	*	0.2	0.1	3.9	2.7
36	3.0	2.1	0.8	0.4	*	*	0.3	0.3	5.2	3.7
37	3.4	2.9	0.3	0.7	*	0.1	0.6	0.5	6.1	4.5
38	4.5	3.6	0.6	1.0	0.1	0.3	0.8	0.9	5.7	5.3
39	5.3	4.6	1.5	1.4	0.3	0.5	2.2	1.6	6.3	6.2
40	5.9	5.9	3.0	1.9	0.8	0.9	2.5	2.7	7.2	7.5
41	7.4	7.5	3.5	2.7	1.8	1.7	3.7	4.3	8.1	8.5
42	9.4	8.5	4.6	4.0	2.7	2.7	6.1	6.3	7.8	8.8
43	9.8	9.2	5.5	5.5	3.8	4.1	7.8	8.4	7.7	9.2
44	9.1	10.0	7.9	7.3	5.5	6.3	11.0	10.7	6.7	8.1
45	9.1	10.2	9.6	9.1	8.9	9.4	13.1	13.1	5.6	7.7
46	8.0	9.2	12.1	10.6	12.3	13.7	14.9	14.5	4.4	6.4
47	6.7	7.4	15.2	11.2	15.5	17.0	13.8	13.3	3.2	4.6
48	4.9	5.5	12.9	10.7	16.4	16.9	10.6	10.1	2.2	3.4
49	2.5	3.5	7.7	9.1	14.2	13.1	6.2	6.2	1.6	2.4
50	1.3	2.0	5.3	7.2	9.2	7.3	2.8	3.6	0.7	1.2
51	0.8	1.1	3.4	5.6	4.6	3.3	1.8	1.9	0.3	0.6
52	0.4	0.5	1.5	4.1	1.9	1.5	0.9	0.9	0.1	0.3
53	0.2	0.2	0.2	3.0	1.0	0.7	0.4	0.4	*	*
54	0.1	0.1	*	2.0	0.5	0.2	0.1	0.1	-	*
55	*	*	0.1	0.9	0.2	*	*	*	-	-
56	*	*	*	0.3	*	*	*	*	-	*
57	-	-	*	0.1	-	-	-	*	-	-
58	-	-	*	*	-	-	-	*	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
<b>Average</b>	<b>42</b>	<b>43</b>	<b>45</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>45</b>	<b>45</b>	<b>40</b>	<b>41</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending December 20, 2018**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	*	-	-	-	-	-	-
21	-	-	-	*	-	-	-	-	-	-
22	-	-	-	*	-	-	*	*	-	-
23	*	*	*	*	*	*	0.1	*	-	-
24	*	*	0.1	0.1	*	*	0.3	0.1	-	-
25	0.1	0.1	0.8	0.8	0.1	0.1	1.1	0.5	-	*
26	0.4	0.3	4.0	3.8	1.0	0.7	2.8	1.5	*	*
27	2.0	1.4	10.7	11.1	5.6	3.9	6.6	3.9	0.2	0.4
28	6.6	4.7	19.2	21.5	15.4	13.7	9.4	7.7	1.6	2.2
29	13.7	11.1	24.7	27.8	28.8	27.5	20.3	17.0	3.5	7.4
30	19.5	17.7	21.3	20.1	23.0	26.6	28.9	28.0	10.5	13.0
31	22.7	22.2	11.1	9.6	13.5	15.5	17.4	21.5	18.2	16.6
32	18.5	20.8	4.9	3.6	8.6	7.7	8.7	12.0	19.0	15.9
33	10.7	13.3	2.1	1.1	3.1	3.2	3.2	5.1	14.7	14.0
34	4.2	5.9	0.8	0.3	0.8	0.9	0.9	1.9	10.4	8.6
35	1.3	1.9	0.3	0.1	0.1	0.2	0.2	0.5	8.9	5.5
36 & above	0.3	0.7	0.1	*	*	*	0.1	0.2	13.1	16.4
<b>Average</b>	<b>30.8</b>	<b>31.1</b>	<b>29.1</b>	<b>28.9</b>	<b>29.6</b>	<b>29.7</b>	<b>29.7</b>	<b>30.1</b>	<b>32.6</b>	<b>32.5</b>
MIKE										
24 & below	0.2	0.1	-	-	-	-	-	-	*	*
25	0.4	0.1	*	*	*	*	0.1	*	*	*
26	0.4	0.2	*	*	-	*	0.2	*	-	*
27	0.6	0.2	*	*	*	*	0.1	*	*	*
28	0.6	0.3	*	*	-	*	*	*	*	0.1
29	1.0	0.5	*	*	-	*	-	*	*	0.1
30	1.4	0.7	*	*	*	*	0.1	*	0.1	0.1
31	1.9	1.0	0.1	0.1	*	*	0.1	*	0.3	0.2
32	2.3	1.4	0.1	0.2	0.1	*	0.2	*	0.5	0.3
33	2.8	1.9	0.2	0.4	0.2	*	0.1	*	0.6	0.5
34	3.7	2.6	0.5	0.7	0.2	0.1	*	*	1.0	0.7
35	4.3	3.3	0.8	1.2	0.3	0.1	0.1	*	0.8	0.8
36	4.6	3.9	1.3	1.6	0.7	0.2	0.2	0.1	0.9	1.3
37	5.3	4.6	2.5	2.4	0.8	0.4	0.4	0.1	1.0	1.6
38	6.2	5.4	3.7	3.7	0.9	0.7	0.3	0.2	1.9	2.1
39	6.9	6.3	5.2	5.7	1.1	1.1	1.0	0.5	2.6	2.8
40	7.1	6.9	7.8	8.3	1.9	1.7	1.2	0.7	4.2	3.5
41	7.3	7.3	9.8	10.9	3.0	2.8	0.8	1.3	4.9	4.9
42	7.0	7.5	12.3	13.1	4.2	4.4	1.9	2.4	5.6	6.3
43	6.5	7.4	13.1	13.5	5.9	6.1	2.5	3.3	6.5	7.8
44	6.1	7.2	12.7	12.0	8.0	8.5	3.9	4.3	8.9	9.0
45	5.6	6.9	11.2	9.7	10.1	10.5	6.7	7.0	10.4	9.5
46	5.1	6.2	7.8	6.8	11.1	11.7	11.3	9.8	10.3	10.5
47	3.9	5.3	4.9	4.5	10.6	11.7	15.1	13.5	10.3	10.2
48	2.7	4.2	3.0	2.7	10.8	11.1	16.0	15.8	9.4	8.8
49	2.0	3.2	1.6	1.5	9.3	9.4	13.6	15.2	8.3	6.5
50	1.6	2.3	0.8	0.7	7.8	7.5	10.7	12.0	4.8	5.0
51	1.2	1.5	0.3	0.3	5.9	5.4	6.7	7.4	2.6	3.7
52	0.7	0.9	0.1	0.1	3.4	3.5	4.8	4.0	2.0	2.1
53	0.4	0.4	*	*	2.7	2.0	1.4	1.7	1.1	0.9
54	0.2	0.2	*	*	0.7	0.9	0.3	0.4	0.5	0.3
55	*	0.1	*	*	0.2	0.3	*	0.1	0.1	0.1
56	*	*	-	*	*	*	*	*	0.1	*
57	*	*	-	*	*	*	-	*	0.1	*
58	-	*	-	-	-	*	-	-	*	*
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>40</b>	<b>42</b>	<b>43</b>	<b>43</b>	<b>46</b>	<b>47</b>	<b>47</b>	<b>48</b>	<b>45</b>	<b>45</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending December 20, 2018**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	*	*	-	-	*	*	0.2	0.1
25 - 26	0.4	0.2	0.1	*	-	-	-	*	1.4	0.6
27 - 29	0.5	0.4	0.7	0.1	*	*	*	*	3.6	1.4
30 - 32	2.0	1.3	1.8	0.3	*	*	0.1	*	5.7	2.9
33 - 34	3.0	2.3	0.7	0.5	0.1	*	0.1	0.1	6.3	3.9
35 - 36	5.2	3.6	1.7	0.8	0.1	0.1	0.5	0.5	9.1	6.4
37 - 42	35.9	33.1	13.6	11.7	5.8	6.3	15.8	16.3	41.2	40.8
43 - 49	50.2	55.1	70.9	63.4	76.6	80.5	77.4	76.2	31.4	41.7
50 - 52	2.5	3.6	10.2	17.0	15.7	12.1	5.5	6.4	1.0	2.2
53 & above	0.3	0.4	0.4	6.3	1.6	1.0	0.6	0.5	*	*
<b>Average</b>	<b>42</b>	<b>43</b>	<b>45</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>45</b>	<b>45</b>	<b>40</b>	<b>41</b>
HVI TRASH 1/										
00	-	-	-	*	-	-	-	-	-	*
01	2.0	1.8	1.0	7.9	0.2	0.2	0.1	0.3	4.8	3.7
02	17.2	14.7	13.6	26.3	5.2	4.9	4.1	6.4	21.4	17.0
03	26.9	24.7	22.9	25.2	17.6	15.8	17.4	21.0	24.9	23.1
04	21.5	21.7	20.3	17.5	24.7	22.9	24.4	26.5	19.1	19.6
05	13.2	15.0	15.5	10.5	22.3	22.0	21.8	20.8	12.0	13.6
06	7.9	9.3	10.3	5.8	14.9	16.1	14.5	12.7	7.2	8.8
07	4.8	5.6	6.7	3.1	8.0	9.6	8.5	6.7	4.4	5.4
08	2.7	3.2	4.2	1.6	3.8	4.9	4.6	3.2	2.5	3.3
09	1.6	1.8	2.4	0.9	1.8	2.2	2.3	1.4	1.5	2.0
10	0.9	1.0	1.3	0.5	0.9	0.9	1.2	0.6	0.9	1.3
11	0.5	0.6	0.7	0.3	0.4	0.3	0.5	0.2	0.6	0.9
12	0.3	0.3	0.4	0.1	0.2	0.1	0.3	0.1	0.3	0.6
13	0.2	0.2	0.3	0.1	0.1	*	0.1	*	0.2	0.3
14	0.1	0.1	0.2	0.1	0.1	*	0.1	*	0.1	0.2
15	0.1	0.1	0.1	*	*	*	*	*	0.1	0.1
16	*	*	0.1	*	-	*	*	*	*	0.1
17	*	*	*	*	-	-	*	*	*	*
18 & above	*	*	*	*	-	-	*	*	*	*
<b>Average</b>	<b>0.41</b>	<b>0.43</b>	<b>0.46</b>	<b>0.35</b>	<b>0.48</b>	<b>0.50</b>	<b>0.50</b>	<b>0.46</b>	<b>0.39</b>	<b>0.43</b>
UNIFORMITY 2/										
72.4 & below	-	*	-	*	-	-	-	-	-	-
72.5-73.4	-	*	0.1	*	-	-	-	-	-	-
73.5-74.4	*	*	0.2	*	-	-	*	*	*	*
74.5-75.4	*	*	1.2	0.2	-	-	*	*	*	*
75.5-76.4	0.2	0.1	3.5	0.7	-	-	0.1	*	0.2	0.1
76.5-77.4	1.1	0.8	6.1	1.9	-	-	0.4	0.3	0.8	0.6
77.5-78.4	4.5	3.2	14.2	4.3	1.2	0.7	2.4	1.7	3.0	2.4
78.5-79.4	15.1	11.8	24.6	8.4	5.6	3.5	11.0	9.0	12.1	9.9
79.5-80.4	31.9	29.3	27.4	16.5	21.2	17.4	32.2	28.4	29.1	28.1
80.5-81.4	32.4	33.0	16.7	25.3	38.2	38.9	33.1	36.1	35.9	35.4
81.5-82.4	12.9	17.0	5.3	25.1	25.9	30.2	16.9	19.6	14.8	18.1
82.5-83.4	1.7	4.0	0.7	14.4	7.0	8.1	3.6	4.3	3.7	4.7
83.5-84.4	0.2	0.6	*	2.8	0.8	1.2	0.4	0.5	0.3	0.6
84.5-85.4	*	*	-	0.2	0.1	0.1	*	*	*	*
85.5-86.4	*	*	-	*	-	-	*	*	-	-
86.5-87.4	*	*	-	-	-	-	-	*	-	-
87.5-88.4	*	*	-	-	-	-	-	-	-	-
88.5-89.4	*	*	-	-	-	-	-	-	-	-
89.5 & above	*	*	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.3</b>	<b>80.6</b>	<b>79.3</b>	<b>81.0</b>	<b>81.0</b>	<b>81.2</b>	<b>80.6</b>	<b>80.7</b>	<b>80.5</b>	<b>80.7</b>
Tenderable 3/	<b>73.5</b>	<b>76.4</b>	<b>33.1</b>	<b>56.1</b>	<b>73.1</b>	<b>78.4</b>	<b>80.7</b>	<b>78.1</b>	<b>68.8</b>	<b>75.6</b>
<b>SAMPLES CLASSED</b>										
Week	92,803		17,699		59,031		70,880		79,603	
Season	484,632		1,691,337		1,269,785		1,091,501		505,270	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.



**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending December 20, 2018**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.2	0.1	-	-	-	-	-	-	*	*
25 - 26	0.8	0.3	*	*	*	*	0.3	*	*	*
27 - 29	2.2	1.0	*	*	*	*	0.1	*	0.1	0.2
30 - 32	5.6	3.1	0.2	0.3	0.1	*	0.5	*	0.9	0.6
33 - 34	6.5	4.5	0.7	1.2	0.4	0.1	0.1	*	1.6	1.2
35 - 36	8.9	7.2	2.1	2.7	1.1	0.3	0.3	0.1	1.7	2.1
37 - 42	39.8	38.0	41.3	44.0	11.9	11.0	5.6	5.3	20.2	21.3
43 - 49	31.9	40.6	54.4	50.7	65.9	69.0	69.1	68.9	64.2	62.4
50 - 52	3.5	4.6	1.2	1.1	17.1	16.4	22.2	23.4	9.4	10.9
53 & above	0.6	0.7	*	*	3.6	3.2	1.7	2.2	1.9	1.4
<b>Average</b>	<b>40</b>	<b>42</b>	<b>43</b>	<b>43</b>	<b>46</b>	<b>47</b>	<b>47</b>	<b>48</b>	<b>45</b>	<b>45</b>
HVI TRASH 1/										
00	*	*	-	-	-	-	-	-	-	*
01	4.0	1.9	0.3	0.5	0.5	0.3	0.4	0.6	14.0	18.2
02	24.1	15.0	5.2	7.9	4.6	4.7	9.4	9.6	32.9	34.7
03	27.1	22.9	16.8	21.5	12.8	14.4	23.2	22.8	24.5	23.6
04	18.7	20.8	24.2	25.7	20.4	21.5	26.1	24.7	13.9	12.0
05	11.2	15.3	22.0	20.3	21.1	21.6	19.4	18.9	7.5	6.0
06	6.3	10.1	15.1	12.4	16.7	16.6	11.8	11.6	4.0	2.9
07	3.5	6.1	8.6	6.5	11.3	10.5	5.6	6.3	1.7	1.3
08	2.1	3.5	4.3	3.0	6.4	5.7	2.6	3.0	0.7	0.6
09	1.2	2.0	2.0	1.3	3.5	2.8	1.1	1.4	0.4	0.3
10	0.7	1.1	0.9	0.6	1.6	1.2	0.3	0.6	0.2	0.2
11	0.4	0.6	0.3	0.2	0.7	0.5	0.1	0.3	0.1	0.1
12	0.3	0.3	0.2	0.1	0.3	0.2	0.1	0.1	*	0.1
13	0.1	0.2	0.1	*	0.1	0.1	*	0.1	*	*
14	0.1	0.1	*	*	0.1	*	-	*	*	*
15	*	0.1	*	*	*	*	-	*	*	*
16	*	*	*	*	*	*	-	-	*	*
17	*	*	*	*	*	*	-	-	*	*
18 & above	*	*	*	*	*	*	-	-	-	*
<b>Average</b>	<b>0.37</b>	<b>0.44</b>	<b>0.49</b>	<b>0.45</b>	<b>0.53</b>	<b>0.51</b>	<b>0.44</b>	<b>0.44</b>	<b>0.30</b>	<b>0.28</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	*	-	-
72.5-73.4	-	-	-	-	-	-	*	*	-	-
73.5-74.4	-	-	-	-	-	-	0.1	*	-	-
74.5-75.4	*	*	-	-	-	-	0.3	0.1	-	*
75.5-76.4	0.1	*	*	*	*	*	0.5	0.2	*	*
76.5-77.4	0.4	0.2	0.1	0.1	0.1	*	0.7	0.6	*	*
77.5-78.4	1.8	1.2	0.6	0.7	0.4	0.2	3.2	2.6	0.2	0.3
78.5-79.4	7.9	5.8	4.2	4.4	2.0	1.3	12.2	9.4	1.7	1.9
79.5-80.4	24.2	19.2	18.9	20.7	12.5	7.8	28.5	22.5	5.3	7.9
80.5-81.4	35.2	34.1	39.6	41.2	29.8	24.8	31.7	34.4	18.8	23.2
81.5-82.4	23.3	28.0	27.3	25.3	36.0	36.4	18.8	22.3	39.9	33.9
82.5-83.4	6.3	9.7	7.9	6.5	16.6	24.2	3.8	6.5	19.1	17.8
83.5-84.4	0.8	1.5	1.4	0.9	2.2	5.0	0.3	1.3	8.4	9.4
84.5-85.4	0.1	0.1	0.1	0.1	0.2	0.3	*	0.2	6.4	5.2
85.5-86.4	*	*	*	*	*	*	-	*	0.3	0.3
86.5-87.4	*	*	-	*	*	*	-	*	*	*
87.5-88.4	-	-	-	-	*	*	-	*	-	-
88.5-89.4	-	-	-	-	*	*	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.9</b>	<b>81.1</b>	<b>81.1</b>	<b>81.0</b>	<b>81.5</b>	<b>81.8</b>	<b>80.5</b>	<b>80.8</b>	<b>82.2</b>	<b>82.0</b>
Tenderable 3/	<b>73.6</b>	<b>73.9</b>	<b>65.4</b>	<b>76.6</b>	<b>65.5</b>	<b>61.7</b>	<b>54.0</b>	<b>56.5</b>	<b>82.3</b>	<b>81.7</b>
<b>SAMPLES CLASSED</b>										
<b>Week</b>	<b>301,193</b>		<b>176,564</b>		<b>97,896</b>		<b>21,198</b>		<b>42,989</b>	
<b>Season</b>		<b>2,002,291</b>		<b>1,814,105</b>		<b>2,751,531</b>		<b>467,788</b>		<b>303,622</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

For The Week Ending December 20, 2018

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	21.8	19.9	MIKE	-	*
	2	24.8	21.9	24 & below	-	*
	3	0.3	0.4	25-26	-	*
	4	-	*	27-29	0.1	0.1
	5	-	-	30-32	0.8	0.5
	6	-	-	33-34	1.9	1.1
	7	-	-	35-36	4.5	3.7
<b>Total</b>		<b>46.9</b>	<b>42.1</b>	37-42	55.6	53.8
02	1	6.8	6.1	43-49	37.0	40.8
	2	35.8	37.8	50-52	*	*
	3	5.0	7.8	53 & above	*	*
	4	*	0.1	<b>Average</b>	<b>41</b>	<b>41</b>
	5	-	*	ALL RANGE MIKE	-	*
	6	-	-	24 & below	-	*
	7	-	-	25	-	*
<b>Total</b>		<b>47.6</b>	<b>51.9</b>	26	-	*
03	1	0.1	0.1	27	*	*
	2	2.4	2.6	28	0.1	*
	3	1.7	2.3	29	0.1	0.1
	4	0.2	0.3	30	0.1	0.1
	5	*	*	31	0.2	0.1
	6	-	*	32	0.5	0.3
	7	-	-	33	0.6	0.4
<b>Total</b>		<b>4.3</b>	<b>5.4</b>	34	1.3	0.7
04	1	-	*	35	1.8	1.4
	2	0.4	0.2	36	2.8	2.3
	3	0.5	0.2	37	4.1	3.5
	4	0.1	*	38	5.1	5.7
	5	-	*	39	9.5	8.4
	6	-	*	40	10.3	10.7
	7	-	*	41	12.6	11.8
<b>Total</b>		<b>0.9</b>	<b>0.5</b>	42	14.0	13.8
05	1	-	-	43	14.3	15.0
	2	0.1	*	44	10.9	13.0
	3	0.2	*	45	6.7	7.9
	4	*	*	46	3.4	3.5
	5	-	-	47	1.3	1.1
	6	-	-	48	0.4	0.3
	7	-	-	49	0.1	*
<b>Total</b>		<b>0.2</b>	<b>0.1</b>	50	*	*
06	1	-	-	51	*	*
	2	-	-	52	-	*
	3	-	*	53	*	*
	4	*	*	54	*	*
	5	-	-	55	*	*
	6	-	-	56	-	-
	7	-	-	57	-	-
<b>Total</b>		<b>*</b>	<b>*</b>	58	-	-
07	1	-	-	59	-	-
	2	-	-	60 & above	-	-
	3	-	*	<b>Average</b>	<b>41</b>	<b>41</b>
	4	-	*	Strength	-	-
	5	-	-	17 & below	-	-
	6	-	-	18	-	-
	7	-	-	19	-	-
<b>Total</b>		<b>-</b>	<b>*</b>	20	-	-
STAPLE	40 & shorter	-	-	21	-	-
	42	-	-	22	-	-
	44	0.1	0.2	23	-	-
	46	2.3	5.1	24	-	-
	48 & longer	97.6	94.8	25	-	-
	<b>Average</b>	<b>49.4</b>	<b>49.2</b>	26	-	-
				27	-	-
UNIFORMITY	72.4 & below	-	-	28	-	-
	72.5-73.4	-	-	29	-	-
	73.5-74.4	-	-	30	-	-
	74.5-75.4	-	-	31	-	-
	75.5-76.4	-	-	32	-	-
	76.5-77.4	-	-	33	-	-
	77.5-78.4	-	-	34	*	*
	78.5-79.4	-	-	35	*	*
	79.5-80.4	-	*	36	0.2	0.1
	80.5-81.4	*	*	37	0.6	0.4
	81.5-82.4	0.1	*	38	1.2	1.2
	82.5-83.4	0.5	0.3	39	1.3	2.7
	83.5-84.4	1.8	1.7	40	1.6	3.9
	84.5-85.4	8.2	11.3	41	3.2	3.7
	85.5-86.4	41.1	40.1	42	7.4	6.5
86.5-87.4	42.4	41.4	43	14.5	13.4	
87.5-88.4	5.5	4.9	44	22.7	21.9	
88.5-89.4	0.4	0.3	45 & above	47.2	46.2	
89.5 & above	*	*	<b>Average</b>	<b>44.1</b>	<b>44.0</b>	
<b>Average</b>		<b>86.4</b>	<b>86.3</b>	EXTRANEIOUS MATTER	-	-
SAMPLES CLASSED	Week	49,658		Bark	*	*
	Season		431,585	Grass	0.1	0.2
				Spindle Twist Preparation	*	*

\* Less than 0.05 percent.



## Extraneous Matter By Classing Office

21-Dec-18

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
 For the Week ending Thursday, December 20, 2018**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	14.8%	-	*	-	-	-	-	-	-	-	-	-	14.8%	-	92,803
Corpus Christi	*	-	3.1%	-	*	-	14.8%	-	*	-	-	-	*	-	18.0%	-	17,699
Dumas	0.8%	-	2.2%	-	0.1%	-	0.3%	-	*	-	-	-	-	-	3.4%	-	59,031
Florence	*	-	3.3%	-	0.1%	-	*	-	-	-	-	-	*	-	3.4%	-	70,880
Lamesa	*	-	12.6%	-	-	-	*	-	-	-	-	-	-	-	12.6%	-	79,603
Lubbock	*	-	5.9%	-	*	-	*	-	*	-	-	-	*	-	5.9%	-	301,193
Macon	0.1%	-	19.2%	-	*	-	0.4%	-	-	-	-	-	-	-	19.7%	-	176,564
Memphis	*	-	2.4%	-	0.1%	-	0.1%	-	-	-	-	-	*	-	2.6%	-	97,896
Rayville	-	-	7.7%	-	0.4%	-	0.4%	-	-	-	-	-	*	-	8.5%	-	21,198
Visalia	-	-	0.8%	-	*	-	0.7%	-	-	-	-	-	-	-	1.6%	-	42,989
United States	0.1%	-	8.7%	-	*	-	0.4%	-	*	-	-	-	*	-	9.3%	*	959,856

\* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
 For the Season ending Thursday, December 20, 2018**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	10.3%	-	*	-	*	-	*	-	-	-	*	-	10.3%	-	484,632
Corpus Christi	*	-	1.4%	-	0.7%	-	3.3%	-	*	-	-	-	*	-	5.4%	-	1,691,337
Dumas	0.5%	-	1.1%	-	0.2%	*	*	-	*	-	-	-	*	-	1.9%	*	1,269,785
Florence	*	-	2.3%	-	0.1%	-	*	-	*	-	-	-	*	-	2.4%	-	1,091,501
Lamesa	*	-	9.2%	-	*	-	*	-	-	-	-	-	-	-	9.2%	-	505,270
Lubbock	*	-	8.7%	-	*	-	*	-	*	-	-	-	*	*	8.7%	*	2,002,291
Macon	*	-	12.7%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	12.9%	*	1,814,105
Memphis	*	-	1.0%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	1.1%	-	2,751,531
Rayville	*	-	3.2%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	3.5%	-	467,788
Visalia	*	-	0.5%	-	0.1%	-	0.9%	-	-	-	-	-	-	-	1.5%	-	303,622
United States	0.1%	-	4.9%	*	0.2%	*	0.5%	-	*	-	*	-	*	*	5.6%	*	12,381,862

\* Less than 0.05 percent.