



Classing Office	Week				Season			
	Gins	Tenderable (%)	Eligible (%)	Bales	Gins	Tenderable (%)	Eligible (%)	Bales
UPLAND								
Abilene	38	73.5	61.0	92,803	39	76.4	64.0	484,630
Corpus Christi	24	33.0	19.9	17,699	54	56.0	32.7	1,691,337
Dumas	31	73.1	44.8	59,031	40	78.4	50.6	1,269,785
Florence	49	80.6	58.8	70,880	53	78.1	60.0	1,091,501
Lamesa	32	68.8	53.2	79,603	35	75.6	62.4	505,269
Lubbock	71	73.6	59.2	301,193	72	73.9	59.9	2,002,291
Macon	77	65.4	54.8	176,564	79	76.6	63.2	1,814,103
Memphis	59	65.5	44.5	97,896	81	61.7	43.9	2,751,531
Rayville	14	53.9	32.8	21,198	21	56.5	31.8	467,788
Visalia	25	82.3	62.6	42,989	32	81.7	62.6	303,622
United States	420	70.6	54.5	959,856	506	69.7	51.5	12,381,857
AMERICAN PIMA								
Visalia	19			49,658	23			431,585
United States	19			49,658	23			431,585
United States all cotton	436			1,009,514	520			12,813,442

* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 20 2018

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 1.8	Pct. 2.0	Pct. 2.2	Pct. 17.4	Pct. 0.1	Pct. 0.4	Pct. *	Pct. 0.1	Pct. 7.0	Pct. 5.0
	3	1.8	2.1	2.8	10.9	0.1	0.8	0.2	0.2	5.3	3.3
	4	0.2	0.2	0.1	0.7	*	0.1	*	*	0.7	0.4
	5	*	*	-	*	-	*	-	*	*	*
	6	*	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	3.9	4.2	5.1	29.0	0.1	1.2	0.2	0.4	13.0
31	1-2	10.0	7.9	0.5	5.8	1.1	1.8	0.9	1.9	11.7	9.8
	3	28.6	24.4	2.2	11.9	8.8	13.9	8.3	14.7	28.3	26.0
	4	8.4	7.7	0.2	3.5	3.2	6.9	4.6	7.3	11.5	10.9
	5	0.9	0.7	-	0.2	0.1	0.4	0.5	0.6	1.8	1.7
	6	*	*	-	*	*	*	*	*	0.1	0.1
	7	*	*	-	*	-	-	-	-	*	*
	8	*	*	-	*	-	-	-	*	-	-
	Total	----	48.0	40.9	2.9	21.4	13.2	23.0	14.3	24.6	53.5
41	1-2	2.2	2.6	2.1	1.7	1.7	0.9	1.5	1.8	0.8	1.2
	3	15.2	17.6	8.1	5.7	24.2	17.0	26.2	24.2	5.2	9.6
	4	11.7	14.6	1.8	2.8	34.1	33.1	28.7	23.4	6.8	12.2
	5	4.0	4.6	0.1	0.4	7.8	10.9	7.0	5.2	3.2	5.8
	6	0.8	0.8	-	*	0.7	0.8	0.7	0.3	0.9	1.7
	7	0.1	0.1	-	*	*	*	*	*	0.3	0.4
	8	*	*	-	*	-	*	*	*	-	-
	Total	----	34.1	40.2	12.1	10.6	68.6	62.7	64.1	54.9	17.1
51	1-2	*	0.1	1.8	0.4	*	*	0.2	0.1	-	*
	3	0.2	0.4	7.1	1.9	1.2	0.3	2.4	1.3	*	*
	4	0.8	0.8	3.5	1.3	3.6	1.7	4.4	1.9	*	0.1
	5	0.9	0.8	0.4	0.3	1.7	1.6	2.9	1.1	0.1	0.2
	6	0.3	0.3	0.1	*	0.3	0.3	0.7	0.2	0.1	0.3
	7	0.1	0.1	*	*	*	*	*	*	0.1	0.2
	8	*	*	*	*	-	*	*	*	-	-
	Total	----	2.2	2.5	12.9	3.9	6.9	3.9	10.6	4.6	0.3
61	1-2	-	-	0.1	*	-	-	*	*	-	-
	3	-	-	0.6	0.1	-	-	*	*	-	-
	4	-	-	0.6	0.1	*	*	*	*	-	-
	5	-	-	0.3	*	-	-	*	*	-	-
	6	-	-	0.1	*	-	*	-	-	-	*
	7	-	*	*	*	-	-	*	*	-	-
	8	-	*	-	*	-	-	*	*	-	-
	Total	----	-	*	1.6	0.2	*	*	0.1	*	-
71	1-2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	0.1	*	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	0.1	*	-	-	-	-	-
12 & 22	1-2	0.2	0.2	1.2	4.3	*	*	*	*	0.7	0.4
	3	0.3	0.4	2.7	4.0	*	*	*	*	1.5	0.7
	4	0.1	0.1	0.4	0.7	*	*	*	*	0.3	0.2
	5	*	*	-	*	-	-	-	*	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	*	-	-	-	-	-	-
	Total	----	0.5	0.7	4.2	9.1	*	*	*	*	2.5
32	1-2	0.6	0.3	0.4	1.1	*	*	*	0.1	0.6	0.4
	3	2.0	1.5	1.4	3.3	0.4	0.4	0.7	1.0	3.7	2.1
	4	1.4	1.1	0.4	1.6	0.4	0.4	0.6	0.5	3.1	1.8
	5	0.3	0.3	*	0.2	0.1	*	0.1	*	0.7	0.4
	6	*	*	-	*	*	*	*	*	*	*
	7	-	*	-	*	-	-	-	-	-	*
	8	-	*	-	*	-	-	-	-	-	-
	Total	----	4.4	3.3	2.2	6.2	1.0	0.9	1.5	1.8	8.2
42	1-2	0.3	0.2	0.5	0.5	*	*	0.1	0.4	0.1	0.1
	3	1.5	1.4	2.9	2.9	1.4	1.1	1.8	4.8	0.4	0.8
	4	1.6	1.6	3.4	2.4	3.5	3.2	2.4	4.0	0.9	1.1
	5	0.7	0.8	0.4	0.6	1.4	1.5	0.8	0.7	0.9	0.7
	6	0.2	0.2	*	0.1	0.2	0.1	0.2	0.1	0.4	0.3
	7	*	*	*	*	*	*	*	*	0.1	0.1
	8	*	*	-	*	-	-	*	*	-	-
	Total	----	4.3	4.2	7.3	6.5	6.4	5.9	5.3	10.0	2.8

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 20 2018

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1 - 2	*	0.1	1.0	0.2	-	*	*	0.1	*	*
	3	0.1	0.2	5.8	1.6	0.1	0.1	0.5	0.9	0.1	*
	4	0.2	0.3	7.3	2.1	0.6	0.6	0.8	1.0	*	*
	5	0.2	0.3	2.1	0.8	0.5	0.7	0.4	0.4	*	*
	6	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	*	*
	7	*	*	*	*	*	*	*	*	*	*
	8	*	*	-	*	-	-	*	*	-	-
	Total	----	0.6	1.1	16.3	5.0	1.3	1.5	1.8	2.5	0.1
62	1 - 2	-	*	0.2	*	*	*	*	*	*	*
	3	-	0.1	2.4	0.3	*	*	*	*	-	*
	4	*	*	3.7	0.5	*	*	0.1	*	-	*
	5	-	-	1.7	0.2	*	*	*	*	-	*
	6	*	*	0.2	*	-	*	*	*	-	*
	7	*	*	*	*	-	*	-	-	-	-
	8	-	-	-	*	-	-	-	*	-	-
	Total	----	*	0.1	8.2	1.1	0.1	*	0.1	0.1	*
13 & 23	1 - 2	*	*	0.2	0.4	-	-	-	*	*	*
	3	*	0.1	0.9	0.5	-	-	*	*	0.1	0.1
	4	*	0.1	0.2	0.2	-	-	-	*	0.1	0.1
	5	*	*	-	*	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	0.2	1.4	1.1	-	-	*	*	0.2
33	1 - 2	0.1	*	0.8	0.1	*	*	*	*	*	*
	3	0.4	0.3	2.1	0.4	0.1	*	0.1	0.1	0.4	0.3
	4	0.4	0.4	0.6	0.3	0.1	*	0.1	*	0.6	0.4
	5	0.2	0.2	*	0.1	*	*	*	*	0.4	0.2
	6	0.1	*	-	*	-	-	*	*	0.1	*
	7	*	*	-	*	-	-	-	*	*	*
	8	*	*	-	*	-	-	-	-	-	-
	Total	----	1.1	0.9	3.5	0.9	0.2	0.1	0.3	0.1	1.4
43	1 - 2	-	*	0.1	*	*	*	*	*	*	*
	3	0.1	0.1	1.8	0.4	0.3	0.1	0.3	0.2	*	*
	4	0.2	0.2	2.5	0.5	0.9	0.2	0.6	0.3	0.1	0.1
	5	0.2	0.2	1.0	0.2	0.4	0.1	0.3	0.1	0.2	0.1
	6	0.1	0.1	0.1	0.1	*	*	0.1	*	0.1	0.1
	7	*	*	-	*	*	*	*	*	0.1	*
	8	*	*	-	*	-	-	*	*	-	-
	Total	----	0.6	0.6	5.4	1.3	1.6	0.5	1.2	0.7	0.5
53	1 - 2	-	*	0.1	*	-	-	*	*	-	*
	3	*	*	1.6	0.4	0.1	*	0.1	0.1	*	*
	4	*	*	3.3	0.7	0.2	0.1	0.1	0.1	*	*
	5	*	*	2.3	0.5	0.1	0.1	0.1	*	*	*
	6	*	*	0.4	0.1	*	*	*	*	*	*
	7	*	*	0.1	*	*	*	*	*	*	*
	8	*	*	*	*	-	*	-	-	-	-
	Total	----	0.1	0.1	7.8	1.9	0.4	0.2	0.3	0.2	*
63	1 - 2	-	*	*	*	-	-	-	*	-	-
	3	-	*	0.8	0.1	*	*	*	*	-	-
	4	-	*	1.8	0.5	*	*	*	*	-	-
	5	-	*	2.5	0.4	-	*	*	*	-	-
	6	*	*	0.8	0.1	-	*	-	*	-	-
	7	-	-	*	*	-	-	-	-	-	-
	8	-	*	-	*	-	-	-	-	-	-
	Total	----	*	*	6.0	1.2	*	*	*	*	-
24 - 54	1 - 8	0.3	0.7	2.0	0.4	0.2	0.1	0.1	*	0.3	0.1
25 - 35	1 - 8	-	0.1	-	*	-	-	-	-	-	-
81 - 85	1 - 8	*	0.1	0.9	0.3	-	-	0.1	*	-	*
STAPLE											
28 & Shorter		-	*	-	-	-	-	-	-	-	-
29		-	*	*	*	-	-	-	*	-	-
30		*	*	0.6	0.2	-	-	*	*	-	*
31		0.1	0.1	3.4	0.8	-	-	*	*	*	*
32		1.1	0.9	5.6	2.3	*	*	0.1	0.1	0.3	0.4
33		3.0	3.1	5.1	5.8	0.1	0.2	1.3	1.0	2.5	2.4
34		7.5	7.6	11.8	12.3	0.9	2.0	7.5	6.0	10.7	9.8
35		15.8	14.5	16.2	18.3	5.9	6.7	20.1	17.6	26.7	23.1
36		25.2	24.0	19.7	22.4	13.1	13.8	24.7	24.4	26.4	26.5
37		28.7	28.8	28.4	21.9	29.5	28.6	30.2	27.8	23.7	24.4
38		14.3	13.5	7.8	10.5	30.6	27.5	13.0	17.6	7.9	9.8
39		3.8	6.2	1.2	4.8	16.9	17.4	2.7	5.0	1.8	3.1
40 & Longer		0.4	1.2	0.1	0.7	3.0	3.8	0.3	0.5	0.1	0.4
Average Staple		36.26	36.36	35.50	35.85	37.46	37.40	36.26	36.47	35.89	36.03
Average Length		1.13	1.13	1.11	1.12	1.17	1.17	1.13	1.14	1.12	1.12

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 20 2018

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct. 7.0	Pct. 3.4	Pct. 0.1	Pct. 1.0	Pct. 0.1	Pct. 0.5	Pct. 0.1	Pct. 0.7	Pct. 24.0	Pct. 30.9	
	3	7.5	4.3	0.2	1.9	0.2	0.5	0.4	1.2	5.0	7.6	
	4	0.9	0.7	*	0.2	*	*	*	0.1	0.1	0.3	
	5	*	*	-	*	-	*	-	*	-	*	
	6	*	*	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	15.3	8.4	0.3	3.0	0.3	1.1	0.5	1.9	29.2	38.7
	31	1-2	13.9	8.7	1.1	3.3	0.3	0.9	1.4	2.7	15.4	11.6
3		29.5	25.5	6.3	22.6	2.3	5.6	6.9	15.2	18.4	13.6	
4		11.2	11.9	2.5	10.9	1.3	3.1	2.4	6.0	3.9	2.0	
5		1.5	1.9	0.1	0.7	0.1	0.3	0.2	0.4	0.4	0.1	
6		0.1	0.1	*	*	*	*	-	*	*	*	
7		*	*	-	*	-	-	-	-	-	*	
8		-	*	-	-	-	-	-	-	-	-	
Total		----	56.2	48.1	10.0	37.5	4.0	9.9	10.9	24.3	38.0	27.4
41		1-2	1.1	1.3	2.0	1.1	3.1	1.6	3.1	1.9	4.1	4.0
	3	6.7	10.9	24.7	16.4	20.9	18.1	23.1	18.0	13.4	12.3	
	4	7.1	13.6	29.0	21.0	30.2	25.7	19.2	18.1	7.9	5.6	
	5	4.0	6.2	6.5	4.6	8.4	7.8	2.3	4.0	1.4	1.0	
	6	1.4	1.5	0.4	0.2	0.7	0.6	*	0.2	0.1	0.1	
	7	0.3	0.3	*	*	*	*	-	*	*	*	
	8	*	*	-	*	-	*	-	-	-	-	
	Total	----	20.6	33.7	62.6	43.4	63.4	53.8	47.7	42.2	27.0	23.1
	51	1-2	-	*	0.1	*	0.1	0.1	1.5	0.4	*	0.1
3		*	*	1.8	0.6	3.0	1.5	7.0	2.2	0.5	1.1	
4		*	0.2	3.8	1.6	7.2	4.6	4.2	1.9	0.9	1.2	
5		0.1	0.2	1.8	1.0	5.1	3.3	0.6	0.5	0.3	0.4	
6		0.1	0.2	0.3	0.2	1.0	0.5	*	0.1	*	*	
7		*	0.1	*	*	0.1	*	-	*	*	*	
8		*	*	-	*	*	*	-	*	-	*	
Total		----	0.2	0.7	7.8	3.5	16.4	9.9	13.3	5.1	1.8	2.9
61		1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	*	*	*	*	0.2	*	*	*	
	4	-	-	*	*	*	*	0.2	*	-	-	
	5	-	-	-	*	*	*	*	*	-	-	
	6	-	-	*	*	*	*	-	*	-	-	
	7	-	*	*	*	*	*	-	-	-	-	
	8	-	*	-	*	-	-	*	*	-	*	
	Total	----	-	*	*	*	*	*	0.5	*	*	*
	71	1-2	-	-	-	-	-	-	-	-	-	-
3		-	-	-	*	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	
8		-	-	-	*	-	-	-	-	-	-	
Total		----	-	-	-	*	-	-	-	-	-	-
12 & 22		1-2	0.5	0.2	*	*	-	*	-	0.1	0.1	1.3
	3	0.7	0.5	*	0.1	*	*	-	0.3	0.1	0.8	
	4	0.2	0.2	*	*	-	*	-	0.1	*	0.2	
	5	*	*	-	*	-	*	-	*	-	*	
	6	-	*	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	
	Total	----	1.4	1.0	0.1	0.1	*	0.1	-	0.4	0.3	2.3
	32	1-2	0.8	0.4	0.3	0.3	0.1	0.2	0.1	0.2	0.2	0.3
3		2.1	1.8	0.8	1.9	0.7	0.9	0.6	1.3	0.5	1.3	
4		1.2	1.7	0.4	1.0	0.3	0.5	0.2	0.7	0.1	0.3	
5		0.3	0.5	0.1	0.1	*	*	*	0.1	*	0.1	
6		0.1	*	*	*	*	*	-	*	*	*	
7		*	*	-	-	-	*	-	-	-	*	
8		-	-	-	-	-	-	-	-	-	*	
Total		----	4.4	4.5	1.6	3.3	1.2	1.6	0.9	2.3	0.8	2.1
42		1-2	0.1	0.1	0.2	0.1	0.3	0.6	0.4	0.4	0.1	0.1
	3	0.3	0.8	3.5	2.1	3.0	6.9	4.5	5.2	0.7	0.9	
	4	0.4	1.1	5.3	3.1	5.3	8.9	3.0	5.9	0.9	1.0	
	5	0.2	0.6	1.5	0.9	2.0	2.5	0.6	1.4	0.4	0.2	
	6	0.1	0.1	0.1	0.1	0.2	0.2	*	0.1	0.1	*	
	7	*	*	*	*	*	*	-	*	*	*	
	8	*	*	-	*	-	-	-	-	-	*	
	Total	----	1.1	2.8	10.6	6.2	10.8	19.1	8.5	13.1	2.2	2.3

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 20 2018

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 52	1-2	-	*	*	*	*	*	0.2	0.2	*	*
	3	*	*	0.4	0.2	0.1	0.4	2.9	1.8	0.1	0.1
	4	*	*	1.5	0.6	0.5	1.3	4.3	2.7	0.1	0.4
	5	*	*	1.0	0.4	0.6	0.9	1.6	1.2	0.1	0.2
	6	*	*	0.2	0.1	0.2	0.2	0.2	0.2	0.1	*
	7	-	*	*	*	*	*	-	*	*	*
	8	*	*	*	*	*	*	-	-	-	*
	Total	----	*	0.1	3.1	1.3	1.4	2.7	9.2	6.1	0.4
62	1-2	-	*	-	-	-	-	0.1	*	*	*
	3	-	*	*	*	*	*	1.1	0.2	*	*
	4	-	-	*	*	*	*	1.5	0.2	-	-
	5	-	*	*	*	*	*	0.4	0.1	-	*
	6	-	*	*	*	*	*	*	*	-	-
	7	-	-	*	*	*	*	*	*	-	-
	8	-	-	-	*	*	*	-	-	-	*
	Total	----	-	*	*	*	*	*	3.1	0.5	*
13 & 23	1-2	*	*	*	*	-	*	-	*	*	*
	3	0.1	*	*	*	-	*	-	*	*	0.1
	4	*	*	*	*	-	*	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.1	*	*	*	-	*	-	*	*
33	1-2	*	*	0.1	*	*	*	*	*	*	*
	3	0.1	0.1	0.2	0.2	0.1	*	0.1	0.1	*	*
	4	0.2	0.2	0.1	0.1	0.1	*	*	*	*	*
	5	0.1	0.1	*	*	*	*	-	*	-	*
	6	*	*	*	*	*	*	-	*	-	*
	7	*	*	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-
	Total	----	0.5	0.4	0.4	0.4	0.1	0.1	0.1	0.1	*
43	1-2	*	*	*	*	*	*	0.1	*	-	*
	3	*	*	0.8	0.3	0.6	0.4	1.1	0.5	*	*
	4	0.1	0.1	1.2	0.4	0.8	0.6	1.0	0.8	0.1	0.1
	5	*	0.1	0.3	0.1	0.4	0.2	0.3	0.3	0.1	*
	6	*	*	*	*	*	*	*	*	0.1	*
	7	*	*	*	*	*	*	-	*	-	*
	8	-	*	-	-	-	-	-	*	-	*
	Total	----	0.1	0.2	2.3	0.8	1.8	1.3	2.5	1.6	0.2
53	1-2	-	-	*	*	-	*	*	*	-	-
	3	-	*	0.1	*	*	*	0.4	0.3	-	*
	4	*	*	0.4	0.1	0.1	0.1	0.8	0.7	-	*
	5	*	*	0.2	0.1	0.1	0.1	0.3	0.5	*	*
	6	-	*	*	*	*	*	*	0.1	*	*
	7	-	*	*	*	*	*	-	*	*	*
	8	-	*	*	*	-	-	-	-	-	*
	Total	----	*	*	0.7	0.2	0.2	0.3	1.5	1.6	0.1
63	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	*	*	-	*	0.1	0.1	-	-
	4	-	*	*	*	-	*	0.1	0.1	-	-
	5	-	*	*	*	-	*	0.1	0.1	-	-
	6	-	-	*	*	-	*	*	*	-	-
	7	-	-	*	*	-	-	*	*	-	-
	8	-	*	-	*	-	*	-	-	-	-
	Total	----	-	*	*	*	-	*	0.3	0.4	-
24 - 54	1-8	0.1	*	0.3	0.1	0.1	*	0.7	0.2	-	*
25 - 35	1-8	-	-	*	*	*	*	*	*	-	-
81 - 85	1-8	*	*	*	*	*	*	0.1	*	-	-
STAPLE											
28 & Shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	*	*	*	-	-
31		*	*	*	*	*	*	0.2	0.1	-	*
32		0.3	0.2	0.1	0.1	*	*	0.5	0.4	*	*
33		1.7	1.6	1.4	0.9	0.1	0.1	2.9	1.5	0.1	0.2
34		8.2	7.4	6.9	5.0	1.1	0.9	8.8	4.2	1.0	1.4
35		20.6	19.7	15.4	13.1	8.1	6.3	12.7	11.7	5.3	5.7
36		27.2	27.7	19.0	18.4	23.0	19.7	22.4	17.9	11.1	14.3
37		28.2	27.8	31.0	30.4	37.1	39.3	20.9	26.3	21.4	28.0
38		9.4	10.2	20.0	23.1	19.8	21.4	11.6	20.2	23.4	20.5
39		3.5	4.1	5.7	8.0	7.8	9.1	11.5	12.8	18.5	16.8
40 & Longer		0.8	1.1	0.6	0.9	2.9	3.2	8.5	4.9	19.2	13.2
Average Staple		36.18	36.25	36.57	36.78	37.01	37.14	36.71	36.99	37.98	37.66
Average Length		1.13	1.13	1.14	1.15	1.16	1.16	1.15	1.15	1.19	1.18

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 20 2018

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	14.8	10.3	3.1	1.4	2.2	1.1	3.3	2.3	12.6	9.2
Bark - Level 2	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	*	*	*	0.7	0.1	0.2	0.1	0.1	-	*
Grass - Level 2	-	-	-	-	-	*	-	-	-	-
Prep - Level 1	*	*	*	*	0.8	0.5	*	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	14.8	3.3	0.3	*	*	*	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	*	*	*	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	*	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	*	*	-	*	*	*	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	0.1	0.1	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	*	*	-	-	-	-
STRENGTH 1/22 & Below	*	*	1.6	0.4	-	-	-	-	*	*
23	*	0.1	1.8	0.7	-	-	0.1	*	*	*
24	0.1	0.2	3.6	1.5	*	*	0.5	0.2	0.1	0.1
25	0.4	0.6	9.2	2.8	0.2	0.2	2.4	1.5	0.4	0.4
26	1.9	1.7	12.7	5.0	1.4	1.0	6.3	4.4	2.1	2.0
27	7.2	5.6	16.7	8.9	6.3	3.9	11.7	9.3	4.7	6.2
28	16.7	14.3	18.4	15.6	16.7	12.5	20.5	17.9	12.9	15.3
29	21.2	22.2	13.9	21.3	32.3	28.5	22.0	24.4	20.0	20.9
30	20.8	22.2	13.5	20.0	25.1	29.8	18.1	20.1	22.3	21.8
31	15.8	15.9	7.0	13.1	11.7	15.4	11.0	12.0	20.1	18.5
32	10.4	10.3	1.4	6.3	4.3	5.9	4.8	6.2	11.2	9.7
33	4.3	4.8	0.2	2.7	1.5	2.1	1.7	2.9	4.3	3.7
34	0.7	1.6	*	1.2	0.5	0.6	0.6	1.0	1.3	1.1
35	0.4	0.4	*	0.4	0.1	0.1	0.2	0.2	0.4	0.3
36	0.1	0.1	-	0.1	-	*	*	*	0.1	*
37	*	*	-	*	-	-	*	*	*	*
38	-	*	-	*	-	-	-	*	-	-
39	-	*	-	-	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-
Average	30.13	30.25	28.10	29.57	29.81	30.11	29.35	29.68	30.37	30.19
Mike										
2.4 & Below	*	*	*	*	-	-	*	*	0.2	0.1
2.5	0.2	0.1	*	*	-	-	-	-	0.6	0.2
2.6	0.2	0.1	0.1	*	-	-	-	*	0.8	0.3
2.7	0.1	0.1	*	*	-	-	-	*	1.0	0.4
2.8	0.2	0.2	0.2	*	*	*	-	*	1.1	0.5
2.9	0.1	0.1	0.5	*	*	*	*	*	1.5	0.6
3.0	0.3	0.2	0.8	0.1	*	*	*	*	1.5	0.7
3.1	0.6	0.4	0.7	0.1	*	*	*	*	1.8	0.9
3.2	1.0	0.6	0.2	0.2	-	*	*	*	2.4	1.3
3.3	1.3	0.9	0.4	0.2	*	*	*	*	3.4	1.8
3.4	1.8	1.3	0.3	0.3	0.1	*	0.1	0.1	2.9	2.1
3.5	2.2	1.6	0.9	0.4	0.1	*	0.2	0.1	3.9	2.7
3.6	3.0	2.1	0.8	0.4	*	*	0.3	0.3	5.2	3.7
3.7	3.4	2.9	0.3	0.7	*	0.1	0.6	0.5	6.1	4.5
3.8	4.5	3.6	0.6	1.0	0.1	0.3	0.8	0.9	5.7	5.3
3.9	5.3	4.6	1.5	1.4	0.3	0.5	2.2	1.6	6.3	6.2
4.0	5.9	5.9	3.0	1.9	0.8	0.9	2.5	2.7	7.2	7.5
4.1	7.4	7.5	3.5	2.7	1.8	1.7	3.7	4.3	8.1	8.5
4.2	9.4	8.5	4.6	4.0	2.7	2.7	6.1	6.3	7.8	8.8
4.3	9.8	9.2	5.5	5.5	3.8	4.1	7.8	8.4	7.7	9.2
4.4	9.1	10.0	7.9	7.3	5.5	6.3	11.0	10.7	6.7	8.1
4.5	9.1	10.2	9.6	9.1	8.9	9.4	13.1	13.1	5.6	7.7
4.6	8.0	9.2	12.1	10.6	12.3	13.7	14.9	14.5	4.4	6.4
4.7	6.7	7.4	15.2	11.2	15.5	17.0	13.8	13.3	3.2	4.6
4.8	4.9	5.5	12.9	10.7	16.4	16.9	10.6	10.1	2.2	3.4
4.9	2.5	3.5	7.7	9.1	14.2	13.1	6.2	6.2	1.6	2.4
5.0	1.3	2.0	5.3	7.2	9.2	7.3	2.8	3.6	0.7	1.2
5.1	0.8	1.1	3.4	5.6	4.6	3.3	1.8	1.9	0.3	0.6
5.2	0.4	0.5	1.5	4.1	1.9	1.5	0.9	0.9	0.1	0.3
5.3	0.2	0.2	0.2	3.0	1.0	0.7	0.4	0.4	*	*
5.4	0.1	0.1	*	2.0	0.5	0.2	0.1	0.1	-	*
5.5 & Above	*	*	0.2	1.4	0.2	*	*	*	-	*
Average	4.23	4.30	4.53	4.67	4.71	4.68	4.53	4.53	3.96	4.13

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).
 * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 20 2018

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Extraneous Matter	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Bark - Level 1	5.9	8.7	19.2	12.7	2.4	1.0	7.7	3.2	0.8	0.5
Bark - Level 2	-	-	-	*	-	-	-	-	-	-
Grass - Level 1	*	*	*	0.1	0.1	0.1	0.4	0.1	*	0.1
Grass - Level 2	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	*	*	0.1	*	*	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.4	0.2	0.1	0.1	0.4	0.1	0.7	0.9
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	-	*	-	*	-	-
Oil - Level 2	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	*	-	*	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	-	*	*	*	*	*	-	-
Other - Level 2	-	*	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-
STRENGTH 1/22 & Below	-	-	*	*	*	*	0.1	*	-	-
23	*	*	*	*	*	*	0.1	0.1	-	-
24	*	*	0.3	0.3	*	*	0.5	0.3	-	*
25	0.2	0.1	1.9	1.8	0.4	0.2	2.2	0.9	-	*
26	1.0	0.7	7.0	6.9	2.5	1.8	4.0	2.4	*	0.1
27	3.8	2.7	14.8	16.1	10.0	7.8	7.9	5.5	0.8	1.0
28	9.9	7.6	22.7	26.2	23.5	21.2	13.2	11.1	2.1	4.5
29	17.1	14.6	24.5	25.2	27.7	29.5	29.1	24.3	6.6	10.2
30	21.8	20.4	16.1	14.5	17.3	21.1	23.6	26.5	14.7	15.7
31	21.3	22.4	7.7	6.0	10.7	11.0	11.5	16.1	19.6	16.3
32	14.9	17.5	3.0	2.0	6.2	5.1	5.8	8.3	17.3	15.2
33	6.9	9.3	1.2	0.6	1.3	1.8	1.6	3.1	12.4	11.7
34	2.4	3.4	0.5	0.2	0.4	0.4	0.3	1.0	9.1	6.5
35	0.6	1.0	0.1	*	*	0.1	0.1	0.3	7.0	5.0
36	0.1	0.3	*	*	*	*	*	0.1	4.8	6.6
37	*	0.1	*	*	-	*	*	*	4.0	5.3
38	*	*	-	*	-	-	-	*	1.2	1.6
39	*	*	-	-	-	*	-	-	0.1	0.2
40 & Above	-	*	-	*	-	-	-	-	0.1	0.1
Average	30.77	31.10	29.11	28.93	29.58	29.70	29.66	30.14	32.64	32.48
Mike										
2.4 & Below	0.2	0.1	-	-	-	-	-	-	*	*
2.5	0.4	0.1	*	*	*	*	0.1	*	*	*
2.6	0.4	0.2	*	*	-	*	0.2	*	-	*
2.7	0.6	0.2	*	*	*	*	0.1	*	*	*
2.8	0.6	0.3	*	*	-	*	*	*	*	0.1
2.9	1.0	0.5	*	*	-	*	-	*	*	0.1
3.0	1.4	0.7	*	*	*	*	0.1	*	0.1	0.1
3.1	1.9	1.0	0.1	0.1	*	*	0.1	*	0.3	0.2
3.2	2.3	1.4	0.1	0.2	0.1	*	0.2	*	0.5	0.3
3.3	2.8	1.9	0.2	0.4	0.2	*	0.1	*	0.6	0.5
3.4	3.7	2.6	0.5	0.7	0.2	0.1	*	*	1.0	0.7
3.5	4.3	3.3	0.8	1.2	0.3	0.1	0.1	*	0.8	0.8
3.6	4.6	3.9	1.3	1.6	0.7	0.2	0.2	0.1	0.9	1.3
3.7	5.3	4.6	2.5	2.4	0.8	0.4	0.4	0.1	1.0	1.6
3.8	6.2	5.4	3.7	3.7	0.9	0.7	0.3	0.2	1.9	2.1
3.9	6.9	6.3	5.2	5.7	1.1	1.1	1.0	0.5	2.6	2.8
4.0	7.1	6.9	7.8	8.3	1.9	1.7	1.2	0.7	4.2	3.5
4.1	7.3	7.3	9.8	10.9	3.0	2.8	0.8	1.3	4.9	4.9
4.2	7.0	7.5	12.3	13.1	4.2	4.4	1.9	2.4	5.6	6.3
4.3	6.5	7.4	13.1	13.5	5.9	6.1	2.5	3.3	6.5	7.8
4.4	6.1	7.2	12.7	12.0	8.0	8.5	3.9	4.3	8.9	9.0
4.5	5.6	6.9	11.2	9.7	10.1	10.5	6.7	7.0	10.4	9.5
4.6	5.1	6.2	7.8	6.8	11.1	11.7	11.3	9.8	10.3	10.5
4.7	3.9	5.3	4.9	4.5	10.6	11.7	15.1	13.5	10.3	10.2
4.8	2.7	4.2	3.0	2.7	10.8	11.1	16.0	15.8	9.4	8.8
4.9	2.0	3.2	1.6	1.5	9.3	9.4	13.6	15.2	8.3	6.5
5.0	1.6	2.3	0.8	0.7	7.8	7.5	10.7	12.0	4.8	5.0
5.1	1.2	1.5	0.3	0.3	5.9	5.4	6.7	7.4	2.6	3.7
5.2	0.7	0.9	0.1	0.1	3.4	3.5	4.8	4.0	2.0	2.1
5.3	0.4	0.4	*	*	2.7	2.0	1.4	1.7	1.1	0.9
5.4	0.2	0.2	*	*	0.7	0.9	0.3	0.4	0.5	0.3
5.5 & Above	*	0.1	*	*	0.2	0.3	*	0.2	0.3	0.2
Average	4.03	4.17	4.28	4.25	4.64	4.65	4.73	4.76	4.50	4.49

1/ Fiber strength expressed in terms of 1/8" gage (grams per tax).
* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 20 2018

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
2.4 & Below	*	*	*	*	-	-	*	*	0.2	0.1
2.5 - 2.6	0.4	0.2	0.1	*	-	-	-	*	1.4	0.6
2.7 - 2.9	0.5	0.4	0.7	0.1	*	*	*	*	3.6	1.4
3.0 - 3.2	2.0	1.3	1.8	0.3	*	*	0.1	*	5.7	2.9
3.3 - 3.4	3.0	2.3	0.7	0.5	0.1	*	0.1	0.1	6.3	3.9
3.5 - 3.6	5.2	3.6	1.7	0.8	0.1	0.1	0.5	0.5	9.1	6.4
3.7 - 4.2	35.9	33.1	13.6	11.7	5.8	6.3	15.8	16.3	41.2	40.8
4.3 - 4.9	50.2	55.1	70.9	63.4	76.6	80.5	77.4	76.2	31.4	41.7
5.0 - 5.2	2.5	3.6	10.2	17.0	15.7	12.1	5.5	6.4	1.0	2.2
5.3 & Above	0.3	0.4	0.4	6.3	1.6	1.0	0.6	0.5	*	*
Average	4.23	4.30	4.53	4.67	4.71	4.68	4.53	4.53	3.96	4.13
Leaf										
1 - 2	15.2	13.5	11.2	32.0	3.0	3.2	2.9	4.7	20.9	17.0
3	50.3	48.8	43.9	44.5	36.7	33.8	40.7	47.5	45.0	43.1
4	25.0	27.5	30.9	18.3	46.7	46.2	42.4	38.8	24.3	27.3
5	7.5	8.1	11.7	4.3	12.1	15.4	12.2	8.3	7.4	9.3
6	1.6	1.6	2.0	0.8	1.4	1.4	1.7	0.7	1.8	2.6
7	0.3	0.3	0.2	0.1	0.1	*	0.1	*	0.6	0.8
8	0.1	0.1	*	*	-	*	*	*	-	-
Average	3.31	3.36	3.50	2.95	3.73	3.78	3.70	3.53	3.24	3.38
HVI Trash 1/										
00	-	-	-	*	-	-	-	-	-	*
01	2.0	1.8	1.0	7.9	0.2	0.2	0.1	0.3	4.8	3.7
02	17.2	14.7	13.6	26.3	5.2	4.9	4.1	6.4	21.4	17.0
03	26.9	24.7	22.9	25.2	17.6	15.8	17.4	21.0	24.9	23.1
04	21.5	21.7	20.3	17.5	24.7	22.9	24.4	26.5	19.1	19.6
05	13.2	15.0	15.5	10.5	22.3	22.0	21.8	20.8	12.0	13.6
06	7.9	9.3	10.3	5.8	14.9	16.1	14.5	12.7	7.2	8.8
07	4.8	5.6	6.7	3.1	8.0	9.6	8.5	6.7	4.4	5.4
08	2.7	3.2	4.2	1.6	3.8	4.9	4.6	3.2	2.5	3.3
09	1.6	1.8	2.4	0.9	1.8	2.2	2.3	1.4	1.5	2.0
10	0.9	1.0	1.3	0.5	0.9	0.9	1.2	0.6	0.9	1.3
11	0.5	0.6	0.7	0.3	0.4	0.3	0.5	0.2	0.6	0.9
12	0.3	0.3	0.4	0.1	0.2	0.1	0.3	0.1	0.3	0.6
13	0.2	0.2	0.3	0.1	0.1	*	0.1	*	0.2	0.3
14	0.1	0.1	0.2	0.1	0.1	*	0.1	*	0.1	0.2
15	0.1	0.1	0.1	*	*	*	*	*	0.1	0.1
16	*	*	0.1	*	-	*	*	*	*	0.1
17	*	*	*	*	-	-	*	*	*	*
18 & Above	*	*	*	*	-	-	*	*	*	*
Average	0.41	0.43	0.46	0.35	0.48	0.50	0.50	0.46	0.39	0.43
UNIFORMITY 2/										
74 & Below	*	*	0.7	0.1	-	-	*	*	*	*
75	0.1	*	2.1	0.4	-	-	*	*	0.1	*
76	0.4	0.3	4.8	1.2	-	-	0.2	0.1	0.4	0.3
77	2.4	1.6	9.1	3.0	0.4	0.2	1.0	0.7	1.6	1.2
78	8.5	6.3	19.7	5.9	2.5	1.5	5.4	4.0	5.7	5.0
79	23.8	20.4	27.9	11.9	12.1	8.1	21.4	17.6	21.5	18.5
80	35.0	34.4	21.4	21.5	31.2	29.6	36.0	35.9	34.5	35.1
81	24.0	26.0	11.7	26.6	36.1	39.5	26.1	29.6	26.8	27.9
82	5.1	9.0	2.4	21.0	14.7	17.4	8.5	10.2	8.0	9.9
83	0.6	1.6	0.2	7.4	2.7	3.2	1.2	1.6	1.3	1.9
84	*	0.2	*	0.9	0.2	0.4	0.1	0.2	*	0.1
85 & Above	0.1	0.1	-	*	*	*	*	*	*	*
Average	80.31	80.55	79.33	80.99	81.02	81.19	80.57	80.72	80.51	80.66
Tenderables	73.5	76.4	33.0	56.0	73.1	78.4	80.6	78.1	68.8	75.6
SAMPLES CLASSIFIED										
Week	92,803		17,699		59,031		70,880		79,603	
Season		484,630		1,691,337		1,269,785		1,091,501		505,269

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 20 2018

Quality MIKE	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
2.4 & Below	0.2	0.1	-	-	-	-	-	-	*	*
2.5 - 2.6	0.8	0.3	*	*	*	*	0.3	*	*	*
2.7 - 2.9	2.2	1.0	*	*	*	*	0.1	*	0.1	0.2
3.0 - 3.2	5.6	3.1	0.2	0.3	0.1	*	0.5	*	0.9	0.6
3.3 - 3.4	6.5	4.5	0.7	1.2	0.4	0.1	0.1	*	1.6	1.2
3.5 - 3.6	8.9	7.2	2.1	2.7	1.1	0.3	0.3	0.1	1.7	2.1
3.7 - 4.2	39.8	38.0	41.3	44.0	11.9	11.0	5.6	5.3	20.2	21.3
4.3 - 4.9	31.9	40.6	54.4	50.7	65.9	69.0	69.1	68.9	64.2	62.4
5.0 - 5.2	3.5	4.6	1.2	1.1	17.1	16.4	22.2	23.4	9.4	10.9
5.3 & Above	0.6	0.7	*	*	3.6	3.2	1.7	2.2	1.9	1.4
Average	4.03	4.17	4.28	4.25	4.64	4.65	4.73	4.76	4.50	4.49
Leaf										
1 - 2	23.4	14.1	3.9	6.0	4.1	4.0	7.1	6.7	44.0	48.4
3	47.0	44.1	38.8	46.3	30.9	34.5	48.4	46.4	38.8	37.8
4	21.2	29.6	44.4	39.1	45.9	44.9	37.2	37.4	14.0	11.2
5	6.3	9.7	11.6	7.9	16.7	15.2	6.7	8.6	2.8	2.2
6	1.6	2.0	1.2	0.7	2.2	1.5	0.5	0.8	0.4	0.3
7	0.3	0.4	0.1	0.1	0.1	*	*	0.1	0.1	0.1
8	0.1	0.1	*	*	*	*	*	*	-	*
Average	3.16	3.42	3.68	3.51	3.82	3.76	3.45	3.50	2.70	2.60
HVI Trash 1/										
00	*	*	-	-	-	-	-	-	-	*
01	4.0	1.9	0.3	0.5	0.5	0.3	0.4	0.6	14.0	18.2
02	24.1	15.0	5.2	7.9	4.6	4.7	9.4	9.6	32.9	34.7
03	27.1	22.9	16.8	21.5	12.8	14.4	23.2	22.8	24.5	23.6
04	18.7	20.8	24.2	25.7	20.4	21.5	26.1	24.7	13.9	12.0
05	11.2	15.3	22.0	20.3	21.1	21.6	19.4	18.9	7.5	6.0
06	6.3	10.1	15.1	12.4	16.7	16.6	11.8	11.6	4.0	2.9
07	3.5	6.1	8.6	6.5	11.3	10.5	5.6	6.3	1.7	1.3
08	2.1	3.5	4.3	3.0	6.4	5.7	2.6	3.0	0.7	0.6
09	1.2	2.0	2.0	1.3	3.5	2.8	1.1	1.4	0.4	0.3
10	0.7	1.1	0.9	0.6	1.6	1.2	0.3	0.6	0.2	0.2
11	0.4	0.6	0.3	0.2	0.7	0.5	0.1	0.3	0.1	0.1
12	0.3	0.3	0.2	0.1	0.3	0.2	0.1	0.1	*	0.1
13	0.1	0.2	0.1	*	0.1	0.1	*	0.1	*	*
14	0.1	0.1	*	*	0.1	*	-	*	*	*
15	*	0.1	*	*	*	*	-	*	*	*
16	*	*	*	*	*	*	-	-	*	*
17	*	*	*	*	*	*	-	-	*	*
18 & Above	*	*	*	*	*	*	-	-	-	*
Average	0.37	0.44	0.49	0.45	0.53	0.51	0.44	0.44	0.30	0.28
UNIFORMITY 2/										
74 & Below	-	-	-	-	-	-	0.2	0.1	-	*
75	*	*	*	*	-	-	0.4	0.1	-	*
76	0.2	0.1	*	*	*	*	0.6	0.3	*	*
77	0.8	0.5	0.2	0.3	0.2	0.1	1.3	1.3	*	0.1
78	3.9	2.8	1.7	1.8	1.0	0.5	6.5	5.2	0.7	0.8
79	15.0	11.2	9.8	10.2	5.4	3.4	20.3	15.4	3.2	4.2
80	32.1	28.1	31.5	33.9	21.9	15.4	32.0	30.0	9.4	14.4
81	31.8	34.3	36.8	36.9	35.3	32.9	28.0	31.3	31.9	31.1
82	13.6	18.3	16.0	13.9	28.8	33.1	9.3	12.7	33.3	27.8
83	2.4	4.2	3.5	2.6	6.7	13.3	1.4	3.1	10.1	11.0
84	0.2	0.5	0.5	0.3	0.7	1.3	0.1	0.5	8.8	9.0
85 & Above	*	*	*	*	0.1	*	-	0.1	2.6	1.6
Average	80.86	81.12	81.13	81.04	81.53	81.85	80.53	80.82	82.16	82.03
Tenderables	73.6	73.9	65.4	76.6	65.5	61.7	53.9	56.5	82.3	81.7
SAMPLES CLASSIFIED										
Week	301,193		176,564		97,896		21,198		42,989	
Season		2,002,291		1,814,103		2,751,531		467,788		303,622

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending Dec 20 2018

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	21.8	19.9	MIKE		Visalia Seasonal
	2	24.8	21.9	2.4 & Below	-	*
	3	0.3	0.4	2.5 - 2.6	-	*
	4	-	*	2.7 - 2.9	0.1	0.1
	5	-	-	3.0 - 3.2	0.8	0.5
	6	-	-	3.3 - 3.4	1.9	1.1
	7	-	-	3.5 - 3.6	4.5	3.7
Total -----		46.9	42.1	3.7 - 4.2	55.6	53.8
02	1	6.8	6.1	4.3 - 4.9	37.0	40.8
	2	35.8	37.8	5.0 - 5.2	*	*
	3	5.0	7.8	5.3 & Above	*	*
	4	*	0.1	Average	4.12	4.15
	5	-	*	ALL RANGE MIKE		
	6	-	-	2.4 & Below	-	*
	7	-	-	2.5	-	*
Total -----		47.6	51.9	2.6	-	*
03	1	0.1	0.1	2.7	*	*
	2	2.4	2.6	2.8	0.1	*
	3	1.7	2.3	2.9	0.1	0.1
	4	0.2	0.3	3.0	0.1	0.1
	5	*	*	3.1	0.2	0.1
	6	-	*	3.2	0.5	0.3
	7	-	-	3.3	0.6	0.4
Total -----		4.3	5.4	3.4	1.3	0.7
04	1	-	*	3.5	1.8	1.4
	2	0.4	0.2	3.6	2.8	2.3
	3	0.5	0.2	3.7	4.1	3.5
	4	0.1	*	3.8	5.1	5.7
	5	-	*	3.9	9.5	8.4
	6	-	*	4.0	10.3	10.7
	7	-	*	4.1	12.6	11.8
Total -----		0.9	0.5	4.2	14.0	13.8
05	1	-	-	4.3	14.3	15.0
	2	0.1	*	4.4	10.9	13.0
	3	0.2	*	4.5	6.7	7.9
	4	*	*	4.6	3.4	3.5
	5	-	-	4.7	1.3	1.1
	6	-	-	4.8	0.4	0.3
	7	-	-	4.9	0.1	*
Total -----		0.2	0.1	5.0	*	*
06	1	-	-	5.1	*	*
	2	-	-	5.2	-	*
	3	-	*	5.3 & Above	*	*
	4	*	*	Average	4.12	4.15
	5	-	-	STRENGTH 1/		
	6	-	-	36 & Below	0.5	0.2
	7	-	-	37	1.0	0.6
Total -----		*	*	38	1.1	1.9
07	1	-	-	39	1.5	3.6
	2	-	-	40	2.3	3.8
	3	-	*	41	4.5	4.4
	4	-	*	42	11.3	9.7
	5	-	-	43	18.7	17.8
	6	-	-	44	24.9	24.4
	7	-	-	45	21.5	20.3
Total -----		-	*	46	9.0	9.0
STAPLE	44 & Shorter	0.1	0.2	47	2.7	3.0
	46	2.3	5.1	48 & Above	1.1	1.3
	48	34.2	36.4	Average	44.09	43.97
	50	55.1	52.7	UNIFORMITY		
	52 & Longer	8.2	5.7	83 & Below	1.2	0.8
Average Staple		49.38	49.17	84	3.9	5.0
Average Length		1.43	1.43	85	19.2	21.0
EXTRANEEOUS MATTER	Bark	*	*	86	55.9	54.7
	Grass	0.1	0.2	87	17.9	17.2
	Spindle Twist	*	*	88 & Above	1.8	1.4
	Preparation	*	*	Average	86.36	86.32
	All Other	0.1	*	Samples Classed		
				Week	49,658	
				Season		431,585

* Less than 0.05 percent.