



Quality of Cotton Classed by Classing Office

Volume 60, No. 32

8-Mar-19

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**
For The Week Ending March 7, 2019

Classing Office	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Abilene	22	30,648	40	1,215,865
Corpus Christi	4	4,069	56	1,791,669
Dumas*	1	-	40	1,393,204
Florence*	3	-	53	1,251,100
Lamesa	4	9,305	36	877,522
Lubbock	6	6,801	72	3,380,703
Macon	14	3,332	79	2,538,230
Memphis	2	7,045	81	3,041,632
Rayville	3	3,134	21	538,554
Visalia	12	17,571	34	616,159
United States	71	81,905	512	16,644,638
Percent tenderable		40.9		64.6
AMERICAN PIMA				
Visalia	5	12,588	26	765,273
United States	5	12,588	26	765,273
United States all cotton	75	94,493	527	17,409,911

* Data Withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending March 7, 2019

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	2.9	3.4	0.3	16.5	-	0.4	-	0.1	2.1	5.7
	3	2.1	2.9	2.6	10.3	-	0.7	-	0.2	3.9	4.2
	4	0.3	0.3	0.2	0.7	-	0.1	-	*	0.2	0.4
	5	*	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	5.3	6.6	3.1	27.5	-	1.2	-	0.4	6.3	10.3
31	1-2	8.4	9.4	-	5.5	-	1.7	-	1.8	6.7	9.9
	3	15.3	23.3	*	11.2	-	13.2	-	13.8	20.0	25.6
	4	8.1	7.2	-	3.3	-	6.5	-	6.9	9.4	10.8
	5	2.0	0.8	-	0.2	-	0.4	-	0.6	0.7	1.6
	6	0.1	*	-	*	-	*	-	*	-	0.1
	7	-	*	-	*	-	-	-	-	-	*
Total	-----	33.8	40.7	*	20.2	-	21.9	-	23.1	36.8	48.1
41	1-2	2.8	2.4	-	1.7	-	0.9	-	1.9	1.7	0.9
	3	6.3	13.6	0.7	5.5	-	17.4	-	23.7	2.4	6.9
	4	11.0	11.6	1.8	2.7	-	33.1	-	23.3	2.6	8.8
	5	8.4	4.6	0.1	0.4	-	10.7	-	5.3	0.9	4.2
	6	1.5	1.0	-	*	-	0.7	-	0.4	0.1	1.2
	7	0.1	0.1	-	*	-	*	-	*	-	0.3
Total	-----	30.1	33.2	2.7	10.2	-	62.8	-	54.5	7.6	22.4
51	1-2	-	*	-	0.4	-	*	-	0.2	-	*
	3	*	0.3	2.3	2.1	-	0.5	-	1.9	-	*
	4	0.5	0.6	10.7	1.7	-	2.0	-	2.4	-	0.1
	5	1.2	0.7	3.7	0.3	-	1.8	-	1.3	-	0.1
	6	0.9	0.3	*	*	-	0.3	-	0.2	-	0.2
	7	0.3	0.1	-	*	-	*	-	*	-	0.2
Total	-----	2.9	2.1	16.8	4.6	-	4.6	-	6.0	-	0.6
61	1-2	-	-	-	*	-	*	-	*	-	-
	3	-	*	-	0.1	-	-	-	0.1	-	-
	4	-	*	0.1	0.1	-	*	-	0.1	-	-
	5	-	*	0.9	*	-	*	-	*	-	-
	6	-	*	0.3	*	-	*	-	*	-	*
	7	-	*	-	*	-	-	-	*	-	-
Total	-----	-	*	1.4	0.3	-	*	-	0.1	-	*
71	1-2	-	-	-	*	-	*	-	*	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
		-	-	-	*	-	*	-	*	-	-
12 & 22	1-2	*	0.2	0.3	4.1	-	*	-	*	-	0.5
	3	0.3	0.5	4.1	3.9	-	*	-	*	*	1.1
	4	0.1	0.1	1.1	0.7	-	*	-	*	-	0.2
	5	*	*	*	*	-	-	-	*	-	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.4	0.8	5.5	8.7	-	*	-	*	*	1.9
32	1-2	0.2	0.5	-	1.0	-	*	-	0.1	0.5	0.5
	3	1.9	2.3	0.3	3.1	-	0.4	-	1.0	2.7	3.7
	4	2.8	1.5	0.4	1.5	-	0.4	-	0.6	4.2	3.3
	5	0.8	0.4	0.1	0.2	-	*	-	0.1	0.8	0.9
	6	0.1	*	-	*	-	*	-	*	0.1	0.1
	7	-	*	-	*	-	-	-	-	-	*
Total	-----	5.6	4.8	0.8	5.9	-	0.9	-	1.8	8.2	8.6
42	1-2	0.4	0.3	-	0.5	-	*	-	0.4	*	0.1
	3	1.7	1.8	0.7	2.8	-	1.1	-	4.5	0.1	0.7
	4	3.0	2.3	2.7	2.4	-	3.3	-	4.0	0.6	1.1
	5	2.4	1.3	0.5	0.6	-	1.4	-	0.8	0.6	0.9
	6	1.3	0.5	-	0.1	-	0.1	-	0.1	0.1	0.4
	7	0.7	0.1	-	*	-	*	-	*	-	0.1
Total	-----	9.5	6.2	3.9	6.3	-	6.0	-	9.8	1.4	3.2
52	1-2	*	*	*	0.2	-	*	-	0.1	-	*
	3	0.2	0.2	2.8	1.8	-	0.1	-	0.9	-	*
	4	0.4	0.3	15.0	2.9	-	0.6	-	1.1	-	*
	5	0.2	0.3	9.8	1.2	-	0.7	-	0.4	-	*
	6	0.1	0.2	1.0	0.2	-	0.2	-	0.1	-	*
	7	0.1	0.1	*	*	-	*	-	*	-	*
Total	-----	1.0	1.0	28.6	6.3	-	1.6	-	2.6	-	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending March 7, 2019

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	-	*	-	*	-	*	-	*
	3	-	*	0.2	0.4	-	*	-	*	-	*
	4	-	*	2.8	0.8	-	*	-	*	-	*
	5	-	*	3.2	0.4	-	*	-	*	-	*
	6	-	*	0.7	0.1	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
Total	-----	-	0.1	7.0	1.7	-	*	-	0.1	-	*
13 & 23	1-2	*	*	0.3	0.3	-	-	-	*	-	*
	3	*	0.1	0.9	0.5	-	*	-	*	-	0.1
	4	*	0.1	0.9	0.2	-	*	-	*	-	0.1
	5	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	*	0.2	2.0	1.1	-	*	-	*	-	0.3
33	1-2	*	*	0.2	0.1	-	*	-	*	1.0	0.1
	3	0.5	0.5	1.2	0.4	-	*	-	0.1	3.2	0.7
	4	1.5	0.5	2.5	0.3	-	*	-	0.1	6.6	1.2
	5	0.7	0.2	0.5	0.1	-	*	-	*	5.1	0.6
	6	0.1	*	-	*	-	-	-	*	0.5	0.1
	7	-	*	-	*	-	-	-	*	*	*
Total	-----	2.8	1.3	4.4	0.9	-	0.1	-	0.2	16.4	2.7
43	1-2	0.1	*	-	*	-	*	-	*	*	*
	3	0.5	0.3	0.1	0.4	-	0.1	-	0.3	0.2	0.1
	4	1.9	0.7	0.1	0.5	-	0.3	-	0.4	2.5	0.3
	5	1.7	0.5	0.3	0.2	-	0.2	-	0.2	2.0	0.4
	6	0.5	0.2	0.2	0.1	-	*	-	*	1.0	0.2
	7	0.1	*	-	*	-	*	-	*	0.5	0.1
Total	-----	4.7	1.8	0.8	1.3	-	0.6	-	0.9	6.2	1.1
53	1-2	*	*	0.3	*	-	*	-	*	-	*
	3	0.1	0.1	1.0	0.4	-	*	-	0.1	-	*
	4	0.6	0.1	4.5	1.0	-	0.1	-	0.1	-	*
	5	0.6	0.1	5.4	0.7	-	0.1	-	0.1	-	*
	6	0.1	0.1	0.7	0.2	-	*	-	*	*	*
	7	*	*	-	*	-	*	-	*	-	*
Total	-----	1.4	0.4	11.9	2.3	-	0.3	-	0.3	*	0.1
63	1-2	-	*	-	*	-	-	-	*	-	-
	3	*	*	0.3	0.2	-	*	-	*	-	-
	4	*	*	3.0	0.7	-	*	-	*	-	-
	5	*	*	4.3	0.6	-	*	-	*	-	-
	6	-	*	0.3	0.2	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	*	-	-
		*	*	7.9	1.7	-	*	-	*	-	-
24 - 54	1-7	2.0	0.7	2.9	0.4	-	0.1	-	0.1	17.0	0.7
25 - 35	1-7	-	*	*	*	-	-	-	-	-	-
81 - 85 1/	1-7	0.3	0.1	0.3	0.5	-	*	-	*	*	*
All Colors	8 2/	0.2	0.1	*	*	-	*	-	*	*	*
EXTRANEIOUS MATTER											
Bark - Level 1		37.3	19.1	1.1	1.5	-	1.4	-	2.4	50.6	13.7
Bark - Level 2		-	*	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	-	0.6	-	0.2	-	0.1	-	*
Grass - Level 2		-	*	-	-	-	*	-	-	-	-
Prep - Level 1		-	*	0.1	*	-	0.8	-	*	-	*
Prep - Level 2		-	-	-	-	-	*	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		-	*	-	*	-	-	-	*	-	-
30		*	*	0.4	0.2	-	-	-	*	-	*
31		0.1	0.2	0.8	0.8	-	-	-	*	-	*
32		1.0	1.1	1.6	2.2	-	*	-	0.1	*	0.4
33		2.8	3.9	0.4	5.7	-	0.2	-	1.3	1.1	2.8
34		9.9	10.0	1.9	12.5	-	1.9	-	6.6	17.2	12.0
35		28.1	18.5	10.8	18.3	-	6.7	-	17.8	36.6	25.0
36		34.6	25.7	14.4	22.2	-	13.7	-	24.3	25.3	25.8
37		17.0	25.6	19.8	22.0	-	28.7	-	28.2	16.8	22.0
38 & longer		6.5	15.0	49.9	16.0	-	48.8	-	21.8	3.0	11.9
Average staple		35.7	36.1	37.0	35.9	-	37.4	-	36.4	35.5	35.9

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending March 7, 2019

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	*	4.2	-	0.7	1.1	0.5	-	0.6	6.6	22.3
	4	0.3	5.6	0.1	1.4	0.2	0.5	0.1	1.1	2.3	6.5
	5	0.5	0.9	*	0.1	-	*	1.0	0.1	0.2	0.3
	6	0.1	*	-	*	-	*	0.4	*	-	*
	7	-	*	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.9	10.8	0.2	2.2	1.4	1.0	1.5	1.7	9.1	29.1
31	1-2	1.4	9.2	*	2.5	1.7	0.9	-	2.5	12.9	12.5
	3	7.7	25.8	4.1	17.4	3.0	5.5	1.7	13.9	24.1	18.0
	4	16.4	12.5	4.1	8.5	0.1	3.1	8.6	5.7	6.6	3.7
	5	15.0	2.3	*	0.5	*	0.3	6.8	0.6	0.7	0.5
	6	2.4	0.2	-	*	-	*	0.8	*	0.1	0.1
	7	0.1	*	-	*	-	-	-	*	*	*
	7	0.1	*	-	*	-	-	-	*	*	*
Total	-----	42.9	49.9	8.3	29.0	4.9	9.8	17.9	22.7	44.5	34.7
41	1-2	0.2	1.1	0.7	1.3	1.8	1.6	2.0	1.8	3.0	3.7
	3	1.7	8.4	10.1	16.5	40.1	17.9	9.2	17.4	11.5	12.9
	4	2.4	10.7	6.5	20.0	23.6	26.1	3.5	17.5	8.4	7.3
	5	11.7	5.5	0.4	4.3	1.7	7.9	1.9	4.1	2.4	1.8
	6	18.1	1.5	-	0.2	-	0.6	2.6	0.5	0.4	0.4
	7	6.5	0.3	-	*	-	*	1.2	0.1	0.1	0.1
	7	6.5	0.3	-	*	-	*	1.2	0.1	0.1	0.1
Total	-----	40.7	27.6	17.7	42.4	67.1	54.0	20.5	41.4	25.8	26.2
51	1-2	-	*	2.4	0.3	-	0.1	1.0	0.5	0.1	0.1
	3	-	*	14.1	3.1	0.3	1.5	5.3	2.6	0.4	1.0
	4	-	0.1	10.7	4.5	7.4	4.7	2.9	2.0	0.6	1.0
	5	0.1	0.2	2.6	1.8	2.7	3.5	0.6	0.6	0.7	0.4
	6	1.4	0.1	0.2	0.3	0.1	0.5	2.1	0.1	0.2	0.1
	7	3.4	0.1	*	*	-	*	1.5	0.1	*	*
	7	3.4	0.1	*	*	-	*	1.5	0.1	*	*
Total	-----	4.8	0.5	30.0	10.0	10.4	10.3	13.3	5.9	1.9	2.7
61	1-2	-	-	*	*	-	-	-	*	-	*
	3	-	-	1.0	0.1	-	*	0.8	0.1	-	*
	4	-	*	3.3	0.3	-	*	4.8	0.1	*	*
	5	-	-	2.6	0.2	-	*	3.1	*	-	-
	6	-	-	0.7	*	-	*	0.4	*	*	*
	7	-	*	*	*	-	*	-	-	-	-
	7	-	*	*	*	-	*	-	-	-	-
Total	-----	-	*	7.7	0.6	-	*	9.1	0.2	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	*	-	-
Total	-----	-	-	-	*	-	-	-	*	-	-
12 & 22	1-2	*	0.3	-	*	-	*	-	0.1	*	0.7
	3	0.1	0.7	-	0.1	-	*	-	0.2	0.2	0.5
	4	0.1	0.2	-	*	-	*	-	*	0.3	0.1
	5	-	*	-	*	-	*	-	*	*	*
	6	-	*	-	-	-	-	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
Total	-----	0.2	1.3	-	0.1	-	0.1	-	0.4	0.5	1.3
32	1-2	0.1	0.6	*	0.2	-	0.2	-	0.2	0.3	0.2
	3	1.6	2.5	1.7	1.6	0.1	0.9	0.2	1.2	3.2	1.1
	4	2.2	2.0	4.1	0.9	*	0.5	0.2	0.8	1.3	0.4
	5	0.8	0.6	0.2	0.1	-	0.1	0.5	0.2	0.1	0.1
	6	0.2	0.1	-	*	-	*	0.2	*	*	*
	7	*	*	-	-	-	*	-	*	-	*
	7	*	*	-	-	-	*	-	*	-	*
Total	-----	5.0	5.7	6.0	2.8	0.1	1.7	1.1	2.4	4.9	1.8
42	1-2	*	0.1	0.6	0.2	*	0.5	0.1	0.4	*	0.1
	3	0.1	0.7	1.6	2.3	3.4	6.5	2.6	4.9	1.1	0.8
	4	*	0.9	2.9	3.4	7.0	8.8	4.7	5.8	3.1	1.1
	5	0.2	0.5	0.8	1.0	0.9	2.6	2.9	1.7	3.2	0.5
	6	0.6	0.2	-	0.1	-	0.2	2.9	0.3	1.4	0.1
	7	1.1	0.1	-	*	-	*	1.2	*	0.3	*
	7	1.1	0.1	-	*	-	*	1.2	*	0.3	*
Total	-----	2.1	2.4	5.8	7.0	11.3	18.6	14.4	13.1	9.1	2.6
52	1-2	*	*	0.2	*	-	*	0.1	0.2	-	*
	3	*	*	2.9	0.5	0.1	0.3	2.7	2.0	0.1	0.1
	4	-	*	5.4	1.3	2.4	1.2	2.6	2.8	0.2	0.3
	5	-	*	1.7	0.8	1.4	0.9	0.9	1.2	0.2	0.2
	6	-	*	0.1	0.1	0.1	0.2	0.4	0.2	0.6	0.1
	7	-	*	0.1	*	-	*	0.6	*	0.6	0.1
	7	-	*	0.1	*	-	*	0.6	*	0.6	0.1
Total	-----	*	0.1	10.4	2.8	4.0	2.7	7.3	6.5	1.7	0.8

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending March 7, 2019

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	*	-	*	-	-	0.3	*	-	*
	3	-	*	*	*	-	*	2.5	0.4	-	*
	4	-	*	0.5	0.2	-	*	1.2	0.4	-	*
	5	-	*	0.9	0.2	-	*	0.3	0.1	-	*
	6	-	*	0.5	0.1	-	*	0.2	*	-	*
	7	-	*	*	*	-	*	-	*	-	*
	Total	-----	-	*	1.9	0.5	-	*	4.5	1.0	*
13 & 23	1-2	-	*	-	*	-	*	-	*	-	*
	3	-	0.1	*	*	-	*	-	*	-	*
	4	*	*	-	*	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	*	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	*	0.2	*	*	-	*	-	*	*
33	1-2	-	0.1	-	*	-	*	-	*	*	*
	3	*	0.4	0.5	0.2	-	*	-	0.1	0.3	*
	4	0.2	0.4	1.8	0.1	-	*	-	*	0.2	*
	5	0.1	0.1	0.4	*	-	*	*	*	*	*
	6	*	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	*	-	*
	Total	-----	0.3	0.9	2.8	0.4	-	0.1	*	0.2	0.5
43	1-2	-	*	0.1	*	-	*	0.1	0.1	*	*
	3	-	*	0.9	0.4	*	0.4	1.0	0.5	0.1	*
	4	-	0.1	2.0	0.6	0.3	0.6	1.7	0.8	0.3	0.1
	5	-	0.1	1.2	0.2	0.1	0.2	0.7	0.3	0.2	0.1
	6	-	*	0.1	*	-	*	0.2	0.1	0.2	*
	7	-	*	*	*	-	*	0.3	*	0.1	*
	Total	-----	-	0.3	4.3	1.2	0.4	1.3	3.9	1.7	0.9
53	1-2	-	*	0.1	*	-	*	-	*	-	-
	3	-	*	0.3	0.1	-	*	1.4	0.4	0.1	*
	4	-	*	1.0	0.2	0.1	0.1	1.4	0.7	0.1	*
	5	-	*	1.2	0.2	0.2	0.1	0.4	0.5	0.1	0.1
	6	-	*	0.2	*	0.1	*	-	0.1	0.1	*
	7	-	*	-	*	-	*	*	*	0.1	*
	Total	-----	-	*	2.8	0.5	0.4	0.3	3.3	1.8	0.3
63	1-2	-	-	-	*	-	*	-	*	-	-
	3	-	-	-	*	-	*	0.1	0.1	-	-
	4	-	*	*	*	-	*	*	0.2	-	*
	5	-	*	0.3	*	-	*	*	0.1	-	*
	6	-	-	0.5	*	-	*	-	*	-	*
	7	-	*	0.2	*	-	*	-	*	-	*
	Total	-----	-	*	1.0	0.1	-	*	0.2	0.4	-
24 - 54	1-7	-	0.1	1.2	0.2	-	0.1	0.9	0.3	*	*
25 - 35	1-7	-	*	-	*	-	*	-	*	-	-
81 - 85 1/	1-7	*	*	0.1	*	*	*	0.1	0.1	*	*
All Colors	8 2/	3.0	0.1	*	*	*	*	2.2	0.1	0.5	0.1
EXTRANEIOUS MATTER											
Bark - Level 1		65.0	10.7	12.9	13.3	0.1	1.1	39.6	6.9	13.0	1.8
Bark - Level 2		-	-	-	*	-	-	0.1	*	-	-
Grass - Level 1		-	*	0.1	*	-	0.1	0.1	0.1	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		-	*	0.4	0.1	-	*	-	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	-	*	-	*	-	*	-	-
Other - Level 2		-	*	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	*	-	*	-	*	-	-
30		-	*	-	*	-	*	-	*	-	-
31		-	*	-	*	-	*	0.1	0.1	-	*
32		0.1	0.3	0.1	0.2	-	*	0.4	0.5	0.1	*
33		0.6	2.0	2.4	1.6	-	0.1	4.2	2.0	0.4	0.2
34		3.0	8.7	9.5	6.8	*	0.9	4.9	4.9	3.1	1.4
35		6.1	21.6	14.5	14.4	6.9	6.3	19.0	13.5	11.3	5.6
36		19.5	27.6	23.9	19.1	33.4	19.8	43.2	19.2	23.2	14.7
37		32.8	26.4	25.8	29.5	53.2	39.8	22.3	25.1	28.9	28.6
38 & longer		37.8	13.4	23.7	28.4	6.5	33.2	5.9	34.7	32.9	49.5
Average staple		37.0	36.1	36.4	36.6	36.6	37.1	35.9	36.8	37.0	37.6

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending March 7, 2019

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	*	-	-	-	-	-	-	-	-
19	-	*	-	*	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	-
21	-	*	-	0.1	-	-	-	-	-	-
22	-	*	*	0.2	-	-	-	*	*	*
23	-	*	0.2	0.4	-	-	-	*	*	*
24	0.1	0.1	0.6	1.1	-	*	-	0.2	0.4	0.1
25	0.5	0.5	2.9	2.3	-	0.1	-	1.1	2.0	0.3
26	1.8	1.7	9.0	4.4	-	0.5	-	3.6	2.4	1.1
27	7.1	5.2	13.2	7.4	-	2.1	-	7.6	16.1	4.2
28	22.1	13.8	16.3	12.3	-	7.5	-	14.6	14.2	11.0
29	28.4	22.0	29.1	19.2	-	20.8	-	22.0	16.1	19.0
30	19.8	21.8	16.1	20.7	-	31.7	-	22.2	13.3	21.7
31	11.2	16.6	7.4	16.4	-	22.8	-	14.7	14.9	19.9
32	5.4	10.2	3.5	8.8	-	9.5	-	8.0	13.8	13.2
33	2.4	5.5	1.2	3.9	-	3.6	-	3.9	4.4	5.8
34	1.2	1.8	0.3	1.7	-	1.2	-	1.6	1.8	2.3
35	0.1	0.5	*	0.7	-	0.3	-	0.4	0.5	1.0
36 & above	*	0.2	-	0.3	-	*	-	0.1	0.1	0.3
Average	29.3	29.8	28.6	29.5	-	30.1	-	29.5	29.5	30.1
MIKE										
24 & below	0.1	*	-	*	-	-	-	*	1.9	0.2
25	0.5	0.2	-	*	-	*	-	-	9.2	0.7
26	1.2	0.2	-	*	-	*	-	*	7.0	0.9
27	0.5	0.2	-	*	-	*	-	*	3.9	1.0
28	1.1	0.3	-	*	-	*	-	*	2.4	1.1
29	0.9	0.4	-	*	-	*	-	*	2.5	1.4
30	1.2	0.5	-	0.1	-	*	-	*	3.4	1.6
31	1.4	0.8	-	0.1	-	*	-	*	3.2	1.9
32	1.7	1.2	-	0.1	-	*	-	*	3.6	2.3
33	2.0	1.4	-	0.2	-	*	-	*	2.5	2.7
34	3.6	1.8	-	0.3	-	*	-	0.1	5.2	3.1
35	3.7	2.2	-	0.3	-	*	-	0.2	5.3	3.8
36	3.6	2.7	-	0.4	-	0.1	-	0.3	4.7	4.5
37	5.3	3.6	-	0.6	-	0.1	-	0.6	4.5	5.1
38	5.8	4.3	*	1.0	-	0.3	-	1.0	5.4	5.5
39	6.8	5.3	0.1	1.3	-	0.5	-	1.7	5.3	6.2
40	6.5	6.6	0.4	1.9	-	0.9	-	2.9	4.4	6.9
41	8.6	7.9	1.5	2.6	-	1.7	-	4.5	4.4	7.5
42	9.6	8.5	2.9	3.9	-	2.8	-	6.5	4.5	7.5
43	10.1	8.8	5.0	5.4	-	4.3	-	8.7	3.8	7.8
44	7.7	9.1	7.4	7.3	-	6.4	-	11.0	2.0	6.9
45	5.6	9.1	12.2	9.2	-	9.3	-	13.2	1.5	6.3
46	4.8	8.0	23.8	11.0	-	13.4	-	14.3	1.2	5.1
47	2.7	6.2	21.1	11.6	-	16.6	-	12.9	1.1	3.7
48	2.1	4.4	12.9	10.9	-	16.7	-	9.7	2.7	2.6
49	1.5	2.8	11.1	9.1	-	13.1	-	6.0	1.6	1.9
50	0.8	1.7	1.5	7.1	-	7.4	-	3.5	2.5	1.0
51	0.4	1.0	0.1	5.5	-	3.5	-	1.8	0.1	0.5
52	0.2	0.5	-	4.0	-	1.6	-	0.9	0.1	0.2
53	*	0.2	-	2.8	-	0.8	-	0.3	-	*
54	*	0.1	-	1.9	-	0.3	-	0.1	-	*
55	-	*	-	0.9	-	*	-	*	-	*
56	-	*	-	0.3	-	*	-	*	-	*
57	-	-	-	0.1	-	*	-	*	-	-
58	-	-	-	*	-	-	-	*	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
Average	40	42	46	47	-	47	-	45	35	40

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending March 7, 2019

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	-
21	-	*	-	*	-	-	-	*	-	-
22	-	*	-	*	-	-	-	*	-	-
23	-	*	0.2	*	-	*	0.1	0.1	-	-
24	-	*	1.9	0.3	-	*	0.3	0.2	*	*
25	*	0.1	5.2	1.4	-	0.1	2.2	0.5	*	*
26	0.1	0.6	10.7	5.1	0.2	0.8	3.8	1.7	0.2	0.1
27	0.5	2.1	22.6	12.4	9.1	4.3	10.9	4.2	0.6	0.5
28	3.5	6.3	14.2	21.3	26.2	14.4	20.5	8.6	2.4	2.3
29	5.4	13.1	19.8	26.0	38.9	27.7	35.3	18.6	7.4	7.3
30	8.4	19.0	13.7	19.0	14.2	26.2	12.1	27.1	20.4	13.8
31	28.5	21.8	3.2	9.2	6.0	15.2	5.1	20.2	23.0	17.2
32	37.8	18.9	3.0	3.6	5.4	7.4	6.2	11.3	21.0	17.0
33	14.0	11.2	4.4	1.2	0.1	3.0	2.7	5.0	14.6	14.2
34	1.7	4.7	1.1	0.4	-	0.8	0.5	1.9	8.4	9.6
35	0.1	1.5	-	0.1	-	0.2	0.1	0.5	1.6	6.3
36 & above	*	0.5	-	*	-	*	0.1	0.2	0.5	11.6
Average	31.4	30.8	28.3	28.8	28.9	29.7	28.9	30.0	31.3	32.3
MIKE										
24 & below	0.1	0.2	-	-	-	-	-	-	*	*
25	0.2	0.4	-	*	-	*	0.1	*	0.1	*
26	0.2	0.5	-	*	-	*	0.8	*	0.2	0.1
27	0.8	0.6	-	*	-	*	1.2	*	0.2	0.1
28	1.4	0.7	-	*	-	*	1.5	*	0.1	0.1
29	2.1	0.9	-	*	-	*	1.1	*	0.2	0.1
30	2.9	1.2	-	*	-	*	1.9	*	0.3	0.2
31	2.8	1.6	-	0.1	-	*	1.1	*	0.2	0.2
32	8.2	2.1	-	0.2	-	*	2.3	0.1	0.4	0.4
33	14.7	2.6	-	0.4	-	*	2.9	0.1	0.8	0.5
34	7.7	3.2	0.1	0.7	-	0.1	2.7	0.1	0.8	0.7
35	3.8	3.8	0.7	1.0	-	0.1	1.9	0.1	1.4	0.9
36	4.0	4.4	0.2	1.5	-	0.2	0.3	0.2	2.4	1.3
37	2.4	5.0	3.5	2.2	-	0.4	0.5	0.3	2.5	1.6
38	3.9	5.7	1.0	3.4	-	0.7	1.3	0.4	3.6	2.0
39	7.7	6.3	3.3	5.2	0.3	1.1	1.1	0.7	3.9	2.7
40	9.5	6.8	5.3	7.6	1.0	1.7	9.0	1.0	5.1	3.5
41	8.1	7.0	5.1	10.1	4.0	2.8	7.0	1.6	7.0	5.0
42	2.8	7.0	13.3	12.5	5.1	4.5	5.3	2.6	6.6	6.4
43	3.2	6.8	13.0	13.3	13.9	6.3	2.7	3.7	7.3	8.0
44	4.7	6.4	13.4	12.3	20.4	8.6	3.6	4.7	5.8	9.1
45	5.6	6.0	9.6	10.3	14.4	10.6	4.1	7.0	6.6	9.8
46	1.6	5.4	11.8	7.8	8.2	11.7	6.5	9.6	6.8	10.5
47	1.0	4.6	10.5	5.3	12.5	11.7	6.6	12.9	6.7	9.8
48	0.3	3.6	6.5	3.2	11.1	11.0	11.6	15.3	8.8	8.7
49	0.1	2.7	2.0	1.8	5.5	9.3	7.0	14.6	7.9	6.5
50	*	1.9	0.8	0.8	1.6	7.4	10.1	11.7	6.7	4.9
51	*	1.2	0.1	0.3	1.5	5.3	4.8	7.3	3.8	3.4
52	-	0.7	*	0.1	*	3.4	0.9	3.9	1.5	1.8
53	-	0.4	-	*	0.7	1.9	0.2	1.7	0.2	0.9
54	-	0.1	-	*	-	0.8	-	0.4	0.1	0.4
55	-	0.1	-	*	-	0.2	-	0.1	0.7	0.1
56	-	*	-	*	-	*	-	*	1.0	0.1
57	-	*	-	*	-	*	-	*	0.2	0.1
58	-	*	-	*	-	*	-	-	*	*
59	-	-	-	*	-	-	-	-	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
Average	37	41	44	43	45	46	43	47	44	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending March 7, 2019

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.1	*	-	*	-	-	-	*	1.9	0.2
25 - 26	1.7	0.4	-	*	-	*	-	*	16.2	1.6
27 - 29	2.5	1.0	-	0.1	-	*	-	*	8.8	3.6
30 - 32	4.3	2.5	-	0.3	-	*	-	*	10.3	5.8
33 - 34	5.6	3.2	-	0.4	-	*	-	0.1	7.7	5.8
35 - 36	7.3	4.9	-	0.8	-	0.1	-	0.5	10.0	8.3
37 - 42	42.7	36.1	4.9	11.4	-	6.4	-	17.1	28.5	38.8
43 - 49	34.4	48.4	93.5	64.5	-	79.8	-	75.7	14.0	34.2
50 - 52	1.4	3.1	1.6	16.5	-	12.6	-	6.1	2.6	1.8
53 & above	*	0.3	-	6.0	-	1.1	-	0.4	-	*
Average	40	42	46	47	-	47	-	45	35	40
HVI TRASH 1/										
00	-	*	-	*	-	-	-	-	-	*
01	3.5	2.7	0.1	7.5	-	0.2	-	0.3	1.2	4.0
02	13.5	17.3	2.2	25.1	-	4.8	-	6.4	14.6	18.2
03	15.1	24.1	6.2	24.3	-	15.7	-	20.7	18.1	23.8
04	13.7	19.6	12.9	17.5	-	22.9	-	26.1	16.9	19.4
05	13.3	13.3	19.7	11.0	-	22.0	-	20.8	15.0	13.2
06	12.0	8.6	21.0	6.5	-	16.2	-	12.9	12.5	8.4
07	9.9	5.5	17.0	3.6	-	9.7	-	6.9	8.4	5.1
08	7.2	3.5	11.2	2.0	-	4.9	-	3.3	5.4	3.1
09	4.6	2.2	5.5	1.1	-	2.2	-	1.5	3.5	1.9
10	2.9	1.3	2.5	0.6	-	0.9	-	0.7	2.4	1.1
11	1.6	0.8	1.2	0.3	-	0.3	-	0.3	1.2	0.8
12	1.1	0.5	0.3	0.2	-	0.1	-	0.1	0.5	0.5
13	0.7	0.3	0.1	0.1	-	0.1	-	*	0.1	0.3
14	0.3	0.2	0.1	0.1	-	*	-	*	*	0.1
15	0.2	0.1	*	*	-	*	-	*	*	0.1
16	0.1	0.1	*	*	-	*	-	*	*	*
17	0.1	*	-	*	-	*	-	*	-	*
18 & above	*	0.1	-	*	-	*	-	*	-	*
Average	0.52	0.43	0.60	0.36	-	0.50	-	0.46	0.48	0.42
UNIFORMITY 2/										
72.4 & below	-	*	-	*	-	-	-	-	-	-
72.5-73.4	-	*	*	*	-	-	-	-	-	-
73.5-74.4	*	*	*	*	-	-	-	*	*	*
74.5-75.4	*	*	0.2	0.2	-	-	-	*	0.2	*
75.5-76.4	0.2	0.2	0.4	0.8	-	-	-	0.1	1.3	0.2
76.5-77.4	1.0	1.2	1.5	2.1	-	-	-	0.4	2.9	1.2
77.5-78.4	4.1	5.2	11.7	4.9	-	0.7	-	2.2	12.0	4.1
78.5-79.4	10.8	16.5	18.9	9.6	-	3.6	-	10.2	15.9	12.9
79.5-80.4	29.7	31.4	25.9	17.1	-	17.6	-	29.2	26.0	29.2
80.5-81.4	33.7	30.4	26.1	24.7	-	38.7	-	34.9	27.1	32.6
81.5-82.4	18.7	12.6	11.9	23.9	-	30.0	-	18.4	11.8	15.5
82.5-83.4	1.6	2.2	2.2	13.6	-	8.2	-	4.0	2.4	3.7
83.5-84.4	0.2	0.3	0.5	2.7	-	1.2	-	0.5	0.3	0.4
84.5-85.4	*	*	0.4	0.2	-	0.1	-	*	*	*
85.5-86.4	*	*	0.1	*	-	-	-	*	-	-
86.5-87.4	*	*	-	-	-	-	-	*	-	-
87.5-88.4	*	*	-	-	-	-	-	-	-	-
88.5-89.4	-	*	-	-	-	-	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-
Average	80.5	80.3	80.1	80.9	-	81.2	-	80.6	80.0	80.5
Tenderable 3/	47.3	66.8	23.8	54.2	-	77.3	-	77.5	30.1	66.9
SAMPLES CLASSED										
Week	30,648		4,069		-		-		9,305	
Season		1,215,865		1,791,669		1,393,204		1,251,100		877,522

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending March 7, 2019

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.1	0.2	-	-	-	-	-	-	*	*
25 - 26	0.5	0.9	-	*	-	*	0.9	*	0.3	0.1
27 - 29	4.2	2.3	-	*	-	*	3.9	0.1	0.5	0.3
30 - 32	13.9	4.9	-	0.3	-	*	5.2	0.1	0.9	0.8
33 - 34	22.4	5.8	0.1	1.0	-	0.1	5.6	0.2	1.6	1.2
35 - 36	7.9	8.3	0.9	2.5	-	0.4	2.2	0.3	3.8	2.2
37 - 42	34.5	37.7	31.5	40.9	10.4	11.2	24.2	6.5	28.6	21.2
43 - 49	16.5	35.5	66.7	54.0	85.8	69.2	42.2	67.6	50.0	62.4
50 - 52	*	3.9	0.9	1.3	3.1	16.1	15.7	22.9	12.0	10.2
53 & above	-	0.6	-	*	0.7	3.0	0.2	2.3	2.2	1.6
Average	37	41	44	43	45	46	43	47	44	45
HVI TRASH 1/										
00	-	*	-	-	-	-	-	-	-	*
01	0.1	2.3	0.3	0.4	0.4	0.3	0.2	0.5	5.2	12.7
02	2.6	16.6	5.2	7.2	6.5	4.5	5.2	9.0	20.3	31.1
03	6.1	23.7	15.5	20.1	23.5	14.0	12.0	21.9	25.0	24.9
04	7.3	20.3	24.0	25.0	27.8	21.4	14.3	24.1	18.5	14.5
05	9.1	14.4	20.4	20.6	21.2	21.8	14.0	18.5	11.9	7.8
06	10.8	9.3	14.0	13.1	12.6	16.8	12.8	11.6	6.4	4.1
07	11.0	5.6	8.3	7.2	5.0	10.6	9.9	6.5	4.0	2.1
08	10.4	3.3	5.3	3.5	2.0	5.8	7.9	3.5	2.7	1.1
09	9.4	1.9	3.3	1.6	0.5	2.8	5.5	1.8	1.9	0.7
10	8.3	1.1	1.7	0.7	0.3	1.3	3.3	1.0	1.4	0.4
11	7.7	0.6	1.0	0.3	0.1	0.5	2.8	0.5	0.8	0.2
12	5.6	0.4	0.4	0.1	-	0.2	2.6	0.3	0.6	0.2
13	4.4	0.2	0.3	0.1	-	0.1	2.3	0.2	0.5	0.1
14	2.8	0.1	0.1	*	-	*	1.7	0.2	0.3	0.1
15	1.7	0.1	*	*	-	*	1.6	0.1	0.2	*
16	1.2	*	0.1	*	-	*	0.8	*	0.1	*
17	0.6	*	-	*	-	*	1.1	*	0.1	*
18 & above	0.8	*	*	*	-	*	2.2	0.1	0.1	*
Average	0.81	0.43	0.51	0.46	0.44	0.52	0.69	0.46	0.41	0.31
UNIFORMITY 2/										
72.4 & below	-	*	-	-	-	-	-	*	-	*
72.5-73.4	-	*	-	-	-	-	-	*	-	*
73.5-74.4	-	*	-	-	-	-	*	*	*	*
74.5-75.4	-	*	-	-	-	-	0.1	0.1	*	*
75.5-76.4	*	0.1	-	*	*	*	0.5	0.2	0.1	*
76.5-77.4	0.3	0.5	0.2	0.2	0.1	*	2.8	0.7	0.6	0.1
77.5-78.4	1.2	2.1	2.4	1.0	0.2	0.2	10.1	2.7	2.7	0.5
78.5-79.4	4.2	7.8	9.4	5.5	0.3	1.3	13.9	9.5	8.3	2.5
79.5-80.4	9.6	21.7	20.1	21.7	10.0	8.1	27.1	22.3	20.6	9.7
80.5-81.4	52.8	33.9	30.1	40.0	56.4	25.9	33.5	34.6	34.4	26.6
81.5-82.4	30.1	24.9	35.0	24.5	30.1	36.5	11.2	22.2	24.3	34.2
82.5-83.4	1.6	7.9	2.8	6.2	2.7	23.1	0.6	6.3	7.7	16.0
83.5-84.4	0.1	1.2	0.1	0.9	0.2	4.6	-	1.3	1.3	7.0
84.5-85.4	*	0.1	-	0.1	*	0.3	-	0.2	0.1	3.2
85.5-86.4	-	*	-	*	-	*	-	*	-	0.2
86.5-87.4	-	*	-	*	-	*	-	*	-	*
87.5-88.4	-	-	-	-	-	*	-	*	-	-
88.5-89.4	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	81.1	80.9	80.9	81.0	81.2	81.8	80.0	80.8	80.9	81.8
Tenderable 3/	19.2	69.4	36.6	71.4	80.4	62.1	20.7	53.2	65.9	80.5
SAMPLES CLASSED										
Week	6,801		3,332		7,045		3,134		17,571	
Season		3,380,703		2,538,230		3,041,632		538,554		616,159

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending March 7, 2019

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	24.0	20.2	MIKE	-	*
	2	26.9	21.8	24 & below	-	0.1
	3	0.2	0.4	25-26	0.4	0.4
	4	-	*	30-32	1.0	1.0
	5	-	-	33-34	3.8	1.8
	6	-	-	35-36	8.5	4.8
	7	-	-	37-42	39.5	52.6
Total -----		51.0	42.4	43-49	46.8	39.3
02	1	6.3	6.6	50-52	*	*
	2	38.1	38.2	53 & above	*	*
	3	2.5	6.8	Average	42	41
	4	*	0.1	ALL RANGE MIKE	-	*
	5	-	*	24 & below	-	*
	6	-	-	25	-	*
	7	-	-	26	-	*
Total -----		46.8	51.7	27	*	0.1
03	1	*	0.1	28	0.2	0.1
	2	1.3	2.6	29	0.2	0.2
	3	0.7	2.1	30	0.3	0.2
	4	*	0.3	31	0.3	0.3
	5	-	*	32	0.4	0.4
	6	-	*	33	1.2	0.7
	7	-	-	34	2.6	1.1
Total -----		2.0	5.1	35	3.4	1.9
04	1	-	*	36	5.0	2.9
	2	*	0.2	37	2.8	4.2
	3	0.1	0.3	38	6.1	6.1
	4	-	0.1	39	6.5	8.3
	5	-	*	40	8.1	10.3
	6	-	*	41	7.2	11.1
	7	-	*	42	8.8	12.6
Total -----		0.1	0.6	43	10.5	13.4
05	1	-	*	44	10.2	12.0
	2	-	*	45	10.3	8.0
	3	-	0.1	46	9.6	4.0
	4	*	*	47	4.8	1.4
	5	-	*	48	1.3	0.4
	6	-	*	49	0.2	0.1
	7	-	*	50	*	*
Total -----		*	0.1	51	-	*
06	1	-	*	52	-	*
	2	-	*	53	*	*
	3	-	*	54	-	*
	4	-	*	55	*	*
	5	-	*	56	-	*
	6	-	*	57	-	-
	7	-	*	58	-	-
Total -----		-	*	59	-	-
07	1	-	-	60 & above	-	-
	2	-	-	Average	42	41
	3	-	*	Strength	-	-
	4	-	*	17 & below	-	-
	5	-	*	18	-	-
	6	-	*	19	-	-
	7	-	*	20	-	-
Total -----		-	*	21	-	-
STAPLE	40 & shorter	-	-	22	-	-
	42	-	*	23	-	-
	44	0.1	0.2	24	-	-
	46	7.8	5.1	25	-	-
	48 & longer	92.1	94.7	26	-	-
	Average	48.5	49.2	27	-	-
UNIFORMITY	72.4 & below	-	-	28	-	-
	72.5-73.4	-	-	29	-	-
	73.5-74.4	-	-	30	-	-
	74.5-75.4	-	-	31	-	*
	75.5-76.4	-	-	32	-	*
	76.5-77.4	-	-	33	-	*
	77.5-78.4	-	-	34	*	*
	78.5-79.4	-	-	35	*	*
	79.5-80.4	-	*	36	0.2	0.1
	80.5-81.4	*	*	37	0.8	0.5
	81.5-82.4	0.1	0.1	38	8.4	1.6
	82.5-83.4	0.6	0.4	39	8.5	3.5
	83.5-84.4	5.6	2.2	40	6.5	4.4
	84.5-85.4	25.8	14.4	41	6.1	4.2
	85.5-86.4	36.4	41.1	42	6.7	6.7
	86.5-87.4	25.6	36.6	43	11.7	13.1
87.5-88.4	5.8	4.8	44	18.3	20.4	
88.5-89.4	0.2	0.3	45 & above	32.7	45.3	
89.5 & above	-	*	Average	42.8	43.9	
Average		86.0	86.2	EXTRANEIOUS MATTER	-	0.1
SAMPLES CLASSED	Week	12,588		Bark	-	0.1
	Season		765,273	Grass	-	0.1
				Spindle Twist Preparation	0.2	0.2
					-	*

* Less than 0.05 percent.



Extraneous Matter By Classing Office

08-Mar-19

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Week ending Thursday, March 7, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	-	-	37.3%	-	-	-	*	-	-	-	-	-	-	-	37.3%	-	30,648
Corpus Christi	0.1%	-	1.1%	-	-	-	13.4%	-	-	-	-	-	-	-	14.6%	-	4,069
Dumas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florence	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lamesa	-	-	50.6%	-	-	-	*	-	-	-	-	-	-	-	50.6%	-	9,305
Lubbock	-	-	65.0%	-	-	-	-	-	-	-	-	-	-	-	65.0%	-	6,801
Macon	0.4%	-	12.9%	-	0.1%	-	30.5%	-	-	-	-	-	-	-	43.9%	-	3,332
Memphis	-	-	0.1%	-	-	-	0.4%	-	-	-	-	-	-	-	0.5%	-	7,045
Rayville	-	-	39.6%	0.1%	0.1%	-	0.5%	-	-	-	-	-	-	-	40.1%	0.1%	3,134
Visalia	-	-	13.0%	-	-	-	-	-	-	-	*	-	-	-	13.0%	-	17,571
United States	*	-	29.8%	*	*	-	2.0%	-	-	-	*	-	*	-	31.8%	*	81,905

* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Season ending Thursday, March 7, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	19.1%	*	*	*	*	-	*	-	-	-	*	-	19.1%	*	1,215,865
Corpus Christi	*	-	1.5%	-	0.6%	-	4.0%	-	*	-	-	-	*	-	6.2%	-	1,791,669
Dumas	0.8%	*	1.4%	-	0.2%	*	0.1%	-	*	-	-	-	*	-	2.5%	*	1,393,204
Florence	*	-	2.4%	-	0.1%	-	*	-	*	-	-	-	*	-	2.5%	-	1,251,100
Lamesa	*	-	13.7%	-	*	-	*	-	*	-	-	-	*	-	13.7%	-	877,522
Lubbock	*	-	10.7%	-	*	-	*	-	*	-	-	-	*	-	10.7%	*	3,380,703
Macon	0.1%	-	13.3%	*	*	-	2.3%	-	*	-	-	-	*	-	15.7%	*	2,538,230
Memphis	*	-	1.1%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	1.3%	-	3,041,632
Rayville	*	-	6.9%	*	0.1%	-	0.1%	-	*	-	*	-	*	-	7.1%	*	538,554
Visalia	*	-	1.8%	-	*	-	0.5%	-	*	-	-	-	-	-	2.4%	-	616,159
United States	0.1%	*	7.3%	*	0.1%	*	0.8%	-	*	-	*	-	*	*	8.3%	*	16,644,638

* Less than 0.05 percent.