



Quality of Cotton Classed by Classing Office

Volume 60, No. 22

28-Dec-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**
For The Week Ending December 27, 2018

Classing Office	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Abilene	38	58,071	40	542,671
Corpus Christi	19	12,625	54	1,703,904
Dumas	26	24,971	40	1,294,756
Florence	38	27,206	53	1,118,704
Lamesa	30	41,479	35	546,721
Lubbock	70	230,494	72	2,232,412
Macon	77	92,165	79	1,906,264
Memphis	48	77,032	81	2,828,556
Rayville	11	6,261	21	474,049
Visalia	23	35,481	32	339,051
United States	380	605,785	507	12,987,088
Percent tenderable		65.0		67.2
AMERICAN PIMA				
Visalia	19	31,812	23	463,388
United States	19	31,812	23	463,388
United States all cotton	397	637,597	521	13,450,476

* Data Withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 27, 2018

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	2.5	2.0	0.4	17.3	*	0.4	0.3	0.1	6.7	5.1
	4	2.5	2.1	0.3	10.8	*	0.8	0.3	0.3	6.4	3.6
	5	0.3	0.2	-	0.7	-	0.1	*	*	0.5	0.4
	6	*	*	-	*	-	*	-	*	*	*
	7	-	*	-	*	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-
	Total	-----	5.5	4.4	0.7	28.8	*	1.2	0.6	0.4	13.7
31	1-2	11.1	8.3	0.6	5.8	0.8	1.7	1.6	1.9	9.4	9.7
	3	26.9	24.7	0.7	11.8	8.6	13.8	7.5	14.5	26.6	26.1
	4	8.8	7.8	*	3.5	2.7	6.9	3.8	7.2	9.7	10.8
	5	1.1	0.8	-	0.2	0.1	0.4	0.6	0.6	1.7	1.7
	6	0.1	*	-	*	-	*	*	*	0.2	0.1
	7	-	*	-	*	-	-	-	-	*	*
		-	-	-	-	-	-	-	-	-	-
	Total	-----	48.1	41.6	1.3	21.2	12.1	22.8	13.6	24.3	47.5
41	1-2	2.1	2.5	1.1	1.7	1.9	0.9	1.6	1.8	1.5	1.3
	3	15.1	17.3	2.9	5.6	24.7	17.2	22.7	24.1	6.1	9.3
	4	9.6	14.1	0.5	2.7	35.1	33.1	29.7	23.5	4.8	11.7
	5	3.6	4.5	*	0.4	8.6	10.8	9.0	5.3	2.0	5.5
	6	0.6	0.7	-	*	0.3	0.8	1.0	0.3	0.5	1.6
	7	*	0.1	-	*	-	*	0.1	*	0.2	0.4
		-	-	-	-	-	-	-	-	-	-
	Total	-----	31.0	39.2	4.5	10.5	70.6	62.8	63.9	55.1	15.1
51	1-2	*	0.1	2.1	0.4	*	*	0.2	0.1	*	*
	3	0.2	0.4	8.2	1.9	1.6	0.3	2.6	1.4	0.1	*
	4	0.7	0.8	5.4	1.3	4.0	1.7	3.7	2.0	*	0.1
	5	1.0	0.8	0.9	0.3	2.4	1.7	2.0	1.1	*	0.2
	6	0.6	0.4	0.1	*	0.2	0.3	0.4	0.2	*	0.3
	7	0.3	0.1	*	*	*	*	*	*	*	0.2
		-	-	-	-	-	-	-	-	-	-
	Total	-----	2.8	2.5	16.7	4.0	8.3	4.0	9.0	4.7	0.1
61	1-2	-	-	*	*	-	-	-	*	-	-
	3	-	-	0.9	0.1	-	*	-	*	-	-
	4	-	-	1.1	0.1	-	*	-	*	-	-
	5	-	-	0.2	*	-	-	*	*	-	-
	6	-	-	-	*	-	*	*	*	-	*
	7	*	*	-	*	-	-	*	*	-	-
		-	-	-	-	-	-	-	-	-	-
	Total	-----	*	*	2.2	0.3	-	*	*	*	-
71	1-2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	*	-	-	-	-	-	-
		-	-	-	*	-	-	-	-	-	-
	Total	-----	-	-	-	*	-	-	-	-	-
12 & 22	1-2	0.1	0.2	1.1	4.2	-	*	*	*	0.8	0.5
	3	0.3	0.4	0.8	4.0	*	*	*	*	2.8	0.9
	4	0.1	0.1	*	0.7	-	*	*	*	0.6	0.2
	5	*	*	-	*	-	-	-	*	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-
	Total	-----	0.5	0.7	2.0	9.0	*	*	*	*	4.2
32	1-2	0.6	0.4	0.1	1.1	*	*	0.2	0.1	0.9	0.4
	3	2.4	1.6	0.2	3.2	0.5	0.4	0.9	1.0	4.9	2.4
	4	1.5	1.2	-	1.6	0.3	0.4	0.3	0.5	3.8	1.9
	5	0.6	0.3	-	0.2	*	*	0.1	0.1	1.4	0.5
	6	0.1	*	-	*	-	*	*	*	0.1	0.1
	7	*	*	-	*	-	-	-	-	*	*
		-	-	-	-	-	-	-	-	-	-
	Total	-----	5.2	3.5	0.3	6.1	0.8	0.9	1.5	1.8	11.1
42	1-2	0.2	0.2	0.5	0.5	*	*	0.3	0.4	0.1	0.1
	3	1.1	1.4	3.5	2.9	1.0	1.1	2.4	4.7	0.9	0.8
	4	1.3	1.6	3.8	2.5	2.2	3.1	3.1	4.0	1.0	1.1
	5	0.9	0.8	0.5	0.6	0.8	1.4	1.1	0.8	0.8	0.7
	6	0.2	0.2	*	0.1	0.1	0.1	0.1	0.1	0.3	0.3
	7	*	*	-	*	*	*	*	*	0.1	0.1
		-	-	-	-	-	-	-	-	-	-
	Total	-----	3.8	4.2	8.4	6.5	4.1	5.8	6.9	9.9	3.3
52	1-2	*	0.1	0.7	0.2	-	*	*	0.1	0.2	*
	3	0.1	0.2	9.8	1.7	0.2	0.1	0.6	0.9	0.3	*
	4	0.1	0.3	12.4	2.2	0.8	0.6	0.7	1.0	*	*
	5	0.4	0.3	5.4	0.9	0.8	0.7	0.6	0.4	*	*
	6	0.2	0.1	0.4	0.2	0.2	0.2	0.3	0.1	*	*
	7	*	*	*	*	*	*	0.1	*	*	*
		-	-	-	-	-	-	-	-	-	-
	Total	-----	0.9	1.0	28.6	5.1	2.0	1.5	2.3	2.5	0.5

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 27, 2018

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	0.3	*	-	*	-	*	-	*
	3	-	0.1	2.2	0.3	-	*	*	*	-	*
	4	-	*	7.4	0.5	-	*	*	*	-	*
	5	-	-	2.8	0.3	*	*	*	*	-	*
	6	*	*	0.2	*	*	*	*	*	-	*
	7	-	*	-	*	-	*	*	*	-	*
Total	-----	*	0.1	13.1	1.2	*	*	0.1	0.1	-	*
13 & 23	1-2	*	*	0.1	0.4	-	-	-	*	*	*
	3	*	0.1	0.1	0.5	-	-	-	*	0.1	0.1
	4	*	0.1	-	0.2	-	-	-	*	0.2	0.1
	5	*	*	-	*	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.1	0.2	0.2	1.1	-	-	-	*	0.4	0.2
33	1-2	*	*	0.2	0.1	*	*	*	*	0.1	*
	3	0.2	0.3	0.4	0.4	0.1	*	0.1	0.1	0.6	0.3
	4	0.5	0.4	*	0.3	0.1	*	0.1	*	1.5	0.5
	5	0.2	0.2	-	0.1	*	*	*	*	0.7	0.2
	6	*	*	-	*	-	-	-	*	0.1	*
	7	*	*	-	*	-	-	-	*	-	*
Total	-----	0.9	0.9	0.6	0.9	0.2	0.1	0.2	0.1	3.0	1.1
43	1-2	*	*	*	*	-	*	*	*	*	*
	3	0.1	0.1	0.7	0.4	0.4	0.1	0.4	0.2	0.1	*
	4	0.2	0.2	1.0	0.5	0.6	0.3	0.6	0.3	0.1	0.1
	5	0.2	0.2	0.3	0.2	0.2	0.1	0.2	0.1	0.3	0.1
	6	*	0.1	*	0.1	*	*	*	*	0.2	0.1
	7	*	*	*	*	-	*	*	*	0.2	*
Total	-----	0.7	0.6	2.1	1.3	1.1	0.5	1.4	0.7	1.0	0.4
53	1-2	*	*	0.1	*	-	-	-	*	-	*
	3	*	*	1.0	0.4	0.1	*	0.1	0.1	*	*
	4	*	*	3.4	0.8	0.3	0.1	0.2	0.1	*	*
	5	0.1	*	3.0	0.5	0.2	0.1	0.1	*	*	*
	6	*	*	0.5	0.1	0.1	*	0.1	*	*	*
	7	*	*	0.1	*	*	*	*	*	*	*
Total	-----	0.2	0.1	8.0	1.9	0.6	0.2	0.4	0.2	0.1	*
63	1-2	-	*	*	*	-	-	-	*	-	-
	3	-	*	0.5	0.1	-	*	-	*	-	-
	4	-	*	2.4	0.5	*	*	-	*	-	-
	5	-	*	3.0	0.4	-	*	-	*	-	-
	6	-	*	1.1	0.1	*	*	-	*	-	-
	7	-	-	*	*	-	-	-	-	-	-
		-	*	7.1	1.3	*	*	-	*	-	-
24 - 54	1-7	0.3	0.7	0.7	0.4	0.1	0.1	0.1	*	0.1	0.1
25 - 35	1-7	-	0.1	-	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	0.1	3.5	0.3	*	*	*	*	*	*
All Colors	8 2/	0.1	0.1	*	*	*	*	*	*	*	*
EXTRANEOUS MATTER											
Bark - Level 1		17.1	11.0	2.4	1.4	4.5	1.2	3.8	2.3	12.4	9.5
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		*	*	0.1	0.7	0.1	0.2	0.3	0.1	-	*
Grass - Level 2		-	-	-	-	-	*	-	-	-	-
Prep - Level 1		-	*	*	*	1.8	0.6	*	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		*	*	-	-	-	-	-	-	-	-
29		*	*	*	*	-	-	-	*	-	-
30		*	*	0.8	0.2	-	-	-	*	-	*
31		0.1	0.1	1.8	0.8	-	-	-	*	0.1	*
32		0.5	0.9	3.3	2.3	-	*	0.1	0.1	0.6	0.4
33		3.0	3.1	4.3	5.8	0.1	0.2	2.4	1.1	4.8	2.6
34		7.3	7.6	15.2	12.4	1.7	2.0	10.2	6.1	14.1	10.2
35		14.3	14.5	26.6	18.4	6.5	6.7	19.9	17.6	30.6	23.6
36		26.8	24.3	18.8	22.4	12.6	13.8	21.0	24.3	23.0	26.3
37		31.2	29.1	20.5	21.8	26.7	28.5	33.7	27.9	17.8	23.9
38 & longer		16.8	20.5	8.8	16.0	52.5	48.8	12.7	22.9	9.1	13.0
Average staple		36.3	36.4	35.4	35.8	37.6	37.4	36.1	36.5	35.6	36.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 27, 2018

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	7.7	3.8	*	0.9	*	0.5	*	0.7	14.9	29.2
	4	7.6	4.6	0.1	1.8	*	0.5	*	1.2	5.0	7.3
	5	1.0	0.7	*	0.2	*	*	-	0.1	0.2	0.3
	6	*	*	-	*	-	*	-	*	*	*
	7	-	*	-	-	-	-	-	-	-	-
	Total	-----	16.4	9.2	0.1	2.9	*	1.1	0.1	1.9	20.1
31	1-2	14.8	9.3	0.9	3.2	0.5	0.9	0.3	2.7	14.6	11.9
	3	29.0	25.9	5.4	21.8	3.9	5.6	4.8	15.1	18.9	14.1
	4	10.1	11.7	2.3	10.5	2.4	3.1	1.7	5.9	4.9	2.3
	5	1.8	1.9	0.1	0.6	0.2	0.3	0.4	0.4	0.7	0.2
	6	0.1	0.1	*	*	*	*	*	*	0.1	*
	7	-	*	-	*	-	-	-	-	*	*
	Total	----	55.8	48.9	8.8	36.1	7.0	9.9	7.2	24.1	39.2
41	1-2	1.3	1.3	2.4	1.2	1.8	1.7	1.1	1.9	4.2	4.0
	3	6.1	10.4	22.4	16.7	21.4	18.2	13.1	18.0	16.3	12.7
	4	6.3	12.8	25.0	21.2	30.7	25.8	15.3	18.1	9.2	6.0
	5	3.7	6.0	6.1	4.7	7.9	7.8	1.7	3.9	2.0	1.1
	6	1.2	1.4	0.4	0.3	0.5	0.6	*	0.2	0.7	0.2
	7	0.2	0.2	*	*	*	*	-	*	0.2	*
	Total	-----	18.9	32.2	56.4	44.1	62.4	54.0	31.3	42.1	32.6
51	1-2	-	*	0.3	*	*	0.1	3.1	0.4	0.1	0.1
	3	*	*	2.6	0.7	1.8	1.5	7.5	2.3	1.1	1.1
	4	*	0.2	5.0	1.7	6.3	4.6	3.1	1.9	1.1	1.2
	5	*	0.2	2.9	1.1	4.7	3.3	0.6	0.5	0.4	0.4
	6	*	0.2	0.6	0.2	0.7	0.5	*	0.1	0.2	0.1
	7	*	0.1	*	*	*	*	-	*	*	*
	Total	-----	0.1	0.6	11.4	3.8	13.6	10.0	14.3	5.2	2.8
61	1-2	-	-	-	-	-	-	0.1	*	-	-
	3	-	-	-	*	-	*	0.5	*	-	*
	4	-	-	*	*	*	*	0.2	*	-	-
	5	-	-	-	*	*	*	-	*	-	-
	6	-	-	-	*	*	*	-	*	-	-
	7	-	*	*	*	-	*	-	-	-	-
	Total	-----	-	*	*	*	*	*	0.8	0.1	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	*	*	-	-	-	-	-
12 & 22	1-2	0.4	0.2	*	*	-	*	-	0.1	*	1.2
	3	0.5	0.5	0.1	0.1	*	*	*	0.3	0.1	0.7
	4	0.1	0.2	*	*	*	*	-	0.1	*	0.2
	5	*	*	-	*	-	*	-	*	-	*
	6	*	*	-	-	-	-	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-
	Total	-----	1.1	1.0	0.1	0.1	*	0.1	*	0.4	0.1
32	1-2	0.9	0.4	0.1	0.3	0.1	0.2	0.1	0.2	0.1	0.3
	3	2.6	1.9	1.0	1.9	0.9	0.9	0.7	1.3	0.4	1.2
	4	1.2	1.7	0.6	1.0	0.7	0.5	5.3	0.8	0.2	0.3
	5	0.3	0.5	0.1	0.1	0.1	0.1	4.3	0.1	*	0.1
	6	0.1	*	*	*	-	*	0.2	*	*	*
	7	*	*	-	-	-	*	*	*	-	*
	Total	-----	5.2	4.5	1.8	3.3	1.8	1.6	10.5	2.4	0.7
42	1-2	0.1	0.1	0.2	0.1	0.2	0.6	0.3	0.4	0.1	0.1
	3	0.5	0.7	4.5	2.2	2.6	6.8	4.6	5.2	1.1	0.9
	4	0.4	1.1	6.2	3.2	5.5	8.8	4.5	5.9	1.3	1.0
	5	0.2	0.6	1.6	0.9	2.2	2.5	4.0	1.5	0.5	0.3
	6	0.1	0.1	0.1	0.1	0.4	0.2	0.5	0.1	0.1	0.1
	7	*	*	*	*	*	*	*	*	*	*
	Total	-----	1.3	2.6	12.7	6.6	10.9	18.9	13.9	13.1	3.1
52	1-2	-	*	*	*	*	*	0.5	0.2	*	*
	3	*	*	0.7	0.2	0.1	0.4	3.5	1.9	*	0.1
	4	*	*	1.8	0.7	0.6	1.3	5.1	2.8	0.2	0.4
	5	*	*	1.2	0.4	0.6	0.9	1.7	1.2	0.3	0.2
	6	*	*	0.4	0.1	0.2	0.2	*	0.2	0.2	*
	7	*	*	*	*	0.1	*	-	*	0.1	*
	Total	-----	*	0.1	4.1	1.4	1.6	2.7	10.9	6.2	0.8

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 27, 2018

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	*	-	-	-	-	0.4	*	-	*
	3	-	*	*	*	-	*	1.8	0.2	-	*
	4	*	*	*	*	*	*	0.6	0.2	*	*
	5	-	*	*	*	*	*	*	0.1	-	*
	6	-	*	*	*	-	*	-	*	-	-
	7	-	-	-	*	-	*	-	*	-	-
Total	-----	*	*	*	*	*	*	2.8	0.6	*	*
13 & 23	1-2	*	*	-	*	-	*	-	*	*	*
	3	*	*	*	*	-	*	-	*	*	0.1
	4	*	*	-	*	-	*	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.1	0.1	*	*	-	*	-	*	*	0.1
33	1-2	*	*	*	*	*	*	-	*	-	*
	3	0.3	0.2	0.2	0.2	0.1	*	0.1	0.1	-	*
	4	0.3	0.2	0.1	0.1	0.1	*	0.3	*	*	*
	5	0.1	0.1	*	*	*	*	0.4	*	*	*
	6	*	*	*	*	*	*	*	*	-	*
	7	*	*	-	-	-	*	-	-	-	*
Total	-----	0.8	0.4	0.3	0.4	0.3	0.1	0.8	0.1	*	0.1
43	1-2	*	*	*	*	*	*	*	*	-	*
	3	*	*	0.8	0.3	0.5	0.4	0.6	0.5	-	*
	4	0.1	0.1	1.4	0.4	0.8	0.6	1.0	0.8	0.1	0.1
	5	0.1	0.1	0.6	0.2	0.4	0.2	1.5	0.3	0.2	0.1
	6	*	*	0.1	*	0.1	*	0.9	*	0.1	*
	7	*	*	*	*	*	*	*	*	*	*
Total	-----	0.2	0.2	2.9	0.9	1.7	1.3	4.1	1.6	0.4	0.2
53	1-2	-	-	*	*	-	*	0.1	*	-	-
	3	-	*	0.1	*	*	*	1.2	0.3	-	*
	4	-	*	0.4	0.1	0.1	0.1	0.9	0.7	-	*
	5	*	*	0.3	0.1	0.1	0.1	0.2	0.5	*	*
	6	*	*	0.1	*	0.1	*	*	0.1	*	*
	7	-	*	*	*	*	*	-	*	-	*
Total	-----	*	*	0.8	0.3	0.3	0.3	2.5	1.6	*	*
63	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	*	*	*	*	0.1	0.1	-	-
	4	-	*	*	*	-	*	0.2	0.1	-	-
	5	-	*	*	*	-	*	*	0.1	-	-
	6	-	-	*	*	*	*	-	*	-	-
	7	-	-	-	*	-	*	-	*	-	-
		-	*	*	*	*	*	0.3	0.4	-	-
24 - 54	1-7	*	*	0.5	0.1	0.2	0.1	0.5	0.2	*	*
25 - 35	1-7	-	-	-	*	-	*	-	*	-	-
81 - 85 1/	1-7	*	*	0.1	*	*	*	0.1	*	*	*
All Colors	8 2/	0.1	0.1	*	*	0.1	*	*	*	*	*
EXTRANEIOUS MATTER											
Bark - Level 1		6.3	8.4	21.6	13.1	1.6	1.0	24.9	3.5	2.0	0.7
Bark - Level 2		-	-	-	*	-	-	-	-	-	-
Grass - Level 1		-	*	*	0.1	0.1	0.1	0.1	0.1	*	0.1
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	0.1	0.1	*	*	-	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	-	*	-	*	-	*	-	-
Other - Level 2		-	*	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-
30		*	*	*	*	-	*	-	*	-	-
31		*	*	*	*	*	*	*	0.1	-	*
32		0.4	0.2	0.1	0.1	*	*	0.6	0.4	*	*
33		2.1	1.7	1.6	0.9	0.1	0.1	2.9	1.5	0.2	0.2
34		9.8	7.7	7.6	5.2	1.1	0.9	10.5	4.3	2.2	1.4
35		24.1	20.1	14.5	13.2	8.8	6.4	23.7	11.9	6.7	5.8
36		25.6	27.5	18.9	18.4	23.4	19.8	27.9	18.0	13.6	14.2
37		25.8	27.6	31.2	30.4	40.1	39.3	21.8	26.2	27.7	27.9
38 & longer		12.3	15.1	26.0	31.8	26.5	33.5	12.5	37.6	49.6	50.4
Average staple		36.0	36.2	36.6	36.8	36.9	37.1	36.0	37.0	37.6	37.7

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 27, 2018

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	*	-	-	-	-	-	-	-	-
18	-	-	-	*	-	-	-	-	-	-
19	-	*	-	*	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	-
21	-	*	0.1	0.1	-	-	-	-	-	-
22	*	*	0.4	0.2	-	-	-	-	-	*
23	*	*	1.4	0.4	-	-	0.2	*	*	*
24	*	0.1	3.5	1.0	-	*	0.9	0.1	*	*
25	0.2	0.3	11.2	2.1	0.1	*	2.8	0.7	0.5	0.2
26	0.9	1.0	22.7	3.9	0.4	0.4	7.0	2.9	1.6	1.0
27	2.8	3.0	21.6	6.8	2.5	2.0	10.9	6.4	5.6	3.7
28	9.9	9.6	16.7	11.8	9.7	7.3	17.6	13.4	14.5	10.7
29	19.8	19.1	11.8	19.2	21.3	20.5	21.4	22.1	20.1	19.1
30	22.9	23.1	7.1	21.3	30.9	31.9	18.2	23.4	22.7	21.9
31	19.8	19.8	2.6	17.1	23.1	23.2	11.0	15.8	18.7	20.8
32	14.3	12.8	0.7	9.2	8.2	9.5	6.3	8.6	10.5	13.9
33	6.9	7.5	0.3	4.1	2.9	3.6	2.8	4.3	4.1	5.9
34	1.9	2.7	*	1.8	0.8	1.1	0.7	1.7	1.2	2.0
35	0.5	0.8	*	0.7	0.1	0.3	0.3	0.4	0.4	0.6
36 & above	0.2	0.2	-	0.3	*	*	0.1	0.1	0.1	0.1
Average	30.2	30.3	27.1	29.6	30.0	30.1	28.9	29.7	29.8	30.2
MIKE										
24 & below	*	*	-	*	-	-	-	*	0.2	0.1
25	*	0.1	*	*	-	-	-	-	1.3	0.3
26	*	0.1	*	*	-	-	-	*	1.4	0.4
27	0.1	0.1	*	*	-	-	-	*	1.7	0.5
28	0.2	0.2	0.1	*	-	*	-	*	1.8	0.6
29	0.3	0.2	0.1	*	-	*	-	*	1.9	0.7
30	0.5	0.3	0.2	0.1	-	*	-	*	2.4	0.8
31	0.8	0.4	0.2	0.1	*	*	-	*	2.9	1.0
32	1.1	0.7	0.2	0.2	-	*	*	*	2.5	1.4
33	1.5	1.0	0.1	0.2	*	*	*	*	3.1	1.9
34	1.6	1.4	0.1	0.3	*	*	0.1	0.1	3.6	2.2
35	2.3	1.7	0.2	0.4	*	*	0.2	0.2	4.6	2.9
36	2.3	2.1	0.2	0.4	0.1	0.1	0.4	0.3	5.0	3.8
37	4.4	3.1	0.4	0.7	0.1	0.1	0.6	0.5	5.6	4.6
38	4.9	3.8	0.6	1.0	0.3	0.3	1.4	0.9	5.6	5.3
39	5.5	4.7	0.5	1.4	0.2	0.5	2.0	1.6	5.7	6.2
40	6.1	5.9	0.6	1.9	0.8	0.9	3.8	2.7	5.3	7.3
41	6.9	7.5	1.6	2.7	1.4	1.7	5.1	4.3	6.2	8.3
42	6.9	8.4	2.7	4.0	2.9	2.7	6.2	6.3	6.6	8.6
43	8.0	9.1	5.4	5.5	4.2	4.1	9.1	8.4	8.4	9.1
44	8.0	9.8	5.2	7.3	5.7	6.3	10.7	10.7	7.1	8.0
45	9.1	10.1	10.3	9.1	8.2	9.3	13.1	13.1	5.5	7.5
46	9.3	9.2	13.7	10.6	12.7	13.7	14.1	14.5	4.1	6.2
47	7.9	7.5	16.7	11.2	14.8	17.0	13.2	13.3	3.1	4.5
48	4.5	5.4	15.7	10.7	15.6	16.9	9.3	10.0	1.6	3.3
49	2.9	3.4	10.3	9.1	13.0	13.1	4.9	6.2	1.7	2.3
50	2.0	2.0	7.3	7.2	9.4	7.3	3.3	3.6	0.6	1.2
51	1.4	1.2	4.1	5.6	6.3	3.4	1.8	1.9	0.4	0.6
52	0.8	0.6	1.8	4.1	2.7	1.5	0.7	0.9	0.1	0.3
53	0.4	0.3	0.7	2.9	1.2	0.7	0.2	0.3	*	*
54	0.2	0.1	0.6	2.0	0.3	0.2	0.1	0.1	-	*
55	*	*	0.3	0.9	0.1	*	*	*	-	-
56	*	*	0.2	0.3	*	*	-	*	-	*
57	-	-	0.1	0.1	*	*	*	*	-	-
58	-	-	0.1	*	-	-	-	*	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
Average	43	43	47	47	47	47	45	45	39	41

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 27, 2018

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	*	-	-	-	-	-	-
21	-	-	-	*	-	-	-	-	-	-
22	-	-	*	*	-	-	*	*	-	-
23	*	*	*	*	*	*	*	*	-	-
24	*	*	0.1	0.1	*	*	1.1	0.1	-	-
25	0.1	0.1	1.0	0.8	0.2	0.1	1.6	0.5	*	*
26	0.5	0.3	4.3	3.8	0.9	0.7	5.2	1.5	0.1	*
27	2.3	1.5	10.8	11.1	6.4	4.0	8.9	4.0	0.6	0.4
28	7.3	5.0	18.1	21.4	18.3	13.8	13.6	7.8	2.7	2.3
29	14.6	11.5	24.8	27.7	31.0	27.6	25.0	17.1	9.5	7.6
30	20.6	18.0	21.4	20.2	21.6	26.5	25.6	28.0	17.2	13.4
31	22.8	22.3	11.8	9.7	11.9	15.4	12.7	21.4	15.6	16.5
32	17.8	20.5	4.8	3.6	6.6	7.7	5.4	11.9	15.1	15.8
33	9.5	12.9	1.9	1.2	2.3	3.1	0.6	5.1	13.6	14.0
34	3.5	5.6	0.7	0.4	0.6	0.9	0.2	1.9	10.5	8.8
35	0.8	1.8	0.3	0.1	0.1	0.2	-	0.5	7.4	5.7
36 & above	0.2	0.6	0.1	*	*	*	*	0.2	7.7	15.5
Average	30.6	31.0	29.1	28.9	29.4	29.7	29.1	30.1	32.0	32.4
MIKE										
24 & below	0.3	0.1	-	-	-	-	-	-	*	*
25	0.5	0.2	-	*	-	*	-	*	0.1	*
26	0.7	0.2	-	*	-	*	-	*	0.2	*
27	0.6	0.3	-	*	-	*	-	*	0.2	0.1
28	0.7	0.3	*	*	-	*	-	*	0.2	0.1
29	0.9	0.5	*	*	-	*	-	*	0.2	0.1
30	1.3	0.8	*	*	*	*	-	*	0.4	0.1
31	1.7	1.1	0.1	0.1	*	*	-	*	0.3	0.2
32	2.1	1.5	0.2	0.2	*	*	-	*	0.3	0.3
33	2.6	2.0	0.3	0.4	0.1	*	-	*	0.9	0.5
34	3.2	2.6	0.5	0.7	0.2	0.1	-	*	1.0	0.7
35	3.8	3.3	0.8	1.1	0.3	0.1	-	*	1.1	0.9
36	4.5	4.0	1.5	1.6	0.5	0.2	*	0.1	1.0	1.2
37	5.4	4.7	2.3	2.4	0.8	0.4	-	0.1	1.4	1.6
38	6.1	5.5	3.1	3.7	0.8	0.7	0.1	0.2	1.8	2.1
39	6.7	6.3	4.4	5.6	1.4	1.1	0.5	0.5	2.0	2.8
40	7.1	6.9	5.5	8.2	2.3	1.7	1.1	0.7	2.9	3.5
41	7.2	7.3	8.4	10.8	3.4	2.8	0.9	1.3	4.2	4.8
42	7.4	7.5	11.9	13.0	5.2	4.4	3.0	2.4	5.6	6.2
43	6.5	7.3	13.0	13.5	7.9	6.2	3.3	3.3	5.1	7.5
44	5.8	7.1	12.2	12.0	8.6	8.5	6.3	4.4	8.1	8.9
45	5.1	6.7	11.2	9.7	10.7	10.5	5.8	7.0	9.8	9.5
46	5.0	6.1	8.6	6.9	11.6	11.7	8.7	9.8	10.3	10.5
47	4.4	5.2	6.6	4.6	11.7	11.7	13.0	13.5	11.1	10.3
48	3.4	4.1	4.3	2.8	10.2	11.0	15.7	15.8	10.0	9.0
49	2.5	3.2	2.9	1.6	8.8	9.4	15.3	15.2	8.3	6.7
50	1.7	2.2	1.3	0.7	6.8	7.4	13.2	12.0	5.5	5.1
51	1.2	1.5	0.5	0.3	4.4	5.4	9.0	7.4	3.8	3.7
52	0.9	0.9	0.2	0.1	2.5	3.5	2.9	4.0	2.0	2.1
53	0.5	0.4	*	*	1.2	2.0	0.8	1.7	0.5	0.9
54	0.2	0.2	*	*	0.6	0.9	0.2	0.4	0.2	0.3
55	0.1	0.1	*	*	0.1	0.3	*	0.1	0.1	0.1
56	*	*	-	*	*	*	*	*	0.7	0.1
57	*	*	*	*	-	*	*	*	0.7	0.1
58	*	*	*	*	-	*	-	-	-	*
59	-	-	*	*	-	-	-	-	-	-
60 & above	-	-	*	*	-	-	-	-	-	-
Average	40	42	43	43	46	47	48	48	45	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 27, 2018

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	*	-	-	-	*	0.2	0.1
25 - 26	0.1	0.2	*	*	-	-	-	*	2.7	0.7
27 - 29	0.5	0.4	0.2	0.1	-	*	-	*	5.5	1.7
30 - 32	2.3	1.4	0.5	0.3	*	*	*	*	7.7	3.3
33 - 34	3.1	2.4	0.2	0.5	*	*	0.1	0.1	6.6	4.1
35 - 36	4.6	3.8	0.4	0.8	0.1	0.1	0.6	0.5	9.6	6.7
37 - 42	34.8	33.3	6.4	11.6	5.7	6.3	18.9	16.4	35.1	40.4
43 - 49	49.7	54.5	77.2	63.5	74.3	80.4	74.4	76.2	31.5	40.9
50 - 52	4.2	3.7	13.1	16.9	18.3	12.2	5.8	6.4	1.1	2.1
53 & above	0.7	0.4	1.9	6.3	1.6	1.0	0.2	0.5	*	*
Average	43	43	47	47	47	47	45	45	39	41
HVI TRASH 1/										
00	-	-	-	*	-	-	-	-	-	*
01	2.0	1.8	0.9	7.9	0.1	0.2	0.3	0.3	3.6	3.7
02	19.1	15.2	8.4	26.2	4.6	4.9	5.3	6.4	21.7	17.3
03	26.9	24.9	17.0	25.1	16.9	15.8	16.4	20.9	28.4	23.5
04	19.9	21.5	19.6	17.5	24.5	22.9	22.8	26.4	19.4	19.6
05	12.3	14.7	17.8	10.5	22.3	22.0	21.0	20.8	11.0	13.4
06	7.4	9.1	13.4	5.9	15.5	16.1	15.0	12.7	6.6	8.6
07	4.7	5.5	8.9	3.2	9.0	9.6	9.4	6.7	4.1	5.3
08	3.1	3.2	5.4	1.7	4.4	4.9	4.8	3.2	2.2	3.3
09	1.9	1.8	3.1	0.9	1.8	2.2	2.6	1.5	1.2	2.0
10	1.1	1.0	2.3	0.5	0.7	0.9	1.2	0.6	0.7	1.2
11	0.6	0.6	1.6	0.3	0.2	0.3	0.6	0.2	0.5	0.8
12	0.4	0.3	0.9	0.2	0.1	0.1	0.3	0.1	0.3	0.5
13	0.2	0.2	0.6	0.1	*	*	0.1	*	0.2	0.3
14	0.1	0.1	0.3	0.1	*	*	0.1	*	0.1	0.2
15	0.1	0.1	0.1	*	-	*	*	*	*	0.1
16	0.1	*	*	*	-	*	*	*	*	0.1
17	0.1	*	*	*	-	-	*	*	*	*
18 & above	0.1	*	*	*	-	-	*	*	*	*
Average	0.41	0.43	0.51	0.35	0.49	0.50	0.50	0.46	0.38	0.43
UNIFORMITY 2/										
72.4 & below	-	*	*	*	-	-	-	-	-	-
72.5-73.4	-	*	*	*	-	-	-	-	-	-
73.5-74.4	*	*	0.1	*	-	-	*	*	*	*
74.5-75.4	*	*	0.9	0.2	-	-	*	*	0.1	*
75.5-76.4	0.1	0.1	2.7	0.8	-	-	0.1	*	0.5	0.1
76.5-77.4	0.6	0.8	7.0	2.0	-	-	0.4	0.3	2.2	0.7
77.5-78.4	4.3	3.3	16.8	4.4	0.9	0.7	3.3	1.8	5.9	2.7
78.5-79.4	16.1	12.3	32.3	8.6	5.1	3.5	13.7	9.1	15.5	10.3
79.5-80.4	31.8	29.6	26.1	16.6	20.5	17.4	32.7	28.5	30.3	28.3
80.5-81.4	33.3	33.1	11.4	25.2	35.9	38.9	31.1	36.0	29.5	34.9
81.5-82.4	12.2	16.5	2.5	25.0	27.0	30.2	15.8	19.5	13.3	17.8
82.5-83.4	1.4	3.7	0.2	14.3	9.1	8.1	2.6	4.3	2.5	4.5
83.5-84.4	0.1	0.5	-	2.8	1.4	1.2	0.3	0.5	0.2	0.6
84.5-85.4	*	*	-	0.2	0.1	0.1	*	*	*	*
85.5-86.4	*	*	-	*	-	-	-	*	-	-
86.5-87.4	*	*	-	-	-	-	-	*	-	-
87.5-88.4	*	*	-	-	-	-	-	-	-	-
88.5-89.4	*	*	-	-	-	-	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-
Average	80.3	80.5	79.1	81.0	81.1	81.2	80.4	80.7	80.2	80.6
Tenderable 3/	70.2	75.8	20.4	55.8	70.5	78.2	77.4	78.1	63.2	74.7
SAMPLES CLASSED										
Week	58,071		12,625		24,971		27,206		41,479	
Season		542,671		1,703,904		1,294,756		1,118,704		546,721

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending December 27, 2018

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.3	0.1	-	-	-	-	-	-	*	*
25 - 26	1.2	0.4	-	*	-	*	-	*	0.3	0.1
27 - 29	2.2	1.1	*	*	-	*	-	*	0.6	0.2
30 - 32	5.1	3.3	0.3	0.3	*	*	-	*	1.0	0.7
33 - 34	5.8	4.6	0.8	1.1	0.2	0.1	-	*	1.9	1.2
35 - 36	8.3	7.3	2.3	2.7	0.8	0.4	*	0.1	2.2	2.1
37 - 42	39.8	38.2	35.6	43.6	13.8	11.0	5.7	5.3	18.0	20.9
43 - 49	32.6	39.7	58.9	51.1	69.4	69.0	68.1	68.9	62.6	62.4
50 - 52	3.9	4.5	2.0	1.2	13.7	16.3	25.1	23.4	11.2	10.9
53 & above	0.8	0.7	0.1	*	2.0	3.1	1.1	2.2	2.2	1.5
Average	40	42	43	43	46	47	48	48	45	45
HVI TRASH 1/										
00	-	*	-	-	-	-	-	-	-	*
01	4.7	2.2	0.2	0.5	0.3	0.3	0.4	0.6	8.9	17.3
02	25.4	16.1	5.6	7.8	3.2	4.7	7.9	9.5	29.4	34.2
03	27.2	23.3	16.8	21.2	12.7	14.3	19.0	22.7	25.4	23.8
04	18.0	20.5	22.6	25.5	22.2	21.5	20.7	24.7	16.8	12.5
05	10.5	14.8	21.1	20.3	22.9	21.6	16.4	18.9	9.0	6.3
06	5.9	9.6	14.9	12.5	17.0	16.6	12.2	11.6	4.6	3.0
07	3.5	5.8	9.1	6.6	10.7	10.5	8.4	6.3	2.3	1.4
08	2.1	3.4	4.8	3.1	5.8	5.7	6.2	3.1	1.3	0.7
09	1.2	1.9	2.4	1.4	3.0	2.8	3.6	1.4	0.9	0.4
10	0.7	1.1	1.2	0.6	1.2	1.2	2.6	0.6	0.5	0.2
11	0.4	0.6	0.7	0.2	0.6	0.5	1.2	0.3	0.3	0.1
12	0.2	0.3	0.4	0.1	0.3	0.2	0.7	0.1	0.1	0.1
13	0.1	0.2	0.1	*	0.1	0.1	0.3	0.1	0.1	*
14	0.1	0.1	0.1	*	0.1	*	0.2	*	*	*
15	*	0.1	*	*	*	*	0.1	*	*	*
16	*	*	*	*	*	*	-	-	*	*
17	*	*	*	*	*	*	-	-	*	*
18 & above	*	*	*	*	*	*	-	-	-	*
Average	0.37	0.43	0.50	0.45	0.52	0.51	0.51	0.44	0.33	0.28
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	*	*	-	-
72.5-73.4	-	-	-	-	-	-	-	*	-	-
73.5-74.4	-	-	-	-	-	-	0.1	*	-	-
74.5-75.4	*	*	-	-	-	-	0.1	0.1	-	*
75.5-76.4	0.2	0.1	*	*	*	*	0.2	0.2	*	*
76.5-77.4	0.5	0.3	0.1	0.1	0.1	*	1.4	0.7	0.1	*
77.5-78.4	1.9	1.3	0.8	0.7	0.3	0.2	5.9	2.6	0.4	0.3
78.5-79.4	7.7	6.0	4.8	4.4	2.8	1.4	17.7	9.5	2.1	1.9
79.5-80.4	22.8	19.6	18.6	20.6	13.4	8.0	20.0	22.4	8.3	8.0
80.5-81.4	35.0	34.2	38.5	41.1	32.3	25.0	34.1	34.4	24.6	23.4
81.5-82.4	24.0	27.6	27.5	25.4	35.1	36.4	18.7	22.2	38.2	34.3
82.5-83.4	6.9	9.4	8.1	6.6	13.7	23.9	1.7	6.4	18.7	17.9
83.5-84.4	1.0	1.5	1.4	1.0	2.2	4.9	0.1	1.3	5.9	9.0
84.5-85.4	0.1	0.1	0.2	0.1	0.1	0.3	-	0.2	1.4	4.8
85.5-86.4	*	*	*	*	*	*	-	*	0.3	0.3
86.5-87.4	*	*	-	*	-	*	-	*	*	*
87.5-88.4	-	-	-	-	-	*	-	*	-	-
88.5-89.4	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	80.9	81.1	81.1	81.0	81.5	81.8	80.4	80.8	81.8	82.0
Tenderable 3/	73.3	73.9	59.7	75.8	69.6	61.9	28.6	56.1	76.2	81.2
SAMPLES CLASSED										
Week	230,494		92,165		77,032		6,261		35,481	
Season		2,232,412		1,906,264		2,828,556		474,049		339,051

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending December 27, 2018

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	13.9	19.4	MIKE	*	*
	2	26.8	22.2	24 & below	0.5	*
	3	0.7	0.4	25-26	0.9	0.2
	4	-	*	30-32	0.6	0.5
	5	-	-	33-34	1.1	1.1
	6	-	-	35-36	3.3	3.7
	7	-	-	37-42	52.8	53.7
Total -----		41.4	42.1	43-49	40.7	40.8
02	1	3.5	5.9	50-52	*	*
	2	42.3	38.1	53 & above	*	*
	3	8.2	7.9	Average	41	41
	4	0.2	0.1	ALL RANGE MIKE	*	*
	5	-	*	24 & below	0.2	*
	6	-	-	25	0.3	*
	7	-	-	26	0.4	*
Total -----		54.1	52.0	27	0.3	0.1
03	1	0.1	0.1	28	0.3	0.1
	2	2.0	2.6	29	0.2	0.1
	3	1.7	2.3	30	0.2	0.1
	4	0.3	0.3	31	0.2	0.1
	5	*	*	32	0.2	0.3
	6	-	*	33	0.4	0.4
	7	-	-	34	0.7	0.7
Total -----		4.1	5.3	35	1.1	1.4
04	1	*	*	36	2.3	2.3
	2	0.1	0.2	37	4.6	3.6
	3	0.2	0.2	38	5.9	5.7
	4	*	*	39	7.8	8.4
	5	-	*	40	8.7	10.5
	6	-	*	41	10.9	11.7
	7	-	*	42	14.8	13.8
Total -----		0.3	0.5	43	16.4	15.1
05	1	-	-	44	12.6	13.0
	2	*	*	45	7.2	7.9
	3	*	*	46	3.3	3.5
	4	*	*	47	1.1	1.1
	5	-	-	48	0.2	0.2
	6	-	-	49	*	*
	7	-	-	50	*	*
Total -----		*	0.1	51	*	*
06	1	-	-	52	-	*
	2	-	-	53	-	*
	3	-	*	54	*	*
	4	-	*	55	-	*
	5	-	-	56	-	-
	6	-	-	57	-	-
	7	-	-	58	-	-
Total -----		-	*	59	-	-
07	1	-	-	60 & above	-	-
	2	-	-	Average	41	41
	3	-	*	Strength	-	-
	4	-	*	17 & below	-	-
	5	-	-	18	-	-
	6	-	-	19	-	-
	7	-	-	20	-	-
Total -----		-	*	21	-	-
STAPLE	40 & shorter	-	-	22	-	-
	42	-	-	23	-	-
	44	0.1	0.2	24	-	-
	46	3.8	5.0	25	-	-
	48 & longer	96.1	94.8	26	-	-
	Average	49.5	49.2	27	-	-
	28	-	-	28	-	-
UNIFORMITY	72.4 & below	-	-	29	-	-
	72.5-73.4	-	-	30	-	-
	73.5-74.4	-	-	31	*	*
	74.5-75.4	-	-	32	*	*
	75.5-76.4	-	-	33	0.1	*
	76.5-77.4	-	-	34	0.4	*
	77.5-78.4	-	-	35	0.4	*
	78.5-79.4	-	-	36	0.1	0.1
	79.5-80.4	-	*	37	0.2	0.3
	80.5-81.4	*	*	38	0.7	1.2
	81.5-82.4	0.2	*	39	2.3	2.7
	82.5-83.4	1.2	0.3	40	2.1	3.8
	83.5-84.4	2.1	1.7	41	2.8	3.7
	84.5-85.4	10.6	11.3	42	7.2	6.6
	85.5-86.4	38.6	40.0	43	13.5	13.4
	86.5-87.4	42.6	41.5	44	22.9	21.9
	87.5-88.4	4.5	4.9	45 & above	47.3	46.3
	88.5-89.4	0.2	0.3	Average	44.1	44.0
	89.5 & above	*	*	EXTRANEIOUS MATTER		
Average	86.3	86.3	Bark	*	*	
SAMPLES CLASSED	Week	31,812		Grass	*	0.2
	Season		463,388	Spindle Twist	0.1	*
				Preparation	*	*

* Less than 0.05 percent.



Cotton and Tobacco Program
 3275 Appling Road, Memphis, TN 38133
 (901) 384-3016

Extraneous Matter By Classing Office

28-Dec-18

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Week ending Thursday, December 27, 2018**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	-	-	17.1%	-	*	-	-	-	-	-	-	-	-	-	17.1%	-	58,071
Corpus Christi	*	-	2.4%	-	0.1%	-	15.5%	-	-	-	-	-	-	-	18.0%	-	12,625
Dumas	1.8%	-	4.5%	-	0.1%	-	0.9%	-	*	-	-	-	-	-	7.4%	-	24,971
Florence	*	-	3.8%	-	0.3%	-	-	-	-	-	-	-	-	-	4.1%	-	27,206
Lamesa	-	-	12.4%	-	-	-	*	-	-	-	-	-	-	-	12.4%	-	41,479
Lubbock	*	-	6.3%	-	-	-	*	-	*	-	-	-	*	-	6.3%	-	230,494
Macon	0.1%	-	21.6%	-	*	-	0.9%	-	-	-	-	-	-	-	22.6%	-	92,165
Memphis	*	-	1.6%	-	0.1%	-	0.1%	-	-	-	-	-	-	-	1.8%	-	77,032
Rayville	-	-	24.9%	-	0.1%	-	0.9%	-	-	-	-	-	-	-	25.9%	-	6,261
Visalia	*	-	2.0%	-	*	-	1.4%	-	-	-	*	-	-	-	3.4%	-	35,481
United States	0.1%	-	9.2%	-	*	-	0.6%	-	*	-	*	-	*	-	9.9%	*	605,785

* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Season ending Thursday, December 27, 2018**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	11.0%	-	*	-	*	-	*	-	-	-	*	-	11.1%	-	542,671
Corpus Christi	*	-	1.4%	-	0.7%	-	3.4%	-	*	-	-	-	*	-	5.5%	-	1,703,904
Dumas	0.6%	-	1.2%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	2.0%	*	1,294,756
Florence	*	-	2.3%	-	0.1%	-	*	-	*	-	-	-	*	-	2.4%	-	1,118,704
Lamesa	*	-	9.5%	-	*	-	*	-	-	-	-	-	*	-	9.5%	-	546,721
Lubbock	*	-	8.4%	-	*	-	*	-	*	-	-	-	*	*	8.5%	*	2,232,412
Macon	0.1%	-	13.1%	*	0.1%	-	0.2%	-	-	-	-	-	*	-	13.4%	*	1,906,264
Memphis	*	-	1.0%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	1.1%	-	2,828,556
Rayville	*	-	3.5%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	3.8%	-	474,049
Visalia	*	-	0.7%	-	0.1%	-	0.9%	-	-	-	*	-	-	-	1.7%	-	339,051
United States	0.1%	-	5.1%	*	0.1%	*	0.5%	-	*	-	*	-	*	*	5.8%	*	12,987,088

* Less than 0.05 percent.