
Small Grains



Crop
Reporting
Board

Statistical Reporting
Service

United States
Department of
Agriculture

Washington, D.C. 20250

RELEASED: January 10, 1986
3:00 P.M. ET

1985 ANNUAL SUMMARY AND
1986 CROP WINTER WHEAT AND RYE SEEDINGS

HIGHLIGHTS

WINTER WHEAT SEEDINGS last fall for the 1986 crop is estimated at 54.0 million acres, down 7 percent from 1985 and the lowest since 1979.

ALL WHEAT production in 1985 totaled 2.42 billion bushels, 7 percent less than in 1984. Area harvested for grain, at 64.7 million acres, is down 3 percent. Yields averaged 37.5 bushels per acre, down 1.3 bushels from last year.

OATS production in 1985 is estimated at 519 million bushels, 9 percent above the 1984 crop. A record high average yield, at 63.6 bushels per acre, more than offset a fractional decrease from a year ago in acres harvested for grain.

BARLEY production in 1985 is estimated at 589 million bushels, down 2 percent from last year's record high production. Average yield per acre is 51.0 bushels, down 2.4 bushels from 1984.

* Requests for a subscription order form covering all available reports *
* should be directed to Crop Reporting Board Publications, Room 5829 - *
* South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021). *

AREA PLANTED AND HARVESTED, UNITED STATES--ANNUAL
(DOMESTIC UNITS)

CROP	AREA PLANTED			AREA HARVESTED		
	1983	1984	1985	1983	1984	1985
	1,000 ACRES					
OATS	20,289	12,414	13,270	9,072	8,163	8,149
BARLEY	10,422	11,957	13,106	9,731	11,231	11,553
ALL WHEAT	76,419	79,213	75,575	61,390	66,928	64,734
WINTER	62,105	63,419	57,752	47,584	51,513	47,953
DURUM	2,565	3,277	3,207	2,492	3,219	3,094
OTH SPRING	11,749	12,517	14,616	11,314	12,196	13,687
RYE	2,707	2,971	2,563	896	981	717
RICE	2,190.0	2,830.0	2,522.0	2,169.0	2,802.0	2,502.0

YIELD PER ACRE AND PRODUCTION, UNITED STATES--ANNUAL
(DOMESTIC UNITS)

CROP AND UNIT	YIELD PER ACRE			PRODUCTION		
	1983	1984	1985	1983	1984	1985
	1,000					
OATS BU	52.6	58.0	63.6	476,961	473,661	518,626
BARLEY "	52.3	53.4	51.0	508,925	599,204	589,183
ALL WHEAT "	39.4	38.8	37.5	2,419,824	2,594,777	2,424,765
WINTER "	41.8	40.0	38.1	1,988,304	2,060,266	1,827,195
DURUM "	29.3	32.1	36.4	72,979	103,439	112,510
OTH SPRING "	31.7	35.3	35.4	358,541	431,072	485,060
RYE "	30.3	33.1	28.8	27,116	32,463	20,637
RICE CWT 1/	4,598	4,954	5,437	99,720	138,810	136,042

1/ YIELD IN POUNDS.

WINTER WHEAT AND RYE SEEDINGS
UNITED STATES SUMMARY
(DOMESTIC UNITS)

ITEM	AREA SEEDED			AREA SEEDED AS % OF		
	CROP OF			PREVIOUS YEAR		
	1984	1985	1986	1984	1985	1986
	1,000 ACRES			PERCENT		
WINTER WHEAT	63,419	57,752	53,992	102.12	91.06	93.49
RYE	2,971	2,563	2,386	109.75	86.27	93.09

A P P R O V E D:

Robert L. Thompson

CROP REPORTING BOARD:

Raymond R. Hancock, Chairperson,
L. Duane Jewell, Secretary,
Rich D. Allen, John D. Witzig,
Maurice E. Johnson, M. Bruce West,
William N. Dowdy, S. Radley Edwards,
William G. Hamlin, Phillip R. H. Hardy,
Gary A. Nelson, Vaughn L. Siegenthaler.

ACTING SECRETARY OF AGRICULTURE

AREA PLANTED AND HARVESTED, UNITED STATES--ANNUAL
(METRIC UNITS)

CROP	AREA PLANTED			AREA HARVESTED		
	1983	1984	1985	1983	1984	1985
	HECTARES					
OATS	8 210 760	5 023 820	5 370 240	3 671 350	3 303 480	3 297 820
BARLEY	4 217 680	4 838 880	5 303 870	3 938 040	4 545 070	4 675 380
ALL WHEAT	30 926 000	32 056 710	30 584 450	24 843 920	27 085 100	26 197 200
WINTER	25 133 270	25 665 040	23 371 660	19 256 770	20 846 800	19 406 100
DURUM	1 038 030	1 326 170	1 297 840	1 008 490	1 302 700	1 252 110
OTH SPRING	4 754 700	5 065 500	5 914 950	4 578 660	4 935 600	5 538 990
RYE	1 095 500	1 202 330	1 037 220	362 600	397 000	290 160
RICE	886 270	1 145 270	1 020 630	877 770	1 133 940	1 012 530

YIELD PER HECTARE AND PRODUCTION, UNITED STATES--ANNUAL
(METRIC UNITS)

CROP	YIELD PER HECTARE			PRODUCTION		
	1983	1984	1985	1983	1984	1985
	METRIC TONS					
OATS	1.89	2.08	2.28	6 923 070	6 875 170	7 527 840
BARLEY	2.81	2.87	2.74	11 080 530	13 046 130	12 827 950
ALL WHEAT	2.65	2.61	2.52	65 856 820	70 618 260	65 991 290
WINTER	2.81	2.69	2.56	54 112 770	56 071 250	49 728 100
DURUM	1.97	2.16	2.45	1 986 160	2 815 150	3 062 020
OTH SPRING	2.13	2.38	2.38	9 757 890	11 731 860	13 201 170
RYE	1.90	2.08	1.81	688 780	824 600	524 200
RICE	5.15	5.55	6.09	4 523 220	6 296 320	6 170 760

WINTER WHEAT AND RYE SEEDINGS
UNITED STATES SUMMARY
(METRIC UNITS)

ITEM	AREA SEEDED CROP OF			AREA SEEDED AS % OF PREVIOUS YEAR CROP OF		
	1984	1985	1986	1984	1985	1986
	HECTARES			PERCENT		
WINTER WHEAT	25 665 040	23 371 660	21 850 020	102.12	91.06	93.49
RYE	1 202 330	1 037 220	965 590	109.75	86.27	93.09

OATS: Oat production in 1985 is estimated at 519 million bushels (7.53 million metric tons), 9 percent above the 1984 crop of 474 million bushels (6.88 million metric tons). A record high average yield more than offset a fractional decrease in acres harvested for grain from a year ago. The 8.15 million acres (3.30 million hectares) harvested was 10 percent below 1983. Yield per harvested acre for grain averaged a record high 63.6 bushels and compares with the previous record high of 58.0 bushels set last year.

Seeded area totaled 13.3 million acres (5.37 million hectares) in 1985, compared with 12.4 million acres (5.02 million hectares) in 1984. Acres abandoned and used for purposes other than grain accounted for 39 percent of the seeded acres in 1985, compared with 34 percent of the 1984 crop.

In Iowa, North Dakota and South Dakota, planting was completed ahead of normal and the crop progressed rapidly during the growing season. In North Dakota, early cool weather and adequate moisture in most areas proved beneficial for higher yields. Poor harvest weather in some areas of the State and a poor hay crop forced some additional acres to be cut for hay, which earlier was intended for grain. In South Dakota, cool weather in July slowed maturity causing harvest to get off to a slow start. Harvest advanced rapidly the later part of July and by mid-August harvest was complete. In the western half of the State, drought conditions caused some of the crop to be used for purposes other than for grain. In Iowa and Minnesota, good weather during the growing season pushed yields to record high levels.

BARLEY: Barley production in 1985 is estimated at 589 million bushels (12.8 million metric tons), down 2 percent from last year's record high production of 599 million bushels (13.0 million metric tons). Average yield per acre is 51.0 bushels, down 2.4 bushels from 1984.

The area harvested for grain in 1985 totals 11.6 million acres (4.68 million hectares), up 3 percent from last year. Planting of the 1985 barley crop got off to a good start and seeding was completed ahead of normal in North Dakota, South Dakota and Minnesota. Cool weather and adequate moisture in these States provided excellent yield potential. Harvest was interrupted by frequent rains and some sprouting and bleaching problems were apparent. Harvest in some areas was not completed until late September, an unusually late finish. Seeding in the Pacific Northwest (Idaho, Washington, and Oregon) was delayed by the late spring. Dry weather during the growing season greatly reduced the yields in these States. Harvest weather was generally good. In Montana, a near record drought and severe grasshopper infestation greatly reduced the yields and over a third of the planted acreage was cut for hay, pastured, or abandoned.

ALL WHEAT: Total 1985 production of winter, other spring, and durum wheat is estimated at 2.42 billion bushels (66.0 million metric tons), 7 percent less than 1984. Area harvested for grain, at 64.7 million acres (26.2 million hectares), is down 3 percent. Yields averaged 37.5 bushels per acre, down 1.3 bushels from last year.

WINTER WHEAT: Production in 1985 is estimated at 1.83 billion bushels (49.7 million metric tons), down 11 percent from 1984 and to the lowest level since 1979. Harvested area totals 48.0 million acres (19.4 million hectares), 7 percent below last year. Yields averaged 38.1 bushels per acre, 1.9 bushels less than 1984. Record high yields were set or equaled in California, Colorado, Delaware, Indiana, Iowa, Maryland, Michigan, Nevada, New Jersey, New Mexico, New York, Ohio, Pennsylvania, and West Virginia. Montana growers suffered their lowest average yield since 1940.

Early delays occurred in seeding the 1985 crop, primarily due to persistent dryness in portions of the central and southern Plains along with showers in the Corn Belt. The wetness led to reduced acreage in the Delta States and the eastern Corn Belt.

The crop was rated in mostly good condition by the end of March, with warm temperatures promoting growth. Stands developed rapidly through May in most areas. By June 1, heading had progressed to 85 percent completion in the major producing States compared with 74 percent average progress. Harvest was advancing rapidly in southern States.

June ended with 50 percent of the winter wheat harvested, 19 points ahead of average progress. By August 1, harvest was complete, or nearly so, in all States other than the Pacific Northwest.

OTHER SPRING WHEAT: The 1985 production is estimated at 485 million bushels (13.2 million metric tons), 13 percent more than the 1984 crop. Growers averaged a record high 35.4 bushels per acre this year, 0.1 of a bushel above the previous record high set in 1984. Minnesota and North Dakota farmers established record high yields. The Wisconsin yield equals the record high. However, Idaho yields averaged the lowest since 1977, and Montana, the lowest since 1961. Area harvested for grain, at 13.7 million acres (5.54 million hectares), is 12 percent above last year. Area seeded for the 1985 crop totaled 14.6 million acres (5.91 million hectares).

Seeding had advanced to 52 percent completion by May 1, 16 points ahead of average. Progress ranged from 44 percent complete in Minnesota to 88 percent in South Dakota. Only Idaho trailed average progress. By May 26, seeding was virtually complete in the major States. Emergence had occurred on 97 percent of the acreage by June 2, well ahead of average. Over half the crop was headed out by June's end compared with the 40 percent average. Harvest started in late July progressing ahead of average, but by the end of August lagged average progress by 13 points. Maturity was slowed by cool temperatures during August. Rains caused the harvest delay. Persistent rains further slowed harvest in September. Progress in the major States reached 94 percent by September 29, 5 points behind average.

DURUM WHEAT: Production is estimated at 113 million bushels (3.06 million metric tons), up 9 percent from last year. Yields averaged a record high 36.4 bushels per acre, 4.3 bushels above 1984 and 1.5 bushels more than the previous record high of 34.9 bushels per acre set in 1982. Both Minnesota and North Dakota realized record high yields but, Montana growers were dealt a record low average yield per acre. Harvested area is estimated at 3.09 million acres (1.25 million hectares), down 4 percent from 1984. Seeded area is 3.21 million acres (1.30 million hectares).

Early seeding, along with adequate rainfall, started the North Dakota crop well. Cool weather proved beneficial to yields, but persistent rains delayed harvest and caused quality problems. Heavy snow in September found significant amounts of acreage still in the fields, but with extra effort by farmers, nearly 98 percent of the total acreage was harvested. Montana's crop was seeded in dry soils and got off to a poor start. Any benefit of the late May, early June rains was wiped out by hot, dry, windy weather through the end of July. Arizona and California harvests were virtually complete by July 1.

RYE: Production for 1985 is estimated at 20.6 million bushels (524 thousand metric tons), 36 percent less than 1984. Harvested area totaled 717 thousand acres (290 thousand hectares) this year, down 27 percent. Yields averaged 28.8 bushels per acre, 4.3 bushels below last year's record high. Record yields were established or equaled in Illinois, Indiana, Iowa, Maryland, Michigan, Missouri, New Jersey, New York, Ohio, Oregon, Pennsylvania, and Texas.

RICE: Rice production for 1985 is estimated at 136 million hundredweight (6.17 million metric tons), down 2 percent from last year but 36 percent above 1983 production. Growers combined 2.50 million acres (1.01 million hectares), 11 percent less than the 2.80 million acres (1.13 million hectares) harvested last year. Yield averaged 5437 pounds per acre compared with 4954 pounds for 1984.

Long grain production was 101 million hundredweight (4.58 million metric tons), 5 percent more than in 1984. Medium grain production was 28.7 million hundredweight (1.30 million metric tons), down 19 percent. Short grain production of 6.42 million hundredweight (291 thousand metric tons) was 14 percent below the 1984 crop.

By June 1, only a limited amount of rice acreage remained to be seeded in the 5 major producing States. Rice emerged by June 1 in these States, at 88 percent, compares with 86 percent in 1984 and 84 percent average. Of the 5 States, Texas was the only State with emergence behind last year. By the end of June, rice was 9 percent headed in these States compared with 13 percent at the same time in 1984 and 14 percent normally. Heading was 8 points ahead of normal in Louisiana but 42 points behind the average in Texas by the end of June. Around August 1, harvest was gaining momentum in Texas, but was behind the normal pace by 32 points. Louisiana was 16 percent harvested, 2 points behind 1984 and equaling the average. By October 1, the Arkansas and Mississippi crop was well ahead of normal, but the crop in California, Louisiana and Texas lagged behind 1984. By November 1, harvest was nearing completion in Arkansas, but was delayed by rainy weather during the latter part of the month. Excellent harvest conditions prevailed during the month of October in California and harvest was nearing completion by the end of the month. Harvest was virtually complete in Louisiana and Mississippi and the second crop rice harvest in Texas was virtually complete by November 1.

AREA PLANTED CONTINUED

STATE	OATS 1/			BARLEY 1/			ALL WHEAT 1/		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES								
ALA	80	80	80				600	480	500
ARIZ				32	55	67	135	145	114
ARK	60	50	22				1,700	1,500	650
CALIF	310	320	340	560	540	500	810	870	885
COLO	115	130	115	232	350	360	3,865	3,875	3,774
DEL				61	55	63	55	50	45
FLA 3/									160
GA	155	125	115				1,060	1,000	950
IDAHO	69	75	70	1,050	1,370	1,280	1,500	1,550	1,500
ILL	2,100	375	600				1,550	1,800	850
IND	380	120	180				1,100	1,170	770
IOWA	4,700	1,300	1,600				75	110	120
KANS	145	175	250	100	180	190	13,200	13,300	12,400
KY	28	25	28	34	40	32	740	670	430
LA							430	400	250
MAINE	42	47	51						
MD	17	18	17	100	108	103	145	147	140
MICH	450	370	420	35	35	39	830	900	770
MINN	2,800	1,500	1,550	1,000	1,050	1,200	2,340	2,635	2,835
MISS							720	770	380
MO	110	65	170				2,200	2,350	1,500
MONT	210	220	225	1,950	2,320	2,350	4,810	5,015	5,660
NEBR	670	450	550	75	88	145	2,800	3,200	2,600
NEV				37	40	40	21	27	27
N J	6	7	6	25	21	21	55	48	45
N MEX				27	25	18	750	730	730
N Y	260	230	270				175	180	155
N C	140	125	105	55	70	78	600	700	800
N DAK	1,500	1,150	1,175	2,600	2,950	3,500	7,370	8,820	9,350
OHIO	450	250	340				1,300	1,240	1,000
OKLA	150	190	155	40	70	70	7,800	7,700	7,800
OREG	115	115	140	280	290	360	1,170	1,200	1,140
PA	330	300	320	70	75	75	210	230	220
S C	64	70	70	27	34	36	440	400	460
S DAK	2,000	1,700	1,900	580	610	780	3,080	3,995	4,170
TENN	35	30	4/				820	670	340
TEX	1,400	1,500	1,200	70	60	70	7,750	7,400	8,100
UTAH	26	26	26	160	170	172	250	269	274
VA	47	40	50	124	120	130	410	320	340
WASH	75	75	70	880	1,000	1,200	3,050	2,820	2,850
W VA	14	11	14	5	6	4/	11	12	10
WIS	1,140	1,040	950	53	55	57	148	190	170
WYO	96	110	96	160	170	170	344	325	311
U S	20,289	12,414	13,270	10,422	11,957	13,106	76,419	79,213	75,575

SEE FOOTNOTES ON PAGE B-3.

CONTINUED

AREA PLANTED CONTINUED

STATE	WINTER WHEAT 2/			DURUM WHEAT			OTHER SPRING WHEAT		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES								
ALA	600	480	500						
ARIZ	70	63	67	65	82	47			
ARK	1,700	1,500	650						
CALIF	730	770	800	80	100	85			
COLO	3,800	3,800	3,700				65	75	74
DEL	55	50	45						
FLA 3/			160						
GA	1,060	1,000	950						
IDAHO	1,000	1,150	1,000				500	400	500
ILL	1,550	1,800	850						
IND	1,100	1,170	770						
IOWA	75	110	120						
KANS	13,200	13,300	12,400						
KY	740	670	430						
LA	430	400	250						
MD	145	147	140						
MICH	830	900	770						
MINN	100	400	350	40	35	35	2,200	2,200	2,450
MISS	720	770	380						
MO	2,200	2,350	1,500						
MONT	2,550	2,700	2,460	210	215	200	2,050	2,100	3,000
NEBR	2,800	3,200	2,600						
NEV	9	9	10				12	18	17
N J	55	48	45						
N MEX	750	730	730						
N Y	175	180	155						
N C	600	700	800						
N DAK	180	620	750	2,090	2,750	2,750	5,100	5,450	5,850
OHIO	1,300	1,240	1,000						
OKLA	7,800	7,700	7,800						
OREG	1,080	1,130	1,030				90	70	110
PA	210	230	220						
S C	440	400	460						
S DAK	1,550	2,000	1,850	80	95	90	1,450	1,900	2,230
TENN	820	670	340						
TEX	7,750	7,400	8,100						
UTAH	220	230	230				30	39	44
VA	410	320	340						
WASH	2,850	2,600	2,550				200	220	300
W VA	11	12	10						
WIS	120	170	150				28	20	20
WYO	320	300	290				24	25	21
U S	62,105	63,419	57,752	2,565	3,277	3,207	11,749	12,517	14,616

SEE FOOTNOTES ON PAGE B-3.

CONTINUED

AREA PLANTED CONTINUED

STATE	RYE 2/			RICE		
	1983	1984	1985	1983	1984	1985
	1,000 ACRES					
ARK				925.0	1,160.0	1,060.0
CALIF				330.0	458.0	405.0
COLO	12	15	13			
DEL	30	29	29			
GA	400	430	450			
ILL	65	85	50			
IND	35	50	35			
IOWA	21	30	25			
KANS	65	75	60			
KY	50	60	50			
LA				390.0	530.0	465.0
MD	65	55	45			
MICH	135	140	135			
MINN	200	200	145			
MISS				162.0	195.0	190.0
MO	30	47	38	63.0	77.0	72.0
NEBR	105	235	175			
N J	76	60	58			
N Y	106	105	110			
N C	155	160	160			
N DAK	140	155	100			
OHIO	75	60	40			
OKLA	160	180	180			
OREG	25	25	20			
PA	60	80	70			
S C	107	90	90			
S DAK	250	280	130			
TEX	160	115	150	320.0	410.0	330.0
VA	155	180	175			
WIS	25	30	30			
U S	2,707	2,971	2,563	2,190.0	2,830.0	2,522.0

- 1/ INCLUDES AREA PLANTED IN PRECEDING FALL.
- 2/ AREA PLANTED IN PRECEDING FALL.
- 3/ WHEAT ESTIMATES BEGIN WITH 1985 CROP.
- 4/ ESTIMATES DISCONTINUED AFTER 1984 CROP.

OATS

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ALA	40	30	35	49.0	48.0	41.0	1,960	1,440	1,435
ARK	50	28	17	72.0	70.0	65.0	3,600	1,960	1,105
CALIF	45	50	45	65.0	69.0	67.0	2,925	3,450	3,015
COLO	42	50	55	57.0	55.0	53.0	2,394	2,750	2,915
GA	85	60	45	61.0	55.0	45.0	5,185	3,300	2,025
IDAHO	48	44	40	76.0	68.0	53.0	3,648	2,992	2,120
ILL	210	165	160	60.0	69.0	78.0	12,600	11,385	12,480
IND	80	80	110	57.0	62.0	69.0	4,560	4,960	7,590
IOWA	750	740	760	51.0	64.0	76.0	38,250	47,360	57,760
KANS	105	120	200	48.0	53.0	56.0	5,040	6,360	11,200
KY	7	6	9	44.0	42.0	45.0	308	252	405
MAINE	38	40	46	62.0	56.0	73.0	2,356	2,240	3,358
MD	14	15	15	56.0	57.0	60.0	784	855	900
MICH	300	350	390	52.0	62.0	67.0	15,600	21,700	26,130
MINN	1,350	1,200	1,100	57.0	65.0	70.0	76,950	78,000	77,000
MO	54	33	105	47.0	48.0	55.0	2,538	1,584	5,775
MONT	120	105	70	44.0	37.0	33.0	5,280	3,885	2,310
NEBR	310	320	380	44.0	49.0	60.0	13,640	15,680	22,800
N J	5	6	5	51.0	56.0	63.0	255	336	315
N Y	200	180	230	57.0	59.0	77.0	11,400	10,620	17,710
N C	70	68	62	56.0	58.0	42.0	3,920	3,944	2,604
N DAK	1,260	980	840	50.5	51.0	53.0	63,630	49,980	44,520
OHIO	240	220	310	64.0	63.0	85.0	15,360	13,860	26,350
OKLA	80	80	65	49.0	46.0	43.0	3,920	3,680	2,795
OREG	75	75	100	80.0	88.0	92.0	6,000	6,600	9,200
PA	300	280	300	54.0	57.0	70.0	16,200	15,960	21,000
S C	40	40	42	53.0	58.0	38.0	2,120	2,320	1,596
S DAK	1,650	1,550	1,420	48.0	56.0	56.0	79,200	86,800	79,520
TENN 1/	7	5		44.0	47.0		308	235	
TEX	500	250	300	48.0	35.0	50.0	24,000	8,750	15,000
UTAH	14	13	13	68.0	67.0	69.0	952	871	897
VA	22	12	14	50.0	47.0	47.0	1,100	564	658
WASH	33	30	33	63.0	68.0	65.0	2,079	2,040	2,145
W VA	9	8	8	52.0	51.0	61.0	468	408	488
WIS	850	860	780	53.0	62.0	66.0	45,050	53,320	51,480
WYO	69	70	45	49.0	46.0	45.0	3,381	3,220	2,025
U S	9,072	8,163	8,149	52.6	58.0	63.6	476,961	473,661	518,626

1/ ESTIMATES DISCONTINUED AFTER 1984 CROP.

BARLEY

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ARIZ	27	53	62	104.0	101.0	97.0	2,808	5,353	6,014
CALIF	490	460	420	60.0	63.0	59.0	29,400	28,980	24,780
COLO	220	325	340	75.0	62.0	64.0	16,500	20,150	21,760
DEL	53	50	57	55.0	55.0	58.0	2,915	2,750	3,306
IDAHO	1,030	1,340	1,240	65.0	66.0	58.0	66,950	88,440	71,920
KANS	90	155	170	51.0	43.0	44.0	4,590	6,665	7,480
KY	25	30	26	33.0	37.0	35.0	825	1,110	910
MD	90	95	96	55.0	58.0	57.0	4,950	5,510	5,472
MICH	33	34	38	49.0	60.0	68.0	1,617	2,040	2,584
MINN	820	950	1,075	53.0	65.0	66.0	43,460	61,750	70,950
MONT	1,850	2,110	1,500	42.0	28.0	20.0	77,700	59,080	30,000
NEBR	69	78	120	39.0	34.0	32.0	2,691	2,652	3,840
NEV	34	37	37	80.0	90.0	80.0	2,720	3,330	2,960
N J	17	15	17	53.0	55.0	63.0	901	825	1,071
N MEX	23	20	15	75.0	75.0	70.0	1,725	1,500	1,050
N C	45	64	66	49.0	63.0	40.0	2,205	4,032	2,640
N DAK	2,520	2,900	3,350	45.5	53.0	55.0	114,660	153,700	184,250
OKLA	34	50	50	44.0	41.0	38.0	1,496	2,050	1,900
OREG	270	280	350	61.0	62.0	55.0	16,470	17,360	19,250
PA	65	70	70	55.0	52.0	62.0	3,575	3,640	4,340
S C	23	30	32	40.0	52.0	38.0	920	1,560	1,216
S DAK	550	595	720	42.0	51.0	45.0	23,100	30,345	32,400
TEX	45	40	50	55.0	50.0	45.0	2,475	2,000	2,250
UTAH	154	159	159	74.0	73.0	74.0	11,396	11,607	11,766
VA	100	96	100	59.0	60.0	48.0	5,900	5,760	4,800
WASH	850	980	1,180	64.0	65.0	48.0	54,400	63,700	56,640
W VA 1/	4	5		60.0	53.0		240	265	
WIS	48	50	53	48.0	53.0	58.0	2,304	2,650	3,074
WYO	152	160	160	66.0	65.0	66.0	10,032	10,400	10,560
U S	9,731	11,231	11,553	52.3	53.4	51.0	508,925	599,204	589,183

1/ ESTIMATES DISCONTINUED AFTER 1984 CROP.

ALL WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ALA	460	380	400	33.0	39.0	32.0	15,180	14,820	12,800
ARIZ	119	142	112	93.2	90.0	87.5	11,094	12,780	9,804
ARK	1,500	1,400	570	39.0	44.0	32.0	58,500	61,600	18,240
CALIF	680	784	830	68.5	78.9	83.0	46,560	61,840	68,860
COLO	3,063	3,270	3,522	39.9	35.2	39.6	122,103	115,020	139,302
DEL	54	49	43	39.0	41.0	48.0	2,106	2,009	2,064
FLA 1/			130			33.0			4,290
GA	910	890	825	34.0	35.0	31.0	30,940	31,150	25,575
IDAHO	1,305	1,280	1,350	70.3	63.6	53.4	91,710	81,400	72,030
ILL	1,400	1,600	750	46.0	44.0	49.0	64,400	70,400	36,750
IND	970	1,050	700	51.0	46.0	53.0	49,470	48,300	37,100
IOWA	50	100	112	38.0	36.0	48.0	1,900	3,600	5,376
KANS	10,800	11,200	11,400	41.5	38.5	38.0	448,200	431,200	433,200
KY	520	500	310	31.0	38.0	34.0	16,120	19,000	10,540
LA	250	320	210	30.0	41.0	34.0	7,500	13,120	7,140
MD	131	140	133	41.0	43.0	49.0	5,371	6,020	6,517
MICH	730	800	750	49.0	57.0	60.0	35,770	45,600	45,000
MINN	2,140	2,553	2,683	36.9	47.3	53.1	78,960	120,711	142,426
MISS	600	660	300	34.0	38.0	31.0	20,400	25,080	9,300
MO	1,850	2,050	1,280	38.0	41.0	39.0	70,300	84,050	49,920
MONT	4,455	4,640	3,960	30.7	22.6	12.7	136,930	104,655	50,240
NEBR	2,300	2,250	2,300	43.0	36.0	39.0	98,900	81,000	89,700
NEV	18	24	24	70.0	76.7	73.8	1,260	1,840	1,770
N J	38	39	37	40.0	43.0	52.0	1,520	1,677	1,924
N MEX	470	460	570	29.0	26.0	36.0	13,630	11,960	20,520
N Y	160	170	145	46.0	46.0	58.0	7,360	7,820	8,410
N C	470	620	760	34.0	43.0	29.0	15,980	26,660	22,040
N DAK	7,205	8,660	8,870	26.9	32.8	36.4	194,130	284,190	323,255
OHIO	1,200	1,100	950	49.0	44.0	62.0	58,800	48,400	58,900
OKLA	4,300	5,300	5,500	35.0	36.0	30.0	150,500	190,800	165,000
OREG	1,085	1,115	1,065	60.4	61.8	52.6	65,570	68,945	56,040
PA	200	220	210	38.0	38.0	48.0	7,600	8,360	10,080
S C	375	380	430	28.0	38.0	29.0	10,500	14,440	12,470
S DAK	2,727	3,662	3,755	32.9	34.4	29.6	89,729	126,038	111,215
TENN	600	535	250	33.0	40.0	32.0	19,800	21,400	8,000
TEX	4,600	5,000	5,850	35.0	30.0	32.0	161,000	150,000	187,200
UTAH	217	231	260	37.0	34.9	33.5	8,027	8,055	8,720
VA	340	275	285	42.0	45.0	37.0	14,280	12,375	10,545
WASH	2,690	2,610	2,690	64.2	61.4	47.7	172,570	160,350	128,250
W VA	9	10	8	42.0	40.0	43.0	378	400	344
WIS	128	177	157	45.4	54.5	53.4	5,812	9,640	8,380
WYO	271	282	248	33.1	28.6	22.3	8,964	8,072	5,528
U S	61,390	66,928	64,734	39.4	38.8	37.5	2,419,824	2,594,777	2,424,765

1/ ESTIMATES BEGIN WITH 1985 CROP.

WINTER WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES			BUSHELLS			1,000 BUSHELLS		
ALA	460	380	400	33.0	39.0	32.0	15,180	14,820	12,800
ARIZ	64	62	66	96.0	90.0	90.0	6,144	5,580	5,940
ARK	1,500	1,400	570	39.0	44.0	32.0	58,500	61,600	18,240
CALIF	610	690	750	66.0	76.0	82.0	40,260	52,440	61,500
COLO	3,000	3,200	3,450	39.0	34.5	39.0	117,000	110,400	134,550
DEL	54	49	43	39.0	41.0	48.0	2,106	2,009	2,064
FLA 1/			130			33.0			4,290
GA	910	890	825	34.0	35.0	31.0	30,940	31,150	25,575
IDAHO	830	900	870	67.0	63.0	53.0	55,610	56,700	46,110
ILL	1,400	1,600	750	46.0	44.0	49.0	64,400	70,400	36,750
IND	970	1,050	700	51.0	46.0	53.0	49,470	48,300	37,100
IOWA	50	100	112	38.0	36.0	48.0	1,900	3,600	5,376
KANS	10,800	11,200	11,400	41.5	38.5	38.0	448,200	431,200	433,200
KY	520	500	310	31.0	38.0	34.0	16,120	19,000	10,540
LA	250	320	210	30.0	41.0	34.0	7,500	13,120	7,140
MD	131	140	133	41.0	43.0	49.0	5,371	6,020	6,517
MICH	730	800	750	49.0	57.0	60.0	35,770	45,600	45,000
MINN	75	360	280	35.0	43.0	37.0	2,625	15,480	10,360
MISS	600	660	300	34.0	38.0	31.0	20,400	25,080	9,300
MO	1,850	2,050	1,280	38.0	41.0	39.0	70,300	84,050	49,920
MONT	2,260	2,480	1,400	35.0	27.0	16.0	79,100	66,960	22,400
NEBR	2,300	2,250	2,300	43.0	36.0	39.0	98,900	81,000	89,700
NEV	8	8	9	70.0	80.0	80.0	560	640	720
N J	38	39	37	40.0	43.0	52.0	1,520	1,677	1,924
N MEX	470	460	570	29.0	26.0	36.0	13,630	11,960	20,520
N Y	160	170	145	46.0	46.0	58.0	7,360	7,820	8,410
N C	470	620	760	34.0	43.0	29.0	15,980	26,660	22,040
N DAK	155	550	450	31.0	40.0	35.0	4,805	22,000	15,750
OHIO	1,200	1,100	950	49.0	44.0	62.0	58,800	48,400	58,900
OKLA	4,300	5,300	5,500	35.0	36.0	30.0	150,500	190,800	165,000
OREG	1,000	1,050	960	62.0	63.0	54.0	62,000	66,150	51,840
PA	200	220	210	38.0	38.0	48.0	7,600	8,360	10,080
S C	375	380	430	28.0	38.0	29.0	10,500	14,440	12,470
S DAK	1,250	1,700	1,520	41.0	36.0	29.0	51,250	61,200	44,080
TENN	600	535	250	33.0	40.0	32.0	19,800	21,400	8,000
TEX	4,600	5,000	5,850	35.0	30.0	32.0	161,000	150,000	187,200
UTAH	190	195	220	35.0	33.0	32.0	6,650	6,435	7,040
VA	340	275	285	42.0	45.0	37.0	14,280	12,375	10,545
WASH	2,500	2,400	2,400	65.0	62.0	48.0	162,500	148,800	115,200
W VA	9	10	8	42.0	40.0	43.0	378	400	344
WIS	105	160	140	49.0	56.0	55.0	5,145	8,960	7,700
WYO	250	260	230	33.0	28.0	22.0	8,250	7,280	5,060
U S	47,584	51,513	47,953	41.8	40.0	38.1	1,988,304	2,060,266	1,827,195

1/ ESTIMATES BEGIN WITH 1985 CROP.

DURUM WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES			BUSHELLS			1,000 BUSHELLS		
ARIZ	55	80	46	90.0	90.0	84.0	4,950	7,200	3,864
CALIF	70	94	80	90.0	100.0	92.0	6,300	9,400	7,360
MINN	35	33	33	35.0	47.0	52.0	1,225	1,551	1,716
MONT	205	210	160	20.0	17.0	9.0	4,100	3,570	1,440
N DAK	2,050	2,710	2,690	26.5	29.0	35.5	54,325	78,590	95,495
S DAK	77	92	85	27.0	34.0	31.0	2,079	3,128	2,635
U S	2,492	3,219	3,094	29.3	32.1	36.4	72,979	103,439	112,510

OTHER SPRING WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES			BUSHELLS			1,000 BUSHELLS		
COLO	63	70	72	81.0	66.0	66.0	5,103	4,620	4,752
IDAHO	475	380	480	76.0	65.0	54.0	36,100	24,700	25,920
MINN	2,030	2,160	2,370	37.0	48.0	55.0	75,110	103,680	130,350
MONT	1,990	1,950	2,400	27.0	17.5	11.0	53,730	34,125	26,400
NEV	10	16	15	70.0	75.0	70.0	700	1,200	1,050
N DAK	5,000	5,400	5,730	27.0	34.0	37.0	135,000	183,600	212,010
OREG	85	65	105	42.0	43.0	40.0	3,570	2,795	4,200
S DAK	1,400	1,870	2,150	26.0	33.0	30.0	36,400	61,710	64,500
UTAH	27	36	40	51.0	45.0	42.0	1,377	1,620	1,680
WASH	190	210	290	53.0	55.0	45.0	10,070	11,550	13,050
WIS	23	17	17	29.0	40.0	40.0	667	680	680
WYO	21	22	18	34.0	36.0	26.0	714	792	468
U S	11,314	12,196	13,687	31.7	35.3	35.4	358,541	431,072	485,060

WHEAT PRODUCTION BY CLASSES, UNITED STATES 1/

YEAR	WINTER			SPRING			TOTAL
	HARD RED	SOFT RED	WHITE	HARD RED	DURUM	WHITE	
	1,000 BUSHELLS						
1983	1,197,893	504,175	286,236	322,728	72,979	35,813	2,419,824
1984	1,250,597	531,370	278,299	408,801	103,439	22,271	2,594,777
1985	1,230,075	368,026	229,094	460,262	112,510	24,798	2,424,765

1/ WHEAT CLASS ESTIMATES ARE BASED ON VARIETY ACREAGE SURVEY DATA COLLECTED AT 5-YEAR INTERVALS FOR ALL WHEAT PRODUCING STATES. THE 5-YEAR VARIETAL SURVEY DATA ARE ADJUSTED AS OTHER VARIETY SURVEY INFORMATION BECOMES AVAILABLE.

WHEAT CLASS PERCENTAGE BREAKDOWN BY STATES

THE FOLLOWING PERCENTAGES ARE THE BASIS FOR THE U.S. WHEAT PRODUCTION CLASS BREAKDOWN. WHEAT CLASS ESTIMATES ARE BASED ON VARIETY ACREAGE SURVEY DATA COLLECTED AT 5-YEAR INTERVALS FOR ALL WHEAT PRODUCING STATES. THE 5-YEAR VARIETAL SURVEY DATA ARE ADJUSTED AS OTHER VARIETY SURVEY INFORMATION BECOMES AVAILABLE. THE CURRENT YEAR PERCENTS ARE USED FOR END-OF-YEAR PRODUCTION BREAKDOWNS AND NEXT YEAR'S FORECAST SEASON.

WHEAT--PERCENTAGE BREAKDOWN, BY CLASSES, BY STATES

STATE	WINTER					OTHER SPRING (EXCLUDING DURUM)				
	HARD RED		SOFT RED		WHITE	HARD RED		WHITE		
	1984	1985	1984	1985	1984	1985	1984	1985	1984	1985
	PERCENT									
ALA			100	100						
ARIZ	100	100								
ARK			100	100						
CALIF	97	97			3	3				
COLO	100	100					84	84	16	16
DEL			100	100						
FLA 1/				100						
GA			100	100						
IDAHO	32	32			68	68	56	56	44	44
ILL	2	2	98	98						
IND			100	100						
IOWA	70	70	30	30						
KANS	100	100								
KY	3	3	97	97						
LA	1	2	99	98						
MD			100	100						
MICH			22	20	78	80				
MINN	100	100					100	100		
MISS			100	100						
MO	7	9	93	91						
MONT	99	99			1	1	99	99	1	1
NEBR	100	100								
NEV					100	100	12	12	88	88
N J			100	100						
N MEX	100	100								
N Y	1	1	2	2	97	97				
N C			100	100						
N DAK	100	100					100	100		
OHIO			100	100						
OKLA	100	100								
OREG					100	100	1	1	99	99
PA			100	100						
S C			100	100						
S DAK	100	100					100	100		
TENN			100	100						
TEX	93	94	7	6						
UTAH	93	93			7	7	71	71	29	29
VA			100	100						
WASH	15	15			85	85	48	48	52	52
W VA			100	100						
WIS			93	93	7	7	100	100		
WYO	100	100					97	97	3	3

1/ ESTIMATES BEGIN WITH 1985 CROP.

RYE

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES			BUSHELLS			1,000 BUSHELLS		
COLO	2	1	2	19.0	17.0	22.0	38	17	44
DEL	4	4	3	34.0	31.0	35.0	136	124	105
GA	70	80	90	21.0	22.0	23.0	1,470	1,760	2,070
ILL	12	11	8	28.0	28.0	32.0	336	308	256
IND	10	12	11	27.0	28.0	28.0	270	336	308
IOWA	3	5	6	31.0	34.0	36.0	93	170	216
KANS	10	13	12	22.0	24.0	25.0	220	312	300
KY	3	3	2	28.0	30.0	26.0	84	90	52
MO	8	7	6	30.0	32.0	33.0	240	224	198
MICH	20	21	21	30.0	28.0	31.0	600	588	651
MINN	160	175	110	31.0	38.0	30.0	4,960	6,650	3,300
MO	2	3	3	24.0	25.0	27.0	48	75	81
NEBR	55	58	54	23.0	24.0	23.0	1,265	1,392	1,242
N J	13	9	10	30.0	29.0	32.0	390	261	320
N Y	13	13	12	32.0	33.0	35.0	416	429	420
N C	22	23	35	20.0	22.0	19.0	440	550	665
N DAK	135	150	80	32.0	36.0	33.0	4,320	5,400	2,640
OHIO	6	5	4	35.0	35.0	43.0	210	175	172
OKLA	30	32	36	26.0	22.0	23.0	780	704	828
OREG	4	4	3	25.0	35.0	37.0	100	140	111
PA	17	17	20	34.0	34.0	37.0	578	578	740
S C	20	26	28	16.0	21.0	19.0	320	546	532
S DAK	230	270	120	38.0	40.0	37.0	8,740	10,800	4,440
TEX	25	15	20	18.0	16.0	20.0	450	240	400
VA	12	14	12	26.0	27.0	26.0	312	378	312
WIS	10	8	9	30.0	27.0	26.0	300	216	234
U S	896	981	717	30.3	33.1	28.8	27,116	32,463	20,637

ALASKA

CROP	AREA PLANTED FOR ALL PURPOSES			AREA HARVESTED		
	1983	1984	1985	1983	1984	1985
	ACRES					
OATS	3,100	8,500	8,500	600	1,700	200
BARLEY	16,000	17,500	13,000	11,900	15,000	8,300
CROP	YIELD			PRODUCTION		
	1983	1984	1985	1983	1984	1985
	BUSHELLS			1,000 BUSHELLS		
OATS	62.5	66.0	35.0	37.5	112.2	7.0
BARLEY	31.0	35.0	29.0	369.0	525.0	241.0

RICE

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
	1,000 ACRES			POUNDS			1,000 CWT		
	LONG GRAIN								
ARK	786.0	1,024.0	987.0	4,200	4,520	5,190	33,012	46,320	51,229
CALIF	22.0	67.0	54.0	5,950	6,400	7,200	1,309	4,288	3,888
LA	206.0	339.0	324.0	3,700	4,100	4,450	7,622	13,899	14,418
MISS	161.0	190.0	188.0	4,000	4,350	5,350	6,440	8,265	10,058
MO	60.0	73.0	71.0	4,100	4,600	4,810	2,460	3,358	3,415
TEX	308.0	402.0	326.0	4,375	4,950	5,500	13,475	19,899	17,930
U S	1,543.0	2,095.0	1,950.0	4,168	4,584	5,176	64,318	96,029	100,938
	MEDIUM GRAIN								
ARK	121.0	122.0	58.0	4,780	5,240	5,360	5,784	6,400	3,109
CALIF	199.0	285.0	267.0	7,100	7,200	7,320	14,129	20,520	19,544
LA	179.0	189.0	139.0	3,950	4,250	4,200	7,071	8,033	5,838
MO	2.0	2.0	1.0	3,700	4,500	4,800	74	90	48
TEX	10.0	6.0	3.0	3,300	4,350	4,700	330	261	141
U S	511.0	604.0	468.0	5,360	5,845	6,128	27,388	35,304	28,680
	SHORT GRAIN								
ARK	8.0	4.0	5.0	4,540	4,500	5,240	363	180	262
CALIF	107.0	98.0	79.0	7,150	7,400	7,800	7,651	7,252	6,162
MO		1.0			4,500			45	
U S	115.0	103.0	84.0	6,969	7,259	7,648	8,014	7,477	6,424
	ALL								
ARK	915.0	1,150.0	1,050.0	4,280	4,600	5,200	39,159	52,900	54,600
CALIF	328.0	450.0	400.0	7,040	7,120	7,400	23,089	32,060	29,594
LA	385.0	528.0	463.0	3,820	4,150	4,370	14,693	21,932	20,256
MISS	161.0	190.0	188.0	4,000	4,350	5,350	6,440	8,265	10,058
MO	62.0	76.0	72.0	4,090	4,600	4,810	2,534	3,493	3,463
TEX	318.0	408.0	329.0	4,340	4,940	5,490	13,805	20,160	18,071
U S	2,169.0	2,802.0	2,502.0	4,598	4,954	5,437	99,720	138,810	136,042

WINTER WHEAT SEEDINGS: Area seeded for the 1986 winter wheat crop is estimated at 54.0 million acres (21.9 million hectares), 7 percent less than the 57.8 million acres (23.4 million hectares) seeded for 1985.

Acreage is down 6 percent in the Great Plains. Kansas is off 7 percent; Oklahoma is down 5 percent. Nebraska's seedings have dropped 12 percent to record low levels. Texas is unchanged.

Western growers have seeded 10 percent less acreage than a year ago. Colorado's acreage is down 11 percent, Montana's seedings are down 13 percent, and Washington is off 14 percent.

East North Central acreages average 4 percent more than 1985, but with diverse changes. Missouri's acreage has dropped 27 percent, while Illinois and Indiana are up sharply, with respective 53 and 23 percent increases. Wet weather had drastically reduced seedings in these two States a year ago.

Southeastern and Eastern growers have 16 percent less acreage than a year ago. Largest declines are in Georgia and South Carolina--both off 37 percent. Mississippi is down 34 percent. Tennessee is up 18 percent.

Seeding of the 1986 crop was underway in 8 of the major producing States by the end of August. Progress advanced to 40 percent completion by October 1, 5 points behind average. Idaho and Washington were the only major States with seeding ahead of normal. Moisture during September delayed planting in the central and northern Plains. Dry conditions hampered seeding in Texas and the Southeast.

Wetness delayed seeding from the northern Rockies, across the Great Plains and into the Corn Belt during most of October. Heavy rains caused reseeding in Kansas and Oklahoma. Planting progress in the 18 major States reached 84 percent by November 3, still 5 points behind average. Emergence advanced to 72 percent of the acreage, also 5 points behind average.

Despite rain delays, seeding was virtually completed during November, except in the Southeast and Southwest. On December 1, emergence was 90 percent complete, compared with an average of 93 percent. Stands were rated generally in good condition on December 1. By month's end, wheat growth was virtually stopped from the central Plains northward and in the Pacific Northwest.

WINTER WHEAT

STATE	AREA SEEDED 1/			
	CROP OF			1986
	1984	1985	1986	1985
	1,000 ACRES			PERCENT
ALA	480	500	480	96
ARIZ	63	67	54	81
ARK	1,500	650	700	108
CALIF	770	800	700	88
COLO	3,800	3,700	3,300	89
DEL	50	45	40	89
FLA 2/		160	120	75
GA	1,000	950	600	63
IDAHO	1,150	1,000	900	90
ILL	1,800	850	1,300	153
IND	1,170	770	950	123
IOWA	110	120	110	92
KANS	13,300	12,400	11,500	93
KY	670	430	470	109
LA	400	250	240	96
MD	147	140	160	114
MICH	900	770	750	97
MINN	400	350	200	57
MISS	770	380	250	66
MO	2,350	1,500	1,100	73
MONT	2,700	2,460	2,150	87
NEBR	3,200	2,600	2,300	88
NEV	9	10	10	100
N J	48	45	42	93
N MEX	730	730	740	101
N Y	180	155	160	103
N C	700	800	600	75
N DAK	620	750	520	69
OHIO	1,240	1,000	1,150	115
OKLA	7,700	7,800	7,400	95
OREG	1,130	1,030	1,000	97
PA	230	220	230	105
S C	400	460	290	63
S DAK	2,000	1,850	1,800	97
TENN	670	340	400	118
TEX	7,400	8,100	8,100	100
UTAH	230	230	235	102
VA	320	340	300	88
WASH	2,600	2,550	2,200	86
W VA	12	10	11	110
WIS	170	150	140	93
WYO	300	290	290	100
U S	63,419	57,752	53,992	93

1/ TOTAL AREA SEEDED FOR ALL PURPOSES.

2/ ESTIMATES BEGIN WITH 1985 CROP.

RYE SEEDINGS: The 1986 rye acreage seeded for all purposes is placed at 2.39 million acres (966 thousand hectares), down 7 percent from 1985's 2.56 million acres (1.04 million hectares). Major rye producing States in the North Central area (Minnesota, Nebraska, North Dakota and South Dakota) have 12 percent less acreage than last year. Georgia's seedings are off 7 percent.

Seeding delays were experienced in Georgia because of slow row crop harvest and wet conditions. Similar delays occurred in Minnesota.

RYE				
STATE	AREA SEEDED 1/			
	CROP OF			1986
	1984	1985	1986	1985
	1,000 ACRES			PERCENT
COLO	15	13	15	115
DEL	29	29	30	103
GA	430	450	420	93
ILL	85	50	45	90
IND	50	35	35	100
IOWA	30	25	20	80
KANS	75	60	64	107
KY	60	50	46	92
MD	55	45	46	102
MICH	140	135	145	107
MINN	200	145	100	69
MO	47	38	20	53
NEBR	235	175	140	80
N J	60	58	58	100
N Y	105	110	110	100
N C	160	160	160	100
N DAK	155	100	125	125
OHIO	60	40	40	100
OKLA	180	180	170	94
OREG	25	20	20	100
PA	80	70	75	107
S C	90	90	80	89
S DAK	280	130	120	92
TEX	115	150	100	67
VA	180	175	170	97
WIS	30	30	32	107
U S	2,971	2,563	2,386	93

1/ TOTAL AREA SEEDED FOR ALL PURPOSES.

I N D E X

	PAGE
ALASKA	B-10
BARLEY	B- 5
OATS	B- 4
PLANTED ACREAGE	B- 1
RICE	B-11
RYE	B-10
RYE (1986 CROP)	B-14
U S SUMMARY	A- 2
WHEAT, ALL	B- 6
WHEAT, BY CLASSES	B- 8
WHEAT, DURUM	B- 8
WHEAT, OTHER SPRING	B- 8
WHEAT, PERCENTAGE BREAKDOWN, BY CLASSES	B- 9
WHEAT, WINTER	B- 7
WHEAT, WINTER (1986 CROP)	B-13



March 1985

**ORDER FORM
USDA CROP REPORTING BOARD PUBLICATIONS**

(Publications available only from Crop Reporting Board)

FIELD CROP SERIES	Issued	Subscription Fee		POULTRY SERIES	Issued	Subscription Fee	
		Domestic	Foreign			Domestic	Foreign
<input type="checkbox"/> Hop Stocks	Mar. & Sept.	\$2.50	\$3.50	<input type="checkbox"/> Turkey Hatchery	Monthly	\$18.00	\$24.00
FRUIT & VEGETABLE SERIES				PRICES & EXPENDITURES SERIES			
<input type="checkbox"/> Cherry Production	June	1.25	1.75	<input type="checkbox"/> Agricultural Prices Annual	June	5.00	6.25
<input type="checkbox"/> Cherry Utilization	October	1.25	1.75	<input type="checkbox"/> Crop Values	January	2.00	2.50
<input type="checkbox"/> Citrus Fruits	September	1.50	2.00	<input type="checkbox"/> Farm Production Expenditures	June & July	5.00	6.25
<input type="checkbox"/> Cranberries	August	1.25	1.75	<input type="checkbox"/> Minnesota-Wisconsin Milk Prices	June	1.25	1.75
LIVESTOCK SERIES				OTHER CROPS			
<input type="checkbox"/> Meat Animals Production, Disposition, & Income	April	1.50	2.00	<input type="checkbox"/> Commercial Fertilizer	November	2.00	2.50
<input type="checkbox"/> Sheep & Goats	January	1.25	1.75	<input type="checkbox"/> Farm Labor	Quarterly	6.00	7.50
<input type="checkbox"/> Wool & Mohair	March	1.25	1.75	<input type="checkbox"/> Milk	July	1.25	1.75
1978-83 STATISTICAL BULLETINS				<input type="checkbox"/> Mushrooms	August	1.25	1.75
<input type="checkbox"/> Field Crops, 1978-83	June 1984	5.00	8.25	<input type="checkbox"/> Sugar Market Statistics (4 issues)	Quarterly	5.00	6.25
<input type="checkbox"/> Stocks of Grains, Oilseeds and Hay, 1978-83	June 1984	6.00	7.50	<input type="checkbox"/> Floriculture Crops	March	1.75	2.25
<input type="checkbox"/> Potatoes & Sweetpotatoes	June 1984	2.00	2.50				
<input type="checkbox"/> Citrus Fruit, 1977/78-81/82	Sept. 1984	1.50	2.00				
<input type="checkbox"/> Hogs & Pigs, 1979-82	Dec. 1984	2.00	2.50				
<input type="checkbox"/> Noncitrus Fruits & Nuts, 1978-82	Jan. 1985	4.00	5.00				
<input type="checkbox"/> Sheep & Goats, 1980-83	Jan. 1985	1.25	1.75				
<input type="checkbox"/> Cattle, 1980-83	Jan. 1985	2.75	3.75				
<input type="checkbox"/> Chickens & Eggs, 1980-83	Jan. 1985	3.75	5.00				
<input type="checkbox"/> Milk Production, 1979-82	Feb. 1985	2.75	3.75				
<input type="checkbox"/> Vegetables, 1978-82	June 1985	6.75	8.50				
<input type="checkbox"/> Meat Animals: Prod., Disp., & Income 1979-82	April 1985	2.00	2.50				
<input type="checkbox"/> Poultry: Prod., Disp., & Income 1980-83	April 1985	1.75	2.25				
<input type="checkbox"/> Crop Values 1978-82	June 1985	2.75	3.75				

HOW TO ORDER

- *Check appropriate box.
- *Calculate the total charges for subscription and enter below.
- *If your address is outside the United States, use "foreign" price.
- *Make check or money order payable to USDA/SRS.
- *Do not send cash.
- *Allow 2 weeks for processing.
- *For additional information about reports and ordering, call (202) 447-4021.
- *Mail this entire order form: **CROP REPORTING BOARD PUBLICATIONS
ROOM 5829, SOUTH BUILDING
U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250**

Please send me the item(s) I have indicated above.

Company or Personal Name _____

Additional Address/Attention Line _____

Street Address _____

City _____ State _____ Zip Code _____

Amount Enclosed _____



Statistical Reporting Service

March 1985

ORDER FORM
CROP REPORTING BOARD REPORTS

Report Title	Subscription Fee		Report Title	Subscription Fee	
	Domestic	Foreign		Domestic	Foreign
FIELD CROP SERIES					
<input type="checkbox"/> Crop Production (monthly/annual) Plus single copy of Prospective Plantings	\$30.00	\$37.50	<input type="checkbox"/> Eggs, Chickens & Turkeys Monthly issues plus single copies of: Hatchery Production Annual Layers & Egg Prod. Annual Poultry-Prod., Disposition, & Income Turkeys	\$25.00	\$31.25
<input type="checkbox"/> Peanut Stocks & Processing (Monthly)	18.00	22.50	<input type="checkbox"/> Poultry Slaughter (monthly)	18.00	22.50
<input type="checkbox"/> Grain Stocks Four issues plus copy of: Soybean Stocks	12.00	15.00	DAIRY SERIES		
<input type="checkbox"/> Potatoes & Sweetpotatoes One issue plus 6 copies of: Potato Stocks	9.50	11.90	<input type="checkbox"/> Dairy Products (monthly/annual)	20.00	25.00
<input type="checkbox"/> Rice Stocks (4 issues)	6.00	7.50	<input type="checkbox"/> Milk Production Monthly issues plus single copy of: Milk-Prod., Disposition, & Income	19.00	23.75
FRUIT & VEGETABLE SERIES					
<input type="checkbox"/> Celery (monthly)	17.00	21.25	OTHER REPORTS		
<input type="checkbox"/> Noncitrus Fruits & Nuts (midyear/annual)	8.50	10.65	<input type="checkbox"/> Agricultural Prices (monthly)	27.00	33.75
<input type="checkbox"/> Vegetables Twelve seasonal-issues plus an Annual	18.00	22.50	<input type="checkbox"/> Catfish (monthly)	17.00	21.25
LIVESTOCK SERIES					
<input type="checkbox"/> Cattle Two issues plus monthly issues of: Cattle on Feed	22.00	27.50	<input type="checkbox"/> Cold Storage (monthly/annual)	22.00	27.50
<input type="checkbox"/> Hogs & Pigs (4 issues)	10.00	12.50	SPECIAL SINGLE COPY REPORTS		
<input type="checkbox"/> Livestock Slaughter (monthly/annual)	20.00	25.00	<input type="checkbox"/> Scope & Methods of the Statistical Reporting Service SN: 001-000-04369-2	5.00	6.25
POULTRY SERIES					
<input type="checkbox"/> Egg Products (monthly)	18.00	22.50	<input type="checkbox"/> Agricultural Statistics, 1984		
			<input type="checkbox"/> Usual Planting and Harvesting Dates for U.S. Field Crops SN: 001-000-04416-8	3.00	3.75

Note: For your convenience in ordering, we have grouped several publications together in packages. For example, when you subscribe to the Crop Production series you will receive 12 monthly copies and an annual summary of that report plus single copies of Prospective Plantings. If you have any questions about ordering, please call (202) 447-4021.

* Price not yet determined — Call (202) 447-4021.

Mail order form to: Superintendent of Documents
Government Printing Office
Washington, DC 20402

Write check payable to Superintendent of Documents.
Add 25% for foreign address.

Enclosed is \$ _____

NAME _____

- Check
- Money order
- Charge to my Deposit Account No. _____

ADDRESS _____

CITY, STATE, ZIP _____

Credit card order only: VISA Mastercard

Total charges \$ _____
Credit card no. _____
Expiration date: month/year _____

For Office Use Only			
Quantity	Charges	Quantity	Charges
_____ Enclosed _____		MMOB _____	
_____ To be mailed _____		OPNR _____	
_____ Subscriptions _____		_____ UPNS _____	
_____ Postage _____		_____ DISCOUNT _____	
_____ Foreign handling _____		_____ REFUND _____	

