
Small Grains



Crop
Reporting
Board

Statistical Reporting
Service

United States
Department of
Agriculture

Washington, D.C. 20250

RELEASED: December 20, 1984
3:00 P.M. ET

For subscribers of "CROP PRODUCTION"

- o 1984 Annual Summary and
- o 1985 Crop Winter Wheat
and Rye Seedings

HIGHLIGHTS

WINTER WHEAT SEEDINGS: Fall seeded acreage for the 1985 crop is estimated at 57.6 million acres, down 9 percent from last year to the lowest level since 1979.

WHEAT: The 1984 all wheat production totaled 2.60 billion bushels, up 7 percent from 1983. Harvested area, at 66.9 million acres, is 9 percent above the 1983 level. Yields averaged 38.8 bushels per acre, 0.6 bushel below the record high set in 1983.

OATS: Production in 1984 is estimated at 472 million bushels, 1 percent less than the 1983 crop. The yield is a record high 58.1 bushels per acre.

BARLEY: Production in 1984 is estimated at a record high 597 million bushels, up 17 percent from the 509 million bushels produced in 1983.

* Requests for a subscription order form covering all available reports *
* should be directed to Crop Reporting Board Publications, Room 5829 - *
* South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021). *

ACREAGE, YIELD, AND PRODUCTION, UNITED STATES--ANNUAL
(DOMESTIC UNITS)

CROP AND UNIT	AREA PLANTED			AREA HARVESTED		
	1982	1983	1984	1982	1983	1984
1,000 ACRES						
OATS BU	13,951	20,289	12,364	10,258	9,072	8,123
BARLEY "	9,549	10,422	11,887	9,013	9,731	11,171
ALL WHEAT "	86,232	76,419	79,213	77,937	61,390	66,928
WINTER "	65,516	62,105	63,419	57,633	47,584	51,513
DURUM "	4,290	2,565	3,277	4,177	2,492	3,219
OTH SPRING "	16,426	11,749	12,517	16,127	11,314	12,196
RYE "	2,533	2,707	2,971	677	896	981
RICE CWT 1/	3,295.0	2,190.0	2,804.0	3,262.0	2,169.0	2,782.0
YIELD PER ACRE						
1,000						
OATS BU	57.8	52.6	58.1	592,630	476,961	471,921
BARLEY "	57.2	52.3	53.4	515,935	508,925	596,546
ALL WHEAT "	35.5	39.4	38.8	2,764,967	2,419,824	2,595,479
WINTER "	36.0	41.8	40.0	2,073,560	1,988,304	2,060,646
DURUM "	34.9	29.3	32.1	145,863	72,979	103,439
OTH SPRING "	33.8	31.7	35.4	545,544	358,541	431,394
RYE "	28.9	30.3	33.0	19,533	27,116	32,392
RICE CWT 1/	4,710	4,598	4,966	153,637	99,720	138,158

1/ YIELD IN POUNDS.

WINTER WHEAT AND RYE SEEDINGS
UNITED STATES SUMMARY
(DOMESTIC UNITS)

ITEM	AREA SEEDED			AREA SEEDED AS % OF PREVIOUS YEAR		
	CROP OF			CROP OF		
	1983	1984	1985	1983	1984	1985
1,000 ACRES						
WINTER WHEAT	62,105	63,419	57,599	94.8	102.1	90.8
RYE	2,707	2,971	2,555	106.9	109.8	86.0

A P P R O V E D:

B. W. McMillan

ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

R. R. Hancock, Chairperson,
L. D. Jewell, Secretary,
R. D. Allen, W. N. Dowdy,
J. E. Cochrane, E. L. Park,
W. T. Brannen, R. L. Griffith,
G. A. Nelson, A. J. Olson,
S. D. Phillippi, R. A. Sadler,
L. A. Shaw, V. L. Siegenthaler.

ACREAGE, YIELD, AND PRODUCTION, UNITED STATES--ANNUAL
(METRIC UNITS)

CROP	AREA PLANTED			AREA HARVESTED		
	1982	1983	1984	1982	1983	1984
HECTARES						
OATS	5 645 830	8 210 760	5 003 590	4 151 310	3 671 350	3 287 300
BARLEY	3 864 380	4 217 680	4 810 550	3 647 470	3 938 040	4 520 790
ALL WHEAT	34 897 230	30 926 000	32 056 710	31 540 330	24 843 920	27 085 100
WINTER	26 513 670	25 133 270	25 665 040	23 323 500	19 256 770	20 846 800
DURUM	1 736 120	1 038 030	1 326 170	1 690 390	1 008 490	1 302 700
OTH SPRING	6 647 440	4 754 700	5 065 500	6 526 440	4 578 660	4 935 600
RYE	1 025 080	1 095 500	1 202 330	1 273 980	1 362 600	1 397 000
RICE	1 333 450	886 270	1 134 750	1 320 100	877 770	1 125 850
METRIC TONS						
	YIELD PER HECTARE			PRODUCTION		
	1982	1983	1984	1982	1983	1984
OATS	2.07	1.89	2.08	8 602 000	6 923 070	6 849 910
BARLEY	3.08	2.81	2.87	11 233 160	11 080 530	12 988 260
ALL WHEAT	2.39	2.65	2.61	75 250 070	65 856 820	70 637 360
WINTER	2.42	2.81	2.69	56 433 060	54 112 770	56 081 590
DURUM	2.35	1.97	2.16	3 969 740	1 986 160	2 815 150
OTH SPRING	2.27	2.13	2.38	14 847 270	9 757 890	11 740 620
RYE	1.81	1.90	2.07	496 160	688 780	822 790
RICE	5.28	5.15	5.57	6 968 860	4 523 220	6 266 740

WINTER WHEAT AND RYE SEEDINGS
UNITED STATES SUMMARY
(METRIC UNITS)

ITEM	AREA SEEDED CROP OF			AREA SEEDED AS % OF PREVIOUS YEAR CROP OF		
	1983	1984	1985	1983	1984	1985
HECTARES						
WINTER WHEAT	25 133 270	25 665 040	23 309 740	94.8	102.1	90.8
RYE	1 095 500	1 202 330	1 033 980	106.9	109.8	86.0
PERCENT						

OATS: Oat production in 1984 is estimated at 472 million bushels (6.85 million metric tons), 1 percent less than the 1983 crop of 477 million bushels (6.92 million metric tons). A decrease from 1983 in acres harvested for grain was almost entirely offset by a higher average yield. The 8.12 million acres (3.29 million hectares) harvested for grain is 10 percent below a year ago and 21 percent below 1982. Yield per harvested acre for grain averaged a record high 58.1 bushels, compared with 52.6 bushels per acre a year earlier and the previous record high yield of 57.8 bushels set in 1982. Seeded area totaled 12.4 million acres (5.00 million hectares) in 1984, compared with 20.3 million acres (8.21 million hectares) in 1983 when oats were used extensively as a cover crop for the PIK program. Acres abandoned and used for purposes other than grain accounted for 34 percent of the planted acres in 1984, compared with 55 percent of the 1983 crop.

In the major States (Iowa, Minnesota, and South Dakota) planting was delayed due to wet, cool weather but conditions improved later and planting was completed on time. Planting in North Dakota started at a good pace and was generally ahead of normal. Development was good in the major growing areas and had "peaked" before the "drought" condition in North Dakota. Harvest conditions were generally good and progressed ahead of normal.

BARLEY: Barley production in 1984 is estimated at a record high 597 million bushels (13.0 million metric tons), up 17 percent from the 509 million bushels (11.1 million metric tons) produced in 1983. Average yield per acre was 53.4 bushels, up 1.1 bushels from last year but down 3.8 bushels from the record high of 57.2 bushels in 1982. Record high yields were recorded or equaled in Michigan, Minnesota, Nevada, New Mexico, North Carolina, North Dakota, South Carolina and South Dakota.

Area harvested for grain in 1984 totaled 11.2 million acres (4.52 million hectares), up 15 percent from last year.

Planting of the 1984 barley crop got off to a good start and generally was completed ahead of normal. North Dakota, the leading producing State, had good spring weather and planting was completed by the end of May. Good moisture and weather in June enabled the crop to develop ahead of normal and was fully developed before the drought could have any effect. The entire crop was harvested by August 26, the earliest of record. In Minnesota, good growing conditions also resulted in record yields. In Montana, moisture was short in much of the northcentral and northeastern areas of the State and a considerable acreage was abandoned to grazing or hay. Development was behind normal in Idaho and Washington due to cool, wet spring weather. However, good weather during the summer enabled the crop to catch up and good yields were recorded. In California, the barley crop had generally good growing and harvesting conditions and good yields were experienced.

ALL WHEAT: Total 1984 production of winter, other spring, and durum wheat is estimated at 2.60 billion bushels (70.6 million metric tons), 7 percent more than last year's production.

There were 66.9 million acres (27.1 million hectares) harvested for grain, up 9 percent from the 61.4 million acres (24.8 million hectares) harvested in 1983. Yields averaged 38.8 bushels per acre, 0.6 bushel less than last year's record high average.

WINTER WHEAT: Growers produced 2.06 billion bushels (56.1 million metric tons) of winter wheat in 1984, up 4 percent from 1983. Area harvested totaled 51.5 million acres (20.8 million hectares), 8 percent more than the 47.6 million acres (19.3 million hectares) combined last year. Yields averaged 40.0 bushels per acre, the second highest of record. A total of 63.4 million acres (25.7 million hectares) was seeded for the 1984 harvest.

Delays were experienced early in planting the 1984 crop, primarily due to dry conditions in some parts of the Plains and late row-crop harvest in the Southeast. Seeding progressed rapidly after the delay. Extensive winter-kill occurred in Nebraska; otherwise, the crop came through the winter generally in fair condition.

Unusually cool weather slowed crop development during May, though stands in portions of Texas were maturing rapidly because of persistent hot, dry conditions. By June 3, 68 percent of the acreage was headed in the 15 major producing States compared with the 5-year average of 78 percent.

Harvest started in Texas prior to May 1. By early June, progress trailed the 5-year average across most of the South. Favorable conditions through June and July allowed harvest to advance rapidly. Kansas finished ahead of average despite early delays. Combining was virtually complete in the Pacific Northwest by mid-September.

OTHER SPRING WHEAT: The 1984 production totaled 431 million bushels (11.7 million metric tons), 20 percent more than the 1983 crop. Farmers averaged a record high yield of 35.4 bushels per acre this year, 1.6 bushels per acre above the previous record high set in 1982, and 3.7 bushels per acre more than a year ago. Harvested area tallied 12.2 million acres (4.94 million hectares), 8 percent more than in 1983. A total of 12.5 million acres (5.07 million hectares) was seeded for the 1984 crop.

Spring wheat was 30 percent seeded by May 1, 5 points behind average. Only Minnesota and Montana were not behind schedule. By early June, seeding and crop development were generally ahead of average progress in the Dakotas, Minnesota and Montana. Stands rated fair to good despite short soil moisture supplies in some areas, especially in Montana. Hot, dry weather promoted rapid harvest in most areas; completion had advanced to 95 percent in the major producing States by September 2, well ahead of the 72 percent average. South Dakota's harvest was finished by that date.

DURUM WHEAT: The 1984 crop is estimated at 103 million bushels (2.82 million metric tons), up 42 percent from 1983. Yields averaged 32.1 bushels per acre this year, 2.8 bushels per acre higher than a year ago. Area harvested, at 3.22 million acres (1.30 million hectares), is 29 percent more than the 1983 harvested area. Area seeded was 3.28 million acres (1.33 million hectares).

North Dakota's durum wheat was completely seeded by June 3, a week ahead of average. The crop rated fair to good throughout the growing season. Harvest was complete by September 2, nearly two weeks earlier than average. Yields were generally better than expected, despite drought in northwestern counties. Hot, dry winds during July and August reduced Montana yields to the lowest since 1961.

RYE: Production is estimated at 32.4 million bushels (823 thousand metric tons) in 1984, up 19 percent from last year's 27.1 million bushels (689 thousand metric tons). Growers harvested 981 thousand acres (397 thousand hectares) this year, 9 percent more than in 1983. Nationally, yields averaged a record high 33.0 bushels per acre, up 2.7 bushels per acre from 1983.

Spring and early summer conditions were generally favorable for growth and development of the crop, with development slowed in Indiana and Maryland in the spring, but bouncing back in early summer. Harvest progressed favorably and was completed by the normal time.

RICE: Rice production for 1984 is estimated at 138 million hundredweight (6.27 million metric tons), up 39 percent from last year but 10 percent below the 1982 production of 154 million hundredweight (6.97 million metric tons). Growers combined 2.78 million acres (1.13 million hectares), 28 percent more than the 2.17 million acres (878 thousand hectares) harvested last year. Yield averaged 4966 pounds per acre, compared with 4598 pounds for 1983.

Long grain production was 97.4 million hundredweight (4.42 million metric tons), 51 percent more than in 1983. Medium grain production was 32.5 million hundredweight (1.47 million metric tons)--up 19 percent, short grain production, at 8.30 million hundredweight (376 thousand metric tons), was 4 percent above the 1983 crop.

Rice seedings were 93 percent complete by June 1, slightly ahead of schedule. Seeding was complete in Mississippi and Texas, and ahead of normal in all other States, except Arkansas, which was slightly behind average. Excess weeds and grass caused problems in some southern areas but the crop rated good as July ended. Favorable California weather allowed rapid growth and some early planted fields headed as early as mid-July. Harvesting in Texas and Louisiana started off slower than normal but rapidly gained momentum. By early September combining was just getting underway in Arkansas and California, but neared completion in Texas. Continued good weather aided California yield prospects and heads showed little blanking. Wet September weather slowed the Arkansas harvest, but hot temperatures in California caused rapid crop maturity. By November 4, harvesting was finished in Louisiana and Texas, and nearing completion in California and Mississippi. Persistent, heavy October rains in Arkansas delayed combining. Only 87 percent was harvested in that State, 11 points behind schedule.

AREA PLANTED

STATE	OATS 1/			BARLEY 1/			ALL WHEAT 1/		
	1982	1983	1984	1982	1983	1984	1982	1983	1984
	1,000 ACRES								
ALA	85	80	80				850	600	480
ARIZ				42	32	55	145	135	145
ARK	45	60	50				2,000	1,700	1,500
CALIF	310	310	320	700	560	540	1,150	810	870
COLO	90	115	130	225	232	350	3,350	3,865	3,875
DEL				44	61	55	59	55	50
GA	160	155	125				1,470	1,060	1,000
IDAHO	66	69	75	1,150	1,050	1,370	1,600	1,500	1,550
ILL	330	2,100	375				1,600	1,550	1,800
IND	145	380	120				1,150	1,100	1,170
IOWA	1,350	4,700	1,300				115	75	110
KANS	215	145	175	70	100	110	14,100	13,200	13,300
KY	31	28	25	37	34	40	750	740	670
LA							550	430	400
MAINE	47	42	47						
MD	19	17	18	105	100	108	145	145	147
MICH	475	450	370	38	35	35	650	830	900
MINN	1,700	2,800	1,500	900	1,000	1,050	3,240	2,340	2,635
MISS							1,100	720	770
MO	120	110	65				2,500	2,200	2,350
MONT	260	210	220	1,650	1,950	2,320	5,750	4,810	5,015
NEBR	560	670	420	25	75	88	3,050	2,800	3,200
NEV				35	37	40	32	21	27
N J	8	6	7	28	25	21	60	55	48
N MEX				47	27	25	730	750	730
N Y	320	260	230				145	175	180
N C	155	140	125	77	55	70	700	600	700
N DAK	1,200	1,500	1,150	2,000	2,600	2,950	10,525	7,370	8,820
OHIO	380	450	250				1,430	1,300	1,240
OKLA	190	150	190	35	40	70	8,000	7,800	7,700
OREG	135	115	115	260	280	290	1,260	1,170	1,200
PA	360	330	300	70	70	75	235	210	230
S C	80	64	70	36	27	34	580	440	400
S DAK	2,350	2,000	1,700	560	580	610	3,900	3,080	3,995
TENN	40	35	30				980	820	670
TEX	1,300	1,400	1,500	60	70	60	8,200	7,750	7,400
UTAH	28	26	26	171	160	170	275	250	269
VA	48	47	40	124	124	120	400	410	320
WASH	68	75	75	850	880	1,000	2,990	3,050	2,820
W VA	16	14	11	4	5	6	11	11	12
WIS	1,180	1,140	1,020	51	53	55	130	148	190
WYO	85	96	110	155	160	170	325	344	325
U S	13,951	20,289	12,364	9,549	10,422	11,887	86,232	76,419	79,213

SEE FOOTNOTES ON PAGE B-3.

CONTINUED

AREA PLANTED CONTINUED

STATE	WINTER WHEAT 2/			DURUM WHEAT			OTHER SPRING WHEAT		
	1982	1983	1984	1982	1983	1984	1982	1983	1984
	1,000 ACRES								
ALA	850	600	480						
ARIZ	65	70	63	80	65	82			
ARK	2,000	1,700	1,500						
CALIF	1,020	730	770	130	80	100			
COLO	3,300	3,800	3,800				50	65	75
DEL	59	55	50						
GA	1,470	1,060	1,000						
IDAHO	1,000	1,000	1,150				600	500	400
ILL	1,600	1,550	1,800						
IND	1,150	1,100	1,170						
IOWA	115	75	110						
KANS	14,100	13,200	13,300						
KY	750	740	670						
LA	550	430	400						
MD	145	145	147						
MICH	650	830	900						
MINN	90	100	400	80	40	35	3,070	2,200	2,200
MISS	1,100	720	770						
MO	2,500	2,200	2,350						
MONT	2,450	2,550	2,700	350	210	215	2,950	2,050	2,100
NEBR	3,050	2,800	3,200						
NEV	16	9	9				16	12	18
N J	60	55	48						
N MEX	730	750	730						
N Y	145	175	180						
N C	700	600	700						
N DAK	175	180	620	3,500	2,090	2,750	6,850	5,100	5,450
OHIO	1,430	1,300	1,240						
OKLA	8,000	7,800	7,700						
OREG	1,150	1,080	1,130				110	90	70
PA	235	210	230						
S C	580	440	400						
S DAK	1,350	1,550	2,000	150	80	95	2,400	1,450	1,900
TENN	980	820	670						
TEX	8,200	7,750	7,400						
UTAH	240	220	230				35	30	39
VA	400	410	320						
WASH	2,700	2,850	2,600				290	200	220
W VA	11	11	12						
WIS	100	120	170				30	28	20
WYO	300	320	300				25	24	25
U S	65,516	62,105	63,419	4,290	2,565	3,277	16,426	11,749	12,517

SEE FOOTNOTES ON PAGE B-3.

CONTINUED

AREA PLANTED CONTINUED

STATE	RYE 2/			RICE		
	1982	1983	1984	1982	1983	1984
	1,000 ACRES					
ARK				1,350.0	925.0	1,160.0
CALIF				540.0	330.0	432.0
COLO	17	12	15			
DEL	32	30	29			
GA	450	400	430			
ILL	55	65	85			
IND	40	35	50			
IOWA	20	21	30			
KANS	50	65	75			
KY	47	50	60			
LA				600.0	390.0	530.0
MD	70	65	55			
MICH	135	135	140			
MINN	120	200	200			
MISS				250.0	162.0	195.0
MO	35	30	47	80.0	63.0	77.0
NEBR	85	105	235			
N J	80	76	60			
N Y	100	106	105			
N C	145	155	160			
N DAK	80	140	155			
OHIO	80	75	60			
OKLA	170	160	180			
OREG	30	25	25			
PA	60	60	80			
S C	112	107	90			
S DAK	150	250	280			
TEX	155	160	115	475.0	320.0	410.0
VA	175	155	180			
WIS	40	25	30			
U S	2,533	2,707	2,971	3,295.0	2,190.0	2,804.0

1/ INCLUDES AREA PLANTED IN PRECEDING FALL.
 2/ AREA PLANTED IN PRECEDING FALL.

OATS

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1982	1983	1984	1982	1983	1984	1982	1983	1984
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ALA	40	40	30	52.0	49.0	48.0	2,080	1,960	1,440
ARK	33	50	28	70.0	72.0	70.0	2,310	3,600	1,960
CALIF	50	45	50	67.0	65.0	69.0	3,350	2,925	3,450
COLO	40	42	50	52.0	57.0	55.0	2,080	2,394	2,750
GA	90	85	60	61.0	61.0	55.0	5,490	5,185	3,300
IDAHO	46	48	44	69.0	76.0	68.0	3,174	3,648	2,992
ILL	200	210	165	59.0	60.0	65.0	11,800	12,600	10,725
IND	105	80	80	64.0	57.0	62.0	6,720	4,560	4,960
IOWA	950	750	740	57.0	51.0	64.0	54,150	38,250	47,360
KANS	172	105	120	47.0	48.0	53.0	8,084	5,040	6,360
KY	7	7	6	44.0	44.0	42.0	308	308	252
MAINE	44	38	40	60.0	62.0	56.0	2,640	2,356	2,240
MD	16	14	15	58.0	56.0	57.0	928	784	855
MICH	450	300	350	63.0	52.0	62.0	28,350	15,600	21,700
MINN	1,530	1,350	1,200	64.0	57.0	65.0	97,920	76,950	78,000
MO	78	54	33	42.0	47.0	48.0	3,276	2,538	1,584
MONT	150	120	105	51.0	44.0	37.0	7,650	5,280	3,885
NEBR	460	310	300	58.0	44.0	50.0	26,680	13,640	15,000
N J	7	5	6	54.0	51.0	56.0	378	255	336
N Y	280	200	180	65.0	57.0	58.0	18,200	11,400	10,440
N C	75	70	68	59.0	56.0	58.0	4,425	3,920	3,944
N DAK	1,050	1,260	980	53.0	50.5	51.0	55,650	63,630	49,980
OHIO	340	240	220	69.0	64.0	60.0	23,460	15,360	13,200
OKLA	90	80	80	38.0	49.0	46.0	3,420	3,920	3,680
OREG	85	75	75	75.0	80.0	88.0	6,375	6,000	6,600
PA	335	300	280	59.0	54.0	57.0	19,765	16,200	15,960
S C	50	40	40	56.0	53.0	58.0	2,800	2,120	2,320
S DAK	2,130	1,650	1,550	58.0	48.0	56.0	123,540	79,200	86,800
TENN	8	7	5	47.0	44.0	47.0	376	308	235
TEX	290	500	250	37.0	48.0	35.0	10,730	24,000	8,750
UTAH	15	14	13	68.0	68.0	67.0	1,020	952	871
VA	17	22	12	48.0	50.0	47.0	816	1,100	564
WASH	30	33	30	62.0	63.0	68.0	1,860	2,079	2,040
W VA	10	9	8	51.0	52.0	51.0	510	468	408
WIS	930	850	840	53.0	53.0	64.0	49,290	45,050	53,760
WYO	55	69	70	55.0	49.0	46.0	3,025	3,381	3,220
U S	10,258	9,072	8,123	57.8	52.6	58.1	592,630	476,961	471,921

BARLEY

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1982	1983	1984	1982	1983	1984	1982	1983	1984
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ARIZ	38	27	53	100.0	104.0	101.0	3,800	2,808	5,353
CALIF	620	490	460	62.0	60.0	63.0	38,440	29,400	28,980
COLO	215	220	325	74.0	75.0	62.0	15,910	16,500	20,150
DEL	38	53	50	57.0	55.0	55.0	2,166	2,915	2,750
IDAHO	1,100	1,030	1,340	69.0	65.0	66.0	75,900	66,950	88,440
KANS	57	90	95	43.0	51.0	43.0	2,451	4,590	4,085
KY	30	25	30	47.0	33.0	37.0	1,410	825	1,110
MD	92	90	95	59.0	55.0	58.0	5,428	4,950	5,510
MICH	36	33	34	59.0	49.0	60.0	2,124	1,617	2,040
MINN	880	820	950	58.0	53.0	65.0	51,040	43,460	61,750
MONT	1,560	1,850	2,110	49.0	42.0	28.0	76,440	77,700	59,080
NEBR	22	69	78	50.0	39.0	33.0	1,100	2,691	2,574
NEV	32	34	37	80.0	80.0	90.0	2,560	2,720	3,330
N J	17	17	15	63.0	53.0	55.0	1,071	901	825
N MEX	37	23	20	66.0	75.0	75.0	2,442	1,725	1,500
N C	65	45	64	52.0	49.0	63.0	3,380	2,205	4,032
N DAK	1,950	2,520	2,900	53.0	45.5	53.0	103,350	114,660	153,700
OKLA	29	34	50	38.0	44.0	41.0	1,102	1,496	2,050
OREG	250	270	280	62.0	61.0	62.0	15,500	16,470	17,360
PA	65	65	70	52.0	55.0	52.0	3,380	3,575	3,640
S C	33	23	30	50.0	40.0	52.0	1,650	920	1,560
S DAK	545	550	595	43.0	42.0	51.0	23,435	23,100	30,345
TEX	35	45	40	46.0	55.0	50.0	1,610	2,475	2,000
UTAH	161	154	159	80.0	74.0	73.0	12,880	11,396	11,607
VA	100	100	96	57.0	59.0	60.0	5,700	5,900	5,760
WASH	810	850	980	61.0	64.0	65.0	49,410	54,400	63,700
W VA	4	4	5	52.0	60.0	53.0	208	240	265
WIS	48	48	50	56.0	48.0	53.0	2,688	2,304	2,650
WYO	144	152	160	65.0	66.0	65.0	9,360	10,032	10,400
U S	9,013	9,731	11,171	57.2	52.3	53.4	515,935	508,925	596,546

ALL WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1982	1983	1984	1982	1983	1984	1982	1983	1984
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ALA	725	460	380	32.0	33.0	39.0	23,200	15,180	14,820
ARIZ	143	119	142	86.8	93.2	90.0	12,407	11,094	12,780
ARK	1,900	1,500	1,400	38.0	39.0	44.0	72,200	58,500	61,600
CALIF	1,075	680	784	71.8	68.5	78.9	77,175	46,560	61,840
COLO	2,958	3,063	3,270	28.7	39.9	35.3	84,984	122,103	115,300
DEL	58	54	49	40.0	39.0	41.0	2,320	2,106	2,009
GA	1,370	910	890	33.0	34.0	35.0	45,210	30,940	31,150
IDAHO	1,510	1,305	1,280	62.8	70.3	63.6	94,770	91,710	81,400
ILL	1,500	1,400	1,600	45.0	46.0	44.0	67,500	64,400	70,400
IND	1,030	970	1,050	42.0	51.0	46.0	43,260	49,470	48,300
IOWA	100	50	100	30.0	38.0	35.0	3,000	1,900	3,500
KANS	13,100	10,800	11,200	35.0	41.5	38.5	458,500	448,200	431,200
KY	620	520	500	38.0	31.0	38.0	23,560	16,120	19,000
LA	500	250	320	38.0	30.0	41.0	19,000	7,500	13,120
MD	136	131	140	42.0	41.0	43.0	5,712	5,371	6,020
MICH	560	730	800	41.0	49.0	57.0	22,960	35,770	45,600
MINN	3,184	2,140	2,553	39.8	36.9	47.3	126,809	78,960	120,711
MISS	950	600	660	38.0	34.0	38.0	36,100	20,400	25,080
MO	2,200	1,850	2,050	34.0	38.0	41.0	74,800	70,300	84,050
MONT	5,360	4,455	4,640	33.6	30.7	22.6	180,320	136,930	104,655
NEBR	2,900	2,300	2,250	35.0	43.0	36.0	101,500	98,900	81,000
NEV	29	18	24	65.2	70.0	76.7	1,890	1,260	1,840
N J	45	38	39	40.0	40.0	43.0	1,800	1,520	1,677
N MEX	510	470	460	25.0	29.0	26.0	12,750	13,630	11,960
N Y	125	160	170	43.5	46.0	46.0	5,438	7,360	7,820
N C	650	470	620	36.0	34.0	43.0	23,400	15,980	26,660
N DAK	10,300	7,205	8,660	31.5	26.9	32.8	324,835	194,130	284,190
OHIO	1,200	1,200	1,100	43.0	49.0	44.0	51,600	58,800	48,400
OKLA	6,900	4,300	5,300	33.0	35.0	36.0	227,700	150,500	190,800
OREG	1,200	1,085	1,115	52.9	60.4	61.8	63,500	65,570	68,945
PA	228	200	220	36.0	38.0	38.0	8,208	7,600	8,360
S C	550	375	380	36.0	28.0	38.0	19,800	10,500	14,440
S DAK	3,595	2,727	3,662	27.4	32.9	34.4	98,530	89,729	126,038
TENN	830	600	535	36.0	33.0	40.0	29,880	19,800	21,400
TEX	6,000	4,600	5,000	24.0	35.0	30.0	144,000	161,000	150,000
UTAH	266	217	231	34.9	37.0	35.5	9,273	8,027	8,199
VA	350	340	275	38.0	42.0	45.0	13,300	14,280	12,375
WASH	2,840	2,690	2,610	48.9	64.2	61.4	138,880	172,570	160,350
W VA	9	9	10	35.0	42.0	40.0	315	378	400
WIS	122	128	177	45.9	45.4	56.6	5,596	5,812	10,018
WYO	309	271	282	29.1	33.1	28.6	8,985	8,964	8,072
U S	77,937	61,390	66,928	35.5	39.4	38.8	2,764,967	2,419,824	2,595,479

WINTER WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1982	1983	1984	1982	1983	1984	1982	1983	1984
	1,000 ACRES			BUSHEL			1,000 BUSHEL		
ALA	725	460	380	32.0	33.0	39.0	23,200	15,180	14,820
ARIZ	64	64	62	84.0	96.0	90.0	5,376	6,144	5,580
ARK	1,900	1,500	1,400	38.0	39.0	44.0	72,200	58,500	61,600
CALIF	950	610	690	69.0	66.0	76.0	65,550	40,260	52,440
COLO	2,910	3,000	3,200	28.0	39.0	34.5	81,480	117,000	110,400
DEL	58	54	49	40.0	39.0	41.0	2,320	2,106	2,009
GA	1,370	910	890	33.0	34.0	35.0	45,210	30,940	31,150
IDAHO	930	830	900	57.0	67.0	63.0	53,010	55,610	56,700
ILL	1,500	1,400	1,600	45.0	46.0	44.0	67,500	64,400	70,400
IND	1,030	970	1,050	42.0	51.0	46.0	43,260	49,470	48,300
IOWA	100	50	100	30.0	38.0	35.0	3,000	1,900	3,500
KANS	13,100	10,800	11,200	35.0	41.5	38.5	458,500	448,200	431,200
KY	620	520	500	38.0	31.0	38.0	23,560	16,120	19,000
LA	500	250	320	38.0	30.0	41.0	19,000	7,500	13,120
MD	136	131	140	42.0	41.0	43.0	5,712	5,371	6,020
MICH	560	730	800	41.0	49.0	57.0	22,960	35,770	45,600
MINN	86	75	360	34.5	35.0	43.0	2,967	2,625	15,480
MISS	950	600	660	38.0	34.0	38.0	36,100	20,400	25,080
MO	2,200	1,850	2,050	34.0	38.0	41.0	74,800	70,300	84,050
MONT	2,120	2,260	2,480	38.0	35.0	27.0	80,560	79,100	66,960
NEBR	2,900	2,300	2,250	35.0	43.0	36.0	101,500	98,900	81,000
NEV	15	8	8	70.0	70.0	80.0	1,050	560	640
N J	45	38	39	40.0	40.0	43.0	1,800	1,520	1,677
N MEX	510	470	460	25.0	29.0	26.0	12,750	13,630	11,960
N Y	125	160	170	43.5	46.0	46.0	5,438	7,360	7,820
N C	650	470	620	36.0	34.0	43.0	23,400	15,980	26,660
N DAK	140	155	550	34.0	31.0	40.0	4,760	4,805	22,000
OHIO	1,200	1,200	1,100	43.0	49.0	44.0	51,600	58,800	48,400
OKLA	6,900	4,300	5,300	33.0	35.0	36.0	227,700	150,500	190,800
OREG	1,100	1,000	1,050	54.0	62.0	63.0	59,400	62,000	66,150
PA	228	200	220	36.0	38.0	38.0	8,208	7,600	8,360
S C	550	375	380	36.0	28.0	38.0	19,800	10,500	14,440
S DAK	1,100	1,250	1,700	33.0	41.0	36.0	36,300	51,250	61,200
TENN	830	600	535	36.0	33.0	40.0	29,880	19,800	21,400
TEX	6,000	4,600	5,000	24.0	35.0	30.0	144,000	161,000	150,000
UTAH	233	190	195	33.0	35.0	33.0	7,689	6,650	6,435
VA	350	340	275	38.0	42.0	45.0	13,300	14,280	12,375
WASH	2,560	2,500	2,400	49.0	65.0	62.0	125,440	162,500	148,800
W VA	9	9	10	35.0	42.0	40.0	315	378	400
WIS	94	105	160	50.0	49.0	59.0	4,700	5,145	9,440
WYO	285	250	260	29.0	33.0	28.0	8,265	8,250	7,280
U S	57,633	47,584	51,513	36.0	41.8	40.0	2,073,560	1,988,304	2,060,646

DURUM WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1982	1983	1984	1982	1983	1984	1982	1983	1984
	1,000 ACRES			BUSHELLS			1,000 BUSHELLS		
ARIZ	79	55	80	89.0	90.0	90.0	7,031	4,950	7,200
CALIF	125	70	94	93.0	90.0	100.0	11,625	6,300	9,400
MINN	78	35	33	39.0	35.0	47.0	3,042	1,225	1,551
MONT	340	205	210	29.0	20.0	17.0	9,860	4,100	3,570
N DAK	3,410	2,050	2,710	32.5	26.5	29.0	110,825	54,325	78,590
S DAK	145	77	92	24.0	27.0	34.0	3,480	2,079	3,128
U S	4,177	2,492	3,219	34.9	29.3	32.1	145,863	72,979	103,439

OTHER SPRING WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1982	1983	1984	1982	1983	1984	1982	1983	1984
	1,000 ACRES			BUSHELLS			1,000 BUSHELLS		
COLO	48	63	70	73.0	81.0	70.0	3,504	5,103	4,900
IDAHO	580	475	380	72.0	76.0	65.0	41,760	36,100	24,700
MINN	3,020	2,030	2,160	40.0	37.0	48.0	120,800	75,110	103,680
MONT	2,900	1,990	1,950	31.0	27.0	17.5	89,900	53,730	34,125
NEV	14	10	16	60.0	70.0	75.0	840	700	1,200
N DAK	6,750	5,000	5,400	31.0	27.0	34.0	209,250	135,000	183,600
OREG	100	85	65	41.0	42.0	43.0	4,100	3,570	2,795
S DAK	2,350	1,400	1,870	25.0	26.0	33.0	58,750	36,400	61,710
UTAH	33	27	36	48.0	51.0	49.0	1,584	1,377	1,764
WASH	280	190	210	48.0	53.0	55.0	13,440	10,070	11,550
WIS	28	23	17	32.0	29.0	34.0	896	667	578
WYO	24	21	22	30.0	34.0	36.0	720	714	792
U S	16,127	11,314	12,196	33.8	31.7	35.4	545,544	358,541	431,394

WHEAT PRODUCTION BY CLASSES, UNITED STATES

YEAR	WINTER			SPRING			TOTAL
	HARD RED	SOFT RED	WHITE	HARD RED	DURUM	WHITE	
	1,000 BUSHELLS						
1982	1,243,598	588,869	241,093	492,673	145,863	52,871	2,764,967
1983	1,192,386	506,491	289,427	312,674	72,979	45,867	2,419,824
1984	1,237,766	529,931	292,949	393,950	103,439	37,444	2,595,479

RYE

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1982	1983	IND 1984	1982	1983	IND 1984	1982	1983	IND 1984
	1,000 ACRES			BUSHELLS			1,000 BUSHELLS		
COLO	2	2	1	19.0	19.0	17.0	38	38	17
DEL	4	4	4	34.0	34.0	31.0	136	136	124
GA	70	70	80	21.0	21.0	22.0	1,470	1,470	1,760
ILL	13	12	11	23.0	28.0	28.0	299	336	308
IND	10	10	12	26.0	27.0	28.0	260	270	336
IOWA	4	3	5	28.0	31.0	34.0	112	93	170
KANS	10	10	13	24.0	22.0	24.0	240	220	312
KY	2	3	3	28.0	28.0	30.0	56	84	90
MD	10	8	7	29.0	30.0	32.0	290	240	224
MICH	18	20	21	29.0	30.0	28.0	522	600	588
MINN	100	160	175	33.0	31.0	38.0	3,300	4,960	6,650
MO	3	2	3	24.0	24.0	25.0	72	48	75
NEBR	47	55	58	27.0	23.0	23.0	1,269	1,265	1,334
N J	11	13	9	29.0	30.0	29.0	319	390	261
N Y	11	13	13	31.0	32.0	32.0	341	416	416
N C	25	22	25	21.0	20.0	22.0	525	440	550
N DAK	75	135	150	32.0	32.0	36.0	2,400	4,320	5,400
OHIO	5	6	5	31.0	35.0	35.0	155	210	175
OKLA	32	30	32	23.0	26.0	22.0	736	780	704
OREG	4	4	4	29.0	25.0	35.0	116	100	140
PA	12	17	17	34.0	34.0	34.0	408	578	578
S C	27	20	26	23.0	16.0	21.0	621	320	546
S DAK	130	230	270	36.0	38.0	40.0	4,680	8,740	10,800
TEX	28	25	15	18.0	18.0	16.0	504	450	240
VA	14	12	14	26.0	26.0	27.0	364	312	378
WIS	10	10	8	30.0	30.0	27.0	300	300	216
U S	677	896	981	28.9	30.3	33.0	19,533	27,116	32,392

ALASKA

CROP	AREA PLANTED FOR ALL PURPOSES			AREA HARVESTED		
	1982	1983	1984	1982	1983	1984
	ACRES					
OATS	3,200	3,100	8,500	600	600	1,700
BARLEY	8,500	16,000	17,500	7,500	11,900	15,000
	YIELD			PRODUCTION		
	1982	1983	1984	1982	1983	1984
	BUSHELLS			1,000 BUSHELLS		
OATS	52.0	62.5	66.0	31.2	37.5	112.2
BARLEY	42.0	31.0	35.0	315.0	369.0	525.0

RICE

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1982	1983	1984	1982	1983	1984	1982	1983	1984
	1,000 ACRES			POUNDS			1,000 CWT		
	LONG GRAIN								
ARK	1,134.0	786.0	1,060.0	4,200	4,200	4,550	47,608	33,012	48,230
CALIF	14.0	22.0	59.0	5,900	5,950	6,300	826	1,309	3,717
LA	269.0	206.0	339.0	4,075	3,700	4,100	10,962	7,622	13,899
MISS	245.0	161.0	190.0	4,120	4,000	4,350	10,094	6,440	8,265
MO	71.0	60.0	73.0	4,450	4,100	4,600	3,160	2,460	3,358
TEX	442.0	308.0	402.0	4,700	4,375	4,950	20,774	13,475	19,899
U S	2,175.0	1,543.0	2,123.0	4,295	4,168	4,586	93,424	64,318	97,368
	MEDIUM GRAIN								
ARK	175.0	121.0	79.0	4,800	4,780	5,260	8,400	5,784	4,155
CALIF	406.0	199.0	281.0	6,700	7,100	7,100	27,202	14,129	19,951
LA	329.0	179.0	189.0	4,225	3,950	4,250	13,900	7,071	8,033
MO	8.5	2.0	2.0	4,700	3,700	4,500	400	74	90
TEX	32.0	10.0	6.0	4,500	3,300	4,350	1,440	330	261
U S	950.5	511.0	557.0	5,402	5,360	5,833	51,342	27,388	32,490
	SHORT GRAIN								
ARK	21.0	8.0	11.0	4,900	4,540	4,680	1,029	363	515
CALIF	115.0	107.0	90.0	6,800	7,150	8,600	7,820	7,651	7,740
MO	.5		1.0	4,400		4,500	22		45
U S	136.5	115.0	102.0	6,499	6,969	8,137	8,871	8,014	8,300
	ALL								
ARK	1,330.0	915.0	1,150.0	4,290	4,280	4,600	57,037	39,159	52,900
CALIF	535.0	328.0	430.0	6,700	7,040	7,300	35,848	23,089	31,408
LA	598.0	385.0	528.0	4,160	3,820	4,150	24,862	14,693	21,932
MISS	245.0	161.0	190.0	4,120	4,000	4,350	10,094	6,440	8,265
MO	80.0	62.0	76.0	4,480	4,090	4,600	3,582	2,534	3,493
TEX	474.0	318.0	408.0	4,690	4,340	4,940	22,214	13,805	20,160
U S	3,262.0	2,169.0	2,782.0	4,710	4,598	4,966	153,637	99,720	138,158

WINTER WHEAT SEEDINGS: Seedings for the 1985 winter wheat crop are estimated at 57.6 million acres (23.3 million hectares), the lowest level since 1979. This is a 9 percent decline from the 63.4 million acres (25.7 million hectares) seeded for 1984.

Acreage in the Great Plains is down 1 percent from a year ago. Kansas is off 5 percent, South Dakota is down 7 percent, Nebraska's acreage is down 19 percent while Oklahoma and Texas are up 1 and 9 percent, respectively. North Dakota's seedings are up 21 percent, the largest percentage increase in the Nation.

Seedings in the Western States declined 9 percent from 1984. Colorado's acreage is down 11 percent, Montana is off 7 percent, and Washington is showing an 8 percent decline. Utah growers increased seedings while Arizona is unchanged from 1984.

East North Central's acreage plummeted to 66 percent of the 1984 total. Only Iowa is up from last year while Minnesota is unchanged. Illinois is off 50 percent, Arkansas is down 47 percent, Indiana and Missouri are both 32 percent below 1984, and Ohio dropped 31 percent.

Growers in the Southeast and East have seeded 16 percent less acreage than last year. Mississippi's seeding fell 55 percent -- the sharpest percentage decrease in the country. Tennessee is down 43 percent, Alabama's acreage is off 11 percent, and Georgia is down 15 percent. North Carolina and Virginia acreages increased 9 and 13 percent, respectively, while New Jersey and Pennsylvania maintained last year's levels.

Seeding of the 1985 crop started on a limited basis in August. Planting progress reached 41 percent completion by September 30, trailing the 51 percent average. Persistent dryness across western portions of the central and southern Plains coupled with showers in the Corn Belt led to the delay. Heavy rains from eastern Texas through the eastern Corn Belt delayed seeding throughout October. Wet weather hampered planting in the Delta States and eastern Corn Belt for most of November, while dry conditions delayed progress in the Southeast.

By the week ending December 2, 1984, planting progress in the major producing States had reached 98 percent completion; emergence stood at 93 percent. Both measures equal their 5-year averages. Stands rated fair to good with adequate soil moisture.

WINTER WHEAT

STATE	AREA SEEDED 1/			
	CROP OF			1985
	1983	1984	1985	1984
	1,000 ACRES			PERCENT
ALA	600	480	425	89
ARIZ	70	63	63	100
ARK	1,700	1,500	800	53
CALIF	730	770	690	90
COLO	3,800	3,800	3,400	89
DEL	55	50	45	90
FLA 2/			160	
GA	1,060	1,000	850	85
IDAHO	1,000	1,150	1,000	87
ILL	1,550	1,800	900	50
IND	1,100	1,170	800	68
IOWA	75	110	115	105
KANS	13,200	13,300	12,700	95
KY	740	670	470	70
LA	430	400	350	88
MD	145	147	140	95
MICH	830	900	800	89
MINN	100	400	400	100
MISS	720	770	350	45
MO	2,200	2,350	1,600	68
MONT	2,550	2,700	2,500	93
NEBR	2,800	3,200	2,600	81
NEV	9	9	8	89
N J	55	48	48	100
N MEX	750	730	700	96
N Y	175	180	140	78
N C	600	700	760	109
N DAK	180	620	750	121
OHIO	1,300	1,240	850	69
OKLA	7,800	7,700	7,800	101
OREG	1,080	1,130	1,000	88
PA	210	230	230	100
S C	440	400	390	98
S DAK	1,550	2,000	1,850	93
TENN	820	670	380	57
TEX	7,750	7,400	8,100	109
UTAH	220	230	240	104
VA	410	320	360	113
WASH	2,850	2,600	2,400	92
W VA	11	12	10	83
WIS	120	170	135	79
WYO	320	300	290	97
U S	62,105	63,419	57,599	91

1/ TOTAL AREA SEEDED FOR ALL PURPOSES.
 2/ ESTIMATES BEGIN WITH 1985 CROP.

RYE SEEDINGS: This fall, growers seeded 2.56 million acres (1.03 million hectares) of rye for all purposes for harvest in 1985. This is 14 percent below the 1984 crop seedings of 2.97 million acres (1.20 million hectares). Georgia's acreage is up 5 percent from 1984. Major rye producing States in the North Central area (Minnesota, Nebraska, North Dakota and South Dakota) have decreased plantings 37 percent from last year.

Seeding started in August and progress varied widely. Some areas were too dry to seed, while others were too wet. Weather finally improved in most regions and allowed planting to "catch up". Seeded acreage generally received good precipitation which aided germination.

RYE

STATE	AREA SEEDED 1/			
	CROP OF			1985
	1983	1984	1985	1984
	1,000 ACRES			PERCENT
COLO	12	15	13	87
DEL	30	29	29	100
GA	400	430	450	105
ILL	65	85	75	88
IND	35	50	35	70
IOWA	21	30	22	73
KANS	65	75	45	60
KY	50	60	50	83
MD	65	55	45	82
MICH	135	140	135	96
MINN	200	200	145	73
MO	30	47	38	81
NEBR	105	235	175	74
N J	76	60	58	97
N Y	106	105	110	105
N C	155	160	160	100
N DAK	140	155	100	65
OHIO	75	60	40	67
OKLA	160	180	180	100
OREG	25	25	20	80
PA	60	80	70	88
S C	107	90	90	100
S DAK	250	280	130	46
TEX	160	115	150	130
VA	155	180	160	89
WIS	25	30	30	100
U S	2,707	2,971	2,555	86

1/ TOTAL AREA SEEDED FOR ALL PURPOSES.

I N D E X,

	<u>PAGE</u>
ALASKA	B- 9
BARLEY	B- 5
OATS	B- 4
PLANTED ACREAGE	B- 1
RICE	B-10
RYE	B- 9
RYE (1985 CROP)	B-13
U S SUMMARY	A- 2
WHEAT, ALL	B- 6
WHEAT, BY CLASSES	B- 8
WHEAT, DURUM	B- 8
WHEAT, OTHER SPRING	B- 8
WHEAT, WINTER	B- 7
WHEAT, WINTER (1985 CROP)	B-12



**ORDER FORM
USDA CROP REPORTING BOARD PUBLICATIONS**

(Publications available only from Crop Reporting Board)

FIELD CROP SERIES		Issued	Subscription Fee		POULTRY SERIES		Issued	Subscription Fee	
			Domestic	Foreign				Domestic	Foreign
<input type="checkbox"/>	Hop Stocks (2 issues)	Mar. & Sept.	\$2.50	\$3.50	<input type="checkbox"/>	Turkey Hatchery	Monthly	\$18.00	\$24.00
<input type="checkbox"/>	Peanut Stocks & Processing	Mar. & Sept.	2.50	3.50	PRICES & EXPENDITURES SERIES				
FRUIT & VEGETABLE SERIES					<input type="checkbox"/>	Agricultural Prices	June	5.00	6.25
<input type="checkbox"/>	Cherry Production	June	1.25	1.75	<input type="checkbox"/>	Annual	January	2.00	2.50
<input type="checkbox"/>	Cherry Utilization	October	1.25	1.75	<input type="checkbox"/>	Crop Values	June & July	5.00	6.25
<input type="checkbox"/>	Citrus Fruits	September	1.50	2.00	<input type="checkbox"/>	Farm Production Expenditures (2 issues)	June	1.25	1.75
<input type="checkbox"/>	Cranberries	August	1.25	1.75	<input type="checkbox"/>	Minnesota-Wisconsin Milk Prices	June	1.25	1.75
LIVESTOCK SERIES					OTHER CROPS				
<input type="checkbox"/>	Meat Animals Production, Disposition, & Income	April	1.50	2.00	<input type="checkbox"/>	Commercial Fertilizer	November	2.00	2.50
<input type="checkbox"/>	Sheep & Goats	January	1.25	1.75	<input type="checkbox"/>	Farm Labor	Quarterly	6.00	7.50
<input type="checkbox"/>	Wool & Mohair	March	1.25	1.75	<input type="checkbox"/>	Mink	July	1.25	1.75
1979-83 STATISTICAL BULLETINS					<input type="checkbox"/>	Mushrooms	August	1.25	1.75
<input type="checkbox"/>	Field Crops, 1978-83	June 1984	5.00	6.25	<input type="checkbox"/>	Sugar Market Statistics (4 issues)	Quarterly	5.00	6.25
<input type="checkbox"/>	Stocks of Grains, Oilseeds and Hay, 1978-83	June 1984	6.00	7.50					
<input type="checkbox"/>	Potatoes & Sweetpotatoes	June 1984	2.00	2.50					
<input type="checkbox"/>	Citrus Fruit, 1977/78-81/82	Sept. 1984	1.50	2.00					
<input type="checkbox"/>	Hogs & Pigs, 1979-82	Dec. 1984	2.00	2.50					
<input type="checkbox"/>	Noncitrus Fruits & Nuts, 1978-82	Jan. 1985	4.00	5.00					
<input type="checkbox"/>	Sheep & Goats, 1980-83	Jan. 1985	1.25	1.75					
<input type="checkbox"/>	Cattle, 1980-83	Jan. 1985	2.75	3.75					
<input type="checkbox"/>	Chickens & Eggs, 1980-83	Jan. 1985	3.75	5.00					
<input type="checkbox"/>	Milk Production, 1979-82	Feb. 1985	2.75	3.75					
<input type="checkbox"/>	Vegetables, 1978-82	June 1985	To Be Announced						
<input type="checkbox"/>	Meat Animals: Prod., Disp., & Income 1979-82	April 1985	2.00	2.50					
<input type="checkbox"/>	Poultry: Prod., Disp., & Income 1980-83	April 1985	1.75	2.25					

HOW TO ORDER

- *Check appropriate box.
- *Calculate the total charges for subscription and enter below.
- *If your address is outside the United States, use "foreign" price.
- *Make check or money order payable to USDA/SRS.
- *Do not send cash.
- *Allow 2 weeks for processing.
- *For additional information about reports and ordering, call (202) 447-4021.
- *Mail this entire order form: **CROP REPORTING BOARD PUBLICATIONS
ROOM 5829, SOUTH BUILDING
U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250**

Please send me the item(s) I have indicated above.

Company or Personal Name _____

Additional Address/Attention Line _____

Street Address _____

City _____ State _____ Zip Code _____

Amount Enclosed _____

**UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

To stop mailing or to change your
address send this sheet with label
intact, showing new address, to Crop
Reporting Board Publications, SRS, U.S.
Dept. of Agriculture, Rm 5829 South
Building, 14th & Independence Ave S.W.,
Wash., D.C. 20250

**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101
FIRST CLASS**

