

Crop Production

Release:
January 11, 1965
3:00 P.M. (E. S. T.)

UNITED STATES CROP SUMMARY AS OF JANUARY 1, 1965

Corn stocks on farms January 1, 1965, estimated at 2.8 billion bushels, were 14 percent lower than a year earlier and 5 percent below the 1959-63 average.

Wheat stocks on farms, placed at 390 million bushels, were 26 percent above a year earlier and 4 percent more than average.

Oats stocks on farms, estimated at 624 million bushels, were down 9 percent from January 1, 1964 and 18 percent from average.

Soybean farm stocks, estimated at 191 million bushels, were 27 percent below a year earlier and 10 percent below average.

Sorghum grain stocks on farms totaled 155 million bushels, 19 percent below January 1, 1964 and 15 percent under average.

Barley farm stocks totaled 190 million bushels, down 6 percent from 1964 and 8 percent less than average.

Flaxseed stocks on farms, estimated at 8.6 million bushels, were 18 percent less than a year earlier and 13 percent below average.

Hay on farms totaled 77 million tons, 5 percent less than a year earlier and 7 percent less than average.

Citrus production is expected to be up 17 percent from last year's crop. The 1964-65 orange crop is expected to total 113 million boxes, 22 percent more than the 1963-64 crop but 8 percent below average. The grapefruit crop, at 40 million boxes, is 18 percent above last year but 2 percent below average.

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service

Crop Reporting Board

Washington, D. C.

CrPr 2-2 (1-65)

GRAIN AND HAY STOCKS ON FARMS--JANUARY 1

CROP	: January 1 average :		January 1,		January 1,	
	: 1959-63 :		1964 :		1965 :	
	: Percent :	1,000 :	Percent :	1,000 :	Percent :	1,000 :
	1/ :	bushels :	1/ :	bushels :	1/ :	bushels :
Corn.....	79.9	2,930,649	79.4	3,247,653	78.5	2,784,243
Wheat.....	29.9	376,685	27.1	309,694	30.2	390,126
Durum wheat..	---	---	---	46,865	---	46,497
Oats.....	67.2	757,364	70.2	687,138	70.7	623,925
Soybeans.....	34.9	211,135	37.4	261,337	27.3	190,917
Barley.....	47.6	206,181	49.9	202,344	47.2	190,373
Rye.....	33.7	10,713	19.1	5,581	34.7	11,603
Flaxseed.....	33.9	9,877	33.6	10,478	35.1	8,570
Sorghum.....	33.2	182,531	32.5	190,845	31.5	154,634
Hay.....	70.5	2/ 82,872	70.3	2/ 81,591	66.6	2/ 77,456

GRAIN AND HAY STOCKS--OTHER QUARTERS

CROP	October 1,	April 1,	July 1,	October 1,
	1963	1964	1964	1964
	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels
Corn.....	514,259	2,257,317	1,481,024	654,727
Wheat.....	410,132	153,433	75,477	506,308
Durum wheat...	52,702	10,824	1,828	55,138
Oats.....	832,159	445,331	252,063	753,097
Soybeans.....	3,959	191,397	72,738	15,171
Barley.....	266,654	131,625	60,891	260,927
Rye.....	11,205	3,437	1,701	18,235
Flaxseed.....	12,655	7,723	1,448	12,724
Sorghum.....	34,713	111,036	63,787	42,959
	May 1,	May 1,		
	Av. 1959-63 :	1964 :		
Hay.....	2/21,408	2/19,577		

1/ Percent of preceding year's crop. 2/ 1,000 tons.

ERRATA

1964 ANNUAL CROP SUMMARY

Corrections to the 1964 Annual Crop Summary, CR-PR 2-1(64), issued December 18, 1964 are shown on page 22.

CROP PRODUCTION, January 1965

Crop Reporting Board, SRS, USDA

CITRUS FRUITS 1/

CROP	PRODUCTION			
	Average : 1958-62	1962	1963	Indicated 1964
	1,000	1,000	1,000	1,000
	boxes	boxes	boxes	boxes
Oranges	123,147	104,915	92,755	113,010
Grapefruit	41,274	34,740	34,210	40,400
Lemons.....	15,908	12,990	18,040	13,650

1/ Season begins with the bloom of the year shown and ends with the completion of the harvest the following year.

POTATOES, IRISH, 1965 CROP

Seasonal group	Acreage			Yield per harv. acre:			Production		
	Harvested : Average: 1959-63	For : 1964	harvest : 1965	Average : 1959-63	1964	Indi- : cated: 1965	Average : 1959-63	1964	Indi- : cated 1965
	1,000	1,000	1,000				1,000	1,000	1,000
	acres	acres	acres	Cwt.	Cwt.	Cwt.	cwt.	cwt.	cwt.
Winter.....	22.6	18.3	19.2	180.1	201.7	194.3	4,052	3,691	3,730
	Acreage planted :			Yield per planted acre :			Production		
			tions :						
Early Spring:	26.5	27.3	30.8	149.4	153.2	---	3,967	4,183	Apr. 9
Late Spring..:	123.0	97.3	114.6	199.0	208.1	---	24,477	20,248	May 11

MILK AND EGG PRODUCTION

MONTH	MILK			EGGS		
	Average : 1958-62	1963	1964	Average : 1958-62 1/:	1963	1964
	Million	Million	Million	Millions	Millions	Millions
	pounds	pounds	pounds	Millions	Millions	Millions
November	9,054	9,205	9,370	4,928	5,104	5,167
December	9,580	9,706	9,970	5,253	5,305	5,433
Jan. -Dec. Incl. :	123,986	124,783	126,000	62,268	63,210	64,609

1/ Data for Alaska and Hawaii not available for inclusion in average.

CROP REPORTING BOARD:

G. D. Simpson, Chairman,

M. L. Koehn, Secretary,

R. K. Smith, C. E. Burkhead,
 W. W. Henderson, F. J. Graham,
 G. G. Butler, C. D. Caparoon,
 J. W. Kirkbride, O. E. Krause,
 W. G. Lee, L. A. Losleben,
 H. M. Mayes, J. L. Olson,
 H. J. Tippett, W. H. Walther,

APPROVED:

J. A. Baker

ACTING SECRETARY OF AGRICULTURE

GENERAL CROP REPORT AS OF JANUARY 1, 1965

Generally Favorable December Ends 1964

December weather brought welcome moisture to the Eastern half of the Nation, but interfered with the wind-up of the 1964 crop harvest, according to the Crop Reporting Board. Blizzard conditions in the Northern Plains and extreme flooding in parts of the Pacific Northwest marred the generally favorable weather picture for the month. Central and Southern Plains States received limited precipitation and fall seeded grain prospects remain doubtful in some areas. Heavy feeding of livestock was required, especially in the Northern Plains and Mountain States, where snow cover kept cattle off ranges.

Precipitation during December was above normal over most of the Nation from the Great Plains eastward and in the Pacific Northwest. Much of the rain fell on unfrozen soils and run-off was light. Surface soil moisture was replenished after the dry summer and fall and subsoil reserves were improved. Soft fields in the Gulf Coastal areas slowed machine harvest of cotton. In the Oklahoma-Texas cotton area, showers hampered harvest work and lowered the quality of late picked cotton. Heavy snows followed by excessive warm rains, caused serious flooding in the Pacific Northwest in late December. Damage to 1964 crops was negligible but erosion and flooding may cause problems for 1965 crops in local areas.

Temperatures averaged above normal during December over much of the Nation outside of the Northern Plains area with unseasonably warm weather the latter part of the month. A cold wave about mid-month carried zero readings as far south as Oklahoma. Freezing temperatures extended to south Texas and northern Florida but very little crop damage occurred. Snowfall and wind accompanying the cold wave brought blizzard conditions to parts of Montana and the Dakotas. Some livestock herds were temporarily cut off from hay and water supplies. Moderating temperatures melted the snow rapidly exposing range feed at lower elevations and limiting livestock losses.

Fall seeded grains improved in the Corn Belt and South Central areas under favorable moisture and temperature conditions. Texas and Oklahoma wheat fields received beneficial moisture early in the month and much of the acreage is providing pasture for livestock. Lack of moisture continues to plague the area from the northern Panhandle of Texas northward through eastern Colorado, western Kansas and Nebraska into South Dakota. Limited growth makes wheat in this area susceptible to winter losses from low temperatures and soil blowing unless moisture and snow cover are favorable through the winter. In wheat areas of the Pacific Northwest, some fields were damaged by flooding and erosion and reseeding will be necessary.

Farm stocks of the feed grains on January 1 were 14 percent less than a year earlier with lower totals for each crop. Stocks of wheat on farms were 26 percent larger than last year and 4 percent more than average. Soybeans held on farms were 27 percent less than last year and 10 percent under average.

CORN ON FARMS: Corn on farms January 1 totaled 2,784 million bushels, 14 percent less than a year earlier and the smallest for this date since 1959. Stocks were 5 percent smaller than the 5-year average of 2,931 million bushels.

Nearly 86 percent of the Nation's stocks were held in the Corn Belt States (North Central Region except Michigan and North Dakota), but all of these States had smaller stocks than a year earlier.

Disappearance of corn, at 1,419 million bushels during the October-December 1964 period, was the largest since records began in 1927. In the same period of 1963 disappearance totaled 1,358 million. The 5-year average is 1,193 million bushels.

WHEAT ON FARMS: Stocks of all wheat on farms January 1 totaled 390 million bushels, 26 percent above a year earlier and 4 percent above average. The January 1, 1965 farm stocks were the largest for this date since 1961. Disappearance from

farms during the October - December quarter was 116 million bushels compared with 100 million bushels in the same quarter of 1963. Stocks on January 1 equaled 30 percent of the 1964 production of all wheat compared with 27 percent the previous year.

Durum wheat farm stocks on January 1, at 46 million bushels, were 1 percent below a year earlier and equal to 71 percent of the 1964 production. Disappearance from farms during the October - December quarter was 8.6 million bushels compared with 5.8 million bushels for the same quarter of 1963.

OATS ON FARMS: Oats stored on farms as of January 1, 1965 totaled 624 million bushels, down 9 percent from a year earlier and 18 percent below average. Farm holdings were the lowest since 1940, reflecting the steady downward trend in production in recent years. Stocks were down in all regions except the South Atlantic and South Central where production was larger than last year. Almost nine-tenths of the farm holdings were located in the North Central States.

Disappearance during the October - December 1964 quarter totaled 129 million bushels, down 11 percent from a year earlier and 33 percent below average.

SOYBEANS ON FARMS: Soybeans on farms January 1 are estimated at 191 million bushels, 27 percent below the record large January 1, 1964 farm holdings and 10 percent below average. Stocks were 27.3 percent of the 1964 production compared with 37.4 percent a year earlier and the average of 34.9 percent.

January 1 farm stocks were lower than last year in all areas with the North Central region accounting for most of the decreases. The North Central States, where 85 percent of the total U. S. farm stocks were located, had 28 percent smaller stocks than a year earlier. Illinois had the largest stocks with 46 million bushels followed by Iowa with 44 million and Minnesota with 23 million bushels.

The October 1, 1964 farm supply totaled 715 million bushels (1964 production of 700 million bushels plus 15 million bushels in farm carryover). From this supply the indicated movement from farms for the October - December quarter amounted to a record high 524 million bushels or 73 percent of beginning supplies. During the same quarter a year earlier disappearance was 442 million bushels and the average disappearance for the quarter is 400 million bushels.

FLAXSEED ON FARMS: Flaxseed stocks on January 1 totaled 8.6 million bushels, 18 percent less than a year earlier and 13 percent below the 1959-63 average. Most stocks were located in the Dakotas and Minnesota with North Dakota accounting for 67 percent of the total. Disappearance from farms during the October-December 1964 quarter totaled 4.2 million bushels, nearly double the previous year and the largest since 1959.

SORGHUM GRAIN ON FARMS: Sorghum grain stored on farms totaled nearly 155 million bushels, 19 percent less than January 1, 1964 and 15 percent below the average. Most States had smaller stocks than a year earlier, mainly the result of a 17 percent smaller crop in 1964 than in 1963. Farm stocks in Nebraska, Kansas, and Texas amounted to 83 percent of the Nation's total, about the same as a year earlier.

Disappearance during the October-December 1964 quarter totaled 379 million bushels, 12 percent below the previous year and 3 percent below average.

BARLEY ON FARMS: Farm stocks of barley on January 1 totaled 190 million bushels, 6 percent below last year's January 1 stocks and 8 percent below the 1959-63 average. North Dakota and Montana held 54 percent of the Nation's barley stocks.

During the October-December 1964 quarter, 71 million bushels of barley disappeared from farms compared with 64 million bushels a year earlier.

RYE ON FARMS: Farm stocks on January 1, 1965 totaled 11,603,000 bushels, more than double the small holdings a year earlier, and 8 percent above average. Farm disappearance during the October-December 1964 quarter was 6,632,000 bushels, 18 percent above a year earlier and 3 percent above average.

Farm stocks of rye were 35 percent of the 1964 production compared with 19 percent the previous year. The Dakotas, Nebraska, and Kansas accounted for 74 percent of the U. S. total.

HAY ON FARMS: January 1 farm stocks of hay are estimated to be 77.5 million tons, down 5 percent from a year earlier and 7 percent less than average. The feeding season started with hay supplies 2 percent smaller than the previous year because of lower May 1 carryover of old hay - 1964 production was about the same as in 1963. The disappearance of 58.5 million tons of hay from May 1, 1964 to January 1, 1965 was above both last year and the average, mainly because of increased supplemental hay feeding in the Northern range and North Atlantic areas where dry fall weather stunted forage growth. December storms in the Northern range country further increased extra hay needs in that area.

In the South Atlantic and South Central regions hay stocks were above a year earlier as a result of increased feeding season supplies - hay fed out since May was about the same as the year before. Hay stocks in the North Atlantic area are well below January 1, 1964 as beginning supplies were down and feeding rates up from the previous year. Stocks in the North Central region were down 6 percent from a year earlier as a result of decreased carryover of old hay last May 1. Production in 1964 was down some but hay disappearance has also been a little less than in the previous year. Western region hay supplies for this feeding season were down and fall feeding rates up from last year, putting January 1 stocks down 8 percent from a year earlier and a little below average.

AVOCADOS: Production of fall and winter varieties of avocados in California is forecast at 10,500 tons, one-third of last year's crop. Harvest was active during December and about one-half of the crop was picked by January 1. Rains in the avocado producing areas have been beneficial. The first forecast for California's spring and summer avocados will be released April 9, 1965.

CITRUS: The U. S. orange crop is forecast at 113 million boxes, 22 percent more than last year, but 8 percent below the 1958-62 average. Production prospects are unchanged from last month in California, Florida, Texas, and Louisiana, but declined 0.2 million boxes in Arizona. A decrease from last year in California, Arizona, and Louisiana is more than offset by increases in Florida and Texas. The U. S. production of Early, Midseason, and Navel varieties is forecast at 58 million boxes, up 31 percent from last year. The Valencia crop is forecast at 55 million boxes, 13 percent larger than the 1963-64 crop.

The U. S. grapefruit crop is forecast at 40.4 million boxes, an increase of 18 percent from 1963-64, but 2 percent less than average. Florida and Texas expect crops larger than last year, but lighter crops are in prospect for California and Arizona. Lemon production in California and Arizona is expected to total 13.6 million boxes, down 24 percent from last season -- both States expect a smaller crop.

The Florida tangerine crop is estimated at 4.2 million boxes, 17 percent above both last year and average.

In Florida, rain and warm temperatures during December maintained trees in good condition. Favorable weather stimulated tree growth and scattered bloom is appearing. Maturity of early oranges is well advanced. Quality is much better than last year. Splitting and droppage in Valencia oranges is prevalent; however, fruit shedding is expected to decline the remainder of the season because much of the fruit that would normally drop later in the season was shed during December. Quantity of oranges harvested to the end of December was about 31 percent ahead of last year. Grapefruit sizes continue to improve, fruit is firm and droppage has lessened. Movement of grapefruit to fresh market is running slightly behind last season, but is offset by a heavier movement to processors. Tangerine harvest has passed the halfway mark, and picking of tangelos is well past the peak.

In California, oranges are sizing nicely and no diversion of small fruit to processors is expected. Harvest of Navels is in full swing in Central California where the fruit is now mature and shows good color. Rains have interfered with harvest. Fruit sizes for both Navels and Valencias are above average. Grapefruit in the Desert Valleys is making average development. Sizes are generally small but quality is good. Grapefruit in other areas of California is sizing nicely following the rain. Lemon harvest in California Desert areas is about complete, and is rather light in the Central and Southern areas. Rain the last half of December in Central and Southern lemon areas was beneficial.

In Arizona, grapefruit harvest was slowed by rain and damp weather during December. Sizes are running smaller than usual and fruit has been

slow to color. Picking of Navel oranges was nearing completion by January 1. Harvest of sweet oranges is underway, with sizes smaller than usual. Valencia harvest is expected to start early in February. Lemon harvest is complete in the Yuma area and is expected to be complete in the Phoenix area by mid-January.

In Texas, harvest of grapefruit and oranges was active during December. A cold front around mid-December resulted in little or no damage to trees or fruit.

POTATOES: Winter potato production is forecast at 3,730,000 hundredweight, 1 percent above 1964 but 8 percent below average. The increase over 1964 is caused by a 32 percent larger crop in Florida--more than offsetting a 14 percent reduction in California. The acreage planted in Florida was much above that indicated earlier. Harvest is underway in the Everglades area and will start in late January in the Ft. Myers-Immokalee section. Dade County red potatoes are in good condition but white potato stands are below normal for the State. Red varieties account for about three-fourths of the acreage in Florida. In California, harvest is general in the San Joaquin Valley but continues slow in Riverside County. Quality has been good.

Growers intend to plant 114,600 acres of potatoes for late spring harvest, 18 percent more than 1964 but the same as 1963. The sharpest increase--39 percent--is in California. It is the leading late spring State and intended plantings total 51,000 acres. Increases are also indicated for Arizona, Arkansas, Louisiana, the Baldwin area of Alabama, and northeast North Carolina. Planting in California started in the Edison area during late November and in other Kern County areas during December with other districts to start soon. Planting started in Arizona and Louisiana during December. Growers are expected to start planting in Texas in January and in the Baldwin area of Alabama in early February with other States to follow.

POULTRY AND EGG PRODUCTION: Egg production in the United States during December totaled 5,433 million eggs, 2 percent more than December 1963 and 3 percent more than the 1958-62 average. Rate of lay was 2 percent above a year earlier and a record high for the month. Layer numbers during December were about the same as a year earlier. Total egg production for 1964, at 64,609 million eggs, was 2 percent above 1963. Rate of lay per 100 layers for the Nation was the highest on record for January 1 and was up sharply in all regions except the Western States. Unusually mild December temperatures were the main stimulus toward higher output per layer.

The South Atlantic, South Central, and Western regions had record high December egg production. Compared with a year earlier, production was up 9 percent in the South Central, 6 percent in the South Atlantic, and 4 percent in the West. Production was down 3 percent in the West North Central, 1 percent in the East North Central, and the same as a year earlier in the North Atlantic.

Production per layer averaged 17.65 eggs during December, 2 percent above last December, which was the previous record. All regions, except the West showed increases in rate of lay. Increases were 6 percent in the South Central, 3 in both the East and West North Central, 2 in the North Atlantic and 1 in the South Atlantic. The West was 2 percent below a year earlier.

The number of layers in the Nation during December averaged 307.8 million birds, about the same as a year earlier. The 308.0 million layers on hand January 1 were slightly more than a year earlier. Layer numbers continued at record highs in the South Atlantic and Western States.

Pullets not of laying age on January 1, 1965, at 47,283,000, were 8 percent above a year earlier. Increases were 17 percent in the East North Central, 12 in the South Central, 10 in the South Atlantic, and 3 percent in each the West North Central and Western regions. The North Atlantic States had 4 percent fewer pullets on January 1.

Potential layers (hens and pullets of laying age plus pullets not of laying age) on January 1 totaled 355,324,000, up 1 percent from a year earlier. The West, South Atlantic, and South Central States showed increases from a year earlier.

HENS AND PULLETS OF LAYING AGE, PULLETS NOT OF LAYING AGE, POTENTIAL LAYERS AND EGGS LAID PER 100 LAYERS ON FARMS, JANUARY 1

Year	North Atlantic	E. North Central	W. North Central	South Atlantic	South Central	Western	48 States	United States 1/
: HENS AND PULLETS OF LAYING AGE ON FARMS, JANUARY 1								
	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.
1959-63 (Av.)	50,469	53,458	76,870	41,749	51,572	41,072	315,189	---
1964	46,480	46,227	60,182	47,937	58,415	47,197	306,438	307,256
1965	45,591	44,773	56,907	50,293	59,397	50,194	307,155	308,041
: PULLETS NOT OF LAYING AGE ON FARMS, JANUARY 1								
1959-63 (Av.)	5,171	3,806	4,799	7,544	7,878	7,170	36,369	---
1964	5,300	4,648	3,725	11,980	9,841	8,270	43,764	43,964
1965	5,074	5,420	3,851	13,195	11,032	8,511	47,083	47,283
: POTENTIAL LAYERS ON FARMS, JANUARY 1 2/								
1959-63 (Av.)	55,640	57,264	81,669	49,292	59,450	48,242	351,558	---
1964	51,780	50,875	63,907	59,917	68,256	55,467	350,202	351,220
1965	50,665	50,193	60,758	63,488	70,429	58,705	354,238	355,324
: EGGS LAID PER 100 LAYERS ON FARMS, JANUARY 1								
	Number	Number	Number	Number	Number	Number	Number	Number
1959-63 (Av.)	55.4	57.0	56.9	52.2	44.9	58.2	54.3	---
1964	56.0	56.3	56.9	55.1	49.1	59.1	55.2	55.2
1965	58.1	59.7	59.2	57.3	54.5	58.4	57.7	57.7

1/ Includes Alaska and Hawaii.

2/ Hens and pullets of laying age plus pullets not of laying age.

Prices received in mid-December 1964 by producers for eggs averaged 32.9 cents per dozen, 1.1 cents below a month earlier and 2.7 cents below a year earlier. Producers of commercial broilers received 13.8 cents per pound live weight during December, 0.7 cent below a month earlier but 0.6 cent above a year earlier. Farm chicken prices in mid-December averaged 9.1 cents per pound live weight, 0.3 cent above a month earlier but 0.6 cent below a year earlier. Farm prices of turkeys in mid-December averaged 22.4 cents per pound live weight, 0.5 cent below a year earlier.

The average cost of the farm poultry rations in mid-December 1964 was \$3.45 per 100 pounds, compared with \$3.54 a year earlier. Broiler grower feed cost averaged \$4.83 per 100 pounds--2 cents more than a year earlier. Turkey grower feed in mid-December averaged \$4.81 per 100 pounds--2 cents less than in mid-December 1963. The egg-feed and farm chicken-feed price ratios in mid-December 1964 were less favorable to producers than a year earlier. The broiler-feed price ratio was more favorable. The turkey-feed price ratio in mid-December was the same as in mid-December 1963.

MILK PRODUCTION: Milk production in the United States during December is estimated at 9,970 million pounds, 3 percent above a year earlier and 1 percent above the previous record high for the month set in 1961. On a daily basis, milk production increased 3 percent from November to December compared with a seasonal gain of 2 percent in 1963. Preliminary monthly estimates of milk production total 126,000 million pounds for 1964, 1 percent more than the 1963 total and about the same as the record high 1962 production.

Monthly Milk Production on Farms, December 1964,
with comparisons
(In millions of pounds)

State	Dec. : average : : 1958-62 :	Dec. : : 1963 :	Nov. : : 1964 :	Dec. : : 1964 :	State	Dec. : average : : 1958-62 :	Dec. : : 1963 :	Nov. : : 1964 :	Dec. : : 1964 :
Maine	1/	59	58	59	S.C.	45	44	43	44
N.H.	1/	33	31	33	Ga.	82	74	74	76
Vt.	1/	158	149	161	Fla.	112	116	117	119
Mass.	1/	67	64	67	Ky.	171	179	184	179
R.I.	1/	8.9	8.2	8.6	Tenn.	150	146	146	146
Conn.	1/	59	55	59	Ala.	75	71	70	73
N.Y.	813	848	819	902	Miss.	93	86	84	87
N.J.	94	91	84	90	Ark.	68	57	61	58
Pa.	525	544	524	547	La.	1/	80	78	81
Ohio	419	424	400	417	Okla.	113	100	102	101
Ind.	239	243	256	250	Texas	235	239	238	248
Ill.	321	310	303	316	Mont.	33	30	29	28
Mich.	418	454	457	457	Idaho	122	119	111	117
Wis.	1,395	1,471	1,354	1,512	Wyo.	13.8	12.9	12.4	12.5
Minn.	848	867	765	934	Colo.	68	67	63	65
Iowa	443	442	431	476	N.Mex.	1/	23	24	24
Mo.	245	231	233	224	Ariz.	1/	42	43	45
N.Dak.	121	112	98	113	Utah	61	60	58	60
S.Dak.	102	99	93	104	Nev.	9.1	9.7	10.7	10.9
Nebr.	145	143	122	138	Wash.	152	153	153	155
Kans.	157	150	150	149	Oreg.	72	66	68	66
Del.	1/	14.0	13.0	13.4	Calif.	641	650	678	688
Md.	119	125	122	124	Alaska	1/	1.9	1.8	1.9
Va.	151	146	149	144	Hawaii	1/	11.0	11.8	11.9
W.Va.	47	42	45	44	U.S.	9,580	9,706	9,370	9,970
N.C.	130	128	126	131					

1/ Averages not available.

CROP PRODUCTION, January 1965

Crop Reporting Board, SRS, USDA

GRAIN STOCKS ON FARMS - JANUARY 1									
State:	Corn			Wheat			Oats		
	Average : 1959-63 :	1964 :	1965 :	Average : 1959-63 :	1964 :	1965 :	Average : 1959-63 :	1964 :	1965 :
	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels
Maine :	---	---	---	---	---	---	1,366	1,088	1,285
Vt. :	48	44	45	---	---	---	399	254	269
Mass. :	127	112	94	---	---	---	---	---	---
Conn. :	131	102	94	---	---	---	---	---	---
N.Y. :	9,293	9,200	7,770	2,534	2,119	2,558	20,285	18,999	16,980
N.J. :	5,240	3,679	2,978	384	135	232	547	396	310
Pa. :	45,804	32,707	35,194	3,506	2,674	4,436	18,555	20,733	16,632
Ohio :	148,148	147,182	121,253	4,900	3,495	4,984	28,247	27,202	20,660
Ind. :	238,421	280,079	216,161	3,771	3,272	5,146	23,749	19,205	10,259
Ill. :	500,776	534,037	469,189	4,755	4,516	5,680	61,147	48,191	34,813
Mich. :	75,019	74,507	72,281	9,521	5,639	14,138	27,675	23,414	19,764
Wis. :	94,422	82,009	78,855	716	540	705	94,628	86,394	73,054
Minn. :	264,683	325,272	263,945	7,464	6,292	7,022	123,910	122,241	109,390
Iowa :	660,673	825,041	732,261	274	146	104	114,742	86,940	79,968
Mo. :	134,374	126,319	101,870	2,426	2,358	3,019	10,391	8,331	7,186
N.Dak. :	5,933	7,892	5,415	80,328	99,230	116,148	52,730	72,922	82,476
S.Dak. :	88,255	124,535	82,826	27,668	23,494	30,426	79,143	80,678	75,620
Nebr. :	308,955	361,361	299,645	41,267	29,840	34,698	30,531	20,296	17,398
Kans. :	45,837	34,776	23,166	56,554	31,532	40,937	8,941	6,398	5,590
Del. :	5,233	4,565	5,306	21	12	15	124	61	53
Md. :	14,246	12,272	12,792	315	157	333	1,048	1,113	671
Va. :	20,184	10,269	16,349	840	524	998	1,699	887	1,025
W.Va. :	3,367	2,028	2,096	272	173	238	583	580	389
N.C. :	42,351	36,306	43,136	1,701	1,078	1,855	3,805	1,302	2,208
S.C. :	13,818	14,249	14,039	346	170	115	2,748	1,792	2,266
Ga. :	31,870	38,092	35,028	190	240	289	1,577	630	1,365
Fla. :	4,036	5,443	3,609	1/93	54	33	85	77	84
Ky. :	50,501	49,836	37,381	386	304	563	585	619	570
Tenn. :	32,510	31,086	29,462	314	280	304	1,022	581	683
Ala. :	27,327	24,453	24,523	67	37	80	510	377	644
Miss. :	20,523	16,628	18,362	66	65	69	1,297	345	855
Ark. :	6,271	3,710	1,952	83	78	285	1,132	245	528
La. :	5,642	3,468	3,649	29	45	50	337	188	373
Okla. :	2,973	1,205	917	9,367	3,771	5,314	7,188	2,292	4,562
Texas :	13,166	8,457	7,281	3,384	859	1,237	10,888	4,102	9,524
Mont. :	110	299	107	52,251	44,934	57,217	7,420	10,781	10,869
Idaho :	1,236	1,134	1,067	10,266	7,153	12,474	3,793	4,657	4,373
Wyo. :	732	1,077	983	2,594	2,036	2,122	2,603	2,775	2,519
Colo. :	9,690	9,287	7,980	28,908	12,689	14,109	3,275	1,837	1,872
N.Mex. :	411	394	489	399	266	139	106	73	60
Ariz. :	203	294	336	103	36	49	88	40	60
Utah :	120	64	126	1,888	1,634	2,306	913	758	776
Nev. :	---	---	---	196	246	85	69	44	68
Wash. :	1,696	1,056	812	9,087	8,548	9,043	2,781	2,468	1,906
Oreg. :	1,205	863	746	6,123	8,544	9,418	3,794	4,347	3,511
Calif. :	3,084	2,264	2,673	1,403	479	1,153	865	485	457
U.S. :	2,930,649	3,247,653	2,784,243	376,685	309,694	390,126	757,364	687,138	623,925

1/ 1963 only.

GRAIN STOCKS ON FARMS - JANUARY 1									
State	Soybeans			Flaxseed			Sorghum		
	Average	1964	1965	Average	1964	1965	Average	1964	1965
	1959-63	1964	1965	1959-63	1964	1965	1959-63	1964	1965
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
N.Y.	36	29	30	---	---	---	---	---	---
N.J.	271	166	164	---	---	---	---	---	---
Pa.	95	30	28	---	---	---	---	---	---
Ohio	12,969	14,022	10,044	---	---	---	---	---	---
Ind.	23,788	27,076	18,714	---	---	---	483	326	200
Ill.	55,023	64,140	46,384	---	---	---	396	205	201
Mich.	3,076	3,465	2,415	---	---	---	---	---	---
Wis.	948	859	736	42	84	34	---	---	---
Minn.	23,494	30,865	22,816	1,548	1,563	1,305	---	---	---
Iowa	40,467	58,881	43,698	65	33	24	2,400	366	736
Mo.	15,186	15,900	8,804	---	---	---	8,552	3,658	2,829
N.Dak.	1,225	1,004	618	6,126	6,738	5,779	---	---	---
S.Dak.	1,055	1,645	1,290	1,963	1,920	1,361	3,494	5,417	5,367
Nebr.	3,030	4,972	3,871	---	---	---	51,877	80,888	78,407
Kans.	3,420	2,895	2,418	---	---	---	55,658	51,720	35,355
Del.	828	624	184	---	---	---	---	---	---
Md.	981	592	230	---	---	---	---	---	---
Va.	1,601	1,666	1,528	---	---	---	172	164	172
N.C.	2,747	4,715	3,509	---	---	---	1,391	1,048	1,377
S.C.	3,783	5,432	6,177	---	---	---	141	77	95
Ga.	307	586	720	---	---	---	305	174	222
Fla.	123	158	129	---	---	---	---	---	---
Ky.	1,264	1,835	1,053	---	---	---	557	270	158
Tenn.	1,658	1,220	876	---	---	---	690	476	317
Ala.	436	655	852	---	---	---	223	165	121
Miss.	4,585	8,508	8,095	---	---	---	253	118	109
Ark.	7,827	8,696	4,889	---	---	---	477	69	120
La.	399	391	402	---	---	---	68	16	30
Okla.	311	176	102	---	---	---	8,275	6,986	4,414
Texas	203	134	141	---	---	---	35,519	26,984	15,110
Mont.	---	---	---	112	140	67	---	---	---
Colo.	---	---	---	---	---	---	6,097	6,341	3,539
N.Mex.	---	---	---	---	---	---	2,165	2,117	1,386
Ariz.	---	---	---	---	---	---	1,076	1,035	2,087
Calif.	---	---	---	---	---	---	2,262	2,225	2,282
U.S.	211,135	261,337	190,917	2,877	10,478	8,570	182,531	190,845	154,634

CROP PRODUCTION, January 1965

Crop Reporting Board, SRS, USDA

State	GRAIN AND HAY STOCKS ON FARMS - JANUARY 1								
	Barley			Rye			Hay		
	Average:			Average:			Average:		
	1959-63:	1964	1965	1959-63:	1964	1965	1959-63:	1964	1965
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
Maine	---	---	---	---	---	---	377	340	290
N.H.	---	---	---	---	---	---	177	121	97
Vt.	---	---	---	---	---	---	741	656	612
Mass.	---	---	---	---	---	---	239	201	147
R.I.	---	---	---	---	---	---	23	20	16
Conn.	---	---	---	---	---	---	214	206	121
N.Y.	384	237	240	108	108	107	3,562	3,641	2,823
N.J.	403	202	294	32	8	36	275	217	158
Pa.	3,381	2,655	3,594	175	168	153	2,447	1,995	2,073
Ohio	771	365	296	145	135	137	2,177	1,904	2,018
Ind.	598	336	228	187	108	119	1,852	1,764	1,538
Ill.	792	518	269	160	93	49	3,413	2,969	2,938
Mich.	1,336	1,021	875	240	243	291	2,240	2,081	2,207
Wis.	806	686	487	147	141	197	6,966	6,209	5,580
Minn.	18,640	18,636	13,152	261	210	291	5,047	5,441	4,537
Iowa	453	130	128	42	24	22	6,272	6,232	6,174
Mo.	1,639	469	292	126	104	170	3,701	3,437	3,983
N. Dak.	59,232	77,244	65,484	3,550	1,372	5,135	3,319	4,432	3,677
S. Dak.	9,532	8,010	5,288	2,046	852	1,989	4,757	5,414	4,393
Nebr.	3,744	1,966	2,043	1,225	664	990	5,389	4,898	4,496
Kans.	9,051	1,938	4,364	606	211	450	3,001	2,688	2,959
Del.	105	50	63	14	12	19	50	34	26
Md.	1,227	893	1,199	34	35	79	516	359	371
Va.	1,867	887	1,740	33	19	94	1,404	732	1,103
W. Va.	199	138	158	---	---	---	692	603	549
N. C.	804	653	1,094	38	47	112	645	471	633
S. C.	224	99	166	22	25	80	276	270	308
Ga.	57	77	92	30	22	25	393	532	635
Fla.	---	---	---	---	---	---	112	88	119
Ky.	641	419	368	22	27	17	1,935	1,948	1,689
Tenn.	254	109	183	15	11	26	1,305	1,333	1,281
Ala.	---	---	---	---	---	---	422	445	506
Miss.	---	---	---	---	---	---	598	727	736
Ark.	75	52	50	---	---	---	676	473	552
La.	---	---	---	---	---	---	379	337	451
Okla.	4,870	2,055	4,473	182	99	146	1,481	1,419	1,568
Texas	1,467	680	588	37	44	48	1,373	1,230	1,679
Mont.	35,583	32,157	37,338	244	180	194	2,820	3,632	3,147
Idaho	8,416	11,159	9,787	89	98	74	2,119	2,325	2,047
Wyo.	2,898	3,160	3,307	56	45	52	1,393	1,645	1,495
Colo.	8,372	4,133	4,068	337	80	126	2,030	2,107	1,732
N. Mex.	354	223	239	---	---	---	326	358	365
Ariz.	1,606	1,447	2,053	---	---	---	429	353	349
Utah	3,612	4,184	3,052	---	---	---	884	883	813
Nev.	274	176	130	---	---	---	499	584	535
Wash.	5,325	6,262	3,586	334	252	258	1,115	1,107	1,192
Oreg.	5,098	5,995	5,219	151	144	117	1,309	1,410	1,430
Calif.	12,079	12,923	14,386	---	---	---	1,501	1,320	1,308
U. S.	206,181	202,344	190,373	10,713	5,581	11,603	82,872	81,591	77,456

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES

State	Wheat			Oats				
	October 1, 1963	April 1, 1964	July 1, 1964	October 1, 1964	October 1, 1963	April 1, 1964	July 1, 1964	October 1, 1964
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
Maine	---	---	---	---	1,582	633	138	1,756
Vt.	---	---	---	---	461	127	71	449
N.Y.	2,558	365	183	2,923	24,126	9,650	4,825	23,421
N.J.	269	48	24	463	594	238	119	467
Pa.	3,862	1,040	594	6,211	27,860	12,634	6,479	20,916
Ohio	9,141	807	269	8,156	35,262	15,616	8,060	25,734
Ind.	7,634	545	273	8,234	22,506	10,203	5,702	12,250
Ill.	7,643	695	347	8,019	55,301	26,861	11,850	39,305
Mich.	14,098	604	201	15,316	31,219	13,481	7,095	25,821
Wis.	644	311	187	866	103,192	50,396	26,398	88,936
Minn.	9,330	3,688	1,085	9,576	147,708	84,890	45,840	129,541
Iowa	293	44	29	261	103,320	59,220	28,980	90,552
Mo.	5,109	590	393	6,966	10,816	5,408	2,777	9,424
N.Dak.	102,999	50,243	26,378	137,266	86,118	54,866	39,586	99,840
S.Dak.	24,963	17,621	8,517	34,182	89,744	58,922	40,792	84,181
Nebr.	34,920	20,317	9,524	36,912	23,678	15,612	8,326	21,518
Kans.	46,370	11,129	6,492	60,329	8,153	3,612	1,754	6,965
Del.	41	6	3	38	95	20	7	106
Md.	315	118	39	707	1,323	546	273	1,092
Va.	846	201	81	1,434	1,006	394	138	1,409
W.Va.	282	84	25	302	745	300	104	576
N.C.	1,677	240	120	2,859	1,953	698	279	3,250
S.C.	359	57	19	344	2,912	784	336	4,014
Ga.	536	74	18	577	1,575	405	180	2,675
Fla.	162	5	---	55	205	26	---	258
Ky.	522	65	22	1,229	769	334	167	872
Tenn.	560	88	52	696	747	332	187	1,196
Ala.	110	14	5	159	609	138	58	1,180
Miss.	169	13	7	230	690	102	51	1,350
Ark.	286	52	26	570	534	89	22	968
La.	148	7	---	198	495	109	45	708
Okla.	10,558	2,262	754	12,561	3,485	1,528	1,003	6,055
Texas	3,006	429	215	4,329	7,384	1,778	1,367	13,919
Mont.	63,807	24,265	12,582	72,657	13,231	6,861	4,900	11,966
Idaho	11,921	4,371	596	17,094	5,822	2,484	1,397	5,278
Wyo.	2,800	916	356	2,440	3,689	1,557	812	3,621
Colo.	14,024	5,120	3,784	15,215	2,304	816	496	2,090
N.Mex.	380	95	38	305	140	39	6	135
Ariz.	59	24	6	81	80	20	4	150
Utah	2,342	654	436	2,941	968	408	187	988
Nev.	369	66	8	638	79	15	3	101
Wash.	13,534	3,562	712	18,085	3,759	1,122	505	2,790
Oreg.	9,968	2,278	997	12,742	5,072	1,956	724	4,526
Calif.	1,518	320	80	2,142	848	101	20	748
U. S.	410,132	153,433	75,477	506,308	832,159	445,331	252,063	753,097

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES

State	Corn			Sorghum			Soybeans		
	April 1,	July 1,	October	April 1,	July 1,	October	April 1,	July 1,	October
	1964	1964	1, 1964	1964	1964	1, 1964	1964	1964	1, 1964
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
Vt.	19	4	3	---	---	---	---	---	---
Mass.	66	24	13	---	---	---	---	---	---
Conn.	51	29	15	---	---	---	---	---	---
N.Y.	5,377	2,629	836	---	---	---	16	3	1
N.J.	2,059	1,051	350	---	---	---	124	25	4
Pa.	19,797	11,189	3,658	---	---	---	19	6	2
Ohio	95,102	49,815	13,586	---	---	---	11,135	2,887	289
Ind.	180,051	108,031	28,008	136	65	11	17,299	4,513	602
Ill.	330,953	188,041	33,847	70	26	6	46,049	16,446	1,480
Mich.	52,356	30,206	9,062	---	---	---	2,148	485	35
Wis.	53,621	31,542	13,668	---	---	---	668	95	57
Minn.	258,096	187,385	98,996	---	---	---	24,459	10,482	3,494
Iowa	616,609	434,232	217,116	240	144	78	47,977	22,898	5,997
Mo.	87,608	52,972	22,411	940	627	314	12,084	3,816	1,590
N.Dak.	6,201	5,074	2,819	---	---	---	775	230	57
S.Dak.	91,123	60,749	39,487	3,612	1,806	1,129	1,359	429	107
Nebr.	284,536	227,629	139,423	55,676	37,818	30,464	3,653	2,232	507
Kans.	21,735	13,041	6,210	32,510	16,255	7,389	2,413	965	422
Del.	1,470	658	77	---	---	---	404	18	7
Md.	4,368	2,912	520	---	---	---	501	91	23
Va.	4,958	2,125	708	33	9	5	931	441	15
W.Va.	1,075	645	307	---	---	---	---	---	---
N.C.	23,678	10,260	2,762	570	194	68	2,286	1,143	143
S.C.	7,238	3,393	1,583	34	11	3	3,380	1,207	36
Ga.	23,154	11,204	2,614	87	29	6	345	105	8
Fla.	2,117	1,058	151	---	---	---	22	---	---
Ky.	32,728	17,108	5,951	191	75	25	1,433	287	29
Tenn.	17,836	10,702	3,312	177	68	34	554	444	78
Ala.	12,716	7,336	2,934	66	16	---	328	66	---
Miss.	7,483	3,603	1,940	46	23	---	6,006	1,251	125
Ark.	1,735	957	269	12	4	2	4,604	2,046	51
La.	1,402	443	148	4	---	---	260	65	---
Okla.	413	207	155	3,711	1,637	655	98	58	10
Texas	2,658	1,208	242	7,359	2,453	1,227	67	4	2
Mont.	110	31	18	---	---	---	---	---	---
Idaho	729	275	130	---	---	---	---	---	---
Wyo.	559	319	200	---	---	---	---	---	---
Colo.	3,055	1,833	978	2,965	1,318	824	---	---	---
N.Mex.	182	108	69	747	498	374	---	---	---
Ariz.	168	63	21	897	552	345	---	---	---
Utah	26	8	4	---	---	---	---	---	---
Wash.	528	343	53	---	---	---	---	---	---
Oreg.	439	205	73	---	---	---	---	---	---
Calif.	1,132	377	---	953	159	---	---	---	---
U. S.	2,257,317	1,481,024	654,727	111,036	63,787	42,959	191,397	72,738	15,171

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES

State	Barley				Rye			
	October 1, 1963	April 1, 1964	July 1, 1964	October 1, 1964	October 1, 1963	April 1, 1964	July 1, 1964	October 1, 1964
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
N.Y.	355	148	89	402	254	65	38	224
N.J.	275	86	31	449	62	6	3	158
Pa.	4,315	1,328	398	4,548	281	108	61	306
Ohio	553	167	63	433	338	95	47	296
Ind.	540	216	120	372	660	72	30	459
Ill.	749	317	101	326	350	62	21	197
Mich.	1,380	567	189	1,130	506	152	86	614
Wis.	896	350	168	731	286	110	62	312
Minn.	21,484	12,165	5,436	14,919	465	75	45	533
Iowa	161	67	13	164	46	14	4	44
Mo.	746	298	170	512	243	35	28	340
N.Dak.	94,989	58,455	31,315	88,222	2,402	1,201	686	6,497
S.Dak.	9,345	4,895	2,937	5,992	1,193	365	122	2,217
Nebr.	2,316	1,464	699	2,471	853	284	152	1,453
Kans.	3,229	1,341	546	5,380	374	114	81	601
Del.	134	25	8	158	111	3	1	214
Md.	1,686	331	198	1,903	267	22	4	247
Va.	1,096	287	78	2,559	121	15	8	250
W.Va.	220	61	24	228	---	---	---	---
N.C.	805	305	141	1,526	120	25	16	282
S.C.	231	46	20	310	158	5	2	293
Ga.	191	41	14	202	189	11	5	420
Ky.	512	186	31	441	104	17	4	50
Tenn.	153	87	51	282	56	5	3	75
Ark.	104	31	5	99	---	---	---	---
Okla.	3,401	709	496	6,052	190	46	34	343
Texas	1,512	189	19	1,218	74	10	2	230
Mont.	42,876	21,438	9,826	45,411	318	150	56	348
Idaho	17,453	6,867	3,147	15,768	140	28	14	105
Wyo.	4,884	1,518	944	4,678	72	32	10	100
Colo.	5,694	1,653	735	5,674	168	51	16	185
N.Mex.	343	120	51	299	---	---	---	---
Ariz.	2,123	965	289	4,951	---	---	---	---
Utah	5,149	2,494	1,126	4,231	---	---	---	---
Nev.	294	53	29	260	---	---	---	---
Wash.	7,895	2,722	544	6,275	588	151	42	603
Oreg.	8,160	2,831	500	7,176	216	108	18	239
Calif.	20,405	6,802	340	25,175	---	---	---	---
U. S.	266,654	131,625	60,891	260,927	11,205	3,437	1,701	18,235

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES

State	Flaxseed			
	October 1, 1963 1,000 bushels	April 1, 1964 1,000 bushels	July 1, 1964 1,000 bushels	October 1, 1964 1,000 bushels
Wisconsin	101	45	11	43
Minnesota	2,131	1,208	142	2,070
Iowa	46	16	2	34
North Dakota	8,053	4,930	986	8,736
South Dakota	2,040	1,440	270	1,642
Texas	32	---	---	37
Montana	232	84	37	151
California	20	---	---	11
United States	12,655	7,723	1,448	12,724

AVOCADOS ^{1/}

State and Seasonal group	Production ^{2/}			
	Average 1958-62 Tons	1962 Tons	1963 Tons	Indicated 1964 Tons
California, All	49,400	40,000	46,800	6/
Fall and Winter ^{3/}	5/	27,900	32,200	10,500
Spring and Summer ^{4/}	5/	12,100	14,600	6/
Florida	6,340	11,700	13,900	14,300
United States	55,740	51,700	60,700	6/

^{1/} Crop year begins with bloom of the year shown and ends with completion of harvest the following year.

^{2/} Includes quantities unharvested on account of economic conditions and excess cullage of harvested fruit.

^{3/} Includes "Fuerte" and other fall and winter varieties.

^{4/} Includes "Hass" and other spring and summer varieties.

^{5/} Not available.

^{6/} First forecast for California "Spring and Summer" varieties and California, "All" to be released April 9.

CITRUS FRUITS 1/

Crop and State	PRODUCTION					
	Average 1958-62	1,000 Boxes 1963	2/ Indicated 1964	Average 1958-62	Equivalent tons 1963	Indicated 1964
ORANGES:						
EARLY, MIDSEASON & NAVAL VARIETIES 3/						
Calif.	11,920	15,300	14,000	447,000	574,000	525,000
Fla., All	49,900	27,800	42,600	2,245,800	1,251,000	1,917,000
Temple	3,500	3,400	3,600	157,600	153,000	162,000
Other	46,400	24,400	39,000	2,088,200	1,098,000	1,755,000
Texas	1,365	150	675	61,404	6,750	30,400
Ariz.	510	930	700	19,120	34,900	26,200
La.	205	15	10	9,235	675	450
Total above varieties	63,900	44,195	57,985	2,782,559	1,867,325	2,499,050
VALENCIA:						
Calif.	17,180	16,700	14,500	644,400	626,000	544,000
Fla.	40,520	30,500	39,000	1,823,000	1,372,000	1,755,000
Texas	803	90	325	36,115	4,050	14,600
Ariz.	744	1,270	1,200	27,900	47,600	45,000
Total Valencia	59,247	48,560	55,025	2,531,415	2,049,650	2,358,600
ALL ORANGES:						
Calif.	29,100	32,000	28,500	1,091,400	1,200,000	1,069,000
Fla.	90,420	58,300	81,600	4,068,800	2,623,000	3,672,000
Texas	2,168	240	1,000	97,519	10,800	45,000
Ariz.	1,254	2,200	1,900	47,020	82,500	71,200
La.	205	15	10	9,235	675	450
U. S., All Oranges	123,147	92,755	113,010	5,313,974	3,916,975	4,857,650
GRAPEFRUIT:						
Fla., All	32,460	26,300	31,500	1,379,600	1,117,000	1,339,000
Seedless	20,540	19,700	20,500	873,000	837,000	871,000
Pink	7,220	7,600	8,000	306,800	323,000	340,000
White	13,320	12,100	12,500	566,200	514,000	531,000
Other	11,920	6,600	11,000	506,600	280,000	468,000
Texas	3,794	500	2,400	151,760	20,000	96,000
Ariz.	2,358	3,210	2,800	75,420	103,000	89,600
Calif., All	2,662	4,200	3,700	87,400	137,000	120,600
Desert Valleys	1,202	2,500	2,200	38,480	80,000	70,400
Other Areas	1,460	1,700	1,500	48,920	57,000	50,200
U. S., All Grapefruit	41,274	34,210	40,400	1,694,180	1,377,000	1,645,200
LEMONS:						
Calif.	15,100	16,300	12,500	573,800	620,000	475,000
Ariz.	808	1,740	1,150	30,680	66,100	43,700
U. S. Lemons	15,908	18,040	13,650	604,480	686,100	518,700
LIMES:						
Fla.	314	450	520	12,560	18,000	20,800
TANGELOS:						
Fla.	620	900	850	27,920	40,500	38,200
TANGERINES:						
Fla.	3,640	3,600	4,200	173,000	171,000	200,000

1/ The crop year begins with the bloom of the year shown and ends with completion of harvest the following year. Includes quantities not harvested, or harvested but not utilized, on account of economic conditions, and quantities donated to charity.

2/ Net content of box varies. Approximate averages are as follows: Oranges - California and Arizona, 75 lbs.; Florida and other States, 90 lbs.; Grapefruit - California, Desert Valleys and Arizona, 64 lbs.; other California areas, 67 lbs.; Florida 85 lbs. and Texas 80 lbs.; Lemons - 76 lbs.; Limes - 80 lbs.; Tangelos - 90 lbs. and Tangerines - 95 lbs.

3/ Naval and Miscellaneous varieties in California and Arizona. Early and Midseason varieties in Florida and Texas. All varieties in Louisiana. For all States except Florida, includes small quantities of tangerines.

POTATOES, Irish 1965 Crop

Seasonal group and State	Acreage			Yield per harv. acre			Production		
	Harvested		For	Average		Indi-	Average		Indi-
	Average	1964	harvest	1959-63	1964	cated	1959-63	1964	cated
	1959-63	1964	1965			1965			1965
	1,000	1,000	1,000				1,000	1,000	1,000
	acres	acres	acres	Cwt.	Cwt.	Cwt.	cwt.	cwt.	cwt.
WINTER:									
Fla.	9.4	7.4	9.8	148	160	160	1,378	1,184	1,568
Calif.	13.1	10.9	9.4	204	230	230	2,675	2,507	2,162
Total	22.6	18.3	19.2	180.1	201.7	194.3	4,052	3,691	3,730
	Acreage planted		Inten-	Yield per planted acre			Production		
			tions						
E. SPRING:									
Fla.									
Hastings	22.2	24.0	26.5	155	159	---	3,441	3,808	Apr. 9
Other	3.3	1.6	1.8	126	118	---	414	188	"
Texas	1.1	1.7	2.5	109	110	---	112	187	"
Total	26.5	27.3	30.8	149.4	153.2	---	3,967	4,183	"
L. SPRING:									
N. Carolina									
8 N.E. Counties:	13.3	9.6	10.0	139	115	---	1,848	1,104	May 11
Other Counties:	3.7	3.0	3.0	104	110	---	380	330	"
S. Carolina	4.8	3.0	3.0	82	65	---	392	195	"
Ga.	.5	.3	.2	65	62	---	31	19	"
Ala.-Baldwin	14.0	14.4	15.1	126	118	---	1,742	1,694	"
-Other	7.0	6.3	6.3	85	89	---	596	561	"
Miss.	3.7	2.5	2.5	53	55	---	199	138	"
Ark.	5.1	3.6	3.8	60	55	---	307	198	"
Ia.	4.2	3.2	3.4	50	48	---	209	153	"
Okla.	1.8	1.2	1.1	61	55	---	112	66	"
Texas	6.2	5.2	5.2	77	75	---	477	390	"
Ariz.	9.4	8.2	10.0	241	240	---	2,252	1,968	"
Calif.	49.3	36.8	51.0	323	365	---	15,931	13,432	"
Total	123.0	97.3	114.6	199.0	208.1	---	24,477	20,248	"

CROP PRODUCTION, January 1965

Crop Reporting Board, SRS, USDA

		DECEMBER EGG PRODUCTION							
State	and Division	Number of layers on hand during December		Eggs per 100 layers		Total eggs produced			Incl. 1/
		1963	1964	1963	1964	1963	1964	1963	1964
		Thousands	Thousands	Number	Number	Millions	Millions	Millions	Millions
Maine		4,220	4,268	1,922	1,968	81	84	897	952
N.H.		1,638	1,576	1,916	1,885	31	30	336	348
Vt.		707	702	1,835	1,906	13.0	13.4	151	156
Mass.		2,791	2,787	1,931	1,860	54	52	587	607
R.I.		396	394	1,885	1,854	7.5	7.3	82	83
Conn.		3,643	3,644	1,798	1,829	66	67	733	773
N.Y.		9,045	9,064	1,792	1,761	162	160	1,813	1,882
N.J.		8,932	7,780	1,519	1,609	136	125	1,815	1,632
Pa.		15,148	15,234	1,711	1,779	259	271	3,114	3,143
N.Atl.		46,520	45,449	1,741	1,782	810	810	9,528	9,576
Ohio		11,333	11,257	1,792	1,857	203	209	2,435	2,424
Ind.		10,748	10,749	1,742	1,817	187	195	2,247	2,233
Ill.		9,695	8,681	1,668	1,680	162	146	2,032	1,857
Mich.		6,088	6,262	1,817	1,841	111	115	1,265	1,316
Wis.		8,342	7,658	1,829	1,906	153	146	1,784	1,630
E.N.Cent.		46,206	44,607	1,766	1,818	816	811	9,763	9,460
Minn.		13,708	12,774	1,910	1,934	262	247	2,925	2,791
Iowa		17,890	17,352	1,848	1,872	331	325	3,940	3,818
Mo.		7,213	6,386	1,538	1,575	111	101	1,484	1,366
N. Dak.		2,150	1,983	1,401	1,451	30	29	386	390
S. Dak.		7,049	6,486	1,736	1,767	122	115	1,446	1,375
Nebr.		7,158	6,858	1,612	1,686	115	116	1,446	1,399
Kans.		4,910	4,872	1,562	1,655	77	81	970	941
W.N.Cent.		60,078	56,711	1,744	1,788	1,048	1,014	12,597	12,080
Del.		614	618	1,624	1,761	10.5	10.9	124	128
Md.		1,372	1,400	1,566	1,674	21	23	270	276
Va.		6,021	6,234	1,674	1,767	101	110	1,250	1,256
W.Va.		1,665	1,573	1,566	1,609	26	25	329	325
N.C.		11,298	11,378	1,761	1,770	199	201	2,324	2,388
S.C.		4,946	4,998	1,742	1,798	86	90	1,021	1,053
Ga.		15,144	16,184	1,693	1,686	256	273	3,014	3,299
Fla.		6,922	7,549	1,879	1,891	130	143	1,412	1,662
S.Atl.		48,012	49,934	1,729	1,754	830	876	9,744	10,387
Ky.		4,990	4,815	1,327	1,472	66	71	913	932
Tenn.		5,014	5,251	1,383	1,454	69	76	921	973
Ala.		10,028	10,570	1,745	1,779	177	188	1,950	2,177
Miss.		9,353	10,718	1,637	1,823	153	195	1,829	2,178
Ark.		10,071	10,189	1,668	1,705	168	174	1,842	2,180
La.		2,845	2,893	1,401	1,531	40	44	505	542
Okla.		2,719	2,752	1,364	1,550	37	43	519	533
Texas		13,062	12,524	1,547	1,637	202	205	2,494	2,589
S.Cent.		58,082	59,712	1,570	1,668	912	996	10,973	12,104
Mont.		991	1,025	1,600	1,600	16	16	195	189
Idaho		1,227	1,200	1,739	1,860	21	22	251	260
Wyo.		306	288	1,693	1,637	5.2	4.7	58	60
Colo.		1,272	1,198	1,528	1,578	19	19	264	255
N.Mex.		756	729	1,569	1,497	11.9	10.9	160	150
Ariz.		836	898	1,730	1,720	14.5	15.4	166	182
Utah		1,346	1,177	1,841	1,798	25	21	299	273
Nev.		53	50	1,581	1,302	0.8	0.7	11	10
Wash.		4,705	4,997	1,879	1,804	88	90	1,051	1,073
Oreg.		2,541	2,577	1,841	1,786	47	46	565	552
Calif.		33,636	36,398	1,857	1,823	625	664	7,409	7,805
West.		47,669	50,537	1,833	1,801	874	910	10,429	10,809
48 States		306,567	306,950	1,726	1,765	5,290	5,417	63,034	64,416
Alaska		28	31	1,534	1,810	0.4	0.6	6	5
Hawaii		797	852	1,823	1,838	14.5	15.7	170	188
U. S.		307,392	307,833	1,726	1,765	5,305	5,433	63,210	64,609

1/ Cumulative State totals based on unrounded monthly data.

E R R A T A

"Crop Production" - 1964 Annual Summary (CrPr 2-1 (64))

The following changes should be entered in the above report:

Page 4 - Table on ACREAGE, YIELD AND PRODUCTION, ALL CROPS

Cranberries: Enter acreage harvested 1963 - 20,000
1964 - 21,000

Page 43 - Table on ACREAGE OF CROPS UNITED STATES 1949-64

59 Crops planted or grown: 1963 from 308,784,000 acres to
308,514,000 acres.

Page 53 - Table on PLANTED ACREAGE OF CROPS

Barley: 1963 planted acreage for Washington from
964,000 acres to 694,000 acres.

1963 planted acreage for United States from
14,139,000 acres to 13,869,000 acres.

Page 60 - Table on ALL WHEAT

1964 yield per acre for Illinois from 36.0 bushels
to 37.0 bushels.

100

1

2

3

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS
